

PRIAMUS

Serial Publication of the Centre for
Entomological Studies Ankara

Supplement

Number 38

27 09 2015

ISSN 1015-8243



Ahmet Ömer Koçak Muhabbet Kemal

<http://zoobank.org/urn:lsid:zoobank.org:pub:15F78481-ED3B-4B51-8485-2FD17C28E127>

Abstract: *Hymenoptera* of Turkey. *Priamus* (Suppl.) 38: 1-393, 79 dual maps, 3 tables.

Within the frame of the Entomofauna project of the Cesa, Hymenoptera of Turkey is submitted here. For this purpose, 971 publications are evaluated. Totally 5749 species of 1277 genera are listed alphabetically under 53 families. Numerous scientific names revised nomenclaturally. Synonymous names are given chronologically. Distributional information are mentioned as codes. 79 dual maps are prepared. Rates of success of some hymenopterists are discussed. Present situation of the Entomofauna Project in Turkey is also explained. Studied families are listed alphabetically under key words.

Key words: *Agaonidae, Andrenidae, Aphelinidae, Apidae, Argidae, Aulacidae, Braconidae, Cephidae, Chalcididae, Chrysididae, Cimbicidae, Colletidae, Crabronidae, Cynipidae, Dryinidae, Encyrtidae, Eucharidae, Eulophidae, Eupelmidae, Eurytomidae, Evaniidae, Figitidae, Formicidae, Gasteruptiidae, Halictidae, Ibalidae, Ichneumonidae, Leucospidae, Megachilidae, Megalodontesidae, Melittidae, Mutillidae, Mymaridae, Ormyridae, Orussidae, Pamphiliidae, Perilampidae, Platygastriidae, Pompilidae, Pteromalidae, Sapygidae, Scelionidae, Scolidae, Signiphoridae, Sphecidae, Stephanidae, Tenthredinidae, Tetracampidae, Tiphiidae, Torymidae, Trichogrammatidae, Vespidae, Xyelidae, Hymenoptera, fauna, list, Turkey.*

Contents

Abstract	2
Introduction	3
List of the maps of the species	7
Alphabetical list of the valid names and their synonyms of the family- group taxa in the order Hymenoptera of Turkey	9
Alphabetical list of the valid names and their synonyms of the genus- group taxa in the order Hymenoptera of Turkey	16
Alphabetical list of the valid names with their synonyms and distributional information of the species in the order Hymenoptera of Turkey	54
Selected Annotated Bibliography	299
List of the selected 670 hymenopteran publications of Turkey	299
List of the selected 301 hymenopteran publications of abroad	337
Maps of Hymenoptera of Turkey	354

Citation of this study: Koçak,A.Ö. & M.Kemal, 2015, Hymenoptera of Turkey. *Priamus* (Suppl.) 38: 1-393, 79 maps, 3 Tables.

Frontispiece: *Conura* sp.n. (*Chalcididae*) from Turkey, photo Muhabbet Kemal.

Introduction

Within the private project of “Entomofauna of Turkey”, the authors published the following major works so far: Koçak & Kemal (2009a-e 2010, 2012a-b, 2013, 2014a-b, 2015a-b), Koçak (2014); Kemal & Koçak (2015)¹ The number of the species of hitherto known species of the Pterygota in Turkey are given in the table below (based upon the info-system of the Cesa ²):

Table 1 - Numerical values of the major orders within the Pterygota fauna of Turkey

Orders	Number of the family group taxa	Number of the genus group taxa	Number of the species	Number of the subspecies	Total taxa
<i>Coleoptera</i>	439	1403	6423	448	8713
<i>Hymenoptera</i>	301	1277	5749	80	7407
<i>Lepidoptera</i>	597	1846	5426	1554	9423
<i>Diptera</i>	311	1030	3366	39	4746
rest of the Pterygota	466	1325	4208	207	6206
Total taxa	2114	6881	25172	2328	36495

According to the present information, the highest specific number belongs to the order *Coleoptera*. On the other hand, the highest number of the total taxa belongs to the order *Lepidoptera*.

In the present paper, the *Hymenoptera* of Turkey is evaluated from various standpoints. The first comprehensive attempt on this subject has been published in 2009. The authors listed 1537 species and 449 genera (Koçak & Kemal, 2009c. Now the specific and the generic numbers raised to 5749 and 1277, respectively. They are currently classified under 53 families. These are given here alphabetically:

Agaonidae, Andrenidae, Aphelinidae, Apidae, Argidae, Aulacidae, Braconidae, Cephidae, Chalcididae, Chrysididae, Cimbicidae, Colletidae, Crabronidae, Cynipidae, Dryinidae, Encyrtidae, Eucharidae, Eulophidae, Eupelmidae, Eurytomidae, Evaniidae, Figitidae, Formicidae, Gasteruptiidae, Halictidae, Ibalidae, Ichneumonidae, Leucospidae, Megachilidae, Megalodontesidae, Melittidae, Mutillidae, Mymaridae, Ormyridae, Orussidae, Pamphiliidae, Perilampidae, Platygastriidae, Pompilidae, Pteromalidae, Sapygidae, Scelionidae, Scoliidae, Signiphoridae, Sphecidae, Stephanidae, Tenthredinidae, Tetracampidae, Tiphiidae, Torymidae, Trichogrammatidae, Vespidae, and Xyelidae.

The present work contains about more than 90% of the known *Hymenoptera* fauna of Turkey. Numerous scientific names revised and updated nomenclaturally.³ However, some families (*Formicidae, Ichneumonidae, Tenthredinidae*, etc.) are still incomplete here. In this wise, the total species number of the Pterygota fauna of Turkey raised to 25172. This is an enormous project, comprising more than 36000 taxa for the time being (see Table 1). It is possible that some information or taxa may be absent in the present work. Notwithstanding, we consider that the

¹ **Kemal, M. & A.Ö. Koçak, 2015**, On the Pterygota fauna of Hatay Province (S. Turkey), based upon the info-system of the Cesa. *Cesa News* 102: 16 – 233, 101 [+1] figs. 34 maps. - **Koçak, A.Ö. & M. Kemal, 2009a**, Results of the Entomofauna Projects of the Cesa 6- List of the 11132 pterygot insect species of Turkey hitherto recorded in the database of the Cesa. *Cesa News* 47: 47-197. - **Koçak, A.Ö. & M. Kemal, 2009b**, List of the dipteran genera and species recorded in Turkey based upon the Info-system of the Cesa. *Cesa News* 51: 3-106, 40 figs. - **Koçak, A.Ö. & M. Kemal, 2009c**, List of the hymenopteran genera and species recorded in Turkey based upon the Info-system of the Cesa. *Cesa News* 52: 1-63, 14 figs. - **Koçak, A.Ö. & M. Kemal, 2009d** List of the coleopteran genera and species recorded in Turkey based upon the Info-system of the Cesa. *Cesa News* 53: 1-212, 145 figs. - **Koçak, A.Ö. & M. Kemal, 2009e** Revised Checklist of the Lepidoptera of Turkey. Cent. ent. Stud., *Priamus* Suppl. 17: 1-253. - **Koçak, A.Ö. & M. Kemal, 2010**, Results of the Entomofauna of the World based upon info-system of the Cesa. Cent. ent. Stud., *Priamus* Suppl. 18: 1-3186, 2 figs, 1 map. - **Koçak, A.Ö. & M. Kemal, 2012a**, List of two thousand species of pterygot insects in Van Province (East Turkey). *Cesa News* 81: 2-86, 37 figs. - **Koçak, A.Ö. & M. Kemal, 2012b**, List of the hitherto recorded pterygot taxa of Turkey (*Insecta*). Cent. Ent. Stud., *Memoirs* 6: i-iv+ 1-1649, 1 fig. - **Koçak, A.Ö. & M. Kemal, 2013**, Diptera of Turkey. *Priamus* Suppl. 28: ii+ 1-411, 186 figs., 166 maps, 3 tables. - **Koçak, A.Ö. & M. Kemal, 2014a**, Revised and advanced list of the dipteran species of Turkey. *Cesa News* 98: 14-105, 9 figs. - **Koçak, A.Ö. & M. Kemal, 2014b**, Faunal list of the Lepidoptera of Kahramanmaraş province in Turkey, together with the recorded pterygots, based upon the info-system of the Cesa. *Cesa News* 99: 1-178, 54 figs. - **Koçak, A.Ö., 2014**, List of the 23773 pterygot species in Turkey based upon the info-system of the Cesa. *Priamus* (Suppl.) 32: 1-876. - **Koçak, A.Ö. & M. Kemal, 2015a**, Initial results of the Entomofauna of SW Asia, based upon the info-system of the Cesa (excl. Lepidoptera). *Priamus* (Suppl.) 35: 1-1185, 185 maps. - **Koçak, A.Ö. & M. Kemal, 2015b**, Initial list of the Pterygota of Malatya Province, based upon the info-system of the Cesa (East Turkey). *Cesa News* 105: 1 - 150, 30 figs., 58 maps.

² <http://www.cesa-tr.org/Infos.htm>

³ As a result of this survey, a separate paper on the nomenclature of the species group names of *Ichneumonoidea* will be published soon.

“Hymenoptera of Turkey” is one of the most important work hitherto published; as, there is still no other publication in the literature on this matter.

First results of the “Evaluation of the taxonomists” has been published by the authors in 2007 for some lepidopterists.⁴ Later, the authors evaluated the rates of success of some dipterists (Koçak & Kemal, 2009b, 2013).⁵ In the present paper, numerical evaluations of some hymenopterists are made for the first time (Table 2). The rates of success of selected 65 hymenopterists are evaluated here. Totally 9039 described taxa are used for this purpose.

Table 2 - Tentative numerical evaluations of 65 hymenopterists, based upon 9039 taxa (rate of success= b.100/a). a= total number of described taxa, b= valid scientific names, c= invalid scientific names, % rate of success.

Authors	a	b	c	%
Ashmead	154	67	87	43.50
Berthoumieu	67	12	55	17.91
Blüthgen	251	186	65	74.10
Boheman	17	6	11	35.29
Brullé	79	73	6	92.40
Cameron	323	173	150	53.56
Constantineanu	58	3	55	05.17
Cresson	132	115	17	87.12
Dahlbom	110	84	26	76.36
Delucchi	39	35	4	89.74
Erdös	99	43	56	43.43
Fabricius	415	310	105	74.69
Fahringer	32	8	24	25
Fonscolombe	43	25	18	58.13
Förster	594	246	348	41.41
Friese	438	314	124	71.68
Giraud	62	45	17	72.58
Girault	320	84	236	26.25
Gmelin	50	20	30	40
Gravenhorst	329	243	86	73.86
Habermehl	50	7	43	14
Haliday	107	93	14	86.91
Handlirsch	46	35	11	76.08
Haupt	56	34	22	60.71
Heinrich	66	36	30	54.54
Herrich-Schäffer	20	15	5	75
Holmgren	108	65	43	60.18
Kieffer	85	45	40	52.94
Kohl	110	97	13	88.18
Kokujev	62	27	35	43.54
Konow	97	42	55	43.29
Kriechbaumer	116	55	61	47.41
Lepeletier	214	182	32	85.04
Linnaeus	187	173	14	92.51
Marshall	56	33	23	58.92
Mocsary	152	106	46	69.73
Morawitz	516	467	49	90.50
Morley	31	9	22	20.03
Nees	138	108	30	78.26
Nowicki	12	9	3	75
Pérez	310	232	78	74.83
Radoszkowski	204	165	39	80.88
Ratzeburg	123	53	70	43.08
Rohwer	18	6	12	33.33
Rondani	35	8	27	22.85
Rudow	54	4	49	09.25
Saunders	28	28	0	100

⁴ Koçak,A.Ö. & M.Kemal, 2007, Results of the International Projects of the Cesa on the World Lepidoptera-I. Cent. ent. Stud., *Memoirs* 3-4: v + 1-1989 pp. 49 Col. Plates [pages 17 - 22].

⁵ Koçak,A.Ö. & M.Kemal, 2009b, List of the dipteran genera and species recorded in Turkey based upon the Info-system of the Cesa. *Cesa News* 51: 3-106, 40 figs. [page 5] - Koçak,A.Ö. & M.Kemal, 2013, Diptera of Turkey. *Priamus* Suppl. 28: ii+ 1-411, 186 figs., 166 maps, 3 tables [pages 6 - 7].

Table 2 - (continues)

Saussure	108	83	25	76.83
Schiedeknecht	86	70	16	81.39
Schulthess	19	15	4	78.94
Seyrig	20	7	13	35
Szelényi	16	5	11	31.25
Szépligeti	198	66	132	33.33
Telenga	79	45	34	56.96
Thomson	356	163	193	45.78
Thunberg	74	46	28	62.16
Tschek	29	19	10	65.51
Uchida	40	9	31	22.5
Ulbricht	20	1	19	05
Viereck	70	18	52	25.71
Walker	480	238	242	49.58
Warncke	543	434	109	79.92
Wesmael	172	136	36	79.06
Westwood	79	66	13	83.54
Zetterstedt	37	17	20	45.94
Total described taxa	9039			

According to Table 2, rate of success of 27 hymenopterists are more than 70%. However, the rates of 9 hymenopterists are based upon more than 200 described taxa. Therefore, they are considered here comparatively more successful. These authors are: Blüthgen, Fabricius, Friese, Gravenhorst, Lepeletier, Morawitz, Pérez, Radoszkowski, and Warncke. Contrary to this, Constantineanu, Habermehl, Rudow, Ulbricht are the most unsuccessful authors, with the rate of success less than 15%.

Following authors described also numerous taxa of some other insect orders. These authors are: Brullé, Fabricius, Haliday, Herrich-Schäffer, Linnaeus, Ratzeburg, Rondani, Thunberg, Walker, Westwood, and Zetterstedt. Their rates of success are given below for comparison (Table 3).

Table 3 – Comparative rates of success of some entomologists

Authors	Described taxa in other orders		
	Lepidoptera Total taxa / rate of success	Diptera Total taxa / rate of success	Hymenoptera Total taxa / rate of success (present information)
Brullé	5/80 (present information)	24/58.33 (present information)	79 / 92.40
Fabricius	1324 / 55.13 (Koçak & Kemal,2007) 1437 / 53.09 (present information)	1330 / 80.37 (Koçak & Kemal,2013)	415 / 74.69
Haliday	-	134 / 80.59 (Koçak & Kemal,2013)	107 / 86.91
Herrich-Schäffer	1094 / 59.68 (Koçak & Kemal,2007) 1197 / 57.30 (present information)	1/0 (present information)	20 / 75
Linnaeus	1025 / 82.43 (Koçak & Kemal,2007) 1061/82.28 (present information)	872 / 95.41 (Koçak & Kemal,2013)	187 / 92.51
Ratzeburg	7/71.42 (present information)	1/100 (present information)	123/ 43.08
Rondani	5/20 (present information)	462 / 54.54 (Koçak & Kemal,2013) 488/52.55 (present information)	35 / 22.85
Thunberg	146/41.78 (present information)	6/33.33 (present information)	74 / 62.16
Walker	5986/61.69 (present information)	363/64.73 (present information)	480 / 49.58
Westwood	369/70.18 (present information)	20/65 (present information)	79 / 83.54
Zetterstedt	102/38.23 (present information)	420 / 52.61 (Koçak & Kemal,2013)	37 / 45.94

In the Table 3, some lacking information in the columns of Lepidoptera and Diptera has been completed here. According to our present knowledge, the comments on the rates of success of some entomologists are as follows: Numbers of the described taxa by Brullé, Haliday, Rondani in Lepidoptera, by Herrich-Schäffer and Ratzeburg in Diptera are very low; therefore they should be omitted here. Fabricius's the rate of success fluctuates between 53-80.37%. Similarly, Linnaeus's and Thunberg's the rates of success vary between 82.28-92.51%, and 33.33-62.16%, respectively. Walker described nearly 6000 taxa in Lepidoptera; however his rate of success not high (61.69%). Zetterstedt's rates of success are rather low in all insect orders. On the other hand, Westwood appears here one of the most successful entomologist with high rates of success in Lepidoptera (70.18%), and in Hymenoptera (83.54%). Among the selected entomologist mentioned in the Table 3, Linnaeus's performance is the highest with the rates between 82.28 and 92.51%.

List of the maps of the species

- Map 1** (457) - *Ammobatoides* (s.str.) *abdominalis* (Eversmann,1852) (Apidae)
Map 2 (473) - *Anthophora* (*Pyganthophora*) *aestivalis* (Panzer,1801) (Apidae)
Map 3 (476) - *Anthophora* (s.str.) *plumipes* (Pallas,1772) (Apidae)
Map 4 (493) - *Bombus* (*Megabombus*) *armeniacus* (Radoszkowski,1877) (Apidae)
Map 5 (539) - *Ceratina* *chalcites* Germar,1839 (Apidae)
Map 6 (594) - *Melecta* *albifrons* (Förster,1771) (Apidae)
Map 7 (658) - *Thyreus* *histrionicus* (Illiger,1806) (Apidae)
Map 8 (661) - *Thyreus* *ramosus* (Lepeletier,1841) (Apidae)
Map 9 (666) - *Xylocopa* (*Copoxyla*) *armeniaca* Warncke,1982 (Apidae)
Map 10 (670) - *Xylocopa* (*Proxylocopa*) *olivieri* Lepeletier,1841 (Apidae)
Map 11 (691) - *Arge* *melanochra* (Gmelin,1790) (Argidae)
Map 12 (713) - *Agathis* *anglica* Marshall,1885 (Braconidae)
Map 13 (724) - *Agathis* *malvacearum* Latreille,1805 (Braconidae)
Map 14 (929) - *Bracon* (*Glabrobracon*) *obscurator* Nees ab Esenbeck,1812 (Braconidae)
Map 15 (944) - *Bracon* (*Glabrobracon*) *variator* (Nees ab Esenbeck,1812) (Braconidae)
Map 16 (1041) - *Chelonus* (*Microchelonus*) *cesa* Koçak & Kemal,2013 (Braconidae)
Map 17 (1108) - *Cotesia* *ruficrus* (Haliday,1834) (Braconidae)
Map 18 (1119) - *Cremnops* *desertor* (Linnaeus,1758) (Braconidae)
Map 19 (1137) - *Diospilus* *capito* (Nees ab Esenbeck,1834) (Braconidae)
Map 20 (1233) - *Meteorus* *rubens* (Nees ab Esenbeck,1811) (Braconidae)
Map 21 (1238) - *Microgaster* *filizinancae* Koçak & Kemal,2013 (Braconidae)
Map 22 (1357) - *Orgilus* *pimpinellae* Niezabitowski,1910 (Braconidae)
Map 23 (1436) - *Pseudovipio* *inscriptor* (Nees ab Esenbeck,1834) (Braconidae)
Map 24 (1441) - *Psytalia* (s.str.) *concolor* (Szépligeti,1910) (Braconidae)
Map 25 (1548) - *Brachymeria* *tibialis* (Walker,1834) (Chalcididae)
Map 26 (1907) - *Parnopes* *grandior* (Pallas,1771) (Chrysididae)
Map 27 (2089) - *Bembecinus* *acanthomerus* (Morice,1911) (Crabronidae)
Map 28 (2107) - *Bembecinus* *tridens* (Fabricius,1781) (Crabronidae)
Map 29 (2111) - *Bembix* *bicolor* (Radoszkowski,1877) (Crabronidae)
Map 30 (2120) - *Bembix* *olivacea* Fabricius,1787 (Crabronidae)
Map 31 (2123) - *Bembix* *rostrata* (Linnaeus,1758) (Crabronidae)
Map 32 (2363) - *Oxybelus* *quatuordecimnotatus* Jurine,1807 (Crabronidae)
Map 33 (2397) - *Philanthus* *triangulum* (Fabricius,1775) (Crabronidae)
Map 34 (2432) - *Stizoides* *tridentatus* (Fabricius,1775) (Crabronidae)
Map 35 (2867) - *Closterocerus* *formosus* Westwood,1833 (Eulophidae)
Map 36 (2872) - *Diglyphus* *minoeus* (Walker,1838) (Eulophidae)
Map 37 (2903) - *Epomphale* *menes* (Walker,1839) (Eulophidae)
Map 38 (2909) - *Euplectrus* *bicolor* (Swederus,1795) (Eulophidae)
Map 39 (2915) - *Hemiptarsenus* *unguicellus* (Zetterstedt,1838) (Eulophidae)
Map 40 (2932) - *Neochrysocharis* *formosus* (Westwood,1833) (Eulophidae)
Map 41 (2955) - *Pnigalio* *pectinicornis* (Linnaeus,1758) (Eulophidae)
Map 42 (2975) - *Sympiesis* *sericeicornis* (Nees ab Esenbeck,1834) (Eulophidae)
Map 43 (3120) - *Ceylaliectus* (s.str.) *variegatus* (Olivier,1789) (Halictidae)
Map 44 (3138) - *Halictus* (s.str.) *brunnescens* (Eversmann,1852) (Halictidae)
Map 45 (3227) - *Lasioglossum* (*Evylaeus*) *epipygiale* (Blüthgen,1924) (Halictidae)
Map 46 (3258) - *Lasioglossum* (*Evylaeus*) *mesosclerum* (Pérez,1903) (Halictidae)
Map 47 (3304) - *Lasioglossum* (*Evylaeus*) *subaenescens* (Pérez,1896) (Halictidae)
Map 48 (3426) - *Acrodactyla* *quadrisculpta* (Gravenhorst,1820) (Ichneumonidae)
Map 49 (3432) - *Acrotomus* *succinctus* (Gravenhorst,1829) (Ichneumonidae)
Map 50 (3447) - *Amblyjoppa* *fuscipennis* (Wesmael,1845) (Ichneumonidae)
Map 51 (3448) - *Amblyteles* *armatorius* (Forster,1771) (Ichneumonidae)
Map 52 (3503) - *Barycnemis* *harpura* (Schrank,1802) (Ichneumonidae)
Map 53 (3529) - *Buathra* *laborator* (Thunberg,1822) (Ichneumonidae)
Map 54 (3616) - *Cryptus* *spiralis* (Geoffroy,1785) (Ichneumonidae)
Map 55 (3758) - *Exeristes* *roborator* (Fabricius,1793) (Ichneumonidae)
Map 56 (3888) - *Ichneumon* *sarcitorius* Linnaeus,1758 (Ichneumonidae)

Map 57 (3908) - *Itoplectis maculator* (Fabricius,1775) (Ichneumonidae)
Map 58 (3966) - *Mesochorus giberius* (Thunberg,1822) (Ichneumonidae)
Map 59 (4016) - *Netelia* (s.str.) *testacea* (Gravenhorst,1829) (Ichneumonidae)
Map 60 (4157) - *Scolobates auriculatus* (Fabricius,1804) (Ichneumonidae)
Map 61 (4186) - *Syrphophilus bizonatus* (Gravenhorst,1829) (Ichneumonidae)
Map 62 (4299) - *Leucospis dorsigera* (Fabricius,1775) (Leucospidae)
Map 63 (4331) - *Anthidium* (*Pseudoanthidium*) *lituratum* (Panzer,1801) (Megachilidae)
Map 64 (4399) - *Coelioxys* (*Allocoelioxys*) *afra* (Lepeletier,1841) (Megachilidae)
Map 65 (4404) - *Coelioxys* (*Allocoelioxys*) *haemorrhoea* Förster,1853 (Megachilidae)
Map 66 (4445) - *Hoplitis* (*Alcidamea*) *acuticornis* (Dufour & Perris,1840) (Megachilidae)
Map 67 (4608) - *Osmia* (*Helicosmia*) *caerulescens* (Linnaeus,1758) (Megachilidae)
Map 68 (4639) - *Osmia* (*Hoplosmia*) *bidentata* (Morawitz,1876) (Megachilidae)

Map 69 (4677) - *Osmia* (s.str.) *cerinthidis* (Morawitz,1876) (Megachilidae)
Map 70 (4741) - *Dasypoda* (*Megadasypoda*) *argentata* (Panzer,1809) (Melittidae)
Map 71 (4770) - *Dasylabris* (s.str.) *maura* (Linnaeus,1758) (Mutillidae)
Map 72 (4798) - *Nemka viduata* (Pallas,1773) (Mutillidae)
Map 73 (4809) - *Ronisia brutia* (Petagna,1787) (Mutillidae)
Map 74 (4830) - *Tropidotilla litoralis* (Petagna,1787) (Mutillidae)
Map 75 (4905) - *Anoplius viaticus* (Linnaeus,1758) (Pompilidae)
Map 76 (5332) - *Sceliphron* (s.str.) *destillatorium* (Illiger,1807) (Sphecidae)
Map 77 (5695) - *Polistes* (s.str.) *dominula* (Christ,1791) (Vespidae)
Map 78 (5741) - *Vespa orientalis* (Linnaeus,1771) (Vespidae)
Map 79 (5743) - *Vespula germanica* (Fabricius,1793) (Vespidae)

Alphabetical list of the valid names and their synonyms of the family- group taxa in the order Hymenoptera of Turkey

- 1) **Acaenitinae Förster,1869** (Ichneumonidae) Synonym(s): *Acaenitoidea Förster,1869; Coleocentrini Clément,1938*
- 2) **Acrolytina Townes,1970** (Ichneumonidae) Synonym(s): *Acrolytina Townes,1970*
- 3) **Aenictinae** (Formicidae) Synonym(s):
- 4) **Agaonidae Walker,1846** (Agaonidae) Synonym(s): *Agaonidae Walker,1846*
- 5) **Agathidinae Haliday,1833** (Braconidae) Synonym(s): *Agathidinae Haliday,1833; Eumicrodinae Förster,1862; Bassinae Förster,1869; Mesocoelinae Viereck,1918; Aneurobraconinae Fahringer,1936*
- 6) **Ageniellini** (Pompilidae) Synonym(s):
- 7) **Agrothereutina Townes,1970** (Ichneumonidae) Synonym(s): *Agrothereutina Townes,1970*
- 8) **Allantinae** (Tenthredinidae) Synonym(s):
- 9) **Alomyini Förster,1869** (Ichneumonidae) Synonym(s): *Alomyoidae Förster,1869; Phaeogenoidae Förster,1869; Dicaelotina Holmgren,1889; Diadromina Holmgren,1889; Epitomina Holmgren,1889; Gnathoxina Holmgren,1889; Herpestomina Holmgren,1889; Oronotina Holmgren,1889; Stenodotina Schmiedeknecht,1903;*
- 10) **Alysiinae Leach,1815** (Braconidae) Synonym(s): *Alysiinae Leach,1815*
- 11) **Alysiini Leach,1815** (Braconidae) Synonym(s): *Alysiini Leach,1815*
- 12) **Alyssontini Dalla Torre,1897** (Crabronidae) Synonym(s): *Alyssontini Dalla Torre,1897*
- 13) **Ammobatini** (Apidae) Synonym(s):
- 14) **Ammobatoidini Michener,1944** (Apidae) Synonym(s): *Ammobatoidini Michener,1944*
- 15) **Ammophilinae André,1886** (Sphecidae) Synonym(s): *Ammophilinae André,1886*
- 16) **Ampulicidae Shuckard,1840** (Ampulicidae) Synonym(s): *Ampulicidae Shuckard,1840*
- 17) **Anacrabronina Ashmead,1899** (Crabronidae) Synonym(s): *Anacrabronina Ashmead,1899*
- 18) **Andrenidae Latreille,1802** (Andrenidae) Synonym(s): *Andrenidae Latreille,1802; Anthreninae Burmeister,1829; Alocandreninae Michener,2000*
- 19) **Andreninae Latreille,1802** (Andrenidae) Synonym(s): *Andreninae Latreille,1802; Anthreninae Burmeister,1829; Alocandreninae Michener,2000*
- 20) **Anomaloninae Viereck,1918 (1900)** (Ichneumonidae) Synonym(s): *Anomaloninae Viereck,1918 (1900)*
- 21) **Anomalonini Viereck,1918 (1900)** (Ichneumonidae) Synonym(s): *Anomalonini Viereck,1918 (1900)*
- 22) **Anthidiina Ashmead,1899** (Megachilidae) Synonym(s): *Anthidiina Ashmead,1899*
- 23) **Anthidiini Ashmead,1899** (Megachilidae) Synonym(s): *Anthidiini Ashmead,1899*
- 24) **Apantelini Viereck,1918** (Braconidae) Synonym(s): *Apantelini Viereck,1918*
- 25) **Aphelinidae Thomson,1876** (Aphelinidae) Synonym(s): *Aphelinidae Thomson,1876*
- 26) **Aphidiinae Haliday,1833** (Braconidae) Synonym(s): *Aphidiinae Haliday,1833*
- 27) **Apidae Latreille,1802** (Apidae) Synonym(s): *Apidae Latreille,1802*
- 28) **Apinae Latreille,1802** (Apidae) Synonym(s): *Apinae Latreille,1802*
- 29) **Apoidea Latreille,1802** (Apoidea) *Apoidea Latreille,1802*
- 30) **Aporini Leach,1815** (Pompilidae) Synonym(s): *Aporini Leach,1815*
- 31) **Argidae Konow,1890** (Argidae) Synonym(s): *Argidae Konow,1890*
- 32) **Asaphiinae** (Pteromalidae) Synonym(s):
- 33) **Aspicerinae Dalla Torre & Kieffer,1910** (Figitidae) Synonym(s): *Aspicerinae Dalla Torre & Kieffer,1910*
- 34) **Astatinae Lepeletier,1845** (Crabronidae) Synonym(s): *Astatinae Lepeletier,1845; Diploplectrini W.Fox,1894; Dimorphini Brues & Melander,1932*
- 35) **Astatini Lepeletier,1845** (Crabronidae) Synonym(s): *Astatini Lepeletier,1845*
- 36) **Atrophini Seyrig,1932** (Ichneumonidae) Synonym(s): *Atrophini Seyrig,1932*
- 37) **Aulacidae Shuckard,1841** (Aulacidae) Synonym(s): *Aulacidae Shuckard,1841*
- 38) **Aylacini Ashmead,1903** (Cynipidae) Synonym(s): *Aylacini Ashmead,1903; Aulacideini Fergusson,1988*
- 39) **Banchinae Wesmael,1845** (Ichneumonidae) Synonym(s): *Banchinae Wesmael,1845*
- 40) **Banchini Wesmael,1845** (Ichneumonidae) Synonym(s): *Banchini Wesmael,1845*
- 41) **Bathythrichina Townes,1970** (Ichneumonidae) Synonym(s): *Bathythrichina Townes,1970*

- 42) **Bembicina Latreille, 1802** (Crabronidae) Synonym(s): *Bembicina Latreille, 1802*
- 43) **Bembicinae Latreille, 1802** (Crabronidae) Synonym(s): *Bembicinae Latreille, 1802*
- 44) **Bembicini Latreille, 1802** (Crabronidae) Synonym(s): *Bembicini Latreille, 1802*
- 45) **Blacinae Förster, 1862** (Braconidae) Synonym(s): *Blacinae Förster, 1862*
- 46) **Blacini Förster, 1862** (Braconidae) Synonym(s): *Blacini Förster, 1862*
- 47) **Blennocampinae Konow, 1890** (Tenthredinidae) Synonym(s): *Blennocampinae Konow, 1890*
- 48) **Bombinae Latreille, 1802** (Apidae) Synonym(s): *Bombinae Latreille, 1802*
- 49) **Brachistinae Förster, 1862** (Braconidae) Synonym(s): *Brachistinae Förster, 1862*
- 50) **Brachycyrtinae Viereck, 1919** (Ichneumonidae) Synonym(s): *Brachycyrtinae Viereck, 1919*
- 51) **Braconidae Nees ab Esenbeck, 1811** (Braconidae) Synonym(s): *Braconidae Nees ab Esenbeck, 1811*
- 52) **Braconinae Nees ab Esenbeck, 1811** (Braconidae) Synonym(s): *Braconinae Nees ab Esenbeck, 1811*
- 53) **Campopleginae Förster, 1869** (Ichneumonidae) Synonym(s): *Campoplegoidae Förster, 1869; Hellwigioideae Förster, 1869; Nesomesochorini Ashmead, 1905; Limnerinae Szépligeti, 1911; Charopsinae Viereck, 1918; Mavandini Seyrig, 1935; Nonnini Townes, Townes & Gupta, 1961; Macrini Townes, 1971; Cymodunini V. Gupta, 1987*
- 54) **Campoplegini Förster, 1869** (Ichneumonidae) Synonym(s): *Campoplegoidae Förster, 1869; Hellwigioideae Förster, 1869; Nesomesochorini Ashmead, 1905; Limnerinae Szépligeti, 1911; Charopsinae Viereck, 1918; Mavandini Seyrig, 1935; Nonnini Townes, Townes & Gupta, 1961; Macrini Townes, 1971; Cymodunini V. Gupta, 1987*
- 55) **Ceinae (Pteromalidae)** Synonym(s):
- 56) **Cephidae Newman, 1834** (Cephidae) Synonym(s): *Cephidae Newman, 1834*
- 57) **Cephini Newman, 1834** (Cephidae) Synonym(s): *Cephini Newman, 1834*
- 58) **Cephoidea Newman, 1834** (Cephoidea) *Cephoidea Newman, 1834*
- 59) **Cercerini Lepeletier, 1845** (Crabronidae) Synonym(s): *Cercerini Lepeletier, 1845*
- 60) **Ceropalinae Radoszkowski, 1888** (Pompilidae) Synonym(s): *Ceropalinae Radoszkowski, 1888*
- 61) **Chalcididae Latreille, 1817** (Chalcididae) Synonym(s): *Chalcidites Latreille, 1817*
- 62) **Chalcidinae Latreille, 1817** (Chalcididae) Synonym(s): *Chalcidites Latreille, 1817*
- 63) **Chalcidoidea Latreille, 1817** (Chalcididae) Synonym(s): *Chalcidoidea Latreille, 1817*
- 64) **Cheloninae Förster, 1862** (Braconidae) Synonym(s): *Cheloninae Förster, 1862; Adeliinae Viereck, 1918; Acaeliinae Viereck, 1918; Acoeliinae Viereck, 1918*
- 65) **Chiroticina Townes, 1970** (Ichneumonidae) Synonym(s): *Chiroticina Townes, 1970*
- 66) **Chrysididae Latreille, 1802** (Chrysididae) Synonym(s): *Chrysididae Latreille, 1802*
- 67) **Chrysidinae Latreille, 1802** (Chrysididae) Synonym(s): *Chrysidinae Latreille, 1802*
- 68) **Chrysidini Latreille, 1802** (Chrysididae) Synonym(s): *Chrysidini Latreille, 1802*
- 69) **Chrysidoidea Latreille, 1802** (Chrysidoidea) *Chrysidoidea Latreille, 1802*
- 70) **Cimbicidae Kirby, 1837** (Cimbicidae) Synonym(s): *Cimbicidae Kirby, 1837*
- 71) **Cimbicinae Kirby, 1837** (Cimbicidae) Synonym(s): *Cimbicinae Kirby, 1837*
- 72) **Cleptinae Latreille, 1802** (Chrysididae) Synonym(s): *Cleptinae Latreille, 1802*
- 73) **Colletidae Lepeletier, 1841** (Colletidae) Synonym(s): *Colletidae Lepeletier, 1841*
- 74) **Colletinae Lepeletier, 1841** (Colletidae) Synonym(s): *Colletinae Lepeletier, 1841*
- 75) **Collyriinae Cushman, 1924** (Ichneumonidae) Synonym(s): *Collyriini Cushman, 1924*
- 76) **Colotrechninae (Pteromalidae)** Synonym(s):
- 77) **Corynidinae Benson, 1938** (Cimbicidae) Synonym(s): *Corynidinae Benson, 1938*
- 78) **Cotesiini Mason, 1981** (Braconidae) Synonym(s): *Cotesiini Mason, 1981*
- 79) **Crabronidae Latreille, 1802** (Crabronidae) Synonym(s): *Crabronidae Latreille, 1802*
- 80) **Crabronina Latreille, 1802** (Crabronidae) Synonym(s): *Crabronina Latreille, 1802*
- 81) **Crabroninae Latreille, 1802** (Crabronidae) Synonym(s): *Crabroninae Latreille, 1802*
- 82) **Crabronini Latreille, 1802** (Crabronidae) Synonym(s): *Crabronini Latreille, 1802*
- 83) **Cremastinae Förster, 1869** (Ichneumonidae) Synonym(s): *Cremastoidae Förster, 1869; Pristomeroidae Förster, 1869; Xiphosominae Szépligeti, 1905; Eiphosominae Viereck, 1918*
- 84) **Cryptina Kirby, 1837** (Ichneumonidae) Synonym(s): *Cryptina Kirby, 1837; Itamopleginae Bradley, 1928; Hedycryptinae Bradley, 1969; Ischnina Townes, 1970*
- 85) **Cryptinae Kirby, 1837** (Ichneumonidae) Synonym(s): *Cryptinae Kirby, 1837*
- 86) **Cryptini Kirby, 1837** (Ichneumonidae) Synonym(s): *Cryptini Kirby, 1837; Itamopleginae Bradley, 1928; Hedycryptinae Bradley, 1969; Ischnina Townes, 1970*
- 87) **Ctenocerinae (Pompilidae)** Synonym(s):

- 88) Ctenopelmatinae Förster, 1869** (Ichneumonidae) Synonym(s): *Ctenopelmatoidea Förster, 1869*;
Notopygina Schmiedeknecht, 1911; *Ctenopelmatini Townes, 1944*
- 89) Ctenopelmatini Förster, 1869** (Ichneumonidae) Synonym(s): *Ctenopelmatoidea Förster, 1869*;
Notopygina Schmiedeknecht, 1911; *Ctenopelmatini Townes, 1944*
- 90) Cyloceriinae Wahl, 1990** (Ichneumonidae) Synonym(s): *Cyloceriinae Wahl, 1990*
- 91) Cynipidae Latreille, 1802** (Cynipidae) Synonym(s): *Cynipidae Latreille, 1802*
- 92) Cynipinae Latreille, 1802** (Cynipidae) Synonym(s): *Cynipinae Latreille, 1802*
- 93) Cynipini Latreille, 1802** (Cynipidae) Synonym(s): *Cynipini Latreille, 1802*
- 94) Cynipoidea Latreille, 1802** (Cynipoidea) *Cynipoidea Latreille, 1802*
- 95) Dasylabrinae Skorikov, 1935** (Mutillidae) Synonym(s): *Dasylabrinae Skorikov, 1935*
- 96) Dasypodainae Börner, 1919** (Melittidae) Synonym(s): *Dasypodainae Börner, 1919*
- 97) Dinetini W. Fox, 1895** (Crabronidae) Synonym(s): *Dinetini W. Fox, 1895*
- 98) Dioxyina Cockerell, 1902** (Megachilidae) Synonym(s): *Dioxyina Cockerell, 1902*
- 99) Diplazontinae Viereck, 1918** (Ichneumonidae) Synonym(s): *Diplazoninae Viereck, 1918*
- 100) Diplolepidini Latreille, 1802** (Cynipidae) Synonym(s): *Diplolepidini Latreille, 1802*; *Rhoditini Hartig, 1840*
- 101) Diprionidae Rohwer, 1911** (Diprionidae) Synonym(s): *Diprionidae Rohwer, 1911*
- 102) Dirhininae Ashmead, 1904** (Chalcididae) Synonym(s): *Dirhininae Ashmead, 1904*
- 103) Dolerinae** (Tenthredinidae) Synonym(s):
- 104) Dolichoderinae** (Formicidae) Synonym(s):
- 105) Doryctinae Förster, 1872** (Braconidae) Synonym(s): *Doryctinae Förster, 1872*
- 106) Dorylinae Leach, 1815** (Formicidae) Synonym(s): *Dorylinae Leach, 1815*
- 107) Dorylini Leach, 1815** (Formicidae) Synonym(s): *Dorylini Leach, 1815*
- 108) Dryinidae Haliday, 1833** (Dryinidae) Synonym(s): *Dryinidae Haliday, 1833*
- 109) Elampinae Dahlbom, 1854** (Chrysidae) Synonym(s): *Elampinae Dahlbom, 1854*
- 110) Elampini Dahlbom, 1854** (Chrysidae) Synonym(s): *Elampini Dahlbom, 1854*
- 111) Encyrtidae Walker, 1837** (Encyrtidae) Synonym(s): *Encyrtidae Walker, 1837*
- 112) Enicospilini Townes, 1971** (Ichneumonidae) Synonym(s): *Enicospilini Townes, 1971*
- 113) Entedoninae Förster, 1856** (Eulophidae) Synonym(s): *Entedoninae Förster, 1856*; *Omphalini Ashmead, 1904*; *Pediobiini Ashmead, 1904*
- 114) Entomosericiini Dalla Torre, 1897** (Crabronidae) Synonym(s): *Entomosericiini Dalla Torre, 1897*
- 115) Eucharidae Walker, 1846** (Eucharidae) Synonym(s): *Eucharidae Walker, 1846*; *Eucharitidae Girault, 1928*
- 116) Eulophidae Westwood, 1829** (Eulophidae) Synonym(s): *Eulophides Westwood, 1829*; *Ophelimini Ashmead, 1904*; *Platytracampini Boucek, 1988*; *Anselmellini Boucek, 1988*; *Boucekelimiini Kim & La Salle, 2005*
- 117) Eulophinae Westwood, 1829** (Eulophidae) Synonym(s): *Eulophides Westwood, 1829*; *Ophelimini Ashmead, 1904*; *Platytracampini Boucek, 1988*; *Anselmellini Boucek, 1988*; *Boucekelimiini Kim & La Salle, 2005*
- 118) Eumeninae Leach, 1815** (Vespidae) Synonym(s): *Eumeninae Leach, 1815*
- 119) Eupelmidae Walker, 1833** (Eupelmidae) Synonym(s): *Eupelmidae Walker, 1833*
- 120) Euphorinae Förster, 1862** (Braconidae) Synonym(s): *Euphorinae Förster, 1862*; *Perilitinae Förster, 1862*
- 121) Euryproctini Thomson, 1883** (Ichneumonidae) Synonym(s): *Euryproctini Thomson, 1883*; *Megacerini Szépligeti, 1908*; *Zemiophorinae Viereck, 1918*
- 122) Evaniidae Latreille, 1802** (Evaniidae) Synonym(s): *Evaniidae Latreille, 1802*
- 123) Evanioidea Latreille, 1802** (Evanioidea) *Evanioidea Latreille, 1802*
- 124) Exeirina Dalla Torre, 1897** (Crabronidae) Synonym(s): *Exeirina Dalla Torre, 1897*
- 125) Fedtschenkiinae** (Sapygidae) Synonym(s):
- 126) Figitidae Thomson, 1862** (Figitidae) Synonym(s): *Figitidae Thomson, 1862*; *Lonchididae Hellén, 1937*
- 127) Formicidae Latreille, 1802** (Formicidae) Synonym(s): *Formicidae Latreille, 1802*
- 128) Formicinae Latreille, 1802** (Formicidae) Synonym(s): *Formicinae Latreille, 1802*
- 129) Gabuniina Townes, 1970** (Ichneumonidae) Synonym(s): *Gabuniina Townes, 1970*
- 130) Gasteruptiidae Ashmead, 1890** (Gasteruptiidae) Synonym(s): *Gasteruptiidae Ashmead, 1890*
- 131) Gastrosericina André, 1886** (Crabronidae) Synonym(s): *Gastrosericina André, 1886*
- 132) Glyptini Cushman & Rohwer, 1920** (Ichneumonidae) Synonym(s): *Glyptini Cushman & Rohwer, 1920*

- 133) Gonatopinae Kieffer,1906** (Dryinidae) **Synonym(s):** *Gonatopinae Kieffer,1906; Gonatopidinae auct.*
- 134) Goryphina Townes,1970** (Ichneumonidae) **Synonym(s):** *Goryphina Townes,1970*
- 135) Gorytina Lepeletier,1845** (Crabronidae) **Synonym(s):** *Gorytina Lepeletier,1845*
- 136) Gorytini Lepeletier,1845** (Crabronidae) **Synonym(s):** *Gorytini Lepeletier,1845*
- 137) Gravenhorstiini Enderlein,1912** (Ichneumonidae) **Synonym(s):** *Gravenhorstiini Enderlein,1912; Therioninae Viereck,1918; Erigorgina Viktorov,1968; Podogastrini Townes,1971*
- 138) Halictidae Thomson,1869** (Halictidae) **Synonym(s):** *Halictidae Thomson,1869*
- 139) Halictina Thomson,1869** (Halictidae) **Synonym(s):** *Halictina Thomson,1869*
- 140) Halictinae Thomson,1869** (Halictidae) **Synonym(s):** *Halictinae Thomson,1869*
- 141) Halictini Thomson,1869** (Halictidae) **Synonym(s):** *Halictini Thomson,1869*
- 142) Haltichellinae Ashmead,1904** (Chalcididae) **Synonym(s):** *Haltichellinae Ashmead,1904*
- 143) Handlirschiina Nemkov & Lelej,1996** (Crabronidae) **Synonym(s):** *Handlirschiina Nemkov & Lelej,1996*
- 144) Hartigiini** (Cephidae) **Synonym(s):**
- 145) Helconinae Förster,1862** (Braconidae) **Synonym(s):** *Helconinae Förster,1862*
- 146) Hemigasterini Ashmead,1900** (Ichneumonidae) **Synonym(s):** *Hemigasterini Ashmead,1900*
- 147) Heresiarchini Ashmead,1900** (Ichneumonidae) **Synonym(s):** *Heresiarchini Ashmead,1900*
- 148) Heterarthrinae** (Tenthredinidae) **Synonym(s):**
- 149) Homonotini Ashmead,1902** (Pompilidae) **Synonym(s):** *Homonotini Ashmead,1902*
- 150) Ibalidae Thomson,1862** (Ibalidae) **Synonym(s):** *Ibalidae Thomson,1862*
- 151) Ichneumonidae Latreille,1802** (Ichneumonidae) **Synonym(s):** *Ichneumonidae Latreille,1802*
- 152) Ichneumoninae Latreille,1802** (Ichneumonidae) **Synonym(s):** *Ichneumoninae Latreille,1802*
- 153) Ichneumonini Latreille,1802** (Ichneumonidae) **Synonym(s):** *Ichneumonini Latreille,1802*
- 154) Ichneumonoidea Latreille,1802** (Ichneumonoidea) *Ichneumonoidea Latreille,1802*
- 155) Joppocryptini Viereck,1918** (Ichneumonidae) **Synonym(s):** *Joppocryptini Viereck,1918*
- 156) Larrina Latreille,1810** (Crabronidae) **Synonym(s):** *Larrina Latreille,1810*
- 157) Larrini Latreille,1810** (Crabronidae) **Synonym(s):** *Larrini Latreille,1810*
- 158) Leucospidae Walker,1834** (Leucospidae) **Synonym(s):** *Leucospidae Walker,1834*
- 159) Listrodromini Förster,1869** (Ichneumonidae) **Synonym(s):** *Listrodromini Förster,1869*
- 160) Lithurginae Newman,1834** (Megachilidae) **Synonym(s):** *Lithurginae Newman,1834*
- 161) Lithurgini Newman,1834** (Megachilidae) **Synonym(s):** *Lithurgini Newman,1834; Trichothurgini Moure,1949*
- 162) Masarinae Latreille,1802** (Vespidae) **Synonym(s):** *Masarides Latreille,1802; Mazaridinae Schulz,1911; Celonitinae Börner,1919; Saryarinae Kuznetzov,1923*
- 163) Mastrina Townes,1970** (Ichneumonidae) **Synonym(s):** *Mastrina Townes,1970*
- 164) Megachilidae Latreille,1802** (Megachilidae) **Synonym(s):** *Megachilidae Latreille,1802*
- 165) Megachilinae Latreille,1802** (Megachilidae) **Synonym(s):** *Megachilinae Latreille,1802*
- 166) Megachilini Latreille,1802** (Megachilidae) **Synonym(s):** *Megachilini Latreille,1802; Coelioxylini Dalla Torre & Friese,1894*
- 167) Megalodontesidae Konow,1897** (Megalodontesidae) **Synonym(s):** *Megalodontesidae Konow,1897 (Opinion 1829)*
- 168) Megalodontesiodea Konow,1897** (Megalodontesiodea) *Megalodontesiodea Konow,1897*
- 169) Melittidae Schenck,1860** (Melittidae) **Synonym(s):** *Melittidae Schenck,1860*
- 170) Melittinae Schenck,1860** (Melittidae) **Synonym(s):** *Melittinae Schenck,1860*
- 171) Melitturgini Newman,1834** (Andrenidae) **Synonym(s):** *Melitturgini Newman,1834*
- 172) Mellinini Latreille,1802** (Crabronidae) **Synonym(s):** *Mellinini Latreille,1802*
- 173) Mesochorinae Förster,1869** (Ichneumonidae) **Synonym(s):** *Mesochorinae Förster,1869*
- 174) Mesoleiini Thomson,1883** (Ichneumonidae) **Synonym(s):** *Mesoleiini Thomson,1883*
- 175) Mesostenina Ashmead,1900** (Ichneumonidae) **Synonym(s):** *Mesostenina Ashmead,1900*
- 176) Methochinae** (Tiphidae) **Synonym(s):**
- 177) Metopiinae Förster,1869** (Ichneumonidae) **Synonym(s):** *Metopioidea Förster,1869; Exochoidae Förster,1869; Cariini Schmiedeknecht,1924; Laptonini Clément,1938; Spudaeini Constantineanu,1961*
- 178) Microgastrinae Förster,1862** (Braconidae) **Synonym(s):** *Microgastrinae Förster,1862*
- 179) Microgastrini Förster,1862** (Braconidae) **Synonym(s):** *Microgastrini Förster,1862*
- 180) Microplitini Mason,1981** (Braconidae) **Synonym(s):** *Microplitini Mason,1981*

- 181) **Microtypinae Szépligeti, 1908** (Braconidae) Synonym(s): *Microtypinae Szépligeti, 1908*
- 182) **Miracinae Viereck, 1918** (Braconidae) Synonym(s): *Miracinae Viereck, 1918*
- 183) **Miscogasterinae** (Pteromalidae) Synonym(s):
- 184) **Miscogastrinae Walker, 1833** (Pteromalidae) Synonym(s): *Miscogastrinae Walker, 1833*
- 185) **Miscophini W. Fox, 1895** (Crabronidae) Synonym(s): *Miscophini W. Fox, 1895*
- 186) **Mutillidae Latreille, 1802** (Mutillidae) Synonym(s): *Mutillariae Latreille, 1802*
- 187) **Mutillinae Latreille, 1802** (Mutillidae) Synonym(s): *Mutillinae Latreille, 1802*
- 188) **Mutillini Latreille, 1802** (Mutillidae) Synonym(s): *Mutillini Latreille, 1802*
- 189) **Mymaridae Haliday, 1833** (Mymaridae) Synonym(s): *Mymaridae Haliday, 1833*
- 190) **Myrmicinae Lepeletier, 1835** (Formicidae) Synonym(s): *Myrmicinae Lepeletier, 1835*
- 191) **Myrmillinae Bischoff, 1920** (Mutillidae) Synonym(s): *Myrmillinae Bischoff, 1920*
- 192) **Myrmosinae Fox, 1894** (Mutillidae) Synonym(s): *Myrmosinae Fox, 1894*
- 193) **Myzininae** (Tiphidae) Synonym(s):
- 194) **Nematinae** (Tenthredinidae) Synonym(s):
- 195) **Nemeritini** (Ichneumonidae) Synonym(s):
- 196) **Nomadinae Latreille, 1802** (Apidae) Synonym(s): *Nomadinae Latreille, 1802*
- 197) **Nomiinae Robertson, 1904** (Halictidae) Synonym(s): *Nomiinae Robertson, 1904*
- 198) **Nomioidinae Börner, 1919** (Halictidae) Synonym(s): *Nomioidinae Börner, 1919*
- 199) **Nyssonini Latreille, 1804** (Crabronidae) Synonym(s): *Nyssonini Latreille, 1804*
- 200) **Ophioninae Shuckard, 1840** (Ichneumonidae) Synonym(s): *Ophioninae Shuckard, 1840*
- 201) **Ophionini Shuckard, 1840** (Ichneumonidae) Synonym(s): *Ophionini Shuckard, 1840*
- 202) **Opiinae Blanchard, 1845** (Braconidae) Synonym(s): *Opiinae Blanchard, 1845*
- 203) **Orgilinae Ashmead, 1900** (Braconidae) Synonym(s): *Orgilinae Ashmead, 1900*
- 204) **Ormyridae Förster, 1856** (Ormyridae) Synonym(s): *Ormyridae Förster, 1856*
- 205) **Orthocentrinae Förster, 1869** (Ichneumonidae) Synonym(s): *Orthocentroides Förster, 1869*;
Plectiscoidae Förster, 1869; *Helictinae Gupta, 1987*
- 206) **Orthopelmatinae Schiedeknecht, 1910** (Ichneumonidae) Synonym(s): *Orthopelmina*
Schiedeknecht, 1910; *Orthopelmatinae Schiedeknecht, Townes & Townes, 1951*
- 207) **Orussidae Newman, 1834** (Orussidae) Synonym(s): *Orussidae Newman, 1834*
- 208) **Orussoidea Newman, 1834** (Orussoidea) *Orussoidea Newman, 1834*
- 209) **Osmiina Newman, 1834** (Megachilidae) Synonym(s): *Osmiina Newman, 1834*; *Chelostomina*
Kirby, 1837; *Trypetina Robertson, 1903 (praeocc.)*; *Heriadini Michener, 1941*
- 210) **Osmiini Newman, 1834** (Megachilidae) Synonym(s): *Osmiini Newman, 1834*; *Chelostomina*
Kirby, 1837; *Trypetina Robertson, 1903 (praeocc.)*; *Heriadini Michener, 1941*
- 211) **Osprynchotina Viereck, 1918** (Ichneumonidae) Synonym(s): *Osprynchotina Viereck, 1918*;
Nematopodiina Townes, 1970
- 212) **Oxybelini Leach, 1815** (Crabronidae) Synonym(s): *Oxybelini Leach, 1815*
- 213) **Oxytorinae Thomson, 1883** (Ichneumonidae) Synonym(s): *Oxytorinae Thomson, 1883*;
Callidiotini Smith & Shenefelt, 1955; *Chalinocerini Constantineanu & Pisica, 1960*
- 214) **Pachycephini** (Cephidae) Synonym(s):
- 215) **Palarini Schrottky, 1909** (Crabronidae) Synonym(s): *Palarini Schrottky, 1909*
- 216) **Pamphiliidae Cameron, 1890** (Pamphiliidae) Synonym(s): *Pamphiliidae Cameron, 1890*;
#Pamphiliidae Benson, 1968
- 217) **Pamphiliinae Cameron, 1890** (Pamphiliidae) Synonym(s): *Pamphiliinae Cameron, 1890*;
#Pamphiliidae Benson, 1968
- 218) **Panurginae Leach, 1815** (Andrenidae) Synonym(s): *Panurginae Leach, 1815*
- 219) **Panurgini Leach, 1815** (Andrenidae) Synonym(s): *Panurgini Leach, 1815*
- 220) **Parnopini Aaron, 1909** (Chrysididae) Synonym(s): *Parnopini Aaron, 1909*
- 221) **Pemphredonina Dahlbom, 1835** (Crabronidae) Synonym(s): *Pemphredonina Dahlbom, 1835*
- 222) **Pemphredoninae Dahlbom, 1835** (Crabronidae) Synonym(s): *Pemphredoninae*
Dahlbom, 1835
- 223) **Pemphredonini Dahlbom, 1835** (Crabronidae) Synonym(s): *Pemphredonini Dahlbom, 1835*
- 224) **Pepsinae Lepeletier, 1845** (Pompilidae) Synonym(s): *Pepsinae Lepeletier, 1845*
- 225) **Pepsini Lepeletier, 1845** (Pompilidae) Synonym(s): *Pepsini Lepeletier, 1845*
- 226) **Perilampidae Latreille, 1809** (Perilampidae) Synonym(s): *Perilampidae Latreille, 1809*
- 227) **Perilissini Thomson, 1883** (Ichneumonidae) Synonym(s): *Perilissini Thomson, 1883*
- 228) **Petersenidiini Lelej, 1996** (Mutillidae) Synonym(s): *Petersenidiini Lelej, 1996*
- 229) **Phaeogenini Förster, 1869** (Ichneumonidae) Synonym(s): *Phaeogenini Förster, 1869*
- 230) **Phanerotomini Baker, 1926** (Braconidae) Synonym(s): *Phanerotomini Baker, 1926*

- 231) **Philanthinae Latreille,1802** (Crabronidae) Synonym(s): *Philanthinae Latreille,1802*
- 232) **Philanthini Latreille,1802** (Crabronidae) Synonym(s): *Philanthini Latreille,1802*
- 233) **Phrudinae Townes & Townes,1949** (Ichneumonidae) Synonym(s): *Phrudini Townes & Townes,1949; Brachyscleromatinae Townes,1961*
- 234) **Phygadeuontina Förster,1869** (Ichneumonidae) Synonym(s): *Phygadeuontina Förster,1869*
- 235) **Phygadeuontini Förster,1869** (Ichneumonidae) Synonym(s): *Phygadeuontini Förster,1869*
- 236) **Pimplinae Wesmael,1845** (Ichneumonidae) Synonym(s): *Pimplinae Wesmael,1845*
- 237) **Pionini Smith & Shenefelt,1955** (Ichneumonidae) Synonym(s): *#Pionini Townes,1945; Pionini Smith & Shenefelt,1955*
- 238) **Platygastridae Westwood,1840** (Platygastridae) Synonym(s): *Platygastridae Westwood,1840*
- 239) **Platylabini Berthoumieu,1904** (Ichneumonidae) Synonym(s): *Platylabini Berthoumieu,1904*
- 240) **Poemeniinae Smith & Shenefelt,1955** (Ichneumonidae) Synonym(s): *Poemeniinae Smith & Shenefelt,1955*
- 241) **Polistinae Lepeletier,1836** (Vespidae) Synonym(s): *Polistinae Lepeletier,1836*
- 242) **Pompilidae Latreille,1804** (Pompilidae) Synonym(s): *Pompilidae Latreille,1804*
- 243) **Pompilinae Latreille,1804** (Pompilidae) Synonym(s): *Pompilinae Latreille,1804*
- 244) **Pompilini Latreille,1804** (Pompilidae) Synonym(s): *Pompilini Latreille,1804*
- 245) **Pompiloidea Latreille,1804** (Pompiloidea) *Pompiloidea Latreille,1804*
- 246) **Ponerinae Lepeletier,1835** (Formicidae) Synonym(s): *Ponerinae Lepeletier,1835*
- 247) **Prionychini Bohart & Menke,1963** (Sphecidae) Synonym(s): *Prionychini Bohart & Menke,1963*
- 248) **Proctotrupidea Latreille,1802** (Proctotrupidea) *Proctotrupidea Latreille,1802*
- 249) **Proscoliinae Rasnitsyn,1977** (Scoliidae) Synonym(s): *Proscoliinae Rasnitsyn,1977*
- 250) **Psammoderini** (Pompilidae) Synonym(s):
- 251) **Psenini A.Costa,1858** (Crabronidae) Synonym(s): *Psenini A.Costa,1858*
- 252) **Pseudophotopsidinae Bischoff,1920** (Mutillidae) Synonym(s): *Pseudophotopsidinae Bischoff,1920*
- 253) **Pteromalidae Dalman,1820** (Pteromalidae) Synonym(s): *Pteromalidae Dalman,1820; Lieparini Boucek,1988*
- 254) **Pteromalinae Dalman,1820** (Pteromalidae) Synonym(s): *Pteromalinae Dalman,1820; Lieparini Boucek,1988*
- 255) **Rhyssinae Morley,1913** (Ichneumonidae) Synonym(s): *Rhyssinae Morley,1913*
- 256) **Rogadinae Förster,1862** (Braconidae) Synonym(s): *Rogadinae Förster,1862*
- 257) **Rophitinae Schenck,1866** (Halictidae) Synonym(s): *Rophitinae Schenck,1866*
- 258) **Rophitini Schenck,1866** (Halictidae) Synonym(s): *Rophitini Schenck,1866; Dufoureini Robertson,1904; Halictoidini Börner,1919; Systrophini Handlirch,1925*
- 259) **Sapygidae** (Sapygidae) Synonym(s):
- 260) **Sapyginae** (Sapygidae) Synonym(s):
- 261) **Scelionidae Haliday,1839** (Scelionidae) Synonym(s): *Scelionidae Haliday,1839*
- 262) **Sceliphrinae Ashmead,1899** (Sphecidae) Synonym(s): *Sceliphrinae Ashmead,1899*
- 263) **Scoliidae Latreille,1802** (Scoliidae) Synonym(s): *Scoliidae Latreille,1802*
- 264) **Scolioidea Latreille,1802** (Scolioidea) *Scolioidea Latreille,1802*
- 265) **Scolobatini Schmiedeknecht,1911** (Ichneumonidae) Synonym(s): *Scolobatini Schmiedeknecht,1911; Westwoodini Townes,1970*
- 266) **Selandriinae** (Tenthredinidae) Synonym(s):
- 267) **Signiphoridae Ashmead,1880** (Signiphoridae) Synonym(s): *Signiphoridae Ashmead,1880*
- 268) **Smicromyrmicini Bischoff,1920** (Mutillidae) Synonym(s): *Smicromyrmicini Bischoff,1920*
- 269) **Spalangiinae** (Pteromalidae) Synonym(s):
- 270) **Sphecidae Latreille,1802** (Sphecidae) Synonym(s): *Sphecidae Latreille,1802*
- 271) **Sphecinae Latreille,1802** (Sphecidae) Synonym(s): *Sphecinae Latreille,1802*
- 272) **Sphecini Latreille,1802** (Sphecidae) Synonym(s): *Sphecini Latreille,1802*
- 273) **Sphecoidea Latreille,1802** (Sphecoidea) *Sphecoidea Latreille,1802*
- 274) **Sphecophagina Beirne,1941** (Ichneumonidae) Synonym(s): *#Crypturina Schiedeknecht,1911; #Endurini Schiedeknecht,1912; #Sphecophagini Seyrig,1934; Sphecophagina Beirne,1941; Latibulini Constantineanu & Constantineanu,1968*
- 275) **Spilomenina Menke,1989** (Crabronidae) Synonym(s): *Spilomenina Menke,1989*
- 276) **Stephanidae Leach,1815** (Stephanidae) Synonym(s): *Stephanidae Leach,1815*

- 277) Sterictiphorinae** (Argidae) Synonym(s):
- 278) Stigmina** R.Bohart & Menke,1976 (Crabronidae) Synonym(s): *Stigmina* R.Bohart & Menke,1976
- 279) Stilbopinae** Townes & Townes,1949 (Ichneumonidae) Synonym(s): *Stilbopinae* Townes & Townes,1949
- 280) Stilpnina** Förster,1869 (Ichneumonidae) Synonym(s): *Stilpnina* Förster,1869
- 281) Stizina** A.Costa,1859 (Crabronidae) Synonym(s): *Stizina* A.Costa,1859
- 282) Synergini** Ashmead,1896 (Cynipidae) Synonym(s): *Synergini* Ashmead,1896
- 283) Tenthredinidae** Latreille,1802 (Tenthredinidae) Synonym(s): *Tenthredinidae* Latreille,1802
- 284) Tenthredininae** Latreille,1802 (Tenthredinidae) Synonym(s): *Tenthredininae* Latreille,1802
- 285) Tenthredioidea** Latreille,1802 (Tenthredioidea) *Tenthredioidea* Latreille,1802
- 286) Tersilochinae** Schmiedeknecht,1910 (Ichneumonidae) Synonym(s): *Tersilochinae* Schmiedeknecht,1910
- 287) Tetracampidae** Förster,1856 (Tetracampidae) Synonym(s): *Tetracampidae* Förster,1856
- 288) Tiphidae** Latreille,1802 (Tiphidae) Synonym(s): *Tiphidae* Latreille,1802
- 289) Tiphinae** Latreille,1802 (Tiphidae) Synonym(s): *Tiphinae* Latreille,1802; *Silifkinae* Argaman & Özbek,1992
- 290) Tiphioidea** Latreille,1802 (Tiphioidea) *Tiphioidea* Latreille,1802
- 291) Torymidae** Walker,1833 (Torymidae) Synonym(s): *Torymidae* Walker,1833
- 292) Trichogrammatidae** Haliday & Walker,1851 (Trichogrammatidae) Synonym(s): *Trichogrammatidae* Haliday & Walker,1851
- 293) Trogaspidiini** Bischoff,1920 (Mutillidae) Synonym(s): *Trogaspidiini* Bischoff,1920
- 294) Tryphoninae** Shuckard,1840 (Ichneumonidae) Synonym(s): *Tryphoninae* Shuckard,1840
- 295) Trypoxylini** Lepeletier,1845 (Crabronidae) Synonym(s): *Trypoxylini* Lepeletier,1845
- 296) Vespidae** Latreille,1802 (Vespidae) Synonym(s): *Vespidae* Latreille,1802
- 297) Vespinae** Latreille,1802 (Vespidae) Synonym(s): *Vespinae* Latreille,1802
- 298) Xoridinae** Shuckard,1840 (Ichneumonidae) Synonym(s): *Xoridinae* Shuckard,1840
- 299) Xyelidae** Newman,1835 (Xyelidae) Synonym(s): *Xyelidae* Newman,1835
- 300) Xylocopinae** Latreille,1802 (Apidae) Synonym(s): *Xylocopinae* Latreille,1802
- 301) Zaraeinae** (Cimbicidae) Synonym(s):

Alphabetical list of the valid names and their synonyms of the genus- group taxa in the order Hymenoptera of Turkey

- 1) **Abia Leach, 1817** (Cimbicidae) Synonym(s): *Abia Leach, 1817*; #*Albia Tischbein, 1846*; *Aenoabia Kangas, 1946*
- 2) **Ablerus Howard, 1894** (Aphelinidae) Synonym(s): *Ablerus Howard, 1894*; *Azotus Howard, 1898*; *Myocnemella Girault, 1913*; *Dimacrocerus Brèthes, 1914*
- 3) **Absyrtus Holmgren, 1859** (Ichneumonidae) Synonym(s): *Absyrtus Holmgren, 1859*; *Eczetesis Förster, 1869*
- 4) **Acaenitus Latreille, 1809** (Ichneumonidae) Synonym(s): *Acaenitus Latreille, 1809*; *Acoenites Latreille, 1810*; *Acoenitus Griffith, 1832*
- 5) **Acanthodynerus Gusenleitner, 1969** (Vespidae) Synonym(s): *Acanthodynerus Gusenleitner, 1969*
- 6) **Acantholepis Mayr, 1861** (Formicidae) Synonym(s): *Acantholepis Mayr, 1861*
- 7) **Acantholyda (Itycorsia) Konow, 1897** (Pamphiliidae) Synonym(s): *Itycorsia Konow, 1897*
- 8) **Acantholyda Costa, 1894** (Pamphiliidae) Synonym(s): *Acantholyda Costa, 1894*
- 9) **Achalcerinys Girault, 1915** (Encyrtidae) Synonym(s): *Achalcerinys Girault, 1915*
- 10) **Acrodactyla Haliday, 1838** (Ichneumonidae) Synonym(s): *Barypus Haliday, 1837 nec Lap., 1835*; *Acrodactyla Haliday, 1838*; *Colpomeria Holmgren, 1859*; *Symphylus Förster, 1871 nec Dall., 1851*; *Polemophthorus Schulz, 1911*
- 11) **Acropimpla Townes & Townes, 1960** (Ichneumonidae) Synonym(s): *Selanaspis Roman, 1910 (praeocc.)*; *Acropimpla Townes & Townes, 1960*
- 12) **Acroricus Ratzeburg, 1852** (Ichneumonidae) Synonym(s): *Acroricus Ratzeburg, 1852*; *Xenodocon Förster, 1855*; *Macrobatas Holmgren, 1856*; *Linoceras Taschenberg, 1865*; *Leptobatides Buysson, 1896*; *Agathobanchus Ashmead, 1900*
- 13) **Acrotomus Holmgren, 1857** (Ichneumonidae) Synonym(s): *Acrotomus Holmgren, 1857*; *Delotomus Förster, 1869*
- 14) **Adelencyrtus Ashmead, 1900** (Encyrtidae) Synonym(s): *Adelencyrtus Ashmead, 1900*; *Epiencyrtoides Girault, 1915*; *Rotrencyrtus Risbec, 1959*
- 15) **Aderaeon H.K.Townes & M.Townes, 1949** (Ichneumonidae) Synonym(s): *Aderaeon H.K.Townes & M.Townes, 1949*
- 16) **Adontomerus Nikolskaya, 1955** (Torymidae) Synonym(s): *Adontomerus Nikolskaya, 1955*; *Mellitotorymus Steffan, 1964*
- 17) **Aenictus Shuckard, 1840** (Formicidae) Synonym(s): *Aenictus Shuckard, 1840*
- 18) **Agathis Latreille, 1804** (Braconidae) Synonym(s): *Agathis Latreille, 1804*; *Cenostomus Förster, 1862*; *Aenigmostomus Ashmead, 1900*; *Baeognatha Kokujev, 1903*; *Rhaphagathis Tobias, 1962*
- 19) **Ageniaspis Dalbohm, 1857** (Encyrtidae) Synonym(s): *Ageniaspis Dalbohm, 1857*; #*Agenisapis Thomson, 1876*; *Holcothorax Mayr, 1876*; *Leuroceroides Girault, 1915*; *Paraleurocerus Girault, 1915*; *Microrhopus Girault, 1932*; *Gibberella Miller, 1961 nec Abushik, 1958*
- 20) **Agenioideus Ashmead, 1902** (Pompilidae) Synonym(s): *Agenioideus Ashmead, 1902*
- 21) **Aglaoapis Cameron, 1901** (Megachilidae) Synonym(s): *Aglaoapis Cameron, 1901* Original reference: Aglaoapis Cameron, 1901, Entomologist 34: 263.
- 22) **Aglao stigma (Astochus) MacGillivray, 1914** (Tenthredinidae) Synonym(s): *Astochus MacGillivray, 1914*
- 23) **Aglao stigma W.F.Kirby, 1882** (Tenthredinidae) Synonym(s): *Aglao stigma W.F.Kirby, 1882*
- 24) **Agrothereutes Förster, 1850** (Ichneumonidae) Synonym(s): *Agrothereutes Förster, 1850*; *Spilocryptus Thomson, 1873*; *Dayro Cameron, 1902*
- 25) **Agrypon Förster, 1860** (Ichneumonidae) Synonym(s): *Agrypon Förster, 1860*; *Agrypum Schulz, 1906*; *Trichonotus Cameron, 1906 nec Schn., 1801*; *Odontagrypon Cameron, 1906*; *Paragrypon Uchida, 1941*; *Dioborus Rao, 1953*
- 26) **Alastor (Megalastor) Blüthgen, 1951** (Vespidae) Synonym(s): *Megalastor Blüthgen, 1951* Original reference: Megalastor Blüthgen, 1951, Mitt. münch. ent. Ges. 41: 169.
- 27) **Alastor (s.str.) Lepeletier, 1841** (Vespidae) Synonym(s): *Alastor Lepeletier, 1841*
- 28) **Alastor Lepeletier, 1841** (Vespidae) Synonym(s): *Alastor Lepeletier, 1841*
- 29) **Alcima Förster, 1869** (Ichneumonidae) Synonym(s): *Alcima Förster, 1869*
- 30) **Aleiodes (Chelonorhogas) Enderlein, 1912** (Braconidae) Synonym(s): *Chelonorhogas Enderlein, 1912*
- 31) **Aleiodes (Neorhogas) Szépligeti, 1906** (Braconidae) Synonym(s): *Neorhogas Szépligeti, 1906*

- 32) Aleiodes (s.str.) Wesmael,1838** (Braconidae) **Synonym(s):** *Aleiodes Wesmael,1838*
- 33) Aleiodes (Tetrasphaeropyx) Ashmead,1889** (Braconidae) **Synonym(s):** *Tetrasphaeropyx Ashmead,1889*
- 34) Aleiodes Wesmael,1838** (Braconidae) **Synonym(s):** *Aleiodes Wesmael,1838*
- 35) Allantus Panzer,1801** (Tenthredinidae) **Synonym(s):** *Allantus Panzer,1801; Anemphytus Dovnar-Zapolski,1930; Synemphytus Malaise,1945*
- 36) Allodape Lepeletier & Audinet-Serville,1825** (Apidae) **Synonym(s):** *Allodape Lepeletier & Audinet-Serville,1825*
- 37) Allodioxys Popov,1947** (Megachilidae) **Synonym(s):** *Allodioxys Popov,1947*
- 38) Allodynerus Blüthgen,1938** (Vespididae) **Synonym(s):** *Allodynerus Blüthgen,1938*
- 39) Alloplasta Förster,1869** (Ichneumonidae) **Synonym(s):** *Alloplasta Förster,1869; Asymmictus Förster,1869; Trysicampe Förster,1869; Trichopimpla Cameron,1903*
- 40) Alomya Panzer,1806** (Ichneumonidae) **Synonym(s):** *Alomya Panzer,1806; Halomya Billberg,1820; #Alomia Kolarov,1995*
- 41) Alysia (Anarcha) Förster,1862** (Braconidae) **Synonym(s):** *Anarcha Förster,1862*
- 42) Alysia (s.str.) Latreille,1804** (Braconidae) **Synonym(s):** *Alysia Latreille,1804*
- 43) Alysia Latreille,1804** (Braconidae) **Synonym(s):** *Alysia Latreille,1804*
- 44) Alysson Panzer,1806** (Crabronidae) **Synonym(s):** *Alysson Panzer,1806*
- 45) Amblyellus Day,1981** (Pompilidae) **Synonym(s):** *Amblyellus Day,1981*
- 46) Amblyjoppa Cameron,1902** (Ichneumonidae) **Synonym(s):** *Amblyjoppa Cameron,1902; Hadrojoppa Cameron,1902; #Amblyojoppa Berthoumieu,1904; Glyptojoppa Cameron,1906* **Original reference:** *Amblyjoppa Cameron,1902, Entomologist 35: 108.*
- 47) Amblyopone Erichson,1842** (Formicidae) **Synonym(s):** *Amblyopone Erichson,1842*
- 48) Amblyteles Wesmael,1845** (Ichneumonidae) **Synonym(s):** *Amblyteles Wesmael,1845*
- 49) Amegilla Friese,1897** (Apidae) **Synonym(s):** *Amegilla Friese,1897; Alfkenelala Börner,1919; Asaropoda Cockerwell,1926*
- 50) Ametastegia Costa,1882** (Tenthredinidae) **Synonym(s):** *Ametastegia Costa,1882; Aomodyctium Ashmead,1898; Protemphytus Rohwer,1909; Emphytina Rohwer,1911; Simplemphytus MacGillivray,1914; Unitaxonus MacGillivray,1914*
- 51) Ammatomus A.Costa,1859** (Crabronidae) **Synonym(s):** *Ammatomus A.Costa,1859*
- 52) Ammobatoides (s.str.) Radoszkowski,1867** (Apidae) **Synonym(s):** *Ammobatoides Radoszkowski,1867; Phiarus Gerstaecker,1869; Euglages Gerstaecker,1869; Paidia Radoszkowski,1872 nec Hbn.,[1819]; Paedia Dalla Torre,1891*
- 53) Ammobatoides (Schmiedeknechtia) Friese,1896** (Apidae) **Synonym(s):** *Schmiedeknechtia Friese,1896; Holcopasites Ashmead,1899; Cyrtopasites Mavromoustakis,1963*
- 54) Ammobatoides Radoszkowski,1867** (Apidae) **Synonym(s):** *Ammobatoides Radoszkowski,1867; Phiarus Gerstaecker,1869; Euglages Gerstaecker,1869; Paidia Radoszkowski,1872 nec Hbn.,[1819]; Paedia Dalla Torre,1891*
- 55) Ammophila Kirby,1798** (Sphecidae) **Synonym(s):** *Ammophila Kirby,1798; Ammophylus Latreille,1802; Miscus Jurine,1807; Ammophilus Latreille,1829; Coloptera Latreille,1845; Argyrammophila Gussakowski,1928; Apyncnemina Leclercq,1961*
- 56) Ammoplanus Giraud,1869** (Crabronidae) **Synonym(s):** *Ammoplanus Giraud,1869*
- 57) Anachalcis Steffan,1951** (Chalcididae) **Synonym(s):** *Anachalcis Steffan,1951*
- 58) Anagrus Haliday,1833** (Mymaridae) **Synonym(s):** *Anagrus Haliday,1833*
- 59) Anagyrus Howard,1896** (Encyrtidae) **Synonym(s):** *Anagyrus Howard,1896; Paranusia Brethes,1913; Epidinocarsis Girault,1913; Doliphoceras Mercet,1921; Gyranusia Brethes,1921; Apoanagyrus Compere,1947; Anathrix Burks,1952; Aglyptoideus De Santis,1964; Xiphmastix De Santis,1972; Tongyus Noyes & Hayat,1984*
- 60) Anaphes Haliday,1833** (Mymaridae) **Synonym(s):** *Anaphes Haliday,1833*
- 61) Anaprostocetus Graham,1987** (Eulophidae) **Synonym(s):** *Anaprostocetus Graham,1987*
- 62) Anastatus Motschulsky,[1860]** (Eupelmidae) **Synonym(s):** *Anastatus Motschulsky,[1860]; Cacotropia Motschulsky,1863; Antigaster Walsh,1870; Misochoris Rondani,1877; Solindenia Cameron,1883; Paraguayia Girault,1911; Parasolindenia Girault,1913; Parooderella Girault,1913; Pseudanastatus Masi,1917; Pseudooderella Brèthes,1922; Erycium Erdős,1946; Paravignalia Risbec,1951; Vignalia Risbec,1951; Proanastatus De Santis,1952; Descampsia Risbec,1955; Anastatimorpha Erdős,1957; Cladanastatus Boucek,1979*
- 63) Ancistrocerus Wesmael,1836** (Vespididae) **Synonym(s):** *Ancistrocerus Wesmael,1836*
- 64) Ancistromma W.Fox,1893** (Crabronidae) **Synonym(s):** *Ancistromma W.Fox,1893*
- 65) Ancyla Lepeletier,1841** (Apidae) **Synonym(s):** *Ancyla Lepeletier,1841; Plistotrichia Morawitz,1874*
- 66) Andrena (Aciandrena) Warncke,1968** (Andrenidae) **Synonym(s):** *Aciandrena Warncke,1968* **Original reference:** *Aciandrena Warncke,1968, Mem. Estud. Mus. zool. Univ. Coimbra 307: 58.*

- 67) **Andrena (Aenandrena) Warncke,1968** (Andrenidae) Synonym(s): *Aenandrena Warncke,1968* Original reference: *Aenandrena Warncke,1968*, Mems Estud. Mus. zool. Univ. Coimbra 307: 60.
- 68) **Andrena (Avandrena) Warncke,1968** (Andrenidae) Synonym(s): *Avandrena Warncke,1968* Original reference: *Avandrena Warncke,1968*, Mems Estud. Mus. zool. Univ. Coimbra 307: 27.
- 69) **Andrena (Biareolina) Dours,1873** (Andrenidae) Synonym(s): *Biareolina Dours,1873*
- 70) **Andrena (Brachyandrena) Pittioni,1948** (Andrenidae) Synonym(s): *Brachyandrena Pittioni,1948*
- 71) **Andrena (Campylogaster) Dours,1873** (Andrenidae) Synonym(s): *Campylogaster Dours,1873* Original reference: *Campylogaster Dours,1873*, Rev. Mag. Zool. (3) 1: 286.
- 72) **Andrena (Carandrena) Warncke,1968** (Andrenidae) Synonym(s): *Carandrena Warncke,1968* Original reference: *Carandrena Warncke,1968*, Mems Estud. Mus. zool. Univ. Coimbra 307: 90.
- 73) **Andrena (Chlorandrena) Pérez,1890** (Andrenidae) Synonym(s): *Chlorandrena Pérez,1890*; #*Chlorandrenena Pérez,1890*
- 74) **Andrena (Chrysandrena) Hedicke,1933** (Andrenidae) Synonym(s): *Chrysandrena Hedicke,1933*
- 75) **Andrena (Cnemidandrena) Hedicke,1933** (Andrenidae) Synonym(s): *Cnemidandrena Hedicke,1933*; #*Chemidandrena Özbek,1976*
- 76) **Andrena (Cordandrena) Warncke,1968** (Andrenidae) Synonym(s): *Cordandrena Warncke,1968* Original reference: *Cordandrena Warncke,1968*, Mems Estud. Mus. zool. Univ. Coimbra 307: 59.
- 77) **Andrena (Cryptandrena) Lanham,1949** (Andrenidae) Synonym(s): *Cryptandrena Lanham,1949*
- 78) **Andrena (Didonia) Gribodo,1894** (Andrenidae) Synonym(s): *Didonia Gribodo,1894*
- 79) **Andrena (Euandrena) Hedicke,1933** (Andrenidae) Synonym(s): *Euandrena Hedicke,1933*
- 80) **Andrena (Fumandrena) Warncke,1975** (Andrenidae) Synonym(s): *Fumandrena Warncke,1975* Original reference: *Fumandrena Warncke,1975*, Mitt. münch. ent. Ges. 65: 57.
- 81) **Andrena (Graecandrena) Warncke,1968** (Andrenidae) Synonym(s): *Graecandrena Warncke,1968*; #*Craecandrena Özbek,1976* Original reference: *Graecandrena Warncke,1968*, Mems Estud. Mus. zool. Univ. Coimbra 307: 57.
- 82) **Andrena (Holandrena) Pérez,1890** (Andrenidae) Synonym(s): *Holandrena Pérez,1890*
- 83) **Andrena (Hoplendrena) Pérez,1890** (Andrenidae) Synonym(s): *Hoplendrena Pérez,1890*
- 84) **Andrena (Lepidandrena) Hedicke,1933** (Andrenidae) Synonym(s): *Lepidandrena Hedicke,1933*
- 85) **Andrena (Leucandrena) Hedicke,1933** (Andrenidae) Synonym(s): *Leucandrena Hedicke,1933*
- 86) **Andrena (Melanapis) Cockerell,1897** (Andrenidae) Synonym(s): *Melanapis Cockerell,1897*
- 87) **Andrena (Melandrena) Pérez,1890** (Andrenidae) Synonym(s): *Melandrena Pérez,1890*
- 88) **Andrena (Melittoides) Friese,1921** (Andrenidae) Synonym(s): *Melittoides Friese,1921*
- 89) **Andrena (Micrandrena) Ashmead,1899** (Andrenidae) Synonym(s): *Micrandrena Ashmead,1899*
- 90) **Andrena (Nobandrena) Warncke,1968** (Andrenidae) Synonym(s): *Nobandrena Warncke,1968* Original reference: *Nobandrena Warncke,1968*, Mems Estud. Mus. zool. Univ. Coimbra 307: 41.
- 91) **Andrena (Notandrena) Pérez,1890** (Andrenidae) Synonym(s): *Notandrena Pérez,1890*
- 92) **Andrena (Opandrena) Robertson,1902** (Andrenidae) Synonym(s): *Opandrena Robertson,1902* Original reference: *Opandrena Robertson,1902*, Trans. Amer. ent. Soc. 28: 187-188.
- 93) **Andrena (Orandrena) Warncke,1968** (Andrenidae) Synonym(s): *Orandrena Warncke,1968* Original reference: *Orandrena Warncke,1968*, Mems Estud. Mus. zool. Univ. Coimbra 307: 32.
- 94) **Andrena (Oreomelissa) Hirashima & Tadauchi,1975** (Andrenidae) Synonym(s): *Oreomelissa Hirashima & Tadauchi,1975*
- 95) **Andrena (Pallandrena) Warncke,1968** (Andrenidae) Synonym(s): *Pallandrena Warncke,1968* Original reference: *Pallandrena Warncke,1968*, Mems Estud. Mus. zool. Univ. Coimbra 307: 35.
- 96) **Andrena (Parandrenella) Popov,1958** (Andrenidae) Synonym(s): *Parandrenella Popov,1958*

- 97) Andrena (Plastandrena) Hedicke,1933** (Andrenidae) Synonym(s): *Plastandrena Hedicke,1933*
- 98) Andrena (Poecilandrena) Hedicke,1933** (Andrenidae) Synonym(s): *Poecilandrena Hedicke,1933*
- 99) Andrena (Poliandrena) Warncke,1968** (Andrenidae) Synonym(s): *Poliandrena Warncke,1968* Original reference: *Poliandrena* Warncke,1968, Mems Estud. Mus. zool. Univ. Coimbra 307: 67.
- 100) Andrena (Ptilandrena) Robertson,1902** (Andrenidae) Synonym(s): *Ptilandrena Robertson,1902*
- 101) Andrena (s.str.) Fabricius,1775** (Andrenidae) Synonym(s): *Andrena Fabricius,1775*; *#Andraena* Cuvier,1800; *#Antrena* Illiger,1801; *Anthochaessa* Gistel,1850 Original reference: *Andrena* Fabricius,1775, Syst. Ent.: 376.
- 102) Andrena (Scitandrena) Warncke,1968** (Andrenidae) Synonym(s): *Scitandrena Warncke,1968* Original reference: *Scitandrena* Warncke,1968, Mems Estud. Mus. zool. Univ. Coimbra 307: 47.
- 103) Andrena (Simandrena) Pérez,1890** (Andrenidae) Synonym(s): *Simandrena Pérez,1890*; *#Sinandrena* Özbek,1976
- 104) Andrena (Taeniandrena) Hedicke,1933** (Andrenidae) Synonym(s): *Taeniandrena Hedicke,1933*
- 105) Andrena (Thysandrena) Lanham,1949** (Andrenidae) Synonym(s): *Thysandrena Lanham,1949*
- 106) Andrena (Truncandrena) Warncke,1968** (Andrenidae) Synonym(s): *Truncandrena Warncke,1968* Original reference: *Truncandrena* Warncke,1968, Mems Estud. Mus. zool. Univ. Coimbra 307: 42.
- 107) Andrena (Ulandrena) Warncke,1968** (Andrenidae) Synonym(s): *Ulandrena Warncke,1968* Original reference: *Ulandrena* Warncke,1968, Mems Estud. Mus. zool. Univ. Coimbra 307: 39.
- 108) Andrena (Zonandrena) Hedicke,1933** (Andrenidae) Synonym(s): *Zonandrena Hedicke,1933*
- 109) Andrena Fabricius,1775** (Andrenidae) Synonym(s): *Andrena Fabricius,1775*; *#Andraena* Cuvier,1800; *#Antrena* Illiger,1801; *Anthochaessa* Gistel,1850 Original reference: *Andrena* Fabricius,1775, Syst. Ent.: 376.
- 110) Andricus Hartig,1840** (Cynipidae) Synonym(s): *Andricus Hartig,1840*; *Aphilotrix* Förster,1869; *Liodora* Förster,1869; *Manderstjernia* Radosowsky,1886; *Adleria* Rohwer & Fagan,1917; *Euschmitzia* Dettmer,1925; *Oncaspis* Dettmer,1925; *Druon* Kinsey,1937; *Femuros* Kinsey,1937; *Feron* Kinsey,1937; *Conobius* Kinsey,1938 Original reference: *Andricus* Hartig,1840, [in] Germar, Z. Ent. 2: 185.
- 111) Anergates Forel,1874** (Formicidae) Synonym(s): *Anergates Forel,1874*
- 112) Aneuclis Förster,1869** (Ichneumonidae) Synonym(s): *Aneuclis Förster,1869*
- 113) Anicetus Howard,1896** (Encyrtidae) Synonym(s): *Anicetus Howard,1896*; *Asteropaeus* Howard,1898; *Habrolepopterygis* Girault,1915; *Paraceraptrocercus* Girault,1920; *Krishnieriella* Mani,1935
- 114) Anisobas Wesmael,1845** (Ichneumonidae) Synonym(s): *Anisobas Wesmael,1845*; *Lycaeniphilos* Heinrich,1934
- 115) Anisopteromalus Ruschka,1912** (Pteromalidae) Synonym(s): *Anisopteromalus Ruschka,1912*; *Aplastomorpha* Crawford,1913
- 116) Anomalon Panzer,1804** (Ichneumonidae) Synonym(s): *Anomalon Panzer,1804*; *Trachynotus* Gravenhorst,1829 nec Latr.,1829; *Ochlerus* Gistel,1848 nec Spinol.,1837; *Nototrachys* Marshall,1872; *Ophiononeura* Cameron,1904; *Stictophion* Cameron,1906; *Erythrophion* Cameron,1906; *Anomalum* Schulz,1906; *Neogreeneia* Viereck,1912; *Trachyopterus* Morley,1912; *Pseudonototrachys* Meyer,1930; *Microcremastus* Hedwig,1961
- 117) Anoplius Dufour,1834** (Pompilidae) Synonym(s): *Anoplius Dufour,1834*; *#Anoplus* Dalla Torre,1897 Original reference: *Anoplius* Dufour,1834, Annls Soc. ent. Fr. 2: 484.
- 118) Anoplolepis Santschi,1914** (Formicidae) Synonym(s): *Anoplolepis Santschi,1914*
- 119) Anospilus Haupt,1929** (Pompilidae) Synonym(s): *Anospilus Haupt,1929* Original reference: *Anospilus* Haupt,1929, Mitt. zool. Mus. Berlin 1929: 176.
- 120) Antepipona Saussure,[1855]** (Vespidae) Synonym(s): *Antepipona Saussure,[1855]*; *Antepiponus* Saussure,1875; *#Antepipone* Dalla Torre,1894; *Mehelyella* Moczar,1937; *Odontodynerus* Blüthgen,1938; *Dichodynerus* Blüthgen,1938; *Metastenancistrocerus* Blüthgen,1938 Original reference: *Antepipona* Saussure,[1855], Etud. Fam. Vesp. 3: 244. Type-species: *Odynerus silaos* Saussure,1853, designated by ICZN, Opinion 893 in 1970 (p.187).
- 121) Anthidium (Anthidiellum) Cockerell,1904** (Megachilidae) Synonym(s): *Anthidiellum Cockerell,1904*; *Cerianthidium* Friese,1923
- 122) Anthidium (Archianthidium) Mavromoustakis,1939** (Megachilidae) Synonym(s): *Archianthidium Mavromoustakis,1939*

- 123) Anthidium (Exanthidium) Pasteels,1969** (Megachilidae) Synonym(s): *Exanthidium Pasteels,1969*
- 124) Anthidium (Icteranthidium) Michener,1948** (Megachilidae) Synonym(s): *Icteranthidium Michener,1948*
- 125) Anthidium (Mesanthidium) Popov,1950** (Megachilidae) Synonym(s): *Mesanthidium Popov,1950; Neanthidium Pasteels,1969*
- 126) Anthidium (Oxyanthidium) Mavromoustakis,1963** (Megachilidae) Synonym(s): *Oxyanthidium Mavromoustakis,1963*
- 127) Anthidium (Paraanthidium) Friese,1898** (Megachilidae) Synonym(s): *Paraanthidium Friese,1898* Original reference: *Paraanthidium Friese,1898, Bienen Eur. 4: 101.*
- 128) Anthidium (Proanthidium) Friese,1898** (Megachilidae) Synonym(s): *Proanthidium Friese,1898; Gulanthidium Pasteels,1969; Echianthidium Pasteels,1969; Ardentidium Pasteels,1969*
- 129) Anthidium (Pseudoanthidium) Friese,1898** (Megachilidae) Synonym(s): *Pseudoanthidium Friese,1898; Paraanthidiellum Michener,1948; Carinellum Pasteels,1969; Poyanthidium Pasteels,1969; Reanthidium Pasteels,1969*
- 130) Anthidium (Rhodanthidium) Isensee,1927** (Megachilidae) Synonym(s): *Rhodanthidium Isensee,1927; Meganthidium Popov,1950; Asianthidium Popov,1950; Trianthidium Mavromoustakis,1958; Bellanthidium Pasteels,1969; Axillanthidium Pasteels,1969* Original reference: *Rhodanthidium Isensee,1927, Ann. Carnegie Mus. 17: 374.*
- 131) Anthidium (s.str.) Fabricius,1804** (Megachilidae) Synonym(s): *Anthidium Fabricius,1804* Original reference: *Anthidium Fabricius,1804, Syst. Piez.: 364. Type-species: Apis manicata Linnaeus,1758, by subsequent designation by Latreille,1810.*
- 132) Anthidium (Trachusa) Panzer,1804** (Megachilidae) Synonym(s): *Trachusa Panzer,1804; Diphysis Lepeletier,1841*
- 133) Anthidium Fabricius,1804** (Megachilidae) Synonym(s): *Anthidium Fabricius,1804* Original reference: *Anthidium Fabricius,1804, Syst. Piez.: 364. Type-species: Apis manicata Linnaeus,1758, by subsequent designation by Latreille,1810.*
- 134) Anthophora (Paramegilla) Friese,1897** (Apidae) Synonym(s): *Paramegilla Friese,1897* Original reference: *Paramegilla Friese,1897, Bienen Europa's 3: 18.*
- 135) Anthophora Latreille,1803** (Apidae) Synonym(s): *Anthophora Latreille,1803; Megilla Fabricius,1804; Lasius Panzer,1804; Saropoda Latreille,1809; Anthemoessa Robertson,1905; Micranthophora Cockerell,1906; Solamegilla Marikovskaya,1980*
- 136) Antodynerus Saussure,[1855]** (Vespidae) Synonym(s): *Antodynerus Saussure,[1855]; Kalliepipona Giordani Soika,1952; Pseudokalliepipona Giordani Soika,1955; Parepipona Giordani Soika,1957; #Anthodynerus Giordani Soika,1961* Original reference: *Antodynerus Saussure,[1855], Etud. Fam. Vesp. 3: 242, 287. Type-species: Vespa flavescens Fabricius,1775, designated by ICZN (Opinion 893, 1970, p.187).*
- 137) Aoplus Tischbein,1874** (Ichneumonidae) Synonym(s): *Aoplus Tischbein,1874; Trachichneumon Viereck,1912*
- 138) Apaeleticus Wesmael,1845** (Ichneumonidae) Synonym(s): *Apaeleticus Wesmael,1845*
- 139) Apanteles Förster,1862** (Braconidae) Synonym(s): *Apanteles Förster,1862*
- 140) Apechthis Förster,1869** (Ichneumonidae) Synonym(s): *#Ephialtes Schrank,1802; Apechthis Förster,1869; #Apechtis Thomson,1889; Taiwatheronia Sonan,1936; Parapechthis Blanchard,1936*
- 141) Apethymus Benson,1939** (Tenthredinidae) Synonym(s): *Apethymus Benson,1939; Kjellia Malaise,1947*
- 142) Aphaenogaster Mayr,1853** (Formicidae) Synonym(s): *Aphaenogaster Mayr,1853*
- 143) Aphaereta Förster,1863** (Braconidae) Synonym(s): *Aphaereta Förster,1863*
- 144) Aphanistes Förster,1869** (Ichneumonidae) Synonym(s): *Aphanistes Förster,1869; Anochilacrum Enderlein,1921*
- 145) Aphasganophora Nikolskaya,1952** (Chalcididae) Synonym(s): *Aphasganophora Nikolskaya,1952*
- 146) Aphelinoidea Girault,1911** (Trichogrammatidae) Synonym(s): *Aphelinoidea Girault,1911*
- 147) Aphelinus Dalman,1820** (Aphelinidae) Synonym(s): *Aphelinus Dalman,1820; Agonioneurus Westwood,1833; Myina Nees,1834; Mesidia Förster,1856; Anozus Förster,1856; Eriophilus Haldeman,1859; Meroligon Rondani,1877; Mesidiopsis Nowicki,1930; Paulianaphlinus Risbec,1957; Indaphelinus Hayat,1990*
- 148) Aphelonyx Mayr,1881** (Cynipidae) Synonym(s): *Aphelonyx Mayr,1881*
- 149) Aphidius Nees ab Esenbeck,1818** (Braconidae) Synonym(s): *Aphidius Nees ab Esenbeck,1818*
- 150) Aphycoides Mercet,1921** (Encyrtidae) Synonym(s): *Aphycoides Mercet,1921*
- 151) Aphyucus Mayr,1875** (Encyrtidae) Synonym(s): *Aphyucus Mayr,1875*
- 152) Aphytis Howard,1900** (Aphelinidae) Synonym(s): *Aphytis Howard,1900; Prospaphelinus De Gregorio,1914; Paraphytis Compere,1925; Syediella Shafee,1970; #Apytis Japoshvili & Karaca,2002*

- 153) Apis (s.str.) Linnaeus,1758** (Apidae) Synonym(s): *Apis Linnaeus,1758*
- 154) Apis Linnaeus,1758** (Apidae) Synonym(s): *Apis Linnaeus,1758*
- 155) Apodesmia Förster,1862** (Braconidae) Synonym(s): *Apodesmia Förster,1862; Allotypus Förster,1862; Lemnaphilopius Fischer,1972; Agnopus Fischer,1982; Cryptognathopius Fischer,1984*
- 156) Apophua Morley,1913** (Ichneumonidae) Synonym(s): *Apophua Morley,1913*
- 157) Aporinellus Banks,1934** (Pompilidae) Synonym(s): *Aporinellus Banks,1934*
- 158) Aporus Spinola,1808** (Pompilidae) Synonym(s): *Aporus Spinola,1808*
- 159) Aprosthema Konow,1899** (Argidae) Synonym(s): *Aprosthema Konow,1899*
- 160) Aprostocetus Westwood,1833** (Eulophidae) Synonym(s): *Aprostocetus Westwood,1833; Tetrastichus Walker,1842; Trichoceras Ratzeburg,1844; Geniocerus Ratzeburg,1848; Lonchentedon Ratzeburg,1852; Hyperteles Förster,1856; Oxyomorpha Förster,1856; Exurus Philippi,1873; Myiomisa Rondani,1877; Syntomosphyrum Förster, 1878; Tetrastichodes Ashmead,1887; Ootetrastichus Perkins,1906; Aprostoceraella Girault,1913; Asyntomosphyrum Girault,1913; Epentastichus Girault,1913; Hadrothrix Cameron,1913; Neomphaloides Girault,1913; Neomphaloidella Girault,1913; Ootetrastichella Girault,1913; Selitrichodelia Girault,1913; Tetrastichella Girault,1913; Omphalomopsis Girault,1917; Anellaria Bakkendorf,1934; Pachyscapus Erdős,1954; Domenichinia Kostjukov,1977; Coriophagus Graham,1987; Turkichus Doğanlar,1993; Quercastichus LaSalle, 1994; #Abrostetus Doğanlar et al.,2006*
- 161) Aptesis Förster,1850** (Ichneumonidae) Synonym(s): *Aptesis Förster,1850; Pezoporus Förster,1869; Clypeodiodon Aubert,1968*
- 162) Arachnospila Kincaid,1900** (Pompilidae) Synonym(s): *Arachnospila Kincaid,1900*
- 163) Arachnotheutes Haupt,1927** (Pompilidae) Synonym(s): *Arachnotheutes Haupt,1927*
- 164) Arctoclavelia Haupt,1962** (Pompilidae) Synonym(s): *Arctoclavelia Haupt,1962*
- 165) Arge Schrank,1802** (Argidae) Synonym(s): *Arge Schrank,1802*
- 166) Argogorytes Ashmead,1899** (Crabronidae) Synonym(s): *Argogorytes Ashmead,1899*
- 167) Aritranis Förster,1869** (Ichneumonidae) Synonym(s): *Aritranis Förster,1869; Hoplocryptus Thomson,1873*
- 168) Arotes Gravenhorst,1829** (Ichneumonidae) Synonym(s): *Arotes Gravenhorst,1829; Asthenomeris Förster,1869; Sphalerus Kriechbaumer,1878; Retanisia Cameron,1886*
- 169) Arthrolytus Thomson,1878** (Pteromalidae) Synonym(s): *Arthrolytus Thomson,1878; Anarthrolytus Graham,1969; Anadolytus Doğanlar,1978*
- 170) Artiotilla Invrea,1950** (Mutillidae) Synonym(s): *Artiotilla Invrea,1950*
- 171) Asaphes Walker,1834** (Pteromalidae) Synonym(s): *Asaphes Walker,1834; Isocratus Förster,1856; Parectroma Brethes,1913*
- 172) Aschitus Mercet,1921** (Encyrtidae) Synonym(s): *Aschitus Mercet,1921*
- 173) Ascogaster Wesmael,1835** (Braconidae) Synonym(s): *Ascogaster Wesmael,1835*
- 174) Asmisapyga Kurzenko,1994** (Sapygidae) Synonym(s): *Asmisapyga Kurzenko,1994*
Original reference: Asmisapyga Kurzenko,1994, Linzer biol. Beitr. 26 (2): 586. Type-species: Asmisapyga warnckeii Kurzenko,1994, by monotypy.
- 175) Asobara Förster,1862** (Braconidae) Synonym(s): *Asobara Förster,1862*
- 176) Aspicera Dahlbom,1842** (Figitidae) Synonym(s): *Onychia Haliday,1835 nec Hbn.,1816; Aspicera Dahlbom,1842; Bellona Giraud,1860; Heteraspidia Belizin,1952*
- 177) Aspilota Förster,1862** (Braconidae) Synonym(s): *Aspilota Förster,1862; Dipiesta Förster,1862; Eusynaldis Zaykov & Fischer,1982*
- 178) Astatia Latreille,1796** (Crabronidae) Synonym(s): *Astatia Latreille,1796*
- 179) Astiphromma Förster,1869** (Ichneumonidae) Synonym(s): *Astiphromma Förster,1869; Astiphrommus Thomson,1886; Dolichochoerus Strobl,1904; Pseudoacoenitus Kiss,1924; Demophorellus Hedwig,1955*
- 180) Atanycolus Förster,1862** (Braconidae) Synonym(s): *Atanycolus Förster,1862*
- 181) Athalia Leach,1817** (Tenthredinidae) Synonym(s): *Athalia Leach,1817; Denathalia Benson,1931*
- 182) Atormus Van Achterberg,1997** (Braconidae) Synonym(s): *Atormus Van Achterberg,1997*
- 183) Atrometoides Fahringer,1922** (Ichneumonidae) Synonym(s): *Atrometoides Fahringer,1922; Romanella Meyer,1935*
- 184) Aulacidea Ashmead,1897** (Cynipidae) Synonym(s): *Aulacidea Ashmead,1897* Original reference: Aulacidea Ashmead,1897, Psyche 8: 68.
- 185) Aulogygnus Förster,1851** (Eulophidae) Synonym(s): *Aulogygnus Förster,1851; Olynx Förster,1856; Cyniphocetus Reinhard,1858; Olynx Reinhard,1858; Ophelinoideus Ashmead,1904; Scotolinx Ashmead,1904; Pseudiglyphella Girault,1913; Pseudolynx Girault,1916; Mirolynx Girault,1916*
- 186) Auplopus Spinola,1841** (Pompilidae) Synonym(s): *Auplopus Spinola,1841*
- 187) Aylax Hartig,1840** (Cynipidae) Synonym(s): *Aylax Hartig,1840; #Aulax Hartig,1843*
Original reference: Aylax Hartig,1840, [in] Germar, Z. Ent. 2 (1): 186.

- 188) Banchopsis Rudow,1886** (Ichneumonidae) Synonym(s): *Banchopsis Rudow,1886*;
Banchopsis Kriechbaumer,1886; *Euceribanchus Costa,1888*; *Banchoides Dalla Torre,1888*; *Ephonites Cameron,1905*
- 189) Banchus Fabricius,1798** (Ichneumonidae) Synonym(s): *Banchus Fabricius,1798*;
Corynephanus Wesmael,1849; *Cidaphurus Förster,1869*; *Nawaia Ashmead,1906*
- 190) Baranisobas Heinrich,1972** (Ichneumonidae) Synonym(s): *Baranisobas Heinrich,1972*
- 191) Barichneumon Thomson,1893** (Ichneumonidae) Synonym(s): *Barichneumon Thomson,1893*;
Gurfyia Cameron,1903; *Harsaces Cameron,1903*; *Darpasus Cameron,1904*; *Stictichneumon Cameron,1905*
- 192) Barycnemis Förster,1869** (Ichneumonidae) Synonym(s): *Barycnemis Förster,1869*;
Leptopygus Förster,1869; *Cratophion Thomson,1889*; *Cyrtophion Thomson,1889*; *Zasternaulax Viereck,1912*;
Porizonidea Viereck,1914
- 193) Baryconus Förster,1856** (Platygastridae) Synonym(s): *Baryconus Förster,1856*
- 194) Barylpa Förster,1869** (Ichneumonidae) Synonym(s): *Barylpa Förster,1869*; *Laphyctes Förster,1869 nec Duj.,1844*;
Sarntheinia Dalla Torre,1901; *Hadromanus Szépligeti,1905*; *Magnibucca Morley,1913*;
Trochiscomerus Meyer,1931
- 195) Baryproctus Ashmead,1900** (Braconidae) Synonym(s): *Baryproctus Ashmead,1900*
Original reference: *Baryproctus Ashmead,1900, Proc. U.S. nat. Mus. 23: 139.*
- 196) Baryscapus Förster,1856** (Eulophidae) Synonym(s): *Baryscapus Förster,1856*; *Thriposoma Crawford,1913*;
Tetrastichopsis Girault,1916; *Eutetrastichus Kostjukov,1977*
- 197) Barytarbes Förster,1869** (Ichneumonidae) Synonym(s): *Barytarbes Förster,1869*; *Polytrera Förster,1869*;
Isodiaeta Förster,1869; *Hybristes Förster,1869 nec Reich.,1850*; *Barytarbus Thomson,1883*;
Polytreres Thomson,1892
- 198) Barytatocephalus Schulz,1911** (Ichneumonidae) Synonym(s): *Barycephalus Brauns,1895*;
Barytatocephalus Schulz,1911
- 199) Bassus Fabricius,1804** (Braconidae) Synonym(s): *Bassus Fabricius,1804*; *Microdus Nees ab Esenbeck,1812*;
Diplozon Haliday,1833; *Euryzona Haliday,1838*; *Eumicrodus Förster,1862*; *Aerophilus Szépligeti,1902*;
Agatehllina Enderlein,1920; *Ditropia Enderlein,1920*; *Hemiogaster Enderlein,1920*
- 200) Bathyplectes Förster,1869** (Ichneumonidae) Synonym(s): *Canidia Holmgren,1860 nec Thom.,1857*;
Bathyplectes Förster,1869; *Rhexineura Förster,1869*; *Canidiella Ashmead,1900*; *Biolysia Schmiedeknecht,1907*;
Bathypiesta Aubert,1979; *#Bathyplectis Kolarov,1995*
- 201) Bathytrix Förster,1869** (Ichneumonidae) Synonym(s): *Bathytrix Förster,1869*;
Ischnurgops Förster,1869; *Stenagops Förster,1869*; *Panargyrops Förster,1869*; *Gausocentrus Förster,1869*;
#Stenoschema Förster,1869; *Leptocryptus Thomson,1873*; *Agenora Cameron,1909*
- 202) Batozonellus Arnold,1937** (Pompilidae) Synonym(s): *Batozonellus Arnold,1937* Original reference: *Batozonellus Arnold,1937, Ann. Transv. Mus. 19: 1.*
- 203) Belaspidia Masi,1916** (Chalcididae) Synonym(s): *Belaspidia Masi,1916*
- 204) Belomicrus A.Costa,1871** (Crabronidae) Synonym(s): *Belomicrus A.Costa,1871*; *Oxybeloides Radoszkowski,1877*
- 205) Bembecinus A.Costa,1859** (Crabronidae) Synonym(s): *Bembecinus A.Costa,1859*;
Stizomorphus A.Costa,1859; *#Gorystizus Minkiewicz,1934*; *Gorystizus Pate,1937*
- 206) Bembix Fabricius,1775** (Crabronidae) Synonym(s): *Bembix Fabricius,1775*; *#Bembyx Fabricius,1775*;
Bembex Fabricius,1777; *Apobembex Pate,1937*; *Epibembex Pate,1937*
- 207) Benjaminia Viereck,1912** (Ichneumonidae) Synonym(s): *Benjaminia Viereck,1912*;
Zachrestoides Viereck,1925
- 208) Biorhiza Westwood,1840** (Cynipidae) Synonym(s): *Biorhiza Westwood,1840*
- 209) Biosteres (Chilotrichia) Förster,1862** (Braconidae) Synonym(s): *Chilotrichia Förster,1862*
- 210) Biosteres (s.str.) Förster,1862** (Braconidae) Synonym(s): *Biosteres Förster,1862*
- 211) Biosteres Förster,1862** (Braconidae) Synonym(s): *Biosteres Förster,1862*
- 212) Bitomus Szépligeti,1910** (Braconidae) Synonym(s): *Bitomus Szépligeti,1910*
- 213) Blacometeorius Tobias,1976** (Braconidae) Synonym(s): *Blacometeorius Tobias,1976*
- 214) Blacus (Ganychorus) Haliday,1835** (Braconidae) Synonym(s): *Ganychorus Haliday,1835*
- 215) Blacus (Hysteroobolus) Viereck,1913** (Braconidae) Synonym(s): *Hysteroobolus Viereck,1913*
- 216) Blacus (Neoblacus) Ashmead,1900** (Braconidae) Synonym(s): *Neoblacus Ashmead,1900*
- 217) Blacus (s.str.) Nees ab Esenbeck,1818** (Braconidae) Synonym(s): *Blacus Nees ab Esenbeck,1818*;
Goniocormus Förster,1862; *Miocolus Förster,1862*
- 218) Blacus Nees ab Esenbeck,1818** (Braconidae) Synonym(s): *Blacus Nees ab Esenbeck,1818*;
Goniocormus Förster,1862; *Miocolus Förster,1862*
- 219) Blapsidotes Förster,1869** (Ichneumonidae) Synonym(s): *Blapsidotes Förster,1869*
- 220) Blastophaga Gravenhorst,1829** (Agaonidae) Synonym(s): *Blastophagus Gravenhorst,1827*;
Blastophaga Gravenhorst,1829

- 221) Blastothrix Mayr, 1875** (Encyrtidae) **Synonym(s):** *Blastothrix Mayr, 1875*
- 222) Bloodiella Nowicki, 1935** (Trichogrammatidae) **Synonym(s):** *Bloodiella Nowicki, 1935*
- 223) Bombus (Alpigenobombus) Skorikov, 1914** (Apidae) **Synonym(s):** *Alpigenobombus Skorikov, 1914*
- 224) Bombus (Cullumanobombus) Vogt, 1911** (Apidae) **Synonym(s):** *Cullumanobombus Vogt, 1911; Coccineobombus Skorikov, 1922; Fraternobombus Skorikov, 1922; Funebribombus Skorikov, 1922; Robustobombus Skorikov, 1922; Rubicundobombus Skorikov, 1922; Separatobombus Frison, 1927; Crotchiobombus Franklin, 1954; Brachycephalibombus Williams, 1985; Dasybombus Labougle & Ayala, 1986*
- 225) Bombus (Kallobombus) Dalla Torre, 1880** (Apidae) **Synonym(s):** *Kallobombus Dalla Torre, 1880*
- 226) Bombus (Megabombus) Dalla Torre, 1880** (Apidae) **Synonym(s):** *Megabombus Dalla Torre, 1880; Hortobombus Vogt, 1911; Diversobombus Skorikov, 1915; Senexibombus Frison, 1930*
- 227) Bombus (Melanobombus) Dalla Torre, 1880** (Apidae) **Synonym(s):** *Melanobombus Dalla Torre, 1880; Rufipedibombus Skorikov, 1922; Festivobombus Tkalcu, 1933*
- 228) Bombus (Mendacibombus) Skorikov, 1914** (Apidae) **Synonym(s):** *Mendacibombus Skorikov, 1914*
- 229) Bombus (Psithyrus) Lepeletier, 1833** (Apidae) **Synonym(s):** *Psithyrus Lepeletier, 1833; Apathus Newman, 1835; Laboriopsithyrus Frison, 1927; Ashtonipsithyrus Frison, 1927; Fernaldaepsithyrus Frison, 1927; Eopsithyrus Popov, 1931; Metapsithyrus Popov, 1931; Allopsithyrus Popov, 1931; Ceratopsithyrus Pittioni, 1949; Citrinopsithyrus Thorp, 1983*
- 230) Bombus (Pyrobombus) Dalla Torre, 1880** (Apidae) **Synonym(s):** *Pyrobombus Dalla Torre, 1880; Poecilobombus Dalla Torre, 1882; Hypnorobombus Pérez, 1927; Lapponicobombus Pérez, 1927; Pressibombus Frison, 1935*
- 231) Bombus (s.str.) Latreille, 1802** (Apidae) **Synonym(s):** *Bombus Latreille, 1802; Leucobombus Dalla Torre, 1880; Terrestribombus Vogt, 1911*
- 232) Bombus (Sibiricobombus) Vogt, 1911** (Apidae) **Synonym(s):** *Sibiricobombus Vogt, 1911; Obertobombus Reinig, 1930*
- 233) Bombus (Subterraneobombus) Vogt, 1911** (Apidae) **Synonym(s):** *Subterraneobombus Vogt, 1911*
- 234) Bombus (Thoracobombus) Dalla Torre, 1880** (Apidae) **Synonym(s):** *Thoracobombus Dalla Torre, 1880; Rhodobombus Dalla Torre, 1880; Exilobombus Skorikov, 1922; Fervidobombus Skorikov, 1922; Tricornibombus Skorikov, 1922; Laesobombus Skorikov, 1922; Mucidobombus Skorikov, 1922; Eversmannibombus Skorikov, 1938*
- 235) Bombus Latreille, 1802** (Apidae) **Synonym(s):** *Bombus Latreille, 1802; Leucobombus Dalla Torre, 1880; Terrestribombus Vogt, 1911*
- 236) Bothriomyrmex Emery, 1869** (Formicidae) **Synonym(s):** *Bothriomyrmex Emery, 1869*
- 237) Bothriothorax Ratzeburg, 1844** (Encyrtidae) **Synonym(s):** *Bothriothorax Ratzeburg, 1844*
- 238) Brachycyrtus Kriechbaumer, 1880** (Ichneumonidae) **Synonym(s):** *Brachycyrtus Kriechbaumer, 1880*
- 239) Brachymeria Westwood, 1829** (Chalcididae) **Synonym(s):** *Brachymeria Westwood, 1829; Thaumtelia Kirby, 1883; #Brodymeria Ashmead, 1904; Oncochalcis Cameron, 1904; Holochalcis Kieffer, 1905; Ceyxia Girault, 1911; Tumidicoxa Girault, 1911; Thaumteliana Girault, 1912; Pseudepitelia Girault, 1913; Tumidicoxella Girault, 1913; Tumidicoxoides Girault, 1913; Dirrhinomorpha Girault & Dodd, 1915; Mirochalcis Girault, 1915; Meyeriella Krausse, 1917; Neobrachymeria Masi, 1929; Australochalcis Girault, 1939; Gahanula Burks, 1960; Matsumurameria Habu, 1960*
- 240) Brachydynerus Blüthgen, 1938** (Vespidae) **Synonym(s):** *Brachydynerus Blüthgen, 1938*
Original reference: *Brachydynerus Blüthgen, 1938, Dt. ent. Z. 1938: 450, 459. Type-species: Odynerus magnificus Morawitz, 1867, by original designation.*
- 241) Brachypipona Gusenleitner, 1967** (Vespidae) **Synonym(s):** *Brachypipona Gusenleitner, 1967; Desertodynerus Kurzenko, 1977* **Original reference:** *Brachypipona Gusenleitner, 1967, Polski pismo ent. 37: 671. Type-species: Pseudepipona schmidtii Gusenleitner, 1967, by original designation.*
- 242) Brachystegus A. Costa, 1859** (Crabronidae) **Synonym(s):** *Brachystegus A. Costa, 1859*
- 243) Bracon (Asiabracon) Tobias, 1957** (Braconidae) **Synonym(s):** *Asiabracon Tobias, 1957*
- 244) Bracon (Cyanopterobracon) Tobias, 1957** (Braconidae) **Synonym(s):** *Cyanopterobracon Tobias, 1957; Rostrobracon Tobias, 1957*
- 245) Bracon (Glabrobracon) Tobias, 1957** (Braconidae) **Synonym(s):** *Glabrobracon Tobias, 1957*
- 246) Bracon (Habrobracon) Ashmead, 1900** (Braconidae) **Synonym(s):** *#Habrobracon Johnson, 1895; Habrobracon Ashmead, 1900* **Original reference:** *Habrobracon Ashmead, 1900, Proc. U.S. nat. Mus. 23 (1206): 139.*
- 247) Bracon (Lucobracon) Fahringer, 1927** (Braconidae) **Synonym(s):** *Lucobracon Fahringer, 1927; #Lucobacon Beyarslan & Tobias, 2008* **Original reference:** *Lucobracon Fahringer, 1927, Opusc. braconologica 1: 232.*

- 248) Bracon (Orthobracon) Fahringer, 1927** (Braconidae) Synonym(s): *Orthobracon Fahringer, 1927* Original reference: *Orthobracon Fahringer, 1927, Opusc. braconologica 1: 232.*
- 249) Bracon (Pigeria) Van Achterberg, 1985** (Braconidae) Synonym(s): *Pigeria Van Achterberg, 1985*
- 250) Bracon (Rostrobracon) Tobias, 1957** (Braconidae) Synonym(s): *Rostrobracon Tobias, 1957*
- 251) Bracon (s.str.) Fabricius, 1805** (Braconidae) Synonym(s): *Bracon Fabricius, 1805; Brachon Brullé, 1832*
- 252) Bracon Fabricius, 1805** (Braconidae) Synonym(s): *Bracon Fabricius, 1805; Brachon Brullé, 1832*
- 253) Bremiella Dalla Torre, 1901** (Ichneumonidae) Synonym(s): *Bremia Kriechbaumer, 1890; Bremiella Dalla Torre, 1901; Agasthenopoda Schmeideknecht, 1912*
- 254) Bruchophagus Ashmead, 1888** (Eurytomidae) Synonym(s): *Bruchophagus Ashmead, 1888*
- 255) Buathra Cameron, 1903** (Ichneumonidae) Synonym(s): *Buathra Cameron, 1903; Bathycrisis Cameron, 1905; Mandibulathra Jonathan, 2006; Meringothra Jonathan, 2006*
- 256) Caenocrepis Thomson, 1878** (Pteromalidae) Synonym(s): *Caenocrepis Thomson, 1878*
- 257) Caenocryptus Thomson, 1873** (Ichneumonidae) Synonym(s): *Caenocryptus Thomson, 1873; Habrocryptoides Uchida, 1952; Pseudischmus Walkley, 1954*
- 258) Caenolyda Konow, 1897** (Pamphiliidae) Synonym(s): *Caenolyda Konow, 1897; Dictyolyda Semenov, 1934*
- 259) Calameuta (s.str.) Konow, 1896** (Cephidae) Synonym(s): *Calameuta Konow, 1896; Monoplopus Konow, 1896; Haplocephus Benson, 1935* Original reference: *Calameuta Konow, 1896, Wien. ent. Ztg. 15: 151. Type-species: Cepus filiformis Eversmann, 1847, by subsequent designation by Rohwer, 1911.*
- 260) Calameuta Konow, 1896** (Cephidae) Synonym(s): *Calameuta Konow, 1896; Monoplopus Konow, 1896; Haplocephus Benson, 1935* Original reference: *Calameuta Konow, 1896, Wien. ent. Ztg. 15: 151. Type-species: Cepus filiformis Eversmann, 1847, by subsequent designation by Rohwer, 1911.*
- 261) Cales Howard, 1907** (Aphelinidae) Synonym(s): *Cales Howard, 1907; Diaspidophilus Brèthes, 1914; Paranthemus Girault, 1915*
- 262) Caliadurgus Pate, 1946** (Pompilidae) Synonym(s): *Calicurgus Lepeletier, 1845 (praeocc.); Caliadurgus Pate, 1946*
- 263) Caliroa O. Costa, 1859** (Tenthredinidae) Synonym(s): *Caliroa O. Costa, 1859*
- 264) Callipteroma Motschulsky, 1863** (Encyrtidae) Synonym(s): *Callipteroma Motschulsky, 1863*
- 265) Callirhytis Förster, 1869** (Cynipidae) Synonym(s): *Callirhytis Förster, 1869*
- 266) Calosota Curtis, 1836** (Eupelmidae) Synonym(s): *Calosota Curtis, 1836; Caloster Walker, 1872*
- 267) Campoletis Förster, 1869** (Ichneumonidae) Synonym(s): *Campoletis Förster, 1869*
- 268) Camponotus Mayr, 1861** (Formicidae) Synonym(s): *Camponotus Mayr, 1861*
- 269) Campoplex Gravenhorst, 1829** (Ichneumonidae) Synonym(s): *Campoplex Gravenhorst, 1829; Dioratica Förster, 1869; Omorgus Förster, 1869 nec Erichs., 1847; Omorga Thomson, 1887; Zatranoosema Viereck, 1912; Campoleptidea Viereck, 1912; Sesioplex Viereck, 1912; Pseuderipternoides Viereck, 1917*
- 270) Campsomeriella Betrem, 1941** (Scoliidae) Synonym(s): *Campsomeriella Betrem, 1941*
- 271) Camptopoeum (Epimethea) Morawitz, 1876** (Andrenidae) Synonym(s): *Epimethea Morawitz, 1876* Original reference: *Epimethea Morawitz, 1876, Horae Soc. ent. ross. 12: 61.*
- 272) Camptopoeum (s.str.) Spinola, 1843** (Andrenidae) Synonym(s): *Camptopoeum Spinola, 1843* Original reference: *Camptopoeum Spinola, 1843, Annls Soc. ent. Fr. (2) 1: 139.*
- 273) Camptopoeum Spinola, 1843** (Andrenidae) Synonym(s): *Camptopoeum Spinola, 1843* Original reference: *Camptopoeum Spinola, 1843, Annls Soc. ent. Fr. (2) 1: 139.*
- 274) Camptothlipsis Enderlein, 1920** (Braconidae) Synonym(s): *Camptothlipsis Enderlein, 1920*
- 275) Cardiocondyla Emery, 1869** (Formicidae) Synonym(s): *Cardiocondyla Emery, 1869*
- 276) Casinaria Holmgren, 1859** (Ichneumonidae) Synonym(s): *Casinaria Holmgren, 1859; Alcima Förster, 1869; Amorphota Förster, 1869; Campotrephus Förster, 1869; Horogenes Förster, 1869; Anempheres Förster, 1869; Nothalomalon Szépligeti, 1905; Trophocampa Schmiedeknecht, 1907; Fiebrigia Viereck, 1912; Neonortonia Viereck, 1912; Zastenomorpha Viereck, 1912; Zastenogastra Viereck, 1925; Nothanomalooides Uchida, 1928 nec Vier., 1925; Deltops Seyrig, 1935; Longicharops Uchida, 1940; Neonortoniella Blanchard, 1947; Casinaroides Aubert, 1960*
- 277) Cataglyphis Förster, 1850** (Formicidae) Synonym(s): *Cataglyphis Förster, 1850*
- 278) Catolaccus Thomson, 1878** (Pteromalidae) Synonym(s): *Catolaccus Thomson, 1878; Merisoides Masi, 1911; Hortobagya Szelényi, 1981*
- 279) Cea Walker, 1837** (Pteromalidae) Synonym(s): *Cea Walker, 1837*
- 280) Celonites Latreille, 1802** (Vespidae) Synonym(s): *Celonites Latreille, 1802; #Paracelonites Kostylev, 1935; #Eucelonites Kostylev, 1935; Eucelonites Richards, 1962*
- 281) Cephalochilus Blüthgen, 1939** (Vespidae) Synonym(s): *Cephalochilus Blüthgen, 1939*
- 282) Cephus Latreille, 1802** (Cephidae) Synonym(s): *Cephus Latreille, 1802*

- 283) Ceramius Latreille,1810** (Vespididae) **Synonym(s):** *Ceramius Latreille,1810; Gnatho Klug,1810; Paraceramius Saussure,1854; Ceramioides Saussure,1854; Euceramius Dalla Torre,1904*
- 284) Ceranisus Walker,1841** (Eulophidae) **Synonym(s):** *#Ceraninus Walker,1830; Ceranisus Walker,1841; Urfacus Doğanlar,2003*
- 285) Cerapterocerus Westwood,1833** (Encyrtidae) **Synonym(s):** *Cerapterocerus Westwood,1833; Jurinia Costa,1839; Telegraphus Ratzburg,1848*
- 286) Ceratina Latreille,1802** (Apidae) **Synonym(s):** *Ceratina Latreille,1802; Euceratina Hirashima, Moure & Daly,1971 [subg.]*
- 287) Ceratobracon Telenga,1936** (Braconidae) **Synonym(s):** *Ceratobracon Telenga,1936*
- 288) Ceratophygadeuon Viereck,1924** (Ichneumonidae) **Synonym(s):** *Ceratophygadeuon Viereck,1924; Remonzia Seyrig,1952; Euromonzia Aubert,1965*
- 289) Cerceris Latreille,1802** (Crabronidae) **Synonym(s):** *Cerceris Latreille,1802; Nectanebus Spinola,1839; Diamma Dahlbom,1844 nec Westw.,1835; Didesmus Dahlbom,1845; Paracerceris Brethes,1913; Apiraptrix Shestakov,1923; Bucerceris Minkiewicz,1934; Stercobata Gussakowsky,1935; Apicerceris Pate,1937*
- 290) Cerchysiella Girault,1915** (Encyrtidae) **Synonym(s):** *Cerchysiella Girault,1915*
- 291) Cerchysius Westwood,1832** (Encyrtidae) **Synonym(s):** *Cerchysius Westwood,1832*
- 292) Ceropales Latreille,1796** (Pompilidae) **Synonym(s):** *Ceropales Latreille,1796*
- 293) Ceylalictus (s.str.) Strand,1913** (Halictidae) **Synonym(s):** *Ceylalictus Strand,1913*
- 294) Ceylalictus Strand,1913** (Halictidae) **Synonym(s):** *Ceylalictus Strand,1913*
- 295) Chaetostricha Walker,1851** (Trichogrammatidae) **Synonym(s):** *Chaetostricha Walker,1851*
- 296) Chalcis Fabricius,1787** (Chalcididae) **Synonym(s):** *Chalcis Fabricius,1787; Smiera Spinola,1811; Smicra Spinola,1837*
- 297) Chalicodoma (Euchalicodoma) Tkalcu,1969** (Megachilidae) **Synonym(s):** *Euchalicodoma Tkalcu,1969*
- 298) Chalicodoma Lepeletier,1841** (Megachilidae) **Synonym(s):** *Chalicodoma Lepeletier,1841*
- 299) Characopygus Konow,1899** (Cephidae) **Synonym(s):** *Characopygus Konow,1899* **Original reference:** *Characopygus Konow,1899, Ent. Nachr. 25: 73.*
- 300) Charitopus Förster,1856** (Encyrtidae) **Synonym(s):** *Charitopus Förster,1856*
- 301) Charops Holmgren,1859** (Ichneumonidae) **Synonym(s):** *Charops Holmgren,1859; Zacharops Viereck,1912; Gongropelma Enderlein,1921; #Chrops Çoruh et al.,2014*
- 302) Chartocerus Motschulsky,[1860]** (Signiphoridae) **Synonym(s):** *Chartocerus Motschulsky,[1860]*
- 303) Cheiloneurus Westwood,1833** (Encyrtidae) **Synonym(s):** *Cheiloneurus Westwood,1833*
- 304) Cheiropachus Westwood,1829** (Pteromalidae) **Synonym(s):** *Cheiropachus Westwood,1829; Pachychirus Agassiz,1846*
- 305) Chelonus (Microchelonus) Szépligeti,1908** (Braconidae) **Synonym(s):** *Microchelonus Szépligeti,1908; Chelonella Szépligeti,1908; Neochelonella Hincks,1943*
- 306) Chelonus (s.str.) Panzer,1806** (Braconidae) **Synonym(s):** *#Anomala von Block,1799; Chelonus Panzer,1806; Davisania La Munyon,1877; Arichelonus Viereck,1913; Megachelonus Baker,1926*
- 307) Chelonus Panzer,1806** (Braconidae) **Synonym(s):** *#Anomala von Block,1799; Chelonus Panzer,1806; Davisania La Munyon,1877; Arichelonus Viereck,1913; Megachelonus Baker,1926*
- 308) Chelostes van Achterberg,1990** (Braconidae) **Synonym(s):** *Chelostes Van Achterberg,1990* **Original reference:** *Chelostes Van Achterberg,1990, Zool. Verh. 257: 5-6. Type-species: Chelostes robustus Achterberg,1990, by original designation.*
- 309) Chelostoma (Foveosmia) Warncke,1991** (Megachilidae) **Synonym(s):** *Foveosmia Warncke,1991*
- 310) Chelostoma (Gyrodromella) Michener,1997** (Megachilidae) **Synonym(s):** *Gyrodromella Michener,1997*
- 311) Chelostoma (s.str.) Latreille,1809** (Megachilidae) **Synonym(s):** *Chelostoma Latreille,1809*
- 312) Chelostoma Latreille,1809** (Megachilidae) **Synonym(s):** *Chelostoma Latreille,1809*
- 313) Chilaspis Mayr,1881** (Cynipidae) **Synonym(s):** *Chilaspis Mayr,1881*
- 314) Chilosphex Menke,1976** (Sphecidae) **Synonym(s):** *Chilosphex Menke,1976*
- 315) Chirotica Förster,1869** (Ichneumonidae) **Synonym(s):** *Chirotica Förster,1869; Allocota Förster,1869 nec Motsch.,1860; Spinolia Förster,1869 nec Dahlb.,1854; Syneches Förster,1869 nec Walter,1852; Diaglypta Förster,1869; Deuterospinolia Della Torre,1902; Aphadnus Cameron,1907; Hymenosyneches Viereck,1912*
- 316) Chlorocytus Graham,1956** (Pteromalidae) **Synonym(s):** *Chlorocytus Graham,1956; Legolasia Hedqvist,1974*
- 317) Chlorodynerus Blüthgen,1951** (Vespididae) **Synonym(s):** *Chlorodynerus Blüthgen,1951*
- 318) Choeras Mason,1981** (Braconidae) **Synonym(s):** *Choeras Mason,1981*

- 319) Chorebus Haliday,1833** (Braconidae) **Synonym(s):** *Chorebus Haliday,1833* **Original reference:** *Chorebus Haliday,1833, Ent. Mag. 1 (3): 264.*
- 320) Choreia Westwood,1833** (Encyrtidae) **Synonym(s):** *Choreia Westwood,1833; #Choreius Westwood,1837*
- 321) Chorinaeus Holmgren,1858** (Ichneumonidae) **Synonym(s):** *Chorinaeus Holmgren,1858; Polyrhaddus Walsh,1873*
- 322) Chromoplex Horstmann,1986** (Ichneumonidae) **Synonym(s):** *Chromoplex Horstmann,1986* **Original reference:** *Chromoplex Horstmann,1986, Mitt. münch. ent. Ges. 76: 144.*
- 323) Chrysidea Bischoff,1913** (Chrysididae) **Synonym(s):** *Chrysidea Bischoff,1913* **Original reference:** *Chrysidea Bischoff,1913, Genera Insectorum 151: 34.*
- 324) Chrysis Linnaeus,1761** (Chrysididae) **Synonym(s):** *Chrysis Linnaeus,1761*
- 325) Chrysocharis Förster,1856** (Eulophidae) **Synonym(s):** *Chrysocharis Förster,1856; Oxycharis Delucchi,1954 nec Meyrick,1939; Trichocharis Delucchi,1954 nec Simon,1895; Xenocharis Delucchi,1954 nec Bierig,1934*
- 326) Chrysolampus Spinola,1811** (Perilampidae) **Synonym(s):** *Chrysolampus Spinola,1811; Elatus Walker,1848; Lamprostylus Förster,1856; Toxeumoides Girault,1915; Paratoximopsis Girault,1922*
- 327) Chrysomalla Förster,1859** (Perilampidae) **Synonym(s):** *Chrysomalla Förster,1859*
- 328) Chrysura Dahlbom,1845** (Chrysididae) **Synonym(s):** *Chrysura Dahlbom,1845; Monochrysis Lichtenstein,1876; Olochrysis Lichtenstein,1876; Holochrysis Rye,1878; Conochrysis Haupt,1956; Arctochrysis Haupt,1956; Taeniochrysis Haupt,1956; Selenochrysis Haupt,1956*
- 329) Cidaphus Förster,1869** (Ichneumonidae) **Synonym(s):** *Cidaphus Förster,1869; Plesiophthalmus Förster,1869; Mater Schulz,1911; Tetragonalys Morley,1913; Plesiophthalmidea Viereck,1914; Ophthalmochorus Roman,1925*
- 330) Cimbex Olivier,1791** (Cimbicidae) **Synonym(s):** *Cimbex Olivier,1791; Palaeocimbex Semenov,1935*
- 331) Cirrospilus Westwood,1832** (Eulophidae) **Synonym(s):** *Cirrospilus Westwood,1832; Atoposoma Masi,1907; Atoposomoidea Howard,1910; Winnemana Crawford,1911; Achrysocharellloidea Girault,1913; Cirrospilomella Girault,1913; Pseudiglyphomyia Girault,1913; Gyrolasella Girault,1913; Cirrospilopsis Girault,1915; Parzagrammosoma Girault,1916; Giraultia Gahan & Fagan,1923; Austrolynx Girault,1929; Plesiospilus Ferrière,1954*
- 332) Cladius Illiger,1807** (Tenthredinidae) **Synonym(s):** *Cladius Illiger,1807*
- 333) Clavipanurgus Warncke,1972** (Andrenidae) **Synonym(s):** *Clavipanurgus Warncke,1972*
- 334) Cleptes Latreille,1802** (Chrysididae) **Synonym(s):** *Cleptes Latreille,1802*
- 335) Clinocentrus Haliday,1833** (Braconidae) **Synonym(s):** *Clinocentrus Haliday,1833*
- 336) Clistopyga Gravenhorst,1829** (Ichneumonidae) **Synonym(s):** *Clistopyga Gravenhorst,1829; Hymenomacropyga Uchida,1941; Ichneumonoglypta Blanchard,1941*
- 337) Closterocerus Westwood,1833** (Eulophidae) **Synonym(s):** *Closterocerus Westwood,1833; Asecodes Förster,1856; Ganahlia Dalla Torre,1897; Neochrysocharis Kurdjumov,1912; Achrysocharis Girault,1913; Achrysocharella Girault,1913; Chrysocharella Girault,1913; Pseudochrysocharis Girault,1913; Rhicnopeltomyia Girault,1913; Teleopteris Silvestri,1914; Wolffiella Krausse,1917; Halochris Erdös,1951; Heterocharis Erdös,1954; Metasecodes Erdös,1955; Chrysocharidia Erdös,1956; Desmatocharis Graham,1959; Cecidiophaga Erdös,1966; Mangocharis Boucek,1986; Hispinocharis Boucek,1988*
- 338) Clypeocampulum Gauld,1976** (Ichneumonidae) **Synonym(s):** *Clypeocampulum Gauld,1976*
- 339) Coccobius Ratzeburg,1852** (Aphelinidae) **Synonym(s):** *Coccobius Ratzeburg,1852; Physcus Howard,1895; Encyrtophyscus Blanchard,1948; Physculus Yasnosh,1977*
- 340) Coccophagoides Girault,1915** (Aphelinidae) **Synonym(s):** *Coccophagoides Girault,1915; Diaspiniphagus Silvestri,1927; Primaprospaltella DeBach & LaSalle,1981*
- 341) Coccophagus Westwood,1833** (Aphelinidae) **Synonym(s):** *Coccophagus Westwood,1833; Aneristus Haword,1895; Paracharitopus Brèthes,1913; Ataneostigma Girault,1914; Euxanthellus Silvestri,1915; Prococcophagus Silvestri,1915; Taneostigmoidella Girault,1915; Onophilus Brèthes,1918; Parencarsia Mercet,1930; Heptacritus De Santis,1961; Aclerdaephagus Sugonjaev,1969; Polycoccophagus Sugonjaev,1976*
- 342) Coelichneumon Thomson,1873** (Ichneumonidae) **Synonym(s):** *Coelichneumon Thomson,1873; Taphanes Cameron,1903; Intermedichneumon Heinrich,1934; Exephanides Heinrich,1966*
- 343) Coelinidea Viereck,1913** (Braconidae) **Synonym(s):** *Coelinidea Viereck,1913*
- 344) Coelioxys (Allocoelioxys) Tkalcu,1974** (Megachilidae) **Synonym(s):** *Allocoelioxys Tkalcu,1974* **Original reference:** *Allocoelioxys Tkalcu,1974, Beitr. Ent. 24: 340.*
- 345) Coelioxys (Argcoelioxys) Warncke,1992** (Megachilidae) **Synonym(s):** *Argcoelioxys Warncke,1992*
- 346) Coelioxys (Liothyrapis) Cockerell,1911** (Megachilidae) **Synonym(s):** *Liothyrapis Cockerell,1911*
- 347) Coelioxys (Radoszkowskiana) Popov,1955** (Megachilidae) **Synonym(s):** *Paracoelioxys Radoszkowski,1893 nec Grib.,1884; Radoszkowskiana Popov,1955*
- 348) Coelioxys (s.str.) Latreille,1809** (Megachilidae) **Synonym(s):** *Coelioxys Latreille,1809*

- 349) Coelioxys Latreille,1809** (Megachilidae) **Synonym(s):** *Coelioxys Latreille,1809*
- 350) Coeloides Wesmael,1838** (Braconidae) **Synonym(s):** *Coeloides Wesmael,1838*
- 351) Coelopencyrtus Timberlake,1919** (Encyrtidae) **Synonym(s):** *Coelopencyrtus Timberlake,1919*
- 352) Coelopisthia Förster,1856** (Pteromalidae) **Synonym(s):** *Coelopisthia Förster,1856; Kranophorus Graham,1956*
- 353) Colastes Haliday,1833** (Braconidae) **Synonym(s):** *Colastes Haliday,1833*
- 354) Colletes Latreille,1802** (Colletidae) **Synonym(s):** *Colletes Latreille,1802*
- 355) Collyria Schiödte,1839** (Ichneumonidae) **Synonym(s):** *Pachymerus Gravenhorst,1829 nec Thunb.,1805; Collyria Schiödte,1839*
- 356) Colotrechnus Thomson,1878** (Pteromalidae) **Synonym(s):** *Colotrechnus Thomson,1878; Zanonina Masi,1921*
- 357) Colpa (s.str.) Dufour,1841** (Scoliidae) **Synonym(s):** *Colpa Dufour,1841*
- 358) Colpa Dufour,1841** (Scoliidae) **Synonym(s):** *Colpa Dufour,1841*
- 359) Colpoclypeus Lucchese,1941** (Eulophidae) **Synonym(s):** *Colpoclypeus Lucchese,1941*
- 360) Colpognathus Wesmael,1845** (Ichneumonidae) **Synonym(s):** *Colpognathus Wesmael,1845*
- 361) Colpotrochia Holmgren,1855** (Ichneumonidae) **Synonym(s):** *Colpotrochia Holmgren,1855; Alcocerus Förster,1869; Exochoides Cresson,1869; Scallama Cameron,1899; Ischyrocnemopsis Ashmead,1900; Aithris Cameron,1906; Aethris Schulz,1906; Inoresa Cameron,1909; Colpotrochoides Uchida,1930*
- 362) Colpotrochia Holmgren,1856** (Ichneumonidae) **Synonym(s):** *Colpotrochia Holmgren,1856; Exochoides Cresson,1868; Alcocerus Förster,1869; Scallama Cameron,1899; Aithris Cameron,1900; Ischyrocnemopsis Ashmead,1900; Aethris Schulz,1906; Inoresa Cameron,1909; Sychnoleteroides Bréthes,1909*
- 363) Comperiella Howard,1906** (Encyrtidae) **Synonym(s):** *Comperiella Howard,1906*
- 364) Conomorium Masi,1926** (Pteromalidae) **Synonym(s):** *Conomorium Masi,1926*
- 365) Conura Spinola,1837** (Chalcididae) **Synonym(s):** *Conura Spinola,1837*
- 366) Copidosoma Ratzeburg,1844** (Encyrtidae) **Synonym(s):** *Copidosoma Ratzeburg,1844; Litomastix Thomson,1876; Pentacnemus Howard,1892; Berecynthus Howard,1898; Parapsylophrys Howard,1898; Pseudencyrtella Girault,1913; Zaomencyrtus Girault,1915; Paracaenocercus Girault,1915; Verdunia Mercet,1917; Limastotix Mercet,1921; Litomastiellus Mercet,1921; Paralitomastix Mercet,1921; Angeliconana Girault,1922; Neocopidosoma Ishii,1923; Parasteropaes Girault,1923; Mesocopidosomyia Girault,1925; Mesencyrtus Timberlake,1941; Berecynthiscus Ghesquière,1946; Arrenoclavus Doutt,1948*
- 367) Corynis Thunberg,1789** (Cimbicidae) **Synonym(s):** *Corynis Thunberg,1789; Amasis Leach,1817*
- 368) Cosmoconus Förster,1869** (Ichneumonidae) **Synonym(s):** *Cosmoconus Förster,1869*
- 369) Cotesia Cameron,1891** (Braconidae) **Synonym(s):** *Cotesia Cameron,1891; Cryptapanteles Viereck,1910; Stenopleura Viereck,1911 nec Stebbing,1888* Original reference: *Cotesia Cameron,1891, Mem. Manchesteroc. (4) 4: 185.*
- 370) Cotiheresiarches Telenga,1929** (Ichneumonidae) **Synonym(s):** *Cotiheresiarches Telenga,1929; Zimmeria Heinrich,1933*
- 371) Cowperia Girault,1919** (Encyrtidae) **Synonym(s):** *Cowperia Girault,1919*
- 372) Crabro Fabricius,1775** (Crabronidae) **Synonym(s):** *Crabro Fabricius,1775*
- 373) Crataepus Förster,1878** (Eulophidae) **Synonym(s):** *Crataepus Förster,1878; #Crataebus Doğanlar,1992*
- 374) Cratichneumon Thomson,1893** (Ichneumonidae) **Synonym(s):** *Cratichneumon Thomson,1893; Cosmiojoppa Cameron,1902; Lareiga Cameron,1903; Sycaonia Cameron,1903; Tanyjoppa Cameron,1906; Nimbolareiga Heinrich,1969*
- 375) Cratospila Förster,1862** (Braconidae) **Synonym(s):** *Cratospila Förster,1862*
- 376) Creightonella (Metamegachile) Tkalcu,1967** (Megachilidae) **Synonym(s):** *Metamegachile Tkalcu,1967* Original reference: *Metamegachile Tkalcu,1967, Acta ent. bohemoslov. 64: 102.*
- 377) Creightonella Cockerell,1908** (Megachilidae) **Synonym(s):** *Creightonella Cockerell,1908*
- 378) Cremastus Gravenhorst,1829** (Ichneumonidae) **Synonym(s):** *Cremastus Gravenhorst,1829; Zaleptopygus Viereck,1911; Neocremastus Cushman,1920*
- 379) Crematogaster Lund,1831** (Formicidae) **Synonym(s):** *Crematogaster Lund,1831; Cremastogaster Agassiz,1846*
- 380) Cremnops Förster,1862** (Braconidae) **Synonym(s):** *Cremnops Förster,1862*
- 381) Crossocerus (Ablepharipus) Perkins,1913** (Crabronidae) **Synonym(s):** *Ablepharipus Perkins,1913* Original reference: *Ablepharipus Perkins,1913, Trans. ent. Soc. London 1913: 394. Type-species: Crabro podagricus Vander Linden,1829, by monotypy.*
- 382) Crossocerus (Blepharipus) Lepeletier & Brullé,1835** (Crabronidae) **Synonym(s):** *Blepharipus Lepeletier & Brullé,1835* Original reference: *Blepharipus Lepeletier & Brullé,1835, Anns Soc. ent. Fr. (3): 728.*

- 383) Crossocerus (Cuphocterus) Morawitz,1856** (Crabronidae) Synonym(s): *Cuphocterus Morawitz,1856*
- 384) Crossocerus (Hoplocrabro) Thomson,1874** (Crabronidae) Synonym(s): *Hoplocrabro Thomson,1874*
- 385) Crossocerus (Oxycrabro) Leclercq,1961** (Crabronidae) Synonym(s): *Oxycrabro Leclercq,1961*
- 386) Crossocerus (s.str.) Lepeletier & Brullé,1835** (Crabronidae) Synonym(s): *Crossocerus Lepeletier & Brullé,1835*
- 387) Crossocerus Lepeletier & Brullé,1835** (Crabronidae) Synonym(s): *Crossocerus Lepeletier & Brullé,1835*
- 388) Cryptocheilus Panzer,1806** (Pompilidae) Synonym(s): *Cryptocheilus Panzer,1806*
- 389) Cryptopimpla Taschenberg,1863** (Ichneumonidae) Synonym(s): *Cryptopimpla Taschenberg,1863; Aphanodon Förster,1869; Xenacis Förster,1869; Xenocornia Schmiedeknecht,1900; Fintona Cameron,1909*
- 390) Cryptus Fabricius,1804** (Ichneumonidae) Synonym(s): *Cryptus Fabricius,1804; Eucryptus Haldeman,1842; Itamoplex Förster,1869; Plesiocryptus Cameron,1903*
- 391) Ctenagenia Saussure,1892** (Pompilidae) Synonym(s): *Ctenagenia Saussure,1892*
- 392) Ctenichneumon Thomson,1894** (Ichneumonidae) Synonym(s): *Ctenichneumon Thomson,1894; Dochteles Berthoumieu,1904; Neonaenaria Uchida,1956*
- 393) Ctenochira Förster,1855** (Ichneumonidae) Synonym(s): *Ctenochira Förster,1855; Ctenacme Förster,1869; Gemophaga Förster,1869; Scopiorus Förster,1869; Ctenacmus Thomson,1883; Pauroctenus Cameron,1909; Exochoblastus Schmiedeknecht,1912; Scopimenes Roman,1937*
- 394) Ctenotilla Bischoff,1920** (Mutillidae) Synonym(s): *Ctenotilla Bischoff,1920*
- 395) Cuneala Zirngiebl,1956** (Tenthredinidae) Synonym(s): *Cuneala Zirngiebl,1956; Parastasis Kirby,1881; Labidia Provancher,1886; Rethrax Cameron,1899; Fethali Cameron,1902; Clydostomus Konow,1908; Tenthredella Rohwer,1910; Zamacrophya Rohwer,1912*
- 396) Cyclolabus Heinrich,1936** (Ichneumonidae) Synonym(s): *Cyclolabus Heinrich,1936*
- 397) Cyloceria Schiodte,1838** (Ichneumonidae) Synonym(s): *Cyloceria Schiodte,1838; Chalinocerus Ratzeburg,1852; Asphragis Förster,1869; #Colloceria Çoruh et al.,2014*
- 398) Cymodusa (s.str.) Holmgren,1859** (Ichneumonidae) Synonym(s): *Cymodusa Holmgren,1859; Sagaritis Holmgren,1859; Thertisia Schmiedeknecht,1907; Cymodusopsis Viereck,1912; Sagaritopsis Hinks,1944*
- 399) Cymodusa Holmgren,1859** (Ichneumonidae) Synonym(s): *Cymodusa Holmgren,1859; Sagaritis Holmgren,1859; Thertisia Schmiedeknecht,1907; Cymodusopsis Viereck,1912; Sagaritopsis Hinks,1944*
- 400) Cynips Linnaeus,1758** (Cynipidae) Synonym(s): *Cynips Linnaeus,1758; Dryophanta Förster,1869*
- 401) Cyphononyx Dahlbom,1845** (Pompilidae) Synonym(s): *Cyphononyx Dahlbom,1845*
- 402) Cyrtogaster Walker,1833** (Pteromalidae) Synonym(s): *Cyrtogaster Walker,1833; Polycystus Westwood,1839; Dicormus Förster,1841; Hatia Risbec,1955; #Cyrtogaster Doğanlar,1985*
- 403) Cyrtolabulus Vecht,1969** (Vespidae) Synonym(s): *Cyrtolabus Vecht,1963 nec Voss,1925; Cyrtolabulus Vecht,1969*
- 404) Cyrtotypx Delucchi,1956** (Pteromalidae) Synonym(s): *Cyrtotypx Delucchi,1956*
- 405) Dacnusa Haliday,1833** (Braconidae) Synonym(s): *Dacnusa Haliday,1833*
- 406) Dapsilarthra Förster,1862** (Braconidae) Synonym(s): *Dapsilarthra Förster,1862; Grammospila Förster,1862; Paraorthostigma Königsmann,1972*
- 407) Dasylabris (Craspedopyga) Skorikov,1935** (Mutillidae) Synonym(s): *Craspedopyga Skorikov,1935*
- 408) Dasylabris (Inbaltilla) Lelej,1976** (Mutillidae) Synonym(s): *Inbaltilla Lelej,1976*
- 409) Dasylabris (s.str.) Radoszkowski,1885** (Mutillidae) Synonym(s): *Dasylabris Radoszkowski,1885*
- 410) Dasylabris Radoszkowski,1885** (Mutillidae) Synonym(s): *Dasylabris Radoszkowski,1885*
- 411) Dasypoda (Heterodasypoda) Michez,2004** (Melittidae) Synonym(s): *Heterodasypoda Michez,2004*
- 412) Dasypoda (Megadasypoda) Michez,2004** (Melittidae) Synonym(s): *Megadasypoda Michez,2004*
- 413) Dasypoda (s.str.) Latreille,1802** (Melittidae) Synonym(s): *Dasypoda Latreille,1802; Podasys Rafinesque,1815*
- 414) Dasypoda Latreille,1802** (Melittidae) Synonym(s): *Dasypoda Latreille,1802; Podasys Rafinesque,1815*
- 415) Dasyscolia Bradley,1951** (Scoliidae) Synonym(s): *Dasyscolia Bradley,1951*
- 416) Delomerista Förster,1869** (Ichneumonidae) Synonym(s): *Delomerista Förster,1869*

- 417) Delta Saussure,[1855]** (Vespidae) **Synonym(s):** *Delta Saussure,[1855]; Phi Saussure,[1855]; Erinys Zirngiebl,1953 nec Rye,1876* **Original reference:** *Delta Saussure,[1855], Etud. Fam. Vesp. 3: 130,143. Type-species: Vespa maxillosa De Geer,1773, designated by Bequaert,1925, Bull. Brook. ent. Soc. 20: 137.*
- 418) Dendrosoter Wesmael,1838** (Braconidae) **Synonym(s):** *Dendrosoter Wesmael,1838*
- 419) Dentilla Lelej,1980** (Mutillidae) **Synonym(s):** *Dentilla Lelej,1980*
- 420) Diachasma Förster,1862** (Braconidae) **Synonym(s):** *Diachasma Förster,1862*
- 421) Diachasmimorpha Viereck,1913** (Braconidae) **Synonym(s):** *Diachasmimorpha Viereck,1913*
- 422) Diadegma Förster,1869** (Ichneumonidae) **Synonym(s):** *Angitia Holmgren,1859 nec Wlk.,1858; Diadegma Förster,1869; Nythobia Förster,1869; Pectinella Morley,1914 nec Verr.,1897; Areolina Enderlein,1921; Nothanomaloides Viereck,1925; Neoangitia Horstmann,1969; Auma Dbar,1984*
- 423) Diaglyptellana Horstmann,1976** (Ichneumonidae) **Synonym(s):** *Diaglyptellana Horstmann,1976*
- 424) Diaglyptellodes Aubert,1993** (Ichneumonidae) **Synonym(s):** *Diaglyptellodes Aubert,1993*
- 425) Diaparsis (Nanodiaparsis) Horstmann,1971** (Ichneumonidae) **Synonym(s):** *Nanodiaparsis Horstmann,1971*
- 426) Diaparsis Förster,1869** (Ichneumonidae) **Synonym(s):** *Diaparsis Förster,1869*
- 427) Dibrachoides Kurdiumov,1913** (Pteromalidae) **Synonym(s):** *Dibrachoides Kurdiumov,1913*
- 428) Dibrachys Förster,1856** (Pteromalidae) **Synonym(s):** *Dibrachys Förster,1856; Coelopisthoidea Gahan,1913*
- 429) Dicaelotus Wesmael,1845** (Ichneumonidae) **Synonym(s):** *Dicaelotus Wesmael,1845; Leptodemas Förster,1869; Deloglyptus Förster,1869; Cinxaelotus Holmgren,1890; Euryptilus Holmgren,1890; Gnathichneumon Aubert,1958*
- 430) Dicarnosis Mercet,1921** (Encyrtidae) **Synonym(s):** *Dicarnosis Mercet,1921*
- 431) Dichrogaster Doumerc,1855** (Ichneumonidae) **Synonym(s):** *Dichrogaster Doumerc,1855; Otacustes Förster,1869; Microtorus Förster,1869; Xenobrachys Förster,1869; Brachycephalus Förster,1869 nec Fitzinger,1826; Brachycranium Ashmead,1900; Chrysopoctonus Cushman,1919*
- 432) Dicyrtomellus Gussakowskii,1935** (Pompilidae) **Synonym(s):** *Dicyrtomellus Gussakowskii,1935* **Original reference:** *Dicyrtomellus Gussakowskii,1935, Konowia 14: 135 (note).*
- 433) Didineis Wesmael,1852** (Crabronidae) **Synonym(s):** *Didineis Wesmael,1852*
- 434) Dimophora Förster,1869** (Ichneumonidae) **Synonym(s):** *Dimophora Förster,1869; Dimorphus Thomson,1889; Oligotmema Cushman,1920*
- 435) Dinarmus Thomson,1878** (Pteromalidae) **Synonym(s):** *Dinarmus Thomson,1878; Bruchobius Ashmead,1904; Metastenoides Girault,1915; Oedaule Waterson,1922; Sphaerakis Masi,1924*
- 436) Dinetus Panzer,1806** (Crabronidae) **Synonym(s):** *Dinetus Panzer,1806*
- 437) Dinocarsis Förster,1856** (Encyrtidae) **Synonym(s):** *Dinocarsis Förster,1856; Euscapus Dahlbom,1857*
- 438) Dinotiscus Ghesquière,1946** (Pteromalidae) **Synonym(s):** *Dinotus Förster,1856 nec Guettard,1770; Dinotiscus Ghesquière,1946*
- 439) Dinotrema Förster,1862** (Braconidae) **Synonym(s):** *Dinotrema Förster,1862*
- 440) Diodontus (s.str.) Curtis,1834** (Crabronidae) **Synonym(s):** *Diodontus Curtis,1834*
- 441) Diodontus Curtis,1834** (Crabronidae) **Synonym(s):** *Diodontus Curtis,1834*
- 442) Diolcogaster Ashmead,1900** (Braconidae) **Synonym(s):** *Diolcogaster Ashmead,1900*
- 443) Diospilus Haliday,1833** (Braconidae) **Synonym(s):** *Diospilus Haliday,1833*
- 444) Dioxys Lepeletier & Audinet-Serville,1825** (Megachilidae) **Synonym(s):** *Dioxys Lepeletier & Audinet-Serville,1825*
- 445) Dipara Walker,1833** (Pteromalidae) **Synonym(s):** *Dipara Walker,1833; Trichoyphus Förster,1856; Alloterra Apterolepas Ashmead,1901; Kieffer & Marshall,1904; Trimicrops Kieffer,1906; Parurios Girault,1913; Uriolelaps Girault,1915; Pseudipara Girault,1915; Epilelaps Girault,1915; Apterolaelaps Girault,1916; Pseudiparella Girault,1927; Hispanolelaps Mercet,1927; Emersonia Girault,1933; Grahamisia Delucchi,1962; Afrolelaps Hedqvist,1964; Diparomorpha Hedqvist,1972; Africesa Koçak, Hüseyinoğlu & Kemal,2008*
- 446) Diphyus Kriechbaumer,1890** (Ichneumonidae) **Synonym(s):** *Diphyus Kriechbaumer,1890; Pseudamblytele Ashmead,1900; Physcoteles Berthoumieu,1904; Macrophanus Cameron,1905; Rossella Cameron,1906; Paraphyscoteles Heinrich,1968*
- 447) Diplazon Viereck,1914** (Ichneumonidae) **Synonym(s):** *Diplazon Viereck,1914*
- 448) Diplolepis Goeffroy,1762** (Cynipidae) **Synonym(s):** *Diplolepis Goeffroy,1762; Rhodites Hartig,1840; Tribalia Walsh,1864; Hololexis Förster,1869; Lytorhodites Kieffer,1902*
- 449) Diplorhoptrum Mayr,1855** (Formicidae) **Synonym(s):** *Diplorhoptrum Mayr,1855*
- 450) Dipogon (Deuteragenia) Suster,1912** (Pompilidae) **Synonym(s):** *Agencia Schiödt,1837 (praeocc.); Deuteragenia Suster,1912* **Original reference:** *Deuteragenia Suster,1912, Verh. zool.- bot. Ges. Wien 62: 178, 191.*

- 451) Dipogon Fox,1897** (Pompilidae) **Synonym(s):** *Dipogon Fox,1897*
- 452) Dirhinus Dalman,1818** (Chalcididae) **Synonym(s):** *Dirhinus Dalman,1818; Eniaca Kirby,1883; Hontalia Cameron,1884; Chontalia Schultz,1906; Dirrhinoidea Girault,1912; Pareniaca Girault,1913; Eniacella Girault,1913; Eniacomorpha Girault,1915; Dirrhinoides Masi,1947*
- 453) Discodes Förster,1856** (Encyrtidae) **Synonym(s):** *Discodes Förster,1856; Phaenodiscus Förster,1856*
- 454) Discoelius Latreille,1809** (Vespidae) **Synonym(s):** *Discoelius Latreille,1809*
- 455) Disophrys Förster,1862** (Braconidae) **Synonym(s):** *Disophrys Förster,1862; Megagathis Costa,1888; Pseudagathis Kriechbaumer,1894; Diophrys Kriechbaumer,1898; Pseudocremonops Szépligeti,1915; Platyagathis Turner,1918*
- 456) Dolerus Panzer,1801** (Tenthredinidae) **Synonym(s):** *Dolerus Panzer,1801*
- 457) Dolichogenidea Viereck,1911** (Braconidae) **Synonym(s):** *Dolichogenidea Viereck,1911; #Dolichogenides Inanç & Beyarslan,2001*
- 458) Dolichomitus Smith,1877** (Ichneumonidae) **Synonym(s):** *Closterocerus Hartig,1847 (praeocc.); Dolichomitus Smith,1877; Mesoepialtes Schmiedeknecht,1906; Diclostercerus Viereck,1914; Exeristoidea Viereck,1924; Tuberculephialtes Ozols,1962; Paucdolichomitus Constantineanu & Pisica,1970*
- 459) Dolichovespula Rohwer,1916** (Vespidae) **Synonym(s):** *Dolichovespula Rohwer,1916; Pseudovespula Birula,1931; Boreovespula Blüthgen,1943; Metavespula Blüthgen,1943*
- 460) Dolopsidea Hincks,1944** (Braconidae) **Synonym(s):** *Dolopsidea Hincks,1944*
- 461) Doryctes Haliday,1836** (Braconidae) **Synonym(s):** *Doryctes Haliday,1836*
- 462) Dorylus Fabricius,1793** (Formicidae) **Synonym(s):** *Dorylus Fabricius,1793*
- 463) Drepanoctonus Pfankuch,1911** (Ichneumonidae) **Synonym(s):** *Drepanoctonus Pfankuch,1911; Zonopius Benoit,1961*
- 464) Dryocosmus Giraud,1859** (Cynipidae) **Synonym(s):** *Dryocosmus Giraud,1859; Entrophia Förster,1869* **Original reference:** *Dryocosmus Giraud,1859, Verh. zool.- bot. Ges. Wien 9: 353.*
- 465) Dryudella Spinola,1843** (Crabronidae) **Synonym(s):** *Dryudella Spinola,1843*
- 466) Dufourea (Cyprorophites) Warncke,1979** (Halictidae) **Synonym(s):** *Cyprorophites Warncke,1979*
- 467) Dufourea (Halictoides) Nylander,1848** (Halictidae) **Synonym(s):** *Halictoides Nylander,1848*
- 468) Dufourea (s.str.) Lepeletier,1841** (Halictidae) **Synonym(s):** *Dufourea Lepeletier,1841*
- 469) Dufourea Lepeletier,1841** (Halictidae) **Synonym(s):** *Dufourea Lepeletier,1841*
- 470) Dusona Cameron,1901** (Ichneumonidae) **Synonym(s):** *Dusona Cameron,1901; Delopia Cameron,1903; Anisitsia Viereck,1912; Pseudocasinaria Viereck,1912; Thymarimorpha Viereck,1913; Viereckiana Strand,1914; Zachrestinus Enderlein,1921; Idiosomidea Viereck,1925; Neodelopia Benoit,1957; Kartika V.Gupta & M.Gupta,1976*
- 471) Echthronomas Förster,1869** (Ichneumonidae) **Synonym(s):** *Echthronomas Förster,1869*
- 472) Echthroplexiella Mercet,1921** (Encyrtidae) **Synonym(s):** *Echthroplexiella Mercet,1921; Lutfia Trjapitzin,1965*
- 473) Echthrus Gravenhorst,1829** (Ichneumonidae) **Synonym(s):** *Echthrus Gravenhorst,1829; Sphaetes Bremi,1849; Karaechthrus Uchida,1929; Bioleter Meyer,1930*
- 474) Ecphylus Förster,1862** (Braconidae) **Synonym(s):** *Ecphylus Förster,1862*
- 475) Ectemnius (Cameronitus) Leclercq,1950** (Crabronidae) **Synonym(s):** *Cameronitus Leclercq,1950*
- 476) Ectemnius (Clytochrysus) A.Morawitz,1864** (Crabronidae) **Synonym(s):** *Clytochrysus A.Morawitz,1864*
- 477) Ectemnius (Hypocrabro) Ashmead,1899** (Crabronidae) **Synonym(s):** *Hypocrabro Ashmead,1899*
- 478) Ectemnius (Metacrabro) Ashmead,1899** (Crabronidae) **Synonym(s):** *Metacrabro Ashmead,1899*
- 479) Ectemnius (s.str.) Dahlbom,1845** (Crabronidae) **Synonym(s):** *Ectemnius Dahlbom,1845*
- 480) Ectemnius (Thyreocerus) A.Costa,1871** (Crabronidae) **Synonym(s):** *Thyreocerus A.Costa,1871*
- 481) Ectemnius Dahlbom,1845** (Crabronidae) **Synonym(s):** *Ectemnius Dahlbom,1845*
- 482) Elachertus Spinola,1811** (Eulophidae) **Synonym(s):** *Elachertus Spinola,1811; Elachistus Förster,1856; Ardalus Howard,1897; Cirrospiloides Ashmead,1904; Diglyphomorphella Girault,1913; Parentodon Girault,1913; Pseudelachertus Girault,1913; Sympiesomorphelleus Girault,1913; Ardaloides Girault,1915; Euplectromorphella Girault,1915; Proardalus Girault & Dodd,1915; Epardalus Girault,1917; Peteenus Erdős,1961*
- 483) Elampus Spinola,1806** (Chrysididae) **Synonym(s):** *Elampus Spinola,1806; Notozus Förster,1853*
- 484) Elaphrosyron Haupt,1930** (Pompilidae) **Synonym(s):** *Elaphrosyron Haupt,1930* **Original reference:** *Elaphrosyron Haupt,1930, Mitt. zool. Mus. Berlin 15: 120.*

- 485) Elasmus Westwood,1833** (Eulophidae) **Synonym(s):** *Elasmus Westwood,1833; Aneure Nees,1834; Heptocondyla Rondani,1877; Cyclopleura Cameron,1913; Austelasmus Riek,1967*
- 486) Elinora Benson,1946** (Tenthredinidae) **Synonym(s):** *Elinora Benson,1946*
- 487) Encarsia Förster,1878** (Aphelinidae) **Synonym(s):** *Encarsia Förster,1878; Aspidiotiphagus Howard,1894; Prospalta Howard,1894 nec Walk.,1857; Prospaltella Ashmead,1904; Mimatomus Cockerell,1911; Doloresia Mercet,1912; Prospalthoides Brèthes,1914; Paraspidiotiphagus Alam,1956; Citrina Viggiani & Mazzone,1979 nec Wgn.,1905 non Redtenb.,1906; Aleurodiphilus DeBach & Rose,1981* **Original reference:** *Encarsia Förster,1878, Verh. naturh. Ver. Rheinl. u. Westf., 35, 65.*
- 488) Enclisis Townes,1970** (Ichneumonidae) **Synonym(s):** *Enclisis Townes,1970*
- 489) Encrateola Strand,1917** (Ichneumonidae) **Synonym(s):** *Encrates Förster,1869 (preocc.); Encrateola Strand,1917*
- 490) Encyrtus Latreille,1809** (Encyrtidae) **Synonym(s):** *Encyrtus Latreille,1809; Comys Förster,1856; Eucomys Förster,1856; Howardia Dalla Torre,1897; Howardiella Dalla Torre,1898; Allorhopoideus Brethes,1916; Prorhopoideus Brethes,1921*
- 491) Endasys Förster,1869** (Ichneumonidae) **Synonym(s):** *Endasys Förster,1869; Scinascopus Förster,1869; Bachia Endasys Förster,1869 nec Gray,1845; Stylocryptus Thomson,1873; Bachiana Strand,1928*
- 492) Endromopoda Hellén,1939** (Ichneumonidae) **Synonym(s):** *Endromopoda Hellén,1939*
- 493) Enicospilus Stephens,1835** (Ichneumonidae) **Synonym(s):** *Enicospilus Stephens,1835; Henicospilus Agassiz,1846; Allocamptus Förster,1869; Dispilus Kriechbaumer,1894; Pleuroneurophion Asmead,1900; Cymatoneura Kriechbaumer,1901; Pterospilus Kriechbaumer nec Rond.,1856; Trispilus Kriechbaumer,1901; Metophion Szepligeti,1905; Ceratospilus Szepligeti,1905; Atoponeura Szepligeti,1905; Ophiomorpha Szepligeti,1905 nec Nilss.,1836; Cryptocampus Brethes,1909; Eremotyloides Perkins,1915; Amesospilus Enderlein,1918; Schizospilus Seyrig,1936*
- 494) Ensliniana Alfken,1938** (Megachilidae) **Synonym(s):** *Ensliniana Alfken,1938* **Original reference:** *Ensliniana Alfken,1938, Dt. ent. Z. 1938: 431.*
- 495) Entedon Dalman,1820** (Eulophidae) **Synonym(s):** *Entedon Dalman,1820; #Entodon Berthold,1827; Tranocera Curtis,1829; Pleuropachus Westwood,1837; Pleuropachys Förster,1856; Eriglyptus Crawford,1907; Metacrias Girault,1913; Entedonella Girault,1913; Pelorotelopsella Girault,1913; Uracrias Girault,1913; Acanthentedon Dodd,1917; Metacriasinus Ghesquière,1946*
- 496) Entomobora Gistel,1857** (Pompilidae) **Synonym(s):** *Entomobora Gistel,1857*
- 497) Entomognathus Dahlbom,1844** (Crabronidae) **Synonym(s):** *Entomognathus Dahlbom,1844*
- 498) Entomosericus Dahlbom,1845** (Crabronidae) **Synonym(s):** *Entomosericus Dahlbom,1845*
- 499) Eoanthidium (Clistanthidium) Michener & Griswold,1994** (Megachilidae) **Synonym(s):** *Clistanthidium Michener & Griswold,1994*
- 500) Eoanthidium (s.str.) Popov,1950** (Megachilidae) **Synonym(s):** *Eoanthidium Popov,1950; Eoanthidiellum Pasteels,1969*
- 501) Eoanthidium Popov,1950** (Megachilidae) **Synonym(s):** *Eoanthidium Popov,1950; Eoanthidiellum Pasteels,1969*
- 502) Eoferreola Arnold,1935** (Pompilidae) **Synonym(s):** *Eoferreola Arnold,1935*
- 503) Ephedrus Haliday,1833** (Braconidae) **Synonym(s):** *Ephedrus Haliday,1833* **Original reference:** *Ephedrus Haliday,1833, Ent. Mag. 1: 261, 485.*
- 504) Ephialtes Gravenhorst,1829** (Ichneumonidae) **Synonym(s):** *Ephialtes Gravenhorst,1829*
- 505) Epiclerus Haliday,1844** (Tetracampidae) **Synonym(s):** *Epiclerus Haliday,1844*
- 506) Episyron Schiöde,1837** (Pompilidae) **Synonym(s):** *Episyron Schiöde,1837; Epizuron Ashmead,1902*
- 507) Epitetracnemus Girault,1915** (Encyrtidae) **Synonym(s):** *Epitetracnemus Girault,1915*
- 508) Epomphale Girault,1915** (Eulophidae) **Synonym(s):** *Epomphale Girault,1915*
- 509) Erdoesina Graham,1957** (Pteromalidae) **Synonym(s):** *Erdoesina Graham,1957*
- 510) Eremocampe Sugonjaev,1971** (Tetracampidae) **Synonym(s):** *Eremocampe Sugonjaev,1971*
- 511) Eremochares Gribodo,1883** (Sphecidae) **Synonym(s):** *Eremochares Gribodo,1883*
- 512) Eremotylus Förster,1869** (Ichneumonidae) **Synonym(s):** *Eremotylus Förster,1869; Camptoneura Kriechbaumer,1901 nec Agass.,1846; Genophion Felt,1903; Camptoneuroides Strand,1928; Clistorapha Cushman,1947; Boethoneura Cushman,1947; Chilophion Cushman,1947; Chlorophion Townes,1971*
- 513) Eretmocerus Haldeman,1850** (Aphelinidae) **Synonym(s):** *Eretmocerus Haldeman,1850; #Eretmocerus Ashmead,1904; Ricinusa Risbec,1951*
- 514) Eriborus Förster,1869** (Ichneumonidae) **Synonym(s):** *Eriborus Förster,1869; Zaporus Förster,1869; Bosmina Cameron,1899 nec Baird,1845; Hymenobosmina Dalla Torre,1901; Neobosmina Cameron,1906*
- 515) Eriacydnus Haliday,1837** (Encyrtidae) **Synonym(s):** *#Eriacydnus Haliday,1829; Eriacydnus Haliday,1837; #Eriacidus Blanchard,1840; #Erycidnus Howard,1886*
- 516) Eridolius Förster,1869** (Ichneumonidae) **Synonym(s):** *Eridolius Förster,1869; Anisoctenion Förster,1869*

- 517) Eriocampa Hartig,1837** (Tenthredinidae) Synonym(s): *Eriocampa Hartig,1837*;
Brachyocampa Zirngiebl,1956
- 518) Erromenus Holmgren,1857** (Ichneumonidae) Synonym(s): *Erromenus Holmgren,1857*;
Aniarophron Förster,1869; *Trichocalymma Förster,1869*; *Trichocalymmus Thomson,1883*; *Currania Viereck,1924*
- 519) Eucera Scopoli,1770** (Apidae) Synonym(s): *Eucera Scopoli,1770*; *Synhalonia Robertson,1905*
- 520) Euchalcis Dufour,1861** (Chalcididae) Synonym(s): *Euchalcis Dufour,1861*
- 521) Eucharis Latreille,1804** (Eucharidae) Synonym(s): *Eucharis Latreille,1804*; *Psilogaster Blanchard,1840*; *Psilogastrellus Ghesquière,1946*; *Eucharisca Boucek,1956*
- 522) Euchroeus Latreille,1809** (Chrysididae) Synonym(s): *Euchroeus Latreille,1809*
- 523) Eucremastoides Kolarov,1980** (Ichneumonidae) Synonym(s): *Eucremastoides Kolarov,1980*
- 524) Eucremastus Szépligeti,1905** (Ichneumonidae) Synonym(s): *Eugnomus Förster,1869 nec Schoenh.,1847*; *Eucremastus Szépligeti,1905*; *Cephalobolus Morley,1913*
- 525) Eudelus Förster,1869** (Ichneumonidae) Synonym(s): *Eudelus Förster,1869*; *Idemum Förster,1869*; *Calliphururus Förster,1869*
- 526) Euderus Haliday,1844** (Eulophidae) Synonym(s): *Euderus Haliday,1844*
- 527) Eugahania Mercet,1926** (Encyrtidae) Synonym(s): *Eugahania Mercet,1926*
- 528) Eugalta Cameron,1899** (Ichneumonidae) Synonym(s): *Eugalta Cameron,1899*
- 529) Eulophus Geoffroy,1762** (Eulophidae) Synonym(s): *Eulophus Geoffroy,1762*
- 530) Eumenes Latreille,1802** (Vespidae) Synonym(s): *Eumenes Latreille,1802*
- 531) Eunotus Walker,1834** (Pteromalidae) Synonym(s): *Eunotus Walker,1834*; *Megapelte Förster,1856*; *Eunotellus Masi,1931*
- 532) Euodynerus (s.str.) Dalla Torre,1904** (Vespidae) Synonym(s): *Euodynerus Dalla Torre,1904* Original reference: *Euodynerus Dalla Torre,1904, Genera Insectorum 19: 38. Type-species: Vespa dantici Rossi,1790, by Blüthgen,1938, Konowia 16: 277.*
- 533) Euodynerus Dalla Torre,1904** (Vespidae) Synonym(s): *Euodynerus Dalla Torre,1904* Original reference: *Euodynerus Dalla Torre,1904, Genera Insectorum 19: 38. Type-species: Vespa dantici Rossi,1790, by Blüthgen,1938, Konowia 16: 277.*
- 534) Eupavlovskia Popov,1955** (Apidae) Synonym(s): *Eupavlovskia Popov,1955*
- 535) Eupelmus Dalman,1820** (Eupelmidae) Synonym(s): *Eupelmus Dalman,1820*; *Macroneura Walker,1837*; *Holceupelmus Cameron,1905*; *Charitopella Crosby,1909*; *Bruchocida Crawford,1913*; *Episolidelia Girault,1914*; *Lindesonius Brèthes,1916*; *Charitapodinus Bridwell,1918*; *Eupelmella Masi,1919*; *Lepideupelmus Tiberlake,1926*; *Euromacra Kalina,1981*; *Cocceupelmus Kalina,1984*
- 536) Euplectrus Westwood,1832** (Eulophidae) Synonym(s): *Euplectrus Westwood,1832*; *Diplectron Dahlbom,1857*; *Pachyscapa Howard,1897*; *Rekabia Cameron,1905*; *Heteroscapus Brèthes,1918*; *Heteroscapiscus Ghesquière,1946*
- 537) Eurylabus Wesmael,1845** (Ichneumonidae) Synonym(s): *Eurylabus Wesmael,1845*; *Mischophorus Kriechbaumer,1894*
- 538) Euryproctus Holmgren,1855** (Ichneumonidae) Synonym(s): *Euryproctus Holmgren,1855*; *Sychnoleter Förster,1869*; *Hypocryptus Förster,1869*; *Xenonastes Förster,1869*; *Fovaya Cameron,1903*
- 539) Eurytenes (Jucundopius) Fischer,1984** (Braconidae) Synonym(s): *Jucundopius Fischer,1984*
- 540) Eurytenes Förster,1862** (Braconidae) Synonym(s): *Eurytenes Förster,1862*
- 541) Eurytoma Illiger,1803** (Eurytomidae) Synonym(s): *Eurytoma Illiger,1803*
- 542) Eustenancistrocerus (Parastenancistrocerus) Blüthgen,1938** (Vespidae) Synonym(s): *Parastenancistrocerus Blüthgen,1938* Original reference: *Parastenancistrocerus Blüthgen,1938, Dt. ent. Z. 1938: 461.*
- 543) Eustenancistrocerus (s.str.) Blüthgen,1938** (Vespidae) Synonym(s): *Eustenancistrocerus Blüthgen,1938* Original reference: *Eustenancistrocerus Blüthgen,1938, Dt. ent. Z. 1938: 460.*
- 544) Eustenancistrocerus Blüthgen,1938** (Vespidae) Synonym(s): *Eustenancistrocerus Blüthgen,1938* Original reference: *Eustenancistrocerus Blüthgen,1938, Dt. ent. Z. 1938: 460.*
- 545) Eutanyacra Cameron,1903** (Ichneumonidae) Synonym(s): *Eutanyacra Cameron,1903*
- 546) Eutomostethus Enslin,1913** (Tenthredinidae) Synonym(s): *Eutomostethus Enslin,1913*
- 547) Evagetes Lepeletier,1845** (Pompilidae) Synonym(s): *Evagetes Lepeletier,1845*; *Sophropompilus Asmead,1902*; *Leuchimon Haupt,1930*; *Trichosyrion Haupt,1930*; *Psammocharoides Moczar,1946*; *Streptosella Dreisbach,1950*; *Contempevagetes Wolf,1970*; *Carinevagetes Wolf,1970*
- 548) Evania Fabricius,1775** (Evanidae) Synonym(s): *Evania Fabricius,1775*
- 549) Exenterus Hartig,1837** (Ichneumonidae) Synonym(s): *Exenterus Hartig,1837*
- 550) Exephanes Wesmael,1845** (Ichneumonidae) Synonym(s): *Exephanes Wesmael,1845*; *Octatomus Tischbein,1881*

- 551) Exeristes Förster,1869** (Ichneumonidae) **Synonym(s):** *Exeristes Förster,1869; Eremochila Förster,1869*
- 552) Exetastes Gravenhorst,1829** (Ichneumonidae) **Synonym(s):** *Exetastes Gravenhorst,1829; Leptobatus Gravenhorst,1829; Semnophrys Förster,1869; Rhimphalea Förster,1869; Icyona Cameron,1903; Allexetastes Kokujev,1904; Rhynchexetastes Cameron,1906; Tegona Morley,1913; Pseudexetastes Meyer,1927*
- 553) Exochus Gravenhorst,1829** (Ichneumonidae) **Synonym(s):** *Exochus Gravenhorst,1829; Amesotylus Förster,1869; Mima Davis,1897; Xanthexochus Morley,1913*
- 554) Exoneuridia Cockerell,1911** (Apidae) **Synonym(s):** *Exoneuridia Cockerell,1911*
- 555) Exopristoides Boucek,1982** (Torymidae) **Synonym(s):** *Exopristoides Boucek,1982*
Original reference: Exopristoides Boucek,1982, Entomologist's Gaz. 33: 184. Type-species: Exopristoides dentatus Boucek,1982, by original designation.
- 556) Exopristus Ruschka,1923** (Torymidae) **Synonym(s):** *Exopristus Ruschka,1923*
- 557) Exotela Förster,1862** (Braconidae) **Synonym(s):** *Exotela Förster,1862*
- 558) Exyston Schiödde,1839** (Ichneumonidae) **Synonym(s):** *Exyston Schiödde,1839; Tricamptus Förster,1869; Diaborus Förster,1869; Anecphysis Förster,1869; Parexyston Kerrich,1952*
- 559) Fedtschenkia Saussure,1880** (Sapygidae) **Synonym(s):** *Fedtschenkia Saussure,1880; Cosilella Banks,1913* **Original reference:** Fedtschenkia Saussure,1880, Isw. Imp. Obschtsch. Moskwa 26 (3): 10. Type-species: Fedtschenkia grossa Saussure,1880
- 560) Fenusa Leach,1817** (Tenthredinidae) **Synonym(s):** *Fenusa Leach,1817*
- 561) Ferreola Lepeletier,1845** (Pompilidae) **Synonym(s):** *Ferreola Lepeletier,1845*
- 562) Fileanta Cameron,1901** (Ichneumonidae) **Synonym(s):** *Fileanta Cameron,1901*
- 563) Foenatopus Smith,1860** (Stephanidae) **Synonym(s):** *Foenatopus Smith,1860*
- 564) Foersterella Dalla Torre,1897** (Tetracampidae) **Synonym(s):** *Hyperbius Förster,1878 (praeocc.); Foersterella Dalla Torre,1897*
- 565) Foesteria Szépligeti,1896** (Braconidae) **Synonym(s):** *Foesteria Szépligeti,1896*
- 566) Formica Linnaeus,1758** (Formicidae) **Synonym(s):** *Formica Linnaeus,1758* **Original reference:** Formica Linnaeus,1758, Syst. Nat. (Edn.10): 579.
- 567) Gambrus Förster,1869** (Ichneumonidae) **Synonym(s):** *Gambrus Förster,1869; Kaltenbachia Förster,1869; Hygrocryptus Thomson,1873; Allocryptus Viereck,1917*
- 568) Gasteruption Latreille,1796** (Gasteruptiidae) **Synonym(s):** *Gasteruption Latreille,1796; Foenus Fabricius,1798; Gasteruptron Westwood,1840; Phoenus Schletterer,1890; Rhydiofoenus Bradley,1909; Dolichofoenus Kieffer,1910; Trichofoenus Kieffer,1910*
- 569) Gastrancistrus Westwood,1833** (Pteromalidae) **Synonym(s):** *Gastrancistrus Westwood,1833; Glyphe Walker,1834; Meromalus Walker,1834; Stomoctea Dufour,1846; Tridymus Ratzeburg,1848; Tripedias Förster,1856; Stigmatocrepis Ashmead,1904; Amuscidea Girault,1913; Isoplata Girault,1913; Roptroceropeus Girault,1913; Erotolepsiopus Girault,1915; Muscideoomyia Girault,1915; Parerotolepsia Girault,1915; Proplesiostigma Girault,1915; Isoplatella Gahan & Fagan,1923; Mesecrizotes De Santis,1968*
- 570) Gastrosericus Spinola,1839** (Crabronidae) **Synonym(s):** *Gastrosericus Spinola,1839*
- 571) Gelis Thunberg,1827** (Ichneumonidae) **Synonym(s):** *Gelis Thunberg,1827; Pezomachus Gravenhorst,1829; Pezolocheus Förster,1850; Hemimachus Ratzeburg,1852; Plesiomma Förster,1869 nec Macq.,1838; Alegina Förster,1869; Rhadiurgus Förster,1869 nec Lw.,1849; Aschistus Förster,1869; Philonygmus Förster,1869; Ilapinastes Förster,1869; Barydotira Förster,1869; Urithreptus Förster,1869; Terpiphora Förster,1869; Micromeson Strickland,1912; Myrmicomorpha Viereck,1913; Leptogelis Ceballos,1925; Cryptogelis Hellén,1944; Fianonia Seyrig,1952; Holcogelis Aubert,1957; Arcodoeon Hellén,1967; Rhadiurginus Hellén,1967*
- 572) Ginsiana Erdös & Novicky,1955** (Encyrtidae) **Synonym(s):** *Ginsiana Erdös & Novicky,1955*
- 573) Giraudia Förster,1869** (Ichneumonidae) **Synonym(s):** *Giraudia Förster,1869; Calocryptus Thomson,1873; Pseudocryptus Kriechbaumer,1893; #Gyraudia Kolarov,1995*
- 574) Glyphicnemis Förster,1869** (Ichneumonidae) **Synonym(s):** *Glyphicnemis Förster,1869; Gnathocryptus Thomson,1873; Semiodes Harrington,1894*
- 575) Glyphomerus Förster,1856** (Torymidae) **Synonym(s):** *Glyphomerus Förster,1856*
- 576) Glypta (Diblastomorpha) Förster,1869** (Ichneumonidae) **Synonym(s):** *Diblastomorpha Förster,1869*
- 577) Glypta (s.str.) Gravenhorst,1829** (Ichneumonidae) **Synonym(s):** *Glypta Gravenhorst,1829; Conoblata Förster,1869; Hemiepialtus Ashmead,1906; Foveoglypta Helen,1915*
- 578) Glypta Gravenhorst,1829** (Ichneumonidae) **Synonym(s):** *Glypta Gravenhorst,1829; Conoblata Förster,1869; Hemiepialtus Ashmead,1906; Foveoglypta Helen,1915*
- 579) Glyptapanteles Ashmead,1904** (Braconidae) **Synonym(s):** *Glyptapanteles Ashmead,1904*
- 580) Glyptomorpha Holmgren,1868** (Braconidae) **Synonym(s):** *Glyptomorpha Holmgren,1868*
- 581) Goidanichium Boucek,1970** (Pteromalidae) **Synonym(s):** *Goidanichium Boucek,1970*
- 582) Gonatocerus Nees ab Esenbeck,1834** (Mymaridae) **Synonym(s):** *Gonatocerus Nees ab Esenbeck,1834; Rachistus Förster,1847; Agonatocerus Girault,1913; Decarthrius Debauche,1949*

- 583) Gonatopus Ljungh,1810** (Dryinidae) Synonym(s): *Gonatopus Ljungh,1810*
- 584) Gorytes Latreille,1805** (Crabronidae) Synonym(s): *Gorytes Latreille,1805*
- 585) Grasseiteles Aubert,1965** (Ichneumonidae) Synonym(s): *Grasseiteles Aubert,1965*
- 586) Gravenhorstia (Erigorgus) Förster,1869** (Ichneumonidae) Synonym(s): *Erigorgus Förster,1869; Sympratis Förster,1869; Paranomalon Viereck,1912*
- 587) Gravenhorstia (Kokujewiella) Shestakov,1926** (Ichneumonidae) Synonym(s): *Kokujewiella Shestakov,1926; Nenethes Ceballos,1957*
- 588) Gravenhorstia Boie,1836** (Ichneumonidae) Synonym(s): *Gravenhorstia Boie,1836; Odontopsis Förster,1869*
- 589) Gregopimpla Momoi,1965** (Ichneumonidae) Synonym(s): *Gregopimpla Momoi,1965*
- 590) Guelsenia M.Doğanlar & O.Doğanlar,2013** (Eulophidae) Synonym(s): *Guelsenia M.Doğanlar & O.Doğanlar,2013*
- 591) Gugolzia Delucchi & Steffan,1956** (Pteromalidae) Synonym(s): *Gugolzia Delucchi & Steffan,1956*
- 592) Gymnomerus Blüthgen,1938** (Vespidae) Synonym(s): *Gymnomerus Blüthgen,1938*
- 593) Habrolepis Förster,1856** (Encyrtidae) Synonym(s): *Habrolepis Förster,1856*
- 594) Habronyx Förster,1869** (Ichneumonidae) Synonym(s): *Habronyx Förster,1869; Acanthostoma Kriechbaumer,1894; Macrostemma Shastakov,1923; Formosanomalon Uchida,1928*
- 595) Habropoda Smith,1854** (Apidae) Synonym(s): *Habrophora Smith,1854 (praeocc.); Habropoda Smith,1854*
- 596) Hadrodactylus Förster,1869** (Ichneumonidae) Synonym(s): *Hadrodactylus Förster,1869; Dizemon Förster,1869; Narcopoea Förster,1869; Zemiodes Förster,1869; Meropaches Schmiedeknecht,1913*
- 597) Haetosmia Popov,1952** (Megachilidae) Synonym(s): *Haetosmia Popov,1952*
- 598) Halictus (s.str.) Latreille,1804** (Halictidae) Synonym(s): *Halictus Latreille,1804*
- 599) Halictus Latreille,1804** (Halictidae) Synonym(s): *Halictus Latreille,1804*
- 600) Haltichella Spinola,1811** (Chalcididae) Synonym(s): *Haltichella Spinola,1811; Microchalcis Kieffer,1905; Halticellodes Steffan,1955*
- 601) Halticoptera Spinola,1811** (Pteromalidae) Synonym(s): *Halticoptera Spinola,1811; Phagonia Curtis,1832; Pachylarthus Westwood,1832; Dicyclus Walker,1833; Phacostomus Nees,1834; Megorismus Walker,1846; Tityros Walker,1848; Megalorismus Schulz,1906*
- 602) Halticopterina Erdös,1946** (Pteromalidae) Synonym(s): *Halticopterina Erdös,1946; Abyrsomele Dzhankmen,1975*
- 603) Haplogonatopus Perkins,1905** (Dryinidae) Synonym(s): *Haplogonatopus Perkins,1905*
- 604) Harpactus Shuckard,1837** (Crabronidae) Synonym(s): *Harpactus Shuckard,1837*
- 605) Hartigia Schiodte,1839** (Cephidae) Synonym(s): *Hartigia Schiodte,1839; Cerobactrus Costa,1860; Macrocephus Schlechtendal,1878; Cephosoma Gradl,1881; Adirus Konow,1899; Paradirus Dohnar-Zapolski,1931; Hissarocephus Gussakowski,1935*
- 606) Hecabalodes Wilkinson,1929** (Braconidae) Synonym(s): *Hecabalodes Wilkinson,1929*
- 607) Hedychridium Abeille,1878** (Chrysididae) Synonym(s): *Hedychridium Abeille,1878*
- 608) Hedychrum Latreille,1802** (Chrysididae) Synonym(s): *Hedychrum Latreille,1802*
- 609) Helcostizus Förster,1869** (Ichneumonidae) Synonym(s): *Helcostizus Förster,1869; Brachycentrus Taschenberg,1865 nec Curt.,1834; Cyrtocryptus Marshall,1872; Mesocryptus Thomson,1873; Heterocryptus Woldstedt,1873; Asternaulax Viereck,1912; Chenbergus Navas,1930*
- 610) Hellenius Tobias,1982** (Braconidae) Synonym(s): *Hellenius Tobias,1982* Original reference: Hellenius Tobias,1982, Ent. Obozr. 61 (3): 614.
- 611) Hellwigiella Szépligeti,1905** (Ichneumonidae) Synonym(s): *Hellwigiella Szépligeti,1905; #Hellwigiella Çoruh et al.,2014*
- 612) Hemipepsis Dahlbom,1844** (Pompilidae) Synonym(s): *Hemipepsis Dahlbom,1844* Original reference: Hemipepsis Dahlbom,1844, Hymenopt. Europaea 1: 123.
- 613) Hemiptarsenus Westwood,1833** (Eulophidae) Synonym(s): *Hemiptarsenus Westwood,1833; Notanisomorpha Ashmead,1904; Eriglyptoideus Girault,1913; Hemiptarsenoideus Girault,1916; Neodimmockia Dodd,1917; Cleolophus Mercet,1924; Parpholema Szelényi,1981*
- 614) Hemipterochilus Fertton,1910** (Vespidae) Synonym(s): *Hemipterochilus Fertton,1910* Original reference: Hemipterochilus Fertton,1910, Annls Soc. ent. Fr. 78 (1909): 419.
- 615) Hepiopelmus Wesmael,1845** (Ichneumonidae) Synonym(s): *Hepiopelmus Wesmael,1845; Epiopelmus Dalla Torre,1902; Ancyra Cameron,1903*
- 616) Heriades (Michenerella) Krombein,1950** (Megachilidae) Synonym(s): *Michenerella Krombein,1950*
- 617) Heriades (Rhopaloheriades) Griswold & Michener,1997** (Megachilidae) Synonym(s): *Rhopaloheriades Griswold & Michener,1997*

- 618) Heriades (s.str.) Spinola,1808** (Megachilidae) Synonym(s): *Heriades Spinola,1808*; *Herias Oken,1817*
- 619) Heriades Spinola,1808** (Megachilidae) Synonym(s): *Heriades Spinola,1808*; *Herias Oken,1817*
- 620) Herpestomus Wesmael,1845** (Ichneumonidae) Synonym(s): *Herpestomus Wesmael,1845*
- 621) Heterischnus Wesmael,1859** (Ichneumonidae) Synonym(s): *Heterischnus Wesmael,1859*; *Rhexidermus Förster,1869*; *Posocentrus Provancher,1875*; *Ischnopsidea Viereck,1914*; *Aethiopischnus Heinrich,1938*
- 622) Heterocola Förster,1869** (Ichneumonidae) Synonym(s): *Heterocola Förster,1869*
- 623) Heterolexis Förster,1862** (Braconidae) Synonym(s): *Heterolexis Förster,1862*
- 624) Heterospilus Haliday,1836** (Braconidae) Synonym(s): *Heterospilus Haliday,1836*
- 625) Hidryta Förster,1869** (Ichneumonidae) Synonym(s): *Hidryta Förster,1869*; *Brachycryptus Thomson,1873*; *Euthycryptus Jussel,1907*
- 626) Himerta Förster,1869** (Ichneumonidae) Synonym(s): *Himerta Förster,1869*; *Ithagenes Förster,1869 nec Agass.,1846*; *Clepsioporthus Förster,1869*; *Enoecetis Förster,1869*; *Dolictotomus Förster,1869*; *Himertus Thomson,1883*; *Neoprotarchus Cushman,1924*; *Daisetsuzania Uchida,1930*
- 627) Hobbya Delucchi,1957** (Pteromalidae) Synonym(s): *Hobbya Delucchi,1957*
- 628) Hockeria Walker,1834** (Chalcididae) Synonym(s): *Hockeria Walker,1834*; *Stomatoceras Kirby,1883*; *Temnata Cameron,1897*; *Centrochalcis Cameron,1905*; *Hypochalcis Girault,1915*; *Hockerella Girault,1930*; *Afrchalcis Schmitz,1946*; *Afrhockeria Steffan,1955*; *Nipponohockeria Habu,1960*
- 629) Hofferia Tkalcu,1984** (Megachilidae) Synonym(s): *Hofferia Tkalcu,1984*
- 630) Holcotetrastichus Graham,1987** (Eulophidae) Synonym(s): *Holcotetrastichus Graham,1987*
- 631) Holopyga Dahlbom,1845** (Chrysididae) Synonym(s): *Holopyga Dahlbom,1845*
- 632) Holotachysphex de Beaumont,1940** (Crabronidae) Synonym(s): *Holotachysphex de Beaumont,1940*
- 633) Homalotylus Mayr,1875** (Encyrtidae) Synonym(s): *Homalotylus Mayr,1875*
- 634) Homonotus Dahlbom,1845** (Pompilidae) Synonym(s): *Homonotus Dahlbom,1845*
- 635) Homoporus Thomson,1878** (Pteromalidae) Synonym(s): *Homoporus Thomson,1878*; *Phaenacra Förster,1878*; *Parapteromalus Ashmead,1904*; *Merisoporus Masi,1924*; *Pseudomerisus Erdös & Novicky,1953*; *Phaenacrinoidea Szelényi,1956*
- 636) Homotherus Förster,1869** (Ichneumonidae) Synonym(s): *Homotherus Förster,1869*
- 637) Hoplammophila de Beaumont,1960** (Sphecidae) Synonym(s): *Hoplammophila de Beaumont,1960*
- 638) Hoplismenus Gravenhorst,1829** (Ichneumonidae) Synonym(s): *Hoplismenus Gravenhorst,1829*
- 639) Hoplisoides Gribodo,1884** (Crabronidae) Synonym(s): *Hoplisoides Gribodo,1884*
- 640) Hoplitis (Alcidamea) Cresson,1864** (Megachilidae) Synonym(s): *Alcidamea Cresson,1864*; *Andronicus Cresson,1864*; *Monumetha Cresson,1864*; *Acanthosmia Thomson,1972*; *Liosmia Thomson,1972*; *Tridentosmia Schmiedeknecht,1886*; *Megalosmia Schmiedeknecht,1886*; *Robertsonella Titus,1904*; *Autochelostoma Sladen,1916*; *Chlorosmia Sladen,1916*; *Glossosmia Michener,1943*; *Cyrtosmia Michener,1947*; *Dasyosmia Michener,1947* Original reference: *Alcidamea Cresson,1864, Proc. ent. Soc. Philad. 2: 385. Type-species: Alcidamea producta Cresson,1864, by subsequent designation by Michener,1941.*
- 641) Hoplitis (Annosmia) Warncke,1991** (Megachilidae) Synonym(s): *Annosmia Warncke,1991*
- 642) Hoplitis (Anthocopa) Lepeletier & Serville,1825** (Megachilidae) Synonym(s): *Anthocopa Lepeletier & Serville,1825*
- 643) Hoplitis (Bytinskia) Mavromoustakis,1954** (Megachilidae) Synonym(s): *Bytinskia Mavromoustakis,1954*
- 644) Hoplitis (Chlidoplitis) Griswold,1997** (Megachilidae) Synonym(s): *Chlidoplitis Griswold,1997*
- 645) Hoplitis (Megahoplitis) Tkalcu,1993** (Megachilidae) Synonym(s): *Megahoplitis Tkalcu,1993*
- 646) Hoplitis (Megalosmia) Schmiedeknecht,[1885]** (Megachilidae) Synonym(s): *Megalosmia Schmiedeknecht,[1885]*
- 647) Hoplitis (Micreriades) Mavromoustakis,1958** (Megachilidae) Synonym(s): *Micreriades Mavromoustakis,1958*
- 648) Hoplitis (Pentadentosmia) Warncke,1991** (Megachilidae) Synonym(s): *Pentadentosmia Warncke,1991*
- 649) Hoplitis (Platosmia) Warncke,1990** (Megachilidae) Synonym(s): *Platosmia Warncke,1990*
- 650) Hoplitis (Prionohoplitis) Tkalcu,1993** (Megachilidae) Synonym(s): *Prionohoplitis Tkalcu,1993*
- 651) Hoplitis (s.str.) Klug,1807** (Megachilidae) Synonym(s): *Hoplitis Klug,1807*
- 652) Hoplitis (Stenosmia) Michener,1941** (Megachilidae) Synonym(s): *Stenosmia Michener,1941*

- 653) Hoplitis Klug,1807** (Megachilidae) **Synonym(s):** *Hoplitis Klug,1807*
- 654) Hoplocryptus Thomson,1873** (Ichneumonidae) **Synonym(s):** *Hoplocryptus Thomson,1873*
- 655) Hoploopsis Stefani,1889** (Encyrtidae) **Synonym(s):** *Hoploopsis Stefani,1889*
- 656) Hormius Nees ab Esenbeck,1819** (Braconidae) **Synonym(s):** *Hormius Nees ab Esenbeck,1819*
- 657) Hylaeus Fabricius,1793** (Colletidae) **Synonym(s):** *Hylaeus Fabricius,1793; Anylaeus Bridwell,1919; Anhylaeus Heider,1926; Auricularia Méhely,1935; Barbata Méhely,1935; Campanularia Méhely,1935; Cingulata Méhely,1935; Dentigera Méhely,1935; Amblyspatulariella Pittioni,1950; Brachyspatulariella Pittioni,1950; Boreopsis Ikudome,1991*
- 658) Hyposoter Förster,1869** (Ichneumonidae) **Synonym(s):** *Hyposoter Förster,1869; Rhythmonotus Förster,1869; Ischnoscopus Förster,1869; Amelocnotus Förster,1869; Ebücha Seyrig,1936; Neozachresta Havrylenko & Winterhalter,1949; Neoarthula Rao,1953*
- 659) Hypsicera Latreille,1829** (Ichneumonidae) **Synonym(s):** *Hypsicera Latreille,1829; Metacoelus Förster,1869; Polyclistus Förster,1869; Plesioexochus Cameron,1905*
- 660) Hyssopus Girault,1916** (Eulophidae) **Synonym(s):** *Hyssopus Girault,1916; Hyssopiscus Ghesquière,1946*
- 661) Ibalia Latreille,1802** (Ibaliidae) **Synonym(s):** *Ibalia Latreille,1802*
- 662) Ichneumon Linnaeus,1758** (Ichneumonidae) **Synonym(s):** *Ichneumon Linnaeus,1758; Brachypterus Gravenhorst,1829; Pterocormus Förster,1850; Colobacis Cameron,1900; Tyanites Cameron,1903; Vabsaris Cameron,1903; Euichneumon Berthoumieu,1904; Matsumuraius Ashmead,1906; Coreojoppa Uchida,1926; Bureschias Heinrich,1936; Thyrateles Perkins,1953*
- 663) Iconella Mason,1981** (Braconidae) **Synonym(s):** *Iconella Mason,1981*
- 664) Icronatha Nagy,1967** (Tiphidae) **Synonym(s):** *Icronatha Nagy,1967* **Original reference:** *Icronatha Nagy,1967, Reichenbachia 8: 193.*
- 665) Idiasta Förster,1862** (Braconidae) **Synonym(s):** *Idiasta Förster,1862*
- 666) Idiolispa Förster,1869** (Ichneumonidae) **Synonym(s):** *Idiolispa Förster,1869; Liocryptus Thomson,1873; Paracryptus Szépligeti,1916*
- 667) Idiomacromerus Crawford,1914** (Torymidae) **Synonym(s):** *Idiomacromerus Crawford,1914; #Idiomacromarus Fallahzadeh et al.,2009*
- 668) Illidops Mason,1981** (Braconidae) **Synonym(s):** *Illidops Mason,1981*
- 669) Indiopius Fischer,1966** (Braconidae) **Synonym(s):** *Indiopius Fischer,1966*
- 670) Iphiaulax (Euglyptobracon) Telenga,1936** (Braconidae) **Synonym(s):** *Euglyptobracon Telenga,1936* **Original reference:** *Euglyptobracon Telenga,1936, Faune U.R.S.S. (n.s.) 5 (2): 104, 335.*
- 671) Iphiaulax Förster,1862** (Braconidae) **Synonym(s):** *Iphiaulax Förster,1862* **Original reference:** *Iphiaulax Förster,1862, Verh. naturh. Ver. Rheinl. 19: 234.*
- 672) Ischnogasteroides Magretti,1884** (Vespidae) **Synonym(s):** *Ischnogasteroides Magretti,1884* **Original reference:** *Ischnogasteroides Magretti,1884, Boll. Soc. ent. ital. 15: 251. Type-species: Ischnogasteroides flavus Magretti,1884, by monotypy.*
- 673) Ischnus Gravenhorst,1829** (Ichneumonidae) **Synonym(s):** *Ischnus Gravenhorst,1829; Habrocryptus Thomson,1873; Aglaocryptus Cameron,1903; Erythrocryptus Cameron,1905*
- 674) Iseropus Förster,1869** (Ichneumonidae) **Synonym(s):** *Iseropus Förster,1869; Cnemopimpla Cameron,1903*
- 675) Isodontia Patton,1880** (Sphecidae) **Synonym(s):** *Isodontia Patton,1880*
- 676) Isodromus Howard,1887** (Encyrtidae) **Synonym(s):** *Isodromus Howard,1887*
- 677) Itoplectis Förster,1869** (Ichneumonidae) **Synonym(s):** *Itoplectis Förster,1869; Nesopimpla Ashmead,1906; Exeristesoides Uchida,1928*
- 678) Janus Stephens,1829** (Cephidae) **Synonym(s):** *Janus Stephens,1829; Phylloecus Newman,1838; Ephippionotus Costa,1860*
- 679) Jsadelphus Semenov,1901** (Chrysididae) **Synonym(s):** *Jsadelphus Semenov,1901; Isadelphia Semenov,1902* **Original reference:** *Jsadelphus Semenov,1901, Revue Russe Ent. 1 (1/2): 27. Type-species: Parnopes schmiedeknechtii Mocsary,1899, by monotypy.*
- 680) Jucancistrocerus Blüthgen,1938** (Vespidae) **Synonym(s):** *Jucancistrocerus Blüthgen,1938*
- 681) Jugurtia Saussure,1854** (Vespidae) **Synonym(s):** *Jugurtia Saussure,1854; #Jugurthia André,1886; #Jugurtha Ashmead,1902; Ceramiellus Schulthess,1922*
- 682) Katamenes Meade-Waldo,1910** (Vespidae) **Synonym(s):** *Katamenes Meade-Waldo,1910*
- 683) Kelidoptera Konow,1897** (Pamphiliidae) **Synonym(s):** *Kelidoptera Konow,1897; #Celidoptera Benson,1968*
- 684) Kerorgilus Van Achterberg,1985** (Braconidae) **Synonym(s):** *Kerorgilus Van Achterberg,1985* **Original reference:** *Kerorgilus Van Achterberg,1985, Zool. Meded. 59: 164. Type-species: Kerorgilus longicaudis Van Achterberg,1985, by original designation.*

- 685) Knemodynerus Blüthgen,1940** (Vespidae) **Synonym(s):** *Knemodynerus Blüthgen,1940*
Original reference: Knemodynerus Blüthgen,1940, Ent. Tidskr. 61: 43. Type-species: *Odynerus excellens* Pérez,1907, by original designation.
- 686) Kokujewia Konow,1902** (Argidae) **Synonym(s):** *Kokujewia Konow,1902*
- 687) Kriechbaumerella Dalla Torre,1897** (Chalcididae) **Synonym(s):** *Kriechbaumerella Dalla Torre,1897; Eucepsis Steffan,1953*
- 688) Kristotomus Mason,1962** (Ichneumonidae) **Synonym(s):** *Kristotomus Mason,1962*
- 689) Krombeinella Pate,1947** (Mutillidae) **Synonym(s):** *Krombeinella Pate,1947; Paramyrmosa Suarez,1963 nec Sauss.,1880*
- 690) Ksenoplata Boucek,1965** (Pteromalidae) **Synonym(s):** *Ksenoplata Boucek,1965*
- 691) Lagarotis Förster,1869** (Ichneumonidae) **Synonym(s):** *Lagarotis Förster,1869*
- 692) Lamachus Förster,1869** (Ichneumonidae) **Synonym(s):** *Lamachus Förster,1869; Zaphthora Förster,1869; Adexioma Förster,1869; Torocampus Schmiedeknecht,1913; Bathyglyptus Schmiedeknecht,1913 nec Case,1911*
- 693) Lamennaisia Girault,1922** (Encyrtidae) **Synonym(s):** *Lamennaisia Girault,1922*
- 694) Lampoterma Graham,1956** (Pteromalidae) **Synonym(s):** *Lampoterma Graham,1956*
- 695) Lamprotatus Westwood,1833** (Pteromalidae) **Synonym(s):** *Lamprotatus Westwood,1833; Skeloceras Delucchi,1953; Octofuniculus Liao,1982*
- 696) Lariophagus Crawford,1909** (Pteromalidae) **Synonym(s):** *Lariophagus Crawford,1909; Uriellomyia Girault,1915*
- 697) Larra Fabricius,1793** (Crabronidae) **Synonym(s):** *Larra Fabricius,1793*
- 698) Lasiochalcidia Masi,1929** (Chalcididae) **Synonym(s):** *Lasiochalcidia Masi,1929*
- 699) Lasioglossum (Evylaeus) Robertson,1902** (Halictidae) **Synonym(s):** *Evylaeus Robertson,1902*
- 700) Lasioglossum Curtis,1833** (Halictidae) **Synonym(s):** *Lasioglossum Curtis,1833*
- 701) Lasius Fabricius,[1805]** (Formicidae) **Synonym(s):** *Lasius Fabricius,[1805]*
- 702) Lathrolestes Förster,1869** (Ichneumonidae) **Synonym(s):** *Lathrolestes Förster,1869*
- 703) Latibulus Gistel,1848** (Ichneumonidae) **Synonym(s):** *Crypturus Gravenhorst,1829 nec Ill.,1811; Latibulus Gistel,1848; Endurus Rondani,1876; Pseudosyzeuctus Hedwig,1961*
- 704) Leluthia (Euhebabolodes) Tobias,1962** (Braconidae) **Synonym(s):** *Euhebabolodes Tobias,1962*
- 705) Leluthia Cameron,1887** (Braconidae) **Synonym(s):** *Leluthia Cameron,1887*
- 706) Leptochilus (Euleptochilus) Blüthgen,1943** (Vespidae) **Synonym(s):** *Euleptochilus Blüthgen,1943*
- 707) Leptochilus (Lionotulus) Blüthgen,1938** (Vespidae) **Synonym(s):** *Lionotulus Blüthgen,1938*
- 708) Leptochilus (Neoleptochilus) Blüthgen,1961** (Vespidae) **Synonym(s):** *Neoleptochilus Blüthgen,1961* Original reference: Neoleptochilus Blüthgen,1961, Abh. dt. Akad. Wiss. Berl. 2: 66, 100.
- 709) Leptochilus (s.str.) Saussure,1853** (Vespidae) **Synonym(s):** *Leptochilus Saussure,1853*
- 710) Leptochilus Saussure,1853** (Vespidae) **Synonym(s):** *Leptochilus Saussure,1853*
- 711) Leptocybe Fisher & La Salle,2004** (Eulophidae) **Synonym(s):** *Leptocybe Fisher & La Salle,2004* Original reference: Leptocybe Fisher & La Salle,2004, [in] Mendel, et al., Aust. J. Ent. 43 (2): 103.
- 712) Leptomastidea Mercet,1916** (Encyrtidae) **Synonym(s):** *Leptomastidea Mercet,1916*
- 713) Leptomastix Förster,1856** (Encyrtidae) **Synonym(s):** *Leptomastix Förster,1856*
- 714) Leptothorax Mayr,1855** (Formicidae) **Synonym(s):** *Leptothorax Mayr,1855*
- 715) Lestica (Ptyx) Pate,1947** (Crabronidae) **Synonym(s):** *Ptyx Pate,1947*
- 716) Lestica (s.str.) Billberg,1820** (Crabronidae) **Synonym(s):** *Lestica Billberg,1820*
- 717) Lestica (Solenius) Lepeletier & Brullé,1835** (Crabronidae) **Synonym(s):** *Solenius Lepeletier & Brullé,1835*
- 718) Lestica Billberg,1820** (Crabronidae) **Synonym(s):** *Lestica Billberg,1820*
- 719) Lestiphorus Lepeletier,1832** (Crabronidae) **Synonym(s):** *Lestiphorus Lepeletier,1832*
- 720) Leucospis Fabricius,1775** (Leucospidae) **Synonym(s):** *Leucospis Fabricius,1775; Coelogaster Schrank,1780; Leucopsis Dumeril,1823; Leucaspis Burmeister,1835; Exochlaenus Shipp,1894; Epexoclaenoides Girault,1915; Exoclaenoides Girault,1915; Parexoclaenus Girault,1915*
- 721) Limerodops Heinrich,1949** (Ichneumonidae) **Synonym(s):** *Limerodops Heinrich,1949; Oxsoma Kriechbaumer,1875*
- 722) Lindenius Lepeletier & Brullé,1835** (Crabronidae) **Synonym(s):** *Lindenius Lepeletier & Brullé,1835*
- 723) Linytus Cameron,1903** (Ichneumonidae) **Synonym(s):** *Linytus Cameron,1903; Erythroischnus Cameron,1904*

- 724) Liometopum Mayr,1861** (Formicidae) **Synonym(s):** *Liometopum Mayr,1861*
- 725) Liotryphon Ashmead,1900** (Ichneumonidae) **Synonym(s):** *Liogaster Kriechbaumer,1890* (praeocc.); *Liotryphon Ashmead,1900*; *Apistephialtes Seyrig,1928*; *Neoephialtes Constantineanu & Pisica,1970*
- 726) Lipolexis Förster,1862** (Braconidae) **Synonym(s):** *Lipolexis Förster,1862*
- 727) Liposthenes Förster,1869** (Cynipidae) **Synonym(s):** *Liposthenes Förster,1869*
- 728) Liris (Leptolarra) Cameron,1900** (Crabronidae) **Synonym(s):** *Leptolarra Cameron,1900*
Original reference: *Leptolarra Cameron,1900, Ann. Mag. nat. Hist. (7) 5: 29.*
- 729) Liris Fabricius,1804** (Crabronidae) **Synonym(s):** *Liris Fabricius,1804*
- 730) Lissonota (Loxonota) Aubert,1993** (Ichneumonidae) **Synonym(s):** *Loxonota Aubert,1993*
- 731) Lissonota Gravenhorst,1829** (Ichneumonidae) **Synonym(s):** *Lissonota Gravenhorst,1829*; *Lampronota Curtis,1832*; *Stilbonota Stephens,1835*; *Meniscus Schiödte,1839*; *Asynida Gistel,1848*; *Bothynophrys Förster,1869*; *Enisimus Förster,1869*; *Amersibia Förster,1869*; *Bathycetes Förster,1869*; *Opisorhyssa Kriechbaumer,1890*; *Ctenopimpla Cameron,1899 nec Kriechb.,1898*; *Trevoria Ashmead,1900*; *Pimplopterus Ashmead,1900*; *Harrimaniella Ashmead,1900*; *Echthrodica Schmiedeknecht,1900*; *Campocinetia Schmiedeknecht,1900*; *Anarthronota Schmiedeknecht,1900*; *Adelopimpla Schulz,1906*; *Stilbopoides Rohwer,1913*; *Lophatium Clement,1935*; *Gibbonota Heinrich,1937*; *Lissonotoides Benoit,1955*
- 732) Listrodromus Wesmael,1845** (Ichneumonidae) **Synonym(s):** *Listrodromus Wesmael,1845*; *Sogna Cameron,1907*
- 733) Listrognathus Tschek,1871** (Ichneumonidae) **Synonym(s):** *Listrognathus Tschek,1871*
- 734) Lithium Finnamore,1987** (Crabronidae) **Synonym(s):** *Lithium Finnamore,1987* Original reference: *Lithium Finnamore,1987, Can. ent. 119 (12): 1081.*
- 735) Lithurgus Berthold,1827** (Megachilidae) **Synonym(s):** *Lithurgus Berthold,1827*
- 736) Litus Haliday,1833** (Mymaridae) **Synonym(s):** *Litus Haliday,1833*; *#Lytus Blanchard,1840*
- 737) Ludita Nagy,1967** (Tiphidae) **Synonym(s):** *Ludita Nagy,1967*
- 738) Lymantrichneumon Heinrich,1968** (Ichneumonidae) **Synonym(s):** *Lymantrichneumon Heinrich,1968*
- 739) Lysibia Förster,1869** (Ichneumonidae) **Synonym(s):** *Lysibia Förster,1869*; *Pemon Förster,1869*; *Stiboscopus Förster,1869*; *Haplaspis Townes,1944*
- 740) Macroglenes Westwood,1832** (Pteromalidae) **Synonym(s):** *Macroglenes Westwood,1832*; *Pirene Haliday,1833*; *Corynocere Nees,1834*; *Stenophrus Förster,1841*; *Calypso Haliday,1844*; *Euryophrys Förster,1856*; *Phocion Girault,1925*; *Pyrenisca Ghesquière,1946*
- 741) Macromyrme Lelej,1984** (Mutillidae) **Synonym(s):** *Macromyrme Lelej,1984*
- 742) Macrophyia Dahlbom,1835** (Tenthredinidae) **Synonym(s):** *Macrophyia Dahlbom,1835*; *Zalagium Rohwer,1912*; *Beldonea Enderlein,1919 nec Cameron,1899*; *Paramacrophyia Forsius,1918*
- 743) Macropis Panzer,1809** (Melittidae) **Synonym(s):** *Macropis Panzer,1809*
- 744) Macrorileya Ashmead,1900** (Eurytomidae) **Synonym(s):** *Macrorileya Ashmead,1900*
- 745) Magwengiella Heinrich,1938** (Ichneumonidae) **Synonym(s):** *Magwengiella Heinrich,1938*; *Listrocalus Heinrich,1978* Original reference: *Magwengiella Heinrich,1938, Mém. Acad. malgache 25: 42.*
Type-species: *Magwengiella obtusa Heinrich,1938*, by original designation.
- 746) Manica Jurine,1807** (Formicidae) **Synonym(s):** *Manica Jurine,1807*
- 747) Marietta Motschoulsky,1863** (Aphelinidae) **Synonym(s):** *Marietta Motschoulsky,1863*; *Perissopterus Howard,1895*; *Pseudaphelinus Brèthes,1918*
- 748) Mayridia Mercet,1921** (Encyrtidae) **Synonym(s):** *Mayridia Mercet,1921*
- 749) Megachile (Eutricharaea) Thomson,1872** (Megachilidae) **Synonym(s):** *Eutricharaea Thomson,1872*
- 750) Megachile (Neoeutricharaea) Rebmann,1967** (Megachilidae) **Synonym(s):** *Neoeutricharaea Rebmann,1967*; *#Neoeutricharaea Özbek & Zanden,1996*
- 751) Megachile (s.str.) Latreille,1802** (Megachilidae) **Synonym(s):** *Megachile Latreille,1802*
- 752) Megachile (Xanthosarus) Robertson,1903** (Megachilidae) **Synonym(s):** *Xanthosarus Robertson,1903*
- 753) Megachile Latreille,1802** (Megachilidae) **Synonym(s):** *Megachile Latreille,1802*
- 754) Megalodontes Latreille,1802** (Megalodontesidae) **Synonym(s):** *Megalodontes Latreille,1802*; *Tarpa Fabricius,1804*; *Megalodus Rafinesque,1815*; *Rhipidioceros Konow,1897*; *Melanopus Konow,1897*; *Tristactus Konow,1897*; *Forficulotarpa Pic,1918*; *Tristactoides Chevin,1985*
- 755) Megarhyssa Ashmead,1900** (Ichneumonidae) **Synonym(s):** *#Thalessa Holmgren,1859*; *Megarhyssa Ashmead,1900*; *Megalorhyssa Schulz,1906*; *Eurhyssa Derksen,1941*
- 756) Megascolia (Regiscolia) Betrem & Bradley,1964** (Scoliidae) **Synonym(s):** *Regiscolia Betrem & Bradley,1964*
- 757) Megascolia Betrem,1928** (Scoliidae) **Synonym(s):** *Megascolia Betrem,1928*
- 758) Megastigmus Dalman,1820** (Torymidae) **Synonym(s):** *Megastigmus Dalman,1820*; *Cycloneuron Dahlbom,1857*; *Trogocarpus Rondani,1877*; *Megalostigmus Schultz,1906*; *Xanthosomoides Girault,1913*; *Epimegastigmus Girault,1915*; *Eumegastigmus Hussey,1956*; *#Megastimus Bouaziz & Roques,2006*

- 759) Megastylus Schiodte,1838** (Ichneumonidae) Synonym(s): *Megastylus Schiodte,1838*; *Idioxenus Förster,1869*; *Megalostylus Schulz,1906*; *Letosha Cameron,1909*; *Myriarthridea Viereck,1914*; *Miomeroides Kiss,1924*
- 760) Melanichneumon Thomson,1893** (Ichneumonidae) Synonym(s): *Melanichneumon Thomson,1893*
- 761) Melecta Latreille,1802** (Apidae) Synonym(s): *Melecta Latreille,1802*; *Melilecta Agassiz,1846*
Original reference: *Melecta Latreille,1802, H. N. Fourmis, etc.: 427.*
- 762) Melitta Kirby,1802** (Melittidae) Synonym(s): *Melitta Kirby,1802*; *Cilissa Leach,1815*; *Kirbya Lepeletier,1841*; *Pseudocilissa Radoszkowski,1891*; *Brachycephalapis Viereck,1909*; *Dolichochile Viereck,1909*
- 763) Melitturga Latreille,1809** (Andrenidae) Synonym(s): *Melitturga Latreille,1809*; *#Melliturga Latreille,1809* Original reference: *Melitturga Latreille,1809, Gen. Crust. Ins. 4: 176.*
- 764) Mellinus Fabricius,1790** (Crabronidae) Synonym(s): *Mellinus Fabricius,1790*
- 765) Meloboris Holmgren,1859** (Ichneumonidae) Synonym(s): *Meloboris Holmgren,1859*; *Asinamora Förster,1869*; *Nepiera Förster,1869*; *Pseudocymodusa Habermehl,1922*; *Anoixis Townes,1970*
- 766) Meria Illiger,1807** (Tiphidae) Synonym(s): *Meria Illiger,1807*
- 767) Meringopus Förster,1869** (Ichneumonidae) Synonym(s): *Meringopus Förster,1869*; *Goniocryptus Thomson,1873*
- 768) Merisus Walker,1834** (Pteromalidae) Synonym(s): *Merisus Walker,1834*
- 769) Mesa Saussure,1892** (Tiphidae) Synonym(s): *Mesa Saussure,1892* Original reference: *Mesa Saussure,1892, Hist. Madag. 20 (1) (2): 243.*
- 770) Mesochorella Szélipgeti,1911** (Ichneumonidae) Synonym(s): *Mesochorella Szélipgeti,1911*
- 771) Mesochorus Gravenhorst,1829** (Ichneumonidae) Synonym(s): *Mesochorus Gravenhorst,1829*; *Stictopisthus Thomson,1886*; *Edrisa Cameron,1907*; *Zamesochorus Viereck,1912*; *Plectochorus Uchida,1933*; *Cryptochorus Aubert,1965*; *Oncocotta Dasch,1974*; *Piestetron Dasch,1974*; *Rhaibaspis Dasch,1974*
- 772) Mesoleptidea Viereck,1912** (Ichneumonidae) Synonym(s): *Mesoleptidea Viereck,1912*; *Gnathonophorus Schmiedeknecht,1912*
- 773) Mesoleptus Gravenhorst,1829** (Ichneumonidae) Synonym(s): *Mesoleptus Gravenhorst,1829*; *Exolytus Holmgren,1858*
- 774) Mesopolobus Westwood,1833** (Pteromalidae) Synonym(s): *Mesopolobus Westwood,1833*
- 775) Mesostenus Gravenhorst,1829** (Ichneumonidae) Synonym(s): *Mesostenus Gravenhorst,1829*; *Stenaraeus Thomson,1896*; *Umlima Cameron,1902*; *Derocentrus Cushman,1919*
- 776) Messa Leach,1817** (Tenthredinidae) Synonym(s): *Messa Leach,1817*
- 777) Messor Forel,1890** (Formicidae) Synonym(s): *Messor Forel,1890*
- 778) Metadioxys Popov,1947** (Megachilidae) Synonym(s): *Metadioxys Popov,1947*
- 779) Metanotalia Mercet,1921** (Encyrtidae) Synonym(s): *Metanotalia Mercet,1921*
- 780) Metaphycus Mercet,1917** (Encyrtidae) Synonym(s): *Metaphycus Mercet,1917*; *Tyndarichoides Girault,1920*; *Euaphycus Mercet,1921*; *Mercetiella Dozier,1926*; *Oaphycus Girault,1932*; *Anaphycus Sugonjaev,1960*; *Mesaphycus Sugonjaev,1960*; *Notoencyrtus De Santis,1964*; *Xenaphycus Trjapitzin,1978*; *Aenignaphycus Sharkov & Voynovich,1988*
- 781) Meteorus Haliday,1835** (Braconidae) Synonym(s): *Meteorus Haliday,1835*; *Saprotichus Holmgren,1868*
- 782) Methocha Latreille,1804** (Tiphidae) Synonym(s): *Methocha Latreille,1804*
- 783) Metopius (Ceratopius) Clément,1927** (Ichneumonidae) Synonym(s): *Ceratopius Clément,1927*
- 784) Metopius (Peltocarus) Thomson,1887** (Ichneumonidae) Synonym(s): *Peltocarus Thomson,1887*; *Clemontia Michener,1941*
- 785) Metopius (s.str.) Panzer,1806** (Ichneumonidae) Synonym(s): *Metopius Panzer,1806*; *Peltastes Illiger,1807*; *Peltopius Clément,1927*
- 786) Metopius (Tylopius) H.Townes & M.Townes,1959** (Ichneumonidae) Synonym(s): *Tylopius H.Townes & M.Townes,1959* Original reference: *Tylopius H.Townes & M.Townes,1959, Bull. U. S. natn. Mus. 216: 97.*
- 787) Metopius Panzer,1806** (Ichneumonidae) Synonym(s): *Metopius Panzer,1806*; *Peltastes Illiger,1807*; *Peltopius Clément,1927*
- 788) Microdontomerus Crawford,1907** (Torymidae) Synonym(s): *Microdontomerus Crawford,1907*
- 789) Microdynerus (Alastoryneus) Blüthgen,1938** (Vespidae) Synonym(s): *Alastoryneus Blüthgen,1938*
- 790) Microdynerus (Pseudomicrodynerus) Blüthgen,1938** (Vespidae) Synonym(s): *Pseudomicrodynerus Blüthgen,1938*
- 791) Microdynerus (s.str.) Thomson,1874** (Vespidae) Synonym(s): *Microdynerus Thomson,1874*
- 792) Microdynerus Thomson,1874** (Vespidae) Synonym(s): *Microdynerus Thomson,1874*

- 793) Microgaster Latreille,1804** (Braconidae) Synonym(s): *Microgaster Latreille,1804*; *Liganira Walker,1860*
- 794) Microlycus Thomson,1878** (Eulophidae) Synonym(s): *Microlycus Thomson,1878*
- 795) Microphadnus Cameron,1905** (Pompilidae) Synonym(s): *Microphadnus Cameron,1905*
- 796) Microplitis Förster,1862** (Braconidae) Synonym(s): *Microplitis Förster,1862*; *Dapsilotoma Cameron,1906*; *Glabromicroplitis Papp,1979*
- 797) Microterys Thomson,1876** (Encyrtidae) Synonym(s): *Microterys Thomson,1876*
- 798) Microtypus Ratzeburg,1848** (Braconidae) Synonym(s): *Microtypus Ratzeburg,1848*
Original reference: *Microtypus Ratzeburg,1848, Die Ichneum. 2: 47.*
- 799) Mimesa Shuckard,1937** (Crabronidae) Synonym(s): *Aporia Wesmael,1852 nec Hbn.,1819*; *Aporina Gussakowski,1937 nec Fuhrmann,1902*; *Mimesa Shuckard,1937*
- 800) Mimumesa Malloch,1933** (Crabronidae) Synonym(s): *Mimumesa Malloch,1933*
- 801) Minotetrastichus Kostjukov,1977** (Eulophidae) Synonym(s): *Minotetrastichus Kostjukov,1977*
- 802) Mirax Haliday,1833** (Braconidae) Synonym(s): *Mirax Haliday,1833*; *#Myrax Dalla Torre,1898*
Original reference: *Mirax Haliday,1833, Ent. Mag. 1 (3): 263.*
- 803) Miscogaster Walker,1833** (Pteromalidae) Synonym(s): *Miscogaster Walker,1833*
- 804) Miscophus Jurine,1807** (Crabronidae) Synonym(s): *Miscophus Jurine,1807*; *Nitelopecterus Ashmead,1897*; *Hypomiscophus Cockerell,1898*; *Miscophinus Ashmead,1898*
- 805) Mocsarya Konow,1897** (Orussidae) Synonym(s): *Mocsarya Konow,1897* Original reference: *Mocsarya Konow,1897, Termés. Füzetek 20: 608.*
- 806) Monoblastus Hartig,1837** (Ichneumonidae) Synonym(s): *Monoblastus Hartig,1837*; *Coeloconus Förster,1869*; *Xiphurus Kriechbaumer,1896*; *Idothrichus Schmiedeknecht,1907*; *Pseudopsilosage Gregor,1929*
- 807) Monoctonus Haliday,1833** (Braconidae) Synonym(s): *Monoctonus Haliday,1833* Original reference: *Monoctonus Haliday,1833, Ent. Mag. 1 (5): 261, 487.*
- 808) Monodiscodes Hoffer,1954** (Encyrtidae) Synonym(s): *Monodiscodes Hoffer,1954*
- 809) Monodontomerus Westwood,1833** (Torymidae) Synonym(s): *Monodontomerus Westwood,1833*
- 810) Monomorium Mayr,1855** (Formicidae) Synonym(s): *Monomorium Mayr,1855*
- 811) Monophadnoides Ashmead,1898** (Tenthredinidae) Synonym(s): *Monophadnoides Ashmead,1898*
- 812) Monophadnus Hartig,1837** (Tenthredinidae) Synonym(s): *Monophadnus Hartig,1837*
- 813) Monorthochaeta Blood & Kryger,1928** (Trichogrammatidae) Synonym(s): *Monorthochaeta Blood & Kryger,1928*
- 814) Monosapyga Pic,1920** (Sapygidae) Synonym(s): *Monosapyga Pic,1920*
- 815) Muscidifurax Girault & Sanders,1910** (Pteromalidae) Synonym(s): *Muscidifurax Girault & Sanders,1910*; *Smeagolia Hedqvist,1973*
- 816) Mutilla Linnaeus,1758** (Mutillidae) Synonym(s): *Mutilla Linnaeus,1758*
- 817) Myrmeleonostenus Uchida,1936** (Ichneumonidae) Synonym(s): *Myrmeleonostenus Uchida,1936*
- 818) Myrmica Latreille,1804** (Formicidae) Synonym(s): *Myrmica Latreille,1804*
- 819) Myrmilla (Eurygnathilla) Skorikov,1927** (Mutillidae) Synonym(s): *Eurygnathilla Skorikov,1927*
- 820) Myrmilla (Pseudomutilla) Costa,1884** (Mutillidae) Synonym(s): *Pseudomutilla Costa,1884*; *Edrionotus Radoszkowski,1885*
- 821) Myrmilla (s.str.) Wesmael,1852** (Mutillidae) Synonym(s): *Myrmilla Wesmael,1852*; *Rudia Costa,1858*
- 822) Myrmilla Wesmael,1852** (Mutillidae) Synonym(s): *Myrmilla Wesmael,1852*; *Rudia Costa,1858*
- 823) Myrmosa Latreille,1796** (Mutillidae) Synonym(s): *Myrmosa Latreille,1796*; *Ischioceras Provancher,1882*
- 824) Nanoclavelia Haupt,1926** (Pompilidae) Synonym(s): *Nanoclavelia Haupt,1926*
- 825) Nasonia Ashmead,1904** (Pteromalidae) Synonym(s): *Nasonia Ashmead,1904*; *Mormoniella Ashmead,1904*
- 826) Necremnus Thomson,1878** (Eulophidae) Synonym(s): *Necremnus Thomson,1878*
- 827) Nemeritis Holmgren,1860** (Ichneumonidae) Synonym(s): *Nemeritis Holmgren,1860*; *Pseudonemeritis Szépligeti,1916*; *#Nemerites Çoruh et al.,2014*
- 828) Nemeritis stenura Thomson,1887** (Ichneumonidae) Synonym(s): *stenura Thomson,1887*
- 829) Nemka Lelej,1985** (Mutillidae) Synonym(s): *Nemka Lelej,1985*
- 830) Neochalcis Kirby,1883** (Chalcididae) Synonym(s): *Neochalcis Kirby,1883*

- 831) Neochrysocharis Kurdjumov,1912** (Eulophidae) **Synonym(s):** *Neochrysocharis Kurdjumov,1912; Rhicnopeltomyia Girault,1913; Heterocharis Erdős,1954; Pholema Graham,1963; Fermeceranisus Szelényi,1977*
- 832) Neotrichoporoides Girault,1913** (Eulophidae) **Synonym(s):** *Neotrichoporoides Girault,1913; Tetrastichomorpha Girault,1913; Aprostoceroideus Girault,1913; Epiquadrastichus Girault,1915; Burksia Fullaway,1955; Dubiostalon Szelényi,1981; Neogaleopsomyia Narendran,2005*
- 833) Neotypus Förster,1869** (Ichneumonidae) **Synonym(s):** *Neotypus Förster,1869; Cillimus Tosquinet,1896*
- 834) Neoxorides Cléments,1938** (Ichneumonidae) **Synonym(s):** *Neoxorides Cléments,1938*
- 835) Netelia (Bessobates) Townes, Townes & Gupta,1961** (Ichneumonidae) **Synonym(s):** *Bessobates Townes, Townes & Gupta,1961*
- 836) Netelia (Paropheltes) Cameron,1907** (Ichneumonidae) **Synonym(s):** *Paropheltes Cameron,1907*
- 837) Netelia (Prosthodocis) Enderlein,1912** (Ichneumonidae) **Synonym(s):** *Prosthodocis Enderlein,1912; #Prosthodods Çoruh et al.,2014*
- 838) Netelia (s.str.) Gray,1860** (Ichneumonidae) **Synonym(s):** *Netelia Gray,1860; Bucheckerinus Schulz,1906; Scammatonotum Enderlein,1914; Amebachia Uchida,1928*
- 839) Netelia (Toxochiloides) Tolkantitz,1974** (Ichneumonidae) **Synonym(s):** *Toxochiloides Tolkantitz,1974; Neteloides Delrio,1975*
- 840) Netelia Gray,1860** (Ichneumonidae) **Synonym(s):** *Netelia Gray,1860; Bucheckerinus Schulz,1906; Scammatonotum Enderlein,1914; Amebachia Uchida,1928*
- 841) Neuroterus Hartig,1840** (Cynipidae) **Synonym(s):** *Neuroterus Hartig,1840; Spathegaster Hartig,1840; Ameristus Förster,1869; Dolichostrophus Ashmead,1887; Neospathegaster Kinsey,1923; Diplobius Kinsey,1923* Original reference: *Neuroterus Hartig,1840, [in] Germar, Z. Ent. 2 (1): 185.*
- 842) Neurotoma Konow,1897** (Pamphiliidae) **Synonym(s):** *Neurotoma Konow,1897*
- 843) Nippononysson Yasumatsu & Maidl,1936** (Crabronidae) **Synonym(s):** *Nippononysson Yasumatsu & Maidl,1936*
- 844) Nitela Latreille,1809** (Crabronidae) **Synonym(s):** *Nitela Latreille,1809* Original reference: *Nitela Latreille,1809, Gen. Crust. Ins. 4: 77.*
- 845) Nomada Scopoli,1770** (Apidae) **Synonym(s):** *Nomada Scopoli,1770*
- 846) Nomia (Lobonomia) Warncke,1976** (Halictidae) **Synonym(s):** *Lobonomia Warncke,1976*
- 847) Nomia Latreille,1804** (Halictidae) **Synonym(s):** *Nomia Latreille,1804; Nitocris Rafinesque,1815*
- 848) Nomioides (s.str.) Schenck,1866** (Halictidae) **Synonym(s):** *Nomioides Schenck,1866* Original reference: *Nomioides Schenck,1866, Berl. ent. Z. 10: 333.*
- 849) Nomioides Schenck,1866** (Halictidae) **Synonym(s):** *Nomioides Schenck,1866* Original reference: *Nomioides Schenck,1866, Berl. ent. Z. 10: 333.*
- 850) Norbanus Walker,1843** (Pteromalidae) **Synonym(s):** *Norbanus Walker,1843; Arthrolysis Förster,1856; Picroscyrtus Thomson,1878; Stylophorella Ashmead,1904; Amicromelus Girault,1913; Apirene Girault,1914; Epicaudonia Girault,1914; Neocaudonia Girault & Dodd,1915; Picroscyrtoides Masi,1922; Masioscyrtus Szelényi,1941*
- 851) Nysson Latreille,1802** (Crabronidae) **Synonym(s):** *Nysson Latreille,1802*
- 852) Obtusodonta Heinrich,1962** (Ichneumonidae) **Synonym(s):** *Obtusodonta Heinrich,1962*
- 853) Odontocolon Cushman,1942** (Ichneumonidae) **Synonym(s):** *Odontomerus Gravenhorst,1829 nec Leach,1819; Odontocolon Cushman,1942*
- 854) Odontocrabro Tsuneki,1971** (Crabronidae) **Synonym(s):** *Odontocrabro Tsuneki,1971*
- 855) Odynerus (s.str.) Latreille,1802** (Vespidae) **Synonym(s):** *Odynerus Latreille,1802; Epipone Kirby & Spence,1815 (praeocc.); Oplopus Wesmael,1836; Oplomerus Westwood,1840; Euepipona Dalla Torre,1904*
- 856) Odynerus (Spinicoxa) Blüthgen,1938** (Vespidae) **Synonym(s):** *Spinicoxa Blüthgen,1938*
- 857) Odynerus Latreille,1802** (Vespidae) **Synonym(s):** *Odynerus Latreille,1802; Epipone Kirby & Spence,1815 (praeocc.); Oplopus Wesmael,1836; Oplomerus Westwood,1840; Euepipona Dalla Torre,1904*
- 858) Oedemopsis Tschek,1869** (Ichneumonidae) **Synonym(s):** *Oedemopsis Tschek,1869; Campothreptus Förster,1869; Hybophanes Förster,1869; Rhynchothyreus Ashmead,1900; Zarhynchus Ashmead,1900; Oedematopsis Morley,1908*
- 859) Olesicampe Förster,1869** (Ichneumonidae) **Synonym(s):** *Limneria Holmgren,1859 nec Adam.,1851; Olesicampe Förster,1869; Omoborus Förster,1869; Holocremnus Förster,1869; Olesicampa Thomson,1887; Holocremna Thomson,1887; Limnerium Ashmead,1900; Zaplatystoma Viereck,1925*
- 860) Oligosita Walker,1851** (Trichogrammatidae) **Synonym(s):** *Oligosita Walker,1851; Westwoodella Ashmead,1904; Paroligosita Kurdjumov,1911*
- 861) Omalus Panzer,1801** (Chrysididae) **Synonym(s):** *Omalus Panzer,1801*
- 862) Oncophanes Förster,1862** (Braconidae) **Synonym(s):** *Oncophanes Förster,1862*
- 863) Ontsira Cameron,1900** (Braconidae) **Synonym(s):** *Ontsira Cameron,1900*

- 864) Onychopterocheilus Blüthgen,1955** (Vespidae) Synonym(s): *Onychopterocheilus Blüthgen,1955* Original reference: *Onychopterocheilus Blüthgen,1955*, Mitt. münch. ent. Ges. 44/45: 407.
- 865) Ooencyrtus Ashmead,1900** (Encyrtidae) Synonym(s): *Ooencyrtus Ashmead,1900*
- 866) Oomyzus Rondani,1870** (Eulophidae) Synonym(s): *Oomyzus Rondani,1870*
- 867) Oopristus Steffan,1968** (Torymidae) Synonym(s): *Oopristus Steffan,1968* Original reference: *Oopristus Steffan,1968*, Entomophaga 13: 212.
- 868) Opheltes Holmgren,1859** (Ichneumonidae) Synonym(s): *Opheltes Holmgren,1859*; *Nephopheltes Cushman,1924*
- 869) Ophion Fabricius,1798** (Ichneumonidae) Synonym(s): *Ophion Fabricius,1798*; *Paniscus Schrank,1802*; *#Psylonychia Szépligeti,1905*; *Stenophthalmus Szépligeti,1905* nec Beck.,1903; *Pachyprotoma Kohl,1906*; *Australophion Morley,1912*; *Neophion Morley,1912*; *Apatophion Shestakov,1926*; *Platophion Hellén,1926*; *Potophion Cushman,1947*; *Psylonychia Cushman,1947*; *Apomesus Townes,1971*; *Mecetron Townes,1971* Original reference: *Ophion Fabricius,1798*, Ent. Syst. (suppl.): 210, 235. Type-species: *Ichneumon luteus* Linnaeus,1758, by subsequent designation by Curtis,1835.
- 870) Opiognathus Fischer,1972** (Braconidae) Synonym(s): *Opiognathus Fischer,1972*
- 871) Opiostomus Fischer,1972** (Braconidae) Synonym(s): *Opiostomus Fischer,1972*; *Snoflakopius Fischer,1972*; *Jucundopius Fischer,1984*; *Opiotenes Fischer,1998*; *Oetzalotenes Fischer,1998*
- 872) Opius (Ilicopius) Fischer,1992** (Braconidae) Synonym(s): *Ilicopius Fischer,1992*
- 873) Opius (Merotrachys) Fischer,1972** (Braconidae) Synonym(s): *Merotrachys Fischer,1972*
- 874) Opius (Odontopoea) Fischer,1986** (Braconidae) Synonym(s): *Odontopoea Fischer,1986*
- 875) Opius (Rhogadopsis) Brèthes,1913** (Braconidae) Synonym(s): *Rhogadopsis Brèthes,1913*
- 876) Opius (s.str.) Wesmael,1835** (Braconidae) Synonym(s): *Opius Wesmael,1835*; *Hypolabis Förster,1862*; *Cryptonastes Förster,1862*; *Misophthora Förster,1862*; *Hypocynodus Förster,1862*; *Desmatophorus Thomson,1895*; *Stomosema Fischer,1972*; *Nosopaeopius Fischer,1972*; *Pendopius Fischer,1972*; *Allophlebus Fischer,1972*; *Opiothorax Fischer,1972*; *Odontopoea Fischer,1987*
- 877) Opius (Snoflakopius) Fischer,1972** (Braconidae) Synonym(s): *Snoflakopius Fischer,1972*
- 878) Opius Wesmael,1835** (Braconidae) Synonym(s): *Opius Wesmael,1835*; *Hypolabis Förster,1862*; *Cryptonastes Förster,1862*; *Misophthora Förster,1862*; *Hypocynodus Förster,1862*; *Desmatophorus Thomson,1895*; *Stomosema Fischer,1972*; *Nosopaeopius Fischer,1972*; *Pendopius Fischer,1972*; *Allophlebus Fischer,1972*; *Opiothorax Fischer,1972*; *Odontopoea Fischer,1987*
- 879) Orgilus Haliday,1833** (Braconidae) Synonym(s): *Orgilus Haliday,1833*; *Ischius Wesmael,1837*; *Macropalpus Ratzeburg,1844*; *Oresimus Ashmead,1900*; *Orgilomorpha Ashmead,1900* *Ischiolus Hellen,1958*
- 880) Ormyrus Westwood,1832** (Ormyridae) Synonym(s): *Ormyrus Westwood,1832*; *Periglyphus Boheman,1834*; *Siphonura Nees,1834*; *Cyrtosoma Perris,1840*; *Monobaeus Förster,1860*; *Tribaeus Förster,1860*; *Chrysoideus De Stefani,1898*; *Wania Risbec,1951*; *Avasyamyus Doğanlar,1991*
- 881) Orthocentrus Gravenhorst,1829** (Ichneumonidae) Synonym(s): *Orthocentrus Gravenhorst,1829*; *Tapinops Förster,1869*; *Atmetus Förster,1869*; *Phaenosemus Förster,1869*; *Pachyonyx Walsh,1873* nec Schoenh.,1837; *Orthocentrellus Benoit,1954*
- 882) Orthopelma Taschenberg,1865** (Ichneumonidae) Synonym(s): *Orthopelma Taschenberg,1865*; *Proedrus Förster,1869*
- 883) Orthostigma Ratzeburg,1844** (Braconidae) Synonym(s): *Orthostigma Ratzeburg,1844*; *Delocarpa Förster,1862*; *Ischnocarpa Förster,1862*
- 884) Orussus Latreille,1796** (Orussidae) Synonym(s): *Orussus Latreille,1796*; *#Oryssus Fabricius,1798*; *#Orissus A.Costa,1860*
- 885) Oryttus Spinola,1836** (Crabronidae) Synonym(s): *Oryttus Spinola,1836*
- 886) Osmia (Allosmia) Tkalcu,1974** (Megachilidae) Synonym(s): *Allosmia Tkalcu,1974*
- 887) Osmia (Erythrosmia) Schmiedeknecht,[1885]** (Megachilidae) Synonym(s): *Erythrosmia Schmiedeknecht,[1885]*
- 888) Osmia (Exosmia) Tkalcu,1979** (Megachilidae) Synonym(s): *Exosmia Tkalcu,1979* Original reference: *Osmia (Exosmia) Tkalcu,1979*, Acta ent. Bohemoslov. 66: 321. Type-species: *Osmia difficilis* Morawitz,1875 (by original designation).
- 889) Osmia (Helicosmia) Thomson,1872** (Megachilidae) Synonym(s): *Helicosmia Thomson,1872*
- 890) Osmia (Hemiosmia) Tkalcu,1975** (Megachilidae) Synonym(s): *Hemiosmia Tkalcu,1975*
- 891) Osmia (Hoplosmia) Thomson,1872** (Megachilidae) Synonym(s): *Hoplosmia Thomson,1872*
- 892) Osmia (Melanosmia) Schmiedeknecht,[1885]** (Megachilidae) Synonym(s): *Melanosmia Schmiedeknecht,[1885]*
- 893) Osmia (Metallinella) Tkalcu,1966** (Megachilidae) Synonym(s): *Metallinella Tkalcu,1966*
- 894) Osmia (Monosmia) Tkalcu,1974** (Megachilidae) Synonym(s): *Monosmia Tkalcu,1974*
- 895) Osmia (Orientosmia) Peters,1978** (Megachilidae) Synonym(s): *Orientosmia Peters,1978*

- 896) Osmia (Ozbekosmia) Zanden,1994** (Megachilidae) **Synonym(s):** *Ozbekosmia* Zanden,1994
Original reference: *Ozbekosmia* Zanden,1994, *Reichenbachia* 30 (2): 168. Type-species: *Osmia avosetta* Warncke,1988, by original designation.
- 897) Osmia (Pyrosmia) Tkalcu,1975** (Megachilidae) **Synonym(s):** *Pyrosmia* Tkalcu,1975
- 898) Osmia (Tergosmia) Warncke,1988** (Megachilidae) **Synonym(s):** *Tergosmia* Warncke,1988
Original reference: *Osmia* (Tergosmia) Warncke,1988, *Entomofauna* 9 (20): 390. Type-species: *Osmia tergestensis* Ducke,1897, by original designation.
- 899) Osmia (Tergosmia) Warncke,1988** (Megachilidae) **Synonym(s):** *Tergosmia* Warncke,1988
- 900) Osmia Panzer,1806** (Megachilidae) **Synonym(s):** *Osmia* Panzer,1806; #*Odmia* Warncke,1991
- 901) Otlophorus Förster,1869** (Ichneumonidae) **Synonym(s):** *Otlophorus* Förster,1869; *Neales* Förster,1869; *Dialges* Förster,1869; *Aeolometis* Förster,1869; *Tachyporthus* Förster,1869; *Holmgrenia* Förster,1869; *Aelometis* Thomson,1894; *Otlophorinus* Hinks,1944
- 902) Otoblastus Förster,1869** (Ichneumonidae) **Synonym(s):** *Otoblastus* Förster,1869; *Catocentrus* Walsh,1873; *Cerda* Cameron,1904
- 903) Oxybelus Latreille,1796** (Crabronidae) **Synonym(s):** *Oxybelus* Latreille,1796; *Notoglossa* Dahlbom,1845; *Alepidaspis* A.Costa,1882; *Anoxybelus* Kohl,1924; #*Gonioxybelus* Minkiewicz,1934; #*Orthoxybelus* Minkiewicz,1934; *Gonioxybelus* Pate,1937; *Orthoxybelus* Pate,1937; #*Euoxybelus* Noskiewicz & Chudoba,1950; *Latroxybelus* Noskiewicz & Chudoba,1950
- 904) Oxyglypta Förster,1856** (Pteromalidae) **Synonym(s):** *Oxyglypta* Förster,1856
- 905) Oxytorus Förster,1869** (Ichneumonidae) **Synonym(s):** *Oxytorus* Förster,1869; *Callidiotes* Förster,1869; *Delolytus* Förster,1869; *Pantoporthus* Förster,1869; *Mesatractodes* Morley,1907; *Paracandia* Viereck,1912; *Prosmoridae* Cushman,1915
- 906) Pachycephus (Eversmannella) Jakovlev,1892** (Cephidae) **Synonym(s):** *Eversmannella* Jakovlev,1892 Original reference: *Eversmannella* Jakovlev,1892, *Horae Soc. ent. ross.* 26: 15.
- 907) Pachycephus Stein,1876** (Cephidae) **Synonym(s):** *Pachycephus* Stein,1876 Original reference: *Pachycephus* Stein,1876, *Stettin ent. Ztg.* 37: 60.
- 908) Pachycrepoides Ashmead,1904** (Pteromalidae) **Synonym(s):** *Pachycrepoides* Ashmead,1904; *Toxumopsis* Girault,1915; *Anisopteromalina* Boucek,1954
- 909) Pachyneuron Walker,1833** (Pteromalidae) **Synonym(s):** *Pachyneuron* Walker,1833
- 910) Pachyprotasis Hartig,1837** (Tenthredinidae) **Synonym(s):** *Pachyprotasis* Hartig,1837; *Lithracia* Cameron,1902
- 911) Pachystigmus Hellén,1927** (Braconidae) **Synonym(s):** *Pachystigmus* Hellén,1927
- 912) Palarus Latreille,1802** (Crabronidae) **Synonym(s):** *Palarus* Latreille,1802
- 913) Palmodes Kohl,1890** (Sphecidae) **Synonym(s):** *Palmodes* Kohl,1890
- 914) Pambolus (Phaenodus) Förster,1862** (Braconidae) **Synonym(s):** *Phaenodus* Förster,1862
- 915) Pambolus Haliday,1836** (Braconidae) **Synonym(s):** *Pambolus* Haliday,1836
- 916) Pamphilius Latreille,1803** (Pamphiliidae) **Synonym(s):** *Pamphilius* Latreille,1803; *Lyda* Fabricius,1804; *Anoplolyda* Costa,1894; *Bactroceros* Konow,1897
- 917) Pantorhaestes Förster,1869** (Ichneumonidae) **Synonym(s):** *Pantorhaestes* Förster,1869; *Trophoctonus* Förster,1869
- 918) Panurginus Nylander,1848** (Andrenidae) **Synonym(s):** *Panurginus* Nylander,1848
- 919) Panurgus Panzer,1806** (Andrenidae) **Synonym(s):** *Panurgus* Panzer,1806
- 920) Paradioxys Mocsary,1894** (Megachilidae) **Synonym(s):** *Paradioxys* Mocsary,1894
Original reference: *Paradioxys* Mocsary,1894, *Termés Füzetek* 17: 35.
- 921) Paragymnomerus Blüthgen,1938** (Vespidae) **Synonym(s):** *Paragymnomerus* Blüthgen,1938
- 922) Parammobatodes Popov,1932** (Apidae) **Synonym(s):** *Parammobatodes* Popov,1932
- 923) Paramyrmosa Saussure,1880** (Mutillidae) **Synonym(s):** *Paramyrmosa* Saussure,1880; *Morysmula* Suarez,1963
- 924) Parania Morley,1913** (Ichneumonidae) **Synonym(s):** *Parania* Morley,1913
- 925) Paraperithous Haupt,1954** (Ichneumonidae) **Synonym(s):** *Paraperithous* Haupt,1954; *Gnathaulax* Townes,1954
- 926) Parapiagetia Kohl,1896** (Crabronidae) **Synonym(s):** *Parapiagetia* Kohl,1896
- 927) Parapolybia Saussure,[1854]** (Vespidae) **Synonym(s):** *Parapolybia* Saussure,[1854]
Original reference: *Parapolybia* Saussure,[1854], *Et. Fam. Vesp.* 2: 207. Type-species: *Polybia indica* de Saussure,1854, by subsequent designation by Bingham,1897.
- 928) Parapsammophila Taschenberg,1869** (Sphecidae) **Synonym(s):** *Parapsammophila* Taschenberg,1869
- 929) Parasauleia Hoffer,1968** (Encyrtidae) **Synonym(s):** *Parasauleia* Hoffer,1968
- 930) Paravespa Radoszkowski,1886** (Vespidae) **Synonym(s):** *Paravespa* Radoszkowski,1886; *Theletor* Kokujev,1912 Original reference: *Paravespa* Radoszkowski,1886, *Horae Soc. ent. ross.* 20: 46. Type-species: *Hoplomerus komarowi* Radoszkowski,1886, by monotypy.

- 931) Pareumenes Saussure,[1855]** (Vespidae) Synonym(s): *Pareumenes Saussure,[1855]*
Original reference: Pareumenes Saussure,[1855], Etud. Fam. Vesp. 3: 133. Type-species: Eumenes quadrispinosus Saussure,[1855], designated by Bequaert,1918, Bull. am. Mus. Nat. Hist. 39: 271.
- 932) Parnopes Latreille,1796** (Chrysididae) Synonym(s): *Parnopes Latreille,1796*
- 933) Parodontodynerus Blüthgen,1938** (Vespidae) Synonym(s): *Parodontodynerus Blüthgen,1938*
Original reference: Parodontodynerus Blüthgen,1938, Konowia 16: 280. Type-species: Eumenes ephippium Klug,1817, by original designation.
- 934) Pasites Jurine,1807** (Apidae) Synonym(s): *Pasites Jurine,1807; Morgania Smith,1854*
- 935) Passaloecus Shuckard,1837** (Crabronidae) Synonym(s): *Passaloecus Shuckard,1837*
- 936) Patrocloides Heinrich,1961** (Ichneumonidae) Synonym(s): *Patrocloides Heinrich,1961*
- 937) Pedinpompilus Wolf,1961** (Pompilidae) Synonym(s): *Pedinpompilus Wolf,1961*
- 938) Pediobius Walker,1846** (Eulophidae) Synonym(s): *Microterus Spinola,1811; Pediobius Walker,1846; Pleurotropis Förster,1856; Rhopalotus Förster,1856; Spartiophilus Rondani,1872; Heptomerus Rondani,1874; Cluthaira Cameron,1912; Amesthocharis Girault,1913; Chrysoatomoides Girault,1913; Mestocharoideus Girault,1913; Pseudacrias Girault,1913; Entodonomyia Girault,1915; Entodonopseus Girault,1915; Horismeropsis Girault,1915; Mestocharomyia Girault,1915; Neopseudacrias Girault,1915; Pseudacriasoides Girault,1917*
- 939) Pemphredon Latreille,1796** (Crabronidae) Synonym(s): *Pemphredon Latreille,1796*
- 940) Pentachrysis Lichtenstein,1876** (Chrysididae) Synonym(s): *Pentachrysis Lichtenstein,1876*
- 941) Pentacladia Westwood,1835** (Eupelmidae) Synonym(s): *Pentacladia Westwood,1835*
- 942) Pentacladocerus Erdős,1963** (Encyrtidae) Synonym(s): *Pentacladocerus Erdős,1963; Homalotyloda Szelenyi,1972*
- 943) Pentapleura Förster,1862** (Braconidae) Synonym(s): *Pentapleura Förster,1862*
- 944) Perilampus Latreille,1809** (Perilampidae) Synonym(s): *Perilampus Latreille,1809*
- 945) Perilissus Holmgren,1855** (Ichneumonidae) Synonym(s): *Perilissus Holmgren,1855; Spanotecnus Förster,1869; Ichneaops Förster,1869; Polyoncus Förster,1869; Udenia Förster,1869; Exacradus Förster,1869; Daugna Seyrig,1935; Pseudochorus Rao,1953*
- 946) Perithous Holmgren,1859** (Ichneumonidae) Synonym(s): *Perithous Holmgren,1859; Hybomischos Baltazar,1961*
- 947) Phaedrotoma Förster,1862** (Braconidae) Synonym(s): *Phaedrotoma Förster,1862; Nosopoea Förster,1862; Eutrichopsis Förster,1862; Tolbia Cameron,1907; Brachycentrus Szépligeti,1907 nec Taschenb.,1865; Hexulax Cameron,1910; Baeocentrum Schulz,1911; Neodiospilus Szépligeti,1911; Neopius Fischer,1965; Euopius Fischer,1967; Gastrosema Fischer,1972; Gerius Fischer,1972; Grimmirus Fischer,1972; Hoenirus Fischer,1972; Mimirus Fischer,1972; Merotrachys Fischer,1972; Phlebosema Fischer,1972; Neoephedrus Samanta, Tamili, Saha & Raychaudhuri,1983; Adontopius Fischer,1984; Serius Tobias & Jakimavicius,1986; Kainopaeopius Fischer,1986; Millenniopius Fischer,1996; Neotropopius Fischer,1999*
- 948) Phaenocarpa Förster,1862** (Braconidae) Synonym(s): *Phaenocarpa Förster,1862; Idiolexis Förster,1862; Mesothesis Förster,1862; Sathra Förster,1862; Asynaphes Provancher,1886; Kahlia Ashmead,1900; Holcalysia Cameron,1905*
- 949) Phaenolobus Förster,1869** (Ichneumonidae) Synonym(s): *Phaenolobus Förster,1869; Chorisichizus Förster,1869; Moldacoenitus Constantineanu & Constantineanu,1968*
- 950) Phaeogenes Wesmael,1845** (Ichneumonidae) Synonym(s): *Phaeogenes Wesmael,1845; Tycherus Förster,1869; Micrope Förster,1869; Proscus Holmgren,1980; Micropa Schulz,1906; Glyptichneumon Habermehl,1917*
- 951) Phaestacoenitus Smits van Burgst,1913** (Ichneumonidae) Synonym(s): *Phaestacoenitus Smits van Burgst,1913*
- 952) Phanerotoma (Bracotritoma) Csiki,1909** (Braconidae) Synonym(s): *Tritoma Szépligeti,1908 (praeocc.); Bracotritoma Csiki,1909*
- 953) Phanerotoma Wesmael,1838** (Braconidae) Synonym(s): *Phanerotoma Wesmael,1838; Sulydus Du Buysson,1897; Ichneutipterus Vachal,1907; Neophanerotoma Szépligeti,1908; Tritoma Szépligeti,1908; Bracotritoma Csiki,1909; Szepligetia Schulz,1911; Tritomios Strand,1921; Unica Snoflak,1951*
- 954) Phanerotomella Szépligeti,1900** (Braconidae) Synonym(s): *Phanerotomella Szépligeti,1900; Plesiosphaeropyx Cameron,1912*
- 955) Pheidole Westwood,1840** (Formicidae) Synonym(s): *Pheidole Westwood,1840*
- 956) Philanthinus de Beaumont,1949** (Crabronidae) Synonym(s): *Philanthinus de Beaumont,1949*
- 957) Philanthus Fabricius,1790** (Crabronidae) Synonym(s): *Philanthus Fabricius,1790*
- 958) Philoctetes Abeille,1879** (Chrysididae) Synonym(s): *Philoctetes Abeille,1879*
- 959) Phobetes Förster,1869** (Ichneumonidae) Synonym(s): *Phobetes Förster,1869; Ipoctonus Förster,1869; Philotymma Förster,1869; Phobetus Thomson,1889; Griphodes Kriechebaumer,1894; Ipoctoninus Hincks,1944; Phobetellus Hincks,1944*
- 960) Phradis Förster,1869** (Ichneumonidae) Synonym(s): *Phradis Förster,1869; Eutomus Förster,1869 nec Hope,1838; Isurgus Förster,1869*

- 961) Physetopoda Schuster,1949** (Mutillidae) **Synonym(s):** *Physetopoda Schuster,1949*
- 962) Pimpla Fabricius,[1805]** (Ichneumonidae) **Synonym(s):** *Pimpla Fabricius,[1805]; Coccygomimus Saussure,1892; Habropimpla Cameron,1900; Lissotheronia Cameron,1905; Phytodiaetoides Morley,1913; Pimplidea Viereck,1914; Coelopimpla Brethes,1916; Liotheronia Enderlein,1919; Dihyboplax Enderlein,1919; Neogabunia Brethes,1927; Opodactyla Seyrig,1932; Oxyptimpla Noskiewicz & Chudoba,1951; Jamaicapimpla Mason,1975*
- 963) Pion Schiödt,1838** (Ichneumonidae) **Synonym(s):** *Pion Schiödt,1838; Catoglyptus Holmgren,1855*
- 964) Pison Jurine,1808** (Crabronidae) **Synonym(s):** *Pison Jurine,1808*
- 965) Pithotomus Kriechbaumer,1888** (Ichneumonidae) **Synonym(s):** *Pithotomus Kriechbaumer,1888*
- 966) Plagiolepis Mayr,1861** (Formicidae) **Synonym(s):** *Plagiolepis Mayr,1861*
- 967) Plagiotrochus Mayr,1881** (Cynipidae) **Synonym(s):** *Plagiotrochus Mayr,1881; Fioria Kieffer,1903 nec Silvestri,1898; Fioriella Kieffer,1903*
- 968) Platneptis Boucek,1961** (Pteromalidae) **Synonym(s):** *Platneptis Boucek,1961*
- 969) Platylabus Wesmael,1845** (Ichneumonidae) **Synonym(s):** *Platylabus Wesmael,1845; Lamprojoppa Cameron,1901; Chlorojoppa Cameron,1907*
- 970) Platymyrmilla André,1899** (Mutillidae) **Synonym(s):** *Platymyrmilla André,1899*
- 971) Platynochaetus Westwood,1837** (Tetracampidae) **Synonym(s):** *Platynochaetus Westwood,1837*
- 972) Platyplectrus Ferriere,1941** (Eulophidae) **Synonym(s):** *Platyplectrus Ferriere,1941; Autoplectrus Gadd,1945*
- 973) Pleolophus Townes,1962** (Ichneumonidae) **Synonym(s):** *Pleolophus Townes,1962*
- 974) Plesiopanurgus (Zizopanurgus) Patiny & Rasmont,1999** (Andrenidae) **Synonym(s):** *Zizopanurgus Patiny & Rasmont,1999*
- 975) Plesiopanurgus Cameron,1907** (Andrenidae) **Synonym(s):** *Plesiopanurgus Cameron,1907*
- 976) Pnigalio Schrank,1802** (Eulophidae) **Synonym(s):** *Pnigalio Schrank,1802; Tineophaga Rondani,1868; Notanismorphomyia Girault,1913; Ratzeburgiola Erdös,1958*
- 977) Podagrion Spinola,1811** (Torymidae) **Synonym(s):** *Podagrion Spinola,1811*
- 978) Podagrionella Girault,1913** (Torymidae) **Synonym(s):** *Podagrionella Girault,1913; Iridophaga Picard,1933; Tarachodiphaga Ferrière,1955; Iridophagoides Erdös,1964*
- 979) Podalonia Fernald,1927** (Sphecidae) **Synonym(s):** *Podalonia Fernald,1927*
- 980) Poecilotiphia Cameron,1902** (Tiphidae) **Synonym(s):** *Poecilotiphia Cameron,1902*
Original reference: *Poecilotiphia Cameron,1902, J. Bombay nat. Hist. Soc. 14: 273.*
- 981) Poemenia Holmgren,1859** (Ichneumonidae) **Synonym(s):** *Poemenia Holmgren,1859*
- 982) Polistes (s.str.) Latreille,1802** (Vespidae) **Synonym(s):** *Polistes Latreille,1802; Sulcopolistes Blüthgen,1938; Polistula Weyrauch,1939*
- 983) Polistes Latreille,1802** (Vespidae) **Synonym(s):** *Polistes Latreille,1802; Sulcopolistes Blüthgen,1938; Polistula Weyrauch,1939*
- 984) Polyblastus Hartig,1837** (Ichneumonidae) **Synonym(s):** *Polyblastus Hartig,1837*
- 985) Polydegmon Förster,1862** (Braconidae) **Synonym(s):** *Polydegmon Förster,1862*
- 986) Polynema Haliday,1833** (Mymaridae) **Synonym(s):** *Polynema Haliday,1833*
- 987) Polysphincta Gravenhorst,1829** (Ichneumonidae) **Synonym(s):** *Polysphincta Gravenhorst,1829; Ephialtomorpha Ashmead,1906*
- 988) Polystenus Förster,1862** (Braconidae) **Synonym(s):** *Polystenus Förster,1862*
- 989) Polytribax Förster,1869** (Ichneumonidae) **Synonym(s):** *Polytribax Förster,1869; Plesignathus Förster,1869; Neleophron Förster,1869; Epiphorbus Förster,1869; Steriphocryptus Cameron,1903; Chasmocryptus Uchida,1936*
- 990) Pompilus Fabricius,1798** (Pompilidae) **Synonym(s):** *Pompilus Fabricius,1798*
- 991) Praon Haliday,1833** (Braconidae) **Synonym(s):** *Praon Haliday,1833* Original reference: *Praon Haliday,1833, Ent. Mag. 1 (5): 483.*
- 992) Priocnemis Schiödt,1837** (Pompilidae) **Synonym(s):** *Priocnemis Schiödt,1837*
- 993) Priopoda Holmgren,1855** (Ichneumonidae) **Synonym(s):** *Priopoda Holmgren,1855; Prionopoda Holmgren,1855*
- 994) Pristaulacus Kieffer,1900** (Aulacidae) **Synonym(s):** *Aulacostethus Philippi,1873 nec Waterh.,1869; Pristaulacus Kieffer,1900*
- 995) Pristomerus Curtis,1836** (Ichneumonidae) **Synonym(s):** *Pristomerus Curtis,1836; Pristomeridia Ashmead,1900; Pristocelus Szpligeti,1905; Neopristomerus Viereck,1912; Nesanomalon Morley,1913*
- 996) Probles (Euporizon) Horstmann,1971** (Ichneumonidae) **Synonym(s):** *Euporizon Horstmann,1971*

- 997) Probles (Microdiaparsis) Horstmann,1971** (Ichneumonidae) **Synonym(s):** *Microdiaparsis* Horstmann,1971
- 998) Probles (Rugodiaparsis) Horstmann,1971** (Ichneumonidae) **Synonym(s):** *Rugodiaparsis* Horstmann,1971
- 999) Probles (s.str.) Förster,1869** (Ichneumonidae) **Synonym(s):** *Probles* Förster,1869
- 1000) Probles Förster,1869** (Ichneumonidae) **Synonym(s):** *Probles* Förster,1869
- 1001) Probolus Wesmael,1845** (Ichneumonidae) **Synonym(s):** *Probolus* Wesmael,1845
- 1002) Procinetus Förster,1869** (Ichneumonidae) **Synonym(s):** *Procinetus* Förster,1869; *Heterolabis* Kriechbaumer,1889
- 1003) Proconura Dodd,1915** (Chalcididae) **Synonym(s):** *Proconura* Dodd,1915
- 1004) Proformica Ruzsky,1903** (Formicidae) **Synonym(s):** *Proformica* Ruzsky,1903
- 1005) Promethes Förster,1869** (Ichneumonidae) **Synonym(s):** *Promethes* Förster,1869; *Liopsis* Förster,1869; *Promethus* Thomson,1890
- 1006) Pronotalia Grandwell,1957** (Eulophidae) **Synonym(s):** *Pronotalia* Grandwell,1957; *Crataepiella* Domenichini,1958
- 1007) Proscolia Rasnitsyn,1977** (Scoliidae) **Synonym(s):** *Proscolia* Rasnitsyn,1977
- 1008) Prosevania Kieffer,1911** (Evaniiidae) **Synonym(s):** *Prosevania* Kieffer,1911 **Original reference:** *Prosevania* Kieffer,1911, *Annls Soc. ent. Fr.* 80: 157.
- 1009) Prosopigastra A.Costa,1867** (Crabronidae) **Synonym(s):** *Prosopigastra* A.Costa,1867
- 1010) Protapanteles Ashmead,1898** (Braconidae) **Synonym(s):** *Protapanteles* Ashmead,1898
- 1011) Protichneumon Thomspen,1893** (Ichneumonidae) **Synonym(s):** *Protichneumon* Thomspen,1893; *Metopichneumon* Uchida,1935
- 1012) Protodacnusa Griffiths,1964** (Braconidae) **Synonym(s):** *Protodacnusa* Griffiths,1964
- 1013) Protosmia (Chelostomopsis) Cockerell,1925** (Megachilidae) **Synonym(s):** *Chelostomopsis* Cockerell,1925
- 1014) Protosmia (Nanosmia) Griswold,1986** (Megachilidae) **Synonym(s):** *Nanosmia* Griswold,1986
- 1015) Protosmia Ducke,1900** (Megachilidae) **Synonym(s):** *Protosmia* Ducke,1900
- 1016) Protostigmus Turner,1918** (Crabronidae) **Synonym(s):** *Protostigmus* Turner,1918
- 1017) Psammaecius Lepeletier,1832** (Crabronidae) **Synonym(s):** *Psammaecius* Lepeletier,1832
- 1018) Psen Latreille,1796** (Crabronidae) **Synonym(s):** *Psen* Latreille,1796
- 1019) Psenulus Kohl,1897** (Crabronidae) **Synonym(s):** *Psenulus* Kohl,1897; *Neofoxia* Viereck,1901; *Stenomellinus* W.Schulz,1911; *Gussakowski*,1934; *Nipponopsen* Yasumatsu,1938
- 1020) Pseudapis (Nomiapis) Cockerell,1919** (Halictidae) **Synonym(s):** *Nomiapis* Cockerell,1919
- 1021) Pseudepipona (Deuterepipona) Blüthgen,1951** (Vespidae) **Synonym(s):** *Deuterepipona* Blüthgen,1951 **Original reference:** *Deuterepipona* Blüthgen,1951, *Mitt. münch. ent. Ges.* 41: 171, 194 (as genus). Type-species: *Odynerus ionius* Saussure,1855, by original designation.
- 1022) Pseudepipona (s.str.) Saussure,[1856]** (Vespidae) **Synonym(s):** *Pseudepipona* Saussure,[1856]; *Metepipona* Blüthgen,1951; *Trichepipona* Blüthgen,1951; *Leptepipona* Blüthgen,1951; *#Pseudepipone* Bytinski-Salz & Gusenleitner,1971 **Original reference:** *Pseudepipona* Saussure,[1856], *Etud. Fam. Vesp.* 3: 309. Type-species: *Odynerus herrichii* Saussure,1856, by monotypy.
- 1023) Pseudepipona Saussure,[1856]** (Vespidae) **Synonym(s):** *Pseudepipona* Saussure,[1856]; *Metepipona* Blüthgen,1951; *Trichepipona* Blüthgen,1951; *Leptepipona* Blüthgen,1951; *#Pseudepipone* Bytinski-Salz & Gusenleitner,1971 **Original reference:** *Pseudepipona* Saussure,[1856], *Etud. Fam. Vesp.* 3: 309. Type-species: *Odynerus herrichii* Saussure,1856, by monotypy.
- 1024) Pseudoamblyteles Heinrich,1926** (Ichneumonidae) **Synonym(s):** *Pseudoamblyteles* Heinrich,1926; *Ctenamblyteles* Heinrich,1928
- 1025) Pseudocatolaccus Masi,[1908]** (Pteromalidae) **Synonym(s):** *Pseudocatolaccus* Masi,[1908]
- 1026) Pseudocephaleia Zirngiebl,1937** (Pamphiliidae) **Synonym(s):** *Pseudocephaleia* Zirngiebl,1937; *Pseudocephaleia* Benson,1945
- 1027) Pseudoclavellaria Schultz,1906** (Cimbicidae) **Synonym(s):** *Pseudoclavellaria* Schultz,1906
- 1028) Pseudococcobius Timberlake,1916** (Encyrtidae) **Synonym(s):** *Pseudococcobius* Timberlake,1916
- 1029) Pseudohormius Tobias & Alexeev,1973** (Braconidae) **Synonym(s):** *Pseudohormius* Tobias & Alexeev,1973
- 1030) Pseudoligosita Girault,1913** (Trichogrammatidae) **Synonym(s):** *Pseudoligosita* Girault,1913; *Zorontogramma* Silvestri,1915
- 1031) Pseudomalus Ashmead,1902** (Chrysididae) **Synonym(s):** *Pseudomalus* Ashmead,1902
- 1032) Pseudoneuroterus Kinsey,1923** (Cynipidae) **Synonym(s):** *Pseudoneuroterus* Kinsey,1923
- 1033) Pseudopezomachus Mantero,1905** (Braconidae) **Synonym(s):** *Pseudopezomachus* Mantero,1905; *Libyophilus* Kieffer,1906; *Alysiella* Ferrière,1930

- 1034) Pseudophotopsis André,1896** (Mutillidae) Synonym(s): *Pseudophotopsis André,1896*;
Alloneuron Ashmead,1899; *Sphinctomutilla André,1899*
- 1035) Pseudoplatylabus Smits van Burgst,1920** (Ichneumonidae) Synonym(s):
Pseudoplatylabus Smits van Burgst,1920
- 1036) Pseudopompilus Costa,1887** (Pompilidae) Synonym(s): *Pseudopompilus Costa,1887*
- 1037) Pseudoryssus Guiglia,1954** (Orussidae) Synonym(s): *Pseudoryssus Guiglia,1954*
- 1038) Pseudospinolia Linsenmaier,1951** (Chrysididae) Synonym(s): *Pseudospinolia Linsenmaier,1951*
- 1039) Pseudosymmorphus Blüthgen,1938** (Vespidae) Synonym(s): *Pseudosymmorphus Blüthgen,1938*
- 1040) Pseudotorymus Masi,1922** (Torymidae) Synonym(s): *Pseudotorymus Masi,1922*; *Holaspis Mayr,1874*; *Senegalella Risbec,1951*; *Thiesia Risbec,1951*
- 1041) Pseudovipio Szépligeti,1896** (Braconidae) Synonym(s): *Pseudovipio Szépligeti,1896*;
Glabriorum Shestakov,1932; *Remorpha Shestakov,1932*; *Euglyptobracon Telenga,1936*; *Pseudoglyptomorpha Tobias,1957*
- 1042) Psiliglossa Saunders,1872** (Vespidae) Synonym(s): *Psiliglossa Saunders,1872*; *#Psilioglossa Bağrıaçık & Tüzün,2005*
- 1043) Psilocera Walker,1833** (Pteromalidae) Synonym(s): *Psilocera Walker,1833*
- 1044) Psilochalcis Kieffer,1905** (Chalcididae) Synonym(s): *Psilochalcis Kieffer,1905*
- 1045) Pilonotus Walker,1834** (Pteromalidae) Synonym(s): *Pilonotus Walker,1834*
- 1046) Psilophrys Mayr,1875** (Encyrtidae) Synonym(s): *Psilophrys Mayr,1875*
- 1047) Psychophagus Mayr,1904** (Pteromalidae) Synonym(s): *Psychophagus Mayr,1904*
- 1048) Psyllaephagus Ashmead,1900** (Encyrtidae) Synonym(s): *Psyllaephagus Ashmead,1900*
- 1049) Psytalia (s.str.) Walker,1860** (Braconidae) Synonym(s): *Psytalia Walker,1860*
- 1050) Psytalia Walker,1860** (Braconidae) Synonym(s): *Psytalia Walker,1860*
- 1051) Pterandrophysalis Nowicki,1935** (Trichogrammatidae) Synonym(s): *Pterandrophysalis Nowicki,1935*
- 1052) Pterocheilus Klug,1805** (Vespidae) Synonym(s): *Pterocheilus Klug,1805*; *#Pterochilus Illiger,1807*; *#Pterochile Blanchard,1840*; *Odontopterochilus Kostylev,1940*; *Nannopterochilus Blüthgen,1961*
Original reference: *Pterocheilus Klug,1805*, Beitr. Naturk. 1: 143. Type-species: *Vespa phalerata* Panzer,1797, designated by Blanchard,1840 [in] Laporte, Hist. Nat. Ins. 3: 389.
- 1053) Pteromalus Swederus,1795** (Pteromalidae) Synonym(s): *Pteromalus Swederus,1795*
- 1054) Pteroptrix Westwood,1833** (Aphelinidae) Synonym(s): *Pteroptrix Westwood,1833*;
Archenomus Howard,1898; *Casca Howard,1907*; *Artas Howard,1907*; *Hispaniella Mercet,1911*; *Pteroptrichoides Fullaway,1913*; *Apteroptrix Girault,1915*; *Pseudopteroptrix Fullaway,1918*; *Oa Girault,1929*; *Aphelosoma Nikol'skaya,1963*; *Archenomiscus Nikol'skaya*
- 1055) Puklina Graham,1991** (Eulophidae) Synonym(s): *Puklina Graham,1991*
- 1056) Pycnocyrtodes Aubert,1971** (Ichneumonidae) Synonym(s): *Pycnocyrtodes Aubert,1971*
- 1057) Pycnocyrtus Thomson,1873** (Ichneumonidae) Synonym(s): *Pycnocyrtus Thomson,1873*;
Cylindrocryptus Ceballos,1921
- 1058) Pygmaeolus Hellén,1958** (Ichneumonidae) Synonym(s): *Pygmaeolus Hellén,1958*
- 1059) Pyracmon Holmgren,1859** (Ichneumonidae) Synonym(s): *Pyracmon Holmgren,1859*
- 1060) Quadrastichus Girault,1913** (Eulophidae) Synonym(s): *Quadrastichus Girault,1913*;
Cecidotetrastichus Kostjukov,1977
- 1061) Quartinia André,1884** (Vespidae) Synonym(s): *Quartinia André,1884*
- 1062) Raphiglossa Saunders,1850** (Vespidae) Synonym(s): *Raphiglossa Saunders,1850*
- 1063) Ratzeburgiola Erdös,1958** (Eulophidae) Synonym(s): *Ratzeburgiola Erdös,1958*
- 1064) Rhaconotus Ruthe,1854** (Braconidae) Synonym(s): *Rhaconotus Ruthe,1854*
- 1065) Rhaphitelus Walker,1834** (Pteromalidae) Synonym(s): *Rhaphitelus Walker,1834*; *Styloceras Ratzeburg,1844*; *Rhaphidotelus Agassiz,1845*; *Storthygocerus Ratzeburg,1848*; *Eucercchysius Brethes,1913*
- 1066) Rhicnopelte Förster,1878** (Eulophidae) Synonym(s): *Rhicnopelte Förster,1878*
- 1067) Rhogogaster Konow,1884** (Tenthredinidae) Synonym(s): *Rhogogaster Konow,1884*;
Rhogogastera Konow,1885
- 1068) Rhopalicus Förster,1856** (Pteromalidae) Synonym(s): *Rhopalicus Förster,1856*
- 1069) Rhopalum (Corynopus) Lepeletier & Brullé,1835** (Crabronidae) Synonym(s):
Corynopus Lepeletier & Brullé,1835
- 1070) Rhopalum (s.str.) Stephens,1829** (Crabronidae) Synonym(s): *Rhopalum Stephens,1829*
- 1071) Rhopalum Stephens,1829** (Crabronidae) Synonym(s): *Rhopalum Stephens,1829*
- 1072) Rhophitoides Schenck,1859** (Halictidae) Synonym(s): *Rhophitoides Schenck,1859*;
#Rophitoides Grace,2010
- 1073) Rhoptrocentrus Marshall,1897** (Braconidae) Synonym(s): *Rhoptrocentrus Marshall,1897*

- 1074) Rhopus Förster, 1856** (Encyrtidae) Synonym(s): *Rhopus Förster, 1856*
- 1075) Rhynchium Spinola, 1806** (Vespidae) Synonym(s): *Rhynchium Spinola, 1806*
- 1076) Rhysipolis Förster, 1862** (Braconidae) Synonym(s): *Rhysipolis Förster, 1862*
- 1077) Rhyssa Gravenhorst, 1829** (Ichneumonidae) Synonym(s): *Rhyssa Gravenhorst, 1829*
- 1078) Rhyssalus Haliday, 1833** (Braconidae) Synonym(s): *Rhyssalus Haliday, 1833*
- 1079) Rictichneumon Heinrich, 1961** (Ichneumonidae) Synonym(s): *Rictichneumon Heinrich, 1961*
- 1080) Rileya Ashmead, 1888** (Eurytomidae) Synonym(s): *Rileya Ashmead, 1888; Ashmeadia Howard, 1889*
- 1081) Ronisia Costa, 1858** (Mutillidae) Synonym(s): *Ronisia Costa, 1858; Pycnotilla Bischoff, 1920*
- 1082) Rophites Spinola, 1838** (Halictidae) Synonym(s): *Rophites Spinola, 1838; Rhophites Agassiz, 1846*
- 1083) Roptrocercus Ratzeburg, 1848** (Pteromalidae) Synonym(s): *Pachycercus Ratzeburg, 1844 (praeocc.); Roptrocercus Ratzeburg, 1848*
- 1084) Rossomyrmex Arnoldi, 1928** (Formicidae) Synonym(s): *Rossomyrmex Arnoldi, 1928*
- 1085) Sapyga (Polosapyga) Kurzenko, 1994** (Sapygidae) Synonym(s): *Polosapyga Kurzenko, 1994*
Original reference: Polosapyga Kurzenko, 1994, Linzer biol. Beitr. 26 (2): 588. Type-species: Sapyga (Polosapyga) singla Kurzenko, 1994, by monotypy.
- 1086) Sapyga (s.str.) Latreille, 1796** (Sapygidae) Synonym(s): *Sapyga Latreille, 1796*
- 1087) Sapyga Latreille, 1796** (Sapygidae) Synonym(s): *Sapyga Latreille, 1796; Hellus Fabricius, 1804*
- 1088) Sapygina A. Costa, 1887** (Sapygidae) Synonym(s): *Sapygina A. Costa, 1887*
- 1089) Sathon Mason, 1981** (Braconidae) Synonym(s): *Sathon Mason, 1981*
- 1090) Scambus (Atelophadnus) Cameron, 1905** (Ichneumonidae) Synonym(s): *Atelophadnus Cameron, 1905*
- 1091) Scambus (s.str.) Hartig, 1838** (Ichneumonidae) Synonym(s): *Scambus Hartig, 1838*
- 1092) Scambus Hartig, 1838** (Ichneumonidae) Synonym(s): *Scambus Hartig, 1838*
- 1093) Sceliphron (Hensenia) Pagliano & Scaramozzino, 1989** (Sphecidae) Synonym(s): *Prosceliphron Van der Vecht, 1968 nec Frenguelli, 1946; Hensenia Pagliano & Scaramozzino, 1989; #Hansenia Gayubo & Özbek, 2005*
- 1094) Sceliphron (s.str.) Klug, 1801** (Sphecidae) Synonym(s): *Sceliphron Klug, 1801; Pelopoeus Latreille, 1802; Sceliphrum Schulz, 1906*
- 1095) Sceliphron Klug, 1801** (Sphecidae) Synonym(s): *Sceliphron Klug, 1801; Pelopoeus Latreille, 1802; Sceliphrum Schulz, 1906*
- 1096) Schistonyx Saussure, 1887** (Pompilidae) Synonym(s): *Schistonyx Saussure, 1887; #Schiztonyx Ashmead, 1900*
- 1097) Schizonotus Ratzeburg, 1852** (Pteromalidae) Synonym(s): *Schizonotus Ratzeburg, 1852*
- 1098) Schizoprymnus Förster, 1862** (Braconidae) Synonym(s): *Schizoprymnus Förster, 1862*
- 1099) Schizopyga Gravenhorst, 1829** (Ichneumonidae) Synonym(s): *Schizopyga Gravenhorst, 1829; Afrosphincta Benoit, 1953*
- 1100) Schreineria Schreiner, 1905** (Ichneumonidae) Synonym(s): *Schreineria Schreiner, 1905; Sycophrurus Picard, 1919; Pseudotorbda Uchida, 1932; Pygidites Seyrig, 1952*
- 1101) Sciapteryx Stephens, 1835** (Tenthredinidae) Synonym(s): *Sciapteryx Stephens, 1835; Eniscia Thomson, 1870; Sciapterina Ushinskij, 1940*
- 1102) Scolia Fabricius, 1775** (Scoliidae) Synonym(s): *Scolia Fabricius, 1775*
- 1103) Scolobates Gravenhorst, 1829** (Ichneumonidae) Synonym(s): *Scolobates Gravenhorst, 1829; Aglyphus Giraud, 1872; Parabraconia Schmiedeknecht, 1914*
- 1104) Scutellista Motschulsky, [1860]** (Pteromalidae) Synonym(s): *Scutellista Motschulsky, [1860]; Aspidocoris Costa, 1863; Enargopelte Förster, 1878*
- 1105) Selandria Leach, 1817** (Tenthredinidae) Synonym(s): *Selandria Leach, 1817*
- 1106) Seljukia Benson, 1966** (Tenthredinidae) Synonym(s): *Seljukia Benson, 1966; Anatoliroa Muche, 1983*
- 1107) Semielacher Boucek, 1988** (Eulophidae) Synonym(s): *Semielacher Boucek, 1988*
- 1108) Sigalphus Latreille, 1802** (Braconidae) Synonym(s): *Sigalphus Latreille, 1802*
- 1109) Sigilla Skorikov, 1927** (Mutillidae) Synonym(s): *Sigilla Skorikov, 1927*
- 1110) Silifka Argaman & Özbek, 1992** (Tiphidae) Synonym(s): *Silifka Argaman & Özbek, 1992*
- 1111) Sinarachna Townes & Townes, 1960** (Ichneumonidae) Synonym(s): *Sinarachna Townes & Townes, 1960*
- 1112) Sinophorus Förster, 1869** (Ichneumonidae) Synonym(s): *Sinophorus Förster, 1869; Eulimneria Schmiedeknecht, 1907*
- 1113) Skorikovia Ovtchinnikov, 2002** (Mutillidae) Synonym(s): *Skorikovia Ovtchinnikov, 2002*

- 1114) Smicromyrme (Astomyrme) Schwartz,1984** (Mutillidae) Synonym(s): *Astomyrme Schwartz,1984* Original reference: *Astomyrme Schwartz,1984, Entomologiste 40 (1): 22.*
- 1115) Smicromyrme (Eremotilla) Lelej,1985** (Mutillidae) Synonym(s): *Eremotilla Lelej,1985*
- 1116) Smicromyrme (Erimyrme) Lelej,1985** (Mutillidae) Synonym(s): *Erimyrme Lelej,1985*
- 1117) Smicromyrme (s.str.) Thomson,1870** (Mutillidae) Synonym(s): *Smicromyrme Thomson,1870*
- 1118) Smicromyrme Thomson,1870** (Mutillidae) Synonym(s): *Smicromyrme Thomson,1870*
- 1119) Solierella Spinola,1851** (Crabronidae) Synonym(s): *Solierella Spinola,1851*
- 1120) Spalangia Latreille,1804** (Pteromalidae) Synonym(s): *Spalangia Latreille,1804*
- 1121) Spathiomorpha Tobias,1976** (Braconidae) Synonym(s): *Spathiomorpha Tobias,1976*
- 1122) Spathius Nees ab Esenbeck,1819** (Braconidae) Synonym(s): *Spathius Nees ab Esenbeck,1819*
- 1123) Sphecius Dahlbom,1843** (Crabronidae) Synonym(s): *#Hogardia Dufour,1841; Sphecius Dahlbom,1843; Hogardia Lepeletier,1845; Sphecius Patton,1879; Nothosphecius Pate,1936*
- 1124) Sphecodes Latreille,1804** (Halictidae) Synonym(s): *Sphecodes Latreille,1804*
- 1125) Sphegigaster Spinola,1811** (Pteromalidae) Synonym(s): *Sphegigaster Spinola,1811*
- 1126) Spheg (Fernaldina) Bohart & Menke,1963** (Sphecidae) Synonym(s): *Fernaldina Bohart & Menke,1963*
- 1127) Spheg (s.str.) Linnaeus,1758** (Sphecidae) Synonym(s): *Spheg Linnaeus,1758; #Sphaex Scopoli,1772*
- 1128) Spheg Linnaeus,1758** (Sphecidae) Synonym(s): *Spheg Linnaeus,1758; #Sphaex Scopoli,1772*
- 1129) Spilichneumon Thomson,1894** (Ichneumonidae) Synonym(s): *Spilichneumon Thomson,1894*
- 1130) Spilomena Shuckard,1838** (Crabronidae) Synonym(s): *Spilomena Shuckard,1838*
- 1131) Spilothyrates Heinrich,1967** (Ichneumonidae) Synonym(s): *Spilothyrates Heinrich,1967*
- 1132) Spinolia Dahlbom,1854** (Chrysididae) Synonym(s): *Spinolia Dahlbom,1854*
- 1133) Spintharia Semenov,1892** (Chrysididae) Synonym(s): *Spintharia Semenov,1892*
- 1134) Spinterus Thomson,1878** (Pteromalidae) Synonym(s): *Spinterus Thomson,1878*
- 1135) Spudaeus Gistel,1848** (Ichneumonidae) Synonym(s): *Trachyderma Gravenhorst,1829; Spudaeus Gistel,1848; Tylocomnus Holmgren,1873*
- 1136) Stryphophagus Ashmead,1900** (Encyrtidae) Synonym(s): *Stryphophagus Ashmead,1900*
- 1137) Stelis (s.str.) Panzer,1806** (Megachilidae) Synonym(s): *Stelis Panzer,1806; Gyrodroma Klug,1807; Gymnus Spinola,1808; Cerablastes Gistel,1848; Chelynia Provancher,1888; Protostelis Friese,1895; Melanostelis Ashmead,1898; Stelidium Robertson,1902; Microstelis Robertson,1903; Pavostelis Sladen,1916; Stelidina Timbelake,1941; Heterostelis Timberlake,1941; Pseudostelis Popov,1956; Leucostelis Noskiewicz,1961; Doxanthidium Pasteels,1969* Original reference: *Stelis Panzer,1806, Krit. Revis. 2: 246. Type-species: Apis aterrima Panzer,1798 nec Christ,1791 (=Apis punctulatifissima Kirby,1802), by monotypy.*
- 1138) Stelis (Stelidomorpha) Morawitz,1875** (Megachilidae) Synonym(s): *Stelidomorpha Morawitz,1875* Original reference: *Stelidomorpha Morawitz,1875, [in] Fedtschenko, Turkestan Apid. 1: 131. Type-species: Anthidium nasutum Latreille,1809, by monotypy.*
- 1139) Stelis Panzer,1806** (Megachilidae) Synonym(s): *Stelis Panzer,1806; Gyrodroma Klug,1807; Gymnus Spinola,1808; Cerablastes Gistel,1848; Chelynia Provancher,1888; Protostelis Friese,1895; Melanostelis Ashmead,1898; Stelidium Robertson,1902; Microstelis Robertson,1903; Pavostelis Sladen,1916; Stelidina Timbelake,1941; Heterostelis Timberlake,1941; Pseudostelis Popov,1956; Leucostelis Noskiewicz,1961; Doxanthidium Pasteels,1969* Original reference: *Stelis Panzer,1806, Krit. Revis. 2: 246. Type-species: Apis aterrima Panzer,1798 nec Christ,1791 (=Apis punctulatifissima Kirby,1802), by monotypy.*
- 1140) Stenarella Szépligeti,1916** (Ichneumonidae) Synonym(s): *Stenarella Szépligeti,1916; Orientostenaraeus Uchida,1930; Parasilsila Cheesman,1936*
- 1141) Stenichneumon Thomson,1893** (Ichneumonidae) Synonym(s): *Stenichneumon Thomson,1893*
- 1142) Stenodynerus Saussure,1863** (Vespidae) Synonym(s): *Stenodynerus Saussure,1863; Nannodynerus Blüthgen,1938; Parhypodynerus Giordani Soika,1974* Original reference: *Stenodynerus Saussure,1863, Mém. Soc. Phys. Hist. Nat. Geneve 17: 228. Type-species: Odynerus chinensis Saussure,1863, designated by Bohart,1939.*
- 1143) Stenoheriades Tkalcu,1984** (Megachilidae) Synonym(s): *Stenoheriades Tkalcu,1984*
- 1144) Stenomacrus Förster,1869** (Ichneumonidae) Synonym(s): *Stenomacrus Förster,1869; Synoplus Förster,1869; Mnesidacus Förster,1869; Hypoleptus Förster,1869; Deleter Förster,1869; Camarotops Förster,1869*
- 1145) Stenomalina Ghesquière,1946** (Pteromalidae) Synonym(s): *Stenomalina Ghesquière,1946*
- 1146) Stenomutilla (s.str.) André,1896** (Mutillidae) Synonym(s): *Stenomutilla André,1896*
- 1147) Stenomutilla André,1896** (Mutillidae) Synonym(s): *Stenomutilla André,1896*

- 1148) Stephanodes Enock,1909** (Mymaridae) Synonym(s): *Stephanodes Enock,1909*; *Eustephanodes Oglobin,1967*; *Masonana Yoshimoto,1990*
- 1149) Sterictiphora Billberg,1820** (Argidae) Synonym(s): *Sterictiphora Billberg,1820*; *Schizocerus Dahlbom,1835*
- 1150) Stethomostus Benson,1939** (Tenthredinidae) Synonym(s): *Stethomostus Benson,1939*
- 1151) Stictopisthus Thomson,1886** (Ichneumonidae) Synonym(s): *Stictopisthus Thomson,1886*
- 1152) Stigmus Panzer,1804** (Crabronidae) Synonym(s): *Stigmus Panzer,1804*
- 1153) Stilbops Förster,1869** (Ichneumonidae) Synonym(s): *Stilbops Förster,1869*; *Aphanoroptrum Förster,1869*; *Aphanoroptra Thomson,1877*; *Aphanorrhoptum Dalla Torre,1901*; *Eritrachynus Schmeideknecht,1913*
- 1154) Stilbula Spinola,1811** (Eucharidae) Synonym(s): *Stilbula Spinola,1811*; *Eltolada Cameron,1909*
- 1155) Stilbum Spinola,1806** (Chrysididae) Synonym(s): *Stilbum Spinola,1806*
- 1156) Stilpnus Gravenhorst,1829** (Ichneumonidae) Synonym(s): *Stilpnus Gravenhorst,1829*
- 1157) Stizoides Guérin-Ménéville,1844** (Crabronidae) Synonym(s): *Stizoides Guérin-Ménéville,1844*; *Omphalius Vachal,1900*; *Scotomphales Vachal,1900*; *#Tachystizus Minkiewicz,1934*; *Tachystizus Pate,1937*
- 1158) Stizus Latreille,1802** (Crabronidae) Synonym(s): *Stizus Latreille,1802* Original reference: *Stizus Latreille,1802, Hist. Crust. Ins. 3: 344.*
- 1159) Strongyloopsis Brauns,1896** (Ichneumonidae) Synonym(s): *Strongyloopsis Brauns,1896*
- 1160) Sycophila Walker,1871** (Eurytomidae) Synonym(s): *Sycophila Walker,1871*; *Tineomyza Rondani,1872*; *Isanisa Walker,1875*; *Pseudisa Walker,1875*; *Decatomidea Ashmead,1888*; *Eudecatoma Ashmead,1888*
- 1161) Symmorphus Wesmael,1836** (Vespidae) Synonym(s): *Symmorphus Wesmael,1836*; *Protodynerus Saussure,1855*
- 1162) Sympherta Förster,1869** (Ichneumonidae) Synonym(s): *Sympherta Förster,1869*; *Stiphrosomus Förster,1869 nec Fieb.,1858*; *Trapezocora Förster,1869*; *Atrestes Förster,1869*; *Campogenes Förster,1869*; *Provancherella Dalla Torre,1901*; *Eustiphrosomus Hinks,1944*
- 1163) Sympiesis Förster,1856** (Eulophidae) Synonym(s): *Sympiesis Förster,1856*; *Teleogmus Förster,1856*; *Sympiezus Thomson,1878*; *Asympiesiella Girault,1913*; *Diaulomella Girault,1913*; *Necremnomyia Girault,1913*; *Opheliminus Girault,1913*; *Pseudopheliminus Girault,1913*; *Sympiesonecremnus Girault,1913*; *Diaulomorphella Girault,1915*; *Pardiaulomella Girault,1915*; *Pardiaulomyia Girault & Todd,1915*; *Pronecremnus Girault & Todd,1915*; *Moroceras Erdös,1954*; *Cladosympiesis Graham,1959*
- 1164) Synaldis Förster,1862** (Braconidae) Synonym(s): *Synaldis Förster,1862*
- 1165) Synechocryptus Schmiedeknecht,1904** (Ichneumonidae) Synonym(s): *Synechocryptus Schmiedeknecht,1904*
- 1166) Synergus Hartig,1840** (Cynipidae) Synonym(s): *Synergus Hartig,1840*; *Sapholytus Förster,1869*
- 1167) Syneuodynerus Blüthgen,1951** (Vespidae) Synonym(s): *Syneuodynerus Blüthgen,1951*; *#Syneuodynerus Kurzenko,1981* Original reference: *Syneuodynerus Blüthgen,1951, Boll. Soc. ent. Ital. 81: 67, 75. Type-species: Odynerus egregius Herrich-Schäffer,1839, by original designation.*
- 1168) Synnevrus A.Costa,1859** (Crabronidae) Synonym(s): *Synnevrus A.Costa,1859*
- 1169) Synomelix Förster,1869** (Ichneumonidae) Synonym(s): *Synomelix Förster,1869*; *Zemiophora Förster,1869*; *Zemiophorus Thomson,1894*
- 1170) Synophrus Hartig,1843** (Cynipidae) Synonym(s): *Synophrus Hartig,1843*
- 1171) Syntomopus Walker,1833** (Pteromalidae) Synonym(s): *Syntomopus Walker,1833*; *Merismorella Girault,1926*
- 1172) Syrista Konow,1896** (Cephidae) Synonym(s): *Syrista Konow,1896*
- 1173) Syrphoctonus Förster,1869** (Ichneumonidae) Synonym(s): *Syrphoctonus Förster,1869*; *Homotropus Förster,1869*; *Homoporus Thomson,1890*; *Homocidus Morley,1911*
- 1174) Syrphophilus Dasch,1964** (Ichneumonidae) Synonym(s): *Syrphophilus Dasch,1964*
- 1175) Syspasis Townes,1965** (Ichneumonidae) Synonym(s): *Syspasis Townes,1965*
- 1176) Systasis Walker,1834** (Pteromalidae) Synonym(s): *Systasis Walker,1834*; *Paruriella Girault,1913*; *Guieralia Risbec,1951*
- 1177) Systole Walker,1832** (Eurytomidae) Synonym(s): *Systole Walker,1832*
- 1178) Systropha (s.str.) Illiger,1806** (Halictidae) Synonym(s): *Systropha Illiger,1806*
- 1179) Systropha Illiger,1806** (Halictidae) Synonym(s): *Systropha Illiger,1806*
- 1180) Syzeuctus Förster,1869** (Ichneumonidae) Synonym(s): *Syzeuctus Förster,1869*; *Diceratops Förster,1869*; *Syzeucta Thomson,1889*; *Meyva Cameron,1899*; *Rhynchotrevoria Cameron,1906*; *Ephialtina Szépligeti,1908*; *Leptoglyphis Brethes,1927*; *Paratanera Rao,1953*
- 1181) Tachyagetes Haupt,1930** (Pompilidae) Synonym(s): *Tachyagetes Haupt,1930* Original reference: *Tachyagetes Haupt,1930, Mitt. zool. Mus. Berlin 16: 235.*

- 1182) Tachyancistrocerus Giordani Soika,1952** (Vespididae) Synonym(s): *Subancistrocerus Blüthgen,1938* (praeocc.); *Tachyancistrocerus Giordani Soika,1952*
- 1183) Tachysphex Kohl,1883** (Crabronidae) Synonym(s): *Tachysphex Kohl,1883*; *Schistosphex Arnold,1922*; *Atelosphex Arnold,1923*
- 1184) Tachytes Panzer,1806** (Crabronidae) Synonym(s): *Tachytes Panzer,1806*; *Lyrops Illiger,1807*; *Tachyptera Dahlbom,1843*; *Holotachytes R.Turner,1917*; *Calotachytes R.Turner,1917*; *Tachyoides Banks,1942*; *Tachyplena Banks,1942*; *Tachynana Banks,1942*
- 1185) Tanycarpa Förster,1862** (Braconidae) Synonym(s): *Tanycarpa Förster,1862*; *Acrobela Förster,1862*; *Epiclista Förster,1862*; *Hypostrophia Förster,1862*
- 1186) Taphaeus Wesmael,1835** (Braconidae) Synonym(s): *Taphaeus Wesmael,1835*; *#Tapheus Beyarslan et al.,2008*
- 1187) Tapinoma Förster,1850** (Formicidae) Synonym(s): *Tapinoma Förster,1850*
- 1188) Telostegus Costa,1889** (Pompilidae) Synonym(s): *Telostegus Costa,1889*
- 1189) Temelucha Förster,1869** (Ichneumonidae) Synonym(s): *Temelucha Förster,1869*; *Paracremastus Szilpigei,1900*; *Tarytia Cameron,1907*; *Androna Cameron,1911*; *Cremastidea Viereck,1912*; *Neocremastus Meyer,1930 nec Cushman,1917*
- 1190) Tenthredo (Cephalo) Zhelochovtsev,1988** (Tenthredinidae) Synonym(s): *Cephalo Zhelochovtsev,1988*
- 1191) Tenthredo (Elinora) Benson,1946** (Tenthredinidae) Synonym(s): *Elinora Benson,1946*
- 1192) Tenthredo Linnaeus,1758** (Tenthredinidae) Synonym(s): *Tenthredo Linnaeus,1758*; *Parastasis Kirby,1881*; *Labidia Provancher,1886*; *Rethrax Cameron,1899*; *Fethalia Cameron,1902*; *Clydostomus Konow,1908*; *Tenthredina Rohwer,1910*; *Zamacrophya Rohwer,1912*
- 1193) Tenthredopsis Costa,1859** (Tenthredinidae) Synonym(s): *Tenthredopsis Costa,1859*; *Ebolia Costa,1859*; *Thomsonia Konow,1884*; *Eutenthredopsis Enslin,1913*
- 1194) Tersilochus (Gonolochus) Förster,1869** (Ichneumonidae) Synonym(s): *Gonolochus Förster,1869*
- 1195) Tersilochus (s.str.) Holmgren,1858** (Ichneumonidae) Synonym(s): *Tersilochus Holmgren,1858*; *#Thersilocus Jacobs,1903*
- 1196) Tersilochus Holmgren,1858** (Ichneumonidae) Synonym(s): *Tersilochus Holmgren,1858*; *#Thersilocus Jacobs,1903*
- 1197) Tetracnemus Westwood,1837** (Encyrtidae) Synonym(s): *Tetracnemus Westwood,1837*
- 1198) Tetralonia Spinola,1838** (Apidae) Synonym(s): *Tetralonia Spinola,1838*
- 1199) Tetramesa Walker,1848** (Eurytomidae) Synonym(s): *Isosoma Walker,1832*; *Tetramesa Walker,1848*; *Harmolita Motschulsky,1863*; *Philachyra Walker,1871*; *Isosomorpha Ashmead,1888*; *Isosomocharis Ashmead,1888*; *Xanthosoma Ashmead,1888*; *Urios Girault,1911*; *Xanthosomodes Brèthes,1913*; *Exanthosoma Girault,1915*; *Isthmosoma Hedicke,1921*; *Gahaniola Erdös,1952*
- 1200) Tetramorium Mayr,1855** (Formicidae) Synonym(s): *Tetramorium Mayr,1855*
- 1201) Tetrastichus Haliday,1844** (Eulophidae) Synonym(s): *Tetrastichus Haliday,1844*; *Ennetoma Dahlbom,1857*; *Solenoderus Motschulsky,1863*; *Neotetrastichus Perkins,1912*; *Ceratoneuromyia Girault,1913*; *Pseudomphaloides Girault,1915*; *Neparaprostocetus Mani,1939*; *Redinia Girault,1936*; *Musciformia Kostjukov,1977*; *Hocetetrastichus Doğanlar,1993*; *Neostichus Narendran,2006*
- 1202) Theocolax Westwood,1832** (Pteromalidae) Synonym(s): *Theocolax Westwood,1832*
- 1203) Therion Curtis,1830** (Ichneumonidae) Synonym(s): *Therion Curtis,1830*; *Agassiz,1846*; *Exochilum Wesmael,1849*
- 1204) Theronia Holmgren,1859** (Ichneumonidae) Synonym(s): *Theronia Holmgren,1859*; *Pseudacoenites Kriechbaumer,1892*; *Poecilopimpla Cameron,1903*; *Erythrotheronia Cameron,1905*; *Orientotheronia Morley,1913*
- 1205) Theroscopus Förster,1850** (Ichneumonidae) Synonym(s): *Theroscopus Förster,1850*; *Chamerpes Förster,1869*; *Eriplanus Förster,1869*; *Phyrtus Förster,1869*; *Thysiotorus Förster,1869*; *Aenoplegimorpha Viereck,1912*
- 1206) Thibetoides Davis,1897** (Ichneumonidae) Synonym(s): *Thibetoides Davis,1897*
- 1207) Thinodytes Graham,1956** (Pteromalidae) Synonym(s): *Thinodytes Graham,1956*
- 1208) Thrincohalictus Blüthgen,1955** (Halictidae) Synonym(s): *Thrincohalictus Blüthgen,1955*
- 1209) Thrybius Townes,1965** (Ichneumonidae) Synonym(s): *Thrybius Townes,1965*
- 1210) Thyrateles Perkins,1953** (Ichneumonidae) Synonym(s): *Thyrateles Perkins,1953*
- 1211) Thyreus Panzer,1806** (Apidae) Synonym(s): *Thyreus Panzer,1806*; *Crocisa Jurine,1807*
- 1212) Thysanus Walker,1839** (Signiphoridae) Synonym(s): *#Thusamus Walker,1829*; *Thysanus Walker,1839*
- 1213) Tiphia Fabricius,1775** (Tiphidae) Synonym(s): *Tiphia Fabricius,1775*
- 1214) Tomicobia Ashmead,1899** (Pteromalidae) Synonym(s): *Tomicobia Ashmead,1899*; *Ipocoelius Ruschka,1924*; *Karpinskiella Boucek,1955*
- 1215) Tomostethus Konow,1886** (Tenthredinidae) Synonym(s): *Tomostethus Konow,1886*

- 1216) *Torymoides* Walker, 1871** (Torymidae) Synonym(s): *Torymoides* Walker, 1871; *Dimeromicrus* Crawford, 1910; *Macrodontomerus* Girault, 1913; *Didactyliocerus* Masi, 1916; *Ameromicrus* Nikolskaya, 1954; *Pontotorymus* Boucek, 1978
- 1217) *Torymus* Dalman, 1820** (Torymidae) Synonym(s): *Torymus* Dalman, 1820; *#Torymys* Nees, 1834
- 1218) *Toxares* Westwood, 1840** (Braconidae) Synonym(s): *Trionyx* Haliday, 1833 (preocc.); *Toxares* Westwood, 1840; *Toxeres* Agassiz, 1846
- 1219) *Tracheliodes* A. Morawitz, 1866** (Crabronidae) Synonym(s): *Tracheliodes* A. Morawitz, 1866
- 1220) *Trachelus* Jurine, 1807** (Cephidae) Synonym(s): *Trachelus* Jurine, 1807
- 1221) *Trathala* Cameron, 1899** (Ichneumonidae) Synonym(s): *Trathala* Cameron, 1899; *Epicremastus* Szépligeti, 1905; *Paurolexis* Cameron, 1906; *Haristaeus* Cameron, 1909
- 1222) *Trechnites* Thomson, 1876** (Encyrtidae) Synonym(s): *Trechnites* Thomson, 1876
- 1223) *Trematopygus* Holmgren, 1855** (Ichneumonidae) Synonym(s): *Trematopygus* Holmgren, 1855; *Amorphognathon* Förster, 1869; *Rhigelus* Förster, 1869; *Aselasma* Förster, 1869; *Campoporus* Förster, 1869; *Volucris* Davis, 1897
- 1224) *Triaspis* Haliday, 1835** (Braconidae) Synonym(s): *Triaspis* Haliday, 1835
- 1225) *Trichogramma* Westwood, 1833** (Trichogrammatidae) Synonym(s): *Trichogramma* Westwood, 1833
- 1226) *Trichomalopsis* Crawford, 1913** (Pteromalidae) Synonym(s): *Trichomalopsis* Crawford, 1913; *Eupteromalus* Kurdjumov, 1913; *Nemicromelus* Girault, 1917; *Metadicylus* Girault, 1926
- 1227) *Trichomalus* Thomson, 1878** (Pteromalidae) Synonym(s): *Trichomalus* Thomson, 1878; *Lanceosoma* Erdős, 1953
- 1228) *Trichomasthus* Thomson, 1876** (Encyrtidae) Synonym(s): *Trichomasthus* Thomson, 1876
- 1229) *Trichomma* Wesmael, 1849** (Ichneumonidae) Synonym(s): *Trichomma* Wesmael, 1849; *Trichomella* Szépligeti, 1910
- 1230) *Trichrysis* Dahlbom, 1854** (Chrysididae) Synonym(s): *Trichrysis* Dahlbom, 1854
- 1231) *Triclistus* Förster, 1869** (Ichneumonidae) Synonym(s): *Triclistus* Förster, 1869
- 1232) *Triece* Townes, 1946** (Ichneumonidae) Synonym(s): *Triece* Townes, 1946 **Original reference:** *Triece* Townes, 1946, Bol. ent. venezol. 5: 60.
- 1233) *Trigonaspis* Hartig, 1840** (Cynipidae) Synonym(s): *Trigonaspis* Hartig, 1840
- 1234) *Triptognathus* Berthoumieu, 1904** (Ichneumonidae) Synonym(s): *Triptognathus* Berthoumieu, 1904
- 1235) *Trissolcus* Ashmead, 1893** (Scelionidae) Synonym(s): *Trissolcus* Ashmead, 1893; *Asolcus* Nakagawa, 1900; *Immsia* Cameron, 1912; *Aphanurus* Kieffer, 1912 nec Looss, 1907; *Microphanurus* Kieffer, 1926
- 1236) *Trjapitzinia* Dzhankmen, 1975** (Pteromalidae) Synonym(s): *Trjapitzinia* Dzhankmen, 1975
- 1237) *Trogaspidia* Ashmead, 1899** (Mutillidae) Synonym(s): *Trogaspidia* Ashmead, 1899
- 1238) *Trogus* Panzer, 1806** (Ichneumonidae) Synonym(s): *Trogus* Panzer, 1806; *Dinotomus* Förster, 1869
- 1239) *Tromatobia* Förster, 1869** (Ichneumonidae) Synonym(s): *Tromatobia* Förster, 1869; *Austropimpla* Brethes, 1913
- 1240) *Tropidodynerus* Blüthgen, 1939** (Vespidae) Synonym(s): *Tropidodynerus* Blüthgen, 1939
- 1241) *Tropidotilla* Bischoff, 1920** (Mutillidae) Synonym(s): *Tropidotilla* Bischoff, 1920
- 1242) *Tryphon* (Stenocrotaphon) Kasparyan, 1969** (Ichneumonidae) Synonym(s): *Stenocrotaphon* Kasparyan, 1969
- 1243) *Tryphon* Fallén, 1813** (Ichneumonidae) Synonym(s): *Tryphon* Fallén, 1813; *Otitochilus* Förster, 1869; *Psilosage* Förster, 1869
- 1244) *Trypoxylon* Latreille, 1796** (Crabronidae) Synonym(s): *Trypoxylon* Latreille, 1796
- 1245) *Ufens* Girault, 1911** (Trichogrammatidae) Synonym(s): *Ufens* Girault, 1911; *Ufensia* Girault, 1913; *Neocentrobia* Blood, 1923; *Stephanotheisa* Soyka, 1931; *Grantanna* Girault, 1939
- 1246) *Urfacus* M. Doğanlar & O. Doğanlar, 2003** (Eulophidae) Synonym(s): *Urfacus* M. Doğanlar & O. Doğanlar, 2003
- 1247) *Uscana* Girault, 1911** (Trichogrammatidae) Synonym(s): *Uscana* Girault, 1911; *Bruchoctonus* Grese, 1923
- 1248) *Utetes* Förster, 1862** (Braconidae) Synonym(s): *Utetes* Förster, 1862; *Therobolus* Förster, 1862; *Frekius* Fischer, 1972
- 1249) *Venturia* Schrottky, 1902** (Ichneumonidae) Synonym(s): *Idechthis* Förster, 1869 nec Hbn., 1821; *Venturia* Schrottky, 1902; *Devorgilla* Cameron, 1907; *Balcarcia* Brethes, 1922; *Notamorphota* Blanchard, 1947; *Exidechthis* Walkley, 1958; *Slenda* Gauld, 1984
- 1250) *Vespa* Linnaeus, 1758** (Vespidae) Synonym(s): *Vespa* Linnaeus, 1758; *Macrovespa* Dalla Torre, 1904; *Nyctovespa* Van der Vecht, 1959
- 1251) *Vespula* Thomson, 1869** (Vespidae) Synonym(s): *Vespula* Thomson, 1869

- 1252) Vipio Latreille,1804** (Braconidae) Synonym(s): *Vipio Latreille,1804*; *Isomecus Kriechbaumer,1895*; *Zavipio Viereck,1914* Original reference: *Vipio Latreille,1804*, *Nouv. Dict. Hist. Nat.* 24 (Tab): 173.
- 1253) Virgichneumon Heinrich,1977** (Ichneumonidae) Synonym(s): *Virgichneumon Heinrich,1977*
- 1254) Vulgichneumon Heinrich,1861** (Ichneumonidae) Synonym(s): *Vulgichneumon Heinrich,1861*
- 1255) Wichmannia Ruschka,1916** (Eulophidae) Synonym(s): *Wichmannia Ruschka,1916*
- 1256) Xenaporus Ashmead,1902** (Pompilidae) Synonym(s): *Xenaporus Ashmead,1902*
- 1257) Xenoschesis (Polycinetis) Förster,1869** (Ichneumonidae) Synonym(s): *Polycinetis Förster,1869*; *Erigloea Förster,1869*; *Prosmorus Förster,1869*; *Polycinetus Thomson,1893*
- 1258) Xenoschesis (s.str.) Förster,1869** (Ichneumonidae) Synonym(s): *Xenoschesis Förster,1869*; *Homobia Förster,1869*; *Glyptocentrus Kriechbaumer,1894*
- 1259) Xenoschesis Förster,1869** (Ichneumonidae) Synonym(s): *Xenoschesis Förster,1869*; *Homobia Förster,1869*; *Glyptocentrus Kriechbaumer,1894*
- 1260) Xorides (Gonophonus) Förster,1869** (Ichneumonidae) Synonym(s): *Gonophonus Förster,1869*
- 1261) Xorides (Moerophora) Förster,1869** (Ichneumonidae) Synonym(s): *Moerophora Förster,1869*
- 1262) Xorides Latreille,1809** (Ichneumonidae) Synonym(s): *Xorides Latreille,1809*
- 1263) Xyela Dalman,1819** (Xyelidae) Synonym(s): *Xyela Dalman,1819*
- 1264) Xylocopa (Ancylocopa) Maa,1954** (Apidae) Synonym(s): *Ancylocopa Maa,1954*
- 1265) Xylocopa (Copoxylla) Maa,1954** (Apidae) Synonym(s): *Copoxylla Maa,1954*
- 1266) Xylocopa (Ctenoxylocopa) Michener,1942** (Apidae) Synonym(s): *Ctenoxylocopa Michener,1942*
- 1267) Xylocopa (Koptortosoma) Gribodo,1894** (Apidae) Synonym(s): *Koptortosoma Gribodo,1894*
- 1268) Xylocopa (Proxylocopa) Hedicke,1938** (Apidae) Synonym(s): *Proxylocopa Hedicke,1938*; *Ancylocopa Maa,1954* Original reference: *Xylocopa (Proxylocopa) Hedicke,1938*, *Dt. ent. Z.* 1938: 192. Type-species: *Xylocopa olivieri* Lepeletier,1841, by original designation.
- 1269) Xylocopa (s.str.) Latreille,1802** (Apidae) Synonym(s): *Xylocopa Latreille,1802*
- 1270) Xylocopa Latreille,1802** (Apidae) Synonym(s): *Xylocopa Latreille,1802*
- 1271) Xylophrurus Förster,1869** (Ichneumonidae) Synonym(s): *Xylophrurus Förster,1869*
- 1272) Xynobius Förster,1862** (Braconidae) Synonym(s): *Xynobius Förster,1862*; *Aclisis Förster,1862*; *Holconotus Förster,1862*; *Aulonotus Ashmead,1900*; *Eristernaulax Viereck,1914*; *Stigmatopoea Fischer,1986*; *Xynobiotenes Fischer,1998*
- 1273) Zabrachypus Cushman,1920** (Ichneumonidae) Synonym(s): *Zabrachypus Cushman,1920*
- 1274) Zaglyptus Förster,1869** (Ichneumonidae) Synonym(s): *Zaglyptus Förster,1869*
- 1275) Zaomma Ashmead,1900** (Encyrtidae) Synonym(s): *Zaomma Ashmead,1900*; *Apterencyrtus Ashmead,1905*; *Metallonoidea Girault,1915*; *Chiloneurinus Mercet,1921*; *Richardsius Alam,1957*; *Metapterencyrtus Tachikawa,1963*
- 1276) Zaplethocornia Schmiedeknecht,1912** (Ichneumonidae) Synonym(s): *Zaplethocornia Schmiedeknecht,1912*; *Nictula Burks,1952*; *Parastadus Burks,1952*; *#Zapletocorina Kolarov,1995*
- 1277) Zatypota Förster,1869** (Ichneumonidae) Synonym(s): *Zatypota Förster,1869*; *Polysphinctopsis Habermehl,1917*; *Lycorinopsis Haupt,1954*

Alphabetical list of the valid names with their synonyms and distributional information of the species in the order Hymenoptera of Turkey

Totally, 5749 species of 53 families are updated and listed below alphabetically. Synonymous names are arranged chronologically. Range of the species are given as codes.⁶ Original references are also added to several hundred species. # indicates nomenclaturally unavailable name.

Agaonidae

- 1) **Blastophaga psenes (Linnaeus,1758)** (Agaonidae) Synonym(s): *psenes* Linnaeus,1758; *grossorum* Gravenhorst,1827; *validi* Joseph,1954 Original reference: Cynips psenes Linnaeus,1758, Syst. Nat. (Edn.10): 554. Range (in code): TR IN Up AF DZ AM Cc AU NSw Cn HV ER ET FR IR IL Pa IT NP PK ZA UA US Arz CfTx RU YE

Andrenidae

- 2) **Andrena (Aciandrena) aciculata Morawitz,1886** (Andrenidae) Synonym(s): *aciculata* Morawitz,1886 Range (in code): GR Cr Rd CY TR 25
- 3) **Andrena (Aciandrena) janthina Warncke,1975** (Andrenidae) Synonym(s): *janthina* Warncke,1975 Range (in code): TR IL Pa
- 4) **Andrena (Aciandrena) konyella Warncke,1975** (Andrenidae) Synonym(s): *konyella* Warncke,1975 Range (in code): TR 25 42 25E
- 5) **Andrena (Aciandrena) lamiana Warncke,1965** (Andrenidae) Synonym(s): *lamiana* Warncke,1965 Range (in code): TR GR Ae Le Cr CY 24 25 49 62
- 6) **Andrena (Aciandrena) pulicaria Warncke,1975** (Andrenidae) Synonym(s): *pulicaria* Warncke,1975 Range (in code): TR
- 7) **Andrena (Aciandrena) tenuiformis Pittioni,1950** (Andrenidae) Synonym(s): *tenuiformis* Pittioni,1950 Range (in code): CY TR
- 8) **Andrena (Aciandrena) tenuis Morawitz,1878** (Andrenidae) Synonym(s): *tenuis* Morawitz,1878 Range (in code): TR
- 9) **Andrena (Aciandrena) yelkouan Warncke,1975** (Andrenidae) Synonym(s): *yelkouan* Warncke,1975 Range (in code): TR IL Pa JO
- 10) **Andrena (Aeandrena) hystrix Schmiedeknecht,1883** (Andrenidae) Synonym(s): *hystrix* Schmiedeknecht,1883; *rufilata* Warncke,1975 Range (in code): TR 25
- 11) **Andrena (Aenandrena) aeneiventris Morawitz,1872** (Andrenidae) Synonym(s): *aeneiventris* Morawitz,1872 Range (in code): GR EG Sn Rd CY Cr TR IR 25 25K
- 12) **Andrena (Aenandrena) bisulcata Morawitz,1878** (Andrenidae) Synonym(s): *bisulcata* Morawitz,1878 Range (in code): GR TR IL Pa LB
- 13) **Andrena (Aenandrena) bonasia Warncke,1969** (Andrenidae) Synonym(s): *bonasia* Warncke,1969; *naevia* Warncke,1969 Range (in code): TR IL Pa 25 49 25K
- 14) **Andrena (Aenandrena) chaetogastra Pittioni,1950** (Andrenidae) Synonym(s): *chaetogastra* Pittioni,1950 Range (in code): CY TR IL Pa
- 15) **Andrena (Avandrena) canohirta (Friese,1922)** (Andrenidae) Synonym(s): *canohirta* Friese,1922 Range (in code): GR TR
- 16) **Andrena (Avandrena) caudata Warncke,1965** (Andrenidae) Synonym(s): *caudata* Warncke,1965 Range (in code): TR
- 17) **Andrena (Brachyandrena) colletiformis Morawitz,1874** (Andrenidae) Synonym(s): *parvula* Morawitz,1871; *colletiformis* Morawitz,1874; *sardinica* Strand,1915; *#gandzhensis* Lebedev,1933; *insulana*

⁶ List of the codes is freely downloadable from the following address: <http://www.members.tripod.com/entcesa/Code.pdf>

- Pittioni, 1950; subsquamularis Noskiewicz, 1960* Range (in code): PL SS MK GR Cr BG IT Sa CY TR SY LB IL Pa TM AM Cc AZ Kir 06 09 25 34 06R 25C 25E 25F 25K 25R
- 18) Andrena (Brachyandrena) pinguis Ariana, Scheuchl, Tadauchi & Gusenleitner, 2009** (Andrenidae) Synonym(s): pinguis Ariana, Scheuchl, Tadauchi & Gusenleitner, 2009 Original reference: Andrena (Brachyandrena) pinguis Ariana, Scheuchl, Tadauchi & Gusenleitner, 2009, Zootaxa 2281: 26-29, figs. Holotype ♀: Turkey: Siirt Prov. 15km W Siirt 6 vi 1980 M. Schwarz leg. (OLL). Range (in code): TR 05 06 07 15 31 42 56 31M 42U
- 19) Andrena (Brachyandrena) punctatissima Morawitz, 1866** (Andrenidae) Synonym(s): punctatissima Morawitz, 1866 Range (in code): TR
- 20) Andrena (Campylogaster) caroli Pérez, 1895** (Andrenidae) Synonym(s): caroli Pérez, 1895 Range (in code): EG IL Pa TR 65 72 65D 72B
- 21) Andrena (Campylogaster) erberi Morawitz, 1872** (Andrenidae) Synonym(s): erberi Morawitz, 1872 Range (in code): GR Rd Cr TR
- 22) Andrena (Campylogaster) incisa Eversmann, 1852** (Andrenidae) Synonym(s): incisa Eversmann, 1852 Range (in code): GR TR 25 25K
- 23) Andrena (Campylogaster) lateralis Morawitz, 1876** (Andrenidae) Synonym(s): lateralis Morawitz, 1876 Range (in code): GE TR IL Pa IR 25 62 25C 25E 25F 25R
- 24) Andrena (Carandrena) aerinifrons Dours, 1873** (Andrenidae) Synonym(s): aerinifrons Dours, 1873 Range (in code): LY TR IL Pa JO
- 25) Andrena (Carandrena) cara Nurse, 1904** (Andrenidae) Synonym(s): cara Nurse, 1904; halictoides Nurse, 1904 nec Smth., 1869; nursei Cockerell, 1913; minor Warncke, 1975; kurdistanica Engel, 2005 Range (in code): PK Bl Qu TR 30
- 26) Andrena (Carandrena) falcinella Warncke, 1969** (Andrenidae) Synonym(s): falcinella Warncke, 1969 Range (in code): TR LB IL Pa 25 49 25K
- 27) Andrena (Carandrena) hieroglyphica Morawitz, 1876** (Andrenidae) Synonym(s): hieroglyphica Morawitz, 1876 Range (in code): TR
- 28) Andrena (Carandrena) levantina Hedicke, 1938** (Andrenidae) Synonym(s): levantina Hedicke, 1938 Range (in code): TR
- 29) Andrena (Carandrena) nubica Warncke, 1975** (Andrenidae) Synonym(s): nubica Warncke, 1975 Range (in code): TR IL Pa 25 49 25K
- 30) Andrena (Carandrena) purpureomicans Alfken, 1935** (Andrenidae) Synonym(s): purpureomicans Alfken, 1935 Range (in code): TR 25 49 25F
- 31) Andrena (Carandrena) schlettereri Friese, 1896** (Andrenidae) Synonym(s): schlettereri Friese, 1896 Range (in code): GR Ae Le TR
- 32) Andrena (Carandrena) zosteria Warncke, 1975** (Andrenidae) Synonym(s): zosteria Warncke, 1975 Range (in code): TR IL Pa
- 33) Andrena (Charitandrena) hattorfiana (Fabricius, 1775)** (Andrenidae) Synonym(s): hattorfiana Fabricius, 1775; dimidiata Brullé, 1832 Range (in code): SS GR TR 43
- 34) Andrena (Chlorandrena) astica Warncke, 1967** (Andrenidae) Synonym(s): astica Warncke, 1967 Range (in code): GR CY Cr TR IL Pa
- 35) Andrena (Chlorandrena) cinerea Brullé, 1832** (Andrenidae) Synonym(s): cinerea Brullé, 1832 Range (in code): GR Cr TR
- 36) Andrena (Chlorandrena) cinereophila Warncke, 1965** (Andrenidae) Synonym(s): cinereophila Warncke, 1965 Range (in code): GR Rd Cr CY IL Pa TR
- 37) Andrena (Chlorandrena) clypella Strand, 1921** (Andrenidae) Synonym(s): clypella Strand, 1921; hasitata Warncke, 1973 Range (in code): GR Cr TR
- 38) Andrena (Chlorandrena) exquisita Warncke, 1975** (Andrenidae) Synonym(s): exquisita Warncke, 1975 Range (in code): TR 34
- 39) Andrena (Chlorandrena) galbula Warncke, 1975** (Andrenidae) Synonym(s): galbula Warncke, 1975 Range (in code): TR IL Pa
- 40) Andrena (Chlorandrena) gordia Warncke, 1975** (Andrenidae) Synonym(s): gordia Warncke, 1975 Range (in code): CY TR
- 41) Andrena (Chlorandrena) humabilis Warncke, 1965** (Andrenidae) Synonym(s): humabilis Warncke, 1965 Range (in code): GR Ae Le TR IL Pa
- 42) Andrena (Chlorandrena) humilis Imhoff, 1832** (Andrenidae) Synonym(s): humilis Imhoff, 1832; indigena Warncke, 1975 Range (in code): SS GR Ae Le Cr TR IL Pa JO 25 25F

- 43) **Andrena (Chlorandrena) orientana Warncke,1965** (Andrenidae) Synonym(s): *orientana* Warncke,1965 _ Range (in code): GR Ae Le Rd Cr CY TR IL Pa
- 44) **Andrena (Chlorandrena) panurgimorpha Mavromoustakis,1957** (Andrenidae) Synonym(s): *panurgimorpha* Mavromoustakis,1957 _ Range (in code): GR Ae Le Cr CY TR LB IL Pa 25 49 25F
- 45) **Andrena (Chlorandrena) taduchii Gusenleitner,1998** (Andrenidae) Synonym(s): *taduchii* Gusenleitner,1998 _ Range (in code): TR SY LB IL Pa
- 46) **Andrena (Chlorandrena) taraxaci Giraud,1861** (Andrenidae) Synonym(s): *taraxaci* Giraud,1861 _ Range (in code): SS GR Ae Le TR EG LY
- 47) **Andrena (Chrysandrena) dilleri Gusenleitner,1998** (Andrenidae) Synonym(s): *dilleri* Gusenleitner,1998 _ Range (in code): TR
- 48) **Andrena (Chrysandrena) fulvago (Christ,1791)** (Andrenidae) Synonym(s): *fulvago* Christ,1791 _ Range (in code): SS GR TR o6
- 49) **Andrena (Chrysandrena) glandaria Warncke,1975** (Andrenidae) Synonym(s): *glandaria* Warncke,1975 _ Range (in code): TR IL Pa
- 50) **Andrena (Chrysandrena) henotica Warncke,1975** (Andrenidae) Synonym(s): *henotica* Warncke,1975 _ Range (in code): TR JO IL Pa
- 51) **Andrena (Chrysandrena) hesperia Smith,1853** (Andrenidae) Synonym(s): *hesperia* Smith,1853 _ Range (in code): SS TR GR Cr Ae Le Sms CY LB IL Pa EG 25 25F
- 52) **Andrena (Chrysandrena) merula Warncke,1969** (Andrenidae) Synonym(s): *merula* Warncke,1969 _ Range (in code): TR GR Ae Le Sms Cr CY IL Pa
- 53) **Andrena (Cnemidandrena) nigriceps (Kirby,1802)** (Andrenidae) Synonym(s): *nigriceps* Kirby,1802; *comata* Warncke,1975 _ Range (in code): GB GR TR 25
- 54) **Andrena (Cordandrena) cordialis Morawitz,1878** (Andrenidae) Synonym(s): *cordialis* Morawitz,1878 _ Range (in code): GR Cr TR 25 49 76 25C 25K 76B
- 55) **Andrena (Cordandrena) cypria Pittioni,1950** (Andrenidae) Synonym(s): *cypria* Pittioni,1950 _ Range (in code): TR CY IL Pa JO 25 49
- 56) **Andrena (Cordandrena) hedikae Jaeger,1934** (Andrenidae) Synonym(s): *hedikae* Jaeger,1934; *inexpectata* Warncke,1975 _ Range (in code): SS TR 25 25E
- 57) **Andrena (Cordandrena) pagophila Warncke,1975** (Andrenidae) Synonym(s): *pagophila* Warncke,1975 _ Range (in code): TR 24 25 24G 25C 25E 25R
- 58) **Andrena (Cordandrena) torda Warncke,1965** (Andrenidae) Synonym(s): *torda* Warncke,1965 _ Range (in code): GR Ae Le Rd CY LB IL Pa TR
- 59) **Andrena (Cryptandrena) brumanensis Friese,1899** (Andrenidae) Synonym(s): *brumanensis* Friese,1899 _ Range (in code): GR Cr CY TR IL Pa LB
- 60) **Andrena (Cryptandrena) clypeata Brullé,1832** (Andrenidae) Synonym(s): *clypeata* Brullé,1832 _ Range (in code): TR 25 49 25K
- 61) **Andrena (Cryptandrena) monacha Warncke,1965** (Andrenidae) Synonym(s): *monacha* Warncke,1965 _ Range (in code): GR Ae Le CY TR SY LB
- 62) **Andrena (Cryptandrena) ventricosa Dours,1873** (Andrenidae) Synonym(s): *ventricosa* Dours,1873 _ Range (in code): SS GR Cr TR SY LB IL Pa CY 25 25E 25K 25F
- 63) **Andrena (Cubiandrena) cubiceps Friese,1914** (Andrenidae) Synonym(s): *cubiceps* Friese,1914 _ Range (in code): GR IL Pa TR
- 64) **Andrena (Cubiandrena) cubicepsella Warncke,1975** (Andrenidae) Synonym(s): *cubicepsella* Warncke,1975 _ Range (in code): SY TR
- 65) **Andrena (Didonia) mucida Kriechbaumer,1873** (Andrenidae) Synonym(s): *mucida* Kriechbaumer,1873; *julliani* Schmiedeknecht,1883; *punica* Gribodo,1894 _ Range (in code): DZ FR IT SS GR TR LB IL Pa 25 36 25C 25E 25K 36F 36Fa
- 66) **Andrena (Didonia) nasuta Giraud,1863** (Andrenidae) Synonym(s): *nasuta* Giraud,1863; *umbrosa* Warncke,1967 _ Range (in code): GR TR 25 25E 25K
- 67) **Andrena (Didonia) teunissenii Gusenleitner,1998** (Andrenidae) Synonym(s): *teunissenii* Gusenleitner,1998 _ Range (in code): TR
- 68) **Andrena (Euandrena) allosa Warncke,1975** (Andrenidae) Synonym(s): *allosa* Warncke,1975; *canigica* Warncke,1975; *pileata* Warncke,1975 _ Range (in code): GR TR
- 69) **Andrena (Euandrena) alutacea Stoeckhert,1942** (Andrenidae) Synonym(s): *alutacea* Stoeckhert,1942 _ Range (in code): SS TR

- 70) **Andrena (Euandrena) bicolor** Fabricius,1775 (Andrenidae) Synonym(s): *bicolor* Fabricius,1775; #bicolor Özbek,1976 Range (in code): SS TR GR Cr CY IL Pa 24 25 75 25K
- 71) **Andrena (Euandrena) canuta** Warncke,1975 (Andrenidae) Synonym(s): *canuta* Warncke,1975 Range (in code): TR 25 76 25K 76B 76D
- 72) **Andrena (Euandrena) chrysopus** Pérez,1903 (Andrenidae) Synonym(s): *chrysopus* Pérez,1903 Range (in code): SS TR 25 36 25E 36F 36Fb
- 73) **Andrena (Euandrena) glabriventris** Alfken,1935 (Andrenidae) Synonym(s): *glabriventris* Alfken,1935 Range (in code): TR 25
- 74) **Andrena (Euandrena) rufitibialis** Friese,1899 (Andrenidae) Synonym(s): *rufitibialis* Friese,1899; *limosa* Warncke,1969 Range (in code): TR JO 25 25E
- 75) **Andrena (Euandrena) rufula** Schmiedeknecht,1883 (Andrenidae) Synonym(s): *rufula* Schmiedeknecht,1883 Range (in code): SS GR TR
- 76) **Andrena (Euandrena) symphyti** Schmiedeknecht,1883 (Andrenidae) Synonym(s): *symphyti* Schmiedeknecht,1883; *furcata* Friese,1921 Range (in code): SS GR TR 25 25E 25K
- 77) **Andrena (Fumandrena) griseigena** Warncke,1975 (Andrenidae) Synonym(s): *griseigena* Warncke,1975 Range (in code): TR
- 78) **Andrena (Fumandrena) immaculata** Warncke,1975 (Andrenidae) Synonym(s): *immaculata* Warncke,1975 Range (in code): TR IL Pa 25 49 25K
- 79) **Andrena (Fumandrena) kurda** Warncke,1975 (Andrenidae) Synonym(s): *kurda* Warncke,1975 Range (in code): TR
- 80) **Andrena (Fumandrena) pandosa** Warncke,1968 (Andrenidae) Synonym(s): *pandosa* Warncke,1968 Range (in code): TR LB IL Pa EG LY
- 81) **Andrena (Fumandrena) querquedula** Warncke,1975 (Andrenidae) Synonym(s): *querquedula* Warncke,1975 Range (in code): TR
- 82) **Andrena (Fumandrena) tomora** Warncke,1975 (Andrenidae) Synonym(s): *tomora* Warncke,1975 Range (in code): GR Ae Le Sms Cr TR
- 83) **Andrena (Graecandrena) butea** Warncke,1966 (Andrenidae) Synonym(s): *butea* Warncke,1966; *ketupa* Warncke,1975 Range (in code): TR IL Pa 25
- 84) **Andrena (Graecandrena) hyemala** Warncke,1973 (Andrenidae) Synonym(s): *hyemala* Warncke,1973; *repressa* Warncke,1975 Range (in code): GR Ae Le Rd Cr IL Pa EG Sn TR 25 25E
- 85) **Andrena (Graecandrena) impunctata** Pérez,1895 (Andrenidae) Synonym(s): *impunctata* Pérez,1895; *contusa* Warncke,1967 Range (in code): SS GR Cr TR IL Pa EG Sn
- 86) **Andrena (Graecandrena) schwarzi** Warncke,1975 (Andrenidae) Synonym(s): *schwarzi* Warncke,1975 Range (in code): TR
- 87) **Andrena (Graecandrena) volka** Warncke,1969 (Andrenidae) Synonym(s): *volka* Warncke,1969 Range (in code): TR IL Pa
- 88) **Andrena (Holandrena) decipiens** Schenck,1859 (Andrenidae) Synonym(s): *decipiens* Schenck,1859 Range (in code): GR TR 25 49
- 89) **Andrena (Holandrena) forsterella** Osytshnjuk,1978 (Andrenidae) Synonym(s): *forsterella* Osytshnjuk,1978 Range (in code): GR CY TR LB IL Pa 25 49 62 25C 25F 25K
- 90) **Andrena (Holandrena) labialis** (Kirby,1802) (Andrenidae) Synonym(s): *labialis* Kirby,1802; *megala* Warncke,1975 Range (in code): TR SS GR Ae Le Cr SY IR 23 25 36 49 62 69 76 25C 25D 25E 25F 25I 25K 25R 76B
- 91) **Andrena (Holandrena) variabilis** Smith,1853 (Andrenidae) Synonym(s): *variabilis* Smith,1853 Range (in code): PT ES FR IT Co Sa Si AT CZ SK PL RU UA RO HU SS HV YU AL GR Ae Le Cr CY TR LB IL Pa 25 72 76 25F 72B 76D
- 92) **Andrena (Holandrena) wilhelmi** Schuberth,1995 (Andrenidae) Synonym(s): *wilhelmi* Schuberth,1995 Range (in code): GR Ae Le Sms CY TR IL Pa
- 93) **Andrena (Hoplendrena) clusia** Warncke,1966 (Andrenidae) Synonym(s): *clusia* Warncke,1966 Range (in code): GR TR 25 36 25E 36F 36Fb
- 94) **Andrena (Hoplendrena) ferox** Smith,1847 (Andrenidae) Synonym(s): *ferox* Smith,1847 Range (in code): SS TR
- 95) **Andrena (Hoplendrena) labergeiella** Gusenleitner,1998 (Andrenidae) Synonym(s): *labergeiella* Gusenleitner,1998 Range (in code): TR
- 96) **Andrena (Hoplendrena) najadana** Warncke,1975 (Andrenidae) Synonym(s): *najadana* Warncke,1975 Range (in code): TR

- 97) Andrena (Hoplendrena) rosae Panzer,1801** (Andrenidae) Synonym(s): *rosae* Panzer,1801 _ Range (in code): SS GR Cr TR 25 25E
- 98) Andrena (Hoplendrena) schonitzeri Gusenleitner,1998** (Andrenidae) Synonym(s): *schonitzeri* Gusenleitner,1998 _ Range (in code): TR
- 99) Andrena (Hoplendrena) schuberthi Gusenleitner,1998** (Andrenidae) Synonym(s): *schuberthi* Gusenleitner,1998 _ Range (in code): TR
- 100) Andrena (Hoplendrena) trimmerana (Kirby,1802)** (Andrenidae) Synonym(s): *trimmerana* Kirby,1802 _ Range (in code): GR Ae Le Cr TR 25 25K 25R
- 101) Andrena (Hyperandrena) bicolorata (Rossi,1790)** (Andrenidae) Synonym(s): *bicolorata* Rossi,1790 _ Range (in code): TR LY Cr GR
- 102) Andrena (Larandrena) larisana Warncke,1965** (Andrenidae) Synonym(s): *larisana* Warncke,1965; *medioxima* Warncke,1975; *sculpturata* Warncke,1975 _ Range (in code): GR Ae Le Rd TR
- 103) Andrena (Larandrena) sericata Imhoff,1868** (Andrenidae) Synonym(s): *sericata* Imhoff,1868 _ Range (in code): GR TR 09
- 104) Andrena (Larandrena) ventralis Imhoff,1832** (Andrenidae) Synonym(s): *ventralis* Imhoff,1832 _ Range (in code): TR SS GR
- 105) Andrena (Leimelissa) ispida Warncke,1966** (Andrenidae) Synonym(s): *ispida* Warncke,1966 _ Range (in code): TR 25 25C 25F 25K
- 106) Andrena (Lepiandrena) tinaria Gusenleitner,1998** (Andrenidae) Synonym(s): *tinaria* Gusenleitner,1998 _ Range (in code): TR
- 107) Andrena (Lepiandrena) caprimulga Warncke,1975** (Andrenidae) Synonym(s): *caprimulga* Warncke,1975 _ Range (in code): TR 25 25E
- 108) Andrena (Lepiandrena) curvungula Thomson,1870** (Andrenidae) Synonym(s): *curvungula* Thomson,1870 _ Range (in code): GR Rd TR 25 25F
- 109) Andrena (Lepiandrena) dorsalis Brullé,1832** (Andrenidae) Synonym(s): *dorsalis* Brullé,1832 _ Range (in code): SS GR TR ET
- 110) Andrena (Lepiandrena) elisaria Gusenleitner,1998** (Andrenidae) Synonym(s): *elisaria* Gusenleitner,1998 _ Range (in code): TR
- 111) Andrena (Lepiandrena) florivaga Eversmann,1852** (Andrenidae) Synonym(s): *florivaga* Eversmann,1852 _ Range (in code): SS TR 25 49 25C 25F 25K
- 112) Andrena (Lepiandrena) mocsaryi Schmiedeknecht,1884** (Andrenidae) Synonym(s): *mocsaryi* Schmiedeknecht,1884 _ Range (in code): GR TR
- 113) Andrena (Lepiandrena) pandellei Pérez,1895** (Andrenidae) Synonym(s): *pandellei* Pérez,1895; *europaea* Warncke,1967 _ Range (in code): SS GR TR 25 25K
- 114) Andrena (Lepiandrena) paucisquama Noskiewicz,1924** (Andrenidae) Synonym(s): *paucisquama* Noskiewicz,1924; *curonica* Warncke,1974 _ Range (in code): SS GR Ae Le Sms TR
- 115) Andrena (Lepiandrena) statusa Gusenleitner,1998** (Andrenidae) Synonym(s): *statusa* Gusenleitner,1998 _ Range (in code): TR IL Pa
- 116) Andrena (Leucandrena) argentata Smith,1844** (Andrenidae) Synonym(s): *argentata* Smith,1844 _ Range (in code): GR TR ET
- 117) Andrena (Leucandrena) barbilabris (Kirby,1802)** (Andrenidae) Synonym(s): *barbilabris* Kirby,1802 _ Range (in code): NL DE SS GR TR
- 118) Andrena (Leucandrena) christinae Dubitzky,2006** (Andrenidae) Synonym(s): *christinae* Dubitzky,2006 _ Original reference: Andrena (Pallandrena) christinae Dubitzky,2006, Zootaxa 1284; Range (in code): TR IR
- 119) Andrena (Leucandrena) mistrensis Grünwaldt,2005** (Andrenidae) Synonym(s): *mistrensis* Grünwaldt,2005 _ Range (in code): GR Ae Le TR
- 120) Andrena (Leucandrena) parviceps Kriechbaumer,1873** (Andrenidae) Synonym(s): *parviceps* Kriechbaumer,1873 _ Range (in code): GR TR 25 49 25K
- 121) Andrena (Margandrena) hyacinthina Mavromoustakis,1958** (Andrenidae) Synonym(s): *hyacinthina* Mavromoustakis,1958 _ Range (in code): CY TR LB SY IL Pa
- 122) Andrena (Margandrena) marginata Fabricius,1776** (Andrenidae) Synonym(s): *marginata* Fabricius,1776 _ Range (in code): SS GR TR
- 123) Andrena (Melanapis) atrocoerulea Giraud,1863** (Andrenidae) Synonym(s): *atrocoerulea* Giraud,1863 _ Range (in code): TR

- 124) Andrena (Melanapis) fuscata Erichson,1835** (Andrenidae) Synonym(s): *fuscata* Erichson,1835; *rutula* Spinola,1838; *xanthocelis* Brullé,1839; *dorsalis* Lepeletier,1841; *lepeletieri* Lucas,1849; *ruficornis* Smith,1853; *atrocoerulea* Giraud,1863; *dagestanica* Radoszkowski,1867; *turcestanica* Morawitz,1876; *dilecta* Mocsary,1879; *aschabadensis* Radoszkowski,1893; *jucunda* Pérez,1895; *cleopatra* Friese,1899; *violaceipennis* Cameron,1902; *rufifrons* Nurse,1904; *cyprica* Cockerell,1910; *flavipennis* Friese,1914; *pallipes* Friese,1914; *rufocincta* Friese,1914; *rubriventris* Friese,1922; *dorsatula* Viereck,1918; *ankarae* Alfken,1935; *mauritanica* Patiny,1997; *canariensis* Patiny,1997 Range (in code): **DZ HU CH TR GR Cr EG CY PK BI Qu Cn Cc UZ KG IN Ch MR 06 25 25E 25F**
- 125) Andrena (Melanapis) rutula Spinola,1838** (Andrenidae) Synonym(s): *rutula* Spinola,1838 Range (in code): **TR**
- 126) Andrena (Melandrena) albopunctata (Rossi,1792)** (Andrenidae) Synonym(s): *albopunctata* Rossi,1792; *funebria* Panzer,1798 Range (in code): **GR EG Sn IL Pa SY TR Cr CY 25 25E**
- 127) Andrena (Melandrena) assimilis Radoszkowski,1876** (Andrenidae) Synonym(s): *assimilis* Radoszkowski,1876 Range (in code): **GR TR 25 25C 25K 25R**
- 128) Andrena (Melandrena) atrotegularis Hedicke,1923** (Andrenidae) Synonym(s): *atrotegularis* Hedicke,1923 Range (in code): **GR SY TR**
- 129) Andrena (Melandrena) cineraria (Linnaeus,1758)** (Andrenidae) Synonym(s): *cineraria* Linnaeus,1758 Range (in code): **GB FI IE ES TR CN 25 65 25K 25R 65F 65Fw 65Fz**
- 130) Andrena (Melandrena) cussariensis Morawitz,1886** (Andrenidae) Synonym(s): *cussariensis* Morawitz,1886 Range (in code): **TR 24 25**
- 131) Andrena (Melandrena) danuvia Stoeckert,1950** (Andrenidae) Synonym(s): *danuvia* Stoeckert,1950 Range (in code): **TR**
- 132) Andrena (Melandrena) dubiosa Kohl,1905** (Andrenidae) Synonym(s): *dubiosa* Kohl,1905 Range (in code): **GR SY TR**
- 133) Andrena (Melandrena) elmaria Gusenleitner,1998** (Andrenidae) Synonym(s): *elmaria* Gusenleitner,1998 Range (in code): **TR CY SY LB IL Pa JO**
- 134) Andrena (Melandrena) grandilabris Pérez,1903** (Andrenidae) Synonym(s): *grandilabris* Pérez,1903 Range (in code): **TR CY LB IL Pa**
- 135) Andrena (Melandrena) induta Morawitz,1895** (Andrenidae) Synonym(s): *induta* Morawitz,1895 Range (in code): **TR 25 25K**
- 136) Andrena (Melandrena) limata Smith,1853** (Andrenidae) Synonym(s): *limata* Smith,1853 Range (in code): **SS GR Ae Le Cr Rd CY IL Pa TR 25 25K 25R**
- 137) Andrena (Melandrena) magna Warncke,1965** (Andrenidae) Synonym(s): *magna* Warncke,1965 Range (in code): **GR TR**
- 138) Andrena (Melandrena) morio Brullé,1832** (Andrenidae) Synonym(s): *morio* Brullé,1832 Range (in code): **SS GR Ae Le Rd Cr CY SY TR LB EG Sn LY 25 25K 25R**
- 139) Andrena (Melandrena) nigroaenea (Kirby,1802)** (Andrenidae) Synonym(s): *nigroaenea* Kirby,1802; *candiae* Strand,1915; *aemula* Alfken,1926 Range (in code): **SS GR Cr Rd TR CY LB IL Pa EG LY 25 25K**
- 140) Andrena (Melandrena) nitida (Müller,1776)** (Andrenidae) Synonym(s): *nitida* Müller,1776 Range (in code): **SS GR CY Cr LB TR 25 25F 25K 25T**
- 141) Andrena (Melandrena) nitidemula Scheuchl & Hazır,2012** (Andrenidae) Synonym(s): *nitidemula* Scheuchl & Hazır,2012 Range (in code): **TR GR Sms 06 15 30 33 36 58 73 06R 30B 30Be 30D 30Df 33O 36F 36Fd 58L 73C 73Cd**
- 142) Andrena (Melandrena) pyropygia Kriechbaumer,1873** (Andrenidae) Synonym(s): *pyropygia* Kriechbaumer,1873 Range (in code): **GR Rd CY TR SY LB IL Pa 25 25K**
- 143) Andrena (Melandrena) thoracica (Fabricius,1775)** (Andrenidae) Synonym(s): *thoracica* Fabricius,1775 Range (in code): **GB IT FR PT ES BE NL NO SE FI DK DE EE LT BY RU UA MD RO PL CZ SK CH AT Co Sa Si HU SS HV B-H YU AL MK BG GR Rd TR CY 09 25 65 25K 65N 65Nc**
- 144) Andrena (Melandrena) vaga Panzer,1799** (Andrenidae) Synonym(s): *vaga* Panzer,1799 Range (in code): **SS GR TR**
- 145) Andrena (Melittoides) coromanda Warncke,1975** (Andrenidae) Synonym(s): *coromanda* Warncke,1975 Range (in code): **TR**
- 146) Andrena (Melittoides) curiosa (Morawitz,1878)** (Andrenidae) Synonym(s): *curiosa* Morawitz,1878 Range (in code): **GR TR 25 25A 25C 25E 25F 25R**
- 147) Andrena (Melittoides) melittoides Friese,1899** (Andrenidae) Synonym(s): *melittoides* Friese,1899 Range (in code): **TR IL Pa JO**
- 148) Andrena (Melittoides) ramlehiana Pérez,1903** (Andrenidae) Synonym(s): *ramlehiana* Pérez,1903 Range (in code): **TR IL Pa**

- 149) Andrena (Mellitoides) innesi Gribodo,1894** (Andrenidae) Synonym(s): *innesi* Gribodo,1894 - Range (in code): TR IL Pa EG LY
- 150) Andrena (Micrandrena) alfkenella Perkins,1914** (Andrenidae) Synonym(s): *alfkenella* Perkins,1914; *caneibia* Strand,1915 - Range (in code): GR TR 25
- 151) Andrena (Micrandrena) alfkenelloides Warncke,1965** (Andrenidae) Synonym(s): *alfkenelloides* Warncke,1965 - Range (in code): TR GR IL Pa JO Cr CY 62
- 152) Andrena (Micrandrena) biarmica Warncke,1975** (Andrenidae) Synonym(s): *biarmica* Warncke,1975 - Range (in code): GR TR
- 153) Andrena (Micrandrena) calandra Warncke,1975** (Andrenidae) Synonym(s): *calandra* Warncke,1975 - Range (in code): TR
- 154) Andrena (Micrandrena) crypta Warncke,1975** (Andrenidae) Synonym(s): *crypta* Warncke,1975 - Range (in code): TR 25 25F
- 155) Andrena (Micrandrena) enslinella Stöckhert,1924** (Andrenidae) Synonym(s): *enslinella* Stöckhert,1924 - Range (in code): GR TR
- 156) Andrena (Micrandrena) floricola Eversmann,1852** (Andrenidae) Synonym(s): *floricola* Eversmann,1852 - Range (in code): GR TR 25 75 25R
- 157) Andrena (Micrandrena) garzetta Warncke,1975** (Andrenidae) Synonym(s): *garzetta* Warncke,1975 - Range (in code): TR
- 158) Andrena (Micrandrena) incognita Warncke,1975** (Andrenidae) Synonym(s): *incognita* Warncke,1975 - Range (in code): TR 49
- 159) Andrena (Micrandrena) lusciniaria Warncke,1975** (Andrenidae) Synonym(s): *lusciniaria* Warncke,1975 - Range (in code): TR 24 62
- 160) Andrena (Micrandrena) magunta Warncke,1965** (Andrenidae) Synonym(s): *magunta* Warncke,1965 - Range (in code): GE Ae Le TR 25 25E 25F
- 161) Andrena (Micrandrena) minutula (Kirby,1802)** (Andrenidae) Synonym(s): *minutula* Kirby,1802; *parvula* Kirby,1802; *nigrifrons* Smith,1853 nec. Ev.,1852; *gilvifrons* Pérez,1903; *lenis* Pérez,1903; *dargia* Warncke,1965; *alga* Warncke,1974; *#minutula* Özbek,1976 - Range (in code): DZ FR GB TR SS GR Ae Le Cr CY PK Bl 25 49 25K
- 162) Andrena (Micrandrena) minutuloides Perkins,1914** (Andrenidae) Synonym(s): *minutuloides* Perkins,1914 - Range (in code): GR TR 25 25F
- 163) Andrena (Micrandrena) niveata Friese,1887** (Andrenidae) Synonym(s): *niveata* Friese,1887; *bubulca* Warncke,1975 - Range (in code): TR 25 49
- 164) Andrena (Micrandrena) oedicephala Warncke,1975** (Andrenidae) Synonym(s): *oedicephala* Warncke,1975 - Range (in code): GR TR
- 165) Andrena (Micrandrena) oenaria Warncke,1975** (Andrenidae) Synonym(s): *oenaria* Warncke,1975 - Range (in code): TR 25 25E
- 166) Andrena (Micrandrena) paganettina Warncke,1965** (Andrenidae) Synonym(s): *paganettina* Warncke,1965 - Range (in code): GR Ae Le Cr TR 62
- 167) Andrena (Micrandrena) proxima (Kirby,1802)** (Andrenidae) Synonym(s): *proxima* Kirby,1802 - Range (in code): SS TR 25 25E 25F 25K
- 168) Andrena (Micrandrena) puffina Warncke,1975** (Andrenidae) Synonym(s): *puffina* Warncke,1975 - Range (in code): TR
- 169) Andrena (Micrandrena) rugothorace Warncke,1965** (Andrenidae) Synonym(s): *rugothorace* Warncke,1965 - Range (in code): GR Ae Le Cr TR IL Pa 25 25C 25F 25R
- 170) Andrena (Micrandrena) rugulosa Stöckhert,1935** (Andrenidae) Synonym(s): *rugulosa* Stöckhert,1935 - Range (in code): SS GR Ae Le TR 25
- 171) Andrena (Micrandrena) saxonica Stöckhert,1935** (Andrenidae) Synonym(s): *saxonica* Stöckhert,1935 - Range (in code): SS GR TR
- 172) Andrena (Micrandrena) scirpacea Warncke,1975** (Andrenidae) Synonym(s): *scirpacea* Warncke,1975 - Range (in code): TR SY IL Pa LB
- 173) Andrena (Micrandrena) sedentaria Warncke,1975** (Andrenidae) Synonym(s): *sedentaria* Warncke,1975; *#sedentaria* Özbek,1976 - Range (in code): TR 24 24G
- 174) Andrena (Micrandrena) sillata Warncke,1975** (Andrenidae) Synonym(s): *sillata* Warncke,1975; *histrionica* Warncke,1975 - Range (in code): TR
- 175) Andrena (Micrandrena) simontornyi Noskiewicz,1939** (Andrenidae) Synonym(s): *simontornyi* Noskiewicz,1939 - Range (in code): GR TR LB IL Pa

- 176) Andrena (Micrandrena) stoeckhertella Pittioni, 1948** (Andrenidae) Synonym(s): *stoeckhertella* Pittioni, 1948 _ Range (in code): **TR**
- 177) Andrena (Micrandrena) stolida Warncke, 1975** (Andrenidae) Synonym(s): *stolida* Warncke, 1975 _ Range (in code): **TR**
- 178) Andrena (Micrandrena) strepera Warncke, 1975** (Andrenidae) Synonym(s): *strepera* Warncke, 1975 _ Range (in code): **TR 25 75**
- 179) Andrena (Micrandrena) taprobana Warncke, 1975** (Andrenidae) Synonym(s): *taprobana* Warncke, 1975 _ Range (in code): **GR TR 25**
- 180) Andrena (Micrandrena) tkalcui Gusenleitner & Schwarz, 2002** (Andrenidae) Synonym(s): *tkalcui* Gusenleitner & Schwarz, 2002 _ Range (in code): **TR IL Pa**
- 181) Andrena (Micrandrena) tringa Warncke, 1973** (Andrenidae) Synonym(s): *tringa* Warncke, 1973 _ Range (in code): **GR TR 25 75 25K 25R**
- 182) Andrena (Micrandrena) virgata Warncke, 1975** (Andrenidae) Synonym(s): *virgata* Warncke, 1975 _ Range (in code): **GE Ae Le TR 04 25 04C 25E**
- 183) Andrena (Micrandrena) warnckei Gusenleitner & Schwarz, 2000** (Andrenidae) Synonym(s): *warnckei* Gusenleitner & Schwarz, 2000 _ Range (in code): **TR**
- 184) Andrena (Nobandrena) anatolica Alfken, 1935** (Andrenidae) Synonym(s): *anatolica* Alfken, 1935 _ Range (in code): **RO GR TR SY LB 25 25E**
- 185) Andrena (Nobandrena) asiatica Friese, 1921** (Andrenidae) Synonym(s): *asiatica* Friese, 1921 _ Range (in code): **GR TR SY LB 25 25E**
- 186) Andrena (Nobandrena) athenensis Warncke, 1965** (Andrenidae) Synonym(s): *athenensis* Warncke, 1965 _ Range (in code): **GR TR 25 25E**
- 187) Andrena (Nobandrena) comptaeformis Gusenleitner & Schwarz, 2000** (Andrenidae) Synonym(s): *comptaeformis* Gusenleitner & Schwarz, 2000 _ Original reference: Andrena (Nobandrena) *comptaeformis* Gusenleitner & Schwarz, 2000, Entomofauna 21: 106-110, figs. Holotype ♀: Türkiye, Van, Erçek 10 6 1977 leg. K. Warncke (Landesmuseum Linz). Range (in code): **TR IR Ak 65**
- 188) Andrena (Nobandrena) flavobila Warncke, 1975** (Andrenidae) Synonym(s): *flavobila* Warncke, 1975 _ Range (in code): **GR TR**
- 189) Andrena (Nobandrena) fratercula Warncke, 1975** (Andrenidae) Synonym(s): *fratercula* Warncke, 1975 _ Range (in code): **TR 25 25E**
- 190) Andrena (Nobandrena) iliaca Warncke, 1969** (Andrenidae) Synonym(s): *iliaca* Warncke, 1969 _ Range (in code): **TR LB JO IL Pa**
- 191) Andrena (Nobandrena) nobilis Morawitz, 1873** (Andrenidae) Synonym(s): *nobilis* Morawitz, 1873 _ Range (in code): **GR Ae Le Cr TR 25 25C 25E 25F 25K 25R**
- 192) Andrena (Nobandrena) probata Warncke, 1972** (Andrenidae) Synonym(s): *probata* Warncke, 1972 _ Range (in code): **GR TR 25**
- 193) Andrena (Notandrena) chrysocetes (Kirby, 1802)** (Andrenidae) Synonym(s): *chrysocetes* Kirby, 1802 _ Range (in code): **TR**
- 194) Andrena (Notandrena) erythrocnemis Morawitz, 1870** (Andrenidae) Synonym(s): *erythrocnemis* Morawitz, 1870 _ Range (in code): **GR LB TR**
- 195) Andrena (Notandrena) langadensis Warncke, 1965** (Andrenidae) Synonym(s): *langadensis* Warncke, 1965; *clanga* Warncke, 1965 _ Range (in code): **GR Ae Le Cr TR IL Pa EG**
- 196) Andrena (Notandrena) nitidiuscula Schenck, 1853** (Andrenidae) Synonym(s): *nitidiuscula* Schenck, 1853; *nigellata* Pérez, 1895 _ Range (in code): **GR TR LB IL Pa EG 25 49 25K**
- 197) Andrena (Notandrena) optata Warncke, 1975** (Andrenidae) Synonym(s): *optata* Warncke, 1975 _ Range (in code): **GR Cr CY TR LB IL Pa**
- 198) Andrena (Notandrena) pontica Warncke, 1972** (Andrenidae) Synonym(s): *pontica* Warncke, 1972 _ Range (in code): **SS TR 25**
- 199) Andrena (Notandrena) recurvirostra Warncke, 1975** (Andrenidae) Synonym(s): *recurvirostra* Warncke, 1975 _ Range (in code): **TR 25 49 25K**
- 200) Andrena (Notandrena) selcuki Scheuchl & Hazır, 2008** (Andrenidae) Synonym(s): *selcuki* Scheuchl & Hazır, 2008 _ Original reference: Andrena (Notandrena) *selcuki* Scheuchl & Hazır, 2008, Zootaxa 1763: 63-66, figs. Holotype ♂: Turkey: Konya Prov., Kulu, near Tuzgözü, leg. E. Scheuchl (ZSM). Range (in code): **TR 42 42Q**
- 201) Andrena (Notandrena) stellaris Warncke, 1966** (Andrenidae) Synonym(s): *stellaris* Warncke, 1966 _ Range (in code): **GR Ae Le TR**

- 202) Andrena (Notandrena) ungeri Mavromoustakis,1952** (Andrenidae) **Synonym(s):** *ungeri Mavromoustakis,1952* _ Range (in code): GR Ae Le CY TR SY IL Pa
- 203) Andrena (Notandrena) urdula Warncke,1965** (Andrenidae) **Synonym(s):** *urdula Warncke,1965* _ Range (in code): GR CY TR LB IL Pa
- 204) Andrena (Opandrena) schencki Morawitz,1866** (Andrenidae) **Synonym(s):** *schencki Morawitz,1866* _ Range (in code): SS GR Ae Le SY LB TR IL Pa IR 25 25C 25D 25E 25K 25M
- 205) Andrena (Orandrena) acrana Warncke,1967** (Andrenidae) **Synonym(s):** *acrana Warncke,1967* _ Range (in code): TR 25
- 206) Andrena (Orandrena) gallinula Warncke,1975** (Andrenidae) **Synonym(s):** *gallinula Warncke,1975* _ Range (in code): TR 25 25E
- 207) Andrena (Orandrena) garrula Warncke,1965** (Andrenidae) **Synonym(s):** *garrula Warncke,1965; lomvia Warncke,1969* _ Range (in code): TR GR IL Pa JO 25 49 25K
- 208) Andrena (Orandrena) gunaca Warncke,1975** (Andrenidae) **Synonym(s):** *gunaca Warncke,1975* _ Range (in code): TR
- 209) Andrena (Orandrena) monilia Warncke,1967** (Andrenidae) **Synonym(s):** *monilia Warncke,1967* _ Range (in code): TR IL Pa JO
- 210) Andrena (Orandrena) oralis Morawitz,1876** (Andrenidae) **Synonym(s):** *oralis Morawitz,1876* _ Range (in code): GR TR
- 211) Andrena (Orandrena) platalea Warncke,1975** (Andrenidae) **Synonym(s):** *platalea Warncke,1975* _ Range (in code): TR 25
- 212) Andrena (Oreomelissa) coitana (Kirby,1802)** (Andrenidae) **Synonym(s):** *coitana Kirby,1802; xema Warncke,1975* _ Range (in code): SS TR 25 69 25F 69B
- 213) Andrena (Pallandrena) braunsiana Friese,1887** (Andrenidae) **Synonym(s):** *braunsiana Friese,1887; detorta Warncke,1975* _ Range (in code): TR
- 214) Andrena (Pallandrena) korbella Grünwaldt,2005** (Andrenidae) **Synonym(s):** *korbella Grünwaldt,2005* _ Range (in code): TR
- 215) Andrena (Pallandrena) pallidicincta Brullé,1832** (Andrenidae) **Synonym(s):** *pallidicincta Brullé,1832* _ Range (in code): GR Cr TR IL Pa
- 216) Andrena (Parandrenella) bicarinata Morawitz,1876** (Andrenidae) **Synonym(s):** *bicarinata Morawitz,1876* _ Range (in code): TR
- 217) Andrena (Parandrenella) crispa Warncke,1975** (Andrenidae) **Synonym(s):** *crispa Warncke,1975* _ Range (in code): TR 25 25E
- 218) Andrena (Parandrenella) dentiventris Morawitz,1874** (Andrenidae) **Synonym(s):** *dentiventris Morawitz,1874* _ Range (in code): TR 25 49
- 219) Andrena (Parandrenella) figurata Morawitz,1866** (Andrenidae) **Synonym(s):** *figurata Morawitz,1866* _ Range (in code): CY TR 25 25E
- 220) Andrena (Parandrenella) nisoria Warncke,1969** (Andrenidae) **Synonym(s):** *nisoria Warncke,1969* _ Range (in code): TR CY LB IL Pa
- 221) Andrena (Pecilandrena) kilikiae Warncke,1969** (Andrenidae) **Synonym(s):** *kilikiae Warncke,1969* _ Range (in code): TR LB IL Pa 33
- 222) Andrena (Plastandrena) apiformis Kriechbaumer,1873** (Andrenidae) **Synonym(s):** *apiformis Kriechbaumer,1873* _ Range (in code): GR TR 07 25 38 25K
- 223) Andrena (Plastandrena) bimaculata (Kirby,1802)** (Andrenidae) **Synonym(s):** *bimaculata Kirby,1802* _ Range (in code): SS GR CY TR IL Pa 09 24 25 49
- 224) Andrena (Plastandrena) carbonaria (Linnaeus,1767)** (Andrenidae) **Synonym(s):** *carbonaria Linnaeus,1767* _ Range (in code): TR 12 23 25 29 49 62 25A 25D 25E 25F 25K 25L 25R 25O
- 225) Andrena (Plastandrena) eversmanni Radoszkowski,1867** (Andrenidae) **Synonym(s):** *eversmanni Radoszkowski,1867* _ Range (in code): TR
- 226) Andrena (Plastandrena) mongolica Morawitz,1880** (Andrenidae) **Synonym(s):** *mongolica Morawitz,1880* _ Range (in code): MN IR TR 38
- 227) Andrena (Plastandrena) pilipes Fabricius,1781** (Andrenidae) **Synonym(s):** *pilipes Fabricius,1781; dolorosa Nurse,1904* _ Range (in code): HU GR Ae Le Rd Cr TR JO IL Pa LY PK 65 76 65N 65Nç 76B 76Bf 76Bh
- 228) Andrena (Plastandrena) tibialis (Kirby,1802)** (Andrenidae) **Synonym(s):** *tibialis Kirby,1802; vindobonensis Stoeckhert,1950; porzana Warncke,1975; concreta Warncke,1975* _ Range (in code): GR TR 05 07 25 38 49 75 25K

- 229) Andrena (Poecilandrena) bytinskii Warncke,1969** (Andrenidae) Synonym(s): *bytinskii* Warncke,1969 _ Range (in code): IL Pa TR
- 230) Andrena (Poecilandrena) ciconia Warncke,1975** (Andrenidae) Synonym(s): *ciconia* Warncke,1975 _ Range (in code): TR
- 231) Andrena (Poecilandrena) crassana Warncke,1965** (Andrenidae) Synonym(s): *crassana* Warncke,1965; *inka* Warncke,1969 _ Range (in code): GR SY IL Pa TR
- 232) Andrena (Poecilandrena) efeana Scheuchl & Hazır,2012** (Andrenidae) Synonym(s): *efeana* Scheuchl & Hazır,2012 _ Range (in code): TR 09
- 233) Andrena (Poecilandrena) hybrida Warncke,1975** (Andrenidae) Synonym(s): *hybrida* Warncke,1975; *tauriensis* Waencke,1975 _ Range (in code): TR 25 49
- 234) Andrena (Poecilandrena) labiata Fabricius,1781** (Andrenidae) Synonym(s): *labiata* Fabricius,1781 _ Range (in code): SS GR TR 25 76 76B
- 235) Andrena (Poecilandrena) laticeps Morawitz,1877** (Andrenidae) Synonym(s): *laticeps* Morawitz,1877 _ Range (in code): TR 24 24G
- 236) Andrena (Poecilandrena) paradisaea Warncke,1975** (Andrenidae) Synonym(s): *paradisaea* Warncke,1975 _ Range (in code): TR
- 237) Andrena (Poecilandrena) regina Friese,1921** (Andrenidae) Synonym(s): *regina* Friese,1921 _ Range (in code): TR
- 238) Andrena (Poecilandrena) rusticola Warncke,1975** (Andrenidae) Synonym(s): *rusticola* Warncke,1975 _ Range (in code): TR
- 239) Andrena (Poecilandrena) saturata Warncke,1975** (Andrenidae) Synonym(s): *saturata* Warncke,1975 _ Range (in code): TR
- 240) Andrena (Poecilandrena) seminuda Friese,1896** (Andrenidae) Synonym(s): *seminuda* Friese,1896 _ Range (in code): SS GR Ae Le TR
- 241) Andrena (Poecilandrena) semirubra Morawitz,1876** (Andrenidae) Synonym(s): *semirubra* Morawitz,1876 _ Range (in code): TR IL Pa 24 25 24G 25F 25R
- 242) Andrena (Poecilandrena) viridescens Viereck,1916** (Andrenidae) Synonym(s): *viridescens* Viereck,1916 _ Range (in code): SS GR TR
- 243) Andrena (Poliandrena) caspica Morawitz,1886** (Andrenidae) Synonym(s): *caspica* Morawitz,1886; *unicincta* Friese,1899 _ Range (in code): GR TR SY LB IL Pa
- 244) Andrena (Poliandrena) castanea Warncke,1975** (Andrenidae) Synonym(s): *castanea* Warncke,1975 _ Range (in code): TR
- 245) Andrena (Poliandrena) florea Fabricius,1793** (Andrenidae) Synonym(s): *florea* Fabricius,1793 _ Range (in code): SS GR Cr TR 25 25E
- 246) Andrena (Poliandrena) hibernica Warncke,1975** (Andrenidae) Synonym(s): *hibernica* Warncke,1975; *caucasica* Warncke,1975 _ Range (in code): TR
- 247) Andrena (Poliandrena) limbata Eversmann,1852** (Andrenidae) Synonym(s): *limbata* Eversmann,1852; *squamea* Giraud,1863; *dusmeti* Warncke,1967 _ Range (in code): GR Ae Le Rd TR 25 25E
- 248) Andrena (Poliandrena) melanota Warncke,1975** (Andrenidae) Synonym(s): *melanota* Warncke,1975 _ Range (in code): TR 25
- 249) Andrena (Poliandrena) mollissima Warncke,1975** (Andrenidae) Synonym(s): *mollissima* Warncke,1975 _ Range (in code): TR
- 250) Andrena (Poliandrena) ornata Morawitz,1866** (Andrenidae) Synonym(s): *ornata* Morawitz,1866 _ Range (in code): TR
- 251) Andrena (Poliandrena) polita Smith,1847** (Andrenidae) Synonym(s): *polita* Smith,1847 _ Range (in code): GR Ae Rd Le TR LB IL Pa EG LY 24 25 42 75 24G 25C 25K
- 252) Andrena (Poliandrena) pyrozonata Friese,1921** (Andrenidae) Synonym(s): *pyrozonata* Friese,1921 _ Range (in code): TR CY
- 253) Andrena (Poliandrena) toelgiana Friese,1921** (Andrenidae) Synonym(s): *toelgiana* Friese,1921 _ Range (in code): GR Ae Le TR SY LB IL Pa
- 254) Andrena (Ptilandrena) glidia Warncke,1965** (Andrenidae) Synonym(s): *glidia* Warncke,1965 _ Range (in code): GR Cr CY TR
- 255) Andrena (Ptilandrena) vetula Lepeletier,1841** (Andrenidae) Synonym(s): *vetula* Lepeletier,1841 _ Range (in code): GR CY SY TR LB IL Pa EG LY 25 25K 25I 25R
- 256) Andrena (s.str.) bulgariensis Warncke,1965** (Andrenidae) Synonym(s): *bulgariensis* Warncke,1965 _ Range (in code): TR 36

- 257) Andrena (s.str.) fucata Smith,1847** (Andrenidae) Synonym(s): *fucata* Smith,1847
Range (in code): SS GR TR
- 258) Andrena (s.str.) helvola (Linnaeus,1758)** (Andrenidae) Synonym(s): *helvola* Linnaeus,1758
Range (in code): SS DE TR 06
- 259) Andrena (s.str.) inconstans Morawitz,1877** (Andrenidae) Synonym(s): *inconstans* Morawitz,1877
Range (in code): TR
- 260) Andrena (s.str.) praecox (Scopoli,1763)** (Andrenidae) Synonym(s): *praecox* Scopoli,1763
Range (in code): SS TR
- 261) Andrena (s.str.) synadelpha Perkins,1914** (Andrenidae) Synonym(s): *synadelpha* Perkins,1914
Range (in code): TR
- 262) Andrena (s.str.) varians (Kirby,1802)** (Andrenidae) Synonym(s): *variens* Kirby,1802
Range (in code): SS TR
- 263) Andrena (s.tr.) mitis Schmiedeknecht,1883** (Andrenidae) Synonym(s): *mitis* Schmiedeknecht,1883
Range (in code): SS GR TR
- 264) Andrena (Scitandrena) scita Eversmann,1852** (Andrenidae) Synonym(s): *scita* Eversmann,1852
Range (in code): GR Ae Le Rd Cr TR IR 25 25C 25D 25E 25F 25K 25R
- 265) Andrena (Simandrena) cinnamonea Warncke,1975** (Andrenidae) Synonym(s): *cinnamonea* Warncke,1975
Range (in code): TR
- 266) Andrena (Simandrena) combinata (Christ,1791)** (Andrenidae) Synonym(s): *combinata* Christ,1791
Range (in code): GR Cr CY LB IL Pa TR 25 76 25E 25F 25K 76D
- 267) Andrena (Simandrena) congruens Schmiedeknecht,1883** (Andrenidae) Synonym(s): *congruens* Schmiedeknecht,1883
Range (in code): GR IL Pa TR 25 25F 25K 25R
- 268) Andrena (Simandrena) dorsata (Kirby,1802)** (Andrenidae) Synonym(s): *dorsata* Kirby,1802
Range (in code): SS GR TR LB IL Pa 12 24 25 36 49 25K 36D
- 269) Andrena (Simandrena) gasparella Patiny,1998** (Andrenidae) Synonym(s): *gasparella* Patiny,1998
Original reference: Andrena (Simandrena) gasparella Patiny,1998, Bembix 10: 34-36. Holotype: "Turquie, sud Aksehir, Konya; 2 viii 1991 2000m Halada" (ZSM). Range (in code): TR 42
- 270) Andrena (Simandrena) lepida Schenck,1861** (Andrenidae) Synonym(s): *lepida* Schenck,1861; *mecrana* Warncke,1975
Range (in code): GR Ae Le CY LB IL Pa TR 25 25M
- 271) Andrena (Simandrena) mehelyi Alfken,1936** (Andrenidae) Synonym(s): *mehelyi* Alfken,1936
Range (in code): TR
- 272) Andrena (Simandrena) melba Warncke,1966** (Andrenidae) Synonym(s): *melba* Warncke,1966
Range (in code): TR JO 04 25 36 25E 36F 36Fb
- 273) Andrena (Simandrena) nucleola Warncke,1972** (Andrenidae) Synonym(s): *nucleola* Warncke,1972
Range (in code): GR TR 25 25K 25R
- 274) Andrena (Simandrena) thomsoni Dücke,1898** (Andrenidae) Synonym(s): *thomsoni* Dücke,1898
Range (in code): SS GR Cr TR 25 25E 25R
- 275) Andrena (Simandrena) transitoria Morawitz,1872** (Andrenidae) Synonym(s): *transitoria* Morawitz,1872
Range (in code): GR CY SY LB IL Pa TR 25 36 25R 36D
- 276) Andrena (Simandrena) venerabilis Alfken,1935** (Andrenidae) Synonym(s): *venerabilis* Alfken,1935
Range (in code): TR LB IL Pa
- 277) Andrena (Suandrena) mirna Warncke,1969** (Andrenidae) Synonym(s): *mirna* Warncke,1969
Range (in code): TR
- 278) Andrena (Suandrena) sobrina Warncke,1975** (Andrenidae) Synonym(s): *sobrina* Warncke,1975
Range (in code): TR
- 279) Andrena (Taeniandrena) gelriae Van der Vecht,1927** (Andrenidae) Synonym(s): *gelriae* Van der Vecht,1927
Range (in code): TR 25 25C 25D 25E
- 280) Andrena (Taeniandrena) hova Warncke,1975** (Andrenidae) Synonym(s): *hova* Warncke,1975
Range (in code): TR 25 25E
- 281) Andrena (Taeniandrena) intermedia Thomson,1870** (Andrenidae) Synonym(s): *intermedia* Thomson,1870
Range (in code): GR TR
- 282) Andrena (Taeniandrena) lathyri Alfken,1899** (Andrenidae) Synonym(s): *lathyri* Alfken,1899
Range (in code): SS GR TR 25 25K 25R
- 283) Andrena (Taeniandrena) leucopsis Warncke,1967** (Andrenidae) Synonym(s): *leucopsis* Warncke,1967; *finschii* Warncke,1975
Range (in code): GR TR LB 25 76 25C 25K 25R 76D

- 284) Andrena (Taeniandrena) morinella Warncke,1975** (Andrenidae) Synonym(s): *morinella* Warncke,1975 _ Range (in code): **TR 33 70**
- 285) Andrena (Taeniandrena) ocreata (Christ,1791)** (Andrenidae) Synonym(s): *ocreata* Christ,1791 _ Range (in code): **TR 25**
- 286) Andrena (Taeniandrena) ovatula (Kirby,1802)** (Andrenidae) Synonym(s): *ovatula* Kirby,1802; *poupillieri* Dours,1872; *heliopis* Friese,1914 _ Range (in code): **SS GR Ae Le Cr CY TR IL Pa EG LY 23 25 49 62 69 25C 25D 25E 25F 25K 25M**
- 287) Andrena (Taeniandrena) phoenicura Warncke,1975** (Andrenidae) Synonym(s): *phoenicura* Warncke,1975 _ Range (in code): **TR 25 44 25K**
- 288) Andrena (Taeniandrena) producta Warncke,1973** (Andrenidae) Synonym(s): *producta* Warncke,1973 _ Range (in code): **SS TR**
- 289) Andrena (Taeniandrena) sexguttata Morawitz,1878** (Andrenidae) Synonym(s): *sexguttata* Morawitz,1878 _ Range (in code): **TR**
- 290) Andrena (Taeniandrena) similis Smith,1849** (Andrenidae) Synonym(s): *similis* Smith,1849 _ Range (in code): **SS GR Ae Le CY LB IL Pa TR**
- 291) Andrena (Taeniandrena) solitaria Warncke,1975** (Andrenidae) Synonym(s): *solitaria* Warncke,1975 _ Range (in code): **TR 25**
- 292) Andrena (Taeniandrena) wilkella (Kirby,1802)** (Andrenidae) Synonym(s): *wilkella* Kirby,1802 _ Range (in code): **TR SS GR CY 25 36 25K**
- 293) Andrena (Tarsandrena) tarsata Nylander,1848** (Andrenidae) Synonym(s): *tarsata* Nylander,1848 _ Range (in code): **SS GR TR**
- 294) Andrena (Thysandrena) hypopolia Schmiedeknecht,1883** (Andrenidae) Synonym(s): *hypopolia* Schmiedeknecht,1883; *albiscopa* Warncke,1967 _ Range (in code): **LY SS GR TR 25 25E**
- 295) Andrena (Thysandrena) lunata Warncke,1975** (Andrenidae) Synonym(s): *lunata* Warncke,1975 _ Range (in code): **TR 25 25C 25I**
- 296) Andrena (Thysandrena) ranuncolorum Morawitz,1878** (Andrenidae) Synonym(s): *ranuncolorum* Morawitz,1878 _ Range (in code): **TR 25 25A 25C 25E 25F 25K 25R**
- 297) Andrena (Trachandrena) haemorrhoea (Fabricius,1781)** (Andrenidae) Synonym(s): *haemorrhoea* Fabricius,1781 _ Range (in code): **SS GR Ae Le TR 25 25E**
- 298) Andrena (Truncandrena) noacki Alfken,1935** (Andrenidae) Synonym(s): *noacki* Alfken,1935 _ Range (in code): **TR**
- 299) Andrena (Troandrena) saettana Warncke,1975** (Andrenidae) Synonym(s): *saettana* Warncke,1975 _ Range (in code): **GR Rd Ae Sms TR CY**
- 300) Andrena (Troandrena) trodica Warncke,1975** (Andrenidae) Synonym(s): *trodica* Warncke,1975 _ Range (in code): **CY TR**
- 301) Andrena (Truncandrena) albopicta Radoszkowski,1874** (Andrenidae) Synonym(s): *albopicta* Radoszkowski,1874 _ Range (in code): **TR IQ IR 75**
- 302) Andrena (Truncandrena) bassana Warncke,1969** (Andrenidae) Synonym(s): *bassana* Warncke,1969; *etesiaca* Warncke,1975 _ Range (in code): **IL Pa LB TR**
- 303) Andrena (Truncandrena) canae Strand,1915** (Andrenidae) Synonym(s): *canae* Strand,1915 _ Range (in code): **GR Cr CY TR LB**
- 304) Andrena (Truncandrena) citrinella Warncke,1967** (Andrenidae) Synonym(s): *citrinella* Warncke,1967 _ Range (in code): **TR 25**
- 305) Andrena (Truncandrena) delphiensis Warncke,1965** (Andrenidae) Synonym(s): *delphiensis* Warncke,1965 _ Range (in code): **GR TR**
- 306) Andrena (Truncandrena) derbentina Morawitz,1886** (Andrenidae) Synonym(s): *derbentina* Morawitz,1886 _ Range (in code): **GR Cc TR IL Pa 25 25E**
- 307) Andrena (Truncandrena) fabalis Warncke,1966** (Andrenidae) Synonym(s): *fabalis* Warncke,1966 _ Range (in code): **TR**
- 308) Andrena (Truncandrena) fuligula Warncke,1966** (Andrenidae) Synonym(s): *fuligula* Warncke,1966 _ Range (in code): **TR JO IL Pa**
- 309) Andrena (Truncandrena) medeninensis Pérez,1895** (Andrenidae) Synonym(s): *medeninensis* Pérez,1895; *usura* Warncke,1967 _ Range (in code): **TR CY EG 44**
- 310) Andrena (Truncandrena) mizorhina Warncke,1975** (Andrenidae) Synonym(s): *mizorhina* Warncke,1975 _ Range (in code): **TR IL Pa**

- 311) Andrena (Truncandrena) oulskii Radoszkowski,1867** (Andrenidae) **Synonym(s):** *oulskii* Radoszkowski,1867 **Range (in code):** [TR 25 76 25E 25K 76B](#)
- 312) Andrena (Truncandrena) paramythensis Mavromoustakis,1957** (Andrenidae) **Synonym(s):** *paramythensis* Mavromoustakis,1957 **Range (in code):** [TR](#)
- 313) Andrena (Truncandrena) roseotincta Warncke,1975** (Andrenidae) **Synonym(s):** *roseotincta* Warncke,1975 **Range (in code):** [TR](#)
- 314) Andrena (Truncandrena) rufomaculata Friese,1921** (Andrenidae) **Synonym(s):** *rufomaculata* Friese,1921 **Range (in code):** [GR Ae Le Sms Cr CY TR LB IL Pa](#)
- 315) Andrena (Truncandrena) schmiedeknechti Magretti,1883** (Andrenidae) **Synonym(s):** *schmiedeknechti* Magretti,1883; *flavopilis* Warncke,1965 **Range (in code):** [GR Ae Le Cr TR 25 36 25E 36F](#)
- 316) Andrena (Truncandrena) seitzi Alfken,1935** (Andrenidae) **Synonym(s):** *seitzi* Alfken,1935 **Range (in code):** [TR IL Pa](#)
- 317) Andrena (Truncandrena) serraticornis Warncke,1965** (Andrenidae) **Synonym(s):** *serraticornis* Warncke,1965 **Range (in code):** [TR GR IL Pa 44](#)
- 318) Andrena (Truncandrena) truncatilabris Morawitz,1877** (Andrenidae) **Synonym(s):** *truncatilabris* Morawitz,1877 **Range (in code):** [SS GR Ae Le Cr CY TR SY LB IL Pa 25 36 49 25C 25E 25F 25K 25I 25R](#)
- 319) Andrena (Truncandrena) tscheki Morawitz,1872** (Andrenidae) **Synonym(s):** *tscheki* Morawitz,1872; *tritica* Warncke,1965 **Range (in code):** [TR SS GR IL Pa JO](#)
- 320) Andrena (Truncandrena) ulula Warncke,1969** (Andrenidae) **Synonym(s):** *ulula* Warncke,1969 **Range (in code):** [TR LB IL Pa](#)
- 321) Andrena (Truncandrena) urfanella Scheuchl & Hazır,2012** (Andrenidae) **Synonym(s):** *urfanella* Scheuchl & Hazır,2012 **Range (in code):** [TR 21 31 33 46 47 63 68 79 31O 33K 46G 47B 63D 63H 68B](#)
- 322) Andrena (Ulandrena) abbreviata Dours,1873** (Andrenidae) **Synonym(s):** *abbreviata* Dours,1873 **Range (in code):** [TR GR IL Pa Cr CY 25 25E 25R](#)
- 323) Andrena (Ulandrena) acerba Warncke,1967** (Andrenidae) **Synonym(s):** *acerba* Warncke,1967 **Range (in code):** [GR TR 01 23](#)
- 324) Andrena (Ulandrena) cantiaa Warncke,1975** (Andrenidae) **Synonym(s):** *cantiaa* Warncke,1975; *infusca* Warncke,1975 **Range (in code):** [GR TR 25 25E](#)
- 325) Andrena (Ulandrena) combaella Warncke,1966** (Andrenidae) **Synonym(s):** *combaella* Warncke,1966 **Range (in code):** [GR TR 25 25E](#)
- 326) Andrena (Ulandrena) concinna Smith,1853** (Andrenidae) **Synonym(s):** *concinna* Smith,1853; *crecca* Warncke,1965 **Range (in code):** [MK TR 16 25 25E](#)
- 327) Andrena (Ulandrena) dauma Warncke,1969** (Andrenidae) **Synonym(s):** *dauma* Warncke,1969 **Range (in code):** [TR IL Pa](#)
- 328) Andrena (Ulandrena) elegans Giraund,1863** (Andrenidae) **Synonym(s):** *elegans* Giraund,1863 **Range (in code):** [TR 25 25K](#)
- 329) Andrena (Ulandrena) fulvitaris Brullé,1832** (Andrenidae) **Synonym(s):** *fulvitaris* Brullé,1832 **Range (in code):** [GR TR IL Pa 25 25E](#)
- 330) Andrena (Ulandrena) glareola Warncke,1969** (Andrenidae) **Synonym(s):** *glareola* Warncke,1969 **Range (in code):** [TR IL Pa](#)
- 331) Andrena (Ulandrena) heinrichi Grünwaldt,2005** (Andrenidae) **Synonym(s):** *heinrichi* Grünwaldt,2005 **Range (in code):** [GR TR 09](#)
- 332) Andrena (Ulandrena) isabellina Warncke,1969** (Andrenidae) **Synonym(s):** *isabellina* Warncke,1969 **Range (in code):** [TR IL Pa Js 31 46 47 73 79 47F 73C](#)
- 333) Andrena (Ulandrena) neocyprica Mavromoustakis,1956** (Andrenidae) **Synonym(s):** *neocyprica* Mavromoustakis,1956 **Range (in code):** [GR Ae Le Rd CY TR](#)
- 334) Andrena (Ulandrena) osychniukae Radoszkowski,1867** (Andrenidae) **Synonym(s):** *osychniukae* Radoszkowski,1867 **Range (in code):** [GR Ae Le Rd TR](#)
- 335) Andrena (Ulandrena) polemediana Mavromoustakis,1956** (Andrenidae) **Synonym(s):** *polemediana* Mavromoustakis,1956 **Range (in code):** [CY TR](#)
- 336) Andrena (Ulandrena) schulzi Strand,1921** (Andrenidae) **Synonym(s):** *schulzi* Strand,1921; *alba* Warncke,1967 **Range (in code):** [GR Rd Cr Ae Le TR](#)
- 337) Andrena (Zoandrena) gazella Friese,1922** (Andrenidae) **Synonym(s):** *gazella* Friese,1922; *flammea* Warncke,1975 **Range (in code):** [TR EG 25](#)

- 338) Andrena (Zonandrena) chrysopyga Schenck,1853** (Andrenidae) **Synonym(s):** *chrysopyga* Schenck,1853 - Range (in code): GR TR 25 25E
- 339) Andrena (Zonandrena) flavipes Panzer,1799** (Andrenidae) **Synonym(s):** *flavipes* Panzer,1799 - Range (in code): SS GR EG CY JO TR 23 25 62 76 25A 25C 25D 25E 25K 25R 76B
- 340) Andrena (Zonandrena) gravida Imhoff,1832** (Andrenidae) **Synonym(s):** *gravida* Imhoff,1832 - Range (in code): SS GR Ae Le TR
- 341) Andrena (Zonandrena) hungarica Friese,1887** (Andrenidae) **Synonym(s):** *hungarica* Friese,1887; *macroura* Warncke,1975 - Range (in code): HU TR 25 25E
- 342) Andrena (Zonandrena) lophura Warncke,1975** (Andrenidae) **Synonym(s):** *lophura* Warncke,1975; *anatoliae* Warncke,1975 - Range (in code): TR 25 25E 25F
- 343) Andrena (Zonandrena) quadrimaculata Friese,1921** (Andrenidae) **Synonym(s):** *quadrimaculata* Friese,1921 - Range (in code): GR TR 25 36 25E 36F 36Fb
- 344) Andrena (Zonandrena) soror Dours,1872** (Andrenidae) **Synonym(s):** *soror* Dours,1872 - Range (in code): TR 25 36 49 69 25C 25D 25E 25F 25K 25R 25M 36D
- 345) Andrena biguttata Friese,1922** (Andrenidae) **Synonym(s):** *biguttata* Friese,1922 - Range (in code): TR
- 346) Andrena fuscocalcarata Morawitz,1878** (Andrenidae) **Synonym(s):** *fuscocalcarata* Morawitz,1878 - Range (in code): TR GR IL Pa 25 25E 25F 25R
- 347) Andrena oxyura Warncke,1975** (Andrenidae) **Synonym(s):** *oxyura* Warncke,1975 - Range (in code): TR
- 348) Andrena rotundilabris Morawitz,1878** (Andrenidae) **Synonym(s):** *rotundilabris* Morawitz,1878 - Range (in code): GR Ae Le TR LB IL Pa 25 25E
- 349) Andrena tkalcui Gusenleitner & Schwarz,2002** (Andrenidae) **Synonym(s):** *testacea* Warncke,1975 nec D.-T.,1877; *tkalcui* Gusenleitner & Schwarz,2002 - Range (in code): TR
- 350) Camptopoeum (Epimethea) nigrotum (Warncke,1987)** (Andrenidae) **Synonym(s):** *nigrotum* Warncke,1987 - Range (in code): TR IL Pa
- 351) Camptopoeum (Epimethea) pictipes (Morawitz,1876)** (Andrenidae) **Synonym(s):** *pictipes* Morawitz,1876 - Range (in code): TR 30 33 50 56 63
- 352) Camptopoeum (Epimethea) rubrum (Warncke,1987)** (Andrenidae) **Synonym(s):** *rubrum* Warncke,1987 - Range (in code): TR
- 353) Camptopoeum (Epimethea) subflavum (Warncke,1987)** (Andrenidae) **Synonym(s):** *subflavum* Warncke,1987 - Range (in code): TR 23 56 62
- 354) Camptopoeum (Epimethea) variegatum (Morawitz,1876)** (Andrenidae) **Synonym(s):** *variegatum* Morawitz,1876; *kilikiae* Warncke,1972 - Range (in code): TR
- 355) Camptopoeum (s.str.) frontale (Fabricius,1804)** (Andrenidae) **Synonym(s):** *frontale* Fabricius,1804; *sacrum* Alfken,1935; *triticum* Warncke,1972 - Range (in code): GR Ae Le TR
- 356) Camptopoeum friesei Mocsary,1894** (Andrenidae) **Synonym(s):** *friesei* Mocsary,1894; *densum* Warncke,1972 - Range (in code): TR
- 357) Clavipanurgus anaticus (Warncke,1972)** (Andrenidae) **Synonym(s):** *anaticus* Warncke,1972 - Range (in code): TR MK
- 358) Clavipanurgus clavatus (Warncke,1972)** (Andrenidae) **Synonym(s):** *clavatus* Warncke,1972 - Range (in code): TR
- 359) Clavipanurgus impressus (Warncke,1972)** (Andrenidae) **Synonym(s):** *impressus* Warncke,1972 - Range (in code): IL Pa JO SY TR Cc GG
- 360) Clavipanurgus orientalicus (Warncke,1972)** (Andrenidae) **Synonym(s):** *orientalicus* Warncke,1972 - Range (in code): IL Pa TR
- 361) Clavipanurgus punctiventris (Morawitz,1876)** (Andrenidae) **Synonym(s):** *punctiventris* Morawitz,1876 - Range (in code): IL Pa TR Cc GG
- 362) Clavipanurgus sculpturatus (Morawitz,1873)** (Andrenidae) **Synonym(s):** *sculpturatus* Morawitz,1873 - Range (in code): GR MK BG TR
- 363) Clavipanurgus stylus (Warncke,1987)** (Andrenidae) **Synonym(s):** *stylus* Warncke,1987 - Range (in code): TR
- 364) Melitturga clavicornis (Latreille,1806)** (Andrenidae) **Synonym(s):** *clavicornis* Latreille,1806; *taurica* Friese,1926 - Range (in code): ES FR DE EE PL AT SK CZ HU IT GR RU TR IR AZ Cc GG AM UA Cm Elb Mz Th 25 25C 25D 25E 25F 25K 25R 25M
- 365) Melitturga pictipes Morawitz,1892** (Andrenidae) **Synonym(s):** *pictipes* Morawitz,1892; *heinrichi* Tkalcu,1978 - Range (in code): TR IR 25 25C 25D 25E 25F 25K 25R 25M

- 366) Melitturga praestans Giraud,1861** (Andrenidae) Synonym(s): *praestans* Giraud,1861; *caucasica* Morawitz,1878; *syriaca* Friese,1896 _ Range (in code): GR Ae Le TR Cc CY SY IR Elb Mz 25 25C 25D 25E 25F 25K 25R 25M
- 367) Melitturga spinosa Morawitz,1892** (Andrenidae) Synonym(s): *spinosa* Morawitz,1892 Range (in code): GR TR
- 368) Melitturga taurica Friese,1922** (Andrenidae) Synonym(s): *taurica* Friese,1922 _ Range (in code): MK BG IR Rd TR 25
- 369) Panurginus anatolicus (Warncke,1972)** (Andrenidae) Synonym(s): *anatolicus* Warncke,1972 _ Range (in code): TR
- 370) Panurginus brullei (Lepeletier,1841)** (Andrenidae) Synonym(s): *brullei* Lepeletier,1841; *turcomanus* Popov,1936; *clarus* Warncke,1972 _ Range (in code): TR 25 25R
- 371) Panurginus cavus (Warncke,1972)** (Andrenidae) Synonym(s): *cavus* Warncke,1972 Range (in code): TR
- 372) Panurginus clavatus (Warncke,1972)** (Andrenidae) Synonym(s): *clavatus* Warncke,1972 Range (in code): TR
- 373) Panurginus corpanus (Warncke,1972)** (Andrenidae) Synonym(s): *corpanus* Warncke,1972 _ Range (in code): TR 25
- 374) Panurginus labiatus (Eversmann,1852)** (Andrenidae) Synonym(s): *labiatus* Eversmann,1852 _ Range (in code): TR
- 375) Panurginus lactipennis Friese,1897** (Andrenidae) Synonym(s): *lactipennis* Friese,1897 Range (in code): CY TR JO
- 376) Panurginus minustulus (Warncke,1987)** (Andrenidae) Synonym(s): *minustulus* Warncke,1987 _ Range (in code): TR
- 377) Panurginus montanus Giraud,1861** (Andrenidae) Synonym(s): *montanus* Giraud,1861; *tyrolensis* Richards,1932; *ponticus* Warncke,1972 _ Range (in code): GR TR
- 378) Panurginus orientalicus (Warncke,1972)** (Andrenidae) Synonym(s): *orientalicus* Warncke,1972 _ Range (in code): TR
- 379) Panurginus punctiventris (Morawitz,1876)** (Andrenidae) Synonym(s): *punctiventris* Morawitz,1876 Range (in code): TR 25 25R
- 380) Panurginus sculpturatus (Morawitz,1872)** (Andrenidae) Synonym(s): *sculpturatus* Morawitz,1872; *magnus* Warncke,1972 Range (in code): TR 25 25C 25E 25F 25K
- 381) Panurginus stylus (Warncke,1987)** (Andrenidae) Synonym(s): *stylus* Warncke,1987 Range (in code): TR
- 382) Panurgus banksianus (Kirby,1802)** (Andrenidae) Synonym(s): *banksianus* Kirby,1802 Range (in code): GR TR
- 383) Panurgus calcaratus (Scopoli,1763)** (Andrenidae) Synonym(s): *calcaratus* Scopoli,1763 Range (in code): GR Ae Le TR
- 384) Panurgus dentipes Latreille,1811** (Andrenidae) Synonym(s): *dentipes* Latreille,1811; *oblitus* Warncke,1972; *posticus* Warncke,1972; *sidensis* Warncke,1987 _ Range (in code): TR SY
- 385) Plesiopanurgus (Zizopanurgus) ibex Baker,1972** (Andrenidae) Synonym(s): *ibex* Baker,1972 Range (in code): TR
- 386) Plesiopanurgus (Zizopanurgus) zizus (Warncke,1987)** (Andrenidae) Synonym(s): *zizus* Warncke,1987 Range (in code): TR

Aphelinidae

- 387) Ablerus atomon (Walker,1847)** (Aphelinidae) Synonym(s): *atomon* Walker,1847 Range (in code): AR AT AZ Cc CZ EG FR Co GG DE IR IT PL RU Sb Us SK ES US TR
- 388) Ablerus celsus (Walker,1839)** (Aphelinidae) Synonym(s): *celsus* Walker,1839; *britannicus* Alam,1956 Original reference: Pteroptrix celsus Walker,1839, Monographia chalciditum 1: 16-17. Lectotype ♀: France: near Paris (BMNH). Range (in code): TR GB FR
- 389) Ablerus perspeciosus Girault,1916** (Aphelinidae) Synonym(s): *perspeciosus* Girault,1916; *kashmirensis* Narayanan,1961; *bimaculatus* Khan & Shafee,1976 Original reference: Ablerus perspeciosus Girault,1916, Annls ent. Soc. America 9 (3): 292. Syntypes 4♀♀: Japan: Nishigahara. Range (in code): TR IN Up JP
- 390) Aphelinus asychis Walker,1839** (Aphelinidae) Synonym(s): *asychis* Walker,1839; *euthria* Walker,1839; *affinis* Förster,1841; *brevicalcar* Thomson,1876; *dubia* Kurdjumov,1913; *brachyptera* Kurdjumov,1913

Original reference: Aphelinus asychis Walker, 1839, Monographia Chalciditum 1: 2-3. Range (in code): TR GB PK IN Hp Ass Ch Meg Up Ben NP

391) Aphelinus chaonia Walker, 1839 (Aphelinidae) Synonym(s): *chaonia* Walker, 1839; *flavicornis* Förster, 1841; *transversus* Thomson, 1876 Original reference: Aphelinus chaonia Walker, 1839, Monographia Chalciditum 1: 4. Lectotype ♀: England: near London, Belfast, July to October. Range (in code): TR GB

392) Aphelinus mali (Haldeman, 1851) (Aphelinidae) Synonym(s): *mali* Haldeman, 1851; *rosae* Ashmead, 1886; *varicornis* Girault, 1909; *italica* Guercio, 1925; *crocicidolomiae* Risbec, 1951 Range (in code): TR CY US FI GB IT SN IN Pj Hp Sml Klu Ch Ass Meg SI Ben Up

393) Aphelinus semiflavus Howard, 1908 (Aphelinidae) Synonym(s): *semiflavus* Howard, 1908; *brevipennis* Girault, 1917 Range (in code): US Oh Col TR

394) Aphelinus varipes (Förster, 1841) (Aphelinidae) Synonym(s): *varipes* Förster, 1841; *nigritus* Howard, 1908; *toxopteraphidis* Kurdjumov, 1913 Range (in code): TR UA

395) Aphytis abnormis (Howard, 1881) (Aphelinidae) Synonym(s): *abnormis* Howard, 1881 Range (in code): US TR FR Co HU ES

396) Aphytis aonidiae (Mercet, 1911) (Aphelinidae) Synonym(s): *aonidiae* Mercet, 1911; *dubius* De Santis, 1948; *intermedius* De Santis, 1948; *citrinus* Compere, 1955 Range (in code): ES CY TR GG Cc AM CL CZ EG GR HU IR IT MX MD ME RO SK ES JP AR US Cf Oh YU RU 32

397) Aphytis chilensis Howard, 1900 (Aphelinidae) Synonym(s): *chilensis* Howard, 1900; *longiclavae* Mercet, 1910; *capitis* Rust, 1915; *signiphoroides* Brèthes, 1916; *riadi* Delucchi, 1964 Range (in code): CL US CF ES TR CY LB AR

398) Aphytis chrysomphali (Mercet, 1912) (Aphelinidae) Synonym(s): *chrysomphali* Mercet, 1912; *silvestrii* De Gregorio, 1914; *quaylei* Rust, 1915; *mazandaranica* Kiriukhin, 1946 Range (in code): CY TR IR Elb Mz AF DZ AR AU NSw QAU Wau BE BR Cc CL CR CU EG FJ FR GG DE GR Hw HU IN ID Ja Clb IL Pa IT Si JP LB MY MU MX MA NC PA CN Fkn Kwa Hun Sz PE PH PR SC SO ZA ES SZ TW TZ TT TN UA US Cf FI Ny Tx UY RU YU ZW

399) Aphytis diaspidis (Howard, 1881) (Aphelinidae) Synonym(s): *diaspidis* Howard, 1881; *fuscipennis* Howard, 1881; *ovidii* Girault, 1919; *opuntiae* Risbec, 1952; *madagascariensis* Risbec, 1952; *risbeci* Annecke & Insley, 1971 Range (in code): US FI CY TR MG AU QAU

400) Aphytis hispanicus (Mercet, 1912) (Aphelinidae) Synonym(s): *hispanicus* Mercet, 1912; *argentinus* Brèthes, 1916; *bovelli* Malenotti, 1918 Range (in code): AR ES TR DZ BR Cc CL CZ EG FR GG HU IN Ass Up IL Pa IT JM LB MX MA MM CN Fkn Kwa Hun ZA SE TW TT US Cf FI Tx

401) Aphytis lepidosaphes Compere, 1955 (Aphelinidae) Synonym(s): *lepidosaphes* Compere, 1955 Range (in code): CN CY TR AR AU QAU BR CL CR EC EG FJ FR Co GR Hw IN IL Pa IT JM LB MX MM NC PK CN Fkn Kwa PE PH PR ZA ES TW TH TT US Cf FI Tx

402) Aphytis libanicus Traboulsi, 1969 (Aphelinidae) Synonym(s): *libanicus* Traboulsi, 1969 Range (in code): LB TR EG IR IL Pa IT

403) Aphytis lingnanensis Compere, 1955 (Aphelinidae) Synonym(s): *lingnanensis* Compere, 1955 Range (in code): CN CY TR AR AU QAU Wau BO BR CL CR CU EG FJ IN Ass Up ID Ja IL Pa IT Si JM MY MU MX MA NC PK Fkn Kwa PE PH PR SB ZA ES TW TH TT US Cf FI Tx UY

404) Aphytis maculicornis (Masi, 1911) (Aphelinidae) Synonym(s): *maculicornis* Masi, 1911 Range (in code): IT TR AF DZ AR AM Cc AZ GG FR GR IN IR IQ IL Pa IT Si MX MZ PK CN Kwa RU Da ES SE UA US Cf

405) Aphytis melinus DeBach, 1959 (Aphelinidae) Synonym(s): *melinus* DeBach, 1959 Range (in code): CY TR AR AU QAU SAU CL FR GG GR Cc IN IL Pa IT Sa Si MX MA NL PK PY CN Fkn Kwa PE ZA ES US Cf UY YU 01

406) Aphytis mytilaspidis (Le Baron, 1870) (Aphelinidae) Synonym(s): *albidus* Westwood, 1837; *mytilaspidis* Le Baron, 1870; *variolosum* Alam, 1956; *diaspidioti* Chumakova, 1957; *ficus* Traboulsi, 1969 Range (in code): GB CY LB TR RU Us Mo DZ AR AZ Cc BE BG CA BCo On CL HV CY CZ EG FR GG DE GR HU IN ID Ja IR IQ IL Pa IT JP KG LB MK MR MU MX MD ME MA NL NZ CN Kwa PL RO RU Us SA YU SK SS ZA ES LK SE CH TW GB US Cf FI Oh Tx

407) Aphytis neuter Yasnosh & Myartseva, 1971 (Aphelinidae) Synonym(s): *neuter* Yasnosh & Myartseva, 1971 Range (in code): TM TR RU UZ TJ

408) Aphytis proclia (Walker, 1839) (Aphelinidae) Synonym(s): *proclia* Walker, 1839; *zonatus* Alam, 1956; *sugonjaevi* Yasnosh, 1972; *chowdhurii* Kaul, 1974 Original reference: Aphelinus proclia Walker, 1839, Monographia Chalciditum 1: 9. Lectotype ♀: England (BMNH). Range (in code): GB GG Cc CY TR IN Hp

409) Cales noacki Howard, 1907 (Aphelinidae) Synonym(s): *noacki* Howard, 1907; *pallidus* Brèthes, 1914 Range (in code): BR AR TR

- 410) *Coccobius testaceus* (Masi,1909)** (Aphelinidae) Synonym(s): *testaceus* Masi,1909
Range (in code): **IT TR**
- 411) *Coccophagoides moeris* (Walker,1839)** (Aphelinidae) Synonym(s): *moeris* Walker,1839; *janias* Walker,1839; *similis* Masi,1908; *ilicis* Mercet,1921; *parvipennis* Ferriere,1955; *silwoodensis* Alam,1956
Range (in code): **TR**
- 412) *Coccophagus aterrimus* Vikberg,1966** (Aphelinidae) Synonym(s): *aterrimus* Vikberg,1966; *stepanovi* Sugonjaev & Pilipyuk,1972 Range (in code): **FI TR RU Sh**
- 413) *Coccophagus differens* Yasnosh,1966** (Aphelinidae) Synonym(s): *differens* Yasnosh,1966
Range (in code): **MD TR 32**
- 414) *Coccophagus insidiator* (Dalman,1826)** (Aphelinidae) Synonym(s): *insidiator* Dalman,1826 Range (in code): **SE TR**
- 415) *Coccophagus kvavadze* Japoshvili & Karaca,2002** (Aphelinidae) Synonym(s): *kvavadze* Japoshvili & Karaca,2002; *kvavadzei* Japoshvili & Karaca,2004 Original reference: *Coccophagus scutellaris* ssp. *kvavadze* Japoshvili & Karaca,2002, Bu.. Georg. Acad. Sci. 166 (1): 140-142. Holotype ♀: Turkey: Eymir (Ankara) (IZTG). Range (in code): **TR 06**
- 416) *Coccophagus lycimnia* (Walker,1839)** (Aphelinidae) Synonym(s): *lycimnia* Walker,1839; *lecanii* Fitch,1859; *ater* Howard,1881; *cognatus* Howard,1881; *vividus* Howard,1885; *californicus* Howard,1889; *coccidis* Girault,1917; *corni* Alam,1956; *taxi* Alam,1956 Original reference: *Aphelinus lycimnia* Walker,1839, Monographia Chaciditum 1: 11. Type: Ireland. Range (in code): **AR AM Cc AU AZ BE BM BR BG CA BCO On CL CO HV CU CY CZ SK EG FR GG DE GR Hw HU IN ID Ja Bli IL Pa JM JP KG MX MD MA NL CN Pkn Fkn PE PL PT PR RO RU Sb Sh Us ZA SE ES CH TW TT TR UG UA GB US Cf Col FI Nje NMx Ny Oh Tx UZ YU**
- 417) *Coccophagus palaeolecanii* Yasnosh,1957** (Aphelinidae) Synonym(s): *palaeolecanii* Yasnosh,1957 Range (in code): **GG TR**
- 418) *Coccophagus piceae* Erdös,1956** (Aphelinidae) Synonym(s): *piceae* Erdös,1956 Range (in code): **HU TR**
- 419) *Coccophagus proximus* Yasnosh,1956** (Aphelinidae) Synonym(s): *proximus* Yasnosh,1956 Range (in code): **MD TR**
- 420) *Coccophagus scutellaris* (Dalman,1826)** (Aphelinidae) Synonym(s): *scutellaris* Dalman,1826; *australiensis* Girault,1917 Range (in code): **AR AU BM BR CA BCo Cn Cc CZ DO EG FR GG DE GR HU IR IL Pa IT Si JP LB MX MA CN PL PT PR RU Sb Us Sh ZA ES CH TR UA US Cf FI Org Nje UY VE YU**
- 421) *Coccophagus spartanus* Japoshvili & Karaca,2002** (Aphelinidae) Synonym(s): *spartanus* Japoshvili & Karaca,2002 Range (in code): **TR 32**
- 422) *Encarsia aspidioticola* (Mercet,1929)** (Aphelinidae) Synonym(s): *aspidioticola* Mercet,1929 Range (in code): **TR**
- 423) *Encarsia berlesei* (Howard,1906)** (Aphelinidae) Synonym(s): *berlesei* Howard,1906 Range (in code): **US TR AF AR AT BO BR Cc CL CO HV CU EG FR DE GR HU IR IT JP ME CN Fkn Sz Yu PE PR RU SS ES LK CH TT FI UY YU**
- 424) *Encarsia citrina* (Craw,1891)** (Aphelinidae) Synonym(s): *citrina* Craw,1891; *howardi* Brèthes,1914; *shoeversi* Smits van Burgst,1915; *agilior* Berlese,1917; *severiniellus* Ghesquière,1933; *cyanophilli* Alam,1956; *silwoodensis* Alam,1956 Range (in code): **US Cf AR BR CN Fkn Sz IN LK TW BE EG DE IT ES GB TR**
- 425) *Encarsia formosa* Gahan,1924** (Aphelinidae) Synonym(s): *formosa* Gahan,1924 Range (in code): **RE AU FJ PF Hw TO MX US Cf BR CR PR Cn IL Pa GB TR US**
- 426) *Encarsia inaron* (Walker,1839)** (Aphelinidae) Synonym(s): *inaron* Walker,1839; *idaeus* Walker,1839; *parthenopea* Masi,1909; *indifferentis* Mercet,1929; *aleyrodus* Mercet,1930; *brassicae* Shafee & Bela,1984; *borealis* Hulten,1986 Range (in code): **AF AT AZ Cc BR BG Cn EG FI FR GG DE GR HU IN Ass Up IR IL Pa IT JO LB KG Md MX ME MA NZ PK RU YU ZA ES SE CH SY TR TM UA GB US Cf FI UZ VE TW**
- 427) *Encarsia lahorensis* (Howard,1911)** (Aphelinidae) Synonym(s): *lahorensis* Howard,1911 Range (in code): **US Cf FI CN PK Pj TR GR IL Pa IT EG TW**
- 428) *Encarsia leucaspidis* (Mercet,1912)** (Aphelinidae) Synonym(s): *leucaspidis* Mercet,1912; *coniferarum* Ghesquière,1948 Range (in code): **FR HU IT CH ES SE TR**
- 429) *Encarsia lounsburyi* (Berlese & Paoli,1916)** (Aphelinidae) Synonym(s): *lounsburyi* Berlese & Paoli,1916 Range (in code): **AR CN Sz TW EG IT ES Md TR**
- 430) *Encarsia perniciosi* (Tower,1913)** (Aphelinidae) Synonym(s): *perniciosi* Tower,1913; *argentina* De Santis,1948 Range (in code): **AR CN Fkn Mc IN Hp Ch Up Pj TW TR FR CZ DE IT YU RU**

- 431) Encarsia sophia (Girault & Dodd,1915)** (Aphelinidae) **Synonym(s):** *sophia* Girault & Dodd,1915; *transversana* Timberlake,1926; *sublutea* Silvestri,1931; *bemisiae* Ishii,1938; *flava* Shafee,1973; *shafeei* Hayat,1986 **Range (in code):** **BI CI CV NE SL SO AU QAU PF CN Sz IN ID AF PK LK TW TH JP TR**
- 432) Encarsia strenua (Silvestri,1927)** (Aphelinidae) **Synonym(s):** *strenua* Silvestri,1927 **Range (in code):** **IT SY TR IN CN Fkn US Cf**
- 433) Encarsia tricolor Förster,1878** (Aphelinidae) **Synonym(s):** *tricolor* Förster,1878; *coniugata* Masi,1908 **Range (in code):** **IT TR**
- 434) Eretmocerus debachi Rose & Rosen,1992** (Aphelinidae) **Synonym(s):** *debachi* Rose & Rosen,1992 **Range (in code):** **US Cf TR**
- 435) Eretmocerus diversiciliatus Silvestri,1915** (Aphelinidae) **Synonym(s):** *diversiciliatus* Silvestri,1915 **Range (in code):** **SD EG IL Pa NG TR**
- 436) Eretmocerus mundus Mercet,1931** (Aphelinidae) **Synonym(s):** *mundus* Mercet,1931; *longipilus* Khan & Shafee,1980 **Range (in code):** **ES CY TR IN Up**
- 437) Marietta leopardina Motschoulsky,1863** (Aphelinidae) **Synonym(s):** *leopardina* Motschoulsky,1863; *javensis* Howard,1907; *indi* Girault,1932; *exitiosa* Compere,1936; *cheriani* Mani,1939; *habrolepidis* Ghesquière,1960 **Range (in code):** **GA ZR KE MG NA NG ZA ZW RU TR**
- 438) Marietta picta (André,1878)** (Aphelinidae) **Synonym(s):** *picta* André,1878; *zebra* Kurdjumov,1912; *zebrata* Mercet,1916; *anglicus* Blood,1929 **Range (in code):** **TR**
- 439) Pteroptrix bicolor (Howard,1898)** (Aphelinidae) **Synonym(s):** *bicolor* Howard,1898; *caucasicus* Yasnosh,1955; *callunae* Alam,1956; *zonatus* Alam,1956 **Range (in code):** **FR GB GG TR**
- 440) Pteroptrix lauri (Mercet,1911)** (Aphelinidae) **Synonym(s):** *lauri* Mercet,1911 **Range (in code):** **TR**

Apidae

- 441) Allodape libanensis (Friese,1899)** (Apidae) **Synonym(s):** *libanensis* Friese,1899 **Range (in code):** **IL Pa LB TR 30 31 47 62 65 73 30C 31F 47D 62H 65E 73A 73Ağ 73C 73H**
- 442) Amegilla albigena (Lepeletier,1841)** (Apidae) **Synonym(s):** *albigena* Lepeletier,1841; *albida* Dours,1869 **Range (in code):** **TR PK Bl Qu 75**
- 443) Amegilla garrula (Rossi,1790)** (Apidae) **Synonym(s):** *garrula* Rossi,1790; *bombylans* Mocsary,1879 **Range (in code):** **ES FR IT GR SS HU TR 34**
- 444) Amegilla quadrifasciata (Villers,1789)** (Apidae) **Synonym(s):** *quadrifasciata* Villers,1789; *albescens* Dours,1869; *merwensis* Radoszkowski,1893; *farinosa* Alfken,1926; *mediterranea* Alfken,1927; *teneriffensis* Cockerell,1930 **Range (in code):** **TR Cn TM IN LK 13 25 65 76 13A 13Aç 13Ax 65G 65Ga 65N 65Nb 76B 76Bb**
- 445) Amegilla salviae (Morawitz,1876)** (Apidae) **Synonym(s):** *salviae* Morawitz,1876 **Range (in code):** **TR 25**
- 446) Ammobates ancylae (Warncke,1983)** (Apidae) **Synonym(s):** *ancylae* Warncke,1983 **Range (in code):** **TR 73 73C**
- 447) Ammobates armeniacus Morawitz,1876** (Apidae) **Synonym(s):** *armeniacus* Morawitz,1876; *atticus* Mavromoustakis,1968 *nec* Mavr.,1963; *graecus* Warncke,1983 [ssp.]; *tassus* Warncke,1983 [ssp.] **Range (in code):** **AM Cc Eri TR GR IL Pa 04 42 50 04H**
- 448) Ammobates baueri (Warncke,1983)** (Apidae) **Synonym(s):** *baueri* Warncke,1983 **Range (in code):** **TR 27**
- 449) Ammobates biastoides Friese,1895** (Apidae) **Synonym(s):** *biastoides* Friese,1895 **Range (in code):** **IL Pa TR 33**
- 450) Ammobates depressus Friese,1911** (Apidae) **Synonym(s):** *depressus* Friese,1911 **Range (in code):** **TR Cc 23 33 36 42**
- 451) Ammobates iranica (Warncke,1983)** (Apidae) **Synonym(s):** *iranica* Warncke,1983 **Range (in code):** **IR Ab Mak TR 63 63E**
- 452) Ammobates mavromoustakisi Popov,1944** (Apidae) **Synonym(s):** *mavromoustakisi* Popov,1944 **Range (in code):** **CY IL Pa TR UZ 63 63D**
- 453) Ammobates rostratus Friese,1899** (Apidae) **Synonym(s):** *rostratus* Friese,1899; *abeillei* Pérez,1902; *mutinensis* Heinrich,1977 **Range (in code):** **TR IL Pa 04 24 33 04H 33O**
- 454) Ammobates sanguineus Friese,1911** (Apidae) **Synonym(s):** *sanguineus* Friese,1911; *hellenicus* Mavromoustakis,1960 **Range (in code):** **GR TR TM 33 33O**
- 455) Ammobates similis Mocsary,1894** (Apidae) **Synonym(s):** *similis* Mocsary,1894 **Range (in code):** **IT GR TR 25 55**

- 456) *Ammobates vinctus* Gerstaecker,1869** (Apidae) Synonym(s): *vinctus* Gerstaecker,1869; *setosus* Morawitz,1871 Range (in code): RU UA GR TR 04 30 36 42 30D
- 457) *Ammobatoides (s.str.) abdominalis* (Eversmann,1852)** (Apidae) Synonym(s): *abdominalis* Eversmann,1852; *hirsutulus* Eversmann,1852; *extraneus* Förster,1855; *rufitarsis* Smith,1879; *sanguineus* Friese,1911; *rufus* Friese,1911; *angarensis* Cockerell,1928; *marginatus* Bischoff,1952; *lebanensis* Mavromoustakis,1959 Range (in code): LB DE AL RO YU MK TR AM Cc Eri TM RU Sb Or Mo Cm UA MD BY HU IT HV KG Aa AZ TJ KK GG UZ Tas CN Ui 01 05 23 25 42 58 70 73 76
- 458) *Ammobatoides (s.str.) luctuosus* (Friese,1911)** (Apidae) Synonym(s): *luctuosus* Friese,1911 Range (in code): MK TR 06 23 42
- 459) *Ammobatoides (s.str.) rubescens* (Bischoff,1923)** (Apidae) Synonym(s): *rubescens* Bischoff,1923 Range (in code): TR 35 51 63
- 460) *Ammobatoides (Schmiedeknechtia) oraniensis* (Friese,1896)** (Apidae) Synonym(s): *oraniensis* Friese,1896; *gussakovskiy* Popov,1934 [ssp.] Range (in code): DZ TN ES An TR UZ 07 33 56 63 73 33O 56B 63E 73C
- 461) *Ancyla asiatica* Friese,1922** (Apidae) Synonym(s): *asiatica* Friese,1922 Range (in code): LB Bei TR 01
- 462) *Ancyla cretensis* Friese,1902** (Apidae) Synonym(s): *cretensis* Friese,1902; *kilikia* Warncke,1979 Range (in code): Cr TR 33
- 463) *Ancyla holtzi* Friese,1902** (Apidae) Synonym(s): *holtzi* Friese,1902; *anatolica* Warncke,1979 Range (in code): GR TR BG CY IQ 06
- 464) *Ancyla nigricornis* Friese,1902** (Apidae) Synonym(s): *nigricornis* Friese,1902 Range (in code): GR TR 33
- 465) *Ancyla orientalis* Warncke,1979** (Apidae) Synonym(s): *orientalis* Warncke,1979 Range (in code): SY TR 01
- 466) *Anthophora (Clisodon) furcata* (Panzer,1798)** (Apidae) Synonym(s): *furcata* Panzer,1798; *dumetorum* Panzer,1798; *norvegica* Nylander,1852; *caucasicola* Hedicke,1929; *obscura* Alfken,1926 Range (in code): ES FR GB BE DK DE PL EE FI RU SK HU CH AT IT Si RO TR Cc NO 25K
- 467) *Anthophora (Lophanthophora) mucida* Gribodo,1873** (Apidae) Synonym(s): *mucida* Gribodo,1873 Range (in code): ES FR CH IT HU RO TR 25 25M
- 468) *Anthophora (Mystacanthophora) borealis* Morawitz,1864** (Apidae) Synonym(s): *borealis* Morawitz,1864 Range (in code): BE DE PL RU CZ SK AT HU RO TR 25 65 65F 65Fp 65Fz
- 469) *Anthophora (Paramegilla) fulvipes* Eversmann,1846** (Apidae) Synonym(s): *fulvipes* Eversmann,1846 Range (in code): TR 13 25 13G 25C
- 470) *Anthophora (Paramegilla) lydia* Tkalcu,1994** (Apidae) Synonym(s): *lydia* Tkalcu,1994 Original reference: Anthophora (Paramegilla) lydia Tkalcu,1994, Entomofauna 15 (44): 510-511, figs. Holotype ♂: Türkiye, SW Anatolien, Kusadasi 8-16.5.92 W.H.Liebig (coll.Burger). Range (in code): TR 09 09K
- 471) *Anthophora (Paramegilla) prshewalskii* Morawitz,1880** (Apidae) Synonym(s): *prshewalskii* Morawitz,1880 Range (in code): TR 24 36 24D 36F
- 472) *Anthophora (Petalosternon) crassipes* Lepeletier,1841** (Apidae) Synonym(s): *crassipes* Lepeletier,1841; *quadristrigata* Dours,1869; *denticus* Morawitz,1872; *perplexa* Radoszkowski,1884 Range (in code): ES FR CH AT IT Si DE PL RU TR 13 25
- 473) *Anthophora (Pyganthophora) aestivalis* (Panzer,1801)** (Apidae) Synonym(s): *aestivalis* Panzer,1801; *intermedia* Lepeletier,1841 Range (in code): ES FR BE DE CZ SK PL RU CH AT SS RO TR 25 42 65 76 65F 65Fp 65Fz 65N 65Nc 65Nç 76B 76Bl
- 474) *Anthophora (Pyganthophora) retusa* (Linnaeus,1758)** (Apidae) Synonym(s): *retusa* Linnaeus,1758; *monacha* Erichson,1849; *meridionalis* Pérez,1879; *baicalensis* Hedicke,1929; *rudolphae* Romankova,2003 Range (in code): FR ES GB DK DE CH AT IT Sa Si SS GR HU CZ SK RO EE RU TR 06 24 25 36 65 06R 65N 65Nc
- 475) *Anthophora (s.str.) fulvitarsis* Brullé,1832** (Apidae) Synonym(s): *fulvitarsis* Brullé,1832 Range (in code): ES FR DE CH IT Co Si RU RO GR TR 25 49 25R
- 476) *Anthophora (s.str.) plumipes* (Pallas,1772)** (Apidae) Synonym(s): *plumipes* Pallas,1772; *acervorum* Fabricius,1775; *pilipes* Fabricius,1775; *hirsuta* Fabricius,1787; *rufipes* Christ,1791; *sicula* Smith,1853; *soror* Pérez,1905; *lisbonensis* Cockerell,1922; *palaestinensis* Hedicke,1936; *cypriaca* Mavromoustakis,1957 Range (in code): PT ES BE FR GB DK DE CZ SK CH AT Sa Si SS HU EE FI IT CY IL Pa TR RU CN JP 13 25 65 76 13A 13Ab 13Ax 25L 25R 65B 65Bn 65F 65Fd 65Fp 65Fz 65K 65Kz 65Kg 65N 65Nc 65Nç 65Np 65Np1 65Nm 76B 76Bf 76Bh 76Bç
- 477) *Anthophora agama* Radoszkowski,1869** (Apidae) Synonym(s): *agama* Radoszkowski,1869; *kessleri* Fedtschenko,1875 Range (in code): ES FR IT Si GR TR UZ 24 25 24D 25E

- 478) Anthophora albigena Lepeletier,1841** (Apidae) Synonym(s): *albigena* Lepeletier,1841
Range (in code): TR
- 479) Anthophora atroalba Lepeletier,1841** (Apidae) Synonym(s): *atroalba* Lepeletier,1841;
antiopa Bingham,1898; *vedettus* Nurse,1904 Range (in code): FR IT Si GR Cr TR 25
- 480) Anthophora biciliata Lepeletier,1841** (Apidae) Synonym(s): *biciliata* Lepeletier,1841;
litrata Lepeletier,1841; *mucida* Gribodo,1873; *caucasica* Radoszkowski,1874; *hedicki* Alfken,1938 Range (in code): ES FR CH IT Si GR RO Cc TR 24 25 24H 25K
- 481) Anthophora crinipes Smith,1854** (Apidae) Synonym(s): *crinipes* Smith,1854 Range (in code): ES FR CH AT Sa Si CZ SK SS HU RO RU IT TR 25 49
- 482) Anthophora orientalis Morawitz,1877** (Apidae) Synonym(s): *orientalis* Morawitz,1877
Range (in code): TR 25 36 25K 25O 25R 36D
- 483) Anthophora pedata Eversmann,1852** (Apidae) Synonym(s): *pedata* Eversmann,1852
Range (in code): RU TR 25
- 484) Anthophora plagiata (Illiger,1806)** (Apidae) Synonym(s): *parietina* Fabricius,1793
(*preocc.*); *plagiata* Illiger,1806 Range (in code): ES FR BE DK DE PL CZ SK CH AT HU SS IT RU Cc TR 25 36
- 485) Anthophora robusta (Klug,1845)** (Apidae) Synonym(s): *robusta* Klug,1845; *oxygona*
Dours,1869; *pamirica* Hedicke,1931 Range (in code): ES FR IT RO TR TJ Pm 25
- 486) Anthophora rogenhoferi Morawitz,1872** (Apidae) Synonym(s): *rogenhoferi*
Morawitz,1872 Range (in code): TR 49
- 487) Apis (Micrapis) florea Fabricius,1787** (Apidae) Synonym(s): *florea* Fabricius,1787;
semirufa Hoffmansegg,1818; *lobata* Smith,1854; *rufiventris* Friese,1906; *#fuscata* Enderlein,1906; *nursei*
Cockerell,1911; *nasicana* Cockerell,1911 Range (in code): SD TR? IL Pa SA AE OM IQ IR PK IN LK Ass MM TH VN CN MY 72? 72B? 72Bc?
- 488) Apis (s.str.) mellifera Linnaeus,1758** (Apidae) Synonym(s): *mellifera* Linnaeus,1758;
mellifica Linnaeus,1761 Range (in code): PT ES FR DE MK BG GR Cr TR Cc AM GG AZ RU KG CN UI T-S IR IQ SY JO LB IL Pa ZA MA LY TN NG BF MG EG SD UG YE 06 31 34 35 41 56 65 75 31K 31Ka 34R 34Rb 56F 65D 65Dp 65F 65Fd 65Fp 65Fz 65N 65Nc
- 489) Bombus (Alpigenobombus) wurfleini Radoszkowski,1859** (Apidae) Synonym(s):
wurfleini Radoszkowski,1859 Range (in code): TR
- 490) Bombus (Cullumanobombus) apollineus Skorikov,1910** (Apidae) Synonym(s):
apollineus Skorikov,1910 Range (in code): TR
- 491) Bombus (Kallobombus) soroeensis (Fabricius,1793)** (Apidae) Synonym(s):
soroeensis Fabricius,1793 Range (in code): TR
- 492) Bombus (Megabombus) argillaceus (Scopoli,1763)** (Apidae) Synonym(s): *argillaceus*
Scopoli,1763; *sichelii* Radoszkowski,1859 Range (in code): FR IT AT HU TR IR RU Cc ES PL 03 06 07 16 18 25 32 37 38 42 51 65
- 493) Bombus (Megabombus) armeniacus (Radoszkowski,1877)** (Apidae) Synonym(s):
armeniaceus Radoszkowski,1877; *scythes* Skorikov,1925 Range (in code): TR Cc AM IR Ak Th Elb RU RO GR MK UA Cm YU BG PL KG 03 04 06 13 25 30 36 38 42 65 13A 13Ac 13Ax 36C 36D 36Df 65F 65Fp 65Fz 65N 65Np 65Nr3 65Nr4 65Nm
- 494) Bombus (Megabombus) humilis (Illiger,1806)** (Apidae) Synonym(s): *humilis*
Illiger,1806; *solstitialis* Jurine,1807; *helferanus* Seidl,1837; *variabilis* Schmiedeknecht,1978 Range (in code): FR TR Cc PL 06 16 18 25 37 49 75
- 495) Bombus (Megabombus) mesomelas (Gerstaecker,1869)** (Apidae) Synonym(s):
mesomelas Gerstaecker,1869; *elegans* Seidl,1837 Range (in code): BG Cc TR IR PL 04 06 25 53 61 65 75
- 496) Bombus (Melanobombus) alagesianus Reinig,1930** (Apidae) Synonym(s):
alagesianus Reinig,1930 Range (in code): TR AM Cc
- 497) Bombus (Melanobombus) erzurumensis (Özbek,1990)** (Apidae) Synonym(s):
erzurumensis Özbek,1990 Range (in code): TR 25
- 498) Bombus (Melanobombus) incertus Morawitz,1881** (Apidae) Synonym(s): *incertus*
Morawitz,1881 Range (in code): TR 65 65F 65Fp 65Fz
- 499) Bombus (Melanobombus) lapidarius (Linnaeus,1761)** (Apidae) Synonym(s):
lapidarius Linnaeus,1761 Range (in code): DE TR Cc 38
- 500) Bombus (Mendacibombus) handlirschianus Vogt,1909** (Apidae) Synonym(s):
handlirschianus Vogt,1909 Range (in code): TR
- 501) Bombus (Mendacibombus) shaposhnikovii Skorikov,1910** (Apidae) Synonym(s):
shaposhnikovii Skorikov,1910 Range (in code): TR

- 502) Bombus (Psithyrus) barbutellus (Kirby,1802)** (Apidae) Synonym(s): *barbutellus Kirby,1802* _ Range (in code): **TR**
- 503) Bombus (Psithyrus) bohemicus Seidl,1837** (Apidae) Synonym(s): *bohemicus Seidl,1837* _ Range (in code): **TR**
- 504) Bombus (Psithyrus) campestris (Panzer,1801)** (Apidae) Synonym(s): *campestris Panzer,1801* _ Range (in code): **TR**
- 505) Bombus (Psithyrus) maxillosus Klug,1817** (Apidae) Synonym(s): *maxillosus Klug,1817* _ Range (in code): **TR**
- 506) Bombus (Psithyrus) quadricolor (Lepeletier,1832)** (Apidae) Synonym(s): *quadricolor Lepeletier,1832* _ Range (in code): **TR**
- 507) Bombus (Psithyrus) rupestris (Fabricius,1793)** (Apidae) Synonym(s): *rupestris Fabricius,1793; pyrenaeus Lepeletier,1832; interruptus Lepeletier,1832; armeniacus Reinig,1970 nec Rad.,1877* _ Range (in code): **RO B-H YU AL BG TR AM GG Cc UA Cm 06 14 16 37 25 36 75**
- 508) Bombus (Psithyrus) sylvestris (Lepeletier,1832)** (Apidae) Synonym(s): *sylvestris Lepeletier,1832* _ Range (in code): **TR**
- 509) Bombus (Psithyrus) vestalis (Fourcroy,1785)** (Apidae) Synonym(s): *vestalis Fourcroy,1785* _ Range (in code): **TR**
- 510) Bombus (Pyrobombus) brodmannicus Vogt,1909** (Apidae) Synonym(s): *brodmannicus Vogt,1909* _ Range (in code): **FR CH IT RU Cc AM GG TR 04 24 25 36 65 75 65C**
- 511) Bombus (Pyrobombus) haematurus Kriechbaumer,1870** (Apidae) Synonym(s): *haematurus Kriechbaumer,1870* _ Range (in code): **TR**
- 512) Bombus (Pyrobombus) niveatus (Kriechbaumer,1870)** (Apidae) Synonym(s): *niveatus Kriechbaumer,1870* _ Range (in code): **TR Cc IR 06 07 14 19 25 26 38 42 51 65**
- 513) Bombus (Pyrobombus) pratorum (Linnaeus,1761)** (Apidae) Synonym(s): *pratorum Linnaeus,1761* _ Range (in code): **TR**
- 514) Bombus (s.str.) lucorum Linnaeus,1761** (Apidae) Synonym(s): *lucorum Linnaeus,1761; cryptarum Fabricius,1775; lucocryptarum Ball,1914; magnus Alford,1975* _ Range (in code): **TR GB ES GR Cc PL DK NO SE FI RU YU 06 14 16 25 37 61 76**
- 515) Bombus (s.str.) terrestris Linnaeus,1758** (Apidae) Synonym(s): *terrestris Linnaeus,1758; cullumanus Kirby,1802; audax Harris,1870; silantjewei Morawitz,1892; holsaticus Krüger,1954* _ Range (in code): **GB IT ES PT DZ GR Cc PL DK CZ RO TR 01 03 05 06 07 08 09 11 14 15 16 17 18 19 25 26 27 28 29 31 32 33 34 35 37 39 40 42 45 46 48 52 53 55 57 59 60 61 70 77 80**
- 516) Bombus (Sibiricobombus) niveatus Kriechbaumer,1870** (Apidae) Synonym(s): *niveatus Kriechbaumer,1870* _ Range (in code): **TR Cc AM AZ GG LB IR 36 76 76B 76Bf 76Bh**
- 517) Bombus (Sibiricobombus) sulfureus Friese,1905** (Apidae) Synonym(s): *sulfureus Friese,1905* _ Range (in code): **TR**
- 518) Bombus (Sibiricobombus) vorticosus Gerstaecker,1872** (Apidae) Synonym(s): *vorticosus Gerstaecker,1872* _ Range (in code): **TR**
- 519) Bombus (Subterraneobombus) fragrans (Pallas,1771)** (Apidae) Synonym(s): *fragrans Pallas,1771* _ Range (in code): **TR AZ Cc RU 04 13 65 76 76B 76Bf 76Bh**
- 520) Bombus (Subterraneobombus) melanurus Lepeletier,1836** (Apidae) Synonym(s): *melanurus Lepeletier,1836* _ Range (in code): **TR**
- 521) Bombus (Subterraneobombus) subterraneus (Linnaeus,1758)** (Apidae) Synonym(s): *subterraneus Linnaeus,1758* _ Range (in code): **TR**
- 522) Bombus (Thoracobombus) brodmanni Vogt,909** (Apidae) Synonym(s): *brodmanni Vogt,909* _ Range (in code): **TR**
- 523) Bombus (Thoracobombus) humilis Illiger,1806** (Apidae) Synonym(s): *humilis Illiger,1806* _ Range (in code): **TR**
- 524) Bombus (Thoracobombus) laesus Morawitz,1875** (Apidae) Synonym(s): *laesus Morawitz,1875; sidemii Radoszkowski,1888; #maculidorsis Skorikov,1922; ?tianschanicus PAnfilov,1956; ferrugifer Reinig,1971* _ Range (in code): **HU RO YU MK UA Cc RU GG IR TR 65 65F 65Fp 65Fz**
- 525) Bombus (Thoracobombus) mesomelas Gerstaecker,1869** (Apidae) Synonym(s): *mesomelas Gerstaecker,1869* _ Range (in code): **TR**
- 526) Bombus (Thoracobombus) mlokosievitzi Radoszkowski,1877** (Apidae) Synonym(s): *mlokosievitzi Radoszkowski,1877* _ Range (in code): **TR**
- 527) Bombus (Thoracobombus) muscorum (Linnaeus,1763)** (Apidae) Synonym(s): *muscorum Linnaeus,1763* _ Range (in code): **TR**

- 528) Bombus (Thoracobombus) pascuorum (Scopoli,1763)** (Apidae) Synonym(s): *pascuorum* Scopoli,1763 _ Range (in code): **TR**
- 529) Bombus (Thoracobombus) persicus Radoszkowski,1881** (Apidae) Synonym(s): *persicus* Radoszkowski,1881 _ Range (in code): **IR TR**
- 530) Bombus (Thoracobombus) pomorum (Panzer,1805)** (Apidae) Synonym(s): *pomorum* Panzer,1805 _ Range (in code): **TR**
- 531) Bombus (Thoracobombus) ruderarius (Müller,1776)** (Apidae) Synonym(s): *ruderarius* Müller,1776 _ Range (in code): **TR 01 02 03 04 06 08 12 13 20 24 25 32 33 36 38 42 49 51 53 55 58 60 62 65 66 69 70 75 76 65C**
- 532) Bombus (Thoracobombus) sylvarum (Linnaeus,1761)** (Apidae) Synonym(s): *sylvarum* Linnaeus,1761 _ Range (in code): **TR 01 04 06 07 08 12 13 24 25 29 33 36 38 40 44 49 51 53 58 60 62 65 66 69 75 76 65C**
- 533) Bombus (Thoracobombus) velox Skorikov,1914** (Apidae) Synonym(s): *velox* Skorikov,1914 _ Range (in code): **TR**
- 534) Bombus (Thoracobombus) zonatus Smith,1854** (Apidae) Synonym(s): *zonatus* Smith,1854 _ Range (in code): **GR MK YU RO UA Cm Cc RU AM AZ IR Ak Ab TR 01 02 04 05 06 07 08 13 11 13 15 16 18 19 20 23 24 25 26 29 30 31 32 33 36 37 38 42 44 49 50 51 58 62 65 66 68 69 70 75 76 13F 50G 65F 65Fp 65Fz 65Nc 65N 65Nb**
- 535) Bombus hortorum (Linnaeus,1761)** (Apidae) Synonym(s): *hortorum* Linnaeus,1761 _ Range (in code): **DE TR 06**
- 536) Ceratina acuta Friese,1896** (Apidae) Synonym(s): *acuta* Friese,1896 _ Range (in code): **SK GR Cr TR IL Pa Cc**
- 537) Ceratina bifida Friese,1900** (Apidae) Synonym(s): *bifida* Friese,1900 _ Range (in code): **TR SY LB IL Pa 33**
- 538) Ceratina bispinosa Handlirsch,1889** (Apidae) Synonym(s): *bispinosa* Handlirsch,1889 _ Range (in code): **GR Cr HV CY LB Bei TR YU SY JO Dms 30 31 33 48**
- 539) Ceratina chalcites Germar,1839** (Apidae) Synonym(s): *aenea* Brullé,1832; *chalcites* Germar,1839; *egregia* Gerstaecker,1896 _ Range (in code): **ES PT IT Co Si GR Ae Nx TR IR 30 30B 30Be 30C 30D 30Df**
- 540) Ceratina christellae Terzo,1998** (Apidae) Synonym(s): *christellae* Terzo,1998 _ Original reference: Ceratina (Euceratina) christellae Terzo,1998, Linzer biol. Beitr. 30 (2): 725-727, figs. Holotype ♂: Turkey, Antalya Prov. Selimiye (=Side) 7 iv 1977 leg. K.Warncke (OLL). _ Range (in code): **TR AZ Len Cc IR Elb Kdj 07 30 73 30C 30Ce 30D 30Dt 30Df 73A**
- 541) Ceratina chrysomalla Gerstaecker,1869** (Apidae) Synonym(s): *chrysomalla* Gerstaecker,1869; *chrysomallina* Kocourek,1998 _ Original reference: Ceratina chrysomalla Gerstaecker,1869, Stettin ent. Ztg. 30: 183-184. Syntypes: "auf Rhodus...auch bei Mermeriza". _ Range (in code): **GR Rd TR BG 48 48G**
- 542) Ceratina cucurbitina (Rossi,1792)** (Apidae) Synonym(s): *cucurbitina* Rossi,1792; *albilabris* Fabricius,1793; *decolorans* Brullé,1832 _ Range (in code): **MA DZ IT GR Cr TR DE CZ SK RO UA Cm**
- 543) Ceratina cyanea (Kirby,1802)** (Apidae) Synonym(s): *cyanea* Kirby,1802; *coerulea* Chevrier,1872; *chevieri* Tournier,1876; *imitatrix* Markowsky,1938 _ Range (in code): **DZ TN PT ES FR GB BE NL DE NO SE EE PL UA RU Ur Cc MD RO CZ SK CH AT IT Co Sa Si HV YU AL MK GR BG Cr TR 65 65N 65Nr7 65Nm**
- 544) Ceratina denesi Terzo,1998** (Apidae) Synonym(s): *denesi* Terzo,1998 _ Original reference: Ceratina (Euceratina) denesi Terzo,1998, Linzer biol. Beitr. 30 (2): 727-728, figs. Holotype ♂: Turkey: prov. of Adana [incorrect] [Prov. İçel]: Silifke 21 v 1995 leg. K.Denes (OLL). _ Range (in code): **TR 33 33P**
- 545) Ceratina hakkarica Kocourek,1998** (Apidae) Synonym(s): *hakkarica* Kocourek,1998 _ Original reference: Ceratina hakkarica Kocourek,1998, Entomofauna 19: 534-536, figs. Holotype ♂: Türkei: [Şırnak Prov.], 25km SW Hakkari 1200m 31.5.1980 leg. & coll.Schwarz. _ Range (in code): **TR 73**
- 546) Ceratina loewi Gerstaecker,1869** (Apidae) Synonym(s): *loewi* Gerstaecker,1869 _ Original reference: Ceratina loewi Gerstaecker,1869, Stettin ent. Ztg. 30: 184. Syntypes ♂♀: "Klein-Asien (Kos, Mermeriza, Adalia); Attica". _ Range (in code): **RO GR Ae Kos Cr Cc TR IL Pa 07 48 48G**
- 547) Ceratina mandibularis Friese,1896** (Apidae) Synonym(s): *mandibularis* Friese,1896 _ Range (in code): **JO LB IL Pa Hf TR SY CY 33**
- 548) Ceratina moricei Friese,1899** (Apidae) Synonym(s): *moricei* Friese,1899 _ Range (in code): **IL Pa JO SY TR LB CY**

- 549) Ceratina nigroaenea Gerstaecker,1869** (Apidae) Synonym(s): *nigroaenea Gerstaecker,1869* Original reference: Ceratina nigroaenea Gerstaecker,1869, Stettin ent. Ztg. 30: 181-182. Syntypes: Krim, an der Küste Klein-Asiens, Griechenland. Range (in code): **UA Cm GR Cr IL Pa Cc TR**
- 550) Ceratina parvula Smith,1854** (Apidae) Synonym(s): *parvula Smith,1854; pygmaea Lichtenstein,1872; scintilla Cockerell,1931* - Range (in code): **MA TN EG PT FR AL BG GR TR SY JO IL Pa Kp TM**
- 551) Ceratina rasmonti Terzo,1998** (Apidae) Synonym(s): *rasmonti Terzo,1998* Original reference: Ceratina (Euceratina) rasmonti Terzo,1998, Linzer biol. Beitr. 30 (2): 728-729, fig.13. Holotype ♀: Turkey: prov. of Van: Erçek 10 viii 1979 leg. K.Warncke (OLL). Range (in code): **TR 04 65 65K 65Ky**
- 552) Ceratina sakagamii Terzo,1998** (Apidae) Synonym(s): *sakagamii Terzo,1998* Original reference: Ceratina (Euceratina) sakagamii Terzo,1998, Linzer biol. Beitr. 30 (2): 729-731, figs.15-17. Holotype ♂: Turkey: prov. of Kars: Karakurt 8 viii 1979 leg. K.Warncke (OLL). Range (in code): **Cr TR IR Kh Mz Elb Th 04 30 33 36 42 50 51 65 30D 30Df 30Dt 65F**
- 553) Ceratina schwarzi Kocourek,1998** (Apidae) Synonym(s): *schwarzi Kocourek,1998* Original reference: Ceratina schwarzi Kocourek,1998, Entomofauna 19: 543. Holotype ♂: Türkiye: [Şırnak Prov.]: 10km W Uludere 1000m 4 6 1980 leg. & coll.M.Schwarz. Range (in code): **TR BG RO YU IR JO SY 01 06 07 09 23 27 31 33 42 44 46 47 50 58 63 70 73 79 73A**
- 554) Ceratina schwarziana Terzo,1998** (Apidae) Synonym(s): *schwarziana Terzo,1998* Original reference: Ceratina (Euceratina) schwarziana Terzo,1998, Linzer biol. Beitr. 30 (2): 731-732, figs.21-24. Holotype ♀: Turkey: prov. of Hakkari: Sat Dağı S-Varagöz 6 viii 1982 leg. K.Warncke (OLL). Range (in code): **TR 30 73 30D 30Df 30Dt 73A**
- 555) Ceratina tibialis Morawitz,1895** (Apidae) Synonym(s): *tibialis Morawitz,1895; ahngeri Kokujev,1905; ?corinna Nurse,1904* - Range (in code): **TR SY IL Pa IR TM Kp TJ**
- 556) Ceratina warnckeï Terzo,1998** (Apidae) Synonym(s): *warnckeï Terzo,1998* Original reference: Ceratina (Euceratina) warnckeï Terzo,1998, Linzer biol. Beitr. 30 (2): 732-733, figs.25-27,30. Holotype ♂: Turkey: [prov. of Şırnak]: Uludere 6 vi 1977 leg. K.Warncke (OLL). Range (in code): **TR 30 46 73 30D 30Dt 46F 73A 73C 73D**
- 557) Ceratina zandeni Terzo,1998** (Apidae) Synonym(s): *zandeni Terzo,1998* - Range (in code): **TR GR**
- 558) Ceratina zwakhalsi Terzo & Rasmont,1997** (Apidae) Synonym(s): *zwakhalsi Terzo & Rasmont,1997* Original reference: Ceratina zwakhalsi Terzo & Rasmont,1997, Tijdschr. Ent. 140: Holotype ♂: Turquie: [Şırnak Prov.]: Suvari Halil geçidi 2500m 27 vi 1985 C.J.Zwakhals (RMNH). Range (in code): **TR 13 23 24 30 33 36 46 58 65 73 13G 13Gw 30D 30Dt 46F 58G 65B 65E 73C 73Cd**
- 559) Cubitalia morio (Friese,1922)** (Apidae) Synonym(s): *morio Friese,1922* Range (in code): **TR 25**
- 560) Eucera atricollis Friese,1922** (Apidae) Synonym(s): *atricollis Friese,1922* Original reference: Eucera atricollis Friese,1922, Konowia 1: 63. Syntypes 2♀: Kleinasien: "Smyrna" [Izmir]. Range (in code): **TR 35**
- 561) Eucera caerulescens Friese,1899** (Apidae) Synonym(s): *caerulescens Friese,1899* Range (in code): **TR 49**
- 562) Eucera caspica Morawitz,1873** (Apidae) Synonym(s): *caspica Morawitz,1873; nigrita Friese,1896* - Range (in code): **GR Ae Nx TR 05 25**
- 563) Eucera cineraria Eversmann,1852** (Apidae) Synonym(s): *cineraria Eversmann,1852* Range (in code): **RU TR 25 36**
- 564) Eucera clypeata Erichson,1835** (Apidae) Synonym(s): *clypeata Erichson,1835; similis Lepeletier,1841* - Range (in code): **TR 25 36 38 49 65 69**
- 565) Eucera dalmatica Lepeletier,1841** (Apidae) Synonym(s): *dalmatica Lepeletier,1841* Range (in code): **TR 33 75**
- 566) Eucera excisa Mocsary,1879** (Apidae) Synonym(s): *excisa Mocsary,1879* - Range (in code): **TR 25**
- 567) Eucera furfurea Vachal,1907** (Apidae) Synonym(s): *furfurea Vachal,1907* - Range (in code): **TR 25 49**
- 568) Eucera graeca Radoszkowski,1876** (Apidae) Synonym(s): *graeca Radoszkowski,1876* Range (in code): **GR TR 25**

- 569) Eucera helvola Klug,1845** (Apidae) Synonym(s): *helvola* Klug,1845 _ Range (in code):
TR 25
- 570) Eucera hispana Lepeletier,1841** (Apidae) Synonym(s): *hispana* Lepeletier,1841 _ Range (in code): TR 65 65F 65Fe
- 571) Eucera interrupta Bär,1850** (Apidae) Synonym(s): *interrupta* Bär,1850 _ Range (in code): HV DE TR 18 25 36 37 65
- 572) Eucera longicornis (Linnaeus,1758)** (Apidae) Synonym(s): *longicornis* Linnaeus,1758; *linguaria* Fabricius,1775; *dealbator* Christ,1791; *difficilis* Pérez,1879; *cincta* Friese,1895 _ Range (in code):
HU TR 35 35L 35La
- 573) Eucera longicornis (Linnaeus,1758)** (Apidae) Synonym(s): *longicornis* Linnaeus,1758
Range (in code): TR 25 49
- 574) Eucera morio Friese,1922** (Apidae) Synonym(s): *morio* Friese,1922 Original reference:
Eucera morio Friese,1922, Konowia 1: 63-64. Syntypes 3♀: Kleinasien: "Smyrna" [Izmir]. Range (in code): TR 35
- 575) Eucera nigrescens Pérez,1879** (Apidae) Synonym(s): *nigrescens* Pérez,1879 _ Range (in code): TR 25
- 576) Eucera nigrifacies Lepeletier,1841** (Apidae) Synonym(s): *nigrifacies* Lepeletier,1841
Range (in code): TR 24 25 49
- 577) Eucera nigrilabris Lepeletier,1841** (Apidae) Synonym(s): *nigrilabris* Lepeletier,1841
Range (in code): TR 25
- 578) Eucera nitidiventris Mocsáry,1879** (Apidae) Synonym(s): *nitidiventris* Mocsáry,1879
Range (in code): TR 25
- 579) Eucera pollinosa Smith,1854** (Apidae) Synonym(s): *pollinosa* Smith,1854 _ Range (in code): TR 25 76
- 580) Eucera seminuda Brullé,1832** (Apidae) Synonym(s): *seminuda* Brullé,1832 _ Range (in code): GR TR 04 25
- 581) Eucera sogdiana Morawitz,1875** (Apidae) Synonym(s): *sogdiana* Morawitz,1875
Range (in code): TR 49
- 582) Eucera squamosa Lepeletier,1841** (Apidae) Synonym(s): *squamosa* Lepeletier,1841
Range (in code): TR 49
- 583) Eucera tegularis Morawitz,1875** (Apidae) Synonym(s): *tegularis* Morawitz,1875 _ Range (in code): TR 49
- 584) Eucera tuberculata (Fabricius,1793)** (Apidae) Synonym(s): *tuberculata* Fabricius,1793
Range (in code): TR
- 585) Eucera vittulata Noskiewicz,1934** (Apidae) Synonym(s): *vittulata* Noskiewicz,1934
Range (in code): TR 04 25
- 586) Eupavlovskia funeraria (Smith,1854)** (Apidae) Synonym(s): *funeraria* Smith,1854
Range (in code): IT Si AL MK GG Bjo Cc ES HU RO GR Ae Le TR 25 36 76 76C
- 587) Eupavlovskia obscura (Friese,1855)** (Apidae) Synonym(s): *obscura* Friese,1855
Range (in code): IT Si HV GR Ae Le TR 07 09 10 25 33 46 48 76 76C
- 588) Exoneuridia (s.str.) hakkariensis (Warncke,1983)** (Apidae) Synonym(s): *hakkariensis* Warncke,1983 Original reference: *Exoneuridia libanensis hakkariensis* Warncke,1983, NachrBl. bayer. Ent. 32 (3): 79. Holotype ♀: Tanin-Tanin Pass 2300-2600m 4 vii 1979 (Leg. Warncke, OLL). Range (in code): TR 13 30 31 46 47 56 58 73 31M 58G
- 589) Habropoda annae Schwarz & Gusenleitner,2001** (Apidae) Synonym(s): *annae* Schwarz & Gusenleitner,2001 _ Range (in code): TR 07 23 30 56
- 590) Habropoda hakkariensis Schwarz & Gusenleitner,2001** (Apidae) Synonym(s): *hakkariensis* Schwarz & Gusenleitner,2001 _ Range (in code): TR 30
- 591) Habropoda schafelneri Schwarz & Gusenleitner,2001** (Apidae) Synonym(s): *schafelneri* Schwarz & Gusenleitner,2001 _ Range (in code): TR 36
- 592) Habropoda tarsata (Spinola,1838)** (Apidae) Synonym(s): *tarsata* Spinola,1838
Range (in code): GR Ae Le TR SY IL Pa 25 25R
- 593) Habropoda zonatula Smith,1854** (Apidae) Synonym(s): *zonatula* Smith,1854 _ Range (in code): GR Ae Le TR SY 25 25F 25M
- 594) Melecta albifrons (Förster,1771)** (Apidae) Synonym(s): *albifrons* Förster,1771; *punctata* Fabricius,1775; *albovaria* Erichson,1840; *armata* Panzer,1799; *pseudoarmata* Radoszkowski,1893; *mediterranea* Gribodo,1893; *gigantea* Friese,1925; *minima* Friese,1925 Original reference: *Apis albifrons* Förster,1771, Novae spec. ins. Cent. 1: 94. Lectotype ♂: England (LSL). Range (in code): DZ MA TN LY Cy EG GB

DK PT ES FR BE DE EE PL CZ SK UA RO HU CH AT IT Sa Co Si SS HV YU GR Ae Le Sms Rd Cr BG Cr
Rd CY TR AZ Len Cc Kir IR Ha IL Pa Js LB Bsa SY 01 06 13 25 34 35 37 50 53 60 63 65 70 73 13A 13Ac
13Ax 25F 65N 65Np7 65Nm

- 595) Melecta ashabadensis Radoszkowski,1893** (Apidae) Synonym(s): *ashabadensis* Radoszkowski,1893 Range (in code): **TR TM Kp**
- 596) Melecta crassicornis Friese,1921** (Apidae) Synonym(s): *crassicornis* Friese,1921 Range (in code): **TR**
- 597) Melecta duodecimmaculata (Rossi,1790)** (Apidae) Synonym(s): *duodecimmaculata* Rossi,1790; *plurinotata* Brullé,1832; *jakovlewi* Radoszkowski,1877 Range (in code): **DZ LY Cy PT ES HU YU FR IT Si MT RO GR Ae Le CY TR CN Gn Ui KG Tk Ga RU Ur IQ Bgd IR TM Kp MN UZ Smk 35**
- 598) Melecta festiva Lieftinck,1980** (Apidae) Synonym(s): *festiva* Lieftinck,1980 Range (in code): **PT ES FR CH IT YU AL GR Ae Le UA IL Pa TR**
- 599) Melecta fulgida Lieftinck,1980** (Apidae) Synonym(s): *fulgida* Lieftinck,1980 Range (in code): **MK FR BG GR Ae Le Rd TR AM AZ Cc Kir LB Bei IL Pa Js JO Amm 05 06 16 38 42 50 61 42B**
- 600) Melecta guichardi Lieftinck,1980** (Apidae) Synonym(s): *guichardi* Lieftinck,1980 Range (in code): **GR Rd Ae Le TR RO IL Pa Js LB Bei 06 35 50 61**
- 601) Melecta luctuosa (Scopoli,1770)** (Apidae) Synonym(s): *luctuosa* Scopoli,1770 Range (in code): **GB SE DK DE EE PL BE NL CZ SK HU FR UA ES CH AT IT Si YU RO AL BG SS GR Ae Le TR Cc 76 76B 76Bh 76Bf**
- 602) Melecta transcaspica Morawitz,1895** (Apidae) Synonym(s): *transcaspica* Morawitz,1895; *caesareae* Friese,1925; *octomaculata* Friese,1925 (praeocc.) Original reference: Melecta transcaspica Morawitz,1895, Horae Soc. ent. ross. 29: 39. Lectotype ♂: [Turkmenistan]: "Bei Hodscha-kala". Range (in code): **TR IL Pa LB Bsa IR UZ TM 06 16 19 20 25 26 33 38 42 51 58 70**
- 603) Nomada caspia Morawitz,1895** (Apidae) Synonym(s): *caspia* Morawitz,1895; *graeca* Schwarz,1967 Range (in code): **GR TR LB IL Pa**
- 604) Nomada cruenta Schmiedeknecht,1882** (Apidae) Synonym(s): *cruenta* Schmiedeknecht,1882; *sexspinosa* Friese,1921; *rubescens* Lozinski,1922 Range (in code): **GR TR Si**
- 605) Nomada curvispinosa Schwarz,1981** (Apidae) Synonym(s): *curvispinosa* Schwarz,1981 Original reference: Nomada curvispinosa Schwarz,1981 Schwarz,1981, Entomofauna 2 (28): 407-410. Holotype ♀: Türkei, Urfa, Birecik (coll.Schwarz). Range (in code): **TR IL Pa 04 42 47 50 63**
- 606) Nomada diacantha Schwarz,1981** (Apidae) Synonym(s): *diacantha* Schwarz,1981 Original reference: Nomada diacantha Schwarz,1981, Entomofauna 2 (28): 401-407. Holotype ♀: Bulgarien, Arkutino (coll.Schwarz). Range (in code): **BG GR TR SY Dms 06 17 31 42 50 63**
- 607) Nomada gracilicornis Morawitz,1895** (Apidae) Synonym(s): *gracilicornis* Morawitz,1895 Range (in code): **TR IL Pa TM Kp**
- 608) Nomada guichardi Schwarz,1981** (Apidae) Synonym(s): *guichardi* Schwarz,1981 Original reference: Nomada guichardi Schwarz,1981, Entomofauna 2 (28): 371-375. Holotype ♀: Türkei, Amasya (BMNH). Range (in code): **TR IL Pa 05 06**
- 609) Nomada gusenleitneri Schwarz,1981** (Apidae) Synonym(s): *gusenleitneri* Schwarz,1981 Original reference: Nomada gusenleitneri Schwarz,1981, Entomofauna 2 (28): 395-401. Holotype ♀: Türkei, Konya (coll.Schwarz). Range (in code): **TR 06 30 42 76**
- 610) Nomada imperialis Schmiedeknecht,1882** (Apidae) Synonym(s): *imperialis* Schmiedeknecht,1882 Range (in code): **TR IL Pa SY**
- 611) Nomada kervilleana Pérez,1913** (Apidae) Synonym(s): *kervilleana* Pérez,1913 Range (in code): **TR SY IL Pa 16 25 36 49**
- 612) Nomada kurdasi Schwarz,1981** (Apidae) Synonym(s): *kurdasi* Schwarz,1981 Original reference: Nomada kurdasi Schwarz,1981, Entomofauna 2 (28): 380-385. Holotype ♂: Türkei, Çanakkale, Ayvalık (coll.Schwarz). Range (in code): **TR IL Pa Js 07 16 17 33**
- 613) Nomada lateritia Mocsary,1883** (Apidae) Synonym(s): *lateritia* Mocsary,1883 Range (in code): **TR IR**
- 614) Nomada lucidula Schwarz,1967** (Apidae) Synonym(s): *lucidula* Schwarz,1967 Range (in code): **AL GR TR IL Pa**
- 615) Nomada mocsaryi Schmiedeknecht,1882** (Apidae) Synonym(s): *mocsaryi* Schmiedeknecht,1882 Range (in code): **TR**
- 616) Nomada nausicaa Schmiedeknecht,1882** (Apidae) Synonym(s): *nausicaa* Schmiedeknecht,1882 Range (in code): **TR IL Pa**

- 617) *Nomada nobilis* Herrich-Schäffer, 1839** (Apidae) Synonym(s): *nobilis* Herrich-Schäffer, 1839; *aberrans* Eversmann, 1852; *calabra* Morawitz, 1872; *magrettiana* Schmiedeknecht, 1882 - Range (in code): **TR IR**
- 618) *Nomada oculata* Friese, 1921** (Apidae) Synonym(s): *oculata* Friese, 1921 Range (in code): **TR**
- 619) *Nomada oralis* Schwarz, 1981** (Apidae) Synonym(s): *oralis* Schwarz, 1981 Original reference: *Nomada oralis* Schwarz, 1981, Entomofauna 2 (28): 411-414. Holotype ♀: Türkiye, Konya (coll. Schwarz). Range (in code): **TR 06 07 16 23 33 38 42 50 51 58 63 68**
- 620) *Nomada ovaliceps* Schwarz, 1981** (Apidae) Synonym(s): *ovaliceps* Schwarz, 1981 Original reference: *Nomada ovaliceps* Schwarz, 1981, Entomofauna 2 (28): 385-389. Holotype ♂: Türkiye, Çanakkale, Ayvalık (BMNH). Range (in code): **TR IL Pa Js 16 49 51**
- 621) *Nomada pallispinosa* Schwarz, 1967** (Apidae) Synonym(s): *pallispinosa* Schwarz, 1967 Range (in code): **TR IL Pa GR IT**
- 622) *Nomada platythorax* Schwarz, 1981** (Apidae) Synonym(s): *platythorax* Schwarz, 1981 Original reference: *Nomada platythorax* Schwarz, 1981, Entomofauna 2 (28): 363-365. Holotype ♀: Türkiye, Amasya (coll. Schwarz). Range (in code): **HU TR 05 06 55**
- 623) *Nomada pleurosticta* Herrich-Schäffer, 1839** (Apidae) Synonym(s): *pleurosticta* Herrich-Schäffer, 1839; *bicolor* Radoszkowski, 1876; *major* Morawitz, 1872; *morawitzi* Pérez, 1884 - Range (in code): **TN TR**
- 624) *Nomada pygidialis* Schwarz, 1981** (Apidae) Synonym(s): *pygidialis* Schwarz, 1981 Original reference: *Nomada pygidialis* Schwarz, 1981, Entomofauna 2 (28): 362-363. Holotype ♀: Griechenland, Kalavryta (coll. Schwarz). Range (in code): **HU CZ HV BG GR Rd Cc GG Tbl TR 01 05 16 26 33 51 58**
- 625) *Nomada quadrifasciata* Schwarz, 1981** (Apidae) Synonym(s): *quadrifasciata* Schwarz, 1981 Original reference: *Nomada quadrifasciata* Schwarz, 1981, Entomofauna 2 (28): 366-368. Holotype ♀: Türkiye, Bursa leg. Guichard & Harvey (BMNH). Range (in code): **TR 16**
- 626) *Nomada quinquefasciata* Schwarz, 1981** (Apidae) Synonym(s): *quinquefasciata* Schwarz, 1981 Original reference: *Nomada quinquefasciata* Schwarz, 1981, Entomofauna 2 (28): 368-370. Holotype ♀: Türkiye, Ankara, Elmadağı 1000m, Guichard & Harvey leg. (BMNH). Range (in code): **TR 06 42**
- 627) *Nomada rubricollis* Schwarz, 1967** (Apidae) Synonym(s): *rubricollis* Schwarz, 1967 Range (in code): **GR TR SY IL Pa RU Cc Da Der**
- 628) *Nomada rubriventris* Schwarz, 1981** (Apidae) Synonym(s): *rubriventris* Schwarz, 1981 Original reference: *Nomada rubriventris* Schwarz, 1981, Entomofauna 2 (28): 358-361. Holotype ♀: Türkiye, Konya 27.5.1968 (coll. Schwarz). Range (in code): **TR 06 11 24 42 51 58 70**
- 629) *Nomada smyrnaensis* Friese, 1920** (Apidae) Synonym(s): *smyrnaensis* Friese, 1920 Range (in code): **TR 35**
- 630) *Nomada unispinosa* Schwarz, 1981** (Apidae) Synonym(s): *unispinosa* Schwarz, 1981 Original reference: *Nomada unispinosa* Schwarz, 1981, Entomofauna 2 (28): 376-380. Holotype ♀: Türkiye, Istanbul, Belgrad ormanı (BMNH). Range (in code): **IT TR 24 34**
- 631) *Nomada yarrowi* Schwarz, 1981** (Apidae) Synonym(s): *yarrowi* Schwarz, 1981 Original reference: *Nomada yarrowi* Schwarz, 1981, Entomofauna 2 (28): 389-395. Holotype ♀: Türkiye, Konya (coll. Schwarz). Range (in code): **TR 06 38 42 50**
- 632) *Parammobatodes minutus* (Mocsary, 1878)** (Apidae) Synonym(s): *minutus* Mocsary, 1878; *schmidtii* Alfken, 1936; *atticus* Mavromoustakis, 1963 Range (in code): **HU GR UA RO Cc BG TR 58 63 58G 63B**
- 633) *Parammobatodes orientanus* (Warncke, 1983)** (Apidae) Synonym(s): *orientanus* Warncke, 1983; *cyprius* Warncke, 1983 [ssp.] Original reference: *Pasites (Parammobatodes) orientanus* Warncke, 1983, Entomofauna 4: 276-277. Holotype ♂: Israel, Tel Aviv. Range (in code): **IL Pa Cr CY TR BG 50 50G**
- 634) *Pasites atrorufus* Warncke, 1983** (Apidae) Synonym(s): *atrorufus* Warncke, 1983 Range (in code): **TR IL Pa Js 23 30 30D**
- 635) *Pasites latitarsis* (Friese, 1899)** (Apidae) Synonym(s): *latitarsis* Friese, 1899 Original reference: *Ammobates latitarsis* Friese, 1899, Ent. Nachr. 25: 283. Type ♂: Israel, Bethlehem (HMB). Range (in code): **IL Pa TR 10 56 56B**
- 636) *Pasites maculatus* Jurine, 1807** (Apidae) Synonym(s): *maculatus* Jurine, 1807; *albomaculata* Lucas, 1849; *schottii* Eversmann, 1852; *variegatus* Smith, 1854; *rufiventris* Förster, 1855; *aschabadensis*

- Radoszkowski, 1893; brunneus Friese, 1895; comptus Alfken, 1929* Range (in code): MA DZ TN TR GR BG Cr IQ IL Pa RU TM Kp CN Mc AF Kab 48 48G
- 637) *Pasites oraniensis* (Lepeletier, 1841)** (Apidae) *Synonym(s): oraniensis Lepeletier, 1841; anatolicus Warncke, 1983 [ssp.]* Range (in code): MA DZ EG IT Si LY IL Pa AL RO Cm GR Cr TR Cc AM Eri TM 04 09 42 70 73 73C 73Cd
- 638) *Tetralonia alternans* Brullé, 1832** (Apidae) *Synonym(s): alternans Brullé, 1832* Range (in code): TR 25 65
- 639) *Tetralonia compacta* (Morawitz, 1875)** (Apidae) *Synonym(s): compacta Morawitz, 1875* Original reference: *Plistotrichia compacta* Morawitz, 1875, [in] Fedtschenko, Turkestan Apid. 1: 45. Range (in code): TR 65
- 640) *Tetralonia hungarica* Friese, 1895** (Apidae) *Synonym(s): hungarica Friese, 1895* Range (in code): HU TR 25
- 641) *Tetralonia julliani* Pérez, 1879** (Apidae) *Synonym(s): julliani Pérez, 1879* Range (in code): TR 25
- 642) *Tetralonia malvae* (Rossi, 1790)** (Apidae) *Synonym(s): malvae Rossi, 1790; macroglossa Illiger, 1806* Range (in code): TR CZ SK 25
- 643) *Tetralonia persica* Friese, 1895** (Apidae) *Synonym(s): persica Friese, 1895* Range (in code): TR IR 49
- 644) *Tetralonia ruficollis* (Friese, 1911)** (Apidae) *Synonym(s): ruficollis Friese, 1911* Range (in code): GR TR 36
- 645) *Tetralonia ruficornis* (Fabricius, 1804)** (Apidae) *Synonym(s): ruficornis Fabricius, 1804* Range (in code): TR 25 65 65F 65Fe 65L
- 646) *Tetralonia salicariae* (Lepeletier, 1841)** (Apidae) *Synonym(s): salicariae Lepeletier, 1841* Range (in code): TR 25
- 647) *Tetralonia tricincta* (Erichson, 1835)** (Apidae) *Synonym(s): tricincta Erichson, 1835* Range (in code): TR
- 648) *Tetralonia vicina* Morawitz, 1876** (Apidae) *Synonym(s): vicina Morawitz, 1876* Range (in code): TR 13 49 65
- 649) *Tetraloniella dentata* (Germar, 1839)** (Apidae) *Synonym(s): dentata Germar, 1839* Range (in code): TR CZ SK
- 650) *Tetraloniella fulvescens* (Giraud, 1863)** (Apidae) *Synonym(s): fulvescens Giraud, 1863; acutangula Morawitz, 1876* Range (in code): TR CZ SK 24 25 57 65
- 651) *Tetraloniella graja* (Eversmann, 1852)** (Apidae) *Synonym(s): graja Eversmann, 1852* Range (in code): RU TR 25
- 652) *Tetraloniella inulae* Tkalcu, 1979** (Apidae) *Synonym(s): inulae Tkalcu, 1979* Range (in code): TR 25 49
- 653) *Tetraloniella nana* (Morawitz, 1874)** (Apidae) *Synonym(s): nana Morawitz, 1874* Range (in code): TR
- 654) *Thyreus affinis* (Morawitz, 1874)** (Apidae) *Synonym(s): affinis Morawitz, 1874; transcaspica Radoszkowski, 1893; portchinski Radoszkowski, 1893; tunensis Pérez, 1895; villosa Meyer 1921* Range (in code): PT ES FR HU IT Si HV MA DZ TN RO AL MK YU UA GR CY Rd TR EG IR Ha Cc RU Da Bak AZ CN Ui KG PK Bl Qu 06 33 42 59
- 655) *Thyreus elegans* (Morawitz, 1877)** (Apidae) *Synonym(s): elegans Morawitz, 1877; quadridentata Saunders, 1908; brezzii Guiglia, 1933* Range (in code): TR Cc DZ TM Kp MN ER LY Cy KK PK Bl Qu CY EG Sn SD TN 33 76
- 656) *Thyreus hellenicus* Lieftinck, 1968** (Apidae) *Synonym(s): hellenicus Lieftinck, 1968* Range (in code): ES GR Ae Le IL Pa SY TR KG Uk 18
- 657) *Thyreus hirtus* (Beaumont, 1939)** (Apidae) *Synonym(s): hirtus Beaumont, 1939* Original reference: *Crocisa hirtus* Beaumont, 1939, *Annls Soc. ent. Fr.* 108: 163, 169-170, fig. 5. *Syntypes* ♂♀: Suisse, France, Corse. Range (in code): DZ PT ES FR CH Co Cr TR 25
- 658) *Thyreus histrionicus* (Illiger, 1806)** (Apidae) *Synonym(s): histrionicus Illiger, 1806; major Morawitz, 1876; divisa Pérez, 1905; alboscuteolata Meyer, 1921; rimosiscutum Alfken, 1927* Range (in code): Cn FR ES PT MA DZ LY Cy EG DE AT HU IT Si HV GR Cr Rd CY LB SY TR Arr UZ Tas Sk IR Elb RU Or Sr Cc GG Btm KK KG Tk At Ket Ui Ku Ga Cho 05 06 16 31 33 34 76 80 31M
- 659) *Thyreus orbatus* (Lepeletier, 1841)** (Apidae) *Synonym(s): orbatus Lepeletier, 1841* Range (in code): MA DZ TN LY Cy FR EG DE HU BE AT CZ CH ES PT GR IT BG TR 42
- 660) *Thyreus praevalens* (Kohl, 1905)** (Apidae) *Synonym(s): praevalens Kohl, 1905* Original reference: *Crocisa praevalens* Kohl, 1905, *Annln naturh. Mus. Wien* 20 (2/3): 243-244, pl. 9, 10

- figs.21,31. Lectotype ♂: Türkei, Erdschian (Illanly-Dagh), designated by Lieftinck (1968: 69) (NHMW). Range (in code): **TR 05 38**
- 661) Thyreus ramosus (Lepelletier,1841)** (Apidae) Synonym(s): *ramosus* Lepelletier,1841; *rufa* Radoszkowski,1886; *ashabadensis* Radoszkowski,1893; *albociliata* Meyer,1921; *minor* Friese,1925; *circulata* Alfken,1927 Range (in code): **Cn DZ TN MA ES HU CH IT TM UZ SD MT FR EG GR Ae Le CY TR Cc LB Bei IQ Shq IR Elb Bgd AF Kab KG AM Eri CN PK Rw 09 16 34 35 42**
- 662) Thyreus scutellaris (Fabricius,1781)** (Apidae) Synonym(s): *scutellaris* Fabricius,1781; *crassicornis* Morawitz,1890 Range (in code): **YU EG SA TR Cc RU Ur Or Ao Sb MN CN Gn IR Elb Th IL Pa AF Kab KG Tk 76 76D**
- 663) Thyreus sibiricus (Radoszkowski,1893)** (Apidae) Synonym(s): *sibiricus* Radoszkowski,1893 Range (in code): **RU Sb TR Cc MN 76 76D**
- 664) Thyreus truncatus (Pérez,1883)** (Apidae) Synonym(s): *truncatus* Pérez,1883; *mucorea* Friese,1925; *nadigi* Alfken,1934 Range (in code): **MA DZ EG AL AT CH MK IT Si HU MA RO ES GR Ae Le TR Cc AZ Kir RU Or Ur UZ IL Pa Js KW IR Elb 38 42 43**
- 665) Xylocopa (Ancylocopa) parviceps Morawitz,1895** (Apidae) Synonym(s): *parviceps* Morawitz,1895 Range (in code): **AL GR CY MK Cr AZ Cc IR KK TM IL Pa SY IQ TR AF 30 33 35 42 58 65 70 73 30B 58M 70C 70Cb 65B 65K 73C**
- 666) Xylocopa (Copoxyla) armeniaca Warncke,1982** (Apidae) Synonym(s): *armeniaca* Warncke,1982 Original reference: *Xylocopa (Copoxyla) turanica* ssp. *armeniaca* Warncke,1982, Linzer biol. Beitr. 14: 32-33. Holotype ♂: Türkei: Hakkari Prov., Suvari Halil Pass 2500m 2 vi 1980 (leg. Warncke). Range (in code): **AM Cc TR 30 36 65 73 30B 30Be 30D 30Du 36F 36Fb 65N 65Np1 65Nr4 65Nm 73C 73A 73Ag 73Cd**
- 667) Xylocopa (Copoxyla) iris (Christ,1791)** (Apidae) Synonym(s): *iris* Christ,1791; *nasuta* Christ,1791; *cyanescens* Brullé,1832; *taurica* Erichson,1841; *minuta* Lepelletier,1841; *canuta* Rondani,1874; *virescentis* Strand,1917; *aliceae* Cockerell,1931 Range (in code): **ES FR DE RU CZ SK CH AT IT Co Sa Cr SS HU RO GR TR IL Pa IR Elb Th AF TJ TM KG 01 04 06 07 09 24 25 30 33 36 48 51 65 73 30B 65D 65Dc 65F 65Fd 65Fp 65Fz 65N 65Np5 65Nm**
- 668) Xylocopa (Ctenoxylocopa) fenestrata (Fabricius,1798)** (Apidae) Synonym(s): *fenestrata* Fabricius,1798; *lunata* Klug,1807 Range (in code): **AF IQ IR PK IN MM NP LK CN MG MU RE TR Ch 08 20 25 30 31 36 38 42 51**
- 669) Xylocopa (Koptortosoma) pubescens Spinola,1838** (Apidae) Synonym(s): *pubescens* Spinola,1838; *rubida* Gribodo,1884 Range (in code): **MA TR IR Ss IL Pa CY SY EG LY SN SD KE TZ MZ YE PK Krc Rw IN Ass NP AE 01 07 31 33 36 31K 31Ka**
- 670) Xylocopa (Proxycopa) olivieri Lepelletier,1841** (Apidae) Synonym(s): *olivieri* Lepelletier,1841 Original reference: *Xylocopa olivieri* Lepelletier,1841, Hist. nat. Ins., Hym. 2: 192-193. Type ♀: [Iraq]: "Bagdad, Mesopotamie", leg. Olivier. Range (in code): **ES AL MK GR Cr IL Pa Js IQ Amr Kku Bgd TR IR Ha Kd Ke Ss AF KK TM Kp PK CN Ui 01 04 06 07 08 13 20 24 25 30 31 36 38 42 48 51 56 65 73 25M 30D 56F 56Fm 65D 65K 65Ku 65N 65Np4 65Np6 65Nr4 65Nm**
- 671) Xylocopa (Proxycopa) rufa Friese,1901** (Apidae) Synonym(s): *rufa* Friese,1901; *erivaniensis* Pérez,1901 Range (in code): **AM Eri Cc TR IR Elb Th PK CN Ui IL Pa TM SD KK TJ IN 65 65C 65Cb**
- 672) Xylocopa (s.str.) valga Gerstaecker,1872** (Apidae) Synonym(s): *valga* Gerstaecker,1872; *ramulorum* Rondani,1874; *convexa* Smith,1878 Range (in code): **ES FR CH AT IT CZ SK HU PL EE FI RU UA SS TR IR Elb 01 08 12 24 25 26 29 30 31 32 36 38 42 65 30D 30Df 65B 65N 65Nr6 65Nm**
- 673) Xylocopa (s.str.) varentzowi Morawitz,1895** (Apidae) Synonym(s): *varentzowi* Morawitz,1895; *afghanica* Hedicke,1938; *convexior* Hedicke,1940 Range (in code): **TM AF Pm IR Fa Shr IL Pa TR**
- 674) Xylocopa (s.str.) violacea (Linnaeus,1758)** (Apidae) Synonym(s): *violacea* Linnaeus,1758; *insubrica* Müller,1766; *femorata* Fabricius,1804 Range (in code): **GB ES FR BE DE PL CZ SK CH AT HU IT RU FI UA GR TR IQ Bgd IR Elb Mz 01 04 07 08 09 13 16 24 25 29 30 31 32 33 36 42 51 55 57 61 65 76 13A 13Ac 13Ax 30Du 31K 31Ka 65F 65F1 65Fd 65Fp 65Fz 65K 65Ky 65Ky1 65N 65Np 65Np5 65Np8 65Nr6 65Nm 76B 76Bf 76Bh**

Argidae

- 675) Aprosthema bifurcum (Klug,1834)** (Argidae) Synonym(s): *bifurcum* Klug,1834 Range (in code): **AT SK UA FI TR**
- 676) Aprosthema melanurum (Klug,1814)** (Argidae) Synonym(s): *melanurum* Klug,1814; *cylindricornis* Thomson,1871; *friesei* Konow,1892; *alfkeni* Konow,1895; Range (in code): **ES FR GB BE NL DE DK NO SE FI EE RU UA RO CZ SK HU CH AT IT B-H TR IR CN Ui Sb Cc**

- 677) Aprosthema syrmienne (Mocsary,1897)** (Argidae) Synonym(s): *syrmienne* Mocsary,1897
Range (in code): **TR B-H RO**
- 678) Aprosthema tardum (Klug,1814)** (Argidae) Synonym(s): *tardum* Klug,1814; *cylindricorne* Thomson,1871; *carpentieri* Konow,1902 Range (in code): **FR DE CZ AT IT HU B-H YU MK UA RU TR IL Pa Cc IR CN Ui Sb 57**
- 679) Arge aurata (Zaddach,1864)** (Argidae) Synonym(s): *aurata* Zaddach,1864 Range (in code): **TR 25 51**
- 680) Arge auripennis Konow,1891** (Argidae) Synonym(s): *auripennis* Konow,1891 Range (in code): **B-H RO Cc SY TR**
- 681) Arge beckeri Tournier,1889** (Argidae) Synonym(s): *beckeri* Tournier,1889 Range (in code): **B-H YU MK HU UA TR 25**
- 682) Arge berberidis (Schrank,1802)** (Argidae) Synonym(s): *berberidis* Schrank,1802
Range (in code): **ES FR BE NL DK DE EE PL UA CZ SK HU MK BG B-H AT CH IT TR Cc 06 25 28 29 33 76 76D 76Dc**
- 683) Arge ciliaris (Linnaeus,1767)** (Argidae) Synonym(s): *ciliaris* Linnaeus,1767 Range (in code): **FR GB IE DK SE FI EE LY RU UA PL DE CZ SK CH AT IT HU B-H RO BG TR Cc MN CN Mc Sb Kmt**
- 684) Arge clavicornis (Fabricius,1781)** (Argidae) Synonym(s): *clavicornis* Fabricius,1781; *fuscinervis* Lindqvist,1974 Range (in code): **ES FR SE DE PL RU Sb DZ TR CA 61**
- 685) Arge cyanocrocea (Forster,1771)** (Argidae) Synonym(s): *cyanocrocea* Forster,1771; *syriaca* Mocsary,1880 Range (in code): **PT ES FR GB FI EE RU UA RO PL DE NL CH AT CZ SK HU B-H IT Co Si HV YU BG MK GR AL CY TR LB SY Cc IR TM JP 05 07 08 33 34 38 48 53 55 57**
- 686) Arge debilis Konow,1887** (Argidae) Synonym(s): *debilis* Konow,1887 Range (in code): **TR 38**
- 687) Arge enodis (Linnaeus,1767)** (Argidae) Synonym(s): *enodis* Linnaeus,1767; *coeruleipennis* Retzius,1783 Range (in code): **ES FR GB BE NL DE DK SE FI RU EE PL UA RO CZ SK HU CH AT IT Co Sa Si B-H YU AL MK GR BG TR Cc Sb JP 06**
- 688) Arge frivaldskyi (Tischbein,1852)** (Argidae) Synonym(s): *frivaldskyi* (Tischbein,1852)
Range (in code): **SK HU UA RO BG MK GR AL TR Cc 05 06 16**
- 689) Arge fuscipes (Fallén,1808)** (Argidae) Synonym(s): *fuscipes* Fallén,1808; *seljuki* Benson,1968
Range (in code): **AT DE TR**
- 690) Arge gracilicornis (Klug,1814)** (Argidae) Synonym(s): *gracilicornis* Klug,1814 Range (in code): **ES GB FR BE NL DK DE FI RU UA PL CZ SK HU RO B-H HV AL IT CH AT SS TR Sb IR JP**
- 691) Arge melanochra (Gmelin,1790)** (Argidae) Synonym(s): *melanochra* Gmelin,1790; *nigritarsis* Klug,1834; *fuliginata* Konow,1907 Range (in code): **PT ES FR GB BE NL DE PL BY UA RO CZ SK HU AT CH IT Si B-H HV YU AL MK BG GR Cr CY TR IR 05 06 07 14 25 28 33 34 38 42 48 57 58 60**
- 692) Arge nigripes (Retzius,1783)** (Argidae) Synonym(s): *nigripes* Retzius,1783 Range (in code): **ES FR GB SE FI RU Sb EE PL RO UA CZ SK DK DE BE NL CH AT HU B-H HV YU IT AL MK GR TR Cc 06 25 28**
- 693) Arge ochropus (Gmelin,1790)** (Argidae) Synonym(s): *ochropus* Gmelin,1790 Range (in code): **PT ES FR BE NL GB NO SE FI RU Sb UA EE LT PL DK DE CZ SK HU AT CH IT Co Sa Si SS B-H HV RO YU MK BG GR AL Cr CY TR EG IL Pa LB Cc IR Ak TM 01 05 06 07 14 16 25 42 55 56 57 60 61 65 56D 56Db 65D 65Dn**
- 694) Arge pagana (Panzer,1798)** (Argidae) Synonym(s): *pagana* Panzer,1798; *flaviventris* Fallén,1807; *stephensii* Leach,1817 Range (in code): **GB ES FR BE NL DK DE SE FI RU UA RO BG YU AL MK B-H HU CZ SK PL CH AT IT Sa Si TR Cc Sb Kmt MN CN Mc JP 65 65N 65Np 65Nm**
- 695) Arge pleuritica (Klug,1834)** (Argidae) Synonym(s): *pleuritica* Klug,1834 Range (in code): **B-H HU SK UA RO MK BG TR Cc CN Ui 05 07 09 25 42**
- 696) Arge proxima (André,1881)** (Argidae) Synonym(s): *proxima* André,1881 Range (in code): **TR 07**
- 697) Arge pullata (Zaddach,1859)** (Argidae) Synonym(s): *pullata* Zaddach,1859 Range (in code): **FR FI DK DE NL CH AT IT B-H YU MK RO UA RU BY TR Sb Sh JP**
- 698) Arge pyrenaica (André,1879)** (Argidae) Synonym(s): *pyrenaica* André,1879 Range (in code): **FR ES Py Cc IT Sa TR MA DZ RU Ur Ya TJ Pm MN 25 61**
- 699) Arge rustica (Linnaeus,1758)** (Argidae) Synonym(s): *rustica* Linnaeus,1758; *atrata* Forster,1771; *segmentarius* Panzer,1805 Range (in code): **ES FR GB DK DE SE PL UA RU Us CZ HU RO CH AT IT Si B-H HV YU MK GR AL BG TR IL Pa 05 06 07 25 28 29 41 51 55 57 58**
- 700) Arge scita (Mocsary,1880)** (Argidae) Synonym(s): *scita* Mocsary,1880; *zarudnyi* Gussakovskii,1935 Range (in code): **BG GR Cr CY TR LB IL Pa SY IR TM 05 06 16 25 31 33 42 43 46 51**

- 701) Arge simulatrix Konow,1887** (Argidae) Synonym(s): *simulatrix* Konow,1887 - Range (in code): BG GR SY TR Cc 05 06 07 29 42 51
- 702) Arge ustulata (Linnaeus,1758)** (Argidae) Synonym(s): *ustulata* Linnaeus,1758 - Range (in code): PT ES FR GB IE DK BE NL DE NO SE FI EE LT BY RU UA PL CZ SK HU CH AT IT B-H Si YU BG TR
- 703) Kokujewia clementi Zirngiebl,1949** (Argidae) Synonym(s): *clementi* Zirngiebl,1949; *taschevi* Vassilev,1978 Range (in code): GR BG TR 42
- 704) Kokujewia ectrapela Konow,1902** (Argidae) Synonym(s): *ectrapela* Konow,1902; *palestina* Benson,1954 - Range (in code): TR IR Oru Cc IL Pa 06
- 705) Sterictiphora furcata (Villers,1789)** (Argidae) Synonym(s): *furcata* Villers,1789; *rubi* Rossi,1790; *rubiidae* Rossi,1790; *inaequalis* Bremi-Wolf,1849; *nigripes* Konow; *bleusei* Pic - Range (in code): DZ PT ES FR DE CZ SK AT IT B-H HV YU RO UA MK AL TR RU Ur SY IR 05 06 25 34 57 67
- 706) Sterictiphora geminata (Gmelin,1790)** (Argidae) Synonym(s): *geminata* Gmelin,1790; *costata* Fallén,1808; *pallipes* Leach,1817 Range (in code): ES FR GB IE NO SE FI PL DK DE CZ SK HU CH AT IT B-H RO TR

Aulacidae

- 707) Iconella albinervis (Tobias,1964)** (Braconidae) Synonym(s): *albinervis* Tobias,1964
Original reference: *Apanteles albinervis* Tobias,1964, Trudy. zool. Inst. Leningr. 34: 221. Range (in code): TR HU KG Cc AZ 16 22
- 708) Pristaulacus barbeyi (Ferriere,1933)** (Aulacidae) Synonym(s): *barbeyi* Ferriere,1933
Range (in code): DZ MA GR TR
- 709) Pristaulacus compressus (Spinola,1808)** (Aulacidae) Synonym(s): *compressus* Spinola,1808 Range (in code): ES FR AT DE CH IT CZ SK PL RO BG HU YU RU UA IQ MA TR SY LB
- 710) Pristaulacus galitae (Gribodo,1879)** (Aulacidae) Synonym(s): *galitae* Gribodo,1879
Range (in code): ES Cn FR DE AT CZ SK BG HU RO UA IT Sa Si HV YU GR Cr Rd TR MA DZ TN
- 711) Pristaulacus gloriator (Fabricius,1804)** (Aulacidae) Synonym(s): *gloriator* Fabricius,1804; *flagellatus* Nees,1834; *erichsoni* Westwood,1841; *fasciatus* Kriechbaumer,1883 - Range (in code): DE RO AT CZ HU RU Sb YU IT TR CZ SK AL GR IR 42
- 712) Pristaulacus obscuripennis (Westwood,1841)** (Aulacidae) Synonym(s): *obscuripennis* Westwood,1841; *schlettereri* Kieffer,1904 - Range (in code): PL DE HU RO BG YU AT CH IT TR

Braconidae

- 713) Agathis anglica Marshall,1885** (Braconidae) Synonym(s): *anglica* Marshall,1885; *longicauda* Kokujev,1895; *marshalli* Fahringer,1937; *syriaca* Fischer,1957; *albanica* Fischer,1957; *caucasica* Tobias,1963; *taiwanensis* Chou & Sharkey,1989 - Range (in code): AL AM AZ AT Cc BG CN Hph TW HV CY FI FR DE GR Rd Cr HU IR IT KG MK MN MA NL PL RO RU Ao SS ES SE CH SY TJ UA GB YU TR SY Ltk 01 08 21 22 23 24 27 29 31 32 33 39 44 46 50 53 58 61 63 69 44A 58G
- 714) Agathis assimilis Kokujev,1895** (Braconidae) Synonym(s): *assimilis* Kokujev,1895; *propinqua* Kokujev,1895; *jakowlewi* Kokujev,1895; *sibirica* Telenga,1933; *anchisiades* Nixon,1986 Range (in code): AT AZ BG HV FR DE HU IR IT KG KP KR LT MK MD MN NL NO PL RU Am Or Sr CH TJ UA GB UZ YU TR 39
- 715) Agathis berkei Çetin Erdoğan,2010** (Braconidae) Synonym(s): *berkei* Çetin Erdoğan,2010
Original reference: *Agathis berkei* Çetin Erdoğan,2010, Turk. J. Zool. 34: 178-179, 8 figs. Holotype ♀: Turkey, Malatya, Akçadağ 1015m 2 6 2007 leg. Ö.Çetin Erdoğan (TUZM). Range (in code): TR 24 44 62 44A
- 716) Agathis breviseta Nees von Esenbeck,1814** (Braconidae) Synonym(s): *breviseta* Nees von Esenbeck,1814 Range (in code): BE BG GB YU TR 22
- 717) Agathis fischeri Zettel & Beyarslan,1992** (Braconidae) Synonym(s): *fischeri* Zettel & Beyarslan,1992 Range (in code): TR 02 24
- 718) Agathis fulmeki Fischer,1957** (Braconidae) Synonym(s): *fulmeki* Fischer,1957 Range (in code): TR AT BG FR GR HU MA ES 44 44A
- 719) Agathis fuscipennis (Zetterstedt,1838)** (Braconidae) Synonym(s): *fuscipennis* Zetterstedt,1838 Range (in code): TR AT BG FR DE HU NL PL SE ES TN GB 08 23 44 62 44A

- 720) Agathis glabricula Thomson,1895** (Braconidae) Synonym(s): *glabricula Thomson,1895*
Range (in code): **TR 33 39**
- 721) Agathis glaucoptera Nees ab Esenbeck,1834** (Braconidae) Synonym(s): *glaucoptera Nees ab Esenbeck,1834* Range (in code): **FR YU TR 25 42**
- 722) Agathis griseifrons Thomson,1895** (Braconidae) Synonym(s): *griseifrons Thomson,1895*
Range (in code): **TR AL AM Cc AT AZ BG FI YU FR DE GR HU IE IT KG MN NL NO PL RO RU SS SE CH KP KR LT UA 44 44H**
- 723) Agathis lugubris (Förster,1862)** (Braconidae) Synonym(s): *lugubris Förster,1862; minuta Niezabitowski,1910* Range (in code): **TR CZ FI HU PL CH UA GB DE GR Cr IR MN L NO 07 23 44 69**
- 724) Agathis malvacearum Latreille,1805** (Braconidae) Synonym(s): *malvacearum Latreille,1805; panzeri Jurine,1807; irregularis Fahringer,1937 [ssp.]; metzneriae Müsenbeck,1967* Range (in code): **AL AM AZ Cc BG CA HV CZ FI FR GG DE GR HU IR IT Sa KG LT LV MK MD MN NL PL RO RU Am Da Kr SK SS ES CH TJ TR US Ny Oh UA GB UZ YU 08 23 33 44 47 61 62 70**
- 725) Agathis melpomene Nixon,1986** (Braconidae) Synonym(s): *melpomene Nixon,1986*
Range (in code): **TR HU BG IR MN 32 39**
- 726) Agathis nigra Nees von Esenbeck,1814** (Braconidae) Synonym(s): *nigra Nees von Esenbeck,1814* Range (in code): **TR 22 23 29 31 32 33**
- 727) Agathis persephone Nixon,1986** (Braconidae) Synonym(s): *persephone Nixon,1986*
FR TR 63
- 728) Agathis rubens Tobias,1963** (Braconidae) Synonym(s): *rubens Tobias,1963* Range (in code): **TR KG**
- 729) Agathis rufipalpis Nees von Esenbeck,1814** (Braconidae) Synonym(s): *rufipalpis Nees von Esenbeck,1814* Range (in code): **BE BG FI FR ES SE CH PT TR 07 08 15 22 23 25 31 32 39 44 63**
- 730) Agathis syngenesiae Nees von Esenbeck,1814** (Braconidae) Synonym(s): *syngenesiae Nees von Esenbeck,1814* Range (in code): **TR 01 16 22 27 33 34 59 63**
- 731) Agathis tatarica Telenga,1933** (Braconidae) Synonym(s): *tatarica Telenga,1933* Range (in code): **TR 44 44E**
- 732) Agathis taurica Telenga,1955** (Braconidae) Synonym(s): *taurica Telenga,1955* Range (in code): **TR RU 05**
- 733) Agathis umbellatarum Nees von Esenbeck,1814** (Braconidae) Synonym(s): *umbellatarum Nees von Esenbeck,1814* Range (in code): **TR 06 22 23 31 33 34 51 62**
- 734) Agathis varipes Thomson,1895** (Braconidae) Synonym(s): *varipes Thomson,1895*
Range (in code): **TR 32 62**
- 735) Aleiodes (Chelonorhogas) miniatus (Herrich-Schäffer,1838)** (Braconidae) Synonym(s): *miniatus Herrich-Schäffer,1838* Range (in code): **TR 36 36F**
- 736) Aleiodes (Neorhogas) dissector (Nees ab Esenbeck,1834)** (Braconidae) Synonym(s): *dissector Nees ab Esenbeck,1834* Range (in code): **TR 75 75A 75Ab**
- 737) Aleiodes (Neorhogas) ductor (Thunberg,1822)** (Braconidae) Synonym(s): *ductor Thunberg,1822* Range (in code): **TR AF DZ Cn Cc EG IR IL Pa JP KG LY RU Sb SY TM 17 22 25 39 49 59 75 76 25F 25I 25R 49E 75F 76E**
- 738) Aleiodes (s.str.) albitibia (Herrich-Schäffer,1838)** (Braconidae) Synonym(s): *albitibia Herrich-Schäffer,1838; heterogaster Wesmael,1838* Range (in code): **TR 25 25O**
- 739) Aleiodes (s.str.) bicolor (Spinola,1808)** (Braconidae) Synonym(s): *bicolor Spinola,1808*
Range (in code): **AF CN Cc TR IR KP KR LY MN TN 10 11 16 17 22 25 34 36 39 41 59 75 76 77 25F 25K 36D 36Da 36Df 36F 75F 76D 76Da**
- 740) Aleiodes (s.str.) circumscriptus (Nees ab Esenbeck,1834)** (Braconidae) Synonym(s): *circumscriptus Nees ab Esenbeck,1834* Range (in code): **TR Cc IR KG CN Mc MN RU Sb 08 16 17 22 25 36 39 49 54 59 75 76 08H 25E 25I 25K 25L 25M 25O 25R 36D 36F 49E 49F 75A 75Aa 75B 75E 75F 76D 76Da**
- 741) Aleiodes (s.str.) esenbeckii (Hartig,1838)** (Braconidae) Synonym(s): *esenbeckii Hartig,1838* Range (in code): **TR 36 36H**
- 742) Aleiodes (s.str.) gastritor (Thunberg,1822)** (Braconidae) Synonym(s): *gastritor Thunberg,1822* Range (in code): **TR KP KR 10 17 22 25 36 39 75 25E 25I 25P 36D 36Df 75A 75Ab 75E**
- 743) Aleiodes (s.str.) moldavicus Tobias,1986** (Braconidae) Synonym(s): *moldavicus Tobias,1986* Range (in code): **MD TR 25 36 75 76 25A 25E 25I 25O 36D 36F 75A 75Ab 75E 76A 76Ac 76D 76Da**
- 744) Aleiodes (s.str.) pallidator (Thunberg,1822)** (Braconidae) Synonym(s): *pallidator Thunberg,1822* Range (in code): **AF MN Cc KP KR RU TR 10 22 25 36 59 75 76 25E 25F 25O 36D 36F 75A 75Ab 75B 75D 75E 75F 76D 76Da**

- 745) Aleiodes (s.str.) signatus (Nees ab Esenbeck,1811)** (Braconidae) **Synonym(s):** *signatus* Nees ab Esenbeck,1811 **Range (in code):** **TR 11 22 25 34 36 39 59 75 76 25F 25I 25K 25O 25R 36F 75F 76D 76Da**
- 746) Aleiodes (s.str.) varius (Herrich-Schäffer,1838)** (Braconidae) **Synonym(s):** *varius* Herrich-Schäffer,1838 **Range (in code):** **TR 75**
- 747) Aleiodes (Tetrasphaeropyx) arcticus (Thomson,1892)** (Braconidae) **Synonym(s):** *arcticus* Thomson,1892 **Range (in code):** **TR 08 25 36 75 08H 25E 25F 25K 25O 25M 36D 36F 75A 75Ab 75B 75E 75F 76D 76Da 76E**
- 748) Aleiodes apicalis (Brullé,1832)** (Braconidae) **Synonym(s):** *apicalis* Brullé,1832 **Range (in code):** **AF DZ Cn Cc TR EG IR IL Pa JP KG LY RU Sb SY TM 10 11 16 54**
- 749) Aleiodes caucasicus Tobias,1976** (Braconidae) **Synonym(s):** *caucasicus* Tobias,1976 **Range (in code):** **RU Cc TR 39**
- 750) Aleiodes dimidiatus (Spinola,1808)** (Braconidae) **Synonym(s):** *dimidiatus* Spinola,1808 **Range (in code):** **DZ RH Kmt KG KP KR CN Mc MN MA RU TR 10 16 17 39 41 54 59**
- 751) Aleiodes gasterator (Jurine,1807)** (Braconidae) **Synonym(s):** *gasterator* Jurine,1807 **Range (in code):** **Cc TR RU MN Sb 22 59**
- 752) Aleiodes grandis Giraud,1857** (Braconidae) **Synonym(s):** *grandis* Giraud,1857 **Range (in code):** **Cc RU TR 59**
- 753) Aleiodes nocturnus (Telenga,1941)** (Braconidae) **Synonym(s):** *nocturnus* Telenga,1941 **Range (in code):** **HU TR IR KG MN RU 10 17 22 39**
- 754) Aleiodes praetor (Reinhard,1863)** (Braconidae) **Synonym(s):** *praetor* Reinhard,1863 **Range (in code):** **TR 59**
- 755) Aleiodes rossicus (Kokujev,1898)** (Braconidae) **Synonym(s):** *rossicus* Kokujev,1898 **Range (in code):** **RU IN TR 16**
- 756) Aleiodes rufipes (Thomson,1892)** (Braconidae) **Synonym(s):** *rufipes* Thomson,1892 **Range (in code):** **TR FI CN RU HU SE UA 17 59**
- 757) Aleiodes schirjajevi (Kokujev,1898)** (Braconidae) **Synonym(s):** *schirjajevi* Kokujev,1898 **Range (in code):** **Cc YU KG RU TR 11 16 41**
- 758) Aleiodes unguicularis (Thomson,1891)** (Braconidae) **Synonym(s):** *unguicularis* Thomson,1891 **Range (in code):** **TR HU KP KR SE 10**
- 759) Aleiodes venustulus (Kokujev,1905)** (Braconidae) **Synonym(s):** *venustulus* Kokujev,1905 **Range (in code):** **KG RU TR 11 22 39**
- 760) Aleiodes vittiger Wesmael,1838** (Braconidae) **Synonym(s):** *vittiger* Wesmael,1838 **Range (in code):** **MN KG TR 10 16**
- 761) Alysia (Anarcha) fuscipennis Haliday,1838** (Braconidae) **Synonym(s):** *fuscipennis* Haliday,1838 **Range (in code):** **TR 08 28**
- 762) Alysia (Anarcha) puncticollis Thomson,1895** (Braconidae) **Synonym(s):** *puncticollis* Thomson,1895 **Range (in code):** **TR 02**
- 763) Alysia (Anarcha) rufidens Nees,1834** (Braconidae) **Synonym(s):** *rufidens* Nees,1834 **Range (in code):** **TR 52**
- 764) Alysia (s.str.) lucicola Haliday,1838** (Braconidae) **Synonym(s):** *lucicola* Haliday,1838 **Range (in code):** **TR 58 61**
- 765) Alysia (s.str.) luciella Stelfox,1941** (Braconidae) **Synonym(s):** *luciella* Stelfox,1941 **Range (in code):** **TR 61**
- 766) Alysia (s.str.) manducator (Panzer,1799)** (Braconidae) **Synonym(s):** *manducator* Panzer,1799 **Range (in code):** **TR 25**
- 767) Apanteles aragatzi Tobias,1976** (Braconidae) **Synonym(s):** *aragatzi* Tobias,1976 **Original reference:** Apanteles aragatzi Tobias,1976, Trudy zool. Inst.: 244-245. **Range (in code):** **TR Cc AM CH 10 11 16 54**
- 768) Apanteles ater (Ratzeburg,1852)** (Braconidae) **Synonym(s):** *ater* Ratzeburg,1852 **Original reference:** Microgaster ater Ratzeburg,1852, Ichn. D. Forstins. 3: 56. **Range (in code):** **TR Cc AZ 10 17 25 34**
- 769) Apanteles atreus Nixon,1973** (Braconidae) **Synonym(s):** *atreus* Nixon,1973 **Original reference:** Apanteles atreus Nixon,1973, Bull. ent. Res. 63: 199. **Range (in code):** **TR GB DK BG DE IT GR HU 11 16**
- 770) Apanteles brunnistigma Abdinbekova,1969** (Braconidae) **Synonym(s):** *brunnistigma* Abdinbekova,1969 **Original reference:** Apanteles brunnistigma Abdinbekova,1969, Azerb. Sci. Acad. Zool. Enst. ELM. **Range (in code):** **TR Cc AZ GB IT HU 11 17 34 41**

- 771) **Apanteles carpatus Say,1836** (Braconidae) Synonym(s): *carpatus Say,1836* Original reference: Apanteles carpatus Say,1836, Boston J. nat. Hist. 1 (3): 263. Range (in code): **TR AR ZR ZA Ec FJ FI GB GH DE Hw JP MY NZ AT PR CH SE US TZ Zz 11 22 44**
- 772) **Apanteles evanidus Papp,1975** (Braconidae) Synonym(s): *evanidus Papp,1975* Original reference: Apanteles evanidus Papp,1975, Ann. Hist. nat. Mus. Nat. Hung.: 243. Range (in code): **TR CH HU 16 34 59**
- 773) **Apanteles gallerie Wilkinson,1932** (Braconidae) Synonym(s): *gallerie Wilkinson,1932* Original reference: Apanteles gallerie Wilkinson,1932, Stylops 1: 139. Range (in code): **TR US AR MU IN FR HU IL Pa 16**
- 774) **Apanteles hemara Nixon,1965** (Braconidae) Synonym(s): *hemara Nixon,1965* Original reference: Apanteles hemara Nixon,1965, Bull. Br. Mus. Nat. Hist. (Ent.) Suppl. 2: 58. Range (in code): **TR IN IT MU ZA Nta Kzu SN AT BG 07 10 11 16 17 22 54 59 80**
- 775) **Apanteles ingenuoides Papp,1971** (Braconidae) Synonym(s): *ingenuoides Papp,1971* Original reference: Apanteles ingenuoides Papp,1971, Annls. Hist. Nat. Mus. Natn. Hung. 63: 307-363. Range (in code): **TR FR BG HU MN 10 11 16 39 54**
- 776) **Apanteles kubensis Abdinbekova,1975** (Braconidae) Synonym(s): *kubensis Abdinbekova,1975* Original reference: Apanteles kubensis Abdinbekova,1975, Azerb. Sci. Acad. Zool. Enst. ELM. 26. Range (in code): **TR HU Cc AZ 34**
- 777) **Apanteles myron Nixon,1973** (Braconidae) Synonym(s): *myron Nixon,1973* Original reference: Apanteles myron Nixon,1973, Bull. ent. Res. 63: 169-228. Range (in code): **TR GB GR AT 11**
- 778) **Apanteles obscurus (Nees ab Esenbeck,1834)** (Braconidae) Synonym(s): *obscurus Nees ab Esenbeck,1834* Original reference: Microgaster obscurus Nees ab Esenbeck,1834, Hym. Ichn. Affin. Mon. 1: 182. Range (in code): **TR Cc RU Sb MN 01 07 10 11 15 16 17 22 27 31 32 33 34 39 46 54 59**
- 779) **Aphaereta minuta (Nees,1811)** (Braconidae) Synonym(s): *minuta Nees,1811* Range (in code): **TR 05 08 28 29 40 50 58 60 67**
- 780) **Aphaereta tenuicornis Nixon,1939** (Braconidae) Synonym(s): *tenuicornis Nixon,1939* Range (in code): **TR 18 69**
- 781) **Aphidius absinthii Marshall,1896** (Braconidae) Synonym(s): *absinthii Marshall,1896* Range (in code): **TR 05**
- 782) **Aphidius avenae Haliday,1834** (Braconidae) Synonym(s): *avenae Haliday,1834* Range (in code): **TR 18 37 52 60**
- 783) **Aphidius ervi Haliday,1834** (Braconidae) Synonym(s): *ervi Haliday,1834* Range (in code): **TR 05 19 37 52 55 57 69**
- 784) **Aphidius funebris Mackauer,1961** (Braconidae) Synonym(s): *funebris Mackauer,1961* Range (in code): **TR 37**
- 785) **Aphidius matricariae Haliday,1834** (Braconidae) Synonym(s): *matricariae Haliday,1834* Range (in code): **TR 19**
- 786) **Aphidius rosae Haliday,1834** (Braconidae) Synonym(s): *rosae Haliday,1834* Range (in code): **TR 57**
- 787) **Aphidius salicis Haliday,1834** (Braconidae) Synonym(s): *salicis Haliday,1834* Range (in code): **TR 08 37**
- 788) **Aphidius transcaspicus Telenga,1958** (Braconidae) Synonym(s): *transcaspicus Telenga,1958* Range (in code): **TR 05 29 52 57 60**
- 789) **Aphidius urticae Haliday,1834** (Braconidae) Synonym(s): *urticae Haliday,1834* Range (in code): **TR 16 22 25 37 55 57 59**
- 790) **Apodesmia aethiops (Haliday,1837)** (Braconidae) Synonym(s): *aethiops Haliday,1837* Range (in code): **TR 68**
- 791) **Apodesmia altimontanus (Fischer,1969)** (Braconidae) Synonym(s): *altimontanus Fischer,1969* Range (in code): **TR 02 23 52**
- 792) **Apodesmia angelus (Fischer,1971)** (Braconidae) Synonym(s): *angelus Fischer,1971* Range (in code): **TR 06**
- 793) **Apodesmia arenaceus (Jakimavicius,1986)** (Braconidae) Synonym(s): *arenaceus Jakimavicius,1986* Range (in code): **TR 25 75 25R 75E**
- 794) **Apodesmia austriacus (Fischer,1958)** (Braconidae) Synonym(s): *austriacus Fischer,1958* Range (in code): **TR 75 75A 75Aa 75Ab 75B**

- 795) Apodesmia geniculatus (Thomson,1895)** (Braconidae) Synonym(s): *geniculatus* Thomson,1895 Range (in code): **TR 25 25I**
- 796) Apodesmia irregularis (Wesmael,1835)** (Braconidae) Synonym(s): *irregularis* Wesmael,1835 Range (in code): **TR 02 05 08 10 25 28 52 53 55 63 69 74 25O**
- 797) Apodesmia karesuandensis (Fischer,1964)** (Braconidae) Synonym(s): *karesuandensis* Fischer,1964 Range (in code): **TR 58**
- 798) Apodesmia nitidulator (Nees ab Esenbeck,1834)** (Braconidae) Synonym(s): *nitidulator* Nees ab Esenbeck,1834 Range (in code): **TR 25 25F**
- 799) Apodesmia novosimilis (Fischer,1989)** (Braconidae) Synonym(s): *novosimilis* Fischer,1989 Range (in code): **TR 75 75F**
- 800) Apodesmia nowakowskii (Fischer,1959)** (Braconidae) Synonym(s): *nowakowskii* Fischer,1959 Range (in code): **TR 23 44 58**
- 801) Apodesmia rex (Fischer,1958)** (Braconidae) Synonym(s): *rex* Fischer,1958 Range (in code): **TR AT BG Cr CZ DK DE FI FR HU IT NO PL RO RU SE CH NL YU 19 38 61**
- 802) Apodesmia rugatus (Fischer,1992)** (Braconidae) Synonym(s): *rugatus* Fischer,1992 Range (in code): **TR 22**
- 803) Apodesmia saevus (Haliday,1837)** (Braconidae) Synonym(s): *saevus* Haliday,1837 Range (in code): **TR 75 75B 75F**
- 804) Apodesmia selimbassai (Fischer,1992)** (Braconidae) Synonym(s): *selimbassai* Fischer,1992 Range (in code): **TR 22 23 25 39 58 25O**
- 805) Apodesmia similis (Szépligeti,1898)** (Braconidae) Synonym(s): *similis* Szépligeti,1898 Range (in code): **TR 02 19 23 25 36 52 58 75 25K 36G 75A 75Ab**
- 806) Apodesmia similoides (Fischer,1972)** (Braconidae) Synonym(s): *similoides* Fischer,1972 Range (in code): **TR 36 36F**
- 807) Apodesmia tirolensis (Fischer,1958)** (Braconidae) Synonym(s): *tirolensis* Fischer,1958 Range (in code): **TR 60 67**
- 808) Apodesmia tuberculatus (Fischer,1959)** (Braconidae) Synonym(s): *tuberculatus* Fischer,1959 Range (in code): **TR 05 38**
- 809) Apodesmia uttoisimilis (Fischer,1999)** (Braconidae) Synonym(s): *uttoisimilis* Fischer,1999 Range (in code): **IR RU Sh TR 25 48 25F**
- 810) Ascogaster armatus Wesmael,1835** (Braconidae) Synonym(s): *armatus* Wesmael,1835 Range (in code): **TR 07 80**
- 811) Ascogaster instabilis Wesmael,1835** (Braconidae) Synonym(s): *instabilis* Wesmael,1835 Range (in code): **RU TR 07 32**
- 812) Ascogaster rufipes (Latreille,1809)** (Braconidae) Synonym(s): *rufipes* Latreille,1809 Range (in code): **TR 07 15**
- 813) Asobara tabida (Nees,1834)** (Braconidae) Synonym(s): *tabida* Nees,1834 Range (in code): **TR 28**
- 814) Aspilota ruficornis (Nees,1834)** (Braconidae) Synonym(s): *ruficornis* Nees,1834 Range (in code): **TR 16**
- 815) Aspilota stenogaster Stelfox & Graham,1951** (Braconidae) Synonym(s): *stenogaster* Stelfox & Graham,1951 Range (in code): **TR 16**
- 816) Atanycolus denigrator (Linnaeus,1758)** (Braconidae) Synonym(s): *denigrator* Linnaeus,1758 Range (in code): **CN AT BG HV CZ SK FI FR DE GR HU IL Pa IT KG KP KR MN NE NO PL RU SE CH GB TR**
- 817) Atanycolus fulviceps (Kriechbaumer,1898)** (Braconidae) Synonym(s): *fulviceps* Kriechbaumer,1898 Range (in code): **TR 01 06 23 39 44 59**
- 818) Atanycolus initiator (Fabricius,1793)** (Braconidae) Synonym(s): *initiator* Fabricius,1793; *genalis* Thomson,1892; *petiolaris* Thomson,1892; *flaviceps* Ivanov,1896; *mongolicus* Telenga,1936 Range (in code): **CN Mc AT AZ Cc HV CZ SK FI FR DE HU IT JP LT LV MN NO PL RU ES SE CH TR TM UA GB 01 07 31**
- 819) Atanycolus neesii (Marshall,1897)** (Braconidae) Synonym(s): *neesii* Marshall,1897 Range (in code): **TR 31 59**
- 820) Atormus victus (Haliday,1837)** (Braconidae) Synonym(s): *victus* Haliday,1837; *tarni* Papp,1982 Range (in code): **AM Cc AT BE BG CZ DK EE FI GG DE HU IT MN NL PL RO RU Us SK SS SE CH GB TR 52 61 74**

- 821) Baryproctus barypus (Marshall,1885)** (Braconidae) Synonym(s): *barypus* Marshall,1885; *hungaricus* Szépligeti,1901; *caucasicus* Telenga,1936; *apti* Györfi,1953 - Range (in code): **Cc HU TR 06 17 23 24 66**
- 822) Bassus armeniacus (Telenga,1955)** (Braconidae) Synonym(s): *armeniaceus* Telenga,1955 - Range (in code): **AM Cc TR AT**
- 823) Bassus beyarslani Çetin Erdoğan,2005** (Braconidae) Synonym(s): *beyarslani* Çetin Erdoğan,2005 - Range (in code): **TR 03**
- 824) Bassus calculator (Fabricius,1798)** (Braconidae) Synonym(s): *calculator* Fabricius,1798 - Range (in code): **TR 74**
- 825) Bassus cingulipes (Nees ab Esenbeck,1814)** (Braconidae) Synonym(s): *cingulipes* Nees ab Esenbeck,1814 - Range (in code): **TR 14**
- 826) Bassus conspicuus (Wesmael,1837)** (Braconidae) Synonym(s): *conspiciuus* Wesmael,1837 - Range (in code): **TR BE Cn CN HV FI YU FR DE GR HU IE IT JP KP KR NL PL RU SS ES SE CH 14 44 64**
- 827) Bassus dimidiator (Nees von Esenbeck,1834)** (Braconidae) Synonym(s): *dimidiator* Nees von Esenbeck,1834 - Range (in code): **TR 55**
- 828) Bassus graecus Achterberg,1992** (Braconidae) Synonym(s): *graecus* Achterberg,1992 - Range (in code): **GR TR 55**
- 829) Bassus linguarius (Nees ab Esenbeck,1814)** (Braconidae) Synonym(s): *linguarius* Nees ab Esenbeck,1814 - Range (in code): **TR AM Cc BE BG HV FI YU FR DE HU IT KG MN NL PL SS ES CH GB 62**
- 830) Bassus rufipes (Nees ab Esenbeck,1814)** (Braconidae) Synonym(s): *rufipes* Nees ab Esenbeck,1814 - Range (in code): **TR**
- 831) Bassus rugulosus (Nees ab Esenbeck,1834)** (Braconidae) Synonym(s): *rugulosus* Nees ab Esenbeck,1834 - Range (in code): **TR 65**
- 832) Bassus tegularis (Thomson,1895)** (Braconidae) Synonym(s): *tegularis* Thomson,1895 - Range (in code): **TR BG FR YU DE IT NL NO PL SE GB 44**
- 833) Bassus tumidulus (Nees von Esenbeck,1814)** (Braconidae) Synonym(s): *tumidulus* Nees von Esenbeck,1814 - Range (in code): **TR 07 15 33 44 47 59**
- 834) Bassus zaykovi (Nixon,1986)** (Braconidae) Synonym(s): *zaykovi* Nixon,1986 - Range (in code): **TR 32 43**
- 835) Biosteres (Chilotrichia) arenarius (Stelfox,1959)** (Braconidae) Synonym(s): *arenarius* Stelfox,1959 - Range (in code): **TR 58 75 80 75F**
- 836) Biosteres (Chilotrichia) blandus (Haliday,1837)** (Braconidae) Synonym(s): *blandus* Haliday,1837 - Range (in code): **TR 06 25 32 38 51 58 25F 25I 25K**
- 837) Biosteres (Chilotrichia) brevipalpis (Thomson,1895)** (Braconidae) Synonym(s): *brevipalpis* Thomson,1895 - Range (in code): **TR 08 25 61 75 25R 75A**
- 838) Biosteres (Chilotrichia) clypealis (Thomson,1895)** (Braconidae) Synonym(s): *clypealis* Thomson,1895 - Range (in code): **TR 25 25K 25R**
- 839) Biosteres (Chilotrichia) haemorrhoeus (Haliday,1836)** (Braconidae) Synonym(s): *haemorrhoeus* Haliday,1836 - Range (in code): **TR 05 25 29 55 25R**
- 840) Biosteres (Chilotrichia) rusticus (Haliday,1837)** (Braconidae) Synonym(s): *rusticus* Haliday,1837 - Range (in code): **TR 08 25 38 52 55 61**
- 841) Biosteres (Chilotrichia) scabriculus (Wesmael,1835)** (Braconidae) Synonym(s): *scabriculus* Wesmael,1835 - Range (in code): **TR 58**
- 842) Biosteres (Chilotrichia) sylvaticus (Haliday,1837)** (Braconidae) Synonym(s): *sylvaticus* Haliday,1837 - Range (in code): **TR 25 25F**
- 843) Biosteres (Chilotrichia) ultor (Förster,1862)** (Braconidae) Synonym(s): *ultor* Förster,1862 - Range (in code): **TR 58 62**
- 844) Biosteres (Chilotrichia) wesmaelii (Haliday,1835)** (Braconidae) Synonym(s): *wesmaelii* Haliday,1835 - Range (in code): **TR 08 25 36 52 58 25F 36D**
- 845) Biosteres (s.str.) analis (Wesmael,1835)** (Braconidae) Synonym(s): *analis* Wesmael,1835 - Range (in code): **TR 36 36H**
- 846) Biosteres (s.str.) carbonarius (Nees ab Esenbeck,1834)** (Braconidae) Synonym(s): *carbonarius* Nees ab Esenbeck,1834 - Range (in code): **TR 08 25 28 37 53 58 61 74 75 25F 75A 75Aa 75E**
- 847) Biosteres (s.str.) kayapinarensis Fischer & Beyarslan,2005** (Braconidae) Synonym(s): *kayapinarensis* Fischer & Beyarslan,2005 - Range (in code): **TR 42**

- 848) *Biosteres (s.str.) lentulus* Papp,1979** (Braconidae) **Synonym(s):** *lentulus* Papp,1979
Range (in code): **TR 25 36 25R 36F**
- 849) *Biosteres (s.str.) longicauda* (Thomson,1895)** (Braconidae) **Synonym(s):** *longicauda* Thomson,1895
Range (in code): **TR 25 28 36 43 52 58 25O 36F**
- 850) *Biosteres (s.str.) remigii* (Fischer,1971)** (Braconidae) **Synonym(s):** *remigii* Fischer,1971
Range (in code): **TR 32**
- 851) *Biosteres (s.str.) spinaciae* (Thomson,1895)** (Braconidae) **Synonym(s):** *spinaciae* Thomson,1895
Range (in code): **TR 17 51 55 58 59**
- 852) *Bitomus (s.str.) castus* (Zaykov,1983)** (Braconidae) **Synonym(s):** *castus* Zaykov,1983
Range (in code): **TR 78**
- 853) *Bitomus (s.str.) valdepusillus* Fischer & Beyarslan,2005** (Braconidae) **Synonym(s):** *valdepusillus* Fischer & Beyarslan,2005
Range (in code): **TR 51 74**
- 854) *Blacometeorus brevicauda* (Hellén,1958)** (Braconidae) **Synonym(s):** *brevicauda* Hellén,1958
Range (in code): **TR**
- 855) *Blacometeorus intermedius* Tobias,1976** (Braconidae) **Synonym(s):** *intermedius* Tobias,1976
Range (in code): **TR**
- 856) *Blacus (Ganychorus) armatulus* (Ruthe,1861)** (Braconidae) **Synonym(s):** *armatulus* Ruthe,1861
Range (in code): **AT AL CZ DE GB HU FR PL RO SU RU TR Cc AZ CA US KG 22 25 54**
- 857) *Blacus (Ganychorus) capeki* Haeselbarth,1973** (Braconidae) **Synonym(s):** *capeki* Haeselbarth,1973
Range (in code): **TR 23 44**
- 858) *Blacus (Ganychorus) conformis* Wesmael,1835** (Braconidae) **Synonym(s):** *conformis* Wesmael,1835
Range (in code): **TR 06 23 44 44A**
- 859) *Blacus (Ganychorus) diversicornis* (Nees ab Esenbeck,1834)** (Braconidae) **Synonym(s):** *diversicornis* Nees ab Esenbeck,1834; *compar* Ruth,1861
Range (in code): **AL AT BG CZ DE DK GB FI HU FR IE IT PL RO SE RU CH NL YU TR 24 25 39 44 44E**
- 860) *Blacus (Ganychorus) maculipes* Wesmael,1835** (Braconidae) **Synonym(s):** *maculipes* Wesmael,1835
Range (in code): **AT BE BG CZ DK DE GB FI HU IE IT PL RO RU GB SE CH NL YU TR 11 16 22 23 24 25 34 39 44 54 59 44E**
- 861) *Blacus (Ganychorus) madli* Haeselbarth,1992** (Braconidae) **Synonym(s):** *madli* Haeselbarth,1992
Original reference: *Blacus madli* Haeselbarth,1992, NachrBl. bayer. Ent. 41(3): 97, Abb. Holotype ♀: Türkiye, Ankara, Çubuk barajı 30.5-1.6.1970 Seidenstücker leg.- paratypes from Prov. Bitlis (Hizan) leg. Madl (ZSM).
Range (in code): **TR 06 13 06G 13E**
- 862) *Blacus (Ganychorus) pallipes* Haliday,1835** (Braconidae) **Synonym(s):** *pallipes* Haliday,1835
Range (in code): **TR**
- 863) *Blacus (Ganychorus) ruficornis* (Nees ab Esenbeck,1811)** (Braconidae) **Synonym(s):** *ruficornis* Nees ab Esenbeck,1811
Range (in code): **AL AT BE BG CY DK GB DE FI FR GR NL HU IE IT JP MX DZ NO CZ PL RO RU ES SE CH US TN TR YU 10 11 16 17 22 23 24 34 39 44 54 59 62 77 44E 62F**
- 864) *Blacus (Hysterobolus) nixonii* Haeselbarth,1973** (Braconidae) **Synonym(s):** *nixonii* Haeselbarth,1973
Range (in code): **BG CY TR PT NL KP KR 10 23 59 23G**
- 865) *Blacus (Neoblacus) koenigi* Fischer,1966** (Braconidae) **Synonym(s):** *koenigi* Fischer,1966
Range (in code): **TR**
- 866) *Blacus (s.str.) bovistae* Haeselbarth,1973** (Braconidae) **Synonym(s):** *bovistae* Haeselbarth,1973
Range (in code): **AT GR HU IT CH TR 06**
- 867) *Blacus (s.str.) errans* (Nees ab Esenbeck,1811)** (Braconidae) **Synonym(s):** *errans* Nees ab Esenbeck,1811
Range (in code): **AT CZ DK DE GB FI HU IT TR Cc 06 25 34 68**
- 868) *Blacus (s.str.) exilis* (Nees ab Esenbeck,1811)** (Braconidae) **Synonym(s):** *exilis* Nees ab Esenbeck,1811; *lactucaphis* Fitch,1855; *pallipes* Förster,1862; *propallipes* Shenefelt,1969; *intermedius* Janzon,1975
Range (in code): **AT BE CZ BG DK DE GB FI SE FR GR IE HU IT KG MN LT RU PT ES CH NL TR Cc AZ IL Pa AF RU Sb KP KR CA US 16 22 23 25 59**
- 869) *Blacus (s.str.) filicornis* Haeselbarth,1973** (Braconidae) **Synonym(s):** *filicornis* Haeselbarth,1973
Range (in code): **AT CZ DK DE GB FI FR HU IE IT LT TR KG RO MN SE 23 40 44 51 44A**
- 870) *Blacus (s.str.) forticornis* Haeselbarth,1973** (Braconidae) **Synonym(s):** *forticornis* Haeselbarth,1973
Original reference: *Blacus forticornis* Haeselbarth,1973 Veröff. zool. Staatsamml. München 16: 127-128, Abb.48. Holotype ♀: Berks, Windstor Forest 20.x.1931.
Range (in code): **CZ DK HU PL RU GB TR 25 25F**
- 871) *Blacus (s.str.) fuscipes* Goureau,1861** (Braconidae) **Synonym(s):** *fuscipes* Goureau,1861
Range (in code): **TR**

- 872) Blacus (s.str.) hastatus (Haliday,1835)** (Braconidae) Synonym(s): *hastatus* Haliday,1835; *terebrator* Ruthe,1861 _ Range (in code): **AT CZ DK DE GB FI HU IE SE NL TR YU UA 34 68**
- 873) Blacus (s.str.) humilis (Nees ab Esenbeck,1811)** (Braconidae) Synonym(s): *humilis* Nees ab Esenbeck,1811; *trivialis* Haliday,1835; *wesmaeli* Ruthe,1861 _ Range (in code): **AT BE BG CY CZ DK GB FI FR DE HU IE IT LV PL PT SE CH NL YU Cc TR 06**
- 874) Blacus (s.str.) instabilis Ruthe,1861** (Braconidae) Synonym(s): *instabilis* Ruthe,1861; *#petiolatus* Haeselbarth,1973 _ Range (in code): **AT BG CZ DK SK DE GB FI HU IE MN NO PL SE CH TR UZ LT TM**
- 875) Blacus (s.str.) interstitialis (Ruthe,1861)** (Braconidae) Synonym(s): *interstitialis* Ruthe,1861; *oscinellae* Fischer,1963 _ Range (in code): **AT CZ DK DE SE HU NL TR AF 22 25 59 68**
- 876) Blacus (s.str.) leptostigma Ruthe,1861** (Braconidae) Synonym(s): *leptostigma* Ruthe,1861 _ Range (in code): **DE IE TR 22**
- 877) Blacus (s.str.) longipennis (Gravenhorst,1807)** (Braconidae) Synonym(s): *longipennis* Gravenhorst,1807 _ Range (in code): **TR**
- 878) Blacus (s.str.) nigricornis Haeselbarth,1973** (Braconidae) Synonym(s): *nigricornis* Haeselbarth,1973 _ Range (in code): **GB FR NL HU IE IT CZ SE TR 59**
- 879) Blacus (s.str.) paganus (Haliday,1835)** (Braconidae) Synonym(s): *paganus* Haliday,1835; *brevicornis* Ruthe,1861 _ Range (in code): **AT BG TR CZ DK DE FI FR HU IE IT RU MN SE NL 25 38**
- 880) Blacus (s.str.) rufescens Ruthe,1861** (Braconidae) Synonym(s): *rufescens* Ruthe,1861 _ Range (in code): **AT DK DE NL RO SE YU MD HU TR 10**
- 881) Blacus (s.str.) stelfoxi Haeselbarth,1973** (Braconidae) Synonym(s): *stelfoxi* Haeselbarth,1973 _ Range (in code): **AT BG TR FR FI DE GR HU MN NL SE 06 10 25 38**
- 882) Bracon (Asiabracon) quadrimaculatus Telenga,1936** (Braconidae) Synonym(s): *quadrimaculatus* Telenga,1936; *amaculatus* Beyarslan,1988 _ Range (in code): **GR TR 01 02 09 10 31 33 47 58 59 63**
- 883) Bracon (Cyanopterobracon) armeniacus Telenga,1936** (Braconidae) Synonym(s): *armeniacus* Telenga,1936 _ Range (in code): **AM Cc TR 44**
- 884) Bracon (Cyanopterobracon) fallax Szépligeti,1901** (Braconidae) Synonym(s): *fallax* Szépligeti,1901; *falsus* Kokujev,1913; *olgae* Telenga,1936; *oculatus* Tobias,1957 _ Range (in code): **MA IT Si Cc GG RO KG TR DE TJ RU HU 01 02 06 07 17 32 33 38 44 51 58 60 66 69**
- 885) Bracon (Cyanopterobracon) illyricus (Marshall,1888)** (Braconidae) Synonym(s): *illyricus* Marshall,1888 _ Range (in code): **AL RU YU HU AT TR 01 05 07 08 18 23 26 32 33 46 50 52 57 58 60 66 68 71**
- 886) Bracon (Cyanopterobracon) oculatus Tobias,1957** (Braconidae) Synonym(s): *oculatus* Tobias,1957 _ Range (in code): **TJ TR 01 07 32 33**
- 887) Bracon (Cyanopterobracon) sabulosus Szépligeti,1896** (Braconidae) Synonym(s): *sabulosus* Szépligeti,1896 _ Range (in code): **TR 03 06 19 22 26 27 38 40 42 44 47 50 51 57 58 68**
- 888) Bracon (Cyanopterobracon) spectabilis (Telenga,1936)** (Braconidae) Synonym(s): *spectabilis* Telenga,1936 _ Range (in code): **RU KG Cc GG Tbl TR 01 05 0 15 17 25 26 32 33 38 46 58 60**
- 889) Bracon (Glabrobracon) abbreviator Nees ab Esenbeck,1834** (Braconidae) Synonym(s): *abbreviator* Nees ab Esenbeck,1834 _ Range (in code): **TR 01**
- 890) Bracon (Glabrobracon) admotus Papp,2000** (Braconidae) Synonym(s): *admotus* Papp,2000 _ Range (in code): **TR 37**
- 891) Bracon (Glabrobracon) ahngeri Telenga,1936** (Braconidae) Synonym(s): *ahngeri* Telenga,1936 _ Range (in code): **TR 02 21 23 26 37 42 44 47 55 58 62 63**
- 892) Bracon (Glabrobracon) angustiventris Tobias,1957** (Braconidae) Synonym(s): *angustiventris* Tobias,1957 _ Range (in code): **TM KG Cc AZ RU TR 01 05 06 20 23 26 33 38 42 55 57 58**
- 893) Bracon (Glabrobracon) anthracinus (Nees ab Esenbeck,1834)** (Braconidae) Synonym(s): *delibator* Haliday,1833; *anthracinus* Nees ab Esenbeck,1834 _ Range (in code): **CN MN KG TM Cc AZ RU TR GR IT YU HU PL SE AT DE BE ES FR GB 01 05 07 08 10 11 14 15 16 17 19 22 23 24 25 26 27 28 29 31 32 33 34 37 38 39 42 44 46 47 50 51 52 55 57 58 59 60 61 62 63 67 69 78**
- 894) Bracon (Glabrobracon) arcuatus Thomson,1957** (Braconidae) Synonym(s): *arcuatus* Thomson,1957 _ Range (in code): **TR 23**
- 895) Bracon (Glabrobracon) atrator (Nees ab Esenbeck,1834)** (Braconidae) Synonym(s): *atrator* Nees ab Esenbeck,1834 _ Range (in code): **RU KG YU FI SE HU IT NL BE DE AT**

FR GB ES TR 01 02 06 07 08 10 11 14 15 16 17 19 20 21 22 23 24 25 27 28 29 32 33 37 38 39 40 42 44 46
47 50 52 53 54 55 57 58 59 60 61 62 63 66 67 68 69 78 81

- 896) Bracon (Glabrobracon) baseflavus Beyarslan,2002** (Braconidae) Synonym(s):
baseflavus Beyarslan,2002 _ Range (in code): TR 35 59
- 897) Bracon (Glabrobracon) bilgini Beyarslan,2002** (Braconidae) Synonym(s): *bilgini Beyarslan,2002* _ Range (in code): TR 05 06 19 20 23 25 26 28 29 37 41 43 41 42 44 48 50 52 53 58 60 61 62
- 898) Bracon (Glabrobracon) brevicaratus Tobias,1957** (Braconidae) Synonym(s):
brevicaratus Tobias,1957 _ Range (in code): TR 19 41 44 52
- 899) Bracon (Glabrobracon) caudatus Ratzeburg,1848** (Braconidae) Synonym(s):
caudatus Ratzeburg,1848 _ Range (in code): TR 10 54
- 900) Bracon (Glabrobracon) caudiger Nees ab Esenbeck,1834** (Braconidae) Synonym(s): *caudiger Nees ab Esenbeck,1834* _ Range (in code): TR 10 11 16 17 22 39 54 59
- 901) Bracon (Glabrobracon) chrysostigma Greese,1928** (Braconidae) Synonym(s):
chrysostigma Greese,1928 _ Range (in code): TR 05 06 08 18 19 22 23 29 43 44 50 55 58 60 66 70
- 902) Bracon (Glabrobracon) cingulator Szépligeti,1901** (Braconidae) Synonym(s):
cingulator Szépligeti,1901 _ Range (in code): TR 08 23 38 44 53 54 55 60 62
- 903) Bracon (Glabrobracon) ciscaucasicus Telenga,1936** (Braconidae) Synonym(s):
ciscaucasicus Telenga,1936 _ Range (in code): Cc TR 02 05 23 67
- 904) Bracon (Glabrobracon) delusorius Telenga,1936** (Braconidae) Synonym(s):
delusorius Telenga,1936 _ Range (in code): TM TR 07 15 32
- 905) Bracon (Glabrobracon) delusorius Telenga,1936** (Braconidae) Synonym(s):
delusorius Telenga,1936 _ Range (in code): TR 01 07 15 32
- 906) Bracon (Glabrobracon) densipilosus Tobias,1957** (Braconidae) Synonym(s):
densipilosus Tobias,1957 _ Range (in code): TR 19 51
- 907) Bracon (Glabrobracon) dersimensis Beyarslan,2012** (Braconidae) Synonym(s):
dersimensis Beyarslan,2012 _ Range (in code): TR 62
- 908) Bracon (Glabrobracon) dichromus (Wesmael,1838)** (Braconidae) Synonym(s):
dichromus Wesmael,1838; discretus Szépligeti,1901; polonicus Fahringer,1927; pseudopolonicus Strand,1928; velbingeri Fahringer,1951 _ Range (in code): TR 38 39 64
- 909) Bracon (Glabrobracon) discoideus (Wesmael,1838)** (Braconidae) Synonym(s):
discoideus Wesmael,1838 _ Range (in code): JP KK TM RU RO YU CZ HU AT NL PL SE BE DE IT FR GB DZ TR 01 07 33 80
- 910) Bracon (Glabrobracon) dolichurus Marshall,1897** (Braconidae) Synonym(s):
dolichurus Marshall,1897 _ Range (in code): TR 05 06 17 20 21 23 26 29 37 38 39 42 44 47 50 58 59 66
- 911) Bracon (Glabrobracon) erzurumensis Beyarslan,2002** (Braconidae) Synonym(s):
erzurumensis Beyarslan,2002 _ Range (in code): TR 20 23 25 39 62
- 912) Bracon (Glabrobracon) fadiche Beyarslan,1996** (Braconidae) Synonym(s): *fadiche Beyarslan,1996* _ Original reference: Bracon (Glabrobracon) fadiche Beyarslan,1996, Entomofauna 17: 348-349, Abb. Holotype ♀: Türkei, Tekirdağ, Hayrabolu 200m, leg.F.İnanç. Range (in code): TR 02 05 06 14 18 19 22 23 26 29 35 37 40 48 55 57 58 59 60 61 66 70 74 78
- 913) Bracon (Glabrobracon) flavipalpis Thomson,1892** (Braconidae) Synonym(s):
flavipalpis Thomson,1892 _ Range (in code): TR 44 51 58 60
- 914) Bracon (Glabrobracon) frater Tobias,1957** (Braconidae) Synonym(s): *frater Tobias,1957* _ Range (in code): TR 18 19 22 23 24 26 28 38 42 44 51 58 60 61 74 78
- 915) Bracon (Glabrobracon) fumatus Szépligeti,1901** (Braconidae) Synonym(s): *fumatus Szépligeti,1901; brunneipennis Szépligeti,1901* _ Range (in code): TR 02 23 32 44
- 916) Bracon (Glabrobracon) fumipennis (Thomson,1892)** (Braconidae) Synonym(s):
fumipennis Thomson,1892 _ Range (in code): RU YU HU PL SE FI AT FR GB TR 01 32 33 46
- 917) Bracon (Glabrobracon) helleni Telenga,1936** (Braconidae) Synonym(s): *helleni Telenga,1936* _ Range (in code): TR 06 19 22 28 34 63
- 918) Bracon (Glabrobracon) hemiflavus Szépligeti,1901** (Braconidae) Synonym(s):
hemiflavus Szépligeti,1901 _ Range (in code): TR 07 29 51 55 69
- 919) Bracon (Glabrobracon) immutator Nees ab Esenbeck,1834** (Braconidae) Synonym(s): *immutator Nees ab Esenbeck,1834; efoveolatus Thomson,1892; hemirugosus Szépligeti,1901; bilecikator Beyarslan,1996; #bilecikator Beyarslan,1996* _ Range (in code): TR 01 11 14 16 17 37 52 60 69
- 920) Bracon (Glabrobracon) jaroslavensis Telenga,1936** (Braconidae) Synonym(s):
jaroslavensis Telenga,1936; camellatus Telenga,1936 _ Range (in code): TR 03 48

- 921) Bracon (Glabrobracon) jenoï Beyarslan,2010** (Braconidae) Synonym(s): *jenoï Beyarslan,2010* Range (in code): **TR 42**
- 922) Bracon (Glabrobracon) kirgisorum Telenga,1936** (Braconidae) Synonym(s): *kirgisorum Telenga,1936* Range (in code): **KK TR 02 03 06 29 42 58 62**
- 923) Bracon (Glabrobracon) larvicida (Wesmael,1838)** (Braconidae) Synonym(s): *larvicida Wesmael,1838* Range (in code): **TR RO YU HU AT BE IT FR GB 07 15**
- 924) Bracon (Glabrobracon) lividus Telenga,1936** (Braconidae) Synonym(s): *lividus Telenga,1936* Range (in code): **TR 02 05 06 10 11 14 16 17 18 19 23 24 25 26 28 29 32 37 38 41 44 47 50 51 55 56 57 58 59 60 61 62 63 64 66 68 69**
- 925) Bracon (Glabrobracon) longulus Thomson,1892** (Braconidae) Synonym(s): *longulus Thomson,1892* Range (in code): **TR 03 09 20 37 60**
- 926) Bracon (Glabrobracon) maculiger (Wesmael,1838)** (Braconidae) Synonym(s): *maculiger Wesmael,1838* Range (in code): **JP RU TJ TM RO HU AT BE IT FR TR 01 07 33**
- 927) Bracon (Glabrobracon) negativus Tobias,1957** (Braconidae) Synonym(s): *negativus Tobias,1957* Range (in code): **TR 08 55 58 60 74**
- 928) Bracon (Glabrobracon) nigripilosus Tobias,1957** (Braconidae) Synonym(s): *nigripilosus Tobias,1957* Range (in code): **TR 03 22 23 29 57**
- 929) Bracon (Glabrobracon) obscurator Nees ab Esenbeck,1812** (Braconidae) Synonym(s): *obscurator Nees ab Esenbeck,1812; claripennis Thomson,1892; fumipennis Thomson,1892; fuscipennis Thomson,1892; pallicarpus Thomson,1892; parvicornis Thomson,1892; thomsoni Marshall,1897; marshalli Szépligeti,1901; rytrensis Fahringer,1927;...* Range (in code): **CN KG RU Sb Cc AZ YU HU RO IT CZ SE FI AT DK PL BE DE ES GB TR 01 02 05 06 07 08 10 11 13 14 15 16 17 18 19 21 22 23 24 28 29 32 37 38 39 40 42 44 46 47 50 52 53 54 55 57 58 59 60 61 63 66 67 68 78 80 81**
- 930) Bracon (Glabrobracon) osculator (Nees ab Esenbeck,1812)** (Braconidae) Synonym(s): *osculator Nees ab Esenbeck,1812; bisignatus Wesmael,1838; degenerator Marshall,1885; cingulator Szépligeti,1901; minutus Szépligeti,1901; temporalis Telenga,1936; venustus Telenga,1936* Range (in code): **MN Cc AZ RU Sb YU IT RO PL HU SE FI DK AT BE NL DE FR GB TR 05 06 07 08 10 16 17 19 22 23 24 26 29 31 32 33 38 39 40 41 42 44 50 51 52 55 57 58 59 60 61 62 66 67 69 74**
- 931) Bracon (Glabrobracon) otiosus Marshall,1885** (Braconidae) Synonym(s): *otiosus Marshall,1885; macrurus Thomson,1892; explorator Szépligeti,1904; pumilionis Roman,1928* Range (in code): **TR 08 19 37 38 40 52 55 58 59 60 61 66**
- 932) Bracon (Glabrobracon) pachyceri Quintaret,1912** (Braconidae) Synonym(s): *pachyceri Quintaret,1912* Range (in code): **TR**
- 933) Bracon (Glabrobracon) parvicornis Thomson,1892** (Braconidae) Synonym(s): *parvicornis Thomson,1892; carbonarius Szépligeti,1901* Range (in code): **TR 02 05 06 19 21 23 26 29 38 39 42 44 55 58 59 62 66**
- 934) Bracon (Glabrobracon) parvulus (Wesmael,1838)** (Braconidae) Synonym(s): *parvulus Wesmael,1838; fuscipennis Thomson,1892; thomsoni Marshall,1897* Range (in code): **TR 01 05 07 14 15 32 33 38 44 46 48 57 60 67 74 78 81**
- 935) Bracon (Glabrobracon) pauris Beyarslan,1996** (Braconidae) Synonym(s): *pauris Beyarslan,1996* Original reference: Bracon (Glabrobraco) [sic!] pauris Beyarslan,1996, Entomofauna 17: 346-347, Abb. Holotype ♀: Türkei, Edirne, Büyükdöllük 250m leg. F.İnanç. Range (in code): **TR 08 22 23 44 52 58 67**
- 936) Bracon (Glabrobracon) pineti Thomson,1892** (Braconidae) Synonym(s): *pineti Thomson,1892* Range (in code): **TR 03 05 06 08 14 22 23 24 26 28 34 37 38 39 40 42 44 55 58 59 60 68**
- 937) Bracon (Glabrobracon) planinotus Tobias,1957** (Braconidae) Synonym(s): *planinotus Tobias,1957* Range (in code): **TR 05 06 14 17 22 26 42 44 52 58**
- 938) Bracon (Glabrobracon) popovi Telenga,1936** (Braconidae) Synonym(s): *popovi Telenga,1936; prodigiosus Papp,1971* Range (in code): **KG RU TR 02 07 05 06 08 14 16 17 18 19 22 23 26 27 28 29 31 32 33 37 38 39 40 42 50 52 57 58 59 60 61 62 66 68 69 78**
- 939) Bracon (Glabrobracon) praecox (Wesmael,1838)** (Braconidae) Synonym(s): *praecox Wesmael,1838* Range (in code): **TR 42**
- 940) Bracon (Glabrobracon) praetermissus Marshall,1885** (Braconidae) Synonym(s): *praetermissus Marshall,1885* Range (in code): **TR 08 23 28 29 37 44 58 61 74**
- 941) Bracon (Glabrobracon) tekkensis Telenga,1936** (Braconidae) Synonym(s): *tekkensis Telenga,1936* Range (in code): **TR 03 19 23 29 37 38 42 44 50 58 59 60 66**
- 942) Bracon (Glabrobracon) terebella (Wesmael,1838)** (Braconidae) Synonym(s): *terebella Wesmael,1838; curticaudis Szépligeti,1901* Range (in code): **CA On US RU RO AL YU HU IT CH BE FI SE GB TR 06 07 15 18 32 51 58**

- 943) Bracon (Glabrobracon) tshitsherini (Kokoujev,1904)** (Braconidae) Synonym(s): *tshitsherini* Kokoujev,1904 Range (in code): **TR Cc AZ KG RU TM KG RO HU 01 05 06 07 19 24 26 29 33 40 50 58 59 60 66**
- 944) Bracon (Glabrobracon) variator (Nees ab Esenbeck,1812)** (Braconidae) Synonym(s): *variator* Nees ab Esenbeck,1812; *bipartitus* Wesmael,1838; *dichromus* Wesmael,1838; *maculiger* Wesmael,1838; *collinus* Szépligeti,1896; *breviventris* Szépligeti,1901; *hemiflavus* Szépligeti,1901; *hyalinipennis* Szépligeti,1901; *rotundatus* Szépligeti,1901; *explorator* Szépligeti,1904; *rotundulus* Szépligeti,1904; *biorrhizae* Fahringer,1928; *pumilionis* Roman,1928; *collaris* Telenga,1936; *ornatulus* Telenga,1936 Range (in code): **CN MN RU Sb UA Cm RO TR IR TJ Pm YU CZ HU FI SE NL BE DE IT PL AT FR ES GB 01 05 06 07 08 10 11 14 15 16 17 18 20 22 23 24 25 26 28 29 32 33 34 37 38 39 41 42 44 46 50 52 53 54 55 57 59 60 61 62 63 65 66 67 68 69 71 74 78 81**
- 945) Bracon (Glabrobracon) zonites Marshall,1897** (Braconidae) Synonym(s): *zonites* Marshall,1897 Range (in code): **TR 58**
- 946) Bracon (Habrobracon) breviradiatus (Tobias,1957)** (Braconidae) Synonym(s): *breviradiatus* Tobias,1957 Range (in code): **TR 03 47**
- 947) Bracon (Habrobracon) didemie Beyarslan,2002** (Braconidae) Synonym(s): *didemie* Beyarslan,2002; *#didemae* Beyarslan,2014 Original reference: Bracon (Habrobracon) *didemie* Beyarslan,2002, Entomofauna 23 (16): 191-192, figs. Holotype ♀: Turkey, Kırklareli, Kayalıköy 300m (ZMDBTU). Range (in code): **TR 23 26 31 39 44 57 58 31H**
- 948) Bracon (Habrobracon) flavosignatus (Tobias,1957)** (Braconidae) Synonym(s): *flavosignatus* Tobias,1957 Range (in code): **TR 03 05 21 22 39 44**
- 949) Bracon (Habrobracon) hebetor Say,1835** (Braconidae) Synonym(s): *hebetor* Say,1835; *dorsator* Say,1836; *brevicornis* Wesmael,1838; *juglandis* Ashmead,1889; *brunneus* Szépligeti,1901; *beneficientior* Viereck,1911; *breviantennatus* De Stefani,1919; *asiaticus* Telenga,1936; *flavus* Telenga,1936; *turkestanicus* Telenga,1936;... Range (in code): **TR AU ET CA On US IN IQ 01 02 05 06 07 10 11 15 16 17 21 22 23 24 25 26 27 31 33 37 38 39 40 42 44 46 47 50 52 55 57 58 59 60 63 65 66 67 79 31A**
- 950) Bracon (Habrobracon) kopetdagi (Tobias,1957)** (Braconidae) Synonym(s): *kopetdagi* Tobias,1957 Range (in code): **TM Kp TR 22 23 26 62**
- 951) Bracon (Habrobracon) nigricans (Szépligeti,1901)** (Braconidae) Synonym(s): *nigricans* Szépligeti,1901; *mongolicus* Telenga,1936 Range (in code): **MN TR 02 05 06 18 19 21 22 23 26 29 33 37 38 42 44 47 51 55 58 60 63 66 69**
- 952) Bracon (Habrobracon) nygmiae (Telenga,1936)** (Braconidae) Synonym(s): *nygmiae* Telenga,1936 Range (in code): **TR 05 06**
- 953) Bracon (Habrobracon) pillerianae (Fischer,1978)** (Braconidae) Synonym(s): *pillierianae* Fischer,1978 Range (in code): **TR**
- 954) Bracon (Habrobracon) ponticus Tobias,1986** (Braconidae) Synonym(s): *ponticus* Tobias,1986 Range (in code): **TR 22**
- 955) Bracon (Habrobracon) radialis (Telenga,1936)** (Braconidae) Synonym(s): *radialis* Telenga,1936 Range (in code): **TR 22 26 57 59**
- 956) Bracon (Habrobracon) simonovi (Kokoujev,1914)** (Braconidae) Synonym(s): *simonovi* Kokoujev,1914; *plotnicovi* Telenga,1936 Range (in code): **TR 23 25 38 40 66**
- 957) Bracon (Habrobracon) stabilis (Wesmael,1838)** (Braconidae) Synonym(s): *stabilis* Wesmael,1838; *concolor* Thomson,1892; *concolorans* Marshall,1900; *opacus* Fahringer,1928 Range (in code): **TR US 02 18 21 23 29 44 47 50 58 66**
- 958) Bracon (Habrobracon) telengai (Mulyarskaya,1955)** (Braconidae) Synonym(s): *telengai* Mulyarskaya,1955 Range (in code): **TR Gk 17**
- 959) Bracon (Habrobracon) viktorovi (Tobias,1936)** (Braconidae) Synonym(s): *viktorovi* Tobias,1936 Range (in code): **TR 44 52**
- 960) Bracon (Lucobracon) achterbergi Beyarslan,2010** (Braconidae) Synonym(s): *achterbergi* Beyarslan,2010 Range (in code): **TR 08 28 53 58 61 81 28N 61K**
- 961) Bracon (Lucobracon) aestivalis Szépligeti,1901** (Braconidae) Synonym(s): *aestivalis* Szépligeti,1901 Range (in code): **TR 22 59**
- 962) Bracon (Lucobracon) brachycerus Thomson,1892** (Braconidae) Synonym(s): *brachycerus* Thomson,1892; *kudsiricus* Papp,1965 Range (in code): **TR 62**
- 963) Bracon (Lucobracon) brachypterus Tobias,1959** (Braconidae) Synonym(s): *brachypterus* Tobias,1959 Range (in code): **TR 06**
- 964) Bracon (Lucobracon) breviradius Beyarslan,2011** (Braconidae) Synonym(s): *breviradius* Beyarslan,2011 Range (in code): **TR 38 74**

- 965) Bracon (Lucobracon) brevitemporis Tobias,1959** (Braconidae) Synonym(s): *brevitemporis* Tobias,1959 Range (in code): **TR 05 08 26 29 37 58 60 61 69 70 78**
- 966) Bracon (Lucobracon) byurakanicus Tobias,1976** (Braconidae) Synonym(s): *byurakanicus* Tobias,1976 Range (in code): **TR 42 58**
- 967) Bracon (Lucobracon) concavus Tobias,1957** (Braconidae) Synonym(s): *concavus* Tobias,1957 Range (in code): **TR 61**
- 968) Bracon (Lucobracon) crassungula Thomson,1892** (Braconidae) Synonym(s): *crassungula* Thomson,1892 Range (in code): **TR 08 22 23 33 58 60**
- 969) Bracon (Lucobracon) erraticus (Wesmael,1838)** (Braconidae) Synonym(s): *erraticus* Wesmael,1838; *superciliosus* Wesmael,1838; *erythrostictus* Marshall,1885; *exarator* Marshall,1885; *vectensis* Marshall,1885; *foveola* Thomson,1892; *confinis* Szépligeti,1901; *lagodechianus* Telenga,1936; *planiceps* Telenga,1936; *talitzkii* Telenga,1936; *transcaspicus* Telenga,1936; *hades* Papp,1965 Range (in code): **Cc GG Lag TR 01 02 05 06 07 08 09 10 11 14 16 17 18 19 20 22 23 24 25 26 27 29 33 37 38 39 40 41 42 44 46 47 51 52 53 55 56 57 58 59 60 61 62 63 66 67 69 74 77 78 81**
- 970) Bracon (Lucobracon) femoralis (Brullé,1832)** (Braconidae) Synonym(s): *femoralis* Brullé,1832; *hedwigae* Schmiedeknecht,1897; *xystus* Marshall,1897; *palaestinensis* Szépligeti,1901; *carinatus* Telenga,1936 Range (in code): **TR 22 58 71 79**
- 971) Bracon (Lucobracon) filizae Beyarslan,2002** (Braconidae) Synonym(s): *filizae* Beyarslan,2002 Range (in code): **TR 22**
- 972) Bracon (Lucobracon) flagellaris Thomson,1892** (Braconidae) Synonym(s): *flagellaris* Thomson,1892; *facialis* Thomson,1892; *ochraceus* Szépligeti,1896; *thomsonii* Dalla Torre,1898; *gracilis* Szépligeti,1901; *dallatorrei* Szépligeti,1901 Range (in code): **TR 05 19 21 29 44 58 60**
- 973) Bracon (Lucobracon) fortipes (Wesmael,1838)** (Braconidae) Synonym(s): *fortipes* Wesmael,1838; *crocatus* Schmiedeknecht,1897; *curiosus* Szépligeti,1901; *semirugosus* Szépligeti,1901; *rytrensis* Niezabitowski,1910; *halicensis* Strand,1928 Range (in code): **TR 06 07 10 22 23 24 26 29 37 38 39 42 44 46 57 58 59 66 67 68 69**
- 974) Bracon (Lucobracon) fumigidus Szépligeti,1901** (Braconidae) Synonym(s): *fumigidus* Szépligeti,1901 Range (in code): **TR 32 39 59**
- 975) Bracon (Lucobracon) grandiceps Thomson,1892** (Braconidae) Synonym(s): *grandiceps* Thomson,1892; *gallicus* Thomson,1892 Range (in code): **TR 05 06 08 11 19 22 24 25 28 29 37 38 47 52 53 55 57 58 59 60 61**
- 976) Bracon (Lucobracon) guttiger (Wesmael,1838)** (Braconidae) Synonym(s): *guttiger* Wesmael,1838 Range (in code): **TR 04 66**
- 977) Bracon (Lucobracon) humidus Tobias,1976** (Braconidae) Synonym(s): *humidus* Tobias,1976 Range (in code): **TR 02 14 21 22 37 38 47 48 58 60 63**
- 978) Bracon (Lucobracon) hungaricus (Szépligeti,1896)** (Braconidae) Synonym(s): *hungaricus* Szépligeti,1896; *longiventris* Szépligeti,1901; *xanthostigma* Kokujev,1904 Range (in code): **HU TR 01 02 05 06 11 17 19 21 23 26 27 29 34 38 39 40 44 47 52 55 57 58 59 60 63 66 71 80**
- 979) Bracon (Lucobracon) hylobii Ratzeburg,1848** (Braconidae) Synonym(s): *nigriventris* Wesmael,1838; *hylobii* Ratzeburg,1848 Range (in code): **TR 22 37 61 67 74**
- 980) Bracon (Lucobracon) infernalis Telenga,1936** (Braconidae) Synonym(s): *infernalis* Telenga,1936 Range (in code): **TR 51 58 68**
- 981) Bracon (Lucobracon) isiklericus Beyarslan,2002** (Braconidae) Synonym(s): *isiklericus* Beyarslan,2002 Range (in code): **TR 59**
- 982) Bracon (Lucobracon) iskilipus Beyarslan & Tobias,2008** (Braconidae) Synonym(s): *iskilipus* Beyarslan & Tobias,2008 Original reference: Bracon (Lucobacon) [sic!] *iskilipus* Beyarslan & Tobias,2008, *Biologia* 63 (4): 550-552, figs. Holotype ♀: Turkey, Çorum, İskilip 1117m leg.M.Yurtcan (TU). Range (in code): **TR 19 19F**
- 983) Bracon (Lucobracon) jakuticus Tobias,1961** (Braconidae) Synonym(s): *jakuticus* Tobias,1961 Range (in code): **TR 11 52 60**
- 984) Bracon (Lucobracon) kaszabi Papp,1967** (Braconidae) Synonym(s): *kaszabi* Papp,1967 Range (in code): **TR 02 39 63**
- 985) Bracon (Lucobracon) kuzguni Beyarslan,2011** (Braconidae) Synonym(s): *kuzguni* Beyarslan,2011 Range (in code): **TR 37**
- 986) Bracon (Lucobracon) larvicida (Wesmael,1838)** (Braconidae) Synonym(s): *larvicida* Wesmael,1838; *crassiusculus* Szépligeti,1901 Range (in code): **TR 05 07 09 11 15 18 19 22 26 28 32 37 38 39 52 53 55 57 59 60 61 74 78**
- 987) Bracon (Lucobracon) meyeri Telenga,1936** (Braconidae) Synonym(s): *meyeri* Telenga,1936; *consternatus* Papp,1971 Range (in code): **TR 18 29**

- 988) Bracon (Lucobracon) mirus Szépligeti,1901** (Braconidae) Synonym(s): *mirus Szépligeti,1901* Range (in code): TR 06 16 29
- 989) Bracon (Lucobracon) moczari Papp,1969** (Braconidae) Synonym(s): *moczari Papp,1969* Range (in code): GR HU TR 22 39 42 59
- 990) Bracon (Lucobracon) nigriventris (Wesmael,1838)** (Braconidae) Synonym(s): *nigriventris Wesmael,1838; palpebrator Ratzeburg,1844; indubius Szépligeti,1901; lautus Szépligeti,1901; subornatus Szépligeti,1901; laticeps Telenga,1936; lencoranus Telenga,1936; persimilis Telenga,1936; turolus Papp,1984* Range (in code): TR 05 08 14 19 22 28 29 37 39 52 58 61 74
- 991) Bracon (Lucobracon) pliginskii Telenga,1936** (Braconidae) Synonym(s): *pliginskii Telenga,1936* Range (in code): TR 06 22
- 992) Bracon (Lucobracon) punctifer Thomson,1892** (Braconidae) Synonym(s): *punctifer Thomson,1892* Range (in code): TR 44
- 993) Bracon (Lucobracon) punctithorax Tobias,1959** (Braconidae) Synonym(s): *punctithorax Tobias,1959* Range (in code): TR 37 41 78
- 994) Bracon (Lucobracon) radiatus Tobias,1957** (Braconidae) Synonym(s): *radiatus Tobias,1957* Range (in code): TR 26
- 995) Bracon (Lucobracon) semifusus Papp,1965** (Braconidae) Synonym(s): *semifusus Papp,1965* Range (in code): TR 22
- 996) Bracon (Lucobracon) sphaerocephalus Szépligeti,1901** (Braconidae) Synonym(s): *sphaerocephalus Szépligeti,1901* Range (in code): TR 14 24 39 41 55
- 997) Bracon (Lucobracon) subhylobii Tobias,1986** (Braconidae) Synonym(s): *subhylobii Tobias,1986* Range (in code): TR 58
- 998) Bracon (Lucobracon) suchorukovi Telenga,1936** (Braconidae) Synonym(s): *suchorukovi Telenga,1936; dobrovolskii Telenga,1936* Range (in code): TR 05 06 10 17 22 26 29 34 37 38 39 44 58 59 60 62 71 78
- 999) Bracon (Lucobracon) surucicus Beyarslan,2002** (Braconidae) Synonym(s): *surucicus Beyarslan,2002* Range (in code): TR 63 63K
- 1000) Bracon (Lucobracon) talyshicus Tobias,1976** (Braconidae) Synonym(s): *talyshicus Tobias,1976* TR 22 62
- 1001) Bracon (Lucobracon) thuringiacus Schmiedeknecht,1897** (Braconidae) Synonym(s): *thuringiacus Schmiedeknecht,1897* Range (in code): TR 37 66
- 1002) Bracon (Lucobracon) triangularis Nees ab Esenbeck,1834** (Braconidae) Synonym(s): *triangularis Nees ab Esenbeck,1834* Range (in code): TR 14 19 21 34 42 54 58
- 1003) Bracon (Orthobracon) discoideus (Wesmael,1838)** (Braconidae) Synonym(s): *discoideus Wesmael,1838* Range (in code): TR 01 07 33 80
- 1004) Bracon (Orthobracon) epitriptus Marshall,1885** (Braconidae) Synonym(s): *epitriptus Marshall,1885; maculifer Szépligeti,1901; melanogaster Szépligeti,1901; novus Szépligeti,1901; cakili Beyarslan,1996* Range (in code): TR 03 05 08 18 23 26 29 35 37 40 44 47 54 55 58 59 60 61 67 69 74
- 1005) Bracon (Orthobracon) exhilarator Nees ab Esenbeck,1834** (Braconidae) Synonym(s): *exhilarator Nees ab Esenbeck,1834; satanas Wesmael,1838; tibialis Zetterstedt,1838; striolatus Thomson,1892; polonicella Strand,1928* Range (in code): TR PL 22 37 44 57 63
- 1006) Bracon (Orthobracon) filicornis Thomson,1892** (Braconidae) Synonym(s): *filicornis Thomson,1892* Range (in code): TR 38
- 1007) Bracon (Orthobracon) longigenis Tobias,1957** (Braconidae) Synonym(s): *longigenis Tobias,1957* Range (in code): TR 24
- 1008) Bracon (Orthobracon) malatyensis Beyarslan,2009** (Braconidae) Synonym(s): *malatyensis Beyarslan,2009* Range (in code): TR 38 44 51
- 1009) Bracon (Orthobracon) picticornis (Wesmael,1838)** (Braconidae) Synonym(s): *picticornis Wesmael,1838; gallarum Ratzeburg,1852; levigatissimus Dalla Torre,1898; versicolor Szépligeti,1901; laevigatus Fahringer,1927* Range (in code): TR 05 17 19 22 37 52 55 57 59 60 63 67
- 1010) Bracon (Orthobracon) roberti (Wesmael,1838)** (Braconidae) Synonym(s): *roberti Wesmael,1838* TR 39
- 1011) Bracon (Orthobracon) tenuicornis (Wesmael,1838)** (Braconidae) Synonym(s): *tenuicornis Wesmael,1838* TR 44 59
- 1012) Bracon (Orthobracon) titubans (Wesmael,1838)** (Braconidae) Synonym(s): *titubans Wesmael,1838; tarsator Thomson,1892; terebrator Szépligeti,1901; subornatus Szépligeti,1901* TR 19 52
- 1013) Bracon (Pigeria) piger (Wesmael,1838)** (Braconidae) Synonym(s): *piger Wesmael,1838; semiluteus Walker,1874; rotundulus Szépligeti,1904* Range (in code): TR JP KG Cc RU RO CZ HU AT IT

BE FR GB 01 03 05 06 07 08 09 15 16 17 18 19 20 22 23 24 25 26 28 29 32 33 35 37 38 39 40 42 43 44 46
50 51 52 53 55 57 58 59 60 61 62 63 66 67 68 69 71 74 78

- 1014) Bracon (Rostrobracon) urinator (Fabricius,1798)** (Braconidae) Synonym(s):
urator Fabricius,1798; comptus Marshall,1897 _ Range (in code): TR TJ KG RU Sb IR IN RU TR SY GR
AL IT HU RO NL DE BE FR ES PT 01 02 05 06 07 10 11 14 16 17 18 19 21 22 24 25 26 27 28 29 31 32 33 37
38 39 40 42 43 44 46 47 48 51 52 55 57 58 59 60 62 63 66 67 78 79 31M
- 1015) Bracon (s.str.) bachtieae Beyarslan,2012** (Braconidae) Synonym(s): *bachtiae*
Beyarslan,2012 _ Range (in code): TR 37
- 1016) Bracon (s.str.) changrinicus Beyarslan,2002** (Braconidae) Synonym(s): *changrinicus*
Beyarslan,2002 _ Range (in code): TR 03 05 06 08 16 19 24 26 37 40 42 44 57 58 59 60 62 64
- 1017) Bracon (s.str.) curticornis (Brues,1924)** (Braconidae) Synonym(s): *curticornis*
Brues,1924 _ Range (in code): ZA TR 39
- 1018) Bracon (s.str.) fulvipes Nees ab Esenbeck,1834** (Braconidae) Synonym(s): *fulvipes*
Nees ab Esenbeck,1834; carinatus Szépligeti,1901; sylvanus Greese,1928; kiritshenkoi Telenga,1936 _ Range
(in code): TR 01 05 06 07 08 10 11 14 15 16 19 22 23 24 26 27 29 31 32 33 34 38 39 40 41 42 44 46 47 50
52 54 55 57 58 59 60 61 66 67 68 74 78 81
- 1019) Bracon (s.str.) gusaricus Telenga,1933** (Braconidae) Synonym(s): *gusaricus*
Telenga,1933; depressus Telega,1936; pulcherrimus Telenga,1936 _ Range (in code): TR 27 37 40 44 47 58
- 1020) Bracon (s.str.) intercessor Nees ab Esenbeck,1834** (Braconidae) Synonym(s):
intercessor Nees ab Esenbeck,1834; lativentris Cresson,1865; fulvus Szépligeti,1896; fumigatus Szépligeti,1896;
hemirugosus Szépligeti,1896; universitatis Dalla Torre,1898; adjectus Szépligeti,1901; bisinuatus Szépligeti,1901;
dubiosus Szépligeti,1901; Szépligeti,1901; elegans Szépligeti,1901; fallaciosus Szépligeti,1901; mixtus Szépligeti,1901;
mundus Szépligeti,1901; nitidiusculus Szépligeti,1901; rufiscapus Szépligeti,1901; subtilis Szépligeti,1901; suspectus
Szépligeti,1901; vigilax Kokujev,1912; rhynchiti Greese,1928; kachetinus Telenga,1933; maslovskii Telenga,1936;
segregatus Telenga,1936 _ Range (in code): TR 01 02 06 07 08 09 10 11 13 14 15 16 17 18 19 21 22 23 24
25 26 27 28 29 31 32 33 34 35 37 39 41 42 43 44 46 50 51 52 53 54 55 57 59 60 61 62 66 67 68 69 71 74 78
79 80 81
- 1021) Bracon (s.str.) kozak Telenga,1936** (Braconidae) Synonym(s): *kozak Telenga,1936;*
ovoides Telenga,1936; shestakovi Telenga,1936 _ Range (in code): TR 06 23 24 37 40 50 51 55 57 58 62
68 71
- 1022) Bracon (s.str.) kuslitzkyi Tobias,1986** (Braconidae) Synonym(s): *kuslitzkyi Tobias,1986*
Range (in code): TR 24 68
- 1023) Bracon (s.str.) laetus (Wesmael,1838)** (Braconidae) Synonym(s): *laetus Wesmael,1838*
Range (in code): BE CN Gn HV CY CZ FR GG Cc DE GR HU IL Pa IT Si PT ES TR TM GB UZ YU 17 39
59
- 1024) Bracon (s.str.) leptus Marshall,1897** (Braconidae) Synonym(s): *leptus Marshall,1897*
Range (in code): TR 02 03 05 06 23 24 26 29 38 42 48 51 52 55 57 58 59 60 62 68 74 78
- 1025) Bracon (s.str.) longicollis (Wesmael,1838)** (Braconidae) Synonym(s): *longicollis*
Wesmael,1838; subcylindricus Wesmael,1838; fraudator Marshall,1885; brevicauda Thomson,1892; crassicauda
Thomson,1892; alutaceus Szépligeti,1901; depressiusculus Szépligeti,1904; pallidalatus Tobias,1957 _ Range
(in code): TR 02 05 06 08 10 14 18 19 22 23 24 26 29 37 38 39 40 42 44 50 51 52 53 55 58 59 60 61 62
66 67 69 74 78
- 1026) Bracon (s.str.) luteator Spinola,1808** (Braconidae) Synonym(s): *luteator Spinola,1808*
Range (in code): TR 50
- 1027) Bracon (s.str.) luteator Spinola,1808** (Braconidae) Synonym(s): *luteator Spinola,1808;*
maculator Brullé,1832; nigripedator Nees,1834; filicauda Costa,1888; intermedius Szépligeti,1896; hypopygialis
Szépligeti,1901; pilosulus Szépligeti,1901 _ Range (in code): TR 01 02 05 06 07 10 11 14 15 16 17 18 19 21
22 23 24 26 27 29 33 34 37 38 39 40 42 44 47 48 50 51 55 57 58 59 60 62 65 66 68 69 80
- 1028) Bracon (s.str.) mariae Dalla Torre,1898** (Braconidae) Synonym(s): *mariae Dalla*
Torre,1898 _ Range (in code): TR 01 09 13 14 16 26 32 62 63 66 69
- 1029) Bracon (s.str.) mimutator (Fabricius,1798)** (Braconidae) Synonym(s): *mimutator*
Fabricius,1798; abscissor Nees,1834; oostmaeli Wesmael,1838; regularis Wesmael,1838; trucidator Marshall,1888;
thalassinus Schmiedeknecht,1897; sulcatus Szépligeti,1896; rufigaster Szépligeti,1901; subrugosus Szépligeti,1901;
tener Szépligeti,1904; pannonicus Szépligeti,1904 _ Range (in code): TR 01 05 07 08 10 11 14 15 16 17 18
19 21 22 23 25 26 27 32 33 34 37 38 39 40 42 46 51 55 57 58 59 60 61 65 66 67 68 71 78 79 80
- 1030) Bracon (s.str.) murgabensis Tobias,1957** (Braconidae) Synonym(s): *murgabensis*
Tobias,1957; praestans Tobias,1957 _ Range (in code): TR 06 22 23 50 55 68
- 1031) Bracon (s.str.) nigratus (Wesmael,1838)** (Braconidae) Synonym(s): *nigratus*
Wesmael,1838 _ Range (in code): TR 05 06 13 18 22 23 24 26 29 37 38 40 42 44 50 52 55 57 58 60 61
68 69 74 78

- 1032) Bracon (s.str.) pectoralis (Wesmael,1838)** (Braconidae) Synonym(s): *pectoralis* Wesmael,1838; *obscuricornis* Szépligeti,1896; *ochrosus* Szépligeti,1896; *sulphurator* Szépligeti,1896 _ Range (in code): **TR 01 02 05 06 07 08 10 11 13 14 15 16 17 18 19 20 22 23 24 26 29 31 32 33 37 38 39 41 42 44 50 51 54 55 57 58 59 60 62 65 67 69 71 74**
- 1033) Bracon (s.str.) spurnensis Hincks,1951** (Braconidae) Synonym(s): *rugulosus* Szépligeti,1901; *depressiusculus* Szépligeti,1904; *spurnensis* Hincks,1951 _ Range (in code): **TR 61**
- 1034) Bracon (s.str.) subglaber Szépligeti,1901** (Braconidae) Synonym(s): *subglaber* Szépligeti,1901; *quinquemaculatus* Szépligeti,1901; *subrugosus* Szépligeti,1901; *tauricus* Telenga,1936 _ Range (in code): **TR 14 37 44 50 55 57 58 59 62 74 78**
- 1035) Bracon (s.str.) trucidator Marshall,1888** (Braconidae) Synonym(s): *trucidator* Marshall,1888; *bilineatus* Thomson,1892; *hilaris* Marshall,1897; *subrugosus* Szépligeti,1901; *pannonicus* Szépligeti,1904 _ Range (in code): **TR 03 05 06 08 10 13 15 16 17 18 19 22 23 24 26 28 29 34 37 38 39 40 42 44 50 52 54 55 57 59 60 61 62 65 66 67 80 81**
- 1036) Bracon (s.str.) variagator Spinola,1808** (Braconidae) Synonym(s): *variagator* Spinola,1808; *melanosoma* Szépligeti,1901; *micros* Szépligeti,1901; *nanulus* Szépligeti,1901 _ Range (in code): **TR 01 02 05 10 11 14 15 16 18 22 23 25 26 27 29 32 33 34 38 41 42 46 52 53 55 57 58 59 60 62 63 65 66 69**
- 1037) Camptholipsis armeniaca (Telenga,1935)** (Braconidae) Synonym(s): *armeniacus* Telenga,1935 _ Range (in code): **AT AZ HU IR IT KG MD CH UA AM Cc TR 06**
- 1038) Ceratobracon stschegolevi (Telenga,1933)** (Braconidae) Synonym(s): *stschegolevi* Telenga,1933; *adaniensis* Beyarslan,1987 _ TR 01 02 05 06 08 10 14 16 17 18 19 21 22 23 26 29 33 37 40 42 44 47 50 51 57 58 60 63 66 67 68 69 70 71
- 1039) Chelonus (Microchelonus) atripes (Thomson,1874)** (Braconidae) Synonym(s): *atripes* Thomson,1874 _ Range (in code): **TR 39**
- 1040) Chelonus (Microchelonus) basalis (Curtis,1837)** (Braconidae) Synonym(s): *basalis* Curtis,1837 _ Range (in code): **RU TR IR KG 01 07 15**
- 1041) Chelonus (Microchelonus) cesa Koçak & Kemal,2013** (Braconidae) Synonym(s): *asiaticus* Telenga,1941 nec Fahr.,1932; *cesa* Koçak & Kemal,2013 _ Original reference: Chelonus cesa Koçak & Kemal,2013, Cent. ent. Stud., Misc. Pap. 160: 7 (nom. nov. pro asiaticus Telenga,1941 nec Fahringer,1932). _ Range (in code): **AM Cc CZ GR Cr HU IR TR KG LT MD MN RU Kr Us SK ES GB UZ 39**
- 1042) Chelonus (Microchelonus) contracta (Nees ab Esenbeck,1834)** (Braconidae) Synonym(s): *contracta* Nees ab Esenbeck,1834 _ Range (in code): **Cc KG RU Sb TR 27 32 33 46**
- 1043) Chelonus (Microchelonus) exilis (Marshall,1885)** (Braconidae) Synonym(s): *exilis* Marshall,1885; *excavatus* Tobias,1972 _ Range (in code): **AM AZ Cc BG HV CZ FR DE HU IT KG LT LV MD MN NL PL RU SS ES CH GB UZ YU TR 01 15**
- 1044) Chelonus (Microchelonus) fissilis (Tobias,1985)** (Braconidae) Synonym(s): *fissilis* Tobias,1985 _ Range (in code): **GG Cc TR 63**
- 1045) Chelonus (Microchelonus) flavoneavulus Abdinbekova,1971** (Braconidae) Synonym(s): *flavoneavulus* Abdinbekova,1971 _ Range (in code): **AZ HU MD RU Da Cc TR 39**
- 1046) Chelonus (Microchelonus) hungaricus (Szépligeti,1896)** (Braconidae) Synonym(s): *hungarica* Szépligeti,1896; *palpalis* Tobias,1989 _ Range (in code): **TR AZ Cc CZ HU KG MN SK UA 15**
- 1047) Chelonus (Microchelonus) kopetdagicus (Tobias,1966)** (Braconidae) Synonym(s): *kopetdagica* Tobias,1966; *caucasicus* Abdinbekova,1967; *cretensis* Tobias,1999 _ Range (in code): **GR Cr HV HU KG KK MD Kr ES CH TR YU Cc AZ TM Kp 22**
- 1048) Chelonus (Microchelonus) magnifissuralis Abdinbekova,1971** (Braconidae) Synonym(s): *magnifissuralis* Abdinbekova,1971 _ Range (in code): **AZ Cc TR ES 39**
- 1049) Chelonus (Microchelonus) microphthalmus Wesmael,1838** (Braconidae) Synonym(s): *microphthalmus* Wesmael,1838; *dilatus* Papp,1971 _ Range (in code): **AL BE BG HV CZ FI FR DE GR HU IT KG KP KR KK MK MN PL RO RU Us Tv SE CH TN TR TM UA UZ YU 22**
- 1050) Chelonus (Microchelonus) nigritibialis Abdinbekova,1971** (Braconidae) Synonym(s): *nigritibialis* Abdinbekova,1971 _ Range (in code): **AZ MD Cc TR 22 59**
- 1051) Chelonus (Microchelonus) nitens (Reinhard,1867)** (Braconidae) Synonym(s): *nitens* Reinhard,1867 _ Range (in code): **TR RU KG 15 46**
- 1052) Chelonus (Microchelonus) rostratus (Tobias,1966)** (Braconidae) Synonym(s): *rostratus* Tobias,1966 _ Range (in code): **AM AZ Cc BG CZ HU MD RU SK ES TR TM UA 22**
- 1053) Chelonus (Microchelonus) subcontractus Abdinbekova,1971** (Braconidae) Synonym(s): *subcontractus* Abdinbekova,1971 _ Range (in code): **AZ GG Cc GR Cr HU KG LT MD MN PL RO RU Da Kmt Kr Us Sh SK TR UA YU 22 27 33**

- 1054) *Chelonus (Microchelonus) sulcatus* Jurine,1807** (Braconidae) Synonym(s): *sulcatus* Jurine,1807; *rimulosus* Thomson,1874; *curvisulcatus* Szépligeti,1896; *rimatus* Szépligeti,1896 - Range (in code): AZ AM Cc BE BG HV CZ EG FI FR DE GR Cr HU IL Pa IT KG LT LV MK MD RU Sb Us MK MD MN MA NL PL Kr Sh SK ES SE CH TR UA GB UZ YU 07 15 22 32 33 46
- 1055) *Chelonus (Microchelonus) turcius* (Tobias,2008)** (Braconidae) Synonym(s): *turcius* Tobias,2008 - Range (in code): TR
- 1056) *Chelonus (s.str.) beyarslani* Aydoğdu,2008** (Braconidae) Synonym(s): *beyarslani* Aydoğdu,2008 - Range (in code): TR 09
- 1057) *Chelonus (s.str.) carbonator* Marshall,1885** (Braconidae) Synonym(s): *carbonator* Marshall,1885; *asiaticus* Fahringer,1932 - Range (in code): TR AT CN Sz HV CZ FI FR DE GR Cr HU IN IR IT KG MD MN PL RO RU Us Sh Sr SS ES CH TJ GN YU 01 33
- 1058) *Chelonus (s.str.) elongatus* Szépligeti,1898** (Braconidae) Synonym(s): *elongatus* Szépligeti,1898 - Range (in code): CN Sz FI DE HU PL CH YU TR
- 1059) *Chelonus (s.str.) erythrogaster* Lucas,1846** (Braconidae) Synonym(s): *erythrogaster* Lucas,1846 - Range (in code): DZ RU TR 46
- 1060) *Chelonus (s.str.) gravenhorstii* (Nees ab Esenbeck,1813)** (Braconidae) Synonym(s): *gravenhorstii* Nees ab Esenbeck,1813 - Range (in code): RU TR 46
- 1061) *Chelonus (s.str.) inanitus* (Linnaeus,1767)** (Braconidae) Synonym(s): *inanitus* Linnaeus,1767 - Range (in code): DZ RU TR 33
- 1062) *Chelonus (s.str.) mucronatus* Thomson,1874** (Braconidae) Synonym(s): *mucronatus* Thomson,1874 - Range (in code): SE CZ RU TR 01
- 1063) *Chelonus (s.str.) obscurator* Herrich-Schäffer,1838** (Braconidae) Synonym(s): *obscurator* Herrich-Schäffer,1838 - Range (in code): DE TR 01 07 15 27 32 33 46
- 1064) *Chelonus (s.str.) oculator* (Fabricius,1775)** (Braconidae) Synonym(s): *oculator* Fabricius,1775 - Range (in code): ES FR CH GB BE NL DE SE FI LV PL RU UA RO CZ SK AT YU AL GR BG TR Cr Sa 01
- 1065) *Chelostes robustus* Van Achterberg,1990** (Braconidae) Synonym(s): *robustus* Van Achterberg,1990 - Range (in code): TR 38
- 1066) *Chelostes subrobustus* Yilmaz & Beyarslan,2009** (Braconidae) Synonym(s): *subrobustus* Yilmaz & Beyarslan,2009 - Original reference: *Chelostes subrobustus* Yilmaz & Beyarslan,2009, *Biologia* 64 (2): 340-341, figs. Holotype ♀: Turkey: Amasya, Merzifon 690m (leg.A.Beyarslan) (TU). - Range (in code): TR 05 55
- 1067) *Choeras dorsalis* (Spinola,1808)** (Braconidae) Synonym(s): *dorsalis* Spinola,1808 - Original reference: *Hypomicrogaster dorsalis* Spinola,1808, *Insect. Liguria* 2: 151. - Range (in code): TR Cc AZ AM RU Da GG DZ CY GB SE IT Si RO HU 01 06 07 10 11 16 17 22 33 34 39 54
- 1068) *Chorebus anasella* (Stelfox,1952)** (Braconidae) Synonym(s): *anasella* Stelfox,1952 - Range (in code): TR 01 07 22 23 25 32 33 39
- 1069) *Chorebus aphanthus* (Marshall,1895)** (Braconidae) Synonym(s): *aphanthus* Marshall,1895 - Range (in code): TR CN DK DE GB FR AT IE PL RU SE CH 32
- 1070) *Chorebus avesta* (Nixon,1944)** (Braconidae) Synonym(s): *avesta* Nixon,1944 - Range (in code): TR DE GB AT RU CH ES 23
- 1071) *Chorebus cyclops* (Nixon,1937)** (Braconidae) Synonym(s): *cyclops* Nixon,1937 - Range (in code): DE GB AT RO CH RU TR ES 01 02 07 15 23 27 32 39 58 79
- 1072) *Chorebus diremtus* (Nees ab Esenbeck,1834)** (Braconidae) Synonym(s): *diremtus* Nees ab Esenbeck,1834 - Range (in code): TR 32 33
- 1073) *Chorebus femoratus* (Tobias,1962)** (Braconidae) Synonym(s): *femoratus* Tobias,1962 - Range (in code): AZ Cc TR 39
- 1074) *Chorebus flavipes* Goureau,1851** (Braconidae) Synonym(s): *flavipes* Goureau,1851 - Range (in code): GB DE IE PL FR DK GR TR KG RU Us MN 61
- 1075) *Chorebus iridis* Griffiths,1968** (Braconidae) Synonym(s): *iridis* Griffiths,1968 - Range (in code): TR IT 15 23
- 1076) *Chorebus perkinsi* (Nixon,1968)** (Braconidae) Synonym(s): *perkinsi* Nixon,1968 - Range (in code): TR DE GB AT SE CH 15 23 33 39
- 1077) *Chorebus varuna* (Nixon,1945)** (Braconidae) Synonym(s): *varuna* Nixon,1945 - Range (in code): TR GB PL CH 01 33
- 1078) *Clinocentrus vestigator* (Haliday,1836)** (Braconidae) Synonym(s): *vestigator* Haliday,1836 - Range (in code): TR 25 25L
- 1079) *Coelinidea albimanus* (Snellen van Vollenhoven,1873)** (Braconidae) Synonym(s): *albimanus* Snellen van Vollenhoven,1873 - Range (in code): TR NL 01

- 1080) Coelinidea elegans (Curtis,1829)** (Braconidae) Synonym(s): *elegans* Curtis,1829
Range (in code): **TR GB NL IT IE YU PL SE HU 15**
- 1081) Coeloides abdominalis (Zetterstedt,1838)** (Braconidae) Synonym(s): *abdominalis* Zetterstedt,1838 TR
- 1082) Coeloides foersteri Haeselbarth,1967** (Braconidae) Synonym(s): *foersteri* Haeselbarth,1967 TR 08 16
- 1083) Colastes aciculatus Tobias,1986** (Braconidae) Synonym(s): *aciculatus* Tobias,1986 TR 24
- 1084) Colastes braconius Haliday,1833** (Braconidae) Synonym(s): *braconius* Haliday,1833 TR US Nje 14 37 39 61 67
- 1085) Colastes catenator (Haliday,1836)** (Braconidae) Synonym(s): *catenator* Haliday,1836 TR 52
- 1086) Colastes laevis (Thomson,1892)** (Braconidae) Synonym(s): *laevis* Thomson,1892 TR 36 36F
- 1087) Colastes lustrator (Haliday,1836)** (Braconidae) Synonym(s): *lustrator* Haliday,1836 TR 05 11 14 16 25 37 55 68 75 75F
- 1088) Colastes vividus Papp,1975** (Braconidae) Synonym(s): *vividus* Papp,1975 TR 19
- 1089) Cotesia ancilla (Nixon,1974)** (Braconidae) Synonym(s): *ancilla* Nixon,1974 Original reference: Apanteles ancilla Nixon,1974, Bull. ent. Res. 64: 453-525. Range (in code): TR BG DE IT IL Pa NL JP AT ES CH CZ YU 01 07 10 11 15 16 22 31 32 46 54 59
- 1090) Cotesia brevicornis (Wesmael,1837)** (Braconidae) Synonym(s): *brevicornis* Wesmael,1837; *cleocleridis* Marshall,1889 Range (in code): GB FR BE PL SE FI SK HU RU Cc AZ TR 16
- 1091) Cotesia calodetta (Nixon,1974)** (Braconidae) Synonym(s): *calodetta* Nixon,1974 Range (in code): SE RU At CH TR 11
- 1092) Cotesia cuprea (Lylé,1925)** (Braconidae) Synonym(s): *cuprea* Lylé,1925 Range (in code): DE FI GB FR ES NL LT HU TR 10 11 16 22 32 41
- 1093) Cotesia geryonis (Marshall,1885)** (Braconidae) Synonym(s): *geryonis* Marshall,1885 Range (in code): DE BG GB IT CH NL PL SK RO SE RU Sb HU TR 16 22
- 1094) Cotesia glabrata (Telenga,1955)** (Braconidae) Synonym(s): *glabrata* Telenga,1955 Range (in code): BG Cc HU RU Da GG IL Pa DE TR KG UA 11
- 1095) Cotesia hypantriae (Riley,1887)** (Braconidae) Synonym(s): *hypantriae* Riley,1887 Range (in code): MX CA US GB DE YU TR CZ NL HU MD UA RU JP 10
- 1096) Cotesia jucunda (Marshall,1885)** (Braconidae) Synonym(s): *jucunda* Marshall,1885; *nigrinervis* Thomson,1895 Range (in code): DE Cc AM AT MD CZ FR GB IS SE TR 10 11 16 32 41
- 1097) Cotesia juniperatae (Bouché,1834)** (Braconidae) Synonym(s): *juniperatae* Bouché,1834 TR GB CH DE HU 48
- 1098) Cotesia kazak (Telenga,1949)** (Braconidae) Synonym(s): *kazak* Telenga,1949 Range (in code): TR PT ES IT PL RU GR BG 10 11 17
- 1099) Cotesia kurdjumovi (Telenga,1955)** (Braconidae) Synonym(s): *kurdjumovi* Telenga,1955; *laverna* Nixon,1974 Range (in code): BG RO MD UA EE HU DE GB RU TR 10 59
- 1100) Cotesia lineola (Curtis,1830)** (Braconidae) Synonym(s): *lineola* Curtis,1830; *gabrielis* Gautier & Riel,1919 Range (in code): TR ES GB FI RU HU RO BG CH 10 11 39 59
- 1101) Cotesia melanoscela (Ratzeburg,1844)** (Braconidae) Synonym(s): *melanoscela* Ratzeburg,1844; *solitaria* Ratzeburg,1844; *creata* Balevski,1980 Range (in code): TR CN DK MN CA 01 10 11 16 17 22 40 41 50 51 59
- 1102) Cotesia memnon (Nixon,1974)** (Braconidae) Synonym(s): *memnon* Nixon,1974 Range (in code): ES Sa TR BG DE PL GB IT YU HU RU 07 11 15 16 17 32 54
- 1103) Cotesia numen (Nixon,1974)** (Braconidae) Synonym(s): *numen* Nixon,1974 Range (in code): DE DK GB FR CZ HU TR 17
- 1104) Cotesia ofella (Nixon,1974)** (Braconidae) Synonym(s): *ofella* Nixon,1974 Range (in code): DE BE GB FI NL ES IT CH HU RU RO BG TR 07 10 11 16 22 39 54
- 1105) Cotesia orestes (Nixon,1974)** (Braconidae) Synonym(s): *orestes* Nixon,1974 Range (in code): CH NL DE FI RU TR IT GB 11 39
- 1106) Cotesia pappi İnanç,2002** (Braconidae) Synonym(s): *pappi* İnanç,2002 Original reference: Cotesia pappi İnanç,2002, Acta zool. hung. 48: 158-160. Holotype ♀: Turkey: Edirne Prov., Gullapoğlu Arboretum Trakya University 20.v.2001 leg. A.Aladağ (TU). Range (in code): TR 22

- 1107) Cotesia risilis (Nixon,1974)** (Braconidae) Synonym(s): *risilis* Nixon,1974 _ TR GB NL IT HU SK YU RO 11
- 1108) Cotesia ruficrus (Haliday,1834)** (Braconidae) Synonym(s): *ruficrus* Haliday,1834; *antipoda* Ashmead,1900; *manilae* Ashmead,1904; *sydneyensis* Cameron,1911; *narangae* Viereck,1913 _ Range (in code): EG Cc AM AZ GG DE GB FR IT CN ID Clb Ja PH Luz TW FJ Hw IN JP SO CM MG SN SD ZA UG IL Pa TR RU PL CH LK MY KP KR TW AU Syd 01 07 10 15 16 17 22 27 31 32 33 34 39 46 54 59
- 1109) Cotesia saltatoria (Balevski,1980)** (Braconidae) Synonym(s): *saltatoria* Balevski,1980 Range (in code): ES FR DE GB BG YU TR HU MN 10 11 16 22
- 1110) Cotesia setebis (Nixon,1974)** (Braconidae) Synonym(s): *setebis* Nixon,1974 _ Range (in code): CH GR BG CZ HU TR CH SE 16 17
- 1111) Cotesia telengai (Tobias,1972)** (Braconidae) Synonym(s): *telengai* Tobias,1972; *amabilis* Nixon,1974 _ Range (in code): DZ ES DE GB TR IR Cc RU AL GR BG NL PL HU MA 01 07 10 11 15 16 22 27 31 33 34 39 46 59 63
- 1112) Cotesia tenebrosa (Wesmael,1837)** (Braconidae) Synonym(s): *tenebrosa* Wesmael,1837; *?arctica* Thomson,1895 _ Range (in code): ES FR BL NL GB DE FI PL HU YU RO TR 01 07 15 16 32 33 39 46 79 80
- 1113) Cotesia tetrica (Reinhard,1880)** (Braconidae) Synonym(s): *tetrica* Reinhard,1880 Range (in code): FR GB CH AT IT DE NO SE FI RU PL CZ SK HU YU GR BG TR 11
- 1114) Cotesia tibialis (Curtis,1830)** (Braconidae) Synonym(s): *tibialis* Curtis,1830 _ Range (in code): ES FR GB BE NL DE SE FI RU EE PL CZ SK CH AT HU B-H YU RO BG GR IT Cr TR 10 11 16 22 25 34 41 54 59
- 1115) Cotesia vanessae (Reinhard,1880)** (Braconidae) Synonym(s): *vanessae* Reinhard,1880 Range (in code): ES NL PL FI DE GB FI IT YU BG TR AT RU HU CN AU 15 16 22 25 32 33 39
- 1116) Cotesia villanus Reinhard,1880** (Braconidae) Synonym(s): *villanus* Reinhard,1880 Range (in code): DE GB FR FI TR MN HU 11 16
- 1117) Cotesia zygaenarum (Marshall,1885)** (Braconidae) Synonym(s): *zygaenarum* Marshall,1885 Range (in code): TR 11
- 1118) Cratospila circe (Haliday,1838)** (Braconidae) Synonym(s): *circe* Haliday,1838 Range (in code): TR 77
- 1119) Cremnops desertor (Linnaeus,1758)** (Braconidae) Synonym(s): *desertor* Linnaeus,1758; *deflagrator* Spinola,1808; *alternans* Enderlen,1920; *lemniscatus* Enderlein,1920 _ Range (in code): AZ AM Cc BE BG CA On CN Fkn Kwt Hnn Hph Hun Sz TW Ui HV CZ FI FR DE HU IN ID Sum IT JP KP KR LT LV MD MM NP NL PL RO RU Us YU SS SK SE CH US UA GB TR 08 33
- 1120) Dacnusa evadne Nixon,1937** (Braconidae) Synonym(s): *evadne* Nixon,1937 _ Range (in code): TR GB PL RU SE 22 23 32
- 1121) Dacnusa gentianae Griffiths,1967** (Braconidae) Synonym(s): *gentianae* Griffiths,1967 Range (in code): AT DE PL TR 27
- 1122) Dapsilarthra balteata (Thomson,1895)** (Braconidae) Synonym(s): *balteata* Thomson,1895 _ TR 37
- 1123) Dapsilarthra rufiventris (Nees,1812)** (Braconidae) Synonym(s): *rufiventris* Nees,1812; *flaviventris* Haliday,1838; *ochrogaster* Szépligeti,1898; *luscule* Griffiths,1968 _ AT Az BG CN Fkn Yu CZ FR DE HU IT JP LT LV Md MN NL PL RO RU Kmt Us SE CH UA GB YU TR 28 37 53 61 67
- 1124) Dendrosoter protuberans (Nees ab Esenbeck,1834)** (Braconidae) Synonym(s): *protuberans* Nees ab Esenbeck,1834 Range (in code): TR 22 34 58
- 1125) Dendrosotinus ferrugineus (Marshall,1888)** (Braconidae) Synonym(s): *ferrugineus* Marshall,1888 Range (in code): TR 10 24 25 36 38 42 48 75 76
- 1126) Dendrosotinus Telenga,1941** (Braconidae) Synonym(s): *Dendrosotinus* Telenga,1941 Range (in code): TR
- 1127) Diachasma graeffei (Fischer,1959)** (Braconidae) Synonym(s): *graeffei* Fischer,1959 Range (in code): TR 25 25F
- 1128) Diachasmimorpha (s.str.) paeoniae (Tobias,1980)** (Braconidae) Synonym(s): *paeoniae* Tobias,1980 _ Range (in code): TR 08 25 31 52 55 25K
- 1129) Dinotrema intermissum (Fischer,1974)** (Braconidae) Synonym(s): *intermissum* Fischer,1974 _ Range (in code): TR AT NL 48
- 1130) Dinotrema longicauda Tobias,2003** (Braconidae) Synonym(s): *longicauda* Tobias,2003 Range (in code): TR 29 43 53
- 1131) Dinotrema samsunense Fischer & Sullivan,2014** (Braconidae) Synonym(s): *samsunense* Fischer & Sullivan,2014 Range (in code): TR 55

- 1132) Diolcogaster alvearia (Fabricius,1798)** (Braconidae) Synonym(s): *alvearius* Fabricius,1798 Original reference: Ichneumon alvearius Fabricius,1798, Suppl. ent. Syst.: 232. Range (in code): **TR DE CN GB FR AT IT CZ RU KG YU 10 34**
- 1133) Diolcogaster claritibia (Papp,1959)** (Braconidae) Synonym(s): *claritibia* Papp,1959 Original reference: Microgaster claritibia Papp,1959, Ann. Hist.-nat. Mus. Nat. Hung. 51: 405. Range (in code): **TR DE RU KG Cc AM AZ GG FI Cn YU AT TN SY 10 22 27 33 54 63**
- 1134) Diolcogaster spreta (Marshall,1885)** (Braconidae) Synonym(s): *spretia* Marshall,1885 **TR 22**
- 1135) Diospilus angorensis Beyarslan,2014** (Braconidae) Synonym(s): *angorensis* Beyarslan,2014 Range (in code): **TR 06 06N**
- 1136) Diospilus belokobylskiji Beyarslan,2008** (Braconidae) Synonym(s): *belokobylskiji* Beyarslan,2008 Range (in code): **TR 02 05 06 18 23 28 33 40 44 50 58 06N 58G**
- 1137) Diospilus capito (Nees ab Esenbeck,1834)** (Braconidae) Synonym(s): *capito* Nees ab Esenbeck,1834; *fuscipes* Kirchner,1867; *oleraceus* Tobias,1973; *filator* Papp,1998 Range (in code): **TR AZ AM Cc BY BE BG CZ DK EE HU IE IL Pa IT KG LT LV MD MN MA NL NO PL RU SE CH UA GB 03 05 06 07 10 11 14 18 19 21 22 23 26 28 29 32 33 36 37 39 40 41 42 44 52 53 54 55 57 58 59 60 61 62 67 77 78 06N**
- 1138) Diospilus inflexus Reinhard,1862** (Braconidae) Synonym(s): *inflexus* Reinhard,1862; *ovatus* Papp,2002 Range (in code): **FI YU FR DE HU IT PL RU SS CH UA GB TR 25 36 52 75**
- 1139) Diospilus melanoscelus (Nees ab Esenbeck,1834)** (Braconidae) Synonym(s): *melanoscelus* Nees ab Esenbeck,1834 Range (in code): **TR BY RU DE SK 11 16 17 37 41 54 67 78**
- 1140) Diospilus morosus Reinhard,1862** (Braconidae) Synonym(s): *morosus* Reinhard,1862 Range (in code): **TR CZ FI FR DE GR HU IT KG LT MD PL SE CH UA GB YU 02 03 05 16 28 37 41 42 60 74 80**
- 1141) Diospilus nigricornis (Wesmael,1835)** (Braconidae) Synonym(s): *nigricornis* Wesmael,1835; *affinis* Wesmael,1835; *rufipes* Reinhard,1862 Range (in code): **TR AT AZ Cc CZ FI FR DE HU IT LV NO PL SS CH YU 25 36 61**
- 1142) Diospilus productus Marshall,1894** (Braconidae) Synonym(s): *productus* Marshall,1894 Range (in code): **TR AM Cc GR HU IT CH UA GB 03 05 19 20 34 43 52**
- 1143) Disophrys caesa (Klug,1835)** (Braconidae) Synonym(s): *caesa* Klug,1835; *anthracina* Kriechbaumer,1898 Range (in code): **DZ AM AZ Cc BG HV FR DE HU IR IT Si MA PT RO RU Da YU ES CH TR 02 31 33 39 44 53 61 69**
- 1144) Dolichogenidea anarsiae (Faure & Alabouvetle,1924)** (Braconidae) Synonym(s): *anarsiae* Faure & Alabouvetle,1924 Original reference: Apanteles anarsiae Faure & Alabouvetle,1924, Revue Zool. Agri. Appl. 23: 283. Range (in code): **TR Cc AZ GG FR IT RO HU 11 17**
- 1145) Dolichogenidea bilecikensis İnanç & Çetin Erdoğan,2004** (Braconidae) Synonym(s): *bilecikensis* İnanç & Çetin Erdoğan,2004 Range (in code): **TR 11**
- 1146) Dolichogenidea breviventris (Ratzeburg,1848)** (Braconidae) Synonym(s): *breviventris* Ratzeburg,1848 Original reference: Microgaster breviventris Ratzeburg,1848, Ichn. D. Forstins. 2: 51. Range (in code): **TR EG RU KP KR 16**
- 1147) Dolichogenidea coleophorae (Wilkinson,1938)** (Braconidae) Synonym(s): *coleophorae* Wilkinson,1938 Original reference: Apanteles coleophorae Wilkinson,1938, Proc. ent. Soc. Lond. (B) 7: 225. Range (in code): **TR Cc AZ AT RU FI SE CZ GB 34 41**
- 1148) Dolichogenidea drusilla (Nixon,1972)** (Braconidae) Synonym(s): *drusilla* Nixon,1972 Original reference: Apanteles drusilla Nixon,1972, Bull. ent. Res. 61: 701-743. Range (in code): **TR DE UA BG HU MN IT GB 11 16 17**
- 1149) Dolichogenidea emarginata (Nees ab Esenbeck,1834)** (Braconidae) Synonym(s): *emarginata* Nees ab Esenbeck,1834 Range (in code): **AZ AM Cc TR 22**
- 1150) Dolichogenidea immissus (Papp,1977)** (Braconidae) Synonym(s): *immissus* Papp,1977 Original reference: Apanteles immissus Papp,1977, Ann. Hist. Nat. Mus. Nat. Hung. 69: 201-217. Range (in code): **DE HU TR 11**
- 1151) Dolichogenidea infimus (Haliday,1834)** (Braconidae) Synonym(s): *infimus* Haliday,1834 Original reference: Microgaster infimus Haliday,1834, Entomologist's mon. Mag. 2: 243. Range (in code): **TR Cc AZ LT KG RU Sb 11**
- 1152) Dolichogenidea lacteicolor (Viereck,1911)** (Braconidae) Synonym(s): *lacteicolor* Viereck,1911 Original reference: Apanteles lacteicolor Viereck,1911, Proc. U. S. Natn. Mus. 40: 475. Range (in code): **TR US 17 34 41 54**
- 1153) Dolichogenidea litae (Nixon,1972)** (Braconidae) Synonym(s): *litae* Nixon,1972 Original reference: Apanteles litae Nixon,1972, Bull. ent. Res. 61: 701-743. Range (in code): **TR 10 22 41 59**

- 1154) Dolichogenidea longicauda (Wesmael,1837)** (Braconidae) Synonym(s): *longicauda* Wesmael,1837 Original reference: Microgaster longicauda Wesmael,1837, Nouv. Mem. Acad. Brux. 10: 54. Range (in code): **TR RU 11 22 63**
- 1155) Dolichogenidea longipalpis (Reinhard,1880)** (Braconidae) Synonym(s): *longipalpis* Reinhard,1880 Original reference: Apanteles longipalpis Reinhard,1880, Dt. ent. Z. 24: 365. Range (in code): **TR DE CN Cc AM RU TJ 16 22**
- 1156) Dolichogenidea mycale (Nixon,1972)** (Braconidae) Synonym(s): *mycale* Nixon,1972 Original reference: Apanteles mycale Nixon,1972, Bull. ent. Res. 61: 727. Range (in code): **TR BG CH HU 11 22**
- 1157) Dolichogenidea sicarius (Marshall,1885)** (Braconidae) Synonym(s): *sicarius* Marshall,1885 Original reference: Apanteles sicarius Marshall,1885, Trans. ent. Soc. Lond. 1885: 209. Range (in code): **TR US RO 01 07 16 17 22 27 33 39 59 63**
- 1158) Dolichogenidea soikai (Nixon,1972)** (Braconidae) Synonym(s): *soikai* Nixon,1972 Original reference: Apanteles soikai Nixon,1972, Bull. ent. Res. 61: 701-743. Range (in code): **TR BG IT HU 11 16 22**
- 1159) Dolopsidea indagator (Haliday,1836)** (Braconidae) Synonym(s): *indagator* Haliday,1836 Range (in code): **TR 25 58 76**
- 1160) Dolopsidea tatianae (Telenga,1941)** (Braconidae) Synonym(s): *tatianae* Telenga,1941 Range (in code): **TR 58 58G**
- 1161) Doryctes leucogaster (Nees ab Esenbeck,1834)** (Braconidae) Synonym(s): *leucogaster* Nees ab Esenbeck,1834 Range (in code): **TR 01 05 08 09 17 19 20 22 23 24 25 26 32 36 37 39 53 58 63 59 66 63C 63G**
- 1162) Doryctes molorchi Fischer,1971** (Braconidae) Synonym(s): *molorchi* Fischer,1971 Range (in code): **TR 26**
- 1163) Doryctes striatellus (Nees ab Esenbeck,1834)** (Braconidae) Synonym(s): *striatellus* Nees ab Esenbeck,1834 Range (in code): **TR 23**
- 1164) Doryctes undulatus (Ratzeburg,1852)** (Braconidae) Synonym(s): *undulatus* Ratzeburg,1852 Range (in code): **TR 29**
- 1165) Ecphylus silesiacus (Ratzeburg,1848)** (Braconidae) Synonym(s): *silesiacus* Ratzeburg,1848 Range (in code): **TR 06 10 23 44 59**
- 1166) Ephedrus lacertosus (Haliday,1833)** (Braconidae) Synonym(s): *lacertosus* Haliday,1833 Range (in code): **TR 29**
- 1167) Ephedrus persicae Froggatt,1904** (Braconidae) Synonym(s): *persicae* Froggatt,1904 Range (in code): **TR 14 60**
- 1168) Ephedrus plagiator (Nees ab Esenbeck,1811)** (Braconidae) Synonym(s): *plagiator* Nees ab Esenbeck,1811 Range (in code): **TR 05 08 14 29 37 52 55 57 60 61**
- 1169) Eurytenes (Jucundopius) campanariae (Fischer,1959)** (Braconidae) Synonym(s): *campanariae* Fischer,1959 Range (in code): **TR 69**
- 1170) Exotela umbellina (Nixon,1954)** (Braconidae) Synonym(s): *umbellina* Nixon,1954 Range (in code): **TR AT CZ SK DE HU IE PL PT RU Us SE CH GB YU 08 25 53**
- 1171) Foesteria longicauda Achterberg,1990** (Braconidae) Synonym(s): *longicauda* Achterberg,1990 Original reference: Foesteria longicauda Achterberg,1990, Zool Verh. 257: 10-11. Holotype ♀: Turkey, Van, 30km N Başkale 2700m, 11 vii 1987 leg. R.Hensen (RMNH). Range (in code): **TR 25 65**
- 1172) Glyptapanteles antione (Nixon,1973)** (Braconidae) Synonym(s): *antione* Nixon,1973 Original reference: Apanteles antione Nixon,1973, Bull. ent. Res. 63: 176. Range (in code): **AT TR 16**
- 1173) Glyptapanteles callidus (Haliday,1834)** (Braconidae) Synonym(s): *callidus* Haliday,1834 Original reference: Microgaster callidus Haliday,1834, Entomologist's mon. Mag. 2: 248. Range (in code): **DE AT GB Cc AM GG HU TR 16**
- 1174) Glyptapanteles eugeni (Papp,1972)** (Braconidae) Synonym(s): *eugeni* Papp,1972 Original reference: Apanteles eugeni Papp,1972, Ann. Hist. nat. Mus. Nat. Hung. 64: 336-338. Range (in code): **DE BG GB FI LT NL AT CH HU TR 11 41**
- 1175) Glyptapanteles fulvipes (Haliday,1834)** (Braconidae) Synonym(s): *fulvipes* Haliday,1834 Original reference: Microgaster fulvipes Haliday,1834, Entomologist's mon. Mag. 2: 249. Range (in code): **TR RU Sh Sb JP KG 11 16**
- 1176) Glyptapanteles mygdoniae (Nixon,1973)** (Braconidae) Synonym(s): *mygdoniae* Nixon,1973 Range (in code): **TR BG 35 35U**

- 1177) Glyptomorpha baetica (Spinola,1843)** (Braconidae) Synonym(s): *baetica* Spinola,1843
Original reference: Bracon baeticus Spinola,1843, Annls Soc. ent. Fr. 1 (2): 125. Range (in code):
TR MA PT ES GR 01 33
- 1178) Glyptomorpha discolor (Thunberg,1822)** (Braconidae) Synonym(s): *discolor*
Thunberg,1822; *rossicus* Kokujev,1898 Range (in code): TR Cc UA Cm RO RU 02 10 17 22 24 39 46 59
- 1179) Glyptomorpha elector (Kokujev,1898)** (Braconidae) Synonym(s): *elector* Kokujev,1898;
brevicaudis Shestakov,1932; *turkestanica* Shestakov,1932 Range (in code): CN Ui TR 38
- 1180) Glyptomorpha exculpta Shestakov,1926** (Braconidae) Synonym(s): *exculpta*
Shestakov,1926 Range (in code): KG TM TR
- 1181) Glyptomorpha gracilis (Szépligeti,1901)** (Braconidae) Synonym(s): *gracilis*
Szépligeti,1901 Range (in code): TR PG HU 10 22 59
- 1182) Glyptomorpha kasparyani Tobias,1976** (Braconidae) Synonym(s): *kasparyani*
Tobias,1976 Range (in code): TR Cc AZ 22 59
- 1183) Glyptomorpha pectoralis (Brullé,1832)** (Braconidae) Synonym(s): *desertor*
Fabricius,1775; *pectoralis* Brullé,1832; *tuberculosus* Brullé,1846; *algiricus* Lucas,1849; *intermedius* Szépligeti,1901;
smenus Cameron,1904; *nursei* Cameron,1906; *unicolor* Cameron,1906; *desectus* Bradley,1919 Range (in
code): DZ TR MY Bor ID PK IN CN Cc TR RU MN KG 01 02 03 05 06 07 08 10 11 15 17 18 19 22 23 24 25
26 29 31 32 33 35 37 38 39 42 44 47 49 55 56 57 58 59 60 62 66 70
- 1184) Hecabalodes radialis Tobias,1962** (Braconidae) Synonym(s): *radialis* Tobias,1962 Range
(in code): TR 06 09 17 22 23 24 26 44 47 48 50 55 57 59 66 76 78
- 1185) Hellenius semiruber (Hellén,1958)** (Braconidae) Synonym(s): *semiruber* Hellén,1958
Range (in code): TR 58 58G
- 1186) Heterolexis balteata (Thomson,1895)** (Braconidae) Synonym(s): *balteata* Thomson,1895
Range (in code): TR AT BG CZ FR DE HU IT JP KP KR MD NL PL RU Kmt Us Sh CH GB YU 37
- 1187) Heterolexis boscoloi Fischer,1993** (Braconidae) Synonym(s): *boscoloi* Fischer,1993
Range (in code): IT TR 37
- 1188) Heterospilus cephi Rohwer,1925** (Braconidae) Synonym(s): *cephi* Rohwer,1925 Range
(in code): TR 06 09 22 23 26 29 34 44 48 59 44A
- 1189) Heterospilus genalis Tobias,1976** (Braconidae) Synonym(s): *genalis* Tobias,1976 Range
(in code): TR 44
- 1190) Heterospilus hemipterus (Thomson,1892)** (Braconidae) Synonym(s): *hemipterus*
Thomson,1892 Range (in code): TR 59
- 1191) Heterospilus leptosoma Fischer,1960** (Braconidae) Synonym(s): *leptosoma* Fischer,1960
Range (in code): TR 07 34 54 78
- 1192) Heterospilus rubricola Fischer,1968** (Braconidae) Synonym(s): *rubricola* Fischer,1968
Range (in code): TR 08 11 29 39 56 74
- 1193) Heterospilus tadzhicus Belokobylski,1983** (Braconidae) Synonym(s): *tadzhicus*
Belokobylski,1983 Range (in code): TR 56 67
- 1194) Heterospilus tauricus Telenga,1941** (Braconidae) Synonym(s): *tauricus* Telenga,1941
Range (in code): TR 01 06 09 22 23 24 37 39 50 54 55 57 58 59 60 67 74 78
- 1195) Hormius moniliatus (Nees ab Esenbeck,1811)** (Braconidae) Synonym(s): *moniliatus*
Nees ab Esenbeck,1811 Range (in code): TR 02 06 08 09 10 11 17 18 20 21 22 23 24 25 26 29 32 36 38
39 40 42 43 44 41 48 50 52 55 56 58 60 62 66 68 74 75 76 81 06R 38H 44A 44E 44Eh 58G 62F 62G
- 1196) Hormius similis Szépligeti,1896** (Braconidae) Synonym(s): *similis* Szépligeti,1896 Range
(in code): TR 01 05 10 39 60
- 1197) Iconella lacteoides (Nixon,1965)** (Braconidae) Synonym(s): *lacteoides* Nixon,1965
Original reference: Apanteles lacteoides Nixon,1965, Bull. Br. Mus. Hist. (Ent.) Suppl. 2: 160.
Range (in code): TR GR CZ CH Cc AM AZ KG MN UA DE GB FI AT HU 10 22
- 1198) Iconella laspeyresiella (Papp,1972)** (Braconidae) Synonym(s): *laspeyresiella* Papp,1972
Original reference: Apanteles laspeyresiella Papp,1972, Ann. Hist. Nat. Mus. Hung. 64: 338-340.
Range (in code): AT BG HU RU TR 16
- 1199) Iconella vindicia (Nixon,1965)** (Braconidae) Synonym(s): *vindicia* Nixon,1965 Original
reference: Apanteles vindicia Nixon,1965, Bull. Br. Mus. Nat. Hist. Suppl. 2: 158. Range (in
code): IT HU BG TR RU Cc Da GG KP KR 16 34 41
- 1200) Idiastra adanacola Fischer & Beyarslan,2012** (Braconidae) Synonym(s): *adanacola*
Fischer & Beyarslan,2012 Range (in code): TR 01 22
- 1201) Idiastra dichrocera Königsman,1960** (Braconidae) Synonym(s): *dichrocera*
Königsman,1960 Range (in code): TR 01 03 27

- 1202) *Idiasta rugosipleurum* Fischer & Beyarslan, 2012** (Braconidae) **Synonym(s):** *rugosipleurum* Fischer & Beyarslan, 2012 Range (in code): **TR 18 22**
- 1203) *Idiasta subannellata* (Thomson, 1895)** (Braconidae) **Synonym(s):** *subannellata* Thomson, 1895 Range (in code): **TR 39**
- 1204) *Illidops butalidis* (Marshall, 1888)** (Braconidae) **Synonym(s):** *butalidis* Marshall, 1888 Original reference: *Apanteles butalidis* Marshall, 1888, Spec. Hym. Eur. Alg. 4: 45. Range (in code): **TR DE CH GB BG CZ YU HU TN 16**
- 1205) *Illidops naso* (Marshall, 1888)** (Braconidae) **Synonym(s):** *naso* Marshall, 1888 Original reference: *Apanteles naso* Marshall, 1888, Trans. ent. Soc. Lond.: 203. Range (in code): **TR GB BG Cr YU MN RU CH HU 16**
- 1206) *Illidops szaboi* (Papp, 1974)** (Braconidae) **Synonym(s):** *szaboi* Papp, 1974 Original reference: *Apanteles szaboi* Papp, 1974, Ann. Hist.-nat. Mus. Nat. Hung. 64: 341-343. Range (in code): **TR HU BG 16**
- 1207) *Illidops urgo* (Nixon, 1965)** (Braconidae) **Synonym(s):** *urgo* Nixon, 1965 Original reference: *Apanteles urgo* Nixon, 1965, Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 2: 182. Range (in code): **TR Cr Cc AZ MN HU 16**
- 1208) *Illidops vipio* (Reinhard, 1880)** (Braconidae) **Synonym(s):** *vipio* Reinhard, 1880 Original reference: *Apanteles vipio* Reinhard, 1880, Mem. ent. Soc. Canada 115: 56-57. Range (in code): **TR DE GB FR YU RU 16**
- 1209) *Indiopus cretensis* Fischer, 1983** (Braconidae) **Synonym(s):** *cretensis* Fischer, 1983 Range (in code): **Cr GR CV TR IR**
- 1210) *Indiopus saigonensis* Fischer, 1966** (Braconidae) **Synonym(s):** *saigonensis* Fischer, 1966 Range (in code): **VN TR**
- 1211) *Indiopus yilmazae* Fischer & Beyarslan, 2011** (Braconidae) **Synonym(s):** *yilmazae* Fischer & Beyarslan, 2011 Range (in code): **TR**
- 1212) *Iphiaulax (Euglyptobracon) bicolor* (Telenga, 1936)** (Braconidae) **Synonym(s):** *bicolor* Telenga, 1936 Range (in code): **TR 02 16**
- 1213) *Iphiaulax fastidior* (Fabricius, 1781)** (Braconidae) **Synonym(s):** *fastidior* Fabricius, 1781 Range (in code): **TR 26**
- 1214) *Iphiaulax impeditor* (Kokujev, 1898)** (Braconidae) **Synonym(s):** *imperator* Kokujev, 1898 Range (in code): **TR 27**
- 1215) *Iphiaulax impostor* (Scopoli, 1763)** (Braconidae) **Synonym(s):** *impostor* Scopoli, 1763; *coccineus* Geoffroy, 1785; *ignota* Christ, 1791; *incertus* Christ, 1791; *carissimus* Shestakov, 1927; *infuscatus* Shestakov, 1927; *parvulus* Shestakov, 1927; *senex* Shestakov, 1927; *sibiricus* Shestakov, 1927; *pulchellus* Telenga, 1936 Range (in code): **TR RU Sb 03 16 25**
- 1216) *Iphiaulax jacobsoni* Shestakov, 1927** (Braconidae) **Synonym(s):** *jacobsoni* Shestakov, 1927 Range (in code): **TR 23 24 27 44 60**
- 1217) *Iphiaulax jakowlewi* (Kokujev, 1898)** (Braconidae) **Synonym(s):** *jakowlewi* Kokujev, 1898 Range (in code): **TR 47 63**
- 1218) *Iphiaulax mactator* (Klug, 1817)** (Braconidae) **Synonym(s):** *mactator* Klug, 1817; *commiferus* Shestakov, 1927 Range (in code): **TR 06 44**
- 1219) *Iphiaulax potanini* (Kokujev, 1898)** (Braconidae) **Synonym(s):** *potanini* Kokujev, 1898 Range (in code): **TR 62**
- 1220) *Iphiaulax tauricus* Shestakov, 1927** (Braconidae) **Synonym(s):** *incisus* Brullé, 1846; *tauricus* Shestakov, 1927; *incisorus* Shenefelt, 1978 Range (in code): **TR 06 11 14 21 25 26 37 38 39 52 57 58 59 60**
- 1221) *Kerorgilus longicaudis* Van Achterberg, 1985** (Braconidae) **Synonym(s):** *longicaudis* Van Achterberg, 1985 Original reference: *Kerorgilus longicaudis* Van Achterberg, 1985, Zool. Meded. 59: 165-166, figs. Holotype ♀: Turkey, Hakkari Prov., Suvari Halil Pass 2300m 3 8 82, leg. K. Warncke (RMNL). Range (in code): **TR 30 30B 30Be**
- 1222) *Kerorgilus zonator* (Szépligeti, 1896)** (Braconidae) **Synonym(s):** *zonator* Szépligeti, 1896 Range (in code): **TR CN DE GR AZ Cc HU KP KR MN RO 33 58 58R**
- 1223) *Leluthia (Euhebabolodes) asiatica* (Tobias, 1980)** (Braconidae) **Synonym(s):** *asiatica* Tobias, 1980 Range (in code): **TR 47**
- 1224) *Leluthia (Euhebabolodes) ruguloscolyti* (Fischer, 1962)** (Braconidae) **Synonym(s):** *ruguloscolyti* Fischer, 1962 Range (in code): **TR 21 23 44**
- 1225) *Leluthia (Euhebabolodes) transcaucasica* (Tobias, 1976)** (Braconidae) **Synonym(s):** *transcaucasica* Tobias, 1976 Range (in code): **TR 56**

- 1226) Leluthia (s.str.) paradoxa (Picard,1938)** (Braconidae) Synonym(s): *paradoxa* Picard,1938 Range (in code): **TR 60**
- 1227) Lipolexis gracilis Förster,1862** (Braconidae) Synonym(s): *gracilis* Förster,1862 Range (in code): **TR 54**
- 1228) Meteorus gyrator (Thunberg,1822)** (Braconidae) Synonym(s): *gyrator* Thunberg,1822; *scutellator* Nees ab Esenbeck,1834; *melanostictus* Capron,1887; *parvulus* Thomson,1895 Range (in code): **AT DE SE BG CY FI GB IE NL TR 01**
- 1229) Meteorus ictericus (Nees ab Esenbeck,1811)** (Braconidae) Synonym(s): *ictericus* Nees ab Esenbeck,1811; *minutor* Thunberg,1822; *ephippium* Curtis,1832; *xanthomelas* Wesmael,1835; *confinis* Ruthe,1862; *fallax* Ruthe,1862; *pleuralis* Ruthe,1862; *liquis* Ruthe,1862; *consors* Ruthe,1862; *crassicus* Thomson,1895; *lophyrirphagus* Fahringer,1934; *adoxophyes* Minamikawa,1954 Range (in code): **TR GB DE SE AT CZ SK FI FR HU IE NL JP 01 03**
- 1230) Meteorus obsoletus (Wesmael,1835)** (Braconidae) Synonym(s): *obsoletus* Wesmael,1835; *viridanae* Johansson,1964 Range (in code): **AT BE FR DE GB IE NL SE TR**
- 1231) Meteorus politutele Shenefelt,1969** (Braconidae) Synonym(s): *politus* Telenga,1950 *nec* Provancher,1886; *politutele* Shenefelt,1969 Range (in code): **TR UZ RU 55 77**
- 1232) Meteorus pulchricornis (Wesmael,1835)** (Braconidae) Synonym(s): *pulchricornis* Wesmael,1835; *striatus* Thomson,1895; *thomsoni* Marshall,1899; *japonicus* Ashmead,1906; *nipponensis* Viereck,1912; *macedonicus* M.Fischer,1957; *graeffei* M.Fischer,1957; *tuberculifer* M.Fischer,1957 Range (in code): **Cc TR RU CY FR DE GB HU IE NL BE PT PL SE JP CH IT MK 01 08 17 23 29 33 39 48 59**
- 1233) Meteorus rubens (Nees ab Esenbeck,1811)** (Braconidae) Synonym(s): *rubens* Nees ab Esenbeck,1811; *leviventris* Wesmael,1835; *islandicus* Ruthe,1859; *medianus* Ruthe,1862; *scutatus* Costa,1884; *heteroneurus* Thomson,1895; *szechuanensis* Fahringer,1935; *mesopotamicus* M.Fischer,1957 Range (in code): **IQ Mos IT BE DE SE CN Sz DZ BG CY DK EG FR GB HU IE IL Pa JP MN TR 01 03 04 06 14 16 17 19 20 21 22 29 33 35 37 39 40 42 44 45 46 47 48 51 53 54 55 57 58 59 60 61 63 65 69 72 80 65G 65N 65Nc**
- 1234) Meteorus unicolor (Wesmael,1835)** (Braconidae) Synonym(s): *unicolor* Wesmael,1835; *chinensis* Holmgren,1868 Range (in code): **BE DE GB TR 01 33 59**
- 1235) Meteorus versicolor (Wesmael,1835)** (Braconidae) Synonym(s): *versicolor* Wesmael,1835; *bimaculatus* Wesmael,1835; *unicolor* Hartig,1838 *nec* Wesm.,1835; *brevicornis* Ratzeburg,1844; *rugator* Ratzeburg,1852; *decoloratus* Ruthe,1862; *camptolomae* Watanabe,1939; *ikonomovi* M.Fischer,1959; *hartigi* Shenefelt,1969 Range (in code): **AT BG FR DE GB HU IE JP MN NL IL Pa PL SE TR 01 02 03 05 09 22 23 31 33 44 48 59 63 65 67 65N 65Nc**
- 1236) Microgaster alebion Nixon,1968** (Braconidae) Synonym(s): *alebion* Nixon,1968 Original reference: *Microgaster alebion* Nixon,1968, Bull. Br. Mus. Nat. Hist. (Ent.) 22 (2): 60 Range (in code): **TR GB CZ FI DE HU IT PL RO RU CH YU 16**
- 1237) Microgaster famulus Nixon,1965** (Braconidae) Synonym(s): *famulus* Nixon,1965 Range (in code): **CZ HU RO TR AT HV MD SK CH YU 22**
- 1238) Microgaster filizinancae Koçak & Kemal,2013** (Braconidae) Synonym(s): *gracilis* Inanç,1992 *nec* Curtis,1830; *filizinancae* Koçak & Kemal,2013 Original reference: *Microgaster filizinancae* Koçak & Kemal,2013, Cent. ent. Stud., Misc. Pap. 160: 7 (nom. nov. pro *gracilis* Inanç,1992 *nec* Curtis,1830). Range (in code): **TR 22 39**
- 1239) Microgaster fischeri Papp,1960** (Braconidae) Synonym(s): *fischeri* Papp,1960 Original reference: *Microgaster fischeri* Papp,1960, Folia ent. Hung. (N.S) 13: 529-535. Range (in code): **TR AT CZ GB MN HU MD RU Cc Kr Us 22 34 41**
- 1240) Microgaster fulvicrus Thomson,1895** (Braconidae) Synonym(s): *fulvicrus* Thomson,1895; *striatoscutellaris* Kiss,1927 Range (in code): **CZ FI DE HU KP KR MD RO RU Da Cc Us SE GB YU TR 39**
- 1241) Microgaster opheltes Nixon,1968** (Braconidae) Synonym(s): *opheltes* Nixon,1968 Original reference: *Microgaster opheltes* Nixon,1968, Bull. Br. Nat. Hist. (Ent.) 22 (2): 48. Range (in code): **YU TR IT MK RO 10**
- 1242) Microgaster stictica Ruthe,1858** (Braconidae) Synonym(s): *stictica* Ruthe,1858; *confusa* Papp,1971 Range (in code): **BG HV CZ FI DE HU IT Si KP KR MN NL PL RO RU Us SK ES SE CH GB YU TR 59**
- 1243) Microgaster subcompleta Nees ab Esenbeck,1834** (Braconidae) Synonym(s): *subcompleta* Nees ab Esenbeck,1834 Original reference: *Microgaster subcompleta* Nees ab Esenbeck,1834, Hym. Ichn. Affin. Mon. 1: 165. Range (in code): **US Cc TR 16 22 34**
- 1244) Microplitis beyarslani İnanç,2002** (Braconidae) Synonym(s): *beyarslani* İnanç,2002 *Microplitis beyarslani* İnanç,2002, Biologia (Bratislava) 57 (2): 563-566. TR
- 1245) Microplitis cebes Nixon,1970** (Braconidae) Synonym(s): *cebes* Nixon,1970 Range (in code): **GR TR YU AT SE CZ TR MN 11 15 16 22 34 39**

- 1246) Microplitis deces Tobias,1964** (Braconidae) Synonym(s): *deces Tobias,1964* - Range (in code): BE FI KP KR MA RU AT TR DE IT NL HU GB KG 10 11 15 16 17 34 39 41
- 1247) Microplitis decipiens Prell,1925** (Braconidae) Synonym(s): *decipiens Prell,1925* Range (in code): DE PL HU TR 10 11 16 22
- 1248) Microplitis deprimator (Fabricius,1798)** (Braconidae) Synonym(s): *deprimator Fabricius,1798* - Range (in code): TR CY IR MN GR RU 10 11 16 54
- 1249) Microplitis docilis (Telenga,1964)** (Braconidae) Synonym(s): *docilis Telenga,1964* Range (in code): BG RU HU CH FI TR 10 16 17 41
- 1250) Microplitis flavipalpis Brullé,1832** (Braconidae) Synonym(s): *flavipalpis Brullé,1832* Range (in code): TR BG DE GB FI FR KP KR HU MN TN 17
- 1251) Microplitis fordii Nixon,1970** (Braconidae) Synonym(s): *fordii Nixon,1970* - Range (in code): TR IL Pa TN MN 10 63
- 1252) Microplitis fulvicornis (Wesmael,1837)** (Braconidae) Synonym(s): *fulvicornis Wesmael,1837; pallidicornis Marshall,1898* Original reference: Microgaster fulvicornis Wesmael,1837, Vouv. Mem. Acad. Brux. 10: 44. Range (in code): BE HV CZ FI DE HU NL PL RO SK CH YU TR Cc RU 16
- 1253) Microplitis heterocera Ruthe,1860** (Braconidae) Synonym(s): *heterocera Ruthe,1860* Range (in code): DE YU TR RU CZ HU 16
- 1254) Microplitis idia Nixon,1970** (Braconidae) Synonym(s): *idia Nixon,1970* - Range (in code): DE SE CH TR 16
- 1255) Microplitis mandibularis Thomson,1895** (Braconidae) Synonym(s): *mandibularis Thomson,1895* - Range (in code): DE TR MN 07 10 11 16 33 34 39 41 54 59
- 1256) Microplitis marshallii Kokujev,1897** (Braconidae) Synonym(s): *marshallii Kokujev,1897* Range (in code): Cc AZ AM GG HU TR RO RU 10 11 16
- 1257) Microplitis mediator (Haliday,1834)** (Braconidae) Synonym(s): *mediator Haliday,1834* Range (in code): TR DK JP RU Sb Sh Cc KG LT ID Ja 01 07 10 16 17 33
- 1258) Microplitis naenia Nixon,1970** (Braconidae) Synonym(s): *naenia Nixon,1970* - Range (in code): CZ HU RU TR 16
- 1259) Microplitis pseudomurina Abdinbekova,1969** (Braconidae) Synonym(s): *pseudomurina Abdinbekova,1969* - Range (in code): AZ Cc BG GG GR HU KG MD RU Us TR
- 1260) Microplitis scrophulariae Szépligeti,1898** (Braconidae) Synonym(s): *scrophulariae Szépligeti,1898* - Range (in code): Cc AZ GG FR RO CH HU CZ MN TR 10
- 1261) Microplitis sofron Nixon,1970** (Braconidae) Synonym(s): *sofron Nixon,1970* - Range (in code): GB IE IT CH Cc AZ DK BG FR GR HU NL TR 16
- 1262) Microplitis spinolae Nees ab Esenbeck,1834** (Braconidae) Synonym(s): *spinolae Nees ab Esenbeck,1834* - Range (in code): TR Cc AZ AM RU Sb ID Ja 07 10 11 16 17 22 39 54 59
- 1263) Microplitis strenua Reinhard,1880** (Braconidae) Synonym(s): *strenua Reinhard,1880* Range (in code): TR AM NL PL HU GB CH CN RU Sb 06 10
- 1264) Microplitis tristis (Nees ab Esenbeck,1834)** (Braconidae) Synonym(s): *tristis Nees ab Esenbeck,1834* - Range (in code): RU KP KR TR 16 22 39
- 1265) Microplitis tuberculifer (Wesmael,1837)** (Braconidae) Synonym(s): *tuberculifer Wesmael,1837* - Range (in code): FR RU Sb LK MN Cc AZ AM TR JP 10 11 16 34 39 41 54
- 1266) Microplitis varipes Ruthe,1860** (Braconidae) Synonym(s): *varipes Ruthe,1860* - Range (in code): Cc AZ DE FR YU TR AT PL RU MN Sb SE HU 07 10 11 15 16 17 22 34 39 59
- 1267) Microplitis vidua (Ruthe,1860)** (Braconidae) Synonym(s): *vidua Ruthe,1860* - Range (in code): Cc AZ RU Da CY DE GR GB TR KG ES CH SE HU YU 10 11
- 1268) Microtypus trigonus (Nees ab Esenbeck,1834)** (Braconidae) Synonym(s): *trigonus Nees ab Esenbeck,1834* Range (in code): AM AT G CA CZ FR GG TR HU LV MD MN NL PL RU TJ 22 62 62F
- 1269) Microtypus wesmaelii Ratzeburg,1848** (Braconidae) Synonym(s): *wesmaelii Ratzeburg,1848* Range (in code): TR BG CA CN CZ DE HU IT NL RU SK US GB 03 23 23C
- 1270) Mirax rufilabris Haliday,1833** (Braconidae) Synonym(s): *rufilabris Haliday,1833* Range (in code): TR 37
- 1271) Mirax sculpturator Belokobyski,1989** (Braconidae) Synonym(s): *sculpturator Belokobyski,1989* - Range (in code): RU Us TR 16
- 1272) Mirax striacus Beyarslan,2009** (Braconidae) Synonym(s): *striacus Beyarslan,2009* Range (in code): TR 17

- 1273) Monoctonus crepidis (Haliday,1834)** (Braconidae) **Synonym(s):** *crepidis Haliday,1834*
Range (in code): **TR 37**
- 1274) Oncophanes minutus (Wesmael,1838)** (Braconidae) **Synonym(s):** *minutus Wesmael,1838*
Range (in code): **TR 08 14 34 39 55**
- 1275) Ontsira antica (Wollaston,1858)** (Braconidae) **Synonym(s):** *antica Wollaston,1858*
Range (in code): **TR 08 22 25**
- 1276) Ontsira imperator (Haliday,1836)** (Braconidae) **Synonym(s):** *imperator Haliday,1836*
Range (in code): **TR 14 32 37 39 50**
- 1277) Opiognathus propepactum (Fischer,1984)** (Braconidae) **Synonym(s):** *propepactum Fischer,1984* Range (in code): **TR 22 25 25F**
- 1278) Opiognathus propodealis (Fischer,1958)** (Braconidae) **Synonym(s):** *propodealis Fischer,1958* Range (in code): **TR 29 55 60**
- 1279) Opiostomus dividus Tobias,1998** (Braconidae) **Synonym(s):** *dividus Tobias,1998* Range (in code): **TR 76 76A 76Ac**
- 1280) Opiostomus griffithsi (Fischer,1962)** (Braconidae) **Synonym(s):** *griffithsi Fischer,1962*
Range (in code): **TR 01 20 22 29 60**
- 1281) Opius (Ilicopius) bajariae Fischer,1989** (Braconidae) **Synonym(s):** *bajariae Fischer,1989*
Range (in code): **TR 25 67 75 25F 75F**
- 1282) Opius (Ilicopius) moravicus Fischer,1960** (Braconidae) **Synonym(s):** *moravicus Fischer,1960* Range (in code): **TR 76 76E**
- 1283) Opius (Ilicopius) pulchripes (Szépligeti,1898)** (Braconidae) **Synonym(s):** *pulchripes Szépligeti,1898* Range (in code): **TR 67**
- 1284) Opius (Merotrachys) schmidtii Fischer,1960** (Braconidae) **Synonym(s):** *schmidtii Fischer,1960* Range (in code): **TR 17 23**
- 1285) Opius (Odontopoea) connivens Thomson,1895** (Braconidae) **Synonym(s):** *connivens Thomson,1895* Range (in code): **TR 28**
- 1286) Opius (Odontopoea) metanivens Fischer,1992** (Braconidae) **Synonym(s):** *metanivens Fischer,1992* Range (in code): **TR**
- 1287) Opius (Odontopoea) rhodopicola Zaykov & Fischer,1986** (Braconidae) **Synonym(s):** *rhodopicola Zaykov & Fischer,1986* Range (in code): **TR 31 79**
- 1288) Opius (Rhogadopsis) parvungula Thomson,1895** (Braconidae) **Synonym(s):** *parvungula Thomson,1895* Range (in code): **TR 08 28**
- 1289) Opius (s.str.) abditus Fischer,1960** (Braconidae) **Synonym(s):** *abditus Fischer,1960*
Range (in code): **TR 03 26 38 44**
- 1290) Opius (s.str.) adanacola Fischer & Beyarslan,2005** (Braconidae) **Synonym(s):** *adanacola Fischer & Beyarslan,2005* Range (in code): **TR 01**
- 1291) Opius (s.str.) agromyzicola Fischer,1967** (Braconidae) **Synonym(s):** *agromyzicola Fischer,1967* Range (in code): **TR 39 69 74**
- 1292) Opius (s.str.) arundinis Fischer,1964** (Braconidae) **Synonym(s):** *arundinis Fischer,1964*
Range (in code): **TR 39 44 51 68**
- 1293) Opius (s.str.) bouceki Fischer,1958** (Braconidae) **Synonym(s):** *bouceki Fischer,1958*
Range (in code): **TR 25 38 62 25D 25F 25O**
- 1294) Opius (s.str.) bulgaricus Fischer,1959** (Braconidae) **Synonym(s):** *bulgaricus Fischer,1959*
TR BG 25 25K
- 1295) Opius (s.str.) caricivorae Fischer,1964** (Braconidae) **Synonym(s):** *caricivorae Fischer,1964* Range (in code): **TR 39 44**
- 1296) Opius (s.str.) ciceris Fischer,1974** (Braconidae) **Synonym(s):** *ciceris Fischer,1974*
Range (in code): **TR 01 02**
- 1297) Opius (s.str.) coloraticeps Fischer,1996** (Braconidae) **Synonym(s):** *coloraticeps Fischer,1996* **TR 25**
- 1298) Opius (s.str.) corfuensis Fischer,1996** (Braconidae) **Synonym(s):** *corfuensis Fischer,1996*
GR TR 25 25O
- 1299) Opius (s.str.) crassipes Wesmael,1835** (Braconidae) **Synonym(s):** *crassipes Wesmael,1835* Range (in code): **TR 23 25 29 44 52 25F**
- 1300) Opius (s.str.) curticornis Fischer,1960** (Braconidae) **Synonym(s):** *curticornis Fischer,1960* Range (in code): **TR 59**
- 1301) Opius (s.str.) dureseui Fischer,1975** (Braconidae) **Synonym(s):** *dureseui Fischer,1975*
Range (in code): **TR 42 59**

- 1302) *Opius* (s.str.) *exiloides* Fischer,1989** (Braconidae) Synonym(s): *exiloides* Fischer,1989
TR 25 25I
- 1303) *Opius* (s.str.) *filicornis* Thomson,1895** (Braconidae) Synonym(s): *filicornis* Thomson,1895 _ Range (in code): TR 02 05 28 38 40 44 61
- 1304) *Opius* (s.str.) *fuscipennis* Wesmael,1835** (Braconidae) Synonym(s): *fuscipennis* Wesmael,1835 _ Range (in code): TR 25 36 58 74 25I 25R 36F
- 1305) *Opius* (s.str.) *gracilis* Fischer,1957** (Braconidae) Synonym(s): *gracilis* Fischer,1957
Range (in code): TR 08 23 25 36 44 50 74 08H 36D
- 1306) *Opius* (s.str.) *kilisanus* Fischer & Beyarslan,2005** (Braconidae) Synonym(s): *kilisanus* Fischer & Beyarslan,2005 _ Range (in code): TR 79
- 1307) *Opius* (s.str.) *kirkclareliensis* Fischer & Beyarslan,2005** (Braconidae) Synonym(s): *kirkclareliensis* Fischer & Beyarslan,2005 _ Range (in code): TR 39
- 1308) *Opius* (s.str.) *laevis* Wesmael,1835** (Braconidae) Synonym(s): *laevis* Wesmael,1835
Range (in code): TR 08 25 55 61 69 25K
- 1309) *Opius* (s.str.) *lara* Fischer,1968** (Braconidae) Synonym(s): *lara* Fischer,1968 _ Range (in code): TR 44
- 1310) *Opius* (s.str.) *larissa* Fischer,1968** (Braconidae) Synonym(s): *larissa* Fischer,1968
Range (in code): TR 22 23 25 44 76 76A 76Ac
- 1311) *Opius* (s.str.) *latistigma* Fischer,1960** (Braconidae) Synonym(s): *latistigma* Fischer,1960
Range (in code): TR 23 25 26 38 44 25I
- 1312) *Opius* (s.str.) *longicornis* Thomson,1895** (Braconidae) Synonym(s): *longicornis* Thomson,1895 _ Range (in code): TR 45 61
- 1313) *Opius* (s.str.) *lonicerae* Fischer,1958** (Braconidae) Synonym(s): *lonicerae* Fischer,1958
Range (in code): TR 25 36 38 25K 36F
- 1314) *Opius* (s.str.) *lugens* Haliday,1837** (Braconidae) Synonym(s): *lugens* Haliday,1837
Range (in code): TR 22 39
- 1315) *Opius* (s.str.) *magnicauda* Fischer,1958** (Braconidae) Synonym(s): *magnicauda* Fischer,1958 _ Range (in code): TR 44
- 1316) *Opius* (s.str.) *mendus* Papp,1982** (Braconidae) Synonym(s): *mendus* Papp,1982
Range (in code): TR 25 44 25K
- 1317) *Opius* (s.str.) *minuscule* Fischer,1967** (Braconidae) Synonym(s): *minuscule* Fischer,1967 _ Range (in code): TR 22 25 36 44 25K 25O 36F 36Fb
- 1318) *Opius* (s.str.) *mirabilis* Fischer,1958** (Braconidae) Synonym(s): *mirabilis* Fischer,1958
Range (in code): TR 25 29 69 25K
- 1319) *Opius* (s.str.) *mischa* Fischer,1968** (Braconidae) Synonym(s): *mischa* Fischer,1968
TR 25 25R
- 1320) *Opius* (s.str.) *monilicornis* Fischer,1962** (Braconidae) Synonym(s): *monilicornis* Fischer,1962 _ Range (in code): TR 03 05 11 23 26 47 63 64
- 1321) *Opius* (s.str.) *neopendulus* Fischer,1989** (Braconidae) Synonym(s): *neopendulus* Fischer,1989 _ Range (in code): TR 44
- 1322) *Opius* (s.str.) *nigricolor* Fischer,1960** (Braconidae) Synonym(s): *nigricolor* Fischer,1960
TR 75 75A 75Ab
- 1323) *Opius* (s.str.) *nigricoloratus* Fischer,1958** (Braconidae) Synonym(s): *nigricoloratus* Fischer,1958 _ Range (in code): TR 37
- 1324) *Opius* (s.str.) *occulus* Telenga,1950** (Braconidae) Synonym(s): *occulus* Telenga,1950
Range (in code): TR 23
- 1325) *Opius* (s.str.) *ochrogaster* Wesmael,1835** (Braconidae) Synonym(s): *ochrogaster* Wesmael,1835 _ Range (in code): TR 08 16 25 26 38 50 25F
- 1326) *Opius* (s.str.) *opacus* Fischer,1968** (Braconidae) Synonym(s): *opacus* Fischer,1968
Range (in code): TR 01 22 38 44 51 74
- 1327) *Opius* (s.str.) *orbiculator* (Nees ab Esenbeck,1811)** (Braconidae) Synonym(s): *orbiculator* Nees ab Esenbeck,1811 _ TR 25 25L
- 1328) *Opius* (s.str.) *osogovoensis* Fischer,1964** (Braconidae) Synonym(s): *osogovoensis* Fischer,1964 _ Range (in code): TR 22 39 40 74
- 1329) *Opius* (s.str.) *pallipes* Wesmael,1835** (Braconidae) Synonym(s): *pallipes* Wesmael,1835
Range (in code): TR 25 38 44 68 74 78 25K 25L
- 1330) *Opius* (s.str.) *pendulus* Haliday,1837** (Braconidae) Synonym(s): *pendulus* Haliday,1837
Range (in code): TR 02

- 1331) *Opius* (s.str.) *peterseni* Fischer,1964** (Braconidae) Synonym(s): *peterseni* Fischer,1964
Range (in code): TR 58
- 1332) *Opius* (s.str.) *ponticus* Fischer,1958** (Braconidae) Synonym(s): *ponticus* Fischer,1958
TR 25 25F
- 1333) *Opius* (s.str.) *pygmaeator* (Ness,1811)** (Braconidae) Synonym(s): *pygmaeator* Ness,1811
TR 25 25O
- 1334) *Opius* (s.str.) *pygmaeus* Fischer,1962** (Braconidae) Synonym(s): *pygmaeus* Fischer,1962
Range (in code): TR 05 08 09 23 25 38 44 52 58 60 61 67 25O
- 1335) *Opius* (s.str.) *quasipulvis* Fischer,1989** (Braconidae) Synonym(s): *quasipulvis* Fischer,1989
Range (in code): TR 39 68
- 1336) *Opius* (s.str.) *radialis* Fischer,1957** (Braconidae) Synonym(s): *radialis* Fischer,1957
Range (in code): TR 25 25F
- 1337) *Opius* (s.str.) *singularis* Wesmael,1835** (Braconidae) Synonym(s): *singularis* Wesmael,1835
Range (in code): TR 05 08
- 1338) *Opius* (s.str.) *soenderupianus* Fischer,1967** (Braconidae) Synonym(s): *soenderupianus* Fischer,1967
Range (in code): TR 29
- 1339) *Opius* (s.str.) *sonja* Fischer,1968** (Braconidae) Synonym(s): *sonja* Fischer,1968
Range (in code): TR 23
- 1340) *Opius* (s.str.) *staryi* Fischer,1958** (Braconidae) Synonym(s): *staryi* Fischer,1958
Range (in code): TR 25 37 61 25F 25O
- 1341) *Opius* (s.str.) *tabificus* Papp,1979** (Braconidae) Synonym(s): *tabificus* Papp,1979
Range (in code): TR 23 24 25 36 37 39 44 74 75 25F 25I 25R 25O 36D 36F 36Fb 75E 75F
- 1342) *Opius* (s.str.) *tenellae* Fischer,1969** (Braconidae) Synonym(s): *tenellae* Fischer,1969
Range (in code): TR 58
- 1343) *Opius* (s.str.) *tersus* (Förster,1862)** (Braconidae) Synonym(s): *tersus* Förster,1862
Range (in code): TR 08 37 50 60 63
- 1344) *Opius* (s.str.) *turcicus* Fischer,1960** (Braconidae) Synonym(s): *turcicus* Fischer,1960
Range (in code): TR 22 23 25 44 58 60 74
- 1345) *Opius* (s.str.) *vindex* Haliday,1837** (Braconidae) Synonym(s): *vindex* Haliday,1837
Range (in code): TR 75 75A 75Ab
- 1346) *Opius* (s.str.) *wachsmanni* Szépligeti,1898** (Braconidae) Synonym(s): *wachsmanni* Szépligeti,1898
Range (in code): TR 05 44 69
- 1347) *Opius* (Snoflakopius) *snoflaki* Fischer,1959** (Braconidae) Synonym(s): *snoflaki* Fischer,1959
Range (in code): TR 58 70
- 1348) *Orgilus* *abbreviator* (Ratzeburg,1852)** (Braconidae) Synonym(s): *abbreviator* Ratzeburg,1852
Range (in code): TR GR HU AM Cc IR 03 05 09 18 20 22 23 24 28 33 34 37 38 40 42 44 48 54 55 58 59 62 44A 58R 62F 62G
- 1349) *Orgilus* *claripennis* Ivanov,1899** (Braconidae) Synonym(s): *claripennis* Ivanov,1899
Range (in code): TR Arr UA 08 11 17 23 34 37 39 46 65 66 74 76 81 65N 65Nc
- 1350) *Orgilus* *dilleri* Beyarslan,1996** (Braconidae) Synonym(s): *dilleri* Beyarslan,1996
Range (in code): TR 39
- 1351) *Orgilus* *dovnari* Tobias,1986** (Braconidae) Synonym(s): *dovnari* Tobias,1986; *ukrainicus* Tobias,1986
Range (in code): TR CZ DE HU MN NL RU SK SE UA 22
- 1352) *Orgilus* *elazigensis* Beyarslan,2011** (Braconidae) Synonym(s): *elazigensis* Beyarslan,2011
Range (in code): TR 23
- 1353) *Orgilus* *festivus* Papp,1975** (Braconidae) Synonym(s): *festivus* Papp,1975
Range (in code): HV GR YU TR 29 32 59 62 62G
- 1354) *Orgilus* *grunini* Tobias,1986** (Braconidae) Synonym(s): *grunini* Tobias,1986
Range (in code): TR AT CZ FR DE HU KG NL PL RO 11 16 19 37 39 58 59 62 66 74 58G 62F
- 1355) *Orgilus* *hungaricus* Szépligeti,1896** (Braconidae) Synonym(s): *hungaricus* Szépligeti,1896
Range (in code): TR KG RO SK YU 02 44
- 1356) *Orgilus* *obscurator* (Nees ab Esenbeck,1812)** (Braconidae) Synonym(s): *obscurator* Nees ab Esenbeck,1812; *laevigator* Nees ab Esenbeck,1812
Range (in code): AM AT Cc AZ FI FR DE IT NL NO PL RU SE TR 05 14 22 25 44 55 60 78 44A
- 1357) *Orgilus* *pimpinellae* Niezabitowski,1910** (Braconidae) Synonym(s): *pimpinellae* Niezabitowski,1910
Range (in code): AF AT BG CZ DE GR Cr HU IR IT KG LT MD MN NO PL RO RU Kmt Us CH UA GB UZ YU TR 08 09 11 15 16 17 22 23 24 25 26 28 29 32 33 34 37 38 39 44 46 51 52 54 57 58 59 61 62 63 65 69 74 78 81 44A 58K 58Q 58R 62G 65N

- 1358) Orgilus punctiventris Tobias,1976** (Braconidae) **Synonym(s):** *punctiventris Tobias,1976*
Range (in code): **TR AM AZ Cc 08 74**
- 1359) Orgilus punctulator (Nees ab Esenbeck,1812)** (Braconidae) **Synonym(s):** *punctulator Nees ab Esenbeck,1812* Range (in code): **TR AM AZ Cc HV BG CZ DE FR HU IT KG LV MD MN NL PL RU SE CH GB YU 14 23 25 38 40 58 62 66 74 62F**
- 1360) Orgilus radialiformis Beyarslan,2011** (Braconidae) **Synonym(s):** *radialiformis Beyarslan,2011* Range (in code): **TR 19**
- 1361) Orgilus rudolphae Tobias,1976** (Braconidae) **Synonym(s):** *rudolphae Tobias,1976*
Range (in code): **TR CZ GR HU KG RU Da Cc YU 09 10 15 28 29 48 54 57 60 61**
- 1362) Orgilus rufigaster Tobias,1964** (Braconidae) **Synonym(s):** *rufigaster Tobias,1964* Range (in code): **TR CN KG MD 03**
- 1363) Orgilus rugosus (Nees ab Esenbeck,1834)** (Braconidae) **Synonym(s):** *rugosus Nees ab Esenbeck,1834* Range (in code): **AD AT BY BG HV CZ FI FR DE HU IT KG LT MK MD PL RO RU Kr Cc SK SS TR UA GB YU 16 74**
- 1364) Orgilus similis Szépligeti,1896** (Braconidae) **Synonym(s):** *similis Szépligeti,1896* Range (in code): **TR AT BG HV CZ HU IT MD MN RO RU YU 05 09 52 59**
- 1365) Orgilus simillimus Taeger,1989** (Braconidae) **Synonym(s):** *simillimus Taeger,1989*
Range (in code): **TR DE GR IT CH 03 05 08 11 14 16 22 23 28 29 34 38 40 42 51 54 55 57 58 59 61 66 68 69 78**
- 1366) Orgilus sticticus Taeger,1989** (Braconidae) **Synonym(s):** *sticticus Taeger,1989* Range (in code): **TR AT BG DE HU RO SK SS 16**
- 1367) Orgilus temporalis Tobias,1976** (Braconidae) **Synonym(s):** *temporalis Tobias,1976*
Range (in code): **TR AZ Cc CZ FI DE HU MN RO RU Kr 09 15 17 22 23 25 32 33 38**
- 1368) Orthostigma beyarslani Fischer,1995** (Braconidae) **Synonym(s):** *beyarslani Fischer,1995*
Range (in code): **IR Ke Fa SE TR 09 16 22 29 41 48 50 55 58 59 62 74**
- 1369) Pachystigmus nitidulus Hellén,1927** (Braconidae) **Synonym(s):** *nitidulus Hellén,1927*
TR 26 44 68
- 1370) Pambolus (Phaenodus) pallipes (Förster,1862)** (Braconidae) **Synonym(s):** *pallipes Förster,1862* TR 50 53
- 1371) Pentapleura angustula (Haliday,1838)** (Braconidae) **Synonym(s):** *angustula Haliday,1838* TR 46 77
- 1372) Pentapleura laevipleuris Tobias,1962** (Braconidae) **Synonym(s):** *laevipleuris Tobias,1962*
TR 46
- 1373) Phaedrotoma adentata (Fischer,1981)** (Braconidae) **Synonym(s):** *adentatus Fischer,1981*
TR 75 75A 75Aa
- 1374) Phaedrotoma areatus (Tobias,1986)** (Braconidae) **Synonym(s):** *areatus Tobias,1986*
TR 76 76B
- 1375) Phaedrotoma benigna (Papp,1981)** (Braconidae) **Synonym(s):** *benignus Papp,1981*
Range (in code): **TR 25 63 78 25R 25O**
- 1376) Phaedrotoma biroi (Fischer,1960)** (Braconidae) **Synonym(s):** *biroi Fischer,1960*
Range (in code): **TR 05 22 29 36 42 60 36D**
- 1377) Phaedrotoma biroica (Fischer & Beyarslan,2005)** (Braconidae) **Synonym(s):** *biroicus Fischer & Beyarslan,2005* Range (in code): **TR**
- 1378) Phaedrotoma caucasi (Tobias,1986)** (Braconidae) **Synonym(s):** *caucasi Tobias,1986*
Range (in code): **TR 23 25 36 38 44 50 51 62 74 75 25F 25R 36D 36F 75A 75F**
- 1379) Phaedrotoma cingulatus (Wesmael,1835)** (Braconidae) **Synonym(s):** *cingulatus Wesmael,1835* Range (in code): **TR 05 06 25 53 25F**
- 1380) Phaedrotoma cingutolicus (Fischer,1992)** (Braconidae) **Synonym(s):** *cingutolicus Fischer,1992* Range (in code): **TR 30**
- 1381) Phaedrotoma circulator (Nees ab Esenbeck,1834)** (Braconidae) **Synonym(s):** *circulator Nees ab Esenbeck,1834* Range (in code): **TR 38**
- 1382) Phaedrotoma depeculator Förster,1862** (Braconidae) **Synonym(s):** *depeculator Förster,1862* Range (in code): **TR 05 08 19 23 25 28 36 42 44 50 60 61 74 76 08H 25F 25L 36D 36F 36Fb 76A 76D**
- 1383) Phaedrotoma diversa (Szépligeti,1898)** (Braconidae) **Synonym(s):** *diversa Szépligeti,1898* Range (in code): **TR 05 06 08 22 23 25 31 38 39 44 52 59 60 61 62 75 76 25I 25L 75F 76A 76Ac**
- 1384) Phaedrotoma diversiformis (Fischer,1960)** (Braconidae) **Synonym(s):** *diversiformis Fischer,1960* Range (in code): **TR 22 40 44 59**

- 1385) *Phaeditoma docilis* (Haliday,1837)** (Braconidae) Synonym(s): *docilis* Haliday,1837
Range (in code): **TR 05**
- 1386) *Phaeditoma erzurumensis* (Fischer,2004)** (Braconidae) Synonym(s): *erzurumensis* Fischer,2004
Range (in code): **TR 05 08 28 61**
- 1387) *Phaeditoma exigua* (Wesmael,1835)** (Braconidae) Synonym(s): *exigua* Wesmael,1835
Range (in code): **TR 05 08 21 23 25 26 29 36 38 44 47 52 58 60 61 62 67 75 25F 75F**
- 1388) *Phaeditoma maculipes* (Wesmael,1835)** (Braconidae) Synonym(s): *maculipes* Wesmael,1835
Range (in code): **TR 38 42 51 55 59**
- 1389) *Phaeditoma mirabunda* (Papp,1982)** (Braconidae) Synonym(s): *mirabunda* Papp,1982
Range (in code): **TR 25 50 25L 25R**
- 1390) *Phaeditoma nanosoma* (Fischer,1989)** (Braconidae) Synonym(s): *nanosoma* Fischer,1989
Range (in code): **TR 25 25P**
- 1391) *Phaeditoma paraqvisti* (Fischer,2004)** (Braconidae) Synonym(s): *paraqvisti* Fischer,2004
Range (in code): **TR 28 37 53**
- 1392) *Phaeditoma pulchriventris* (Fischer,1958)** (Braconidae) Synonym(s): *pulchriventris* Fischer,1958
Range (in code): **TR 05 44 50 58 60 66 68**
- 1393) *Phaeditoma rudiformis* (Fischer,1958)** (Braconidae) Synonym(s): *rudiformis* Fischer,1958
Range (in code): **TR 25 25A**
- 1394) *Phaeditoma scaptomyzae* (Fischer,1967)** (Braconidae) Synonym(s): *scaptomyzae* Fischer,1967
Range (in code): **TR 38**
- 1395) *Phaeditoma seiuncta* (Fischer,1959)** (Braconidae) Synonym(s): *seiunctus* Fischer,1959
Range (in code): **TR 40**
- 1396) *Phaeditoma sigmodus* (Papp,1981)** (Braconidae) Synonym(s): *sigmodus* Papp,1981
Range (in code): **TR 25 25F 25I**
- 1397) *Phaeditoma speciosus* (Fischer,1959)** (Braconidae) Synonym(s): *speciosus* Fischer,1959
Range (in code): **TR 25 36 37 75 25O 25R 36D 36F 75A 75Ab**
- 1398) *Phaeditoma tuberculifer* (Fischer,1958)** (Braconidae) Synonym(s): *tuberculifer* Fischer,1958
Range (in code): **TR 36 36H**
- 1399) *Phaeditoma variegata* (Szépligeti,1896)** (Braconidae) Synonym(s): *variegata* Szépligeti,1896
Range (in code): **TR 06 08 40 61**
- 1400) *Phaeditoma zomborii* (Papp,1982)** (Braconidae) Synonym(s): *zomborii* Papp,1982
Range (in code): **TR 75 75A 75Aa**
- 1401) *Phaenocarpa picinervis* (Haliday,1838)** (Braconidae) Synonym(s): *picinervis* Haliday,1838; *americana* Ashmead,1889
Range (in code): **TR AT BG CZ FI DE HU IT KG KP KR MN NL NO PL RU Kmt Ya Us Sh ES SE CH US Als Arz Cf Col Ny Ws UA GB UZ 32 58**
- 1402) *Phaenocarpa pullata* (Haliday,1838)** (Braconidae) Synonym(s): *pullata* Haliday,1838
Range (in code): **TR AT BE BG CZ FI DE HU KG MD MN PL RO RU SE CH UA GB YU 01**
- 1403) *Phaenocarpa subruficeps* Gurasashvili,1983** (Braconidae) Synonym(s): *subruficeps* Gurasashvili,1983
Range (in code): **TR 37**
- 1404) *Phanerotoma (Bracotritoma) atra* Snoflak,1951** (Braconidae) Synonym(s): *atra* Snoflak,1951
Range (in code): **TR 17 37 55 60**
- 1405) *Phanerotoma (Bracotritoma) bilinea* Lyle,1924** (Braconidae) Synonym(s): *bilinea* Lyle,1924
Range (in code): **TR 22 55**
- 1406) *Phanerotoma (Bracotritoma) capeki* Achtelberg,1990** (Braconidae) Synonym(s): *capeki* Achtelberg,1990
Range (in code): **CZ TR 06**
- 1407) *Phanerotoma (Bracotritoma) gracilisoma* Van Achterberg,1990** (Braconidae) Synonym(s): *gracilisoma* Van Achterberg,1990
Range (in code): **TR 22**
- 1408) *Phanerotoma (Bracotritoma) intermedia* Achtelberg,1990** (Braconidae) Synonym(s): *intermedia* Achtelberg,1990
Range (in code): **TR 30**
- 1409) *Phanerotoma (Bracotritoma) parva* Kokujev,1903** (Braconidae) Synonym(s): *parva* Kokujev,1903; *aberrans* Shestakov,1930; *gussakovskii* Shestakov,1930
Range (in code): **CY GR TR MN RU KG 10 22**
- 1410) *Phanerotoma (Bracotritoma) permixtella* Fischer,1968** (Braconidae) Synonym(s): *permixtella* Fischer,1968; *olearia* Fischer,1968
Range (in code): **SY Lat TR 27**
- 1411) *Phanerotoma (s.str.) acuminata* Szépligeti,1908** (Braconidae) Synonym(s): *acuminata* Szépligeti,1908
Range (in code): **AT CZ GB IT FR NL RO Cc AZ UA Cm DE YU TR 17**
- 1412) *Phanerotoma (s.str.) dentata* (Panzer,1805)** (Braconidae) Synonym(s): *dentata* Panzer,1805; *minor* Snoflak,1951
Range (in code): **AT BE CZ GB GR IT NL PL ES SE Cc AZ DE TR 22**

- 1413) Phanerotoma (s.str.) leucobasis Kriechbauer,1894** (Braconidae) Synonym(s): *leucobasis* Kriechbauer,1894 Range (in code): **TR 01 09 10 16 22 59**
- 1414) Phanerotoma (s.str.) planifrons (Nees ab Esenbeck,1816)** (Braconidae) Synonym(s): *planifrons* Nees ab Esenbeck,1816 Range (in code): **TR 17**
- 1415) Phanerotoma ocularia Kohl,1906** (Braconidae) Synonym(s): *ocularia* Kohl,1906; *rjabovi* Vojnovskaja-Krieger,1929; *media* Shestakov,1930; *desertorum* Hedwig,1957; *flavitestacea* Fischer,1959 Range (in code): **BE CY EG GB FR GR IR IL Pa LY SA Sk ES TR RU YU US Cf**
- 1416) Phanerotomella bisulcata (Herrich-Schäffer,1838)** (Braconidae) Synonym(s): *bisulcata* Herrich-Schäffer,1838 Range (in code): **TR 16 67**
- 1417) Phanerotomella rufa (Marshall,1898)** (Braconidae) Synonym(s): *rufa* Marshall,1898; *kerteszi* Szépligeti,1900; *graeffei* Fischer,1959 Range (in code): **AT GR HU IT TR MD YU 11 16 17 39 52 55 59 80**
- 1418) Polydegmon foveolatus (Herrich-Schäffer,1838)** (Braconidae) Synonym(s): *foveolatus* Herrich-Schäffer,1838; *marshalli* Szépligeti,1896 Range (in code): **TR GR HU RU DE YU Cc UZ KG 50**
- 1419) Polydegmon sinuatus Förster,1862** (Braconidae) Synonym(s): *sinuatus* Förster,1862; *pillichi* Zilaki-Kiss,1915 Range (in code): **DE BG CZ HU TR RU KG UZ AZ GG Cc Sb MK YU 38**
- 1420) Polystenus rugosus Förster,1862** (Braconidae) Synonym(s): *rugosus* Förster,1862 Range (in code): **TR 50**
- 1421) Praon abjectum (Haliday,1833)** (Braconidae) Synonym(s): *abjectum* Haliday,1833 Range (in code): **TR 10 11 16**
- 1422) Praon longicorne Marshall,1896** (Braconidae) Synonym(s): *longicorne* Marshall,1896 Range (in code): **TR 29 37 55 57 60**
- 1423) Praon pubescens Stary,1961** (Braconidae) Synonym(s): *pubescens* Stary,1961 Range (in code): **TR 37**
- 1424) Praon volucre (Haliday,1833)** (Braconidae) Synonym(s): *volucre* Haliday,1833 Range (in code): **TR 05 14 29 52 55 60**
- 1425) Praon yomenae Takada,1968** (Braconidae) Synonym(s): *yomenae* Takada,1968 Range (in code): **TR 60**
- 1426) Protapanteles anchiades (Nixon,1973)** (Braconidae) Synonym(s): *anchiades* Nixon,1973 Original reference: Apanteles anchiades Nixon,1973, Bull. ent. Res. 63: 169-228. Range (in code): **TR DE GB SE BG MN IT HU FI NL CH CZ 16**
- 1427) Protodacnusa ruthei Griffiths,1964** (Braconidae) Synonym(s): *ruthei* Griffiths,1964 Range (in code): **DE TR 01 22 23 32 33 39**
- 1428) Protodacnusa tristis (Nees ab Esenbeck,1834)** (Braconidae) Synonym(s): *tristis* Nees ab Esenbeck,1834 Original reference: Alysia tristis Nees ab Esenbeck,1834, Hym. Ichn. Affin. Mon. 1: 258. Range (in code): **TR DE GB FR IE FR RU SE CH TJ 23 31 79**
- 1429) Pseudohormius turkmenus Tobias & Alexeev,1973** (Braconidae) Synonym(s): *turkmenus* Tobias & Alexeev,1973 Range (in code): **TR 23 24 26 36 44 58 62 66 44E 44Eh 58G**
- 1430) Pseudopezomachus cursitans (Ferrière,1930)** (Braconidae) Synonym(s): *cursitans* Ferrière,1930 Range (in code): **TR YU GR 33**
- 1431) Pseudopezomachus masii (Nees,1812)** (Braconidae) Synonym(s): *masii* Nees,1812 Range (in code): **TR GR Cr LY 35**
- 1432) Pseudovipio barchanicus (Telenga,1936)** (Braconidae) Synonym(s): *barchanicus* Telenga,1936 Range (in code): **TR KG TM 55**
- 1433) Pseudovipio castrator (Fabricius,1798)** (Braconidae) Synonym(s): *cuniculator* Rossi,1792; *castrator* Fabricius,1798; *constantinensis* Strand,1910 Range (in code): **TR DZ AL AZ Cc HV CY CZ EG FR GG DE GR Cr HU IL Pa IT Sa Si KG MD MN RO RU Kr SK ES SD CH SY UA YU 01 02 06 07 16 17 22 24 25 26 27 32 33 37 38 39 42 44 47 57 58 59 60 63 67**
- 1434) Pseudovipio gorgoneus (Marshall,1900)** (Braconidae) Synonym(s): *gorgoneus* Marshall,1900 Range (in code): **TR 10 32**
- 1435) Pseudovipio guttiventris (Thomson,1892)** (Braconidae) Synonym(s): *variegata* Boheman,1853; *guttiventris* Thomson,1892; *biroi* Szépligeti,1896 Range (in code): **TR 44 55 65**
- 1436) Pseudovipio inscriptor (Nees ab Esenbeck,1834)** (Braconidae) Synonym(s): *inscriptor* Nees ab Esenbeck,1834 Range (in code): **TR AZ Cc HV CY CZ FR Co GG DE GR Cr HU IL Pa IT Si KG MD MN RO RU SK ES UA UZ YU 05 06 10 15 16 18 19 22 23 24 25 26 32 33 37 39 42 44 58 59 62 66 78**

- 1437) Pseudovipio minutus (Telenga,1936)** (Braconidae) Synonym(s): *minutus* Telenga,1936
Range (in code): **TR 10**
- 1438) Pseudovipio sculus (Marshall,1888)** (Braconidae) Synonym(s): *sculus* Marshall,1888
Range (in code): **TR 16 22 39 58 59**
- 1439) Pseudovipio tataricus (Kokujev,1898)** (Braconidae) Synonym(s): *tataricus* Kokujev,1898;
pusilla Shestakov,1932 Range (in code): **TR 09 42 51**
- 1440) Pseudovipio umbraculator (Nees ab Esenbeck,1834)** (Braconidae) Synonym(s):
umbraculator Nees ab Esenbeck,1834; *anceps* Kokujev,1898 Range (in code): **CY TR 05 22 23 48 55 60**
- 1441) Psytalia (s.str.) concolor (Szépligeti,1910)** (Braconidae) Synonym(s): *concolor*
Szépligeti,1910; *fuscitarsis* Szépligeti,1913; *sicula* Monastero,1931 Range (in code): **DZ BG Cn EG FI FR Co GR**
Cr IL Pa IT Si Sa KE LY MA ZA ES TZ TN TR Hw 26 60 74
- 1442) Rhaconotus aciculatus Ruthe,1854** (Braconidae) Synonym(s): *aciculatus* Ruthe,1854
Range (in code): **TR 05 06 21 22 24 25 48 58 59 76 76A 76Ac 76D 76Da 76E**
- 1443) Rhaconotus asiaticus Belokobylski,1990** (Braconidae) Synonym(s): *asiaticus*
Belokobylski,1990 Range (in code): **TR 03 05 06 17 20 21 22 24 25 26 31 37 38 44 50 57 58 69 74 58R**
- 1444) Rhaconotus elegans (Förster,1862)** (Braconidae) Synonym(s): *elegans* Förster,1862
Range (in code): **TR 06**
- 1445) Rhaconotus kerzhneri Belokobylski,1985** (Braconidae) Synonym(s): *kerzhneri*
Belokobylski,1985 Range (in code): **TR 31 33**
- 1446) Rhaconotus longulus Belokobylski,1994** (Braconidae) Synonym(s): *longulus*
Belokobylski,1994 Range (in code): **TR 17 59 76 76E**
- 1447) Rhaconotus pictipennis (Reinhard,1885)** (Braconidae) Synonym(s): *pictipennis*
Reinhard,1885 Range (in code): **TR 10 23 26 37 62 67 74**
- 1448) Rhoptrocentrus piceus Marshall,1897** (Braconidae) Synonym(s): *piceus* Marshall,1897
Range (in code): **TR 05 22**
- 1449) Rhysipolis decorator (Haliday,1836)** (Braconidae) Synonym(s): *decorator* Haliday,1836
Range (in code): **TR 03 05 06 08 18 20 23 24 26 29 37 40 44 50 58 60 61 62 69 71 75 06R 44A 62G**
- 1450) Rhysipolis enukidzei Tobias,1976** (Braconidae) Synonym(s): *enukidzei* Tobias,1976
Range (in code): **TR 23 36 75 76 23K 36D 76D**
- 1451) Rhysipolis hariolator (Haliday,1836)** (Braconidae) Synonym(s): *hariolator* Haliday,1836
Range (in code): **TR 09 20 24 25 26 29 36 38 40 50 51 58 60 62 68 71 75 76 36D 36F 38H 62G 75F 76D**
- 1452) Rhyssalus clavator Haliday,1833** (Braconidae) Synonym(s): *clavator* Haliday,1833
Range (in code): **TR 28**
- 1453) Sathon falcatus (Nees ab Esenbeck,1834)** (Braconidae) Synonym(s): *falcatus* Nees ab
Esenbeck,1834 Original reference: *Microgaster falcatus* Nees ab Esenbeck, 1834, Hym. Ichn.
Affin. Mon. 1: 175. Range (in code): **TR ID Ja 16**
- 1454) Schizoprymnus brevicornis (Herrich-Schäffer,1838)** (Braconidae) Synonym(s):
brevicornis Herrich-Schäffer,1838 Range (in code): **DE RU TR 01 33**
- 1455) Schizoprymnus obscurus (Nees ab Esenbeck,1813)** (Braconidae) Synonym(s):
obscurus Nees ab Esenbeck,1813 Range (in code): **RU UA Cm IR TR 01 07 27 33**
- 1456) Schizoprymnus ozlemae Beyarslan,1988** (Braconidae) Synonym(s): *ozlemae*
Beyarslan,1988 Range (in code): **TR 33**
- 1457) Sigalphus irrorator (Fabricius,1775)** (Braconidae) Synonym(s): *irrorator* Fabricius,1775
Range (in code): **TR 80**
- 1458) Spathiomorpha varinervis Tobias,1976** (Braconidae) Synonym(s): *varinervis*
Tobias,1976 Range (in code): **TR 55**
- 1459) Spathius curvicaudis Ratzeburg,1844** (Braconidae) Synonym(s): *curvicaudis*
Ratzeburg,1844 Range (in code): **TR 22 39 57 80**
- 1460) Spathius erythrocephalus Wesmael,1838** (Braconidae) Synonym(s): *erythrocephalus*
Wesmael,1838 Range (in code): **TR 55**
- 1461) Spathius exarator (Linnaeus,1758)** (Braconidae) Synonym(s): *exarator* Linnaeus,1758
Range (in code): **TR 67**
- 1462) Spathius polonicus Niezabitowski,1910** (Braconidae) Synonym(s): *polonicus*
Niezabitowski,1910 Range (in code): **PL TR 21**
- 1463) Spathius radzayanus Ratzeburg,1848** (Braconidae) Synonym(s): *radzayanus*
Ratzeburg,1848 Range (in code): **TR 06 16 17 20 54 55 80**

- 1464) *Spathius rubidus* (Rossi,1794)** (Braconidae) Synonym(s): *rubidus* Rossi,1794 Range (in code): **TR 17 25 31 34 35 37 39 60 61 31C**
- 1465) *Synaldis mandibulata* Fischer,1970** (Braconidae) Synonym(s): *mandibulata* Fischer,1970 Range (in code): **TR CN Fkn HU AT 07 32 58**
- 1466) *Synaldis propeaplicatam* Fischer & Beyarslan,2012** (Braconidae) Synonym(s): *propeaplicatam* Fischer & Beyarslan,2012 Range (in code): **TR 63**
- 1467) *Tanycarpa bicolor* (Nees,1812)** (Braconidae) Synonym(s): *bicolor* Nees,1812; *ancilla* Haliday,1838 Range (in code): **TR AT BG CN CZ HU PL NL RU Kmt Us ES UA GB 67**
- 1468) *Tanycarpa rufinotata* (Haliday,1838)** (Braconidae) Synonym(s): *rufinotata* Haliday,1838; *carinata* Förster,1862; *erythrogaster* Förster,1862; *foersteri* Shenefelt,1974 Range (in code): **TR AT CN GG Cc DE HU IT PL RU Kr SE CH GB 05**
- 1469) *Taphaeus hiator* (Thunberg,1822)** (Braconidae) Synonym(s): *hiator* Thunberg,1822; *speculator* Haliday,1835; *irregularis* Wesmael,1835; *polydrusi* Gahan,1916 Range (in code): **TR BG CZ FI FR DE GR HU IE IT KG LT MD MN NL NO PL RU SE CH GB US CA 22 55 58 60**
- 1470) *Taphaeus rufoccephalus* (Telenga,1950)** (Braconidae) Synonym(s): *rufoccephalus* Telenga,1950 Range (in code): **TR DE KG RU Us 58**
- 1471) *Toxares deltiger* (Haliday,1833)** (Braconidae) Synonym(s): *deltiger* Haliday,1833 Range (in code): **TR 69**
- 1472) *Triaspis caudatus* (Nees ab Esenbeck,1813)** (Braconidae) Synonym(s): *caudatus* Nees ab Esenbeck,1813 Range (in code): **TR 01 15 33**
- 1473) *Triaspis flavipalpis* Wesmael,1835** (Braconidae) Synonym(s): *flavipalpis* Wesmael,1835 Range (in code): **TR 33**
- 1474) *Utetes aemulus* (Haliday,1837)** (Braconidae) Synonym(s): *aemulus* Haliday,1837 Range (in code): **TR 36 36F**
- 1475) *Utetes coracinus* (Thomson,1895)** (Braconidae) Synonym(s): *coracinus* Thomson,1895 Range (in code): **TR 18 25 37 57 74 78 25F 25R**
- 1476) *Utetes fasciatus* (Thomson,1895)** (Braconidae) Synonym(s): *fasciatus* Thomson,1895 TR 25 25F
- 1477) *Utetes magnus* (Fischer,1958)** (Braconidae) Synonym(s): *magnus* Fischer,1958; *sayanicus* Tobias,1977; *scrutator* Tobias,1977 Range (in code): **AT FI GG Cc DE HU IT IR KG PL RU Us CH TR UA 48**
- 1478) *Utetes propecoracinum* (Fischer,1999)** (Braconidae) Synonym(s): *propecoracinum* Fischer,1999 Range (in code): **TR 28**
- 1479) *Utetes rhodopensis* Zaykov,1983** (Braconidae) Synonym(s): *rhodopensis* Zaykov,1983 Range (in code): **BG TR 76 76A 76Ac**
- 1480) *Utetes rotundiventris* (Thomson,1895)** (Braconidae) Synonym(s): *rotundiventris* Thomson,1895 Range (in code): **TR 25 38 51 25F**
- 1481) *Utetes testaceus* (Wesmael,1835)** (Braconidae) Synonym(s): *testaceus* Wesmael,1835 Range (in code): **TR 60**
- 1482) *Utetes truncatus* (Wesmael,1835)** (Braconidae) Synonym(s): *truncatus* Wesmael,1835 Range (in code): **TR 08 53**
- 1483) *Utetes ussuriensis* (Tobias,1997)** (Braconidae) Synonym(s): *ussuriensis* Tobias,1997 RU Us TR 75 75E 75F
- 1484) *Vipio alpi* Beyarslan,2002** (Braconidae) Synonym(s): *alpi* Beyarslan,2002 Range (in code): **TR 06 22 23 24 26 38 39 52 55 57 59**
- 1485) *Vipio appelator* (Nees ab Esenbeck,1834)** (Braconidae) Synonym(s): *appelator* Nees ab Esenbeck,1834; *longicauda* Boheman,1853; *phoenix* Marshall,1888; *mendax* Kokujev,1898; *pseudappelator* Kokujev,1898 Range (in code): **TR 32 38 39 51 58**
- 1486) *Vipio cuniculator* (Rossi,1792)** (Braconidae) Synonym(s): *tentator* Rossi,1790 *nec* Villers,1789; *cuniculator* Rossi,1792; *geniculator* Costa,1885; *curticaudis* Szépligeti,1896; *brevicaudis* Szépligeti,1896 Range (in code): **DZ AM Cc AZ GG HV CZ FR Co DE GR HU IT Sa Si IL Pa MK KG MD RO RU Da SK ES SY TJ TN UA YU TR 03 20 39 43 46 60 67**
- 1487) *Vipio filicaudis* Szépligeti,1896** (Braconidae) Synonym(s): *filicaudis* Szépligeti,1896 Range (in code): **TR**
- 1488) *Vipio humerator* (Costa,1885)** (Braconidae) Synonym(s): *humerator* Costa,1885; *schlettereri* Kriechbaumer,1895; *frivaldskyi* Szépligeti,1896; *marshalli* Schmiedeknecht,1896 Range (in code): **TR 02 03 05 11 16 17 21 22 24 25 26 29 32 34 39 43 44 52 57 59 60**

- 1489) Vipio illusor (Klug,1817)** (Braconidae) Synonym(s): *illusor* Klug,1817; *maculator* Brullé,1832; *contractor* Nees,1834 _ Range (in code): **TR AT AZ Cc HV FR GR HU IT KG MK MD RU ES TN UA YU 10 25 32 47**
- 1490) Vipio insectator Kokoujev,1898** (Braconidae) Synonym(s): *insectator* Kokoujev,1898 Range (in code): **TR 03 22**
- 1491) Vipio intermedius Szépligeti,1896** (Braconidae) Synonym(s): *intermedius* Szépligeti,1896; *aegyptiacus* Fahringer,1925; *szepligetii* Fahringer,1925 _ Range (in code): **TR EG 22**
- 1492) Vipio lalapasaensis (Beyarslan,1992)** (Braconidae) Synonym(s): *lalapasaensis* Beyarslan,1992 _ Range (in code): **TR 22**
- 1493) Vipio longicauda (Boheman,1853)** (Braconidae) Synonym(s): *nominator* Fabricius,1793; *longicauda* Boheman,1853 _ Range (in code): **TR 05 14 17 22 25 26 29 39 52 54 57 58 59 67 74 78**
- 1494) Vipio mlokossewiczii Kokoujev,1898** (Braconidae) Synonym(s): *mlokossewiczii* Kokoujev,1898 _ Range (in code): **TR 03 05 29 44 47 52 66**
- 1495) Vipio nomas Kokoujev,1907** (Braconidae) Synonym(s): *nomas* Kokoujev,1907 _ Range (in code): **TM TR**
- 1496) Vipio nomioides Shestakov,1926** (Braconidae) Synonym(s): *nomioides* Shestakov,1926 Range (in code): **TR AZ IR Cc CZ**
- 1497) Vipio sareptanus Kawall,1865** (Braconidae) Synonym(s): *sareptanus* Kawall,1865 Range (in code): **TR CN Ui KG KR LT MN RU Am Us UA**
- 1498) Vipio shestakovi Telenga,1936** (Braconidae) Synonym(s): *shestakovi* Telenga,1936 Range (in code): **TR 38**
- 1499) Vipio simulator Kokoujev,1898** (Braconidae) Synonym(s): *simulator* Kokoujev,1898 Range (in code): **TR RU KG HU CZ 32**
- 1500) Vipio tentator (Rossi,1790)** (Braconidae) Synonym(s): *tentator* Rossi,1790; *cuniculator* Rossi,1792; *geniculator* Costa,1885; *brevicaudis* Szépligeti,1896; *curticaudis* Szépligeti,1896 _ TR 03 05 06 14 20 21 22 25 26 37 38 39 43 44 46 47 52 57 58 59 60 62 63
- 1501) Vipio terrefactor (Villers,1789)** (Braconidae) Synonym(s): *terrefactor* Villers,1789; *improvisus* Kokujev,1898; *interpellator* Kokujev,1898; *neesii* Kokujev,1898; *persica* Szépligeti,1901 _ Range (in code): **TR IR AM Cc AT AZ GR B-H HV CZ FR DE HU IT Sa Si IT KG LT MK MD RO RU Da Ro SK ES UA GB YU 18 22 30 38**
- 1502) Xynobius aciculatus (Thomson,1895)** (Braconidae) Synonym(s): *aciculatus* Thomson,1895 _ Range (in code): **TR 14 75**
- 1503) Xynobius curtifemur (Fischer,1961)** (Braconidae) Synonym(s): *curtifemur* Fischer,1961 Range (in code): **TR 44 75 75A 75Ab**
- 1504) Xynobius decoratus (Stelfox,1949)** (Braconidae) Synonym(s): *decoratus* Stelfox,1949 Range (in code): **TR 44**
- 1505) Xynobius discoidalis (Fischer,1957)** (Braconidae) Synonym(s): *discoidalis* Fischer,1957 TR 25 75 25R 75A 75Ab
- 1506) Xynobius macrocerus (Thomson,1895)** (Braconidae) Synonym(s): *macrocerus* Thomson,1895 _ Range (in code): **TR 61 74**
- 1507) Xynobius notabilis (Fischer,1958)** (Braconidae) Synonym(s): *notabilis* Fischer,1958 TR 75 75F
- 1508) Xynobius rudis (Wesmael,1835)** (Braconidae) Synonym(s): *rudis* Wesmael,1835 Range (in code): **TR 03 05 14 36 37 39 42 50 60 66 36G**
- 1509) Xynobius thomsoni (Fischer,1971)** (Braconidae) Synonym(s): *thomsoni* Fischer,1971 Range (in code): **TR 28**

Cephidae

- 1510) Calameuta (s.str.) filiformis (Eversmann,1847)** (Cephidae) Synonym(s): *filiformis* Eversmann,1847; *infernalis* Dönnar-Zapolski,1926; *amurensis* Gussakovski,1935 _ Range (in code): **RU Am Sb Cc TR IR SY LB CN KG KK UZ Tas UA 51 58**
- 1511) Calameuta (s.str.) haemorrhoidalis (Fabricius,1781)** (Cephidae) Synonym(s): *haemorrhoidalis* Fabricius,1781 _ Range (in code): **AT TR Cc RU GR Rd CY SY IL Pa TM 05 06 07 16 18 19 25 34 38 48 51 55 58 65 66 68 71**
- 1512) Calameuta (s.str.) idolon (Rossi,1794)** (Cephidae) Synonym(s): *idolon* Rossi,1794; *mittrei* Guérin,1844; *bellieri* Sichel,1860; *variegatus* Stein,1876; *apicicornis* Pic,1916 _ Range (in code): **TR RU Cc IR IL Pa LB SY 05 06 18 19 26 38 58 71**

- 1513) Calameuta (s.str.) pallipes (Klug,1803)** (Cephidae) Synonym(s): *pallipes* Klug,1803
Range (in code): UA RU TR 06 26 42 51 55 58 68
- 1514) Calameuta (s.str.) punctata (Klug,1803)** (Cephidae) Synonym(s): *punctata* Klug,1803
Range (in code): Cc UA TR 06 38 58 68
- 1515) Cephus brachycerus Thomson,1871** (Cephidae) Synonym(s): *brachycerus* Thomson,1871
Range (in code): UA Cm RU Sb TR 06 26 40 55 58
- 1516) Cephus fumipennis Eversmann,1847** (Cephidae) Synonym(s): *fumipennis* Eversmann,1847
Range (in code): RU KG TJ CN TR 26 50
- 1517) Cephus nigrinus Thomson,1871** (Cephidae) Synonym(s): *nigrinus* Thomson,1871
Range (in code): RU SY TR 03 06 18 19 31 40 58 66 71
- 1518) Cephus pulcher Tischbein,1852** (Cephidae) Synonym(s): *pulcher* Tischbein,1852
Range (in code): AT HU CZ SK Cc KG TR 06 19 51 58 66 68
- 1519) Cephus pygmaeus (Linnaeus,1767)** (Cephidae) Synonym(s): *pygmaeus* Linnaeus,1767; *saltum* Fabricius,1775; *abdominalis* Latreille,1816; *flaviventris* Guérin,1834; *nigripennis* Sichel,1860; *notatus* Kokujev,1910; *nigromaculatus* Pic,1917; *aegyptiacum* Pic,1918; *delagranei* Pic,1920; *tanaiticus* Dönnar-Zapolski,1926
Range (in code): RU LT UA Cm Cc RU Sb TR IR IQ SY IL Pa EG IN CA US 03 06 18 19 26 42 40 50 51 58 60 66 68 70 71
- 1520) Cephus rjabovi Dönnar-Zapolski,1926** (Cephidae) Synonym(s): *rjabovi* Dönnar-Zapolski,1926
Range (in code): RU Da Cc TR 26 71
- 1521) Cephus sareptanus Dönnar-Zapolski,1928** (Cephidae) Synonym(s): *sareptanus* Dönnar-Zapolski,1928
Range (in code): RU TR 06 18 26 40 58
- 1522) Cephus spinipes (Panzer,1800)** (Cephidae) Synonym(s): *spinipes* Panzer,1800
Range (in code): TR UA Cm Cc RU CN 18 58
- 1523) Hartigia linearis (Schrank,1781)** (Cephidae) Synonym(s): *linearis* Schrank,1781
Range (in code): Cc TR RU Sb KG MN 40 51 58
- 1524) Hartigia nigra (Harris,1776)** (Cephidae) Synonym(s): *nigra* Harris,1776
Range (in code): Cc TR 06 25
- 1525) Hartigia xanthostoma (Eversmann,1847)** (Cephidae) Synonym(s): *xanthostoma* Eversmann,1847
Range (in code): RU UA TR 06 40 51
- 1526) Janus compressus (Fabricius,1793)** (Cephidae) Synonym(s): *compressus* Fabricius,1793
Range (in code): TR Cc RU 34
- 1527) Janus femoratus (Curtis,1830)** (Cephidae) Synonym(s): *femoratus* Curtis,1830
Range (in code): TR RU
- 1528) Pachycephus (Eversmannella) cruentatus (Eversmann,1847)** (Cephidae) Synonym(s): *cruentatus* Eversmann,1847
Range (in code): RU Cc UA Cm TR SY IL Pa
- 1529) Pachycephus smyrnensis Stein,1876** (Cephidae) Synonym(s): *smyrnensis* Stein,1876; *aeneovarius* Kohl,1905; *brevis* Ghigi,1915; *sanctus* Pic,1916; *notativentris* Pic,1916
Range (in code): AM BG GR TR CY LB MK RO IL Pa Cc 05 26 31 33 35 63
- 1530) Syrista parreyssii (Spinola,1843)** (Cephidae) Synonym(s): *parreyssii* Spinola,1843
Range (in code): CY IL Pa TR Cc 05 06 18 25 40 44 51 58 59 68
- 1531) Trachelus judaicus (Konow,1907)** (Cephidae) Synonym(s): *judaicus* Konow,1907
Range (in code): IL Pa TR 51 63
- 1532) Trachelus libanensis (André,1881)** (Cephidae) Synonym(s): *libanensis* André,1881; *armenius* Konow,1896
Range (in code): AM Cc TR CY GG IL Pa SY LB RU 01 31 33 47 56 58 63 65 66
- 1533) Trachelus tabidus (Fabricius,1775)** (Cephidae) Synonym(s): *tabidus* Fabricius,1775
Range (in code): TR 01 03 06 07 18 19 26 31 33 38 40 42 47 51 58 60 68 70
- 1534) Trachelus troglodytus (Fabricius,1781)** (Cephidae) Synonym(s): *troglodytus* Fabricius,1781; *tenuicornis* Konow,1902
Range (in code): TR Cc RU 53 55 58

Chalcididae

- 1535) Anachalcis major Boucek,1952** (Chalcididae) Synonym(s): *major* Boucek,1952
Original reference: Anachalcis major Boucek,1952, Sbor. Ent. Odd. Nar. Mus. Praze 27 (suppl.1): 205. Type: Turkey.
Range (in code): TR
- 1536) Anachalcis rubra Steffan,1951** (Chalcididae) Synonym(s): *rubra* Steffan,1951
Range (in code): BG Cc GR MK YU TR
- 1537) Aphasganophora armeniaca (Boucek,1952)** (Chalcididae) Synonym(s): *armeniaca* Boucek,1952; *ensifera* Nikolskaya,1952
Range (in code): AM Cc RU TR

- 1538) *Belaspidia nigra* (Siebold,1856)** (Chalcididae) Synonym(s): *nigra* Siebold,1856 _ Range (in code): AT AZ Cc BE CZ FR HU MD ES CH TN TR
- 1539) *Belaspidia obscura* Masi,1916** (Chalcididae) Synonym(s): *obscura* Masi,1916; *meridionalis* Steffan,1951 _ Range (in code): AT BE Cc HV CZ FR DE GR HU IT IR KG MK MD MA SK ES SY TJ TM UA RU YU TR
- 1540) *Brachymeria femorata* (Panzer,1801)** (Chalcididae) Synonym(s): *femorata* Panzer,1801; *ornatipes* Cameron,1906; *immaculata* Masi,1951 Original reference: *Chalcis femorata* Panzer,1801, Faun. Ins. Germ. 84, fig.16. Range (in code): B-H BG Cc HV CY EG FR Co DE IT HU GR TR IN Hp Up Ben Ch ID Ja IL Pa IQ IR Ar Ak Tbz Fa Ke Kz Th KG MK MD MN PK CN PH PL RO RU Sb Us SK ES SE CH UA GB YU 65
- 1541) *Brachymeria inermis* (Fonscolombe,1840)** (Chalcididae) Synonym(s): *inermis* Fonscolombe,1840; *punctulata* Förster,1859; *carbonaria* Masi,1951 Range (in code): FR AT HV CZ DE IT GR MK MD RO SK ES SY YU TR IN JP TM 01 24
- 1542) *Brachymeria minuta* (Linnaeus,1767)** (Chalcididae) Synonym(s): *minuta* Linnaeus,1767; *femoralis* Geoffroy,1785; *pusilla* Fabricius,1787; *saltatrix* Cuvier,1833; *brevicornis* Klug,1834; *scrobiculata* Förster,1859; *tricolor* Förster,1859; *fumata* Thomson,1876; *paraplepsia* Crawford,1910; *jezoensis* Matsumura,1918... Range (in code): AU QAU B-H BG Cc Cn HV CY SK CZ SE ES FR DE IT Sa HU MD NL PL RO TR EG IN Si Ben Up SY IL Pa RU Sb Us SS CH TH MY UA GB UZ YU KG JP IR Ss By Fa IQ Er 24
- 1543) *Brachymeria moerens* (Ruschka,1922)** (Chalcididae) Synonym(s): *moerens* Ruschka,1922 Range (in code): AT B-H Cc BG CZ SK FR DE IT MK MD UA YU TR
- 1544) *Brachymeria obtusata* (Förster,1859)** (Chalcididae) Synonym(s): *vicina* Walker,1834; *obtusata* Förster,1859; *walkeri* Dalla Torre,1898 Range (in code): AL AT HV CY CZ SK EG FR DE GR Cr HU IQ IL Pa IT Si MD NL RO SS ES SE TM UA RU YU TR IR Mz Elb JP
- 1545) *Brachymeria pseudorugosa* Masi,1951** (Chalcididae) Synonym(s): *pseudorugosa* Masi,1951 Range (in code): ES IT CH TR
- 1546) *Brachymeria rugulosa* (Förster,1859)** (Chalcididae) Synonym(s): *rugulosa* Förster,1859 Range (in code): DE AT BG HV CZ SK FR GR HU IT MK MD RO SK SS ES TM IR Yz YU TR
- 1547) *Brachymeria secundaria* (Ruschka,1922)** (Chalcididae) Synonym(s): *secundaria* Ruschka,1922; *tauriensis* Masi,1929 Range (in code): AT LT B-H BG HV CZ SK FR DE HU IT MD RO SK ES UA RU YU TR IN Hp Ben KG JP 31 31A
- 1548) *Brachymeria tibialis* (Walker,1834)** (Chalcididae) Synonym(s): *tibialis* Walker,1834; *intermedia* Nees,1834; *cingulata* Walker,1834; *distinguenda* Walker,1834; *rufofemorata* Rosenhauer,1856; *scirropoda* Förster,1859; *boops* Thomson,1876; *quettaensis* Cameron,1906; *turkestanica* Masi,1951; Original reference: *Chalcis tibialis* Walker,1834, Mon. Chalcid.: 29. Type: France: Paris (leg. Laporte). Range (in code): AL DZ AM Cc AZ AT B-H BG CA HV CY CZ SK FR Co DE GR HU IN Ch IR Ab Ak Fa Ke Mz Elb IQ IL Pa IT Sa LB MK KG MD MA NL PL PT RU Us Sb SS ES SE CH SY TN UA GB US Cf FI NMx Ny Tx TR PK Qu Bl UZ 12
- 1549) *Brachymeria vitripennis* (Förster,1859)** (Chalcididae) Synonym(s): *vitripennis* Förster,1859 Range (in code): BG HV CZ SK DE GR HU IT MK MD RO CH YU TR IR Ak
- 1550) *Chalcis sispes* (Linnaeus,1761)** (Chalcididae) Synonym(s): *sispes* Linnaeus,1761; *clavipes* Fabricius,1787; *microstigma* Thomson,1876; *crassipes* Desmarest,1875; *biguttata* Costa,1882; *irana* Nikol'skaya,1960 Range (in code): TR IR AT B-H Cc HV CZ FI FR DE HU IT MD MN NL NO PL RO RU Us YU SK SE TN GB RU Sb 65
- 1551) *Conura libanotica* (Schmiedeknecht,1909)** (Chalcididae) Synonym(s): *libanotica* Schmiedeknecht,1909 Original reference: *Spilochalcis libanotica* Schmiedeknecht,1909, Genera Ins. 97: 40 (footnote), Taf. 2, fig.8. Type ♀: Lebanon, Brumana. Range (in code): LB Bmm TR 70 70C
- 1552) *Conura* sp.n. Kemal & Koçak** (Chalcididae) Synonym(s): Range (in code): TR
- 1553) *Dirhinus hesperidum* (Rossi,1790)** (Chalcididae) Synonym(s): *hesperidum* Rossi,1790; *cornigera* Jurine,1807; *imperialis* Giraud,1863 _ Range (in code): AT B-H HV CZ SK FR HU IT MD RO DZ UA TR JP
- 1554) *Euchalcis miegii* Dufour,1861** (Chalcididae) Synonym(s): *miegii* Dufour,1861; *bicolor* Sichel,1866 _ Range (in code): ES AL AM Cc DZ TN GR IL Pa IT Sa JO TR KK
- 1555) *Euchalcis unicolor* (Lucas,1871)** (Chalcididae) Synonym(s): *unicolor* Lucas,1871; *nuda* Boucek,1952 _ Range (in code): DZ AM Cc ES IL Pa TR
- 1556) *Haltichella rufipes* (Olivier,1791)** (Chalcididae) Synonym(s): *rufipes* Olivier,1791; *armata* Panzer,1801; *bispinosa* Fabricius,1804; *quadriens* Kieffer,1905 Range (in code): AT Cc HV CZ SK ZR FR DE HU IT Si KG NL MD RO RU ES SE GB YU TR

- 1557) *Hockeria apani* Doğanlar,1990** (Chalcididae) Synonym(s): *apani* Doğanlar,1990
Original reference: *Hockeria apani* Doğanlar,1990, Turk. J. Ent. 14 (3): 150-153. Holotype ♀:
Turkey, Şanlıurfa, Ezgil 23 7 1987 ex *Heliothis virescens* on lentil (CUTT, Turkey). Range (in code): **TR 63**
- 1558) *Hockeria bifasciata* Walker,1834** (Chalcididae) Synonym(s): *bifasciata* Walker,1834;
albomaculatus Lucas,1849; *maculipennis* Steffani,1887; *modesta* Silvestri,1907; *erdoesi* Boucek,1952; *nipponica*
Habu,1960 Range (in code): **DZ AT Cn HV CZ SK FR GR HU IT Si LB SS ES SE YU TR JP**
- 1559) *Hockeria brachygaster* Boucek,1956** (Chalcididae) Synonym(s): *brachygaster*
Boucek,1956 Original reference: *Hockeria brachygaster* Boucek,1956, Bull. Res. Coun. Israel 5B:
234. Syntypes: Israel (BMNH). Range (in code): **LY TR IL Pa IN Up**
- 1560) *Hockeria karatasensis* Boucek,1952** (Chalcididae) Synonym(s): *karatasensis* Boucek,1952
Range (in code): **TR 01**
- 1561) *Hockeria magna* Boucek,1952** (Chalcididae) Synonym(s): *magna* Boucek,1952 Range
(in code): **HV CH CY CZ SK DE HU IL Pa KG MD RO RU ES TR YU UA**
- 1562) *Hockeria mengenillarum* (Silvestri,1943)** (Chalcididae) Synonym(s): *mengenillarum*
Silvestri,1943 Range (in code): **IT TR**
- 1563) *Hockeria unicolor* Walker,1834** (Chalcididae) Synonym(s): *unicolor* Walker,1834;
pachycera Förster,1859 Range (in code): **DZ AT B-H BG Cn HV CZ SK FR GR HU IT Sa Si KG MD MA NL**
PL RO SN SS ES SE Cc UA RU Sb YU TR 31 31A
- 1564) *Kriechbaumerella mansues* (Nikol'skaya,1952)** (Chalcididae) Synonym(s): *mansues*
Nikol'skaya,1952 Range (in code): **HV CY IQ IL Pa Cc UA RU TR**
- 1565) *Lasiochalcidia dargelasii* (Latreille,1805)** (Chalcididae) Synonym(s): *dargelasii*
Latreille,1805; *denticornis* Fonscolombe,1832 Range (in code): **DZ AT HV CZ SK FR HU IN Up IT MD DZ**
Cc RU Sb YU TR
- 1566) *Neochalcis fertoni* (Kieffer,1899)** (Chalcididae) Synonym(s): *fertoni* Kieffer,1899; *barbara*
Benoist,1921; *scutellata* Boucek,1952 Range (in code): **DZ HV CY CZ SK FR Co HU IT KG MK MD MA**
RU ES Cc TN GB TR
- 1567) *Neochalcis hippotoides* (Masi,1916)** (Chalcididae) Synonym(s): *hippotoides* Masi,1916
Range (in code): **HU IT IL Pa ES TR**
- 1568) *Proconura nigripes* (Fonscolombe,1832)** (Chalcididae) Synonym(s): *nigripes*
Fonscolombe,1832; *nebulosa* Fonscolombe,1840; *sexdentata* Förster,1855; *decipiens* Masi,1929 Range (in
code): **AL DZ Cn HV CZ SK FR HU IT Si IR LY KG MK MD SS ES Cc TN UA RU YU TR**
- 1569) *Psilochalcis benoisti* (Steffan,1948)** (Chalcididae) Synonym(s): *benoisti* Steffan,1948;
ferrierei Steffan,1948 Range (in code): **CY CZ SK FR DE HU IT KG MA ES Cc UA RU TR**
- 1570) *Psilochalcis mirabilis* (Boucek,1952)** (Chalcididae) Synonym(s): *mirabilis* Boucek,1952
Range (in code): **TR CZ SK HU KG RU US**
- 1571) *Psilochalcis nigerrima* (Masi,1929)** (Chalcididae) Synonym(s): *nigerrima* Masi,1929
Range (in code): **AL Cc HV CY FR GR IL Pa IT KG MK RU TR**
- 1572) *Psilochalcis nitida* (Boucek,1952)** (Chalcididae) Synonym(s): *nitida* Boucek,1952
Range (in code): **TR**
- 1573) *Psilochalcis rufitarsis* (Illiger,1807)** (Chalcididae) Synonym(s): *monstrosa* Villers,1789;
rufitarsis Illiger,1807; *vicina* Fonscolombe,1832; *nigra* Walker,1834; *frequens* Masi,1929 Range (in code):
HV CY TR FR HU IT KG MD SK ES SE SY Cc RU UA Sb
- 1574) *Psilochalcis subaenea* (Masi,1929)** (Chalcididae) Synonym(s): *subaenea* Masi,1929;
aspera Steffan,1951 Range (in code): **CZ FR HU IT KG SK ES Cc RU TR GB UA**
- 1575) *Psilochalcis subarmata* (Förster,1855)** (Chalcididae) Synonym(s): *subarmata*
Förster,1855; *tarsalis* Förster,1859 Range (in code): **Cn CZ FR DE GR Cr HU IN Up KG MD SK ES SE RU**
UA GB Sb TR

Chrysididae

- 1576) *Chrysidea pumila* (Klug,1845)** (Chrysididae) Synonym(s): *pumila* Klug,1845 Range
(in code): **TR 24 25**
- 1577) *Chrysidea rebecca* Morice,1909** (Chrysididae) Synonym(s): *rebecca* Morice,1909
Range (in code): **TR**

- 1578) Chrysis aeraria Mocsary,1914** (Chrysididae) Synonym(s): *aeraria* Mocsary,1914
Range (in code): TR
- 1579) Chrysis aestiva Dahlbom,1854** (Chrysididae) Synonym(s): *aestiva* Dahlbom,1854
Range (in code): GR Rd IL Pa TR 20 25 31 33 42 63 70 42D
- 1580) Chrysis albanica Trautmann,1927** (Chrysididae) Synonym(s): *albanica* Trautmann,1927;
alia Linsenmaier,1959 [ssp.] Range (in code): IT AL TR 25 60
- 1581) Chrysis amasina Mocsary,1889** (Chrysididae) Synonym(s): *amasina* Mocsary,1889
Range (in code): AL GR TR 02 05 20 42 47 49 68 02F 02Fb 42D 47D 47Da 49E 49Ea
- 1582) Chrysis ambigua Radoszkowski,1891** (Chrysididae) Synonym(s): *ambigua* Radoszkowski,1891
Range (in code): TR GR Rd IL Pa 20 31 32 33 42 63 70 33O
- 1583) Chrysis analis Spinola,1808** (Chrysididae) Synonym(s): *analis* Spinola,1808; *flavitaris* Förster,1853; *marginalis* Schenck,1856; *dahlbomi* Chevrier,1862; *cribrata* Gerstaecker,1869; *perrisi* Radoszkowski,1880
Range (in code): TR 24
- 1584) Chrysis angustifrons Abeille,1878** (Chrysididae) Synonym(s): *angustifrons* Abeille,1878
Range (in code): TR 24 25
- 1585) Chrysis angustula Schenck,1856** (Chrysididae) Synonym(s): *angustula* Schenck,1856
Range (in code): TR 08 25
- 1586) Chrysis antakyensis Linsenmaier,1968** (Chrysididae) Synonym(s): *antakyensis* Linsenmaier,1968
Range (in code): TR 31
- 1587) Chrysis apiata Du Buysson,1900** (Chrysididae) Synonym(s): *apiata* Du Buysson,1900
Range (in code): TR
- 1588) Chrysis araratica Radoszkowsky,1890** (Chrysididae) Synonym(s): *araratica* Radoszkowsky,1890
Original reference: Chrysis araratica Radoszkowsky,1890, Horae Soc. ent. ross. 24: 509. Type: [Turquie]: Ararat. Range (in code): TR
- 1589) Chrysis arrogans Mocsary,1889** (Chrysididae) Synonym(s): *arrogans* Mocsary,1889
Range (in code): TR
- 1590) Chrysis ashabadensis Radoszkowski,1891** (Chrysididae) Synonym(s): *ashabadensis* Radoszkowski,1891
Range (in code): TM Kp TR
- 1591) Chrysis atriventris Linsenmaier,1968** (Chrysididae) Synonym(s): *atriventris* Linsenmaier,1968
Range (in code): TR
- 1592) Chrysis auriceps Mader,1936** (Chrysididae) Synonym(s): *auriceps* Mader,1936
Range (in code): TR
- 1593) Chrysis aurimaculifrons Linsenmaier,1968** (Chrysididae) Synonym(s): *aurimaculifrons* Linsenmaier,1968
Range (in code): TR
- 1594) Chrysis batyamensis Linsenmaier,1969** (Chrysididae) Synonym(s): *batyamensis* Linsenmaier,1969
Range (in code): TR
- 1595) Chrysis berlandi Linsenmaier,1959** (Chrysididae) Synonym(s): *berlandi* Linsenmaier,1959
Range (in code): TR 24
- 1596) Chrysis bihamata Spinola,1838** (Chrysididae) Synonym(s): *bihamata* Spinola,1838
Range (in code): TR
- 1597) Chrysis birecikensis Linsenmaier,1968** (Chrysididae) Synonym(s): *birecikensis* Linsenmaier,1968
Range (in code): TR 63
- 1598) Chrysis breviradialis Linsenmaier,1968** (Chrysididae) Synonym(s): *breviradialis* Linsenmaier,1968
Range (in code): TR
- 1599) Chrysis bytinskii Linsenmaier,1959** (Chrysididae) Synonym(s): *bytinskii* Linsenmaier,1959
Range (in code): TR
- 1600) Chrysis castillana Du Buysson,1894** (Chrysididae) Synonym(s): *castillana* Du Buysson,1894
Range (in code): TR
- 1601) Chrysis caucasiensis Linsenmaier,1959** (Chrysididae) Synonym(s): *caucasiensis* Linsenmaier,1959
Range (in code): Cc TR 25
- 1602) Chrysis cedarsensis Linsenmaier,1968** (Chrysididae) Synonym(s): *cedarsensis* Linsenmaier,1968
Range (in code): TR
- 1603) Chrysis centropunctata Linsenmaier,1968** (Chrysididae) Synonym(s): *centropunctata* Linsenmaier,1968
Range (in code): TR
- 1604) Chrysis cerastes Abeille,1877** (Chrysididae) Synonym(s): *cerastes* Abeille,1877
Range (in code): TR 25 36 60 36C

- 1605) Chrysis chrysochlora Mocsary,1889** (Chrysididae) Synonym(s): *chrysochlora* Mocsary,1889; *viridans* Radoszkowski,1891 Range (in code): TR
- 1606) Chrysis chrysoprasina Förster,1853** (Chrysididae) Synonym(s): *chrysoprasina* Förster,1853 Range (in code): TR 24
- 1607) Chrysis chrysostigma Mocsary,1889** (Chrysididae) Synonym(s): *chrysostigma* Mocsary,1889 Range (in code): IT FR HU AT CH GR TR 80
- 1608) Chrysis cingulicornis Förster,1853** (Chrysididae) Synonym(s): *cingulicornis* Förster,1853; *libanoensis* Linsenmaier,1968 [ssp.] Range (in code): TR LB
- 1609) Chrysis coerueiventris Abeille,1878** (Chrysididae) Synonym(s): *coerueiventris* Abeille,1878 Range (in code): TR 07 25
- 1610) Chrysis comparata Lepeletier,1806** (Chrysididae) Synonym(s): *comparata* Lepeletier,1806; *orientica* Linsenmaier,1959 [ssp.] Range (in code): TR 01 08 07 24 25 36 42 36C 36F
- 1611) Chrysis compta Förster,1853** (Chrysididae) Synonym(s): *compta* Förster,1853 Range (in code): ES FR Co CH IT AT HU YU RU CN Mc CY TR 07 24 25 26 36 60 80 36C
- 1612) Chrysis concolor Mocsary,1893** (Chrysididae) Synonym(s): *concolor* Mocsary,1893; *schwarzi* Linsenmaier,1968 [ssp.] Range (in code): TR 24 25
- 1613) Chrysis concolor Mocsary,1893** (Chrysididae) Synonym(s): *concolor* Mocsary,1893 Range (in code): TR 24 25
- 1614) Chrysis coniuncta Linsenmaier,1959** (Chrysididae) Synonym(s): *coniuncta* Linsenmaier,1959 Range (in code): TR 62
- 1615) Chrysis consanguinea Mocsary,1889** (Chrysididae) Synonym(s): *consanguinea* Mocsary,1889 Range (in code): ES HU Si TR 03 10 11 21 24 25 36 39 43 60 69 80 36F
- 1616) Chrysis continentalis Linsenmaier,1959** (Chrysididae) Synonym(s): *continentalis* Linsenmaier,1959 Range (in code): TR 10 24 25 36 36F
- 1617) Chrysis cuprata Dahlbom,1854** (Chrysididae) Synonym(s): *cuprata* Dahlbom,1854 Range (in code): TR 36
- 1618) Chrysis cuproprasina Mocsary,1889** (Chrysididae) Synonym(s): *cuproprasina* Mocsary,1889 Range (in code): TR
- 1619) Chrysis cylindrica Eversmann,1857** (Chrysididae) Synonym(s): *cylindrica* Eversmann,1857 Range (in code): TR
- 1620) Chrysis cypruscula Linsenmaier,1959** (Chrysididae) Synonym(s): *cypruscula* Linsenmaier,1959 Range (in code): CY TR
- 1621) Chrysis dahlbomiana Linsenmaier,1968** (Chrysididae) Synonym(s): *dahlbomiana* Linsenmaier,1968 Range (in code): TR
- 1622) Chrysis daphnis Mocsary,1889** (Chrysididae) Synonym(s): *daphnis* Mocsary,1889; *syriensis* Linsenmaier,1959 [ssp.] Range (in code): BG FR Co Sa Si IT GR Rd CY IL Pa SY TR 02 13 33 42 47 50 58 62 63 70 80 02F 02Fb 13D 13G 33O 42D 47D 47Da 50G 58G 63E
- 1623) Chrysis demaculata Arens,2004** (Chrysididae) Synonym(s): *demaculata* Arens,2004 Range (in code): TR
- 1624) Chrysis destefanii Mocsary,1889** (Chrysididae) Synonym(s): *destefanii* Mocsary,1889 Range (in code): TR 12
- 1625) Chrysis diacantha Mocsary,1889** (Chrysididae) Synonym(s): *diacantha* Mocsary,1889 Range (in code): TR
- 1626) Chrysis distincta Mocsary,1887** (Chrysididae) Synonym(s): *distincta* Mocsary,1887; *thhammeri* Mocsary,1889 [ssp.] Range (in code): HU TR 11 33 62 33O 62G
- 1627) Chrysis elegans Lepeletier,1806** (Chrysididae) Synonym(s): *elegans* Lepeletier,1806 Range (in code): TR 11 36 36F
- 1628) Chrysis euterpe Balthasar,1957** (Chrysididae) Synonym(s): *euterpe* Balthasar,1957 Range (in code): TR 24 25
- 1629) Chrysis facialis Du Buysson,1887** (Chrysididae) Synonym(s): *facialis* Du Buysson,1887 Range (in code): TR
- 1630) Chrysis fasciata Olivier,1790** (Chrysididae) Synonym(s): *fasciata* Olivier,1790 Range (in code): TR 25
- 1631) Chrysis filiafacialis Linsenmaier,1959** (Chrysididae) Synonym(s): *filiafacialis* Linsenmaier,1959 Range (in code): TR
- 1632) Chrysis frivaldskyi Mocsary,1882** (Chrysididae) Synonym(s): *frivaldskyi* Mocsary,1882 Range (in code): TR 08 11 24 25 36 42 60 36C 36F

- 1633) Chrysis fulgida Linnaeus,1761** (Chrysididae) Synonym(s): *fulgida* Linnaeus,1761
Range (in code): [TR 06 24 25 29 42](#)
- 1634) Chrysis fulvicornis Mocsary,1889** (Chrysididae) Synonym(s): *fulvicornis* Mocsary,1889
Range (in code): [TR](#)
- 1635) Chrysis germari Wesmael,1839** (Chrysididae) Synonym(s): *germari* Wesmael,1839
Range (in code): [TR 24 33 39](#)
- 1636) Chrysis gracillima (Förster,1853)** (Chrysididae) Synonym(s): *gracillima* Förster,1853
Range (in code): [TR 25 39](#)
- 1637) Chrysis graelsii Guérin-Ménéville,1842** (Chrysididae) Synonym(s): *graelsii* Guérin-Ménéville,1842
Range (in code): [TR 08 24 25 42](#)
- 1638) Chrysis grohmanni Dahlbom,1854** (Chrysididae) Synonym(s): *grohmanni* Dahlbom,1854
Range (in code): [TR 24 25 36 36C](#)
- 1639) Chrysis gusenleitneri Linsenmaier,1968** (Chrysididae) Synonym(s): *gusenleitneri* Linsenmaier,1968
Range (in code): [TR](#)
- 1640) Chrysis handlirschi Mocsary,1889** (Chrysididae) Synonym(s): *handlirschi* Mocsary,1889
Range (in code): [TR](#)
- 1641) Chrysis hoberlandi Balthasar,1953** (Chrysididae) Synonym(s): *hoberlandi* Balthasar,1953
Range (in code): [TR](#)
- 1642) Chrysis horvathi Mocsary,1912** (Chrysididae) Synonym(s): *horvathi* Mocsary,1912
Range (in code): [TR](#)
- 1643) Chrysis ignicollis Trautmann,1926** (Chrysididae) Synonym(s): *ignicollis* Trautmann,1926
Range (in code): [TR](#)
- 1644) Chrysis ignita Linnaeus,1758** (Chrysididae) Synonym(s): *ignita* Linnaeus,1758
Range (in code): [TR 24 25 36 36C](#)
- 1645) Chrysis inaequalis Dahlbom,1845** (Chrysididae) Synonym(s): *inaequalis* Dahlbom,1845; *sapphirina* Semenov,1912
Range (in code): [TR CN 25 33 36 53 36F](#)
- 1646) Chrysis inambitiosa Linsenmaier,1959** (Chrysididae) Synonym(s): *inambitiosa* Linsenmaier,1959
Range (in code): [TR 02 31 33 63 02F 33O](#)
- 1647) Chrysis inclinata Linsenmaier,1968** (Chrysididae) Synonym(s): *inclinata* Linsenmaier,1968
Range (in code): [TR](#)
- 1648) Chrysis indigotea Dufour & Perris,1840** (Chrysididae) Synonym(s): *indigotea* Dufour & Perris,1840
Range (in code): [TR 24](#)
- 1649) Chrysis innesi Du Buysson,1891** (Chrysididae) Synonym(s): *innesi* Du Buysson,1891
Range (in code): [TR](#)
- 1650) Chrysis insperata Chevrier,1870** (Chrysididae) Synonym(s): *insperata* Chevrier,1870
Range (in code): [TR](#)
- 1651) Chrysis interjecta Du Buysson,1895** (Chrysididae) Synonym(s): *interjecta* Du Buysson,1895; *rosina* Balthasar,1949; *hemichlora* Linsenmaier,1951; *robusta* Linsenmaier,1951; *mediana* Linsenmaier,1987
Range (in code): [TR](#)
- 1652) Chrysis interpellator Linsenmaier,1968** (Chrysididae) Synonym(s): *interpellator* Linsenmaier,1968
Range (in code): [TR](#)
- 1653) Chrysis iocosa Linsenmaier,1968** (Chrysididae) Synonym(s): *iocosa* Linsenmaier,1968
Range (in code): [TR](#)
- 1654) Chrysis jaxartis Semenov,1910** (Chrysididae) Synonym(s): *jaxartis* Semenov,1910
Range (in code): [TR 25](#)
- 1655) Chrysis jaxartis Semenov,1910** (Chrysididae) Synonym(s): *jaxartis* Semenov,1910
Range (in code): [TR](#)
- 1656) Chrysis joppensis Buysson,1887** (Chrysididae) Synonym(s): *joppensis* Buysson,1887
Range (in code): [TR 11 24 25](#)
- 1657) Chrysis jucunda Mocsary,1889** (Chrysididae) Synonym(s): *jucunda* Mocsary,1889
Range (in code): [TR](#)
- 1658) Chrysis katheri Du Buysson,1890** (Chrysididae) Synonym(s): *katheri* Du Buysson,1890
Range (in code): [TR](#)
- 1659) Chrysis konyaca Linsemaier,1968** (Chrysididae) Synonym(s): *konyaca* Linsemaier,1968
Range (in code): [TR 42](#)
- 1660) Chrysis lanceolata Linsemaier,1959** (Chrysididae) Synonym(s): *lanceolata* Linsemaier,1959
Range (in code): [TR](#)

- 1661) Chrysis leachii Shuckard,1836** (Chrysididae) Synonym(s): *leachii Shuckard,1836*
Range (in code): TR
- 1662) Chrysis lepida Mocsary,1889** (Chrysididae) Synonym(s): *lepida Mocsary,1889* - Range (in code): TR
- 1663) Chrysis leptomandibularis Niehuis,2000** (Chrysididae) Synonym(s): *leptomandibularis Niehuis,2000* - Range (in code): TR
- 1664) Chrysis longula Abeille,1879** (Chrysididae) Synonym(s): *longula Abeille,1879* - Range (in code): TR 08 42
- 1665) Chrysis lusitanica Bischoff,1910** (Chrysididae) Synonym(s): *lusitanica Bischoff,1910*
Range (in code): ES TR
- 1666) Chrysis maculicornis Klug,1865** (Chrysididae) Synonym(s): *maculicornis Klug,1865*
Range (in code): TR 24 25 33 36 36F
- 1667) Chrysis manicata Dahmlbom,1854** (Chrysididae) Synonym(s): *manicata Dahmlbom,1854; chloris Mocsary,1889; matrona Semenov,1954* - Range (in code): YU GR Rd CY IL Pa IR EG RU UZ TR 06 80 06R
- 1668) Chrysis marani Balthasar,1953** (Chrysididae) Synonym(s): *marani Balthasar,1953*
Range (in code): TR
- 1669) Chrysis marginata Mocsary,1889** (Chrysididae) Synonym(s): *marginata Mocsary,1889*
Range (in code): TR 06 11 23 24 25 44 55
- 1670) Chrysis martinella Du Buysson,1900** (Chrysididae) Synonym(s): *martinella Du Buysson,1900* - Range (in code): TR
- 1671) Chrysis mediata Linsenmaier,1951** (Chrysididae) Synonym(s): *mediata Linsenmaier,1951*
Range (in code): TR 08 25 36 39 25A 36F
- 1672) Chrysis millenaris Mocsary,1897** (Chrysididae) Synonym(s): *millenaris Mocsary,1897*
Range (in code): TR
- 1673) Chrysis mirabilis Radoszkowski,1876** (Chrysididae) Synonym(s): *mirabilis Radoszkowski,1876* - Range (in code): GR TR 25 53 25A
- 1674) Chrysis misella Du Buysson,1900** (Chrysididae) Synonym(s): *misella Du Buysson,1900*
Range (in code): TR
- 1675) Chrysis mutabilis Du Buysson,1887** (Chrysididae) Synonym(s): *mutabilis Du Buysson,1887* - Range (in code): TR
- 1676) Chrysis mutincisa Linsenmaier,1968** (Chrysididae) Synonym(s): *mutincisa Linsenmaier,1968* - Range (in code): TR
- 1677) Chrysis mysta Du Buysson,1900** (Chrysididae) Synonym(s): *mysta Du Buysson,1900*
Range (in code): TR
- 1678) Chrysis nadigorum Bischoff,1935** (Chrysididae) Synonym(s): *nadigorum Bischoff,1935*
Range (in code): TR 07
- 1679) Chrysis obscuriventris Linsenmaier,1968** (Chrysididae) Synonym(s): *obscuriventris Linsenmaier,1968* - Range (in code): TR
- 1680) Chrysis obtusidens Dufour & Perris,1840** (Chrysididae) Synonym(s): *obtusidens Dufour & Perris,1840* - Range (in code): TR 24 25 55
- 1681) Chrysis opulenta Mocsary,1889** (Chrysididae) Synonym(s): *opulenta Mocsary,1889*
Range (in code): TR 24
- 1682) Chrysis pallidicornis Spinola,1838** (Chrysididae) Synonym(s): *pallidicornis Spinola,1838*
Range (in code): TR
- 1683) Chrysis peninsularis Du Buysson,1887** (Chrysididae) Synonym(s): *peninsularis Du Buysson,1887* - Range (in code): TR
- 1684) Chrysis phryne Abeille,1878** (Chrysididae) Synonym(s): *phryne Abeille,1878* - Range (in code): ES FR IT Si YU GR BG Cm TR
- 1685) Chrysis pilosolateralis Linsenmaier,1959** (Chrysididae) Synonym(s): *pilosolateralis Linsenmaier,1959* - Range (in code): TR 33
- 1686) Chrysis precipua Linsenmaier,1987** (Chrysididae) Synonym(s): *precipua Linsenmaier,1987* - Range (in code): TR
- 1687) Chrysis profugax Linsenmaier,1959** (Chrysididae) Synonym(s): *profugax Linsenmaier,1959* - Range (in code): TR 25
- 1688) Chrysis profugax Linsenmaier,1968** (Chrysididae) Synonym(s): *profugax Linsenmaier,1968* - Range (in code): TR

- 1689) Chrysis prosuccincta Linsenmaier,1968** (Chrysididae) Synonym(s): *prosuccincta* Linsenmaier,1968 _ Range (in code): TR
- 1690) Chrysis provenceana Linsenmaier,1959** (Chrysididae) Synonym(s): *provenceana* Linsenmaier,1959 _ Range (in code): TR 07 11 24 25 36 42 60 36C 36D 36F
- 1691) Chrysis pseudoanatolica Linsenmaier,1968** (Chrysididae) Synonym(s): *pseudoanatolica* Linsenmaier,1968 _ Range (in code): TR
- 1692) Chrysis pseudoincisa Balthasar,1953** (Chrysididae) Synonym(s): *pseudoincisa* Balthasar,1953 _ Range (in code): TR 06 24 25
- 1693) Chrysis pulchella Spinola,1808** (Chrysididae) Synonym(s): *pulchella* Spinola,1808 Range (in code): TR 08 11 24 25 29 36 42 36C 36F
- 1694) Chrysis pyrrhina Dahlbom,1845** (Chrysididae) Synonym(s): *pyrrhina* Dahlbom,1845 Range (in code): ES FR IT GR Co Cr CZ BG Si Sa TR CY IR Ak LB IL Pa RU
- 1695) Chrysis ragusae De Stefani,1888** (Chrysididae) Synonym(s): *ragusae* De Stefani,1888 Range (in code): IT Co MT Si HV HU BG GR TR 20 31 33 42 42D
- 1696) Chrysis rectianalis Linsenmaier,1968** (Chrysididae) Synonym(s): *rectianalis* Linsenmaier,1968 _ Range (in code): GR CY TR
- 1697) Chrysis refrigerata Linsenmaier,1959** (Chrysididae) Synonym(s): *refrigerata* Linsenmaier,1959 _ Range (in code): TR
- 1698) Chrysis ruddii Shuckard,1836** (Chrysididae) Synonym(s): *ruddii* Shuckard,1836 Range (in code): TR 25 36 36F
- 1699) Chrysis rufitarsis Brullé,1833** (Chrysididae) Synonym(s): *rufitarsis* Brullé,1833; *progressa* Linsenmaier,1959 [ssp.] Range (in code): TR GR AT HU IT YU FR RO RU Cc MA TN KG KK T-S TJ TM UZ IR Fa IL Pa
- 1700) Chrysis rutilans Olivier,1790** (Chrysididae) Synonym(s): *rutilans* Olivier,1790 _ Range (in code): ES FR Co CH AT HV BE Cc TR 08 11 25 33 80
- 1701) Chrysis rutiliventris Abeille,1879** (Chrysididae) Synonym(s): *rutiliventris* Abeille,1879; *sertavulensis* Linsenmaier,1968 [ssp.] _ Range (in code): TR 25 53 70
- 1702) Chrysis sardarica Radoskowsky,1890** (Chrysididae) Synonym(s): *sardarica* Radoskowsky,1890 Original reference: Chrysis sardarica Radoskowsky,1890, Horae Soc. ent. ross. 24: 509-510. Type: [Turquie]: Ararat. Range (in code): TR 76
- 1703) Chrysis schousboei Dahlbom,1854** (Chrysididae) Synonym(s): *schousboei* Dahlbom,1854 Range (in code): TR 52
- 1704) Chrysis sculpturata Mocsary,1912** (Chrysididae) Synonym(s): *sculpturata* Mocsary,1912 Range (in code): TR
- 1705) Chrysis scutellaris Fabricius,1794** (Chrysididae) Synonym(s): *scutellaris* Fabricius,1794 Range (in code): TR 06 24 25 36 42 60 36C 36F
- 1706) Chrysis semiviolacea Mocsary,1889** (Chrysididae) Synonym(s): *semiviolacea* Mocsary,1889 _ Range (in code): TR 25
- 1707) Chrysis separata (Trautmann,1926)** (Chrysididae) Synonym(s): *separata* Trautmann,1926 _ Range (in code): GR TR 24 25 63 63L
- 1708) Chrysis sexdentata Christ,1791** (Chrysididae) Synonym(s): *sexdentata* Christ,1791 Range (in code): TR 25 36 36C
- 1709) Chrysis smaragdina Trautmann,1926** (Chrysididae) Synonym(s): *smaragdina* Trautmann,1926 _ Range (in code): TR
- 1710) Chrysis soror Dahlbom,1854** (Chrysididae) Synonym(s): *soror* Dahlbom,1854 _ Range (in code): TR 11 24 25 36 68 36C
- 1711) Chrysis splendidula Rossi,1790** (Chrysididae) Synonym(s): *splendidula* Rossi,1790 Range (in code): TR 24
- 1712) Chrysis stigmaticornis Linsenmaier,1968** (Chrysididae) Synonym(s): *stigmaticornis* Linsenmaier,1968 _ Range (in code): TR 36
- 1713) Chrysis striatifacialis Linsenmaier,1968** (Chrysididae) Synonym(s): *striatifacialis* Linsenmaier,1968 _ Range (in code): TR
- 1714) Chrysis subanalis Linsenmaier,1968** (Chrysididae) Synonym(s): *subanalis* Linsenmaier,1968 _ Range (in code): TR
- 1715) Chrysis subaurotecta Linsenmaier,1959** (Chrysididae) Synonym(s): *subaurotecta* Linsenmaier,1959 _ Range (in code): TR 24 25

- 1716) Chrysis subincisa Linsenmaier,1959** (Chrysididae) Synonym(s): *subincisa* Linsenmaier,1959 _ Range (in code): TR 24 25
- 1717) Chrysis subsinuata Marquet,1879** (Chrysididae) Synonym(s): *subsinuata* Marquet,1879; *fallax* Mocsary,1882 _ Range (in code): TR 24 25
- 1718) Chrysis succincta Linnaeus,1767** (Chrysididae) Synonym(s): *succincta* Linnaeus,1767 Range (in code): IT TR 24 25 33 36 40 47 36F 47D 47Da
- 1719) Chrysis sultanica Strumia,2007** (Chrysididae) Synonym(s): *sultanica* Strumia,2007 Range (in code): TR 42
- 1720) Chrysis svetlana Semenov,1954** (Chrysididae) Synonym(s): *svetlana* Semenov,1954 Range (in code): TR 25
- 1721) Chrysis sybaritoides Linsenmaier,1968** (Chrysididae) Synonym(s): *sybaritoides* Linsenmaier,1968 _ Range (in code): TR
- 1722) Chrysis taczanowski Radoskowski,1876** (Chrysididae) Synonym(s): *taczanowski* Radoskowski,1876 _ Range (in code): CY SY IL Pa PT ES Cr GR EG TR 01 07 09 76 76A
- 1723) Chrysis taurica Mocsary,1889** (Chrysididae) Synonym(s): *taurica* Mocsary,1889 Range (in code): CY GR RU UA Cm TR 24 33
- 1724) Chrysis turceyana Linsenmaier,1959** (Chrysididae) Synonym(s): *turceyana* Linsenmaier,1959 _ Range (in code): TR
- 1725) Chrysis turcica Du Buysson,1908** (Chrysididae) Synonym(s): *turcica* Du Buysson,1908 Range (in code): TR
- 1726) Chrysis urfana Linsenmaier,1968** (Chrysididae) Synonym(s): *urfana* Linsenmaier,1968 Range (in code): TR 63
- 1727) Chrysis valida Mocsary,1912** (Chrysididae) Synonym(s): *valida* Mocsary,1912 _ Range (in code): TR 08 25
- 1728) Chrysis varidens Abeille,1878** (Chrysididae) Synonym(s): *varidens* Abeille,1878; *eva* Balthazar,1949 _ Range (in code): PT Sa Si IT ES FR HU HV TR
- 1729) Chrysis verhoeffi Linsenmaier,1959** (Chrysididae) Synonym(s): *verhoeffi* Linsenmaier,1959 _ Range (in code): TR
- 1730) Chrysis verna Dahlbom,1854** (Chrysididae) Synonym(s): *verna* Dahlbom,1854 _ Range (in code): GR Ae TR 09 20 25 33 42 68 09K 42D
- 1731) Chrysis viridissima Klug,1845** (Chrysididae) Synonym(s): *viridissima* Klug,1845; *fasciolata* Klug,1845 _ Range (in code): TR IR 76 76B
- 1732) Chrysis viridula Linnaeus,1761** (Chrysididae) Synonym(s): *viridula* Linnaeus,1761 Range (in code): TR
- 1733) Chrysis wahrmanni Linsenmaier,1959** (Chrysididae) Synonym(s): *wahrmanni* Linsenmaier,1959 _ Range (in code): TR
- 1734) Chrysis yildirimi Strumia,2007** (Chrysididae) Synonym(s): *yildirimi* Strumia,2007 Range (in code): TR 25
- 1735) Chrysis zobeida Du Buysson,1896** (Chrysididae) Synonym(s): *zobeida* Du Buysson,1896 Range (in code): EG SA IL Pa TR 11 24 62 62G
- 1736) Chrysis zonata Dahlbom,1854** (Chrysididae) Synonym(s): *zonata* Dahlbom,1854 Range (in code): TR
- 1737) Chrysura anatolica Trautmann,1926** (Chrysididae) Synonym(s): *anatolica* Trautmann,1926 _ Range (in code): TR
- 1738) Chrysura arcadiae Arens,2001** (Chrysididae) Synonym(s): *arcadiae* Arens,2001 Range (in code): TR GR
- 1739) Chrysura austriaca (Fabricius,1804)** (Chrysididae) Synonym(s): *austriaca* Fabricius,1804 Range (in code): TR
- 1740) Chrysura baccha (Balthazar,1953)** (Chrysididae) Synonym(s): *baccha* Balthazar,1953 Range (in code): TR GR 25
- 1741) Chrysura barbata Du Buysson,1849** (Chrysididae) Synonym(s): *barbata* Du Buysson,1849 Range (in code): TR 25 36
- 1742) Chrysura barbatula Linsenmaier,1968** (Chrysididae) Synonym(s): *barbatula* Linsenmaier,1968 _ Range (in code): TR
- 1743) Chrysura ciliciensis Mocsary,1914** (Chrysididae) Synonym(s): *ciliciensis* Mocsary,1914 Range (in code): TR

- 1744) Chrysura circe (Mocsary,1889)** (Chrysididae) Synonym(s): *circe* Mocsary,1889 _ Range (in code): TR
- 1745) Chrysura cirtana Lucas,1849** (Chrysididae) Synonym(s): *cirtana* Lucas,1849 _ Range (in code): TR
- 1746) Chrysura ciscirtana Linsenmaier,1959** (Chrysididae) Synonym(s): *ciscirtana* Linsenmaier,1959 _ Range (in code): TR 06 11 21 24 25 60 63 21P 63E
- 1747) Chrysura cuprea (Rossi,1790)** (Chrysididae) Synonym(s): *cuprea* Rossi,1790 _ Range (in code): TR 03 08 11 24 25 33 35 36 43 58 80 36F
- 1748) Chrysura declinanalisis Linsenmaier,1968** (Chrysididae) Synonym(s): *declinanalisis* Linsenmaier,1968 _ Range (in code): TR
- 1749) Chrysura desertorum Du Buysson,1887** (Chrysididae) Synonym(s): *desertorum* Du Buysson,1887 _ Range (in code): TR
- 1750) Chrysura dichroa (Dahlbom,1854)** (Chrysididae) Synonym(s): *dichroa* Dahlbom,1854; *socia* Dahlbom,1854 _ Range (in code): IT AT TR Cr IL Pa RU Cc 07 11 17 24 25 32 33 35 39 76 25A
- 1751) Chrysura elzeari Du Buysson,1891** (Chrysididae) Synonym(s): *elzeari* Du Buysson,1891 _ Range (in code): TR
- 1752) Chrysura erigone Mocsary,1889** (Chrysididae) Synonym(s): *erigone* Mocsary,1889 _ Range (in code): CY TR 07 24 25 36 38 42 46 47 58 63 70 36C 42D 58G 63E
- 1753) Chrysura filiformis (Mocsary,1889)** (Chrysididae) Synonym(s): *filiformis* Mocsary,1889 _ Range (in code): AT HU HV GR Rd TR 17 33
- 1754) Chrysura foveatidorsa Linsenmaier,1968** (Chrysididae) Synonym(s): *foveatidorsa* Linsenmaier,1968 _ Range (in code): TR
- 1755) Chrysura graja (Mocsary,1889)** (Chrysididae) Synonym(s): *graja* Mocsary,1889 _ Range (in code): TR
- 1756) Chrysura hybrida Lepeletier,1806** (Chrysididae) Synonym(s): *hybrida* Lepeletier,1806 _ Range (in code): TR
- 1757) Chrysura ignifrons (Brullé,1833)** (Chrysididae) Synonym(s): *ignifrons* Brullé,1833 _ Range (in code): ES IT CH AT GR SY IL Pa Cc TR 25 42 47 58 70 42D 47D 47Da 58G
- 1758) Chrysura interdichroa Arens,2002** (Chrysididae) Synonym(s): *interdichroa* Arens,2002 _ Range (in code): TR
- 1759) Chrysura isabella Trautmann,1926** (Chrysididae) Synonym(s): *isabella* Trautmann,1926 _ Range (in code): TR 25
- 1760) Chrysura judith (Balthazar,1953)** (Chrysididae) Synonym(s): *judith* Balthazar,1953 _ Range (in code): TR ES HV GR
- 1761) Chrysura krueperi (Mocsary,1889)** (Chrysididae) Synonym(s): *krueperi* Mocsary,1889; *zimmermanni* Balthazar,1953 _ Range (in code): TR GR
- 1762) Chrysura laevigata (Abeille de Perrin,1879)** (Chrysididae) Synonym(s): *laevigata* Abeille de Perrin,1879 _ Range (in code): TR
- 1763) Chrysura laodamia (Du Buysson,1900)** (Chrysididae) Synonym(s): *laodamia* Du Buysson,1900 _ Range (in code): TR
- 1764) Chrysura longimaculata Linsenmaier,1997** (Chrysididae) Synonym(s): *longimaculata* Linsenmaier,1997 _ Range (in code): TR
- 1765) Chrysura lydiae Mocsary,1889** (Chrysididae) Synonym(s): *lydiae* Mocsary,1889 _ Range (in code): TR 24 25
- 1766) Chrysura magrettii Du Buysson,1890** (Chrysididae) Synonym(s): *magrettii* Du Buysson,1890 _ Range (in code): TR
- 1767) Chrysura mistrasensis Linsenmaier,1968** (Chrysididae) Synonym(s): *mistrasensis* Linsenmaier,1968 _ Range (in code): TR 35
- 1768) Chrysura oraniensis (Lucas,1849)** (Chrysididae) Synonym(s): *oraniensis* Lucas,1849 _ Range (in code): TR ES DZ GR CY Si Rd
- 1769) Chrysura ottomana (Mocsary,1889)** (Chrysididae) Synonym(s): *ottomana* Mocsary,1889 _ Range (in code): TR
- 1770) Chrysura pelopaeicida (Du Buysson,1887)** (Chrysididae) Synonym(s): *pelopaeicida* Du Buysson,1887 _ Range (in code): TR
- 1771) Chrysura phrygiensis (Arens,2002)** (Chrysididae) Synonym(s): *phrygiensis* Arens,2002 _ Range (in code): TR 33 70

- 1772) Chrysura pilosissima (Bischoff,1910)** (Chrysididae) Synonym(s): *pilosissima* Bischoff,1910 _ Range (in code): TR
- 1773) Chrysura pseudodichroa Linsenmaier,1959** (Chrysididae) Synonym(s): *pseudodichroa* Linsenmaier,1959 _ Range (in code): TR
- 1774) Chrysura purpureifrons Abeille de Perrin,1878** (Chrysididae) Synonym(s): *purpureifrons* Abeille de Perrin,1878 _ Range (in code): RU TR 39
- 1775) Chrysura pyrogaster (Brullé,1833)** (Chrysididae) Synonym(s): *pyrogaster* Brullé,1833; *turca* Linsenmaier,1997 [ssp.] _ Range (in code): GR TR 24 25 35 36 50 62 80 36F
- 1776) Chrysura radians (Harris,1776)** (Chrysididae) Synonym(s): *radians* Harris,1776; *pustulosa* Abeille,1878 _ Range (in code): TR 31
- 1777) Chrysura refulgens (Spinola,1806)** (Chrysididae) Synonym(s): *refulgens* Spinola,1806 _ Range (in code): TR CY SY IL Pa Cc MT IT FR ES PT HV CH AT Co Si GR Cr Rd 08 21 25 21P
- 1778) Chrysura rufiventris (Dahlbom,1854)** (Chrysididae) Synonym(s): *rufiventris* Dahlbom,1854 _ Range (in code): TR
- 1779) Chrysura simplex (Dahlbom,1854)** (Chrysididae) Synonym(s): *simplex* Dahlbom,1854 _ Range (in code): TR 25
- 1780) Chrysura simulacra Linsenmaier,1959** (Chrysididae) Synonym(s): *simulacra* Linsenmaier,1959 _ Range (in code): TR
- 1781) Chrysura simuldichroa (Linsenmaier,1969)** (Chrysididae) Synonym(s): *simuldichroa* Linsenmaier,1969 _ Range (in code): TR
- 1782) Chrysura smyrnensis (Mocsary,1889)** (Chrysididae) Synonym(s): *smyrnensis* Mocsary,1889 _ Range (in code): TR 35
- 1783) Chrysura sulcata (Dahlbom,1845)** (Chrysididae) Synonym(s): *sulcata* Dahlbom,1845 _ Range (in code): ES Sa Si GR CY Rd Cr IL Pa Cc TR 24 25 36 40 36C 36F
- 1784) Chrysura trimaculata (Förster,1853)** (Chrysididae) Synonym(s): *trimaculata* Förster,1853 _ Range (in code): TR
- 1785) Chrysura varicornis (Spinola,1838)** (Chrysididae) Synonym(s): *varicornis* Spinola,1838 _ Range (in code): SY IL Pa Rd CY Cr Cc TR 02 33 42 49 58 63 02F 33O 42D 49E 49Ea 58G
- 1786) Chrysura viridana Dahlbom,1844** (Chrysididae) Synonym(s): *viridana* Dahlbom,1844 _ Range (in code): TR
- 1787) Cleptes (Leiocleptes) kUSDASICUS Moczar,1968** (Chrysididae) Synonym(s): *kUSDASICUS* Moczar,1968 _ Original reference: Cleptes kUSDASICUS Moczar,1968, Opusc. zool. 8 (2): 368-369. Holotype ♀: Mut, Asia min., 275m 30 5 1967 leg. K.KUSDAS (coll.KUSDAS, Linz). Range (in code): TR 33 33O
- 1788) Cleptes (Zimmermannia) muti Moczar,1968** (Chrysididae) Synonym(s): *muti* Moczar,1968 _ Original reference: Cleptes muti Moczar,1968, Opusc. zool. 8 (2): 369-370. Holotype ♂: Mut, Asia min., 275m 30 5 1967 leg. K.KUSDAS (coll.KUSDAS, Linz). Range (in code): TR 33 33O
- 1789) Cleptes aerosus Förster,1853** (Chrysididae) Synonym(s): *aerosus* Förster,1853; *abeillei* Buysson,1887 _ Range (in code): HU GR CH IT Si TR
- 1790) Cleptes affulgens Linsenmaier,1994** (Chrysididae) Synonym(s): *affulgens* Linsenmaier,1994 _ Original reference: Cleptes affulgens Linsenmaier,1994, Entomofauna 15: 515-516, Abb. Holotype ♂: Palaestina, Jordanien, Tivon 24.4.1944, leg. Bytinski-Salz (coll. Linsenmaier). Range (in code): IL Pa JO Amm TR
- 1791) Cleptes afra Lucas,1849** (Chrysididae) Synonym(s): *afra* Lucas,1849; *afra* Mocsary,1889 _ Range (in code): MA DZ ES TN TR 05
- 1792) Cleptes anatolensis Moczar,2001** (Chrysididae) Synonym(s): *anatolensis* Moczar,2001 _ Original reference: Cleptes anatolensis Moczar,2001, Linzer biol. Beitr. 33 (1): 913-914, figs. Holotype ♂: Turkey: Burdur, NW Bucak 900m 31.v. 1961 leg. F.Rossi (HNHM). Range (in code): TR 15 47
- 1793) Cleptes anceyi Du Buysson,1891** (Chrysididae) Synonym(s): *anceyi* Du Buysson,1891; *gurunensis* Linsenmaier,1987; *#gurunensis* Strumia & Yildirim,2007 _ Range (in code): DZ MA TN TR 58 58G
- 1794) Cleptes caucasicus Semenov,1920** (Chrysididae) Synonym(s): *caucasicus* Semenov,1920; *hyrcanus* Semenov,1920 _ Range (in code): RU Cc GG TR IR Gor
- 1795) Cleptes collaris Linsenmaier,1959** (Chrysididae) Synonym(s): *collaris* Linsenmaier,1959 _ Range (in code): TR

- 1796) *Cleptes consimilis* Buysson,1887** (Chrysididae) Synonym(s): *consimilis* Buysson,1887; *chyzeri* Mocsary,1889 _ Range (in code): ES FR HU SK HV B-H AT AL GR BG RU TR IL Pa
- 1797) *Cleptes dahlbomi* Semenov,1920** (Chrysididae) Synonym(s): *aurata* Dahlbom,1845 *nec* Panz.,1798; *dahlbomi* Semenov,1920 _ Range (in code): TR IL Pa Js JO 34
- 1798) *Cleptes femoralis* Mocsary,1890** (Chrysididae) Synonym(s): *femoralis* Mocsary,1890; *antakyensis* Linsenmaier,1968 _ Range (in code): GR Cc TR RU 16 31 50
- 1799) *Cleptes ignitus* (Fabricius,1787)** (Chrysididae) Synonym(s): *ignitus* Fabricius,1787 Range (in code): HU SK YU UA Cm TR RU Sr AM Cc DZ TN FR CH AT IL Pa 11 24 25 33 36 42 50 25A
- 1800) *Cleptes jordanicus* Linsenmeier,1968** (Chrysididae) Synonym(s): *jordanicus* Linsenmeier,1968 _ Range (in code): JO TR ES 31
- 1801) *Cleptes mocsaryi* Semenov,1891** (Chrysididae) Synonym(s): *mocsaryi* Semenov,1891 Range (in code): TR
- 1802) *Cleptes nitidulus* (Fabricius,1793)** (Chrysididae) Synonym(s): *nitidulus* Fabricius,1793; *fallax* Mocsary,1889 _ Range (in code): IT TR CN Mc HU SK AT CZ DE CH ES DK FR AL TR
- 1803) *Cleptes orientalis* Dahlbom,1854** (Chrysididae) Synonym(s): *orientalis* Dahlbom,1854 Range (in code): TR
- 1804) *Cleptes pallipes* Lepeletier,1806** (Chrysididae) Synonym(s): *pallipes* Lepeletier,1806; *diana* Mocsary,1889 _ Range (in code): ES FR Co IT RU GR NL DE BE SE FI PL HU AT CZ SK UA RO BG B-H Cc TR US ID Sum 47 76
- 1805) *Cleptes pronigratus* Linsenmaier,1968** (Chrysididae) Synonym(s): *pronigratus* Linsenmaier,1968 _ Range (in code): TR
- 1806) *Cleptes putoni* Du Buysson,1886** (Chrysididae) Synonym(s): *putoni* Buysson,1886; *saussurei* Mocsary,1889; *buyssoni* Semenov,1892 _ Range (in code): RU Sr IT Si YU SS TR AT HU CH FR JO
- 1807) *Cleptes schmidtii* Linsenmaier,1968** (Chrysididae) Synonym(s): *schmidtii* Linsenmaier,1968 _ Range (in code): GR TR 32
- 1808) *Cleptes seidenstueckeri* Linsenmaier,1959** (Chrysididae) Synonym(s): *seidenstueckeri* Linsenmaier,1959 _ Range (in code): TR
- 1809) *Cleptes semiauratus* (Linnaeus,1761)** (Chrysididae) Synonym(s): *semiauratus* Linnaeus,1761 _ Range (in code): US FR DZ AT HU RO YU CH BG ES PT GB HV DK PL DE IT Si Cc TR RU 25 39 47
- 1810) *Cleptes triestiensis* Moczar,2000** (Chrysididae) Synonym(s): *triestiensis* Moczar,2000 Range (in code): IT Co Sa TR 39 62
- 1811) *Cleptes turceyanus* Linsenmeier,1968** (Chrysididae) Synonym(s): *turceyanus* Linsenmeier,1968 _ Range (in code): TR 31 33
- 1812) *Elampus albipennis* Mocsary,1889** (Chrysididae) Synonym(s): *albipennis* Mocsary,1889 Range (in code): TR
- 1813) *Elampus bidens* (Förster,1853)** (Chrysididae) Synonym(s): *bidens* Förster,1853 Range (in code): PL IT RU Sb TR Cc
- 1814) *Elampus pyrosomus* (Förster,1853)** (Chrysididae) Synonym(s): *pyrosomus* Förster,1853 Range (in code): TR 25
- 1815) *Elampus sanzii* (Gogorza,1887)** (Chrysididae) Synonym(s): *sanzii* Gogorza,1887 Range (in code): ES TR LB IL Pa JO EG Sn SA IR IQ SY IT Cc GG AM AZ RU 06 24 25 33 39 42 68 06R
- 1816) *Elampus scutellaris* (Panzer,1798)** (Chrysididae) Synonym(s): *scutellaris* Panzer,1798 *nec* Fabr.,1793; *panzeri* Fabricius,1804; *coeruleus* Dahlbom,1854 _ Range (in code): TR DE IT CY HU RU 21 24 25 21P
- 1817) *Elampus spinus* (Lepeletier,1806)** (Chrysididae) Synonym(s): *spinus* Lepeletier,1806 Range (in code): IT Sa Si FR TR 11 21 24 25 35
- 1818) *Euchroeus doursi* Gribodo,1875** (Chrysididae) Synonym(s): *doursi* Gribodo,1875 Range (in code): TR
- 1819) *Euchroeus eous* Semenov,1912** (Chrysididae) Synonym(s): *eous* Semenov,1912 _ Range (in code): TR
- 1820) *Euchroeus limbatus* (Dahlbom,1854)** (Chrysididae) Synonym(s): *limbatus* Dahlbom,1854 Range (in code): ES TR 25 42 50 58 42D 50G 58G
- 1821) *Euchroeus neglectoides* Linsenmaier,1959** (Chrysididae) Synonym(s): *neglectoides* Linsenmaier,1959 _ Range (in code): TR
- 1822) *Euchroeus purpuratus* (Fabricius,1787)** (Chrysididae) Synonym(s): *purpuratus* Fabricius,1787; *consularis* Du Buysson,1896 _ Range (in code): TR 25

- 1823) *Euchroeus tricoloricornis* Linsenmaier,1968** (Chrysididae) Synonym(s): *tricoloricornis* Linsenmaier,1968 - Range (in code): TR
- 1824) *Hedychridium aheneum* (Dahlbom,1854)** (Chrysididae) Synonym(s): *aheneum* Dahlbom,1854; *feritatum* Linsenmaier,1959 - Range (in code): Cy LY EG TR 07 20 24 25 33 39 50 63 70
- 1825) *Hedychridium ardens* (Coquebert,1801)** (Chrysididae) Synonym(s): *ardens* Coquebert,1801 - Range (in code): TR 25
- 1826) *Hedychridium atratum* Linsenmaier,1968** (Chrysididae) Synonym(s): *atratum* Linsenmaier,1968 - Range (in code): TR
- 1827) *Hedychridium buyssoni* Abeille,1887** (Chrysididae) Synonym(s): *buyssoni* Abeille,1887; *#du buyssoni* Strumia & Yildirim,2007 - Range (in code): TR 25
- 1828) *Hedychridium bytinskii* Linsenmaier,1959** (Chrysididae) Synonym(s): *bytinskii* Linsenmaier,1959 - Range (in code): GR TR 12 33 42 80 80C
- 1829) *Hedychridium caputaurum* Trautmann,1919** (Chrysididae) Synonym(s): *caputaurum* Trautmann,1919 - Range (in code): DE FR NL AT HU BG GR TR 39 42
- 1830) *Hedychridium caucasicum* Trautmann,1926** (Chrysididae) Synonym(s): *caucasicum* Trautmann,1926; *irregulare* Linsenmaier,1959 - Range (in code): TR 08 11 24 25 36 60 76 36F
- 1831) *Hedychridium chloropygum* Buysson,1888** (Chrysididae) Synonym(s): *chloropygum* Buysson,1888; *berberiacum* Linsenmaier,1959; *densum* Linsenmaier,1959; *spatium* Linsenmaier,1959 - Range (in code): CH FR DZ IT Sa Si AT HU ES Co TR
- 1832) *Hedychridium coriaceum* (Dahlbom,1854)** (Chrysididae) Synonym(s): *coriaceum* Dahlbom,1854 - Range (in code): FI SE PL CZ TN TR 25 49 49E 49Ea
- 1833) *Hedychridium cupratum* (Dahlbom,1854)** (Chrysididae) Synonym(s): *cupratum* Dahlbom,1854 - Range (in code): TR
- 1834) *Hedychridium elegans* Mocsary,1891** (Chrysididae) Synonym(s): *elegans* Mocsary,1891 - Range (in code): TR
- 1835) *Hedychridium femoratum* (Dahlbom,1854)** (Chrysididae) Synonym(s): *femoratum* Dahlbom,1854; *miricolor* Morice,1909 - Range (in code): TR 11 24 25 51
- 1836) *Hedychridium flavipes* Eversmann,1857** (Chrysididae) Synonym(s): *flavipes* Eversmann,1857 - Range (in code): TR 23 24 25 36 36F
- 1837) *Hedychridium franciscanum* Linsenmaier,1987** (Chrysididae) Synonym(s): *franciscanum* Linsenmaier,1987 - Range (in code): TR
- 1838) *Hedychridium houskai* Balthasar,1953** (Chrysididae) Synonym(s): *houskai* Balthasar,1953 - Range (in code): TR
- 1839) *Hedychridium incrassatum* (Dahlbom,1854)** (Chrysididae) Synonym(s): *incrassatum* Dahlbom,1854 - Range (in code): TR
- 1840) *Hedychridium integrum* Dahlbom,1854** (Chrysididae) Synonym(s): *integrum* Dahlbom,1854 - Range (in code): TR 25
- 1841) *Hedychridium jucundum* (Mocsary,1889)** (Chrysididae) Synonym(s): *jucundum* Mocsary,1889 - Range (in code): FR IT Co HV HU CZ Cc ES DE TR 39
- 1842) *Hedychridium krajniki* Balthazar,1946** (Chrysididae) Synonym(s): *krajniki* Balthazar,1946 - Range (in code): TR
- 1843) *Hedychridium lampadum* Linsenmaier,1959** (Chrysididae) Synonym(s): *lampadum* Linsenmaier,1959; *limassolense* Linsenmaier,1959 [ssp.] - Range (in code): TR CY 08 11 24 25 33 36 55 60 69 36C
- 1844) *Hedychridium lampas* (Christ,1791)** (Chrysididae) Synonym(s): *lampas* Christ,1791; *limassolense* Linsenmaier,1959 [ssp.] - TR CY 33 42
- 1845) *Hedychridium maculiventre* Linsenmaier,1959** (Chrysididae) Synonym(s): *maculiventre* Linsenmaier,1959 - Range (in code): TR 25
- 1846) *Hedychridium marteni* Linsenmaier,1951** (Chrysididae) Synonym(s): *marteni* Linsenmaier,1951 - Range (in code): TR
- 1847) *Hedychridium monochroum* Du Buysson,1888** (Chrysididae) Synonym(s): *monochroum* Du Buysson,1888 - Range (in code): TR
- 1848) *Hedychridium moricei* Buysson,1904** (Chrysididae) Synonym(s): *moricei* Buysson,1904 - Range (in code): TR 24 42
- 1849) *Hedychridium palestinese* Balthasar,1953** (Chrysididae) Synonym(s): *palestinese* Balthasar,1953; *sculpturatissimum* Linsenmaier,1959 - Range (in code): IL Pa TR 24 25

- 1850) Hedychridium perpunctatum Balthasar,1953** (Chrysididae) Synonym(s): *perpunctatum Balthasar,1953* _ [Range \(in code\): TR](#)
- 1851) Hedychridium plagiatum (Mocsary,1883)** (Chrysididae) Synonym(s): *plagiatum Mocsary,1883* _ [Range \(in code\): TR](#)
- 1852) Hedychridium pulchellum Mocsary,1892** (Chrysididae) Synonym(s): *pulchellum Mocsary,1892* _ [Range \(in code\): TR](#)
- 1853) Hedychridium rhodojanthinum Enslin,1939** (Chrysididae) Synonym(s): *rhodojanthinum Enslin,1939* _ [Range \(in code\): TR](#)
- 1854) Hedychridium roseum (Rossi,1790)** (Chrysididae) Synonym(s): *roseum Rossi,1790* _ [Range \(in code\): TR 24 25 34 42 60](#)
- 1855) Hedychridium rubrum Linsenmaier,1968** (Chrysididae) Synonym(s): *rubrum Linsenmaier,1968* _ [Range \(in code\): TR](#)
- 1856) Hedychridium sculpturatum (Abeille de Perrin,1877)** (Chrysididae) Synonym(s): *sculpturatum Abeille de Perrin,1877* _ [Range \(in code\): TR 25](#)
- 1857) Hedychridium verhoeffi Linsenmaier,1959** (Chrysididae) Synonym(s): *verhoeffi Linsenmaier,1959* _ [Range \(in code\): Co GR TR 68](#)
- 1858) Hedychridium viridiscutellare Arens,2004** (Chrysididae) Synonym(s): *viridiscutellare Arens,2004* _ [Range \(in code\): TR](#)
- 1859) Hedychridium viridisulcatum Linsenmaier,1968** (Chrysididae) Synonym(s): *viridisulcatum Linsenmaier,1968* _ [Range \(in code\): TR](#)
- 1860) Hedychrum aureicolle Mocsary,1889** (Chrysididae) Synonym(s): *aureicolle Mocsary,1889* _ [Range \(in code\): TR 08 24 25 69](#)
- 1861) Hedychrum bershebensis Linsenmaier,1969** (Chrysididae) Synonym(s): *bershebensis Linsenmaier,1969* _ [Range \(in code\): TR](#)
- 1862) Hedychrum coelestinum Spinola,1838** (Chrysididae) Synonym(s): *coelestinum Spinola,1838* _ [Range \(in code\): TR](#)
- 1863) Hedychrum gerstaeckeri Chevrier,1869** (Chrysididae) Synonym(s): *gerstaeckeri Chevrier,1869* _ [Range \(in code\): TR 06 08 24 25 36 06M 36F](#)
- 1864) Hedychrum hoberlandi Balthasar,1953** (Chrysididae) Synonym(s): *hoberlandi Balthasar,1953; #hoberberlandi Strumia & Yildirim,2007* _ [Range \(in code\): TR](#)
- 1865) Hedychrum longicolle Abeille de Perrin,1877** (Chrysididae) Synonym(s): *longicolle Abeille de Perrin,1877* _ [Range \(in code\): CN TR 25 39 42 63](#)
- 1866) Hedychrum luculentum Förster,1853** (Chrysididae) Synonym(s): *luculentum Förster,1853; bytinskii Linsenmaier,1959* _ [Range \(in code\): TR 08 25 36 69 36F](#)
- 1867) Hedychrum mavromoustakisi Trautmann,1929** (Chrysididae) Synonym(s): *mavromoustakisi Trautmann,1929* _ [Range \(in code\): TR](#)
- 1868) Hedychrum micans Lucas,1849** (Chrysididae) Synonym(s): *micans Lucas,1849* _ [Range \(in code\): TR 39](#)
- 1869) Hedychrum niemelai Linsenmaier,1959** (Chrysididae) Synonym(s): *niemelai Linsenmaier,1959* _ [Range \(in code\): TR 08 25 39 42 80 80C](#)
- 1870) Hedychrum nobile (Scopoli,1763)** (Chrysididae) Synonym(s): *nobile Scopoli,1763* _ [Range \(in code\): TR 08 10 11 25 37 39 69](#)
- 1871) Hedychrum punctigerum Mocsary,1909** (Chrysididae) Synonym(s): *punctigerum Mocsary,1909* _ [Range \(in code\): TR](#)
- 1872) Hedychrum rutilans Dahlbom,1854** (Chrysididae) Synonym(s): *rutilans Dahlbom,1854; viridiauratum Mocsary,1889 [ssp.]* _ [Range \(in code\): TR 25 36 42 50 80 36F 80C](#)
- 1873) Hedychrum scutellare Linsenmaier,1969** (Chrysididae) Synonym(s): *scutellare Linsenmaier,1969* _ [Range \(in code\): TR](#)
- 1874) Hedychrum unicolor Balthasar,1953** (Chrysididae) Synonym(s): *unicolor Balthasar,1953* _ [Range \(in code\): TR](#)
- 1875) Hedychrum virens Dahlbom,1854** (Chrysididae) Synonym(s): *virens Dahlbom,1854* _ [Range \(in code\): TR](#)
- 1876) Hedychrum zarudnyi Semenov,1954** (Chrysididae) Synonym(s): *zarudnyi Semenov,1954* _ [Range \(in code\): TR](#)
- 1877) Holopyga amoenula Dahlbom,1845** (Chrysididae) Synonym(s): *amoenula Dahlbom,1845; occidenta Linsenmaier,1959; oriensa Linsenmaier,1959* _ [Range \(in code\): TR 07 08 24 25 49 60](#)

- 1878) Holopyga bifigurata Linsenmaier,1968** (Chrysididae) Synonym(s): *bifigurata* Linsenmaier,1968 _ Range (in code): TR 24 25 36 42 55 80 36F
- 1879) Holopyga chrysonota (Förster,1853)** (Chrysididae) Synonym(s): *chrysonota* Förster,1853 _ Range (in code): TR
- 1880) Holopyga chrysonota (Förster,1853)** (Chrysididae) Synonym(s): *chrysonota* Förster,1853; *appliata* Linsenmaier,1959 _ Range (in code): TR 24 25 36 36F
- 1881) Holopyga crassepuncta Semenov,1954** (Chrysididae) Synonym(s): *crassepuncta* Semenov,1954 _ Range (in code): TR
- 1882) Holopyga cypruscula Linsenmaier,1959** (Chrysididae) Synonym(s): *cypruscula* Linsenmaier,1959; *detrita* Linsenmaier,1959 _ Range (in code): CY GR TR 25 33 42 63
- 1883) Holopyga enslini Lindenmaier,1959** (Chrysididae) Synonym(s): *enslini* Lindenmaier,1959 _ Range (in code): TR
- 1884) Holopyga eroli Strumia,2007** (Chrysididae) Synonym(s): *eroli* Strumia,2007 _ Range (in code): TR 04
- 1885) Holopyga fervida Dahlbom,1854** (Chrysididae) Synonym(s): *fervida* Dahlbom,1854 _ Range (in code): IR TR 11 20 25 33 36 39 60 36C
- 1886) Holopyga generosa (Förster,1853)** (Chrysididae) Synonym(s): *generosa* Förster,1853; *crassepunctata* Semenov,1954 _ Range (in code): TR 06 15 24 25 36 39 42 47 50 60 76 06R 36C 76A
- 1887) Holopyga ignicollis Dahlbom,1854** (Chrysididae) Synonym(s): *ignicollis* Dahlbom,1854 _ Range (in code): TR 06 08 10 11 24 25 26 36 37 39 50 60 68 69 70 06R 36F
- 1888) Holopyga impressopunctata Arens,2004** (Chrysididae) Synonym(s): *impressopunctata* Arens,2004 _ Range (in code): TR
- 1889) Holopyga inflammata (Förster,1853)** (Chrysididae) Synonym(s): *inflammata* Förster,1853 _ Range (in code): TR 08 12 24 25 36 39 50 60 36C 36F
- 1890) Holopyga jurinei Chevrier,1862** (Chrysididae) Synonym(s): *jurinei* Chevrier,1862 _ Range (in code): TR 24 25 39 42 50
- 1891) Holopyga kuthyana Mocsart,1911** (Chrysididae) Synonym(s): *kuthyana* Mocsart,1911 _ Range (in code): TR
- 1892) Holopyga lucida (Lepeletier,1806)** (Chrysididae) Synonym(s): *lucida* Lepeletier,1806 _ Range (in code): TR
- 1893) Holopyga lucida (Lepeletier,1806)** (Chrysididae) Synonym(s): *lucida* Lepeletier,1806 _ Range (in code): TR 11 12 24 25 36 36C
- 1894) Holopyga mavromoustakisi Enslin,1939** (Chrysididae) Synonym(s): *mavromoustakisi* Enslin,1939 _ Range (in code): TR
- 1895) Holopyga minuma Linsenmaier,1959** (Chrysididae) Synonym(s): *minuma* Linsenmaier,1959 _ Range (in code): TR 24 25
- 1896) Holopyga miranda Abeille de Perrin,1878** (Chrysididae) Synonym(s): *miranda* Abeille de Perrin,1878 _ Range (in code): TR
- 1897) Holopyga mlokosiewitzi (Radoszkowski,1876)** (Chrysididae) Synonym(s): *mlokosiewitzi* Radoszkowski,1876 _ Range (in code): TR 24
- 1898) Holopyga punctatissima Dahlbom,1854** (Chrysididae) Synonym(s): *punctatissima* Dahlbom,1854; *reducta* Linsenmaier,1959 _ Range (in code): Rd CY IL Pa Cc EG RUTR 01 02 11 24 25 42 68
- 1899) Holopyga speciosissima Buysson,1893** (Chrysididae) Synonym(s): *speciosissima* Buysson,1893 _ Range (in code): TR 25
- 1900) Holopyga vigora Linsenmaier,1959** (Chrysididae) Synonym(s): *vigora* Linsenmaier,1959 _ Range (in code): BG GR TR 39 42 47
- 1901) Holopyga vigoroidea Arens,2004** (Chrysididae) Synonym(s): *vigoroidea* Arens,2004 _ Range (in code): TR
- 1902) Jsadelphus schmiedeknechtii (Mocsary,1899)** (Chrysididae) Synonym(s): *schmiedeknechtii* Mocsary,1899; *zarudnii* Semenov,1967 _ Range (in code): IR Es LB TR EG
- 1903) Omalus aeneus (Fabricius,1787)** (Chrysididae) Synonym(s): *aeneus* Fabricius,1787 _ Range (in code): TR 06 08 24 25 68 76 76A
- 1904) Omalus biaccinctus (Buysson,1893)** (Chrysididae) Synonym(s): *biaccinctus* Buysson,1893 _ Range (in code): TR 25 33 50 68 80
- 1905) Omalus politus Buysson,1887** (Chrysididae) Synonym(s): *politus* Buysson,1887 _ Range (in code): TR 08 17 21 25 33 40 42 47 68 21P

- 1906) Parnopes glasunowi Semenov,1901** (Chrysididae) Synonym(s): *glasunowi* Semenov,1901
Original reference: Parnopes glasunowi Semenov,1901, Revue Russe Ent. 1 (1/2): 25-26. Type ♂:
"Turkestan occid.: Jagnob: Rovat (D.Glasunow! 12.vii.1892) (coll. Semenow). Range (in code): **IR Kh Msh TR TJ**
- 1907) Parnopes grandior (Pallas,1771)** (Chrysididae) Synonym(s): *grandior* Pallas,1771; *carnea* Fabricius,1775; *anomala* Block; *episcopalis* Block; *doursi* Sieb. Range (in code): **FR Co Sa IT Si GR TR RU IR Gor 08 10 13 25 39 42 63 08A 08H 08Hb 10B 13A 13Ab 13Ax 13G 13Gs 13Gw 25R**
- 1908) Pentachrysis seminigra (Walker,1790)** (Chrysididae) Synonym(s): *seminigra* Walker,1790 Range (in code): **TR 24**
- 1909) Philoctetes bidentulus Lepeletier,1806** (Chrysididae) Synonym(s): *bidentulus* Lepeletier,1806 Range (in code): **TR 25 36 36F**
- 1910) Philoctetes bogdanovi (Radoszkowski,1877)** (Chrysididae) Synonym(s): *bogdanovi* Radoszkowski,1877 Range (in code): **TR RU UZ IT SK GR LB 08 10 11 24 25 36 39 55 76 36F 76B**
- 1911) Philoctetes horvathi Mocsary,1889** (Chrysididae) Synonym(s): *horvathi* Mocsary,1889
Range (in code): **TR 25**
- 1912) Philoctetes medanae Buysson,1890** (Chrysididae) Synonym(s): *medanae* Buysson,1890
Range (in code): **TR 42**
- 1913) Philoctetes punctulatus (Dahlbom,1854)** (Chrysididae) Synonym(s): *punctulatus* Dahlbom,1854 Range (in code): **FR IR Si RU CH Cc IR TR 11 25 49 49E 49Ea**
- 1914) Philoctetes sculpticollis (Abeille,1878)** (Chrysididae) Synonym(s): *sculpticollis* Abeille,1878 Range (in code): **TR 11**
- 1915) Pseudomalus auratus (Linnaeus,1758)** (Chrysididae) Synonym(s): *auratus* Linnaeus,1758 Range (in code): **TR 07 08 11 12 14 21 24 25 29 33 35 36 39 42 44 50 55 60 61 62 76 36F 76D**
- 1916) Pseudomalus bidentulus (Lepeletier,1806)** (Chrysididae) Synonym(s): *bidentulus* Lepeletier,1806 Range (in code): **TR 06 11 24 25 36 42 55 60 36F**
- 1917) Pseudomalus meridianus Strumia,1996** (Chrysididae) Synonym(s): *meridianus* Strumia,1996 Range (in code): **IT Si GR TR 39**
- 1918) Pseudomalus pusillus (Fabricius,1804)** (Chrysididae) Synonym(s): *pusillus* Fabricius,1804 Range (in code): **TR 05 36 37 76 36F 36A**
- 1919) Pseudomalus triangulifer (Abeille,1877)** (Chrysididae) Synonym(s): *triangulifer* Abeille,1877 Range (in code): **TR 25 33**
- 1920) Pseudomalus violaceus (Scopoli,1763)** (Chrysididae) Synonym(s): *violaceus* Scopoli,1763
Range (in code): **TR 80**
- 1921) Pseudospinolia humboldti (Dahlbom,1845)** (Chrysididae) Synonym(s): *humboldti* Dahlbom,1845 Range (in code): **TR 24 25**
- 1922) Pseudospinolia marqueti (Buysson,1876)** (Chrysididae) Synonym(s): *marqueti* Buysson,1876 Range (in code): **TR 25**
- 1923) Pseudospinolia uniformis (Dahlbom,1854)** (Chrysididae) Synonym(s): *uniformis* Dahlbom,1854 Range (in code): **CZ TR 11 25 42 50 63 68 70 50G**
- 1924) Spinolia dallatorreana (Mocsary,1896)** (Chrysididae) Synonym(s): *dallatorreana* Mocsary,1896 Range (in code): **AT FR GR HU SK ES TR 39 42 50 62 70 50G**
- 1925) Spinolia dournovi Radoszkowski,1866** (Chrysididae) Synonym(s): *dournovi* Radoszkowski,1866 Range (in code): **TR 25**
- 1926) Spintharia vagans (Radoszkowski,1887)** (Chrysididae) Synonym(s): *vagans* Radoszkowski,1887 Range (in code): **TR 11 24 25 36 60 36C 36F**
- 1927) Stilbum calens (Fabricius,1781)** (Chrysididae) Synonym(s): *calens* Fabricius,1781
Range (in code): **TR 25 39**
- 1928) Stilbum cyanurum (Förster,1771)** (Chrysididae) Synonym(s): *cyanurum* Förster,1771
Range (in code): **TR 07 24 25 35 61**
- 1929) Trichrysis cyanea (Linnaeus,1758)** (Chrysididae) Synonym(s): *cyanea* Linnaeus,1758
Range (in code): **TR JP 03 08 11 24 25 35 36 43 76 36F**

Cimbicidae

- 1930) Abia aenea (Klug,1829)** (Cimbicidae) Synonym(s): *aenea* Klug,1829; *bifida* Thomson,1871; *bigens* Kangas,1946 Range (in code): **ES FR GB BE DE CH IT AT CZ HU RO PL SE FI EE LT RU TR Cc UA 61**

- 1931) *Abia sericea* (Linnaeus,1767)** (Cimbicidae) **Synonym(s):** *sericea* Linnaeus,1767 _ **Range (in code):** GB IE FR BE NL DE DK SE FI RU UA PL RO CZ HU AT CH IT Si SS HV B-H BG MK TR Cc 33 55
- 1932) *Cimbex quadrimaculatus* (O.F.Müller,1766)** (Cimbicidae) **Synonym(s):** *quadrimaculatus* O.F.Müller,1766; *humeralis* Geoffroy,1785; *axillaris* Panzer,1801; *scapularia* Stein,1876 **Range (in code):** PT ES CH FR GB BE NL DE HV IT SS AT CZ RO UA MK BG GR SK MK TR IL Pa JO 21 35 21P 21Pb
- 1933) *Corynis caucasica* (Mocsary,1886)** (Cimbicidae) **Synonym(s):** *caucasica* Mocsary,1886 **Range (in code):** YU BG TR Cc IR 05 22 61
- 1934) *Corynis concinna* (Stein,1876)** (Cimbicidae) **Synonym(s):** *concinna* Stein,1876; *sarta* Kuznetzov-Ugamskii; *bleyli* Muche,1964 _ **Range (in code):** TR Cc 05 18 25 33
- 1935) *Corynis frontina* (Konow,1905)** (Cimbicidae) **Synonym(s):** *frontina* Konow,1905 **Range (in code):** TR Cc 05 06 08 29 33 55
- 1936) *Corynis italica* (Lepeletier,1823)** (Cimbicidae) **Synonym(s):** *italica* Lepeletier,1823 **Range (in code):** ES FR HV YU CH UA IT TR 05 16
- 1937) *Corynis krueperi* (Stein,1876)** (Cimbicidae) **Synonym(s):** *krueperi* Stein,1876; *enslini* Maidl,1923 _ **Range (in code):** MK AL LY Cy TR 05 16
- 1938) *Corynis lateralis* (Brullé,1832)** (Cimbicidae) **Synonym(s):** *lateralis* Brullé,1832 _ **Range (in code):** GR TR RU Ur Cc 05 06 08
- 1939) *Corynis obscura* (Fabricius,1775)** (Cimbicidae) **Synonym(s):** *obscura* Fabricius,1775; *valkanovi* Vassilev,1969 _ **Range (in code):** FR BE DE CH IT Si CZ AT HU SS RO BG AL MK GR RU UA EE LT SE FI TR Cc 25 53 61
- 1940) *Corynis reticulata* Benson,1954** (Cimbicidae) **Synonym(s):** *reticulata* Benson,1954 **Range (in code):** TR IL Pa 51
- 1941) *Pseudoclavellaria amerinae* (Linnaeus,1758)** (Cimbicidae) **Synonym(s):** *amerinae* Linnaeus,1758 **Original reference:** *Tenthredo amerinae* Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 555. **Range (in code):** PT ES FR NL DE CH IT AT HU CZ PL SE FI EE LT YU RO MK BG UA TR Cc RU Sb KP KR 29

Colletidae

- 1942) *Colletes (albomaculatus gr.) albomaculatus* (Lucas,1849)** (Colletidae) **Synonym(s):** *albomaculatus* Lucas,1849 _ **Range (in code):** GR TR SY JO IR Elb
- 1943) *Colletes (albomaculatus gr.) alfkeni* Noskiewicz,1958** (Colletidae) **Synonym(s):** *alfkeni* Noskiewicz,1958 _ **Range (in code):** IL Pa SY TR 73
- 1944) *Colletes (albomaculatus gr.) dorsalis* Morawitz,1888** (Colletidae) **Synonym(s):** *dorsalis* Morawitz,1888 _ **Range (in code):** TR IR Elb
- 1945) *Colletes (albomaculatus gr.) punctatus* Mocsary,1877** (Colletidae) **Synonym(s):** *punctatus* Mocsary,1877 _ **Range (in code):** GR TR SY IL Pa IR
- 1946) *Colletes (anchusae gr.) anchusae* Noskiewicz,1924** (Colletidae) **Synonym(s):** *anchusae* Noskiewicz,1924 _ **Range (in code):** TR
- 1947) *Colletes (carinatus gr.) carinatus* Radoszkowski,1891** (Colletidae) **Synonym(s):** *carinatus* Radoszkowski,1891 _ **Range (in code):** GR TR 25
- 1948) *Colletes (cariniger gr.) cariniger* Pérez,1903** (Colletidae) **Synonym(s):** *cariniger* Pérez,1903 _ **Range (in code):** GR TR SY JO IL Pa EG LY
- 1949) *Colletes (caspicus gr.) anceps* Radoszkowski,1891** (Colletidae) **Synonym(s):** *anceps* Radoszkowski,1891 _ **Range (in code):** TR IR 02 65
- 1950) *Colletes (caspicus gr.) idoneus* Cockerell,1922** (Colletidae) **Synonym(s):** *idoneus* Cockerell,1922 _ **Range (in code):** TR IR 30
- 1951) *Colletes (caspicus gr.) lebedewi* Noskiewicz,1936** (Colletidae) **Synonym(s):** *lebedewi* Noskiewicz,1936 _ **Range (in code):** TR 04 56 58 65
- 1952) *Colletes (caspicus gr.) maidli* Noskiewicz,1936** (Colletidae) **Synonym(s):** *maidli* Noskiewicz,1936 _ **Range (in code):** GR TR CY SY IL Pa EG IR 25
- 1953) *Colletes (caspicus gr.) transitorius* Noskiewicz,1936** (Colletidae) **Synonym(s):** *transitorius* Noskiewicz,1936 _ **Range (in code):** TR 02 07
- 1954) *Colletes (clypearis gr.) asiaticus* Kuhlmann,1999** (Colletidae) **Synonym(s):** *griseus* Noskiewicz,1936 nec Cock.,1930; *asiaticus* Kuhlmann,1999 _ **Range (in code):** TR IR

- 1955) Colletes (clypearis gr.) floralis Eversmann,1852** (Colletidae) Synonym(s): *floralis Eversmann,1852* _ Range (in code): **GR TR IR**
- 1956) Colletes (clypearis gr.) radoszkowskii Noskiewicz,1936** (Colletidae) Synonym(s): *radoszkowskii Noskiewicz,1936* _ Range (in code): **TR IR 25 42**
- 1957) Colletes (clypearis gr.) warnckeii Kuhlmann,2002** (Colletidae) Synonym(s): *warnckeii Kuhlmann,2002* _ Range (in code): **TR IR Elb Mz 30 36 30B 30Be 30D 30Df 36F 36Fa**
- 1958) Colletes (cunicularius gr.) armeniacus (Friese,1921)** (Colletidae) Synonym(s): *armeniaceus Friese,1921* _ Range (in code): **TR 30**
- 1959) Colletes (cunicularius gr.) caskanus (Strand,1919)** (Colletidae) Synonym(s): *caskanus Strand,1919* _ Range (in code): **GR SY TR JO IR 25**
- 1960) Colletes (cunicularius gr.) cunicularius (Linnaeus,1761)** (Colletidae) Synonym(s): *cunicularius Linnaeus,1761; cinerea Geoffroy,1785; hirtus Lepeletier,1841; pilosus Spinola,1838; tauricus Warncke,1978; khasanensis Osytshnjuk,1995* _ Range (in code): **EG TR GR**
- 1961) Colletes (fodiens gr.) daviesanus Smith,1846** (Colletidae) Synonym(s): *daviesanus Smith,1846* _ Range (in code): **TR 02 03 12 26 65**
- 1962) Colletes (fodiens gr.) edentulus Noskiewicz,1936** (Colletidae) Synonym(s): *edentulus Noskiewicz,1936* _ Range (in code): **Cc AM TR**
- 1963) Colletes (fodiens gr.) fodiens (Fourcroy,1785)** (Colletidae) Synonym(s): *fodiens Fourcroy,1785* _ Range (in code): **ES TR IR KK**
- 1964) Colletes (fodiens gr.) glaber Warncke,1978** (Colletidae) Synonym(s): *glaber Warncke,1978* _ Range (in code): **TR**
- 1965) Colletes (fodiens gr.) similis Schenck,1853** (Colletidae) Synonym(s): *similis Schenck,1853* _ Range (in code): **GR CY TR SY IL Pa LB JO IR Elb 25**
- 1966) Colletes (fodiens gr.) tuberculatus Morawitz,1894** (Colletidae) Synonym(s): *tuberculatus Morawitz,1894* _ Range (in code): **TR IR GR IL Pa JO 25**
- 1967) Colletes (foveolaris gr.) foveolaris Pérez,1903** (Colletidae) Synonym(s): *foveolaris Pérez,1903* _ Range (in code): **GR TR LY 11 35**
- 1968) Colletes (hylaeiformis gr.) hylaeiformis Eversmann,1852** (Colletidae) Synonym(s): *hylaeiformis Eversmann,1852; chobauti Perez,1903* _ Range (in code): **GR CY TR 25**
- 1969) Colletes (marginatus gr.) hethiticus Warncke,1978** (Colletidae) Synonym(s): *hethiticus Warncke,1978* _ Range (in code): **TR GR IR Kh 25**
- 1970) Colletes (marginatus gr.) marginatus Smith,1846** (Colletidae) Synonym(s): *marginatus Smith,1846* _ Range (in code): **GR TR 25 30 50 75**
- 1971) Colletes (marginatus gr.) pallescens Noskiewicz,1936** (Colletidae) Synonym(s): *pallescens Noskiewicz,1936* _ Range (in code): **TR 25**
- 1972) Colletes (meyerii gr.) meyerii Noskiewicz,1936** (Colletidae) Synonym(s): *meyerii Noskiewicz,1936* _ Range (in code): **GR TR**
- 1973) Colletes (mixtus gr.) mixtus Radoszkowski,1891** (Colletidae) Synonym(s): *mixtus Radoszkowski,1891* _ Range (in code): **TR 76**
- 1974) Colletes (nanus gr.) ankarae Warncke,1978** (Colletidae) Synonym(s): *ankarae Warncke,1978* _ Range (in code): **TR 06**
- 1975) Colletes (nasutus gr.) nasutus Smith,1853** (Colletidae) Synonym(s): *nasutus Smith,1853* _ Range (in code): **GR TR SY IR Se Elb 25**
- 1976) Colletes (nigricans gr.) bidentulus Noskiewicz,1936** (Colletidae) Synonym(s): *bidentulus Noskiewicz,1936* _ Range (in code): **TR IR Elb Mz 06 42 50**
- 1977) Colletes (nigricans gr.) eous Morice,1904** (Colletidae) Synonym(s): *eous Morice,1904; cecrops Morice,1904; porosicus Strand,1921; illyricus Noskiewicz,1936* _ Range (in code): **GR TR IR**
- 1978) Colletes (roborovskyi gr.) roborovskyi Friese,1913** (Colletidae) Synonym(s): *roborovskyi Friese,1913* _ Range (in code): **TR IR**
- 1979) Colletes (senilis gr.) hakkari Kuhlmann,2002** (Colletidae) Synonym(s): *hakkari Kuhlmann,2002* _ Original reference: Colletes hakkari Kuhlmann,2002, Linzer biol. Beitr. 34 (1): 753-755. Holotype ♂: Turkey: Hakkari Suvari Halil Pass 2500m leg.& coll. Max Schwarz _ Range (in code): **TR IR Elb Ar Mz GG Soc Cc AM Eri 25 30 36 73 30B 30Bm 30D 30Db 30Df 30Dt 36F 36Fa 73A**
- 1980) Colletes (senilis gr.) hiekeseniori Kuhlmann,2003** (Colletidae) Synonym(s): *hiekeseniori Kuhlmann,2003* _ Original reference: Colletes hiekeseniori Kuhlmann,2003, Linzer

- biol. Beitr. 35: 730-731. Holotype ♀: Turkey [Van Prov.]: Muradiye 3.7.2000 leg. M., [1850m], (coll.Kuhlmann). Range (in code): [TR 65 65H](#)
- 1981) Colletes (senilis gr.) mlokoszewiczi Radoszkowski,1891** (Colletidae) Synonym(s): *mlokoszewiczi Radoszkowski,1891* Range (in code): [GR TR 25](#)
- 1982) Colletes (senilis gr.) senilis (Eversmann,1852)** (Colletidae) Synonym(s): *senilis Eversmann,1852* Range (in code): [GR TR IR Elb](#)
- 1983) Colletes (senilis gr.) subnitens Noskiewicz,1936** (Colletidae) Synonym(s): *subnitens Noskiewicz,1936* Range (in code): [TR IR Elb](#)
- 1984) Colletes (squamosus gr.) comatus Noskiewicz,1936** (Colletidae) Synonym(s): *comatus Noskiewicz,1936* Range (in code): [TR 58](#)
- 1985) Colletes (squamosus gr.) cretaceus Morawitz,1876** (Colletidae) Synonym(s): *cretaceus Morawitz,1876; farinosus Morawitz,1878* Range (in code): [TR JO IR 44](#)
- 1986) Colletes (squamosus gr.) ottomanus Noskiewicz,1958** (Colletidae) Synonym(s): *ottomanus Noskiewicz,1958* Range (in code): [TR SY](#)
- 1987) Colletes (squamosus gr.) rubellus Noskiewicz,1936** (Colletidae) Synonym(s): *rubellus Noskiewicz,1936* Range (in code): [IL Pa AM Cc TR](#)
- 1988) Colletes (squamosus gr.) wahrmani Noskiewicz,1959** (Colletidae) Synonym(s): *wahrmani Noskiewicz,1959* Range (in code): [TR 42](#)
- 1989) Colletes (succintus gr.) brevigena Noskiewicz,1936** (Colletidae) Synonym(s): *brevigena Noskiewicz,1936* Range (in code): [GR CY TR](#)
- 1990) Colletes (succintus gr.) hederæ Schmidt & Westrich,1993** (Colletidae) Synonym(s): *hederæ Schmidt & Westrich,1993* Original reference: *Colletes hederæ Schmidt & Westrich,1993, Ent. Z., Stuttg. 103 (6): 89-112.* Range (in code): [GB BE FR ES Co Sa IT DE CH SS HV GR TR 35](#)
- 1991) Colletes (succintus gr.) iranicus Noskiewicz,1962** (Colletidae) Synonym(s): *iranicus Noskiewicz,1962* Range (in code): [TR IR](#)
- 1992) Hylaeus acer Dathe,1980** (Colletidae) Synonym(s): *acer Dathe,1980* Range (in code): [TR](#)
- 1993) Hylaeus adpersus (Alfken,1935)** (Colletidae) Synonym(s): *adpersus Alfken,1935* Range (in code): [TR](#)
- 1994) Hylaeus angustatus (Schenck,1861)** (Colletidae) Synonym(s): *angustatus Schenck,1861* Range (in code): [Cr TR JO](#)
- 1995) Hylaeus annularis (Kirby,1802)** (Colletidae) Synonym(s): *annularis Kirby,1802; elbursus Warncke,1981* Range (in code): [TR IR Elb](#)
- 1996) Hylaeus araxanus (Warncke,1981)** (Colletidae) Synonym(s): *araxanus Warncke,1981* Range (in code): [TR IR Cc](#)
- 1997) Hylaeus armeniacus (Warncke,1981)** (Colletidae) Synonym(s): *armeniaceus Warncke,1981* Range (in code): [TR Cc IL Pa IR Elb Fa](#)
- 1998) Hylaeus bifasciatus (Jurine,1807)** (Colletidae) Synonym(s): *bifasciatus Jurine,1807* Range (in code): [GR TR IL Pa AZ Cc](#)
- 1999) Hylaeus bisinuatus Förster,1871** (Colletidae) Synonym(s): *bisinuatus Förster,1871* Range (in code): [Cr TR IR Kd Ha Th Elb 25](#)
- 2000) Hylaeus cervinus (Warncke,1992)** (Colletidae) Synonym(s): *cervinus Warncke,1992* Range (in code): [TR IR Elb 01 25 36](#)
- 2001) Hylaeus chukar (Warncke,1992)** (Colletidae) Synonym(s): *chukar Warncke,1992* Range (in code): [TR](#)
- 2002) Hylaeus communis Nylander,1852** (Colletidae) Synonym(s): *communis Nylander,1852* Range (in code): [IR Es Mz Elb Cr TR 25](#)
- 2003) Hylaeus cornutus Curtis,1831** (Colletidae) Synonym(s): *cornutus Curtis,1831* Range (in code): [GR TR Cr IR](#)
- 2004) Hylaeus crassanus Warncke,1972** (Colletidae) Synonym(s): *crassanus Warncke,1972* Range (in code): [TR](#)
- 2005) Hylaeus crispulus Dathe,1980** (Colletidae) Synonym(s): *crispulus Dathe,1980* Range (in code): [TR IR Elb IL Pa](#)
- 2006) Hylaeus cypricolus (Warncke,1972)** (Colletidae) Synonym(s): *cypricolus Warncke,1972* Range (in code): [CY TR EG](#)

- 2007) Hylaeus damascenus (Magretti,1890)** (Colletidae) Synonym(s): *damascenus* Magretti,1890 _ Range (in code): SY Dms IL Pa IQ TR IR
- 2008) Hylaeus decaoctus (Warncke,1992)** (Colletidae) Synonym(s): *decaoctus* Warncke,1992 _ Range (in code): TR
- 2009) Hylaeus difformis (Eversmann,1852)** (Colletidae) Synonym(s): *difformis* Eversmann,1852 _ Range (in code): GR TR IR Elb Mz
- 2010) Hylaeus duckei (Alfken,1904)** (Colletidae) Synonym(s): *duckeii* Alfken,1904 _ Range (in code): GR TR
- 2011) Hylaeus euryscapus Förster,1871** (Colletidae) Synonym(s): *euryscapus* Förster,1871 _ Range (in code): GR TR 25
- 2012) Hylaeus excelsus (Alfken,1931)** (Colletidae) Synonym(s): *excelsus* Alfken,1931 _ Range (in code): TR IR
- 2013) Hylaeus funereus (Warncke,1992)** (Colletidae) Synonym(s): *funereus* Warncke,1992 _ Range (in code): TR
- 2014) Hylaeus gibbus Saunders,1850** (Colletidae) Synonym(s): *gibbus* Saunders,1850 _ Range (in code): GR Cr TR IR
- 2015) Hylaeus glacialis (Morawitz,1872)** (Colletidae) Synonym(s): *glacialis* Morawitz,1872; *giresunus* Warncke,1992 _ Range (in code): TR 28
- 2016) Hylaeus heliacus (Warncke,1992)** (Colletidae) Synonym(s): *heliacus* Warncke,1992 _ Range (in code): TR
- 2017) Hylaeus hyperpunctatus (Strand,1909)** (Colletidae) Synonym(s): *hyperpunctatus* Strand,1909 _ Range (in code): GR TR
- 2018) Hylaeus imparilis Förster,1871** (Colletidae) Synonym(s): *imparilis* Förster,1871 _ Range (in code): GR Cr TR
- 2019) Hylaeus iranicus Dathe,1980** (Colletidae) Synonym(s): *iranicus* Dathe,1980 _ Range (in code): TR IR
- 2020) Hylaeus irritans Dathe,1980** (Colletidae) Synonym(s): *irritans* Dathe,1980 _ Range (in code): TR IR
- 2021) Hylaeus kotschisus (Warncke,1981)** (Colletidae) Synonym(s): *kotschisus* Warncke,1981 _ Range (in code): TR IL Pa IR Kh Elb
- 2022) Hylaeus kurdus (Warncke,1981)** (Colletidae) Synonym(s): *kurdus* Warncke,1981; *trochilus* Warncke,1992 _ Range (in code): TR 30
- 2023) Hylaeus leptcephalus (Morawitz,1870)** (Colletidae) Synonym(s): *leptcephalus* Morawitz,1870 _ Range (in code): TR IR
- 2024) Hylaeus lineolatus (Schenck,1861)** (Colletidae) Synonym(s): *lineolatus* Schenck,1861 _ Range (in code): GR Cr CY TR IR
- 2025) Hylaeus longimaculus (Alfken,1936)** (Colletidae) Synonym(s): *longimaculus* Alfken,1936 _ Range (in code): GR Cr Rd TR IL Pa LB IR Elb Th Ha EG
- 2026) Hylaeus meridionalis Förster,1871** (Colletidae) Synonym(s): *meridionalis* Förster,1871 _ Range (in code): GR Cr TR IR
- 2027) Hylaeus monedulus (Warncke,1992)** (Colletidae) Synonym(s): *monedulus* Warncke,1992 _ Range (in code): TR
- 2028) Hylaeus moricei (Fries,1898)** (Colletidae) Synonym(s): *moricei* Fries,1898 _ Range (in code): GR TR IR
- 2029) Hylaeus nigrinus (Fabricius,1798)** (Colletidae) Synonym(s): *nigrinus* Fabricius,1798 _ Range (in code): TR 25
- 2030) Hylaeus orientalis (Warncke,1981)** (Colletidae) Synonym(s): *orientalis* Warncke,1981 _ Range (in code): IL Pa TR
- 2031) Hylaeus pictipes Nylander,1852** (Colletidae) Synonym(s): *pictipes* Nylander,1852 _ Range (in code): TR IL Pa
- 2032) Hylaeus planulus (Warncke,1981)** (Colletidae) Synonym(s): *planulus* Warncke,1981 _ Range (in code): TR 30
- 2033) Hylaeus punctatus (Brullé,1832)** (Colletidae) Synonym(s): *punctatus* Brullé,1832 _ Range (in code): GR TR CY 25
- 2034) Hylaeus punctulatus Smith,1842** (Colletidae) Synonym(s): *punctulatus* Smith,1842 _ Range (in code): GR TR IR Elb

- 2035) *Hylaeus punctus* Förster,1871** (Colletidae) Synonym(s): *punctus* Förster,1871 _ Range (in code): GR TR
- 2036) *Hylaeus querquedula* (Warncke,1981)** (Colletidae) Synonym(s): *querquedula* Warncke,1981 _ Range (in code): TR IR 30
- 2037) *Hylaeus rubicola* (Saunders,1850)** (Colletidae) Synonym(s): *rubicola* Saunders,1850
Range (in code): GR TR SY LB IL Pa EG
- 2038) *Hylaeus rubosus* (Warncke,1981)** (Colletidae) Synonym(s): *rubosus* Warncke,1981
Range (in code): TR IR
- 2039) *Hylaeus scutellaris* Morawitz,1873** (Colletidae) Synonym(s): *scutellaris* Morawitz,1873
Range (in code): TR IR Ke Th Elb
- 2040) *Hylaeus scutellatus* (Spinola,1838)** (Colletidae) Synonym(s): *scutellatus* Spinola,1838
Range (in code): GR TR IL Pa IR Elb
- 2041) *Hylaeus sidensis* (Warncke,1981)** (Colletidae) Synonym(s): *sidensis* Warncke,1981
Range (in code): TR LB IL Pa
- 2042) *Hylaeus signatus* (Panzer,1798)** (Colletidae) Synonym(s): *signatus* Panzer,1798
Range (in code): TR IR 25
- 2043) *Hylaeus sinuatus* (Schenck,1853)** (Colletidae) Synonym(s): *sinuatus* Schenck,1853
Range (in code): GR BG TR IR Ha Mz Elb 25
- 2044) *Hylaeus styriacus* Förster,1871** (Colletidae) Synonym(s): *styriacus* Förster,1871; *creccus* Warncke,1992 _ Range (in code): TR
- 2045) *Hylaeus tephronotus* (Warncke,1992)** (Colletidae) Synonym(s): *tephronotus* Warncke,1992 _ Range (in code): TR
- 2046) *Hylaeus tetrus* Dathe,2000** (Colletidae) Synonym(s): *tetrus* Dathe,2000 Original reference: *Hylaeus* (Koptogaster) *tetrus* Dathe,2000, Beitr. Ent. 50 (1): 171-172, figs. Holotype ♂: Türkei, Isparta Eğridir Kovadagözü NP, 22 5 1988, N.Mohr leg (DEI). Range (in code): TR 32 38
- 2047) *Hylaeus trifidus* (Alfken,1936)** (Colletidae) Synonym(s): *trifidus* Alfken,1936 Original reference: *Prosopis trifida* Alfken,1936, Konowia 15: 52-53. Type: Libanon: Said Neil, Beca. Range (in code): GR TR LB
- 2048) *Hylaeus trinotatus* (Pérez,1895)** (Colletidae) Synonym(s): *trinotatus* Pérez,1895
Range (in code): TR GR IQ
- 2049) *Hylaeus tyrolensis* Förster,1871** (Colletidae) Synonym(s): *tyrolensis* Förster,1871
Range (in code): GR TR IL Pa
- 2050) *Hylaeus variegatus* (Fabricius,1798)** (Colletidae) Synonym(s): *variegatus* Fabricius,1798
Range (in code): TR IL Pa IR Cr 25

Crabronidae

- 2051) *Alysson ocellatus* De Beaumont,1967** (Crabronidae) Synonym(s): *ocellatus* De Beaumont,1967 _ Range (in code): TR 05
- 2052) *Alysson ratzeburgi* Dahlbom,1843** (Crabronidae) Synonym(s): *ratzeburgi* Dahlbom,1843
Range (in code): NO RU DE PL SE AT IT FR FI NL CH DK HU RO CZ SK UA JP KP KR CN TR 60
- 2053) *Alysson spinosus* (Panzer,1801)** (Crabronidae) Synonym(s): *fuscata* Panzer,1798; *bimaculata* Panzer,1798; *spinosus* Panzer,1801 _ Range (in code): TR 05 09 31 34 61
- 2054) *Alysson tricolor* Lepeletier & Audinet-Serville,1825** (Crabronidae) Synonym(s): *tricolor* Lepeletier & Audinet-Serville,1825 _ Range (in code): TR 06
- 2055) *Ammatomus coarctatus* (Spinola,1808)** (Crabronidae) Synonym(s): *coarctatus* Spinola,1808 _ Range (in code): TR 01 05 06 07 08 16 18 20 24 25 26 31 33 36 42 43 45 46 59 60 63 76
- 2056) *Ammatomus rogenhoferi* (Handlirsch,1888)** (Crabronidae) Synonym(s): *rogenhoferi* Handlirsch,1888 _ Range (in code): TR 01 05 06 08 11 16 20 25 31 32 33 35 42 43 45 46 51 63
- 2057) *Ammatomus rufonodis* (Radoszkowski,1877)** (Crabronidae) Synonym(s): *rufonodis* Radoszkowski,1877 _ Range (in code): TR 07 33 63
- 2058) *Ammoplanus denesi* Boucek,2001** (Crabronidae) Synonym(s): *denesi* Boucek,2001
Range (in code): TR 02
- 2059) *Ammoplanus hofferi* Snoflak,1943** (Crabronidae) Synonym(s): *hofferi* Snoflak,1943
Range (in code): TR 13 39 44 58

- 2060) *Ammoplanus kaszabi* Tsuneki,1972** (Crabronidae) Synonym(s): *kaszabi* Tsuneki,1972
Range (in code): **TR 02**
- 2061) *Ammoplanus marathroicus* (De Stefani Pérez,1887)** (Crabronidae) Synonym(s): *marathroicus* De Stefani Pérez,1887 Range (in code): **TR 01 02 06 26 44 46 63 65 72**
- 2062) *Ammoplanus minutus* Boucek,2001** (Crabronidae) Synonym(s): *minutus* Boucek,2001
Range (in code): **TR 20 50**
- 2063) *Ammoplanus monticola* Gussakowski,1952** (Crabronidae) Synonym(s): *monticola* Gussakowski,1952 Range (in code): **TR 36**
- 2064) *Ammoplanus perrisi* Giraud,1869** (Crabronidae) Synonym(s): *perrisi* Giraud,1869
Range (in code): **TR 06 26**
- 2065) *Ancistromma asiaticum* Gussakowski,1935** (Crabronidae) Synonym(s): *asiaticum* Gussakowski,1935 Range (in code): **TJ TR 76**
- 2066) *Argogorytes fargeii* (Shuckard,1837)** (Crabronidae) Synonym(s): *fargeii* Shuckard,1837
Range (in code): **TR 05 07 08 09 16 25 33 36 55 69**
- 2067) *Argogorytes mystaceus* (Linnaeus,1761)** (Crabronidae) Synonym(s): *mystaceus* Linnaeus,1761 Range (in code): **TR 16 25 36 42 69**
- 2068) *Astata affinis* Vander Linden,1829** (Crabronidae) Synonym(s): *affinis* Vander Linden,1829
Range (in code): **TR 25 31 36 42 80**
- 2069) *Astata apostata* Mercet,1910** (Crabronidae) Synonym(s): *apostata* Mercet,1910 Range (in code): **TR 01 25**
- 2070) *Astata boops* (Schränk,1781)** (Crabronidae) Synonym(s): *boops* Schränk,1781 Range (in code): **TR 01 03 06 08 09 11 15 16 17 25 26 31 33 35 36 41 42 46 53 60 61**
- 2071) *Astata brevitarsis* Pulawski,1958** (Crabronidae) Synonym(s): *brevitarsis* Pulawski,1958
Range (in code): **TR 20 25 76**
- 2072) *Astata costae* A.Costa,1867** (Crabronidae) Synonym(s): *costae* A.Costa,1867 Range (in code): **TR 07 25 31 36 43 55**
- 2073) *Astata diversipes* Pulawski,1955** (Crabronidae) Synonym(s): *diversipes* Pulawski,1955
Range (in code): **TR 24 31**
- 2074) *Astata gallica* De Beaumont,1942** (Crabronidae) Synonym(s): *gallica* De Beaumont,1942
Range (in code): **TR 25**
- 2075) *Astata graeca* De Beaumont,1965** (Crabronidae) Synonym(s): *graeca* De Beaumont,1965
Range (in code): **GR TR 06 08 36**
- 2076) *Astata jucunda* Pulawski,1959** (Crabronidae) Synonym(s): *jucunda* Pulawski,1959
Range (in code): **TR 06 08 11 24 25 36 42 59**
- 2077) *Astata kashmirensis* Nurse,1909** (Crabronidae) Synonym(s): *kashmirensis* Nurse,1909
Range (in code): **Ch TR 05 06 11 20 24 25 31 33 42 60**
- 2078) *Astata leila* Pulawski,1967** (Crabronidae) Synonym(s): *leila* Pulawski,1967 Range (in code): **TR 06 38**
- 2079) *Astata miegii* Dufour,1861** (Crabronidae) Synonym(s): *miegii* Dufour,1861 Range (in code): **TR 06 11 24 25 35 36 45 50 60 68**
- 2080) *Astata minor* Kohl,1885** (Crabronidae) Synonym(s): *minor* Kohl,1885 Range (in code): **TR 06 11 25 29 31 36**
- 2081) *Astata quettae* Nurse,1903** (Crabronidae) Synonym(s): *quettae* Nurse,1903 Range (in code): **PK BI Qu TR 25**
- 2082) *Astata rufipes* Mocsary,1883** (Crabronidae) Synonym(s): *rufipes* Mocsary,1883 Range (in code): **TR 13**
- 2083) *Belomicrus italicus* A.Costa,1871** (Crabronidae) Synonym(s): *italicus* A.Costa,1871; *obscurus* Kohl,1892 Range (in code): **DZ TN ES PL SK AT HU YU CY IL Pa GR IT Si MT BG TR KG 30? 31 33 48 63**
- 2084) *Belomicrus lucifer* Guichard,1991** (Crabronidae) Synonym(s): *lucifer* Guichard,1991
Original reference: *Belomicrus lucifer* Guichard,1991, Entomofauna 12: 357. Holotype ♂: Jordan, 80km NE Aqaba (coll. Gusenleitner). Range (in code): **TR JO 30 66 73 30B 30Be 73C 73Cd**
- 2085) *Belomicrus modestus* (Kohl,1892)** (Crabronidae) Synonym(s): *modestus* Kohl,1892
Range (in code): **TR AZ AM Cc Nv 63**
- 2086) *Belomicrus odontophorus* (Kohl,1892)** (Crabronidae) Synonym(s): *odontophorus* Kohl,1892; *caesariensis* Pate,1931 Range (in code): **ML MA DZ TN TR 36**

- 2087) *Belomicrus ottomanus* Guichard,1991** (Crabronidae) Synonym(s): *ottomanus* Guichard,1991 Original reference: *Belomicrus ottomanus* Guichard,1991, Entomofauna 12: 354, 356-357. Holotype ♀: [Kayseri Prov.]: Yeşilhisar 1000m (BMNH). Range (in code): **TR 38 42 38E 380**
- 2088) *Belomicrus wouroukatte* de Beaumont,1967** (Crabronidae) Synonym(s): *wouroukatte* de Beaumont,1967 Original reference: *Belomicrus wouroukatte* de Beaumont,1967, Bull. Br. Mus. (Nat. Hist.) Ent. 19: 366. Holotype ♀: Turkey: Kırşehir, Kaman. Range (in code): **TR 40 42 40E**
- 2089) *Bembecinus acanthomerus* (Morice,1911)** (Crabronidae) Synonym(s): *acanthomerus* Morice,1911 Range (in code): **MA DZ TR LB SY JO IR OM IL Pa ML MR TM 02 13 30 33 42 47 56 63 65 73**
- 2090) *Bembecinus anatolicus* De Beaumont,1968** (Crabronidae) Synonym(s): *anatolicus* De Beaumont,1968 Range (in code): **TR 02 07 27 33 42 63 65 65E 65Eb**
- 2091) *Bembecinus asiaticus* (Gussakowski,1935)** (Crabronidae) Synonym(s): *asiaticus* Gussakowski,1935 Range (in code): **AF UZ TR IR TJ KG UZ 02 13 31 33 63**
- 2092) *Bembecinus birecikensis* Schmid-Egger,2004** (Crabronidae) Synonym(s): *birecikensis* Schmid-Egger,2004 Range (in code): **TR 47 63 73**
- 2093) *Bembecinus cyprius* De Beaumont,1954** (Crabronidae) Synonym(s): *cyprius* De Beaumont,1954 Range (in code): **GR CY IL Pa TR 02 15 27 31 33 48 63**
- 2094) *Bembecinus gracilicornis* (Handlirsch,1892)** (Crabronidae) Synonym(s): *gracilicornis* Handlirsch,1892 Range (in code): **IR Ke Cc AZ AM TR TJ TM**
- 2095) *Bembecinus guichardi* Schmid-Egger,2004** (Crabronidae) Synonym(s): *guichardi* Schmid-Egger,2004 Range (in code): **TR IR 23 44 47 56**
- 2096) *Bembecinus gusenleitneri* De Beaumont,1967** (Crabronidae) Synonym(s): *gusenleitneri* De Beaumont,1967 Range (in code): **TR 07 33 43 51 70**
- 2097) *Bembecinus gynandromorphus* (Handlirsch,1892)** (Crabronidae) Synonym(s): *gynandromorphus* Handlirsch,1892 Range (in code): **SY TR IL Pa JO Js 42 45 47 63**
- 2098) *Bembecinus heinrichi* Schmid-Egger,2004** (Crabronidae) Synonym(s): *heinrichi* Schmid-Egger,2004 Range (in code): **TR LB 46 47 63**
- 2099) *Bembecinus henseni* Schmid-Egger,2004** (Crabronidae) Synonym(s): *henseni* Schmid-Egger,2004 Range (in code): **TR 47**
- 2100) *Bembecinus hungaricus* (Fivaldsky,1876)** (Crabronidae) Synonym(s): *hungaricus* Fivaldsky,1876 Range (in code): **HU B-H HV BG FR DE GR IT Sa RU At SS SK TR UA 07 34 41 55**
- 2101) *Bembecinus innocens* De Beaumont,1967** (Crabronidae) Synonym(s): *innocens* De Beaumont,1967 Range (in code): **TR 06 44 56 71**
- 2102) *Bembecinus meridionalis* A.Costa,1859** (Crabronidae) Synonym(s): *meridionalis* A.Costa,1859 Range (in code): **AL HV GR Rd IL Pa IT JO HV LB SY TR 07 27 33 35 42 47 56 63**
- 2103) *Bembecinus nigrolabrum* Schmid-Egger,2004** (Crabronidae) Synonym(s): *nigrolabrum* Schmid-Egger,2004 Range (in code): **TR Cc 04 50 65 04C 65H**
- 2104) *Bembecinus peregrinus* (Smith,1856)** (Crabronidae) Synonym(s): *peregrinus* Smith,1856; *erberi* Mocsary,1881; *biarmatus* Mocsary,1883 Range (in code): **AL MK BG TR AM AZ Cc IL Pa JO 01 02 04 05 07 09 13 23 24 25 30 31 33 35 42 44 48 56 63 65 73 80 04C 25R 30B 31K 56A 63E 65F 73C**
- 2105) *Bembecinus rhodius* De Beaumont,1960** (Crabronidae) Synonym(s): *rhodius* De Beaumont,1960; *creticus* De Beaumont,1961 Range (in code): **GR Rd Cr TR 07 15 33 42**
- 2106) *Bembecinus schwarzi* De Beaumont,1967** (Crabronidae) Synonym(s): *schwarzi* De Beaumont,1967 Range (in code): **TR IQ Mos? 33**
- 2107) *Bembecinus tridens* (Fabricius,1781)** (Crabronidae) Synonym(s): *tridens* Fabricius,1781; *cinctus* Rossi,1790; *repandus* Panzer,1801; *sinuatus* Latreille,1805; *satsumanus* Sonan,1934; *errans* De Beaumont,1950 Range (in code): **AT B-H BG CZ CY CH HU FR DE GR Cr HV IT PL PT RO SK ES TN MA DZ AM AZ Cc GG Tbl Eri IR IL Pa JO LB MT SY TR UA Cm MN PK IR IQ KK KG TJ TM UZ CN Pkn 02 07 27 15 30 33 36 38 41 51 63 65 73**
- 2108) *Bembecinus urfanensis* Schmid-Egger,2004** (Crabronidae) Synonym(s): *urfanensis* Schmid-Egger,2004 Range (in code): **TR 27 63**
- 2109) *Bembecinus validior* Gussakowski,1952** (Crabronidae) Synonym(s): *validior* Gussakowski,1952; *diacanthus* De Beaumont,1967 Range (in code): **TJ TR IL Pa EG OM TM 23 33 47 63**
- 2110) *Bembix arenaria* (Handlirsch,1893)** (Crabronidae) Synonym(s): *arenaria* Handlirsch,1893; *houskai* Balthasar,1954 Range (in code): **IL Pa JO SY TN OM SA EG Sn TR 33**
- 2111) *Bembix bicolor* (Radoszkowski,1877)** (Crabronidae) Synonym(s): *bicolor* Radoszkowski,1877; *femoralis* Radoszkowski,1877; *bipunctata* Radoszkowski,1877; *barbiventrtris* Morawitz,1889

- Range (in code): UZ Sam KG KK AF CN CY IL Pa TR GR IR Kh CZ IT RU BG TJ 01 05 06 07 25 31 33 42
- 2112) *Bembix bidentata* Van der Linden,1829** (Crabronidae) Synonym(s): *bidentata* Van der Linden,1829 Range (in code): TR 03 05 06 07 08 09 10 12 13 15 18 20 24 25 26 28 29 31 32 33 34 35 36 38 42 43 44 48 55 58 60 70
- 2113) *Bembix ciliciensis* De Beaumont,1967** (Crabronidae) Synonym(s): *ciliciensis* De Beaumont,1967 Range (in code): TR 01 33 46
- 2114) *Bembix cinctella* Handlirsch,1893** (Crabronidae) Synonym(s): *cinctella* Handlirsch,1893 Range (in code): TR 06 08 22 25 33 35 38 42
- 2115) *Bembix diversipes* Morawitz,1889** (Crabronidae) Synonym(s): *diversipes* Morawitz,1889 Range (in code): TR 06 24 25 29 36 43 69
- 2116) *Bembix eburnea* Radoszkowski,1877** (Crabronidae) Synonym(s): *eburnea* Radoszkowski,1877 Range (in code): TR 42
- 2117) *Bembix gracilis* Handlirsch,1893** (Crabronidae) Synonym(s): *gracilis* Handlirsch,1893 Range (in code): TR 25
- 2118) *Bembix megerlei* Dahlbom,1845** (Crabronidae) Synonym(s): *megerlei* Dahlbom,1845 Range (in code): TR 16
- 2119) *Bembix oculata* (Panzer,1801)** (Crabronidae) Synonym(s): *oculata* Panzer,1801; *latreillii* Lepeletier,1845; *neglecta* Dahlbom,1845; *ocellata* Dahlbom,1845; *panzeri* Handlirsch,1893; *hispanica* Mercet,1904; *ebusiana* Giner Mari,1934; Range (in code): MA EG Sn PT ES FR CH IT Co Sa Si HV HU RO BG AL GR Cr CY RU TR MN 01 03 07 08 09 10 13 15 17 25 31 33 34 35 47 48 73 76 79 13A 13Ab 13Ax 73A 73Ad 73Ad2
- 2120) *Bembix olivacea* Fabricius,1787** (Crabronidae) Synonym(s): *olivacea* Fabricius,1787; *senilis* Fabricius,1804; *notata* Dahlbom,1845; *mediterranea* Handlirsch,1893; *maroccana* Mercet,1905; *pardoii* Giner Mari,1945 Range (in code): MR MA DZ TN TD SD SO EG ET PT ES FR IT Co Sa Si GR Cr Rd CY BG Cc AZ Len AM RO HU RU Ao TR YE Ad UA Cm TM KG 01 06 07 15 20 31 33 35 36 38 45 47 55 60 61 65 72 76 65F 65Fé 72B
- 2121) *Bembix pallida* Radoszkowski,1877** (Crabronidae) Synonym(s): *pallida* Radoszkowski,1877 Range (in code): GR BG TR 01 03 06 25 29 31 33 36 38 59
- 2122) *Bembix portchinskii* Radoszkowski,1884** (Crabronidae) Synonym(s): *portchinskii* Radoszkowski,1884 Range (in code): TR 36
- 2123) *Bembix rostrata* (Linnaeus,1758)** (Crabronidae) Synonym(s): *rostrata* Linnaeus,1758; *armata* Gmelin,1790; *vidua* Lepeletier,1845; *dissecta* Dahlbom,1845; *gallica* Mocsary,1883; *paradoxa* Giner Mari,1943 Range (in code): MA DZ PT ES SE DK DE FR AT CH PL HU BE BG TR UA Cm IT RO RU Sb At KG TJ TM UZ Tas AF CN IMn 10 25 34 35 36 38 48 57 65 65N 65Nr6 65Nm
- 2124) *Bembix sinuata* Latreille,1809** (Crabronidae) Synonym(s): *sinuata* Latreille,1809; *bipunctata* Dufour,1861; *julii* Fabre,1879; *occitanica* Mocsary,1883 Range (in code): TR 10 25 35 36 45 48
- 2125) *Bembix turca* Dahlbom,1845** (Crabronidae) Synonym(s): *turca* Dahlbom,1845 *melaena* Smith,1856 Range (in code): TR RU RO BG GR 01 33
- 2126) *Brachystegus incertus* (Radoszkowski,1877)** (Crabronidae) Synonym(s): *incertus* Radoszkowski,1877 Range (in code): TR 33 38 51
- 2127) *Brachystegus scalaris* (Illiger,1807)** (Crabronidae) Synonym(s): *scalaris* Illiger,1807 Range (in code): TR 18 25 38 42 58 76
- 2128) *Brachystegus trichopygus* (de Beaumont,1967)** (Crabronidae) Synonym(s): *trichopygus* de Beaumont,1967 Range (in code): TR 33
- 2129) *Cerceris aerata* Kazenas,1972** (Crabronidae) Synonym(s): *aerata* Kazenas,1972 Range (in code): TR 25
- 2130) *Cerceris albicolor* Shestakov,1918** (Crabronidae) Synonym(s): *albicolor* Shestakov,1918 Range (in code): TR 01 06 16 20 25 26 33 36
- 2131) *Cerceris angustata* Morawitz,1893** (Crabronidae) Synonym(s): *angustata* Morawitz,1893 Range (in code): TR 26 33
- 2132) *Cerceris arenaria* (Linnaeus,1758)** (Crabronidae) Synonym(s): *arenaria* Linnaeus,1758 Range (in code): MA DZ TN AZ AM Cc GG TR RU... 01 05 06 08 09 10 11 16 20 22 24 25 31 33 34 35 36 37 38 42 43 44 45 46 51 54 55 57 58 59 69 76
- 2133) *Cerceris bicincta* Klug,1835** (Crabronidae) Synonym(s): *bicincta* Klug,1835 Range (in code): TR 09 16 25 36 42
- 2134) *Cerceris bracteata* Eversmann,1849** (Crabronidae) Synonym(s): *bracteata* Eversmann,1849 Range (in code): TR 12 25

- 2135) *Cerceris bupresticida* Dufour,1841** (Crabronidae) **Synonym(s):** *bupresticida* Dufour,1841
Range (in code): **TR 03 05 08 10 11 16 20 25 31 33 34 35 36 42 44 46 51 55 60 76**
- 2136) *Cerceris cheskesiana* Giner Mari,1945** (Crabronidae) **Synonym(s):** *cheskesiana* Giner Mari,1945
Range (in code): **TR 30 31 33 44 56 63**
- 2137) *Cerceris circularis* Schletterer,1887** (Crabronidae) **Synonym(s):** *circularis* Schletterer,1887
Range (in code): **TR 01 07 09 31 33 36 38 76**
- 2138) *Cerceris conica* Shestakov,1918** (Crabronidae) **Synonym(s):** *conica* Shestakov,1918
Range (in code): **TR 04 25 27 36 58 65**
- 2139) *Cerceris cupes* Shestakov,1918** (Crabronidae) **Synonym(s):** *cupes* Shestakov,1918
Range (in code): **TR 25**
- 2140) *Cerceris deserticola* Morawitz,1890** (Crabronidae) **Synonym(s):** *deserticola* Morawitz,1890
Range (in code): **TR 36**
- 2141) *Cerceris dispar* Dahlbom,1845** (Crabronidae) **Synonym(s):** *dispar* Dahlbom,1845
Range (in code): **TR 01 05 06 07 16 31 33 35 42 48 60 63**
- 2142) *Cerceris dorsalis* Eversmann,1849** (Crabronidae) **Synonym(s):** *dorsalis* Eversmann,1849
Range (in code): **TR 23 33**
- 2143) *Cerceris eucharis* Schletterer,1887** (Crabronidae) **Synonym(s):** *eucharis* Schletterer,1887
Range (in code): **TR 04 31 33 42 47 56 63**
- 2144) *Cerceris euryanthe* Kohl,1888** (Crabronidae) **Synonym(s):** *euryanthe* Kohl,1888; *palaestina* De Beaumont,1959 [ssp.]
Range (in code): **TR 06 23 25 27 31 33 36 40 42 47 50 51 58 59 63 73**
- 2145) *Cerceris eversmanni* Shestakov,1915** (Crabronidae) **Synonym(s):** *eversmanni* Shestakov,1915; *caucasica* Shestakov,1915 [ssp.]; *warnckei* K.Schmidt,2000
Range (in code): **TR 25 30**
- 2146) *Cerceris fimbriata* (Rossi,1790)** (Crabronidae) **Synonym(s):** *fimbriata* Rossi,1790
Range (in code): **TR 01 02 05 06 07 08 20 31 33 36 42 46**
- 2147) *Cerceris flavicornis* Brullé,1833** (Crabronidae) **Synonym(s):** *flavicornis* Brullé,1833
Range (in code): **TR 06 08 20 24 25 29 33 35 42 45 59 63 67**
- 2148) *Cerceris flavilabris* (Fabricius,1793)** (Crabronidae) **Synonym(s):** *flavilabris* Fabricius,1793; *laminata* Eversmann,1849 [ssp.]
Range (in code): **TR 05 08 11 24 25 31 33 36 37 51 53 76**
- 2149) *Cerceris galathea* De Beaumont,1959** (Crabronidae) **Synonym(s):** *galathea* De Beaumont,1959
Range (in code): **TR 36**
- 2150) *Cerceris gusenleitneri* K.Schmidt,2000** (Crabronidae) **Synonym(s):** *gusenleitneri* K.Schmidt,2000
Range (in code): **TR 13 25 30 69**
- 2151) *Cerceris inara* De Beaumont,1967** (Crabronidae) **Synonym(s):** *inara* De Beaumont,1967
Range (in code): **TR 02 07 26 31 33 36 50 68**
- 2152) *Cerceris interrupta* (Panzer,1799)** (Crabronidae) **Synonym(s):** *interrupta* Panzer,1799
Range (in code): **TR 34 35**
- 2153) *Cerceris lunata* A.Costa,1867** (Crabronidae) **Synonym(s):** *lunata* A.Costa,1867
Range (in code): **TR 01 05 06 10 11 16 25 31 33 42 43 55 59 63**
- 2154) *Cerceris maculicrus* De Beaumont,1967** (Crabronidae) **Synonym(s):** *maculicrus* De Beaumont,1967
Range (in code): **TR 03 20 31 45 48**
- 2155) *Cerceris media* Klug,1835** (Crabronidae) **Synonym(s):** *media* Klug,1835
Range (in code): **TR 06 25 33 46**
- 2156) *Cerceris odontophora* Schletterer,1887** (Crabronidae) **Synonym(s):** *odontophora* Schletterer,1887
Range (in code): **TR 07 08 09 30 33 35 38 42**
- 2157) *Cerceris pleurispina* De Beaumont,1959** (Crabronidae) **Synonym(s):** *pleurispina* De Beaumont,1959
Range (in code): **TR 63**
- 2158) *Cerceris quadricinctus* (Panzer,1799)** (Crabronidae) **Synonym(s):** *quadricinctus* Panzer,1799
Range (in code): **TR 01 05 06 07 08 11 12 18 24 25 31 33 34 36 42 43 45 46 48 53 57 59 60 61 76**
- 2159) *Cerceris quadrifasciatus* (Panzer,1799)** (Crabronidae) **Synonym(s):** *quadrifasciatus* Panzer,1799
Range (in code): **TR 06 10 25 33 35 42 45 60**
- 2160) *Cerceris quinquefasciatus* (Rossi,1792)** (Crabronidae) **Synonym(s):** *quinquefasciatus* Rossi,1792
Range (in code): **TR 25 36 42**
- 2161) *Cerceris rhinoceros* Kohl,1888** (Crabronidae) **Synonym(s):** *rhinoceros* Kohl,1888
Range (in code): **TR 02 33**

- 2162) *Cerceris rubida* (Jurine,1807)** (Crabronidae) Synonym(s): *rubida* Jurine,1807 - Range (in code): **TR 05 06 07 08 09 10 11 17 18 22 24 25 26 30 34 35 36 38 42 48 58 59 60 76**
- 2163) *Cerceris ruficornis* (Fabricius,1793)** (Crabronidae) Synonym(s): *ruficornis* Fabricius,1793 Range (in code): **TR 08 16 24 25 34 36 43 54 55**
- 2164) *Cerceris rutila* Giner Mari,1945** (Crabronidae) Synonym(s): *rutila* Giner Mari,1945; *mauromoustakisi* Giner Mari,1945 [ssp.] - Range (in code): **GR CY IL Pa TR 07 25 31 33**
- 2165) *Cerceris rybyensis* (Linnaeus,1771)** (Crabronidae) Synonym(s): *rybyensis* Linnaeus,1771; *ornatus* Fabricius,1790; *semicinctus* Panzer,1797; *hortorum* Panzer,1799; *variabilis* Schrank,1802; *biguttatus* Thunberg,1815; *kashmirensis* Nurse,1903 - Range (in code): **GB NO SE FI DK DE BE NL FR CZ SK AT SS Sa IT MA DZ BG TR Ch 06 18 25 33 34 40 42 45**
- 2166) *Cerceris sabulosa* (Panzer,1799)** (Crabronidae) Synonym(s): *sabulosa* Panzer,1799; *emarginatus* Panzer,1799; *minuta* Lepeletier,1845; *superba* Shestakov,1923 - Range (in code): **FR BE NL DE AT SS BG Cr Sa TR 01 03 05 06 07 09 10 11 12 16 20 24 25 26 31 33 34 35 36 41 42 43 44 45 46 51 57 59 60 61 63 69 76**
- 2167) *Cerceris seleukos* K.Schmidt,2000** (Crabronidae) Synonym(s): *seleukos* K.Schmidt,2000 Original reference: *Cerceris seleukos* K.Schmidt,2000, *Stapfia* 71: 35, 81-83. Range (in code): **TR 07 21 31 33 44 65**
- 2168) *Cerceris spectabilis* Radoszkowski,1886** (Crabronidae) Synonym(s): *spectabilis* Radoszkowski,1886 - Range (in code): **TR 63**
- 2169) *Cerceris specularis* A.Costa,1867** (Crabronidae) Synonym(s): *specularis* A.Costa,1867; *fergusoni* De Beaumont,1959 [ssp.] - Range (in code): **TR 02 06 20 21 24 25 30 31 33 42 58 63**
- 2170) *Cerceris spinaea* De Beaumont,1970** (Crabronidae) Synonym(s): *spinaea* De Beaumont,1970; *haladai* K.Schmidt,2000 [ssp.] - Range (in code): **TR 56 63**
- 2171) *Cerceris spinipectus* F.Smith,1856** (Crabronidae) Synonym(s): *spinipectus* F.Smith,1856; *spinolice* Schletterer,1887 [ssp.] - Range (in code): **TR 01 06 16 20 31 33 34 61 63**
- 2172) *Cerceris straminea* Dufour,1853** (Crabronidae) Synonym(s): *straminea* Dufour,1853; *hebraea* De Beaumont,1959 [ssp.] - Range (in code): **TR AE 31 56**
- 2173) *Cerceris stratiotes* Schletterer,1887** (Crabronidae) Synonym(s): *stratiotes* Schletterer,1887 - Range (in code): **TR IT HU SK RO YU BG GR 06 07 24 25 33 42 63 76**
- 2174) *Cerceris stratonike* K.Schmidt,2000** (Crabronidae) Synonym(s): *stratonike* K.Schmidt,2000 - Range (in code): **TR 21 31 47 62 63**
- 2175) *Cerceris tenuivittata* Dufour,1849** (Crabronidae) Synonym(s): *tenuivittata* Dufour,1849; *rufipes* F.Smith,1856; *fuscipennis* A.Costa,1869; *melanothorax* Schletterer,1887 - Range (in code): **ES FR IT SK HU YU RO BG GR CY SY IL Pa TR 25 63**
- 2176) *Cerceris tuberculata* De Villers,1789** (Crabronidae) Synonym(s): *tuberculata* De Villers,1789; *rufipes* Fabricius,1787; *hispanica* Gmelin,1790; *major* Spinola,1808; *dufouriana* Fabre,1855; *semirufa* F.Smith,1856; *gemmina* Shestakov,1927 [ssp.] - Range (in code): **PT ES FR IT CZ SK HU RO Co YU AL GR BG Si Cr CY IL Pa TR 01 06 16 25 30 31 34 36 45**
- 2177) *Cerceris vagans* Radoszkowski,1877** (Crabronidae) Synonym(s): *vagans* Radoszkowski,1877 - Range (in code): **TR 01 07 31 33 36 56**
- 2178) *Crabro alpinus* Imhoff,1863** (Crabronidae) Synonym(s): *alpinus* Imhoff,1863 - Range (in code): **TR 29 53 61**
- 2179) *Crabro cribrarius* (Linnaeus,1758)** (Crabronidae) Synonym(s): *cribrarius* Linnaeus,1758; *patellaria* Schreber,1784; *argus* Christ,1791; *longa* Christ,1791; *lunata* Christ,1791; *palmatus* Panzer,1797; *inornatus* Mocsary,1901; *hypotheticus* Kokujev,1927 - Range (in code): **SE NO FI DK DE GB PL NL BE ES FR CH AT IT Sa CZ SK HU YU RO BG TR 06 16 25 29 34 36 43 61**
- 2180) *Crabro peltarius* (Schreber,1784)** (Crabronidae) Synonym(s): *peltarius* Schreber,1784; *patellatus* Panzer,1797; *dentipes* Panzer,1797; *mediatus* Fabricius,1798; *bilbaoensis* Leclercq,1960 - Range (in code): **TR 19 34 35 42 50 58 60 65**
- 2181) *Crabro pugillator* A.Costa,1871** (Crabronidae) Synonym(s): *pugillator* A.Costa,1871 Range (in code): **IT BG GR TR 16 25 28 34 45 53 61 69**
- 2182) *Crossocerus (Ablepharipus) assimilis* (F.Smith,1856)** (Crabronidae) Synonym(s): *assimilis* F.Smith,1856 - Range (in code): **TR 06 25 28 50 61**
- 2183) *Crossocerus (Ablepharipus) podagricus* (Vander Linden,1829)** (Crabronidae) Synonym(s): *podagricus* Vander Linden,1829 - Range (in code): **TR 05 07 13 25 30 42 58**
- 2184) *Crossocerus (Ablepharipus) vagabundus* (Panzer,1798)** (Crabronidae) Synonym(s): *vagabundus* Panzer,1798 - Range (in code): **TR 06 08 13 16 55 61**
- 2185) *Crossocerus (Blepharipus) annulipes* (Lepeletier & Brullé,1835)** (Crabronidae) Synonym(s): *annulipes* Lepeletier & Brullé,1835 - Range (in code): **TR 53**

- 2186) Crossocerus (Blepharipus) barbipes (Dahlbom,1845)** (Crabronidae) Synonym(s): *barbipes* Dahlbom,1845 _ [Range \(in code\): TR 61](#)
- 2187) Crossocerus (Blepharipus) cetratus (Shuckard,1837)** (Crabronidae) Synonym(s): *cetratus* Shuckard,1837 _ [Range \(in code\): TR 08 14 25 34 61](#)
- 2188) Crossocerus (Blepharipus) heydeni Kohl,1880** (Crabronidae) Synonym(s): *heydeni* Kohl,1880 _ [Range \(in code\): TR 24](#)
- 2189) Crossocerus (Blepharipus) leucostoma (Linnaeus,1758)** (Crabronidae) Synonym(s): *leucostoma* Linnaeus,1758 _ [Range \(in code\): TR 08 57 61](#)
- 2190) Crossocerus (Blepharipus) megacephalus (Rossi,1790)** (Crabronidae) Synonym(s): *megacephalus* Rossi,1790 _ [Range \(in code\): TR 25 34 61](#)
- 2191) Crossocerus (Cuphopterus) dimidiatus (Fabricius,1781)** (Crabronidae) Synonym(s): *dimidiatus* Fabricius,1781 _ [Range \(in code\): TR 25 34](#)
- 2192) Crossocerus (Hoplocrabro) quadrimaculatus (Fabricius,1793)** (Crabronidae) Synonym(s): *quadrimaculatus* Fabricius,1793 _ [Range \(in code\): TR 05 16 24 25 30 34 35 65 69 30D 30Dt 65E](#)
- 2193) Crossocerus (Oxycrabro) acanthophorus (Kohl,1892)** (Crabronidae) Synonym(s): *acanthophorus* Kohl,1892 _ [Range \(in code\): HV BG CZ Cr IT SK TR 05 06 30 42 46 50 30D 30Dt](#)
- 2194) Crossocerus (Oxycrabro) taru De Beaumont,1967** (Crabronidae) Synonym(s): *taru* De Beaumont,1967 _ [Range \(in code\): TR 06](#)
- 2195) Crossocerus (s.str.) adhaesus (Kohl,1915)** (Crabronidae) Synonym(s): *adhaesus* Kohl,1915 _ [Range \(in code\): TR 31 33 46](#)
- 2196) Crossocerus (s.str.) bispinosus De Beaumont,1967** (Crabronidae) Synonym(s): *bispinosus* De Beaumont,1967 _ [Range \(in code\): TR 05 06 42](#)
- 2197) Crossocerus (s.str.) denticrus Herrich-Schäffer,1841** (Crabronidae) Synonym(s): *denticrus* Herrich-Schäffer,1841 _ [Range \(in code\): TR 25](#)
- 2198) Crossocerus (s.str.) elongatulus (Vander Linden,1829)** (Crabronidae) Synonym(s): *elongatulus* Vander Linden,1829; *annulatus* Lepeletier & Brullé,1835 _ [Range \(in code\): TR 01 05 06 13 14 20 25 30 31 34 42 43 48 61 64 65 73 13B 13G 13Gw 30D 30Dt 65F 65H 73A](#)
- 2199) Crossocerus (s.str.) esau De Beaumont,1967** (Crabronidae) Synonym(s): *esau* De Beaumont,1967 _ [Range \(in code\): TR 24 30 42 65 73 30B 30Be 73A 65F 65H](#)
- 2200) Crossocerus (s.str.) palmipes (Linnaeus,1767)** (Crabronidae) Synonym(s): *palmipes* Linnaeus,1767 _ [Range \(in code\): TR 25](#)
- 2201) Crossocerus (s.str.) tarsatus (Shuckard,1837)** (Crabronidae) Synonym(s): *tarsatus* Shuckard,1837 _ [Range \(in code\): TR 05 07 16 19 31 42 48 45 63](#)
- 2202) Crossocerus (s.str.) varus Lepeletier & Brullé,1835** (Crabronidae) Synonym(s): *varus* Lepeletier & Brullé,1835 _ [Range \(in code\): TR 29 53](#)
- 2203) Crossocerus (s.str.) wesmaeli (Vander Linden,1829)** (Crabronidae) Synonym(s): *wesmaeli* Vander Linden,1829 _ [Range \(in code\): TR 30 30D 30Dt](#)
- 2204) Didineis crassicornis Handlirsch,1888** (Crabronidae) Synonym(s): *crassicornis* Handlirsch,1888 _ [Range \(in code\): TR 25](#)
- 2205) Didineis latro (De Beaumont,1967)** (Crabronidae) Synonym(s): *latro* De Beaumont,1967 _ [Range \(in code\): TR 31](#)
- 2206) Didineis pannonica Handlirsch,1888** (Crabronidae) Synonym(s): *pannonica* Handlirsch,1888 _ [Range \(in code\): TR 25 42](#)
- 2207) Didineis wuestneii Handlirsch,1888** (Crabronidae) Synonym(s): *wuestneii* Handlirsch,1888 _ [Range \(in code\): TR 55](#)
- 2208) Dinetus pictus (Fabricius,1793)** (Crabronidae) Synonym(s): *pictus* Fabricius,1793 _ [Range \(in code\): TR 16 24 25 34 38 42 57 69](#)
- 2209) Diodontus (s.str.) brevilabris de Beaumont,1967** (Crabronidae) Synonym(s): *brevilabris* de Beaumont,1967 _ [Range \(in code\): TR 05 06 30 33 42 48 50 62 63](#)
- 2210) Diodontus (s.str.) luperus Shuckard,1837** (Crabronidae) Synonym(s): *luperus* Shuckard,1837 _ [Range \(in code\): TR 06 07 33 42 63](#)
- 2211) Diodontus (s.str.) medius Dahlbom,1844** (Crabronidae) Synonym(s): *medius* Dahlbom,1844 _ [Range \(in code\): TR 34](#)
- 2212) Diodontus (s.str.) minutus (Fabricius,1793)** (Crabronidae) Synonym(s): *minutus* Fabricius,1793 _ [Range \(in code\): TR 01 05 06 16 19 20 24 25 26 31 33 34 38 42 55 59 61 63](#)

- 2213) Diodontus (s.str.) temporalis Kohl,1901** (Crabronidae) **Synonym(s):** *temporalis* Kohl,1901 **_ Range (in code):** [TR 42](#)
- 2214) Diodontus (s.str.) tristis (Vander Linden,1829)** (Crabronidae) **Synonym(s):** *tristis* Vander Linden,1829 **_ Range (in code):** [TR 05 06 34 42](#)
- 2215) Dryudella amenartais (Pulawski,1959)** (Crabronidae) **Synonym(s):** *amenartais* Pulawski,1959 **_ Range (in code):** [TR 36](#)
- 2216) Dryudella freygessneri (Carl,1920)** (Crabronidae) **Synonym(s):** *freygessneri* Carl,1920 **_ Range (in code):** [TR 24 25 43](#)
- 2217) Dryudella tricolor (Vander Linden,1829)** (Crabronidae) **Synonym(s):** *tricolor* Vander Linden,1829 **_ Range (in code):** [TR 05 06 08 09 10 25 26 31 33 36 42 50 57](#)
- 2218) Ectemnius (Cameronitus) nigritarsus (Herrich-Schäffer,1841)** (Crabronidae) **Synonym(s):** *nigritarsus* Herrich-Schäffer,1841 **_ Range (in code):** [TR 34](#)
- 2219) Ectemnius (Clytochrysus) lapidarius (Panzer,1804)** (Crabronidae) **Synonym(s):** *lapidarius* Panzer,1804 **_ Range (in code):** [TR 25 34 53 55 61](#)
- 2220) Ectemnius (Clytochrysus) ruficornis (Zetterstedt,1838)** (Crabronidae) **Synonym(s):** *ruficornis* Zetterstedt,1838 **_ Range (in code):** [TR 14 25 36 61](#)
- 2221) Ectemnius (Clytochrysus) sexcinctus (Fabricius,1775)** (Crabronidae) **Synonym(s):** *sexcinctus* Fabricius,1775 **_ Range (in code):** [TR 04 06 08 24 25 29 34 36 42 46 53 55](#)
- 2222) Ectemnius (Hypocrabro) confinis (Walker,1871)** (Crabronidae) **Synonym(s):** *confinis* Walker,1871 **_ Range (in code):** [TR 01 06 07 10 11 16 24 25 31 34 36 48 55 57 59 76](#)
- 2223) Ectemnius (Hypocrabro) continuus (Fabricius,1804)** (Crabronidae) **Synonym(s):** *continuus* Fabricius,1804; *punctatus* Lepeletier & Brullé,1835 **_ Range (in code):** [TR 01 05 06 07 08 09 13 14 16 24 25 29 33 34 35 36 42 43 44 48 53 55 60 61 65 76](#)
- 2224) Ectemnius (Hypocrabro) hypsae (De Stefani,1884)** (Crabronidae) **Synonym(s):** *hypsae* De Stefani,1884 **_ Range (in code):** [TR 25](#)
- 2225) Ectemnius (Hypocrabro) meridionalis (A.Costa,1871)** (Crabronidae) **Synonym(s):** *meridionalis* A.Costa,1871 **_ Range (in code):** [TR 01 02 05 06 07 08 13 16 20 22 24 25 26 31 33 35 42 43 44 46 47 48 55 57 63 65 76](#)
- 2226) Ectemnius (Hypocrabro) persicus (Kohl,1888)** (Crabronidae) **Synonym(s):** *persicus* Kohl,1888 **_ Range (in code):** [IR TR 30 36 58 65](#)
- 2227) Ectemnius (Hypocrabro) rubicola (Dufour & Perris,1840)** (Crabronidae) **Synonym(s):** *rubicola* Dufour & Perris,1840 **_ Range (in code):** [TR 08 13 16 25 30 34 36 69](#)
- 2228) Ectemnius (Hypocrabro) walteri (Kohl,1889)** (Crabronidae) **Synonym(s):** *walteri* Kohl,1889 **_ Range (in code):** [TR 25 42](#)
- 2229) Ectemnius (Metacrabro) cephalotes (Olivier,1792)** (Crabronidae) **Synonym(s):** *cephalotes* Olivier,1792 **_ Range (in code):** [TR 06 08 25 29 32 36 59 66 69](#)
- 2230) Ectemnius (Metacrabro) fossorius (Linnaeus,1758)** (Crabronidae) **Synonym(s):** *fossorius* Linnaeus,1758 **_ Range (in code):** [TR 08 25 29 34](#)
- 2231) Ectemnius (Metacrabro) krieckbaumeri (Kohl,1879)** (Crabronidae) **Synonym(s):** *krieckbaumeri* Kohl,1879 **_ Range (in code):** [TR 07 25 30 33 72](#)
- 2232) Ectemnius (Metacrabro) lituratus (Panzer,1805)** (Crabronidae) **Synonym(s):** *lituratus* Panzer,1805 **_ Range (in code):** [TR 16 25 55 76](#)
- 2233) Ectemnius (s.str.) borealis (Zetterstedt,1838)** (Crabronidae) **Synonym(s):** *borealis* Zetterstedt,1838 **_ Range (in code):** [TR 61](#)
- 2234) Ectemnius (s.str.) dives (Lepeletier & Brullé,1835)** (Crabronidae) **Synonym(s):** *dives* Lepeletier & Brullé,1835 **_ Range (in code):** [TR 05 08 13 14 25 34 36 55 57 60 61 65](#)
- 2235) Ectemnius (s.str.) rugifer (Dahlbom,1845)** (Crabronidae) **Synonym(s):** *rugifer* Dahlbom,1845 **_ Range (in code):** [TR 05 06 07 11 25 38 42 63 65](#)
- 2236) Ectemnius (Thyreocerus) crassicornis (Spinola,1838)** (Crabronidae) **Synonym(s):** *crassicornis* Spinola,1838 **_ Range (in code):** [TR 01 02 04 05 06 07 08 09 10 11 16 17 20 22 23 24 25 27 30 31 33 35 36 42 43 44 46 48 50 51 58 63 65 71 72 76](#)
- 2237) Ectemnius (Thyreocerus) massiliensis (Kohl,1883)** (Crabronidae) **Synonym(s):** *massiliensis* Kohl,1883; *#massiliensis* Tezcan & Yıldırım,2004 **_ Original reference:** *Thyreocerus massiliensis* Kohl,1883, Dt. ent. Z. 27: 163-164. Type ♂: Frankreich: "Gallia merid. (Massilia)". **_ Range (in code):** [FR TR 02 06 07 13 25 27 29 30 33 43 45 48 50 51 58 63 65 69 80](#)
- 2238) Entomognathus brevis (Vander Linden,1829)** (Crabronidae) **Synonym(s):** *brevis* Vander Linden,1829 **_ Range (in code):** [TR 05 06 07 16 25 34 37 41 42](#)

- 2239) Entomognathus dentifer (Noskiewicz,1929)** (Crabronidae) Synonym(s): *dentifer* Noskiewicz,1929 _ Range (in code): TR 05 06 31
- 2240) Entomognathus schmidtii de Beaumont,1967** (Crabronidae) Synonym(s): *schmidtii de Beaumont,1967* _ Range (in code): TR 11 20 33 42 51
- 2241) Entomognathus schmiedeknechti (Kohl,1905)** (Crabronidae) Synonym(s): *schmiedeknechti Kohl,1905* _ Range (in code): TR 01 05 06 25 28 37 43 55 60
- 2242) Entomosericus concinnus Dahlbom,1845** (Crabronidae) Synonym(s): *concinnus Dahlbom,1845* _ Range (in code): TR 04 05 06 07 11 14 23 25 32 33 42 43 45 47 48 50 58 63 65 72
- 2243) Entomosericus hauseri Schmid-Egger,2000** (Crabronidae) Synonym(s): *hauseri Schmid-Egger,2000* _ Range (in code): TR 07 27 33 46 47 63 72
- 2244) Gastrosericus funereus Gussakowski,1931** (Crabronidae) Synonym(s): *funereus Gussakowski,1931* _ Range (in code): TR 33 72
- 2245) Gastrosericus waltlii Spinola,1839** (Crabronidae) Synonym(s): *waltlii Spinola,1839* _ Range (in code): TR 06 24 30 33 63
- 2246) Gorytes albidulus (Lepeletier,1832)** (Crabronidae) Synonym(s): *albidulus Lepeletier,1832* _ Range (in code): TR 04 08 12 25 36 50 65
- 2247) Gorytes foveolatus Handlirsch,1888** (Crabronidae) Synonym(s): *foveolatus Handlirsch,1888* _ Range (in code): TR 07 11 16 27 31 32 34 35 42 45 46 48 63 73
- 2248) Gorytes hebraeus De Beaumont,1953** (Crabronidae) Synonym(s): *hebraeus De Beaumont,1953* _ Range (in code): TR 04 06 18 25 32 50
- 2249) Gorytes kohlii Handlirsch,1888** (Crabronidae) Synonym(s): *kohlii Handlirsch,1888* _ Range (in code): TR 07 33
- 2250) Gorytes laticinctus (Lepeletier,1832)** (Crabronidae) Synonym(s): *laticinctus Lepeletier,1832* _ Range (in code): TR 08 25 53
- 2251) Gorytes nigrifacies (Mocsary,1879)** (Crabronidae) Synonym(s): *nigrifacies Mocsary,1879* _ Range (in code): TR 05 09 25 26 33 42 50 60
- 2252) Gorytes pleuripunctatus (A.Costa,1859)** (Crabronidae) Synonym(s): *pleuripunctatus A.Costa,1859* _ Range (in code): TR 01 02 05 06 16 20 24 25 31 33 35 36 47 48 50 51 62 63 65 72 73 76
- 2253) Gorytes procrustes Handlirsch,1888** (Crabronidae) Synonym(s): *procrustes Handlirsch,1888* _ Range (in code): TR 16 25
- 2254) Gorytes quaqudrifasciatus (Fabricius,1804)** (Crabronidae) Synonym(s): *quaqudrifasciatus Fabricius,1804* _ Range (in code): TR 25 34
- 2255) Gorytes quinquecinctus (Fabricius,1793)** (Crabronidae) Synonym(s): *quinquecinctus Fabricius,1793* _ Range (in code): TR 02 04 07 08 24 25 26 30 31 34 35 36 37 49 50 57 59 63 65 69 72 76
- 2256) Gorytes quinquefasciatus (Panzer,1798)** (Crabronidae) Synonym(s): *quinquefasciatus Panzer,1798* _ Range (in code): TR 06 08 16 25 28 33 37 42 48 60 72
- 2257) Gorytes schlettereri Handlirsch,1893** (Crabronidae) Synonym(s): *schlettereri Handlirsch,1893* _ Range (in code): TR 08 14 61 75
- 2258) Gorytes schmidtii Schmid-Egger,2002** (Crabronidae) Synonym(s): *schmidtii Schmid-Egger,2002* _ Range (in code): TR 02 30 56
- 2259) Gorytes schmiedeknechtii Handlirsch,1888** (Crabronidae) Synonym(s): *schmiedeknechtii Handlirsch,1888* _ Range (in code): TR 02 05 07 08 16 25 31 33 42 48 51 55 63
- 2260) Gorytes sulcifrons (A.Costa,1867)** (Crabronidae) Synonym(s): *sulcifrons A.Costa,1867* _ Range (in code): TR 04 13 25 30 42 50 51 65
- 2261) Harpactus adventicus (De Beaumont,1967)** (Crabronidae) Synonym(s): *adventicus De Beaumont,1967* _ Range (in code): TR 51
- 2262) Harpactus affinis (Spinola,1808)** (Crabronidae) Synonym(s): *affinis Spinola,1808* _ Range (in code): TR 05 16 24 25 33 34 40
- 2263) Harpactus coccineus (Balthasar,1954)** (Crabronidae) Synonym(s): *coccineus Balthasar,1954* _ Range (in code): TR 07 31
- 2264) Harpactus dimorphus (Pulawski,1979)** (Crabronidae) Synonym(s): *dimorphus Pulawski,1979* _ Range (in code): TR 63
- 2265) Harpactus elegans Lepeletier,1832** (Crabronidae) Synonym(s): *elegans Lepeletier,1832* _ Range (in code): TR 06 08 24 25 32 33 36 42 53 57 63
- 2266) Harpactus immaculatus (Pulawski,1979)** (Crabronidae) Synonym(s): *immaculatus Pulawski,1979* _ Range (in code): TR 33

- 2267) Harpactus morawitzi Radoszkowski,1884** (Crabronidae) Synonym(s): *morawitzi* Radoszkowski,1884; *moravicus* Snoflak,1943 _ Range (in code): **TR 01 05 26 33 38 42 59 61**
- 2268) Harpactus obscurus (De Beaumont,1969)** (Crabronidae) Synonym(s): *obscurus* De Beaumont,1969 _ Range (in code): **TR 38 42**
- 2269) Harpactus osdroene (De Beaumont,1969)** (Crabronidae) Synonym(s): *osdroene* De Beaumont,1969 _ Range (in code): **TR 63**
- 2270) Harpactus tauricus Radoszkowski,1884** (Crabronidae) Synonym(s): *tauricus* Radoszkowski,1884 _ Range (in code): **RU UA KG TM TJ Cm IT GR HV CZ HU RO IR TR 60**
- 2271) Harpactus transiens A.Costa,1887** (Crabronidae) Synonym(s): *transiens* A.Costa,1887 Range (in code): **TR 06 24 33**
- 2272) Holotachysphex mochii (de Beaumont,1947)** (Crabronidae) Synonym(s): *mochii* de Beaumont,1947 _ Range (in code): **TR 33**
- 2273) Hoplisoides craverii (A.Costa,1867)** (Crabronidae) Synonym(s): *craverii* A.Costa,1867 Range (in code): **TR 05 06 25 33**
- 2274) Hoplisoides latifrons (Spinola,1808)** (Crabronidae) Synonym(s): *latifrons* Spinola,1808 Range (in code): **TR 06 24 36**
- 2275) Hoplisoides punctuosus (Eversmann,1849)** (Crabronidae) Synonym(s): *punctuosus* Eversmann,1849 _ Range (in code): **TR 05 24 25 28 33 43 55 63**
- 2276) Larra (s.str.) anathema (Rossi,1790)** (Crabronidae) Synonym(s): *anathema* Rossi,1790; *ichneumoniformis* Fabricius,1793; *teutonius* Fabricius,1804; *grandis* Chevrier,1872; *melanaria* Kohl,1880 Range (in code): **TR 01 05 06 07 08 09 10 11 15 16 24 25 31 32 33 34 35 36 40 42 44 45 46 51 52 53 55 61 77**
- 2277) Lestica (Ptyx) eurypus (Kohl,1898)** (Crabronidae) Synonym(s): *eurypus* Kohl,1898 Range (in code): **TR AM Cc 58 58G 58Gd**
- 2278) Lestica (s.str.) alata (Panzer,1797)** (Crabronidae) Synonym(s): *clypeata* Schreber,1759; *subterranea* Fabricius,1775; *alata* Panzer,1797; *camelus* Eversmann,1849; *pluschtschevskyi* F.Morawitz,1891; *eurypus* Kohl,1898 _ Range (in code): **TR 16**
- 2279) Lestica (s.str.) pluschtschevskyi (Morawitz,1891)** (Crabronidae) Synonym(s): *pluschtschevskyi* Morawitz,1891 _ Range (in code): **TR KG ES 25 25E 25L 25R**
- 2280) Lestica (s.str.) subterranea (Fabricius,1775)** (Crabronidae) Synonym(s): *subterranea* Fabricius,1775 _ Range (in code): **TR 07 15 25 28 29 36 38 42 58 69**
- 2281) Lestica (Solenius) camelus (Eversmann,1849)** (Crabronidae) Synonym(s): *camelus* Eversmann,1849; *sapporensis* Matsumura,1912 _ Range (in code): **RU Ur Sb Us Sh KP KR TR JP Hkk CN Mc KG MN At 06**
- 2282) Lestica (Solenius) clypeata (Schreber,1759)** (Crabronidae) Synonym(s): *clypeata* Schreber,1759; *ovatus* Christ,1791; *vexillatus* Panzer,1797; *lapidarius* Fabricius,1804; *nigridens* Herrich-Schäffer,1841; *quadrifer* Dufour,1841; _ Range (in code): **TR 01 05 06 07 08 09 10 11 14 16 17 23 24 25 28 31 33 34 36 37 42 43 44 46 55 59 63 65 76**
- 2283) Lestiphorus bicinctus (Rossi,1794)** (Crabronidae) Synonym(s): *bicinctus* Rossi,1794 Range (in code): **TR 25**
- 2284) Lindenius albilabris (Fabricius,1793)** (Crabronidae) Synonym(s): *albilabris* Fabricius,1793 _ Range (in code): **TR 01 05 08 36 37 42 61 75**
- 2285) Lindenius anatolicus Beaumont,1967** (Crabronidae) Synonym(s): *anatolicus* Beaumont,1967 _ Range (in code): **BG TR IR JO 01 02 05 15 31 38 63 66 72**
- 2286) Lindenius aptus Marshakov,1973** (Crabronidae) Synonym(s): *aptus* Marshakov,1973 Range (in code): **TR 25**
- 2287) Lindenius crenulifer (Kohl,1905)** (Crabronidae) Synonym(s): *crenulifer* Kohl,1905 Range (in code): **TR JO KK 27 46**
- 2288) Lindenius fastidious De Beaumont,1967** (Crabronidae) Synonym(s): *fastidious* De Beaumont,1967 _ Range (in code): **TR 42**
- 2289) Lindenius helleri (Kohl,1915)** (Crabronidae) Synonym(s): *helleri* Kohl,1915 _ Range (in code): **TR 25**
- 2290) Lindenius ibex Kohl,1883** (Crabronidae) Synonym(s): *ibex* Kohl,1883; *syriacus* Kohl,1905 Range (in code): **BG SK SY TR 02 04 06 07 11 25 33 42 43 44 58 63 65 73 58G 65K**
- 2291) Lindenius iraninus Leclercq,1975** (Crabronidae) Synonym(s): *iraninus* Leclercq,1975 Range (in code): **IR SY JO TR 04 07 24 26 42 46 47 50 63**
- 2292) Lindenius laevis A.Costa,1871** (Crabronidae) Synonym(s): *laevis* A.Costa,1871 _ Range (in code): **TR B-H BG HV HU IT MD UA AT CZ SK 11 34 39 55 65 65H**

- 2293) *Lindenius latitarsis* Marshakov,1973** (Crabronidae) Synonym(s): *latitarsis* Marshakov,1973 _ Range (in code): **TR 04 25 65 04C 04Cd 25C 65H**
- 2294) *Lindenius mesopleuralis* (F.Morawitz,1890)** (Crabronidae) Synonym(s): *mesopleuralis* F.Morawitz,1890 _ Range (in code): **CN KG RO SK TM TR 65 65L**
- 2295) *Lindenius nitidus* de Beaumont,1967** (Crabronidae) Synonym(s): *nitidus* de Beaumont,1967 _ Range (in code): **TR 38 42**
- 2296) *Lindenius panzeri* (Vander Linden,1829)** (Crabronidae) Synonym(s): *panzeri* Vander Linden,1829 _ Range (in code): **BG TR TM Kp KK KG TJ RU RO IN Ch 04 06 09 31 32 34 65 65H 65L**
- 2297) *Lindenius parkanensis* (Zavadil,1948)** (Crabronidae) Synonym(s): *parkanensis* Zavadil,1948 _ Range (in code): **TR BG RO 26**
- 2298) *Lindenius pygmaeus* (Rossi,1794)** (Crabronidae) Synonym(s): *pygmaeus* Rossi,1794; *armatus* Vander Linden,1829 _ Range (in code): **TR FR MA KK ES SY TN 04 05 06 10 13 24 30 33 34 42 44 46 50 51 55 58 63 65 72 13G 13Gw 65L 65K**
- 2299) *Lindenius sardashti* Leclercq,1975** (Crabronidae) Synonym(s): *sardashti* Leclercq,1975 _ Range (in code): **TR 44 73**
- 2300) *Lindenius satschouanus* (Kohl,1915)** (Crabronidae) Synonym(s): *satschouanus* Kohl,1915 _ Range (in code): **TR 36**
- 2301) *Lindenius subaeneus* Lepeletier & Brullé,1835** (Crabronidae) Synonym(s): *subaeneus* Lepeletier & Brullé,1835 _ Range (in code): **TR KG FR 04 07 25 26 36 42 50 58 65 04C 04Cb 36D 36Df 58G 65H**
- 2302) *Liris (Leptolarra) festinans* (F.Smith,1858)** (Crabronidae) Synonym(s): *festinans* F.Smith,1858; *praetermissus* Richards,1928 _ Range (in code): **TR 09 48**
- 2303) *Liris (Leptolarra) micans* (Spinola,1806)** (Crabronidae) Synonym(s): *micans* Spinola,1806 _ Range (in code): **TR 06**
- 2304) *Liris (Leptolarra) niger* (Fabricius,1775)** (Crabronidae) Synonym(s): *niger* Fabricius,1775 _ Range (in code): **TR 01 06 07 08 09 15 16 19 20 24 25 31 33 34 36 42 44 45 60 63**
- 2305) *Liris (Leptolarra) nigricans* (Walker,1871)** (Crabronidae) Synonym(s): *nigricans* Walker,1871 _ Range (in code): **TR 07 36**
- 2306) *Liris inopinatus* Beaumont,1961** (Crabronidae) Synonym(s): *inopinatus* Beaumont,1961 _ Range (in code): **CY GR IL Pa TR 60**
- 2307) *Lithium haladai* Schmid-Egger,2007** (Crabronidae) Synonym(s): *haladai* Schmid-Egger,2007 _ Range (in code): **TR 44 46**
- 2308) *Lithium jacobsi* Schmid-Egger,2007** (Crabronidae) Synonym(s): *jacobsi* Schmid-Egger,2007 _ Range (in code): **TR 07 27 46**
- 2309) *Mellinus arvensis* (Linnaeus,1758)** (Crabronidae) Synonym(s): *arvensis* Linnaeus,1758 _ Range (in code): **IE GB TR 16 25**
- 2310) *Mellinus crabroneus* (Thunberg,1791)** (Crabronidae) Synonym(s): *crabroneus* Thunberg,1791 _ Range (in code): **TR 16 34**
- 2311) *Mimesa crassipes* (A.Costa,1871)** (Crabronidae) Synonym(s): *crochroptera* A.Costa,1869; *assipes* A.Costa,1871; *carbonaria* A.Costa,1871; *costae* André,1888; *helvetica* Tournier,1889; *lixivia* Tournier,1889; *pannonica* Maidl,1914 _ Range (in code): **ES CH AT IT Sa DE PT HV HU BG TR CN Ui Au RU KG KK 03 05 06 24 25 26 32 42 44 25O**
- 2312) *Mimesa equestris* (Fabricius,1804)** (Crabronidae) Synonym(s): *equestris* Fabricius,1804 _ Range (in code): **TR 25 36**
- 2313) *Mimesa grandii* Maidl,1933** (Crabronidae) Synonym(s): *grandii* Maidl,1933 _ Range (in code): **TR 25 33 42 50**
- 2314) *Mimesa jacobsoni* (Gussakowski,1937)** (Crabronidae) Synonym(s): *jacobsoni* Gussakowski,1937; *transiliensis* Budrys,1985 [ssp.] _ Range (in code): **TR TJ Pm KG Aa T-S TrA 25**
- 2315) *Mimesa lutaria* (Fabricius,1787)** (Crabronidae) Synonym(s): *lutaria* Fabricius,1787 _ Range (in code): **TR 13**
- 2316) *Mimesa nasuta* Budrys,1985** (Crabronidae) Synonym(s): *nasuta* Budrys,1985 _ Range (in code): **TR TM KK KG 24 42**
- 2317) *Mimesa nigrita* Eversmann,1849** (Crabronidae) Synonym(s): *nigrita* Eversmann,1849; *brevis* Maidl,1914 _ Range (in code): **TR RU Sb 16 27 46**
- 2318) *Mimesa vindobonensis* Maidl,1914** (Crabronidae) Synonym(s): *vindobonensis* Maidl,1914; *bidentatus* Gussakowski,1937 _ Range (in code): **TR KG CN IMn RU Sb 25 36**
- 2319) *Mimumesa atratina* (F.Morawitz,1891)** (Crabronidae) Synonym(s): *atratina* F.Morawitz,1891 _ Range (in code): **TR 25 61**

- 2320) *Mimumesa dahlbomi* (Wesmael,1852)** (Crabronidae) **Synonym(s):** *dahlbomi* Wesmael,1852 **_ Range (in code):** [TR 61](#)
- 2321) *Mimumesa unicolor* (Vander Linden,1829)** (Crabronidae) **Synonym(s):** *unicolor* Vander Linden,1829 **_ Range (in code):** [TR 05 09 20 25 31 36 42 45 46 48 53 61 76](#)
- 2322) *Miscophus albufeirae* de Andrade,1952** (Crabronidae) **Synonym(s):** *albufeirae* de Andrade,1952; *anatolicus* de Beaumont,1967; *#albufeire* Ljubomirov & Yildirim,2008 **_ Range (in code):** [TR PT ES 33 33O 33R](#)
- 2323) *Miscophus bicolor* Jurine,1807** (Crabronidae) **Synonym(s):** *bicolor* Jurine,1807 **_ Range (in code):** [TR 20 31 42](#)
- 2324) *Miscophus caninus* de Andrade,1953** (Crabronidae) **Synonym(s):** *caninus* de Andrade,1953 **_ Range (in code):** [TR 25 33 42 43 63](#)
- 2325) *Miscophus helveticus* Kohl,1883** (Crabronidae) **Synonym(s):** *helveticus* Kohl,1883 **_ Range (in code):** [TR 06](#)
- 2326) *Miscophus insolitus* de Andrade,1953** (Crabronidae) **Synonym(s):** *insolitus* de Andrade,1953 **_ Range (in code):** [TR 08](#)
- 2327) *Miscophus luctuosus* de Andrade,1960** (Crabronidae) **Synonym(s):** *luctuosus* de Andrade,1960 **_ Range (in code):** [TR 07](#)
- 2328) *Miscophus lusitanicus* de Andrade,1952** (Crabronidae) **Synonym(s):** *lusitanicus* de Andrade,1952 **_ Range (in code):** [TR ES 06 31 33 42](#)
- 2329) *Miscophus mavromoustakisi* de Andrade,1953** (Crabronidae) **Synonym(s):** *mavromoustakisi* de Andrade,1953; *cappadocicus* de Beaumont,1967 **_ Range (in code):** [TR CY IT Si 05 38 38C 38Ca](#)
- 2330) *Miscophus merceti* de Andrade,1952** (Crabronidae) **Synonym(s):** *merceti* de Andrade,1952; *orientalis* de Beaumont,1967 **_ Range (in code):** [TR ES PT 42 43 43G](#)
- 2331) *Miscophus minutus* de Andrade,1953** (Crabronidae) **Synonym(s):** *minutus* de Andrade,1953 **_ Range (in code):** [TR 31](#)
- 2332) *Miscophus pretiosus* Kohl,1884** (Crabronidae) **Synonym(s):** *pretiosus* Kohl,1884 **_ Range (in code):** [TR 06 33](#)
- 2333) *Miscophus venustus* de Beaumont,1969** (Crabronidae) **Synonym(s):** *venustus* de Beaumont,1969 **_ Range (in code):** [TR 63](#)
- 2334) *Nippononysson inexpectatus* de Beaumont,1967** (Crabronidae) **Synonym(s):** *inexpectatus* de Beaumont,1967 **_ Range (in code):** [TR 05](#)
- 2335) *Nitela fallax* Kohl,1884** (Crabronidae) **Synonym(s):** *fallax* Kohl,1884 **_ Range (in code):** [TR 59](#)
- 2336) *Nitela spinolae* Latreille,1809** (Crabronidae) **Synonym(s):** *spinolae* Latreille,1809 **_ Range (in code):** [TR 37](#)
- 2337) *Nitela truncata* Gayubo & Felton,2000** (Crabronidae) **Synonym(s):** *truncata* Gayubo & Felton,2000 **_ Range (in code):** [FR DE GR IT PT ES TR 60](#)
- 2338) *Nysson fulvipes* A.Costa,1859** (Crabronidae) **Synonym(s):** *fulvipes* A.Costa,1859 **_ Range (in code):** [GR TR 05 08 24 25 42 63](#)
- 2339) *Nysson gerstaeckeri* Handlirsch,1887** (Crabronidae) **Synonym(s):** *gerstaeckeri* Handlirsch,1887 **_ Range (in code):** [TR 06 25 63](#)
- 2340) *Nysson guichardi* de Beaumont,1967** (Crabronidae) **Synonym(s):** *guichardi* de Beaumont,1967 **_ Range (in code):** [TR 06](#)
- 2341) *Nysson inornatus* de Beaumont,1967** (Crabronidae) **Synonym(s):** *inornatus* de Beaumont,1967 **_ Range (in code):** [TR 31](#)
- 2342) *Nysson interruptus* (Fabricius,1798)** (Crabronidae) **Synonym(s):** *interruptus* Fabricius,1798 **_ Range (in code):** [TR 05 09 16 24 25 57 69](#)
- 2343) *Nysson maculosus* (Gmelin,1790)** (Crabronidae) **Synonym(s):** *maculosus* Gmelin,1790 **_ Range (in code):** [TR 05 06 25](#)
- 2344) *Nysson pratensis* Mercet,1909** (Crabronidae) **Synonym(s):** *pratensis* Mercet,1909 **_ Range (in code):** [TR 25](#)
- 2345) *Nysson spinosus* (J.Förster,1771)** (Crabronidae) **Synonym(s):** *spinosus* J.Förster,1771 **_ Range (in code):** [TR 16 25 34 41 61](#)
- 2346) *Nysson tridens* Gerstaecker,1867** (Crabronidae) **Synonym(s):** *tridens* Gerstaecker,1867 **_ Range (in code):** [TR 25](#)
- 2347) *Nysson trimaculatus* (Rossi,1790)** (Crabronidae) **Synonym(s):** *trimaculatus* Rossi,1790 **_ Range (in code):** [TR 16](#)

- 2348) Nysson variabilis** Chevrier,1867 (Crabronidae) Synonym(s): *variabilis* Chevrier,1867
Range (in code): **TR 24 25**
- 2349) Odontocrabro orthodoxus** Hensen,1989 (Crabronidae) Synonym(s): *orthodoxus* Hensen,1989 Range (in code): **TR 47 63**
- 2350) Oryttus concinnus** (Rossi,1790) (Crabronidae) Synonym(s): *concinnus* Rossi,1790; *paradisiacus* De Beaumont,1967 Range (in code): **IT UA Cm TR 35 76 76A 76Ab**
- 2351) Oryttus infernalis** (Handlirsch,1888) (Crabronidae) Synonym(s): *infernalis* Handlirsch,1888 Range (in code): **TR 07 16 18 20 33 59**
- 2352) Oxybelus aurantiacus** Mocsary,1883 (Crabronidae) Synonym(s): *aurantiacus* Mocsary,1883; *rufitarsis* F.Morawitz,1894 Range (in code): **TR YE SA KG BG GR Rd HU JO KK MN MA DZ IT RU YU SK ES SY TJ TM PK 06 09**
- 2353) Oxybelus bipunctatus** Olivier,1812 (Crabronidae) Synonym(s): *bipunctatus* Olivier,1812
Range (in code): **TR 06 21 24 25 33 43 55 60 66**
- 2354) Oxybelus dissectus** Dahlbom,1845 (Crabronidae) Synonym(s): *dissectus* Dahlbom,1845; *monachus* Gerstaecker,1867; *elegans* Mocsary,1879 Range (in code): **ES TN TR 01 06 09 25 33 35 36 42 55 60**
- 2355) Oxybelus haemorrhoidalis** Olivier,1812 (Crabronidae) Synonym(s): *haemorrhoidalis* Olivier,1812 Range (in code): **TR 01 06 07 25 31 33 36 42 61**
- 2356) Oxybelus lamellatus** Olivier,1812 (Crabronidae) Synonym(s): *lamellatus* Olivier,1812
Range (in code): **TR 01 07 09 20 33 34**
- 2357) Oxybelus latifrons** Kohl,1892 (Crabronidae) Synonym(s): *latifrons* Kohl,1892 Range (in code): **TR 38**
- 2358) Oxybelus latro** Olivier,1812 (Crabronidae) Synonym(s): *latro* Olivier,1812 Range (in code): **TR 04 06 08 13 24 25 33 35 36 37 38 42 43 45 60 69 76**
- 2359) Oxybelus lineatus** (Fabricius,1787) (Crabronidae) Synonym(s): *lineatus* Fabricius,1787
Range (in code): **TR 06 08 13 25 36 49 69 71**
- 2360) Oxybelus maculipes** F.Smith,1856 (Crabronidae) Synonym(s): *maculipes* F.Smith,1856
Range (in code): **BG TR 05 06 33 42 60**
- 2361) Oxybelus mandibularis** Dahlbom,1845 (Crabronidae) Synonym(s): *mandibularis* Dahlbom,1845 Range (in code): **TR 25 36**
- 2362) Oxybelus mucronatus** (Fabricius,1793) (Crabronidae) Synonym(s): *mucronatus* Fabricius,1793; *pugnax* Olivier,1812; *bellus* Dahlbom,1844; *ambiguus* Gerstaecker,1867; *scutellaris* A.Costa,1871; *meridionalis* Mocsary,1879; *nigriventris* Tournier,1901; *maculiventris* Tournier,1901; *immaculatus* Guiglia,1944; *bistillatus* Balthasar,1972 Range (in code): **DZ LY Cr CY PT ES FR DE CH AT CZ SK PL IT Co Si HU YU GR BG TR 04 06 07 10 13 16 24 25 28 29 33 34 36 37 42 43 60 61 76**
- 2363) Oxybelus quatuordecimnotatus** Jurine,1807 (Crabronidae) Synonym(s): *quatuordecimnotatus* Jurine,1807; *crassipes* Walchenaer,1817; *punctatus* Walchenaer,1817; *parisinus* Kittel,1828; *quattuordecimguttatus* Shuckard,1837; *furcatus* Lepeletier,1845; *raptor* Lepeletier,1845; *timidus* Chevrier,1868; *quadrinotatus* A.Costa,1883; *venustus* Sickmann,1894; *maritimus* Marquet,1896 Range (in code): **PT ES FR BE NL DE CH AT CZ SK HU RO EE LT LV Co Sa Si IT YU AL GR Cr CY BG TR 01 03 04 05 06 09 10 16 20 24 25 26 31 33 34 35 36 38 42 43 44 51 55 57 58 60 69**
- 2364) Oxybelus subspinosus** Klug,1835 (Crabronidae) Synonym(s): *subspinosus* Klug,1835; *fissus* Lepeletier,1845 Range (in code): **PT ES FR IT Sa Si HU RO BG GR TR 01 04 05 06 07 12 16 20 25 26 31 33 38 40 42 43 55 59 60 63**
- 2365) Oxybelus trispinosus** (Fabricius,1787) (Crabronidae) Synonym(s): *trispinosus* Fabricius,1787 Range (in code): **TR 37 53**
- 2366) Oxybelus uniglumis** (Linnaeus,1758) (Crabronidae) Synonym(s): *uniglumis* Linnaeus,1758; *punctata* Fabricius,1793; *tridens* Fabriciu,1798; *pygmaeus* Olivier,1812; *quadrinotatus* Say,1824; *fallax* Gerstaecker,1867; *hispanicus* Giner Mari,1943 Range (in code): **NO SE FI GB PT ES FR BE NL DE DK PL CZ SK HU CH AT RO YU IT TR 06 25 38 42 43 63 69**
- 2367) Oxybelus variegatus** Wesmael,1852 (Crabronidae) Synonym(s): *variegatus* Wesmael,1852; *pulchellus* Gerstaecker,1867 Range (in code): **PT ES FR DE PL CZ SK CH AT IT HU RO YU IT Co Sa Si BG GR TR UA Cm HV IR KG KK MD TM UZ 06 08 16 25 28 34 36 37 38 43 51 76**
- 2368) Palarus beaumonti** Bytinski-Salz,1957 (Crabronidae) Synonym(s): *beaumonti* Bytinski-Salz,1957 Range (in code): **TR 01 05 06 08 21 33 44 60**
- 2369) Palarus funerarius** F.Morawitz,1889 (Crabronidae) Synonym(s): *funerarius* F.Morawitz,1889 Range (in code): **TR 21**
- 2370) Palarus variegatus** (Fabricius,1781) (Crabronidae) Synonym(s): *variegatus* Fabricius,1781
Range (in code): **TR 09 16 25 36 38 60 69**

- 2371) Parapiagetia genicularis (F.Morawitz,1890)** (Crabronidae) **Synonym(s):** *genicularis* F.Morawitz,1890 **_ Range (in code):** **TR 76**
- 2372) Passaloecus corniger Shuckard,1837** (Crabronidae) **Synonym(s):** *corniger* Shuckard,1837 **_ Range (in code):** **TR 05 06 16**
- 2373) Passaloecus eremita Kohl,1893** (Crabronidae) **Synonym(s):** *eremita* Kohl,1893 **_ Range (in code):** **TR 06**
- 2374) Passaloecus gracilis (Curtis,1834)** (Crabronidae) **Synonym(s):** *gracilis* Curtis,1834 **_ Range (in code):** **TR 02 06 25**
- 2375) Passaloecus insignis (Vander Linden,1829)** (Crabronidae) **Synonym(s):** *insignis* Vander Linden,1829 **_ Range (in code):** **TR 61**
- 2376) Passaloecus pictus Ribaut,1952** (Crabronidae) **Synonym(s):** *pictus* Ribaut,1952 **_ Range (in code):** **TR 05 06 07 14 31 33 63**
- 2377) Passaloecus ribauti Merisuo,1974** (Crabronidae) **Synonym(s):** *ribauti* Merisuo,1974 **_ Range (in code):** **TR 27 33 63**
- 2378) Passaloecus singularis Dahlbom,1844** (Crabronidae) **Synonym(s):** *singularis* Dahlbom,1844 **_ Range (in code):** **TR 06 20 65**
- 2379) Passaloecus turionum Dahlbom,1844** (Crabronidae) **Synonym(s):** *turionum* Dahlbom,1844 **_ Range (in code):** **TR 05 06 59 61**
- 2380) Passaloecus vandeli Ribaut,1952** (Crabronidae) **Synonym(s):** *vandeli* Ribaut,1952 **_ Range (in code):** **TR 02**
- 2381) Pemphredon austriaca Kohl,1888** (Crabronidae) **Synonym(s):** *austriaca* Kohl,1888 **_ Range (in code):** **TR 04 06 07 13 16 30 31 35 48 55 59**
- 2382) Pemphredon inornata Say,1824** (Crabronidae) **Synonym(s):** *inornata* Say,1824 **_ Range (in code):** **TR 06 14 16 25 30 53 55 60**
- 2383) Pemphredon lethifer (Shuckard,1837)** (Crabronidae) **Synonym(s):** *lethifer* Shuckard,1837 **_ Range (in code):** **TR 01 02 04 05 06 07 09 10 11 13 16 19 24 25 28 29 30 31 33 34 36 37 42 45 46 48 50 51 55 57 58 60 61 62 63 65 69 76**
- 2384) Pemphredon lugens Dahlbom,1842** (Crabronidae) **Synonym(s):** *lugens* Dahlbom,1842 **_ Range (in code):** **TR 06 16**
- 2385) Pemphredon lugubris (Fabricius,1793)** (Crabronidae) **Synonym(s):** *lugubris* Fabricius,1793 **_ Range (in code):** **TR 05 06 13 25 30 34 36 50 61**
- 2386) Pemphredon morio Vander Linden,1829** (Crabronidae) **Synonym(s):** *morio* Vander Linden,1829 **_ Range (in code):** **TR 30 65**
- 2387) Pemphredon mortifer Valkeila,1972** (Crabronidae) **Synonym(s):** *mortifer* Valkeila,1972 **_ Range (in code):** **TR 31**
- 2388) Pemphredon rugifer (Dahlbom,1844)** (Crabronidae) **Synonym(s):** *rugifer* Dahlbom,1844 **_ Range (in code):** **TR 05 06 07 13 16 26 29 30 31 33 34 35 36 42 44 51 55 60 76**
- 2389) Philanthus quattuordecimpunctatus (F.Morawitz,1888)** (Crabronidae) **Synonym(s):** *quattuordecimpunctatus* F.Morawitz,1888 **_ Range (in code):** **TR 06 25 26**
- 2390) Philanthus coarctatus Spinola,1839** (Crabronidae) **Synonym(s):** *coarctatus* Spinola,1839 **_ Range (in code):** **TR 31**
- 2391) Philanthus coronatus (Thunberg,1784)** (Crabronidae) **Synonym(s):** *coronatus* Thunberg,1784; *orientalis* Bytinski-Salz,1959 [ssp.] **_ Range (in code):** **TR 25 29 38 43 51 58 63**
- 2392) Philanthus decemmaculatus Eversmann,1849** (Crabronidae) **Synonym(s):** *decemmaculatus* Eversmann,1849 **_ Range (in code):** **TR 03**
- 2393) Philanthus dufouri Lucas,1849** (Crabronidae) **Synonym(s):** *dufour* Lucas,1849 **_ Range (in code):** **TR 26 36**
- 2394) Philanthus kohlii F.Morawitz,1890** (Crabronidae) **Synonym(s):** *kohlii* F.Morawitz,1890 **_ Range (in code):** **TR 24 44 46**
- 2395) Philanthus kokandicus Radoszkowski,1877** (Crabronidae) **Synonym(s):** *kokandicus* Radoszkowski,1877 **_ Range (in code):** **TR 13 25 36**
- 2396) Philanthus reinigi Bischoff,1930** (Crabronidae) **Synonym(s):** *reinigi* Bischoff,1930 **_ Range (in code):** **TR 25 36**
- 2397) Philanthus triangulum (Fabricius,1775)** (Crabronidae) **Synonym(s):** *ruspatrix* Linnaeus,1767; *triangulum* Fabricius,1775; *abdelcader* Lepeletier,1845 **_ Range (in code):** **PT ES FR BE NL GB DE PL SE FI CZ SK CH AT HU RO IT Sa YU AL GR BG CY TR 01 03 05 06 07 08 09 10 12 13 16 24 25 29 33 34 35 36 38 42 43 44 45 51 53 55 57 58 60 61 63 65 76 13A 13Ab 13Ax 13G 13Gw 58G 58Gj 65D 65Dp 65F 65Fe 65Fé 65F4 65Fp 65Fz**

- 2398) *Philanthus variegatus* Spinola,1839** (Crabronidae) Synonym(s): *variegatus* Spinola,1839
Range (in code): **TR 25 36**
- 2399) *Philanthus venustus* (Rossi,1790)** (Crabronidae) Synonym(s): *venustus* Rossi,1790
Range (in code): **TR 01 05 06 07 08 16 33 36 38 42 43 45 55 57 60 61**
- 2400) *Pison fasciatum* (Radoszkowski,1876)** (Crabronidae) Synonym(s): *fasciatum* Radoszkowski,1876
Range (in code): **TR 20 33**
- 2401) *Pison sericeum* Kohl,1888** (Crabronidae) Synonym(s): *sericeum* Kohl,1888
Range (in code): **TR 05 06 16 20 22 33**
- 2402) *Prosopigastra bulgarica* Pulawski,1958** (Crabronidae) Synonym(s): *bulgarica* Pulawski,1958
Range (in code): **TR 06 30 71**
- 2403) *Prosopigastra fumipennis* Gussakowski,1952** (Crabronidae) Synonym(s): *fumipennis* Gussakowski,1952
Range (in code): **TR 05 20 21 33 42**
- 2404) *Prosopigastra handlirschi* Morice,1897** (Crabronidae) Synonym(s): *handlirschi* Morice,1897
Range (in code): **TR 33 46**
- 2405) *Prosopigastra orientalis* de Beaumont,1947** (Crabronidae) Synonym(s): *orientalis* de Beaumont,1947
Range (in code): **TR 05 06 24 25 33 42 55 59 71**
- 2406) *Prosopigastra zalinda* de Beaumont,1955** (Crabronidae) Synonym(s): *zalinda* de Beaumont,1955
Range (in code): **TR 05 20 42 46**
- 2407) *Protostigmus* sp.** (Crabronidae) Synonym(s):
Range (in code): **TR 46**
- 2408) *Psammaecius punctulatus* (Vander Linden,1829)** (Crabronidae) Synonym(s): *punctulatus* Vander Linden,1829
Range (in code): **TR 06 08 10 18 20 24 25 33 35 36 42 43 49**
- 2409) *Psen ater* (Olivier,1792)** (Crabronidae) Synonym(s): *ater* Olivier,1792
Range (in code): **TR 09 10 35 45 48 61**
- 2410) *Psenulus concolor* (Dahlbom,1843)** (Crabronidae) Synonym(s): *concolor* Dahlbom,1843; *intermedius* Schenck,1857; *ambiguus* Schenck,1857
Range (in code): **TR 05 19 38 42**
- 2411) *Psenulus fulvicornis* (Schenck,1857)** (Crabronidae) Synonym(s): *fulvicornis* Schenck,1857
Range (in code): **TR DZ BG FR DE GR IT HV ES SY Hms 01 09 43 63 01D 63E**
- 2412) *Psenulus fuscipennis* (Dahlbom,1843)** (Crabronidae) Synonym(s): *fuscipennis* Dahlbom,1843; *nylanderii* Dahlbom,1845; *dufourii* Dahlbom,1845; *nigratus* Brischke,1862; *procerus* A.Costa,1867; *japonicus* Tsuneki,1959 [ssp.]
Range (in code): **SE DE UA AT CH IT HU FR ES YU RU Us PT CZ RO FI BY BE PL BG EE SK Cc GG KG LT TR JP Hkk 05 06 08 18 41**
- 2413) *Psenulus laevigatus* (Schenck,1857)** (Crabronidae) Synonym(s): *laevigatus* Schenck,1857
Range (in code): **TR 25**
- 2414) *Psenulus meridionalis* De Beaumont,1937** (Crabronidae) Synonym(s): *meridionalis* De Beaumont,1937
Range (in code): **TR 13 16 25 29 31 36 59 63 65**
- 2415) *Psenulus pallipes* (Panzer,1798)** (Crabronidae) Synonym(s): *pallipes* Panzer,1798
Range (in code): **TR 05 06 20 25 31 34 42 50 54 55 63 65**
- 2416) *Psenulus pan* De Beaumont,1967** (Crabronidae) Synonym(s): *pan* De Beaumont,1967
Range (in code): **TR 02 04 06 33 42 44 65**
- 2417) *Psenulus schencki* (Tournier,1889)** (Crabronidae) Synonym(s): *schencki* Tournier,1889
Range (in code): **TR 05 06 35 38 42 44 51 58**
- 2418) *Rhopalum (Corynopus) coarctatum* (Scopoli,1763)** (Crabronidae) Synonym(s): *coarctatum* Scopoli,1763
Range (in code): **TR 25 53**
- 2419) *Rhopalum (s.str.) beaumonti* Moczar,1957** (Crabronidae) Synonym(s): *beaumonti* Moczar,1957
Range (in code): **TR UA Cm KG HU AT DE 65 65E**
- 2420) *Rhopalum (s.str.) gracile* (Wesmael,1852)** (Crabronidae) Synonym(s): *gracile* Wesmael,1852
Range (in code): **TR 44**
- 2421) *Solierella compedita* (Piccioli,1869)** (Crabronidae) Synonym(s): *compedita* Piccioli,1869
Range (in code): **TR 20 31 33 40 42 63**
- 2422) *Solierella pisonoides* (S.Saunders,1873)** (Crabronidae) Synonym(s): *pisonoides* S.Saunders,1873
Range (in code): **TR 06 38**
- 2423) *Solierella verhoeffi* de Beaumont,1964** (Crabronidae) Synonym(s): *verhoeffi* de Beaumont,1964
Range (in code): **TR 31**
- 2424) *Sphecius antennatus* (Klug,1845)** (Crabronidae) Synonym(s): *antennatus* Klug,1845; *aberrans* Eversmann,1849; *impressus* Kokujev,1909
Range (in code): **SY TM RU Or Ao UZ Tas KG AL CY GR UA Cm TR IR TJ Pm 05 06 16 18 24 25 31 33 36 38 40 42 58 59**

- 2425) *Sphecius conicus* (Germar,1817)** (Crabronidae) Synonym(s): *conicus* Germar,1817; *syriacus* Klug,1845 [ssp.]; *percussor* Handlirsch,1889; *creticus* De Beaumont,1965 [ssp.] - Range (in code): HV IT RU Or GR Cr TR KG SY UA Cm CN Ui 06 25 65 25K 25L 65F 65Fb 65K 65Kd 65Fé 65Kz 65Kg
- 2426) *Sphecius nigricornis* (Dufour,1838)** (Crabronidae) Synonym(s): *nigricornis* Dufour,1838 - Range (in code): FR DZ RU Sr IT Si ES TR 05 25 33 36 42 58 65 65F 65Fb 65K 65Kd 65Kz
- 2427) *Spilomena mocsaryi* Kohl,1898** (Crabronidae) Synonym(s): *mocsaryi* Kohl,1898 - Range (in code): TR 06 16 34 63
- 2428) *Spilomena troglodytes* (Vander Linden,1829)** (Crabronidae) Synonym(s): *troglodytes* Vander Linden,1829 - Range (in code): TR 06 34
- 2429) *Stigmus solskyi* A.Morawitz,1864** (Crabronidae) Synonym(s): *solskyi* A.Morawitz,1864 - Range (in code): TR 06 25 42 60
- 2430) *Stizoides crassicornis* (Fabricius,1787)** (Crabronidae) Synonym(s): *crassicornis* Fabricius,1787; *rufipes* Olivier,1789; *alienus* Fischer v. Waldheim,1843; *fulvipes* Eversmann,1846 - Range (in code): DZ AZ Cc BG CY EG FR GR IR IL Pa IT KG KK RU ES TR Arr TM Kp UA UZ 16 76
- 2431) *Stizoides melanopterus* (Dahlbom,1845)** (Crabronidae) Synonym(s): *melanopterus* Dahlbom,1845; *concolor* Eversmann,1849 - Range (in code): HV GR Cc AM Rd IQ Bgd TR IL Pa KG LB RU TJ TM UZ Tas 16 33 42 44 48
- 2432) *Stizoides tridentatus* (Fabricius,1775)** (Crabronidae) Synonym(s): *tridentatus* Fabricius,1775; *bifasciata* Fabricius,1798; *unifasciatus* Radoszkowski,1877 - Range (in code): PT ES FR MA DZ TN LY Cy EG Cr IL Pa JO CY Sa Si MT IT HU RO UA Cm GR TR Arr AM Eri AZ Kir RU IR Ak Ab Mz Elb Es Kh AF TM Kp Krn UZ Smk Tas TJ KK Ik KG Aa Tk MN 06 07 16 18 23 25 36 48 55 65 67 76 48D 65F 65Fn 65Fp 65Fz
- 2433) *Stizus annulatus* (Klug,1845)** (Crabronidae) Synonym(s): *annulatus* Klug,1845 - Range (in code): TR 01 06 16 36 51
- 2434) *Stizus bipunctatus* (E.Smith,1856)** (Crabronidae) Synonym(s): *bipunctatus* E.Smith,1856 - Range (in code): TR 01 16 34 43
- 2435) *Stizus combustus* (E.Smith,1856)** (Crabronidae) Synonym(s): *combustus* E.Smith,1856 - Range (in code): TR 61
- 2436) *Stizus fasciatus* (Fabricius,1781)** (Crabronidae) Synonym(s): *fasciatus* Fabricius,1781; *integra* Fabricius,1793; *terminalis* Dahlbom,1845 - Range (in code): TR 06 07 10 30 31 33 34 35 38 42 43 45 46 48 48D
- 2437) *Stizus handlirshi* Radoszkowski,1893** (Crabronidae) Synonym(s): *handlirshi* Radoszkowski,1893 - Range (in code): TR 01
- 2438) *Stizus kohlii* Mocsary,1883** (Crabronidae) Synonym(s): *kohlii* Mocsary,1883 - Original reference: *Stizus kohlii* Mocsary,1883, Termész. Közl. 13: 45. Syntypes ♂♀: Syria. - Range (in code): SY TR 33 65 73 33C 65D 65Di 73A 73Ad1
- 2439) *Stizus perrisi* Dufour,1838** (Crabronidae) Synonym(s): *perrisi* Dufour,1838 - Range (in code): TR 25 36
- 2440) *Stizus pubescens* (Klug,1835)** (Crabronidae) Synonym(s): *pubescens* Klug,1835 - Range (in code): TR 06 07 20 31 33 38 43 46 51 63 66 72
- 2441) *Stizus ruficornis* (J.Forster,1771)** (Crabronidae) Synonym(s): *ruficornis* J.Forster,1771 - Range (in code): TR 07 08 24 25 33 34 35 36 42 45 48 65 48D 65N 65Nb 65Nr4 65Nm
- 2442) *Stizus tricolor* Handlirsch,1892** (Crabronidae) Synonym(s): *tricolor* Handlirsch,1892 - Range (in code): TR 33
- 2443) *Synnevrus decemmaculatus* (Spinola,1808)** (Crabronidae) Synonym(s): *decemmaculatus* Spinola,1808 - Range (in code): TR 01 05 06 20 24 25 31 33 40 42 46 63
- 2444) *Synnevrus epeoliformis* (F.Smith,1856)** (Crabronidae) Synonym(s): *epeoliformis* F.Smith,1856 - Range (in code): TR 06 25 33 42
- 2445) *Synnevrus harveyi* (de Beaumont,1967)** (Crabronidae) Synonym(s): *harveyi* de Beaumont,1967 - Range (in code): TR 38
- 2446) *Synnevrus militaris* (Gerstaecker,1867)** (Crabronidae) Synonym(s): *militaris* Gerstaecker,1867 - Range (in code): TR 06 08 25 33 42
- 2447) *Tachysphex agnus* Pulawski,1971** (Crabronidae) Synonym(s): *agnus* Pulawski,1971 - Range (in code): TR 06
- 2448) *Tachysphex albocinctus* Lucas,1849** (Crabronidae) Synonym(s): *albocincta* Lucas,1849 - Range (in code): ES Cr TR 01 07 33 35
- 2449) *Tachysphex angustatus* Pulawski,1967** (Crabronidae) Synonym(s): *angustatus* Pulawski,1967 - Range (in code): TR GR MN 05 12 42 44 63 12B

- 2450) Tachysphex argentatus Gussakowski,1952** (Crabronidae) Synonym(s): *argentatus* Gussakowski,1952 - Range (in code): TR 06 33
- 2451) Tachysphex bouceki Straka,2005** (Crabronidae) Synonym(s): *mongolicus sensu* Pulawski,1967; *bouceki* Straka,2005 - Range (in code): TR 02 38 69 76
- 2452) Tachysphex brevipennis Mercet,1909** (Crabronidae) Synonym(s): *brevipennis* Mercet,1909 - Range (in code): TR 07 31 33 34 38 42
- 2453) Tachysphex brullii (F.Smith,1856)** (Crabronidae) Synonym(s): *brullii* F.Smith,1856; *galileus de Beaumont,1947* - Range (in code): TR 05 06 19 24 25 31 33 36 42 48 51 58
- 2454) Tachysphex consocius Kohl,1892** (Crabronidae) Synonym(s): *consocius* Kohl,1892 - Range (in code): TR 06 16 20 21 22 25 30 31 33 34 36 45 58 59 62 80
- 2455) Tachysphex costae (De Stefani,1882)** (Crabronidae) Synonym(s): *costae* De Stefani,1882 - Range (in code): TR 01 06 07 09 33 35 59
- 2456) Tachysphex dignus Kohl,1889** (Crabronidae) Synonym(s): *dignus* Kohl,1889 - Range (in code): TR 01 04 06 24 33 35 38 40 42 44 45 51 70
- 2457) Tachysphex erythropus (Spinola,1839)** (Crabronidae) Synonym(s): *erythropus* Spinola,1839 - Range (in code): TR 07 09 33 35
- 2458) Tachysphex euxinus Pulawski,1958** (Crabronidae) Synonym(s): *euxinus* Pulawski,1958 - Range (in code): TR 16 34 43
- 2459) Tachysphex excelsus R.Turner,1917** (Crabronidae) Synonym(s): *excelsus* R.Turner,1917 - Range (in code): TR 25
- 2460) Tachysphex ferrugineus Pulawski,1967** (Crabronidae) Synonym(s): *ferrugineus* Pulawski,1967 - Range (in code): TR 61
- 2461) Tachysphex fugax (Radoszkowski,1877)** (Crabronidae) Synonym(s): *fugax* Radoszkowski,1877 - Range (in code): TR 16 34 61 63 75
- 2462) Tachysphex fulvitaris (A.Costa,1867)** (Crabronidae) Synonym(s): *fulvitaris* A.Costa,1867 - Range (in code): TR 06 07 08 11 25 31 33 38 42 55 57 63
- 2463) Tachysphex graecus Kohl,1883** (Crabronidae) Synonym(s): *graecus* Kohl,1883 - Range (in code): GR TR 01 06 17 20 24 25 34 35 60
- 2464) Tachysphex helveticus Kohl,1885** (Crabronidae) Synonym(s): *helveticus* Kohl,1885 - Range (in code): TR 06 31 34 38 75
- 2465) Tachysphex incertus (Radoszkowski,1877)** (Crabronidae) Synonym(s): *incertus* Radoszkowski,1877 - Range (in code): TR 01 05 07 10 24 25 31 33 34 36 42 46 48 55 63
- 2466) Tachysphex julliani Kohl,1883** (Crabronidae) Synonym(s): *julliani* Kohl,1883 - Range (in code): TR 06 31 33 44 46 48
- 2467) Tachysphex latifrons Kohl,1884** (Crabronidae) Synonym(s): *latifrons* Kohl,1884 - Range (in code): TR 06 16 19 25 26 28 31 55
- 2468) Tachysphex liriformis Pulawski,1967** (Crabronidae) Synonym(s): *liriformis* Pulawski,1967 - Range (in code): TR 13? 33 63
- 2469) Tachysphex magnaemontis Hensen,1987** (Crabronidae) Synonym(s): *magnaemontis* Hensen,1987 - Original reference: Tachysphex magnaemontis Hensen,1987, Ent. Ber., Amst. 47: 13. Holotype: Turkey: Bursa. Range (in code): TR 16
- 2470) Tachysphex mediterraneus Kohl,1883** (Crabronidae) Synonym(s): *mediterraneus* Kohl,1883 - Range (in code): TR 01 07 17 20 33 34 45 53
- 2471) Tachysphex mocsaryi Kohl,1884** (Crabronidae) Synonym(s): *mocsaryi* Kohl,1884 - Range (in code): TR 10 38
- 2472) Tachysphex morawitzi Pulawski,1971** (Crabronidae) Synonym(s): *morawitzi* Pulawski,1971 - Range (in code): TR 24 25 69
- 2473) Tachysphex nitidior de Beaumont,1940** (Crabronidae) Synonym(s): *nitidior* de Beaumont,1940 - Range (in code): TR 18 25 30 31 36 60
- 2474) Tachysphex nitidissimus de Beaumont,1952** (Crabronidae) Synonym(s): *nitidissimus* de Beaumont,1952 - Range (in code): TR 01 07 08 09 24 25 27 31 33 42 63 70
- 2475) Tachysphex nitidus (Spinola,1806)** (Crabronidae) Synonym(s): *nitidus* Spinola,1806 - Range (in code): TR 16
- 2476) Tachysphex obscuripennis (Schenck,1857)** (Crabronidae) Synonym(s): *obscuripennis* Schenck,1857 - Range (in code): TR 06 08 25
- 2477) Tachysphex panzeri (Vander Linden,1829)** (Crabronidae) Synonym(s): *panzeri* Vander Linden,1829 - Range (in code): TR 01 05 06 07 16 24 25 31 33 36 59 60

- 2478) Tachysphex persa Gussakowski,1933** (Crabronidae) Synonym(s): *persa* Gussakowski,1933; *nigripes* Pulawski,1967 Range (in code): IR Ke KG TR BG TJ GR EG Sn 33 42 43 51
- 2479) Tachysphex picnic van Ooijen,1987** (Crabronidae) Synonym(s): *picnic van Ooijen,1987* Range (in code): TR 16
- 2480) Tachysphex plicosus (A.Costa,1867)** (Crabronidae) Synonym(s): *plicosus* A.Costa,1867; *gallicus* Kohl,1883; *striolatus* Cameron,1903; *egregius* Arnold,1924 Range (in code): ES HV FR IT CZ TR EG AL YU BG RU TZ Usa ZA GH IN 07 33 63
- 2481) Tachysphex pompiliformis (Panzer,1805)** (Crabronidae) Synonym(s): *pompiliformis* Panzer,1805; *nigripennis* Spinola,1808; *dimidiata* Panzer,1809; *jokischiana* Panzer,1809; *parvula* Cresson,1865; *quebecensis* Provancher,1882; *decorus* W.Fox,1894; *tenuipunctus* W.Fox,1894; *consimilis* W.Fox,1894; *rufoniger* Bingham,1897; *projectus* Nurse,1903; *argyrotrichus* Rohwer,1911; *granulosus* Mickel,1916; *erythraeus* Mickel,1916; *angularis* Mickel,1916 Range (in code): TR CA On 06 08 14 16 24 25 31 37 38 40 42 43 51 53 57 61
- 2482) Tachysphex psammobius (Kohl,1880)** (Crabronidae) Synonym(s): *psammobius* Kohl,1880 Range (in code): TR 05 06 07 11 12 19 31 33 36 42 48 61 63
- 2483) Tachysphex pulcher Pulawski,1967** (Crabronidae) Synonym(s): *pulcher* Pulawski,1967 Range (in code): TR 04 06 08 12 36 42
- 2484) Tachysphex punctipes Pulawski,1967** (Crabronidae) Synonym(s): *punctipes* Pulawski,1967 Range (in code): TR 08
- 2485) Tachysphex pusulosus de Beaumont,1955** (Crabronidae) Synonym(s): *pusulosus de Beaumont,1955* Range (in code): TR 63
- 2486) Tachysphex radoszkowskyi F.Morawitz,1893** (Crabronidae) Synonym(s): *radoszkowskyi* F.Morawitz,1893 Range (in code): TR 25
- 2487) Tachysphex schmiedeknechti Kohl,1883** (Crabronidae) Synonym(s): *schmiedeknechti* Kohl,1883 Range (in code): TR 07 33
- 2488) Tachysphex sericeus F.Smith,1856** (Crabronidae) Synonym(s): *sericeus* F.Smith,1856 Range (in code): TR 46 63
- 2489) Tachysphex sordidus (Dahlbom,1845)** (Crabronidae) Synonym(s): *sordidus* Dahlbom,1845 Range (in code): TR 17 33
- 2490) Tachysphex subdentatus F.Morawitz,1893** (Crabronidae) Synonym(s): *subdentatus* F.Morawitz,1893 Range (in code): TR 07 12 42 44 51
- 2491) Tachysphex tarsinus (Lepeletier,1845)** (Crabronidae) Synonym(s): *tarsinus* Lepeletier,1845 Range (in code): TR 25 55
- 2492) Tachysphex tessellatus (Dahlbom,1845)** (Crabronidae) Synonym(s): *tessellatus* Dahlbom,1845 Range (in code): TR 01 25 31 33 36 44 55
- 2493) Tachysphex unicolor (Panzer,1809)** (Crabronidae) Synonym(s): *unicolor* Panzer,1809 Range (in code): TR 06 16 25 31 33 34 38 42 43 63
- 2494) Tachytes argenteus Gussakowski,1933** (Crabronidae) Synonym(s): *argenteus* Gussakowski,1933 Range (in code): TR 31 33
- 2495) Tachytes etruscus (Rossi,1790)** (Crabronidae) Synonym(s): *etruscus* Rossi,1790 Range (in code): IT TR 16 25 31 55
- 2496) Tachytes freygessneri Kohl,1881** (Crabronidae) Synonym(s): *freygessneri* Kohl,1881 Range (in code): TR 07 08 25 33 48 52
- 2497) Tachytes levantinus Pulawski,1962** (Crabronidae) Synonym(s): *levantinus* Pulawski,1962 Range (in code): TR 38
- 2498) Tachytes matronalis Dahlbom,1845** (Crabronidae) Synonym(s): *matronalis* Dahlbom,1845 Range (in code): TR 01 06 20 25 33 34 38 42 51 58 59
- 2499) Tachytes obsoletus (Rossi,1792)** (Crabronidae) Synonym(s): *obsoletus* Rossi,1792 Range (in code): TR 25 35 38 58
- 2500) Tachytes panzeri (Dufour,1841)** (Crabronidae) Synonym(s): *panzeri* Dufour,1841 Range (in code): TR 06 10 31 33 38 42 45 76
- 2501) Tachytes tarsalis (Spinola,1839)** (Crabronidae) Synonym(s): *tarsalis* Spinola,1839 Range (in code): TR 31 33
- 2502) Tracheliodes quinquenotatus (Jurine,1807)** (Crabronidae) Synonym(s): *quinquenotatus* Jurine,1807 Range (in code): TR 09 44
- 2503) Trypoxylon albipes F.Smith,1856** (Crabronidae) Synonym(s): *albipes* F.Smith,1856 Range (in code): ES FR DZ EG IT IL Pa AL GR SY CY TR 30 63 65 76
- 2504) Trypoxylon attenuatum F.Smith,1851** (Crabronidae) Synonym(s): *attenuatum* F.Smith,1851 Range (in code): TR 05 08 09 11 16 25 42 45 48 55

- 2505) Trypoxylon clavicerum Lepeletier & Audinet-Serville,1838** (Crabronidae) Synonym(s): *clavicerum* Lepeletier & Audinet-Serville,1838 Range (in code): **TR 05 08 09 16 34 42**
- 2506) Trypoxylon deceptorium Antropov,1991** (Crabronidae) Synonym(s): *deceptorium* Antropov,1991 Range (in code): **TR 01 02 03 07 11 16 25 33 34 35 36 42 48 55 65 76**
- 2507) Trypoxylon figulus (Linnaeus,1758)** (Crabronidae) Synonym(s): *figulus* Linnaeus,1758 Range (in code): **TR 03 05 06 11 12 20 25 31 34 37 42 43 55 60 61 69**
- 2508) Trypoxylon guichardi Antropov,1995** (Crabronidae) Synonym(s): *guichardi* Antropov,1995 Range (in code): **TR 01**
- 2509) Trypoxylon kolazyi Kohl,1883** (Crabronidae) Synonym(s): *kolazyi* Kohl,1883 Range (in code): **TR 06 25**
- 2510) Trypoxylon latilobatum Antropov,1991** (Crabronidae) Synonym(s): *latilobatum* Antropov,1991 Range (in code): **TR 11 25**
- 2511) Trypoxylon medium de Beaumont,1945** (Crabronidae) Synonym(s): *medium de* Beaumont,1945 Range (in code): **TR 05 07 16 25 31 33 37 41 48 55 61**
- 2512) Trypoxylon megriense Antropov,1985** (Crabronidae) Synonym(s): *megriense* Antropov,1985 Range (in code): **TR 05 23 30**
- 2513) Trypoxylon minus de Beaumont,1945** (Crabronidae) Synonym(s): *minus de* Beaumont,1945 Range (in code): **TR 08 34 55**
- 2514) Trypoxylon scutatum Chevrier,1867** (Crabronidae) Synonym(s): *scutatum* Chevrier,1867 Range (in code): **TR 01 05 06 07 11 16 25 31 42 63**
- 2515) Trypoxylon syriacum Mercet,1906** (Crabronidae) Synonym(s): *syriacum* Mercet,1906 Range (in code): **TR 25**

Cynipidae

- 2516) Andricus ahmeti Melika, Mutun & Dinç,2014** (Cynipidae) Synonym(s): *ahmeti* Melika, Mutun & Dinç,2014 Range (in code): **TR 05 38 45 64**
- 2517) Andricus amblycerus (Giraud,1859)** (Cynipidae) Synonym(s): *amblycerus* Giraud,1859 Range (in code): **IT SI AT SK CZ HU UA MD RO BG GR TR**
- 2518) Andricus amenti Giraud,1859** (Cynipidae) Synonym(s): *amenti* Giraud,1859; *giraudianus* Dalla Torre & Kieffer,1910 Original reference: Andricus amenti Giraud,1859, Verh. zool.- bot. Ges. Wien 9: 360-361. Range (in code): **ES GB FR DE AT HU IT MD BG GR TR**
- 2519) Andricus anatolicus Melika, Mutun & Dinç,2014** (Cynipidae) Synonym(s): *anatolicus* Melika, Mutun & Dinç,2014 Range (in code): **TR 13 29 49**
- 2520) Andricus aries (Giraud,1859)** (Cynipidae) Synonym(s): *aries* Giraud,1859 Range (in code): **GB DE IT AT SK CZ HU HV SS PL UA RO GR TR 13 32 56 65 13G 56D 56Db 56Dc 56F 65D 65Dn**
- 2521) Andricus askewi Melika & Stone,2001** (Cynipidae) Synonym(s): *askewi* Melika & Stone,2001 Original reference: Andricus askewi Melika & Stone,2001, Folia ent. hung. 62: 127-130, 6 figs. Holotype ♀: Turkey, 75km S of Trabzon, Kalkanlı dağları (BMNH). Range (in code): **TR 13 29 56 61 65 13F 56D 56Dc 56F 65D 65Dn**
- 2522) Andricus assarehi Melika & Sadeghi,2008** (Cynipidae) Synonym(s): *assarehi* Melika & Sadeghi,2008 Range (in code): **TR IR 46**
- 2523) Andricus bakrachus Melika, Mutun & Dinç,2014** (Cynipidae) Synonym(s): *bakrachus* Melika, Mutun & Dinç,2014 Range (in code): **TR 02 17 23 45 62**
- 2524) Andricus bulgaricus Vassileva & Samnalieva,1977** (Cynipidae) Synonym(s): *bulgaricus* Vassileva & Samnalieva,1977 Range (in code): **BG TR**
- 2525) Andricus caliciformis (Giraud,1859)** (Cynipidae) Synonym(s): *caliciformis* Giraud,1859 Range (in code): **IT AT B-H HU YU TR RO MD UA BG**
- 2526) Andricus callidoma (Hartig,1841)** (Cynipidae) Synonym(s): *callidoma* Hartig,1841; *cirratus* Adler,1881; *giraudi* Wachtl,1882 Range (in code): **PT ES FR BE NL BG IE NO SE FI RU UA MD RO PL DK DE SK HU AT SS YU BG TR 15 32**
- 2527) Andricus caputmedusae (Hartig,1843)** (Cynipidae) Synonym(s): *caputmedusae* Hartig,1843; *gallaecristatae* Henschel,1876 Range (in code): **ES FR DE PL SK CZ AT SS HU B-H YU MD RO BG GR IT TR 12 13 15 29 32 56 65 12A 12Ab 13F 56D 56Db 56Dc 56F 65D 65Dn 65Dü**
- 2528) Andricus cecconii Kieffer,1901** (Cynipidae) Synonym(s): *cecconii* Kieffer,1901 Range (in code): **ES IT GR TR AZ Cc IL Pa IR 07 15 32 56 73 56D 56Db 56F 73D 73Df**

- 2529) Andricus chodjii (Melika,2008)** (Cynipidae) Synonym(s): *chodjii* Melika,2008
Range (in code): **TR 29**
- 2530) Andricus conglomeratus (Giraud,1859)** (Cynipidae) Synonym(s): *conglomeratus* Giraud,1859; *cincta* Hartig,1879 Range (in code): **FR IT Si DE PL UA MD HU SK CZ AT B-H BG GR TR 15 20 32**
- 2531) Andricus conificus (Hartig,1843)** (Cynipidae) Synonym(s): *conificus* Hartig,1843; *longipes* Kieffer,1901; *longispinae* Kieffer,1901 Range (in code): **IT AT HU YU RO BG UA PL TR GR IR 56 56D 56Dc**
- 2532) Andricus coriariformis Melika, Challis & Stone,2008** (Cynipidae) Synonym(s): *coriariformis* Melika, Challis & Stone,2008 Range (in code): **TR AZ Cc IR 03 20 43**
- 2533) Andricus coriarius (Hartig,1843)** (Cynipidae) Synonym(s): *coriarius* Hartig,1843; *lusitanicus* Kieffer,1900 Range (in code): **PT ES FR DE IT AT SK CZ HU B-H HV YU GR BG RO UA TR TN AZ Cc IR 07 13 15 20 29 32 56 13F 56D 56Db 56F**
- 2534) Andricus coronatus (Giraud,1859)** (Cynipidae) Synonym(s): *coronatus* Giraud,1859; *coronaria* Stefani,1898 Range (in code): **FR IT AT B-H HU GR BG RO UA TR 07 20 32 48**
- 2535) Andricus corruptrix (Schlechtendal,1870)** (Cynipidae) Synonym(s): *corruptrix* Schlechtendal,1870; *ambiguus* Trotter,1899 Range (in code): **GB FR BE NL DE DK PL UA RO BG GR YU HU SK CZ AT IT TR**
- 2536) Andricus csokai Melika & Tavakoli,2008** (Cynipidae) Synonym(s): *csokai* Melika & Tavakoli,2008 Range (in code): **IR TR 02 23 58**
- 2537) Andricus curtisii (Müller,1870)** (Cynipidae) Synonym(s): *curtisii* Müller,1870; *mediterraneae* Trotter,1901 Range (in code): **IT GR TR IR 07 09 20 29 32 56 65 73 56D 56Db 56F 56F1 65D 65Dn 73D 73Df**
- 2538) Andricus curator Hartig,1840** (Cynipidae) Synonym(s): *curvator* Hartig,1840; *axillaris* Hartig,1840; *collaris* Hartig,1840; *curvata* Förster,1869; *dimidiatus* Schenck,1863; *fasciatus* Schenck,1863; *perfoliatus* Schenck,1863; *tegumentorum* Schlechtendal,1870; *lusitanicus* Kieffer,1901 Range (in code): **PT ES GB FR BE NL DE DK NO SE UA MD RO PL SK CZ HU CH AT IT SS B-H HV YU MK GR BG TR 09 15 20**
- 2539) Andricus cydoniae Giraud,1859** (Cynipidae) Synonym(s): *cydoniae* Giraud,1859
Original reference: Andricus cydoniae Giraud,1859, Verh. zool.- bot. Ges. Wien 9: 357. Range (in code): **GB IT Si B-H AT HU RO BG TR**
- 2540) Andricus dentimitratus (Rejtö,1887)** (Cynipidae) Synonym(s): *dentimitratus* Rejtö,1887; *mayri* Kieffer,1897 *nec* Wachtl.,1879; *gallaeviscosus* Benson,1953; *viscosus* Nieves-Aldrey,1986; *floridus* Melika & Csoka,1998 Range (in code): **PT ES FR IT B-H AT HU MD RO UA BG GR TR 29**
- 2541) Andricus foecundatrix (Hartig,1840)** (Cynipidae) Synonym(s): *foecundatrix* Hartig,1840; *gemmarum* Lacaze-Duthiers,1853; *gemmae* Schenck,1863; *foecundator* Tavares,1918 Range (in code): **PT ES FR GB IE BE NL DE DK NO SE FI RU UA PL CZ HU AT IT SS B-H HV GR BG TR**
- 2542) Andricus galeatus (Giraud,1859)** (Cynipidae) Synonym(s): *galeatus* Giraud,1859
Range (in code): **IT AT B-H YU GR BG RO HU UA TR**
- 2543) Andricus gallaeurnaeformis (Fonscolombe,1832)** (Cynipidae) Synonym(s): *gallaeurnaeformis* Fonscolombe,1832; *urnaeformis* Giraud,1859; *sufflator* Mayr,1882 Range (in code): **PT ES FR GB AT IT YU HU UA RO BG GR TR**
- 2544) Andricus gemmeus (Giraud,1859)** (Cynipidae) Synonym(s): *gemmeus* Giraud,1859; *kirchbergi* Wachtl,1876 Range (in code): **PT ES FR DE PL AT HU IT Si B-H MD RO BG GR TR**
- 2545) Andricus glandulae (Hartig,1840)** (Cynipidae) Synonym(s): *glandulae* Hartig,1840
Range (in code): **TR AD AT DE GB MD CZ PL SK ES NL RO UA 32**
- 2546) Andricus glutinosus (Giraud,1859)** (Cynipidae) Synonym(s): *glutinosus* Giraud,1859; *tergestensis* Kieffer,1905 Range (in code): **AT CZ B-H HU UA BG TR**
- 2547) Andricus grossulariae Giraud,1859** (Cynipidae) Synonym(s): *grossulariae* Giraud,1859; *mayri* Wachtl,1879; *panteli* Kieffer,1897; *fructuum* Trotter,1899; *intermedius* Tavares,1922; *gemellus* Belizin & Maisuradze,1961 Original reference: Andricus grossulariae Giraud,1859, Verh. zool.- bot. Ges. Wien 9: 358-359. Range (in code): **PT ES FR GB DE PL UA CZ AT IT Si HU MD RO YU BG GR TR 07 09 15 20 32 56 56D 56Db**
- 2548) Andricus hartigi (Hartig,1843)** (Cynipidae) Synonym(s): *hartigi* Hartig,1843 Range (in code): **IT Si AT CZ SK PL UA HU MD RO BG GR TR**
- 2549) Andricus hungaricus Hartig,1943** (Cynipidae) Synonym(s): *hungaricus* Hartig,1943
Range (in code): **IT AT CZ B-H HU UA RO BG TR**
- 2550) Andricus hystrix Kieffer,1897** (Cynipidae) Synonym(s): *hystrix* Kieffer,1897 Range (in code): **IT HU MD RO BG GR TR**

- 2551) Andricus infectorius (Hartig,1843)** (Cynipidae) Synonym(s): *infectorius* Hartig,1843; *nostra* Kieffer,1901; *tinctorianostris* Trotter,1903 _ Range (in code): **FR IT Si AT CZ SK PL HU RO YU GR TR BY 09 15 20 32 48**
- 2552) Andricus inflator Hartig,1840** (Cynipidae) Synonym(s): *inflator* Hartig,1840; *globuli* Hartig,1840; *inflatioides* Belizin & Maisuradze,1962 _ Range (in code): **PT FR GB BE NL DE DK NO SE FI PL UA MD RO CZ SK HU AT CH IT SS B-H HV YU BG GR TR**
- 2553) Andricus insanus (Westwood,1837)** (Cynipidae) Synonym(s): *insanus* Westwood,1837 Range (in code): **IT AL GR TR IL Pa AZ Cc IR 13 21 56 65 73 13F 13G 13G§ 21L 21Ld 56D 56Db 56Dc 56F 56F1 56Fq 65D 65Dn 65Dü 73D 73Dl**
- 2554) Andricus kollari (Hartig,1843)** (Cynipidae) Synonym(s): *kollari* Hartig,1843; *circulans* Mayr,1870; *indigena* Giraud,1909 _ Range (in code): **PT ES FR GB BE NL DE DK PL UA RO MD CZ SK HU BG MK GR YU HV B-H SS IT TR 09 13 15 20 29 32 38 56 13F 13G 13G§ 38H 38Hc 56D 56Db 56Dc 56F**
- 2555) Andricus legitimus Wiebes-Rijks,1980** (Cynipidae) Synonym(s): *legitimus* Wiebes-Rijks,1980 Range (in code): **BG HU ES NL UA TR 08 19 26 67**
- 2556) Andricus lignicolus (Hartig,1840)** (Cynipidae) Synonym(s): *lignicolus* Hartig,1840; *vanheurni* Docters van Leuween & Deukhuijzen-Maasland,1958 _ Range (in code): **PT ES FR GB IE BE NL DE PL UA MD RO CZ SK HU AT IT SS B-H HV YU MK BG GR TR 13 15 20 32 13F 13G 13G§**
- 2557) Andricus lucidus (Hartig,1843)** (Cynipidae) Synonym(s): *lucidus* Hartig,1843; *aestivalis* Giraud,1859; *lucidoserinaceus* Kieffer,1901 _ Range (in code): **GB FR DE IT CZ SK AT HU B-H HV YU AL GR BG RO MD UA PL TR IR 07 13 15 20 29 56 65 13F 13G 13G§ 56D 56Db 56Dc 56F 65D 65Dn**
- 2558) Andricus malpighi (Adler,1881)** (Cynipidae) Synonym(s): *malpighi* Adler,1881; *nudus* Adler,1881 _ Range (in code): **ES FR GB IE BE NL DE DK HU IT BG TR**
- 2559) Andricus mayri (Wachtl,1881)** (Cynipidae) Synonym(s): *mayri* Wachtl,1881 Range (in code): **TR 29**
- 2560) Andricus megalucidus Melika, Stone, Sadeghi & Pujade-Villar,2004** (Cynipidae) Synonym(s): *megalucidus* Melika, Stone, Sadeghi & Pujade-Villar,2004 Original reference: *Andricus megalucidus* Melika, Stone, Sadeghi & Pujade-Villar,2004, *Acta zool. hung* 50: 141-143, figs. Holotype ♀: Turkey; Tefenni [Burdur Prov.] (BMNH). Range (in code): **TR IR Kd Ak Lo 13 15 32 56 65 73 13G 15J 56D 56Dc 65D 65Dn 73D 73Df**
- 2561) Andricus megatruncicolus Melika,2008** (Cynipidae) Synonym(s): *megatruncicolus* Melika,2008 _ Range (in code): **IR Kd Lo TR 25 65 65D 65Dü**
- 2562) Andricus mitratus (Mayr,1870)** (Cynipidae) Synonym(s): *mitratus* Mayr,1870 _ Range (in code): **IT AT PL UA HU RO BG GR TR**
- 2563) Andricus moreae (Graeffe,1905)** (Cynipidae) Synonym(s): *moreae* Graeffe,1905 Range (in code): **GR TR IR 12 24 56 65 73 12A 12Ab 24E 56F 65D 65Dn 73D 73Df**
- 2564) Andricus multiplicatus Giraud,1859** (Cynipidae) Synonym(s): *multiplicatus* Giraud,1859 Original reference: *Andricus multiplicatus* Giraud,1859, *Verh. zool.- bot. Ges. Wien* 9: 360. Range (in code): **IT Si AT CZ SK HU RO YU GR TR 13 56 65 73 13F 56D 56Dc 65D 65Dn 73D 73Df**
- 2565) Andricus paradoxus (Radoszkowski,1866)** (Cynipidae) Synonym(s): *paradoxus* Radoszkowski,1866 Range (in code): **TR AD AT BE FR DE GB IT DK SE HU ES PT MD PL NL RO RU UA 01**
- 2566) Andricus polycerus (Giraud,1859)** (Cynipidae) Synonym(s): *polycerus* Giraud,1859; *subterranea* Giraud,1859; *transversa* Kieffer,1897; *trinacriae* Stefani,1906 _ Range (in code): **IT AT DE PL CZ SK HU RO BG GR TR 13 20 56 65 13F 56D 56Db 56Dc 56F 65D 65Dn**
- 2567) Andricus pseudoaries Melika, Stone & Sadeghi,2008** (Cynipidae) Synonym(s): *pseudoaries* Melika, Stone & Sadeghi,2008 Range (in code): **TR IR 32 46**
- 2568) Andricus pseudoaries Melika, Stone, Sadeghi,2008** (Cynipidae) Synonym(s): *pseudoaries* Melika, Stone, Sadeghi,2008 _ Range (in code): **IR TR 56 56D 56Db**
- 2569) Andricus quercuscalicis (Burgsdorf,1783)** (Cynipidae) Synonym(s): *quercuscalicis* Burgsdorf,1783; *calicis* Hartig,1843; *cerri* Beyerinck,1895; *beyerincki* Trotter,1899 _ Range (in code): **FR GB BE NL DE DK BY EE LT UA CZ SK HU RO MD AT CH IT SS B-H HV YU MK BG GR TR 13 29 38 65 38H 38Hc 65D 65Dü**
- 2570) Andricus quercuscorticis (Linnaeus,1761)** (Cynipidae) Synonym(s): *quercuscorticis* Linnaeus,1761; *corticis* Hartig,1840; *brevicornis* Hartig,1841; *gemmaus* Adler,1881; *krajnovici* Tavares,1901 Range (in code): **PT ES FR GB IE DE DK SE PL UA MD RO HU TR**
- 2571) Andricus quercusradicis (Fabricius,1789)** (Cynipidae) Synonym(s): *quercusradicis* Fabricius,1789; *noduli* Hartig,1840; *trilineatus* Hartig,1840; *parasiticus* Hartig,1841; *rugiscuta* Thomson,1877; *beirensis* Tavares,1902 _ Range (in code): **PT ES FR GB IE DK NO SE FI PL UA MD RO HU B-H TR**

- 2572) *Andricus quercusramuli* (Linnaeus,1761)** (Cynipidae) **Synonym(s):** *quercusramuli* Linnaeus,1761; *autumnalis* Hartig,1840; *amentorum* Hartig,1843; *ramuli* Schenck,1863; *trifasciata* Kieffer,1901 **Range (in code):** [PT ES FR GB IE NO SE FI BE NL DK DE PL UA AT HU ME RO TR](#)
- 2573) *Andricus quercustozae* (Bosc,1792)** (Cynipidae) **Synonym(s):** *quercustozae* Bosc,1792; *quercustojae* Fabricius,1793; *argentea* Hartig,1843; *rosenhaueri* Hartig,1856; *kiefferi* Cabrera,1897; *tozae* Kieffer,1898 **Range (in code):** [PT ES FR IT AT HU B-H HV YU AL MK BR GR RO UA TR 09 12 13 15 20 29 32 38 48 56 12A 12Ab 12E 12Eb 13F 13G 13Gş 38H 38Hc 56F](#)
- 2574) *Andricus sadeghii* Melika, Stone, Atkinson & Aligolizade,2008** (Cynipidae) **Synonym(s):** *sadeghii* Melika, Stone, Atkinson & Aligolizade,2008 **Range (in code):** [AZ Cc IR TR 37 55 56](#)
- 2575) *Andricus schroeckingeri* Wachtl,1876** (Cynipidae) **Synonym(s):** *schroeckingeri* Wachtl,1876 **Range (in code):** [AT HU RO TR](#)
- 2576) *Andricus seckendorffi* (Wachtl,1879)** (Cynipidae) **Synonym(s):** *seckendorffi* Wachtl,1879; *magrettii* Kieffer,1897 **Range (in code):** [HU AT IT GR TR IR 07 09 12 15 32 35 12A 12Ab](#)
- 2577) *Andricus serotinus* (Giraud,1859)** (Cynipidae) **Synonym(s):** *serotinus* Giraud,1859 **Range (in code):** [HU AT MD PL RO UA TR 01 46](#)
- 2578) *Andricus shuhuti* Melika, Mutun & Dinç,2014** (Cynipidae) **Synonym(s):** *shuhuti* Melika, Mutun & Dinç,2014 **Original reference:** *Andricus shuhuti* Melika, Mutun & Dinç,2014, N.-W. J. Zool. 10: Holotype ♀: Turkey, Afyon Prov., Şuhut, near Başören village 1577m leg. S.Mutun & S.Dinç 18 8 2011 (BPDFL Budapest). **Range (in code):** [TR 03 17 20 42 03N](#)
- 2579) *Andricus solitarius* (Fonscolombe,1832)** (Cynipidae) **Synonym(s):** *solitarius* Fonscolombe,1832; *ferruginea* Hartig,1840; *occultus* Tschek,1871; *filigranata* Dettmer,1925; *villarubiae* Tavares,1930 **Range (in code):** [PT ES FR GB IE SE DK DE PL UA CZ SK HU MD RO AT CH IT SS B-H HV YU BG GR TR AZ Cc IR DZ 09 15](#)
- 2580) *Andricus stefanii* (Kieffer,1897)** (Cynipidae) **Synonym(s):** *stefanii* Kieffer,1897; *#keszthelyensis* Mehes,1953 **Range (in code):** [PT ES IT BG GR TR 20 32](#)
- 2581) *Andricus stellatus* Melika & Tavakoli,2008** (Cynipidae) **Synonym(s):** *stellatus* Melika & Tavakoli,2008 **Range (in code):** [TR IR Ab 60](#)
- 2582) *Andricus sternlichti* Bellido, Pujade-Villar & Melika,2003** (Cynipidae) **Synonym(s):** *sternlichti* Bellido, Pujade-Villar & Melika,2003 **Original reference:** *Andricus sternlichti* Bellido, Pujade-Villar & Melika,2003, Folia ent. hung. 64: 209-214, figs. 7, 15,17, 69-76. Holotype ♀: Israel: Tel-Aviv; paratypes: Turkey, "Smyrne", etc. **Range (in code):** [IL Pa IR Lo TR 13 35 56 65 13F 56D 56Dc 56F 65D 65Dn](#)
- 2583) *Andricus stonei* Melika, Tavakoli & Sadeghi,2006** (Cynipidae) **Synonym(s):** *stonei* Melika, Tavakoli & Sadeghi,2006 **Range (in code):** [IR TR](#)
- 2584) *Andricus theophrasteus* Trotter,1866** (Cynipidae) **Synonym(s):** *theophrasteus* Trotter,1866 **Range (in code):** [IT YU TR 29](#)
- 2585) *Andricus tomentosus* (Trotter,1901)** (Cynipidae) **Synonym(s):** *tomentosus* Trotter,1901 **Range (in code):** [HU RO YU BG GR TR 07 13 20 32 48 56 65 13F 56D 56Db 56F 65D 65Dn](#)
- 2586) *Andricus trotteri* Kieffer,1898** (Cynipidae) **Synonym(s):** *trotteri* Kieffer,1898 **Range (in code):** [TR HU HV 32 46](#)
- 2587) *Andricus truncicola* (Giraud,1859)** (Cynipidae) **Synonym(s):** *truncicola* Giraud,1859 **Range (in code):** [IT AT HU B-H YU BG RO UA PL TR 13 56 65 13F 56D 56Dc 56F 65D 65Dü](#)
- 2588) *Andricus turcicus* Melika, Mutun & Dinç,2014** (Cynipidae) **Synonym(s):** *turcicus* Melika, Mutun & Dinç,2014 **Range (in code):** [TR 02 42 45](#)
- 2589) *Aphelonyx cerricola* (Giraud,1859)** (Cynipidae) **Synonym(s):** *cerricola* Giraud,1859 **Range (in code):** [GB IT AT HU YU RO BG GR TR 09 13 15 20 32 56 13F 56F](#)
- 2590) *Aphelonyx kordestanica* Melika,2010** (Cynipidae) **Synonym(s):** *kordestanica* Melika,2010 **Original reference:** *Aphelonyx kordestanica* Melika,2010, Zootaxa 2470: 28-29, figs. Holotype ♀: Iran, Kordestan Baneh ex Quercus libani leg. M.Tavakoli September 2006 (PDL Hungary). **Range (in code):** [IR Kd Bne TR](#)
- 2591) *Aphelonyx persica* Melika, Stone, Sadeghi & Pujade-Villar,2004** (Cynipidae) **Synonym(s):** *persica* Melika, Stone, Sadeghi & Pujade-Villar,2004 **Original reference:** *Aphelonyx persica* Melika, Stone, Sadeghi & Pujade-Villar,2004, Acta zool. hung. 50: 146-150, figs. 15-23, 31. Holotype ♀: Iran, Tatineh north of Kermanshah, 2002.x.26 ex Quercus brantii leg.G.N.Stone (BMNH). **Range (in code):** [JO SY LB IR Kd Km TR 03 13 43 56 64 65 13F 56D 56Dc 65D 65Dn](#)
- 2592) *Aulacidea acroptilonica* Tyurebaev,1979** (Cynipidae) **Synonym(s):** *acroptilonica* Tyurebaev,1979 **Range (in code):** [TR IR Ab Oru UA RU KG KK TM TJ UZ](#)

- 2593) *Aylax hypecoi* Trotter,1913** (Cynipidae) Synonym(s): *hypecoi* Trotter,1913; *spirorhynchusii* Diakontshuk,1990 Original reference: *Aulax hypecoi* Trotter,1913, Marcellia 11: 214. Range (in code): **DZ LY BG GR TR Cc AM TM**
- 2594) *Biorhiza pallida* (Olivier,1791)** (Cynipidae) Synonym(s): *pallida* Olivier,1791; *aptera* Bosc,1791; *gallaealbeariformis* Anthoine,1794; *gallaecerebriformis* Anthoine,1794; *quercusterminalis* Fabricius,1798; *terminalis* Hartig,1840; *codinae* Tavares,1928; *hispanica* Tavares,1928; *lusitanica* Tavares,1928 Range (in code): **PT ES FR GB IE BE NL DE DK NO SE FI RU PL UA MD RO HU SK CZ SS B-H HV YU MK BG GR AT IT TR 13 15 20 29 32 38 56 13G 13G§ 38H 38Hc 56D 56Db**
- 2595) *Callirhytis glandium* (Giraud,1859)** (Cynipidae) Synonym(s): *glandium* Giraud,1859; *girardi* Tavares,1902; *aestivalis* Nieves-Aldrey,1992 Range (in code): **PT ES FR GB IT AT B-H HU RO PL UA TR**
- 2596) *Callirhytis rufescens* (Mayr,1882)** (Cynipidae) Synonym(s): *rufescens* Mayr,1882; *villarrubiae* Tavares,1930; *glandulosa* Weld,1930 Range (in code): **PT ES FR HU GR TR**
- 2597) *Chilaspis mayri* (Müllner,1901)** (Cynipidae) Synonym(s): *mayri* Müllner,1901 Original reference: *Dryocosmus mayri* Müllner,1901, Verh. zool.- bot. Ges. Wien 51 (3): 525-527. Lectotype: Greece, Corfu (NHMW). Range (in code): **AT GR HU IL Pa TR**
- 2598) *Chilaspis nitida* (Giraud,1859)** (Cynipidae) Synonym(s): *nitida* Giraud,1859; *loewii* Wachtl,1882 Range (in code): **AT DE RO HU BG TR**
- 2599) *Cynips agama* Hartig,1840** (Cynipidae) Synonym(s): *agama* Hartig,1840; *mailleti* Folliot,1964 Range (in code): **ES FR GB IE BE DE AT PL UA HU B-H BG TR 15**
- 2600) *Cynips cornifex* Hartig,1843** (Cynipidae) Synonym(s): *cornifex* Hartig,1843 Range (in code): **IT AT SS HU RO BG GR TR**
- 2601) *Cynips divisa* Hartig,1840** (Cynipidae) Synonym(s): *divisa* Hartig,1840; *verrucosus* Schlechtendal,1870 Range (in code): **PT ES FR GB IE BE NL DE DK SE FI RU UA MD RO YU HV SS GR IT Si AT CZ SK HU TR 12 12E 12Eb**
- 2602) *Cynips korsakovi* (Belizin,1961)** (Cynipidae) Synonym(s): *korsakovi* Belizin,1961 Range (in code): **TR 29 56 29B 56D 56Db**
- 2603) *Cynips longiventris* Hartig,1840** (Cynipidae) Synonym(s): *longiventris* Hartig,1840; *similis* Adler,1881; *substituta* Kinsey,1930 Range (in code): **PT ES FR GB IE BE NL IT DK SE FI RU DE CH PL CZ SK HU UA RO BG GR TR Cc GG YU HV B-H SS HU AT 14 22 54 59**
- 2604) *Cynips quercus* (Fourcroy,1785)** (Cynipidae) Synonym(s): *quercus* Fourcroy,1785; *pubescentis* Mayr,1881; *ilicis* Kieffer,1896; *geminus* Belizin & Maisuradze,1962; *rusanovae* Belizin & Maisuradze,1962 Range (in code): **PT ES FR DE UA MD RO YU GR IT AT HU TR MK 09 13 20 29 32 38 65 13F 38H 38Hc 65D 65Dn**
- 2605) *Cynips quercusfolii* (Linnaeus,1758)** (Cynipidae) Synonym(s): *quercusfolii* Linnaeus,1758; *scutellaris* Olivier,1791; *gallaecerasiformis* Anthoine,1794; *gallaeunidoniformis* Anthoine,1794; *folii* Hartig,1840; *flosculi* Giraud,1868; *giraudi* Tschek,1869; *taschenbergi* Schlechtendal,1870 Range (in code): **ES FR GB IE BE NL DE DK NO SE FI EE RU CH IT AT CZ SK HU PL UA MD RO BG MK GR YU HV B-H SS TR 07 09 12 13 15 20 29 32 38 48 56 65 12A 12Ab 13F 13G 13G§ 38H 38Hc 56D 56Db 56Dc 56F 65D 65Dn**
- 2606) *Diplolepis eglanteriae* (Hartig,1840)** (Cynipidae) Synonym(s): *eglanteriae* Hartig,1840; *rufipes* Forster,1869 Range (in code): **PT ES FR GB NL DE SE PL AT HU RO IT TR**
- 2607) *Diplolepis fructuum* (Rübsaamen,1895)** (Cynipidae) Synonym(s): *fructuum* Rübsaamen,1895 Range (in code): **TR GG Bku Tbl Cc UA Cm 13 65 13F 65N 65Nc 65Np 65Nm 65L 65Le 65D 65Dj**
- 2608) *Diplolepis mayri* (Schlechtendal,1877)** (Cynipidae) Synonym(s): *mayri* Schlechtendal,1877; *orthopsinae* Beijerinck,1882 Range (in code): **ES PT FR GB NL DE SE PL AT IT TR GG Cc Tbl Bjo**
- 2609) *Diplolepis rosae* (Linnaeus,1758)** (Cynipidae) Synonym(s): *rosae* Linnaeus,1758; *bedeguaris* Fourcroy,1785 Range (in code): **PT ES GB NL DE PL SE AT HU RO IT TR**
- 2610) *Diplolepis spinosissimae* (Giraud,1859)** (Cynipidae) Synonym(s): *spinosissimae* Giraud,1859 Range (in code): **ES FR GB NL DE AT HU PL SE IT TR**
- 2611) *Dryocosmus cerriphilus* Giraud,1859** (Cynipidae) Synonym(s): *cerriphilus* Giraud,1859 Range (in code): **IT AT HU RO TR 24**
- 2612) *Liposthenes kernerii* (Wachtl,1891)** (Cynipidae) Synonym(s): *kernerii* Wachtl,1891 Range (in code): **ES IT AT HU RO UA RU TR**
- 2613) *Neuroterus albipes* (Schenck,1863)** (Cynipidae) Synonym(s): *albipes* Schenck,1863; *laeviusculus* Schenck,1863; *pezizaeformis* Schlechtendal,1870; *lusitanicus* Tavares,1902; *codinae* Tavares,1928 Range (in code): **PT ES FR GB IE DK SE NO RU DE PL CZ HU UA RO MD BG YU B-H SS AT TR**
- 2614) *Neuroterus anthracinus* (Curtis,1838)** (Cynipidae) Synonym(s): *anthracinus* Curtis,1838; *ostreus* Giraud,1859; *ostria* Hartig,1840; *pallicornis* Hartig,1840; *furunculus* Bayerinck,1882 Range (in

- code): PT ES FR BE NL GB IE NO SE EE RU UA PL DE DK CZ SK HU MD RO BG MK GR YU HV B-H SS AT IT TR 65 65D 65Dn
- 2615) Neuroterus lanuginosus Giraud,1859** (Cynipidae) Synonym(s): *lanuginosus* Giraud,1859 Range (in code): GB AT IT Si BG B-H GR HU RO YU IL Pa TR Cc AZ GG IR Gh Elb Th Lo Kd Fa SY 09 15 20 32 56 56F 56Fm
- 2616) Neuroterus minutulus Giraud,1859** (Cynipidae) Synonym(s): *minutulus* Giraud,1859 Range (in code): IT AT HU RO BG TR
- 2617) Neuroterus numismalis (Fourcroy,1785)** (Cynipidae) Synonym(s): *numismalis* Fourcroy,1785; *reaumurii* Hartig,1840; *defectus* Hartig,1840; *quercustiarae* Curtis,1843; *vesicatrix* Schlechtendal,1870; *vesicator* Hieronymus,1890; *brunneus* Dettmer,1925 Range (in code): PT ES FR BE NL GB IE NO SE UA PL DE DK CZ SK HU MD RO BG MK GR YU HV B-H SS AT CH IT TR 07 09 15 20 32
- 2618) Neuroterus politus Hartig,1840** (Cynipidae) Synonym(s): *politus* Hartig,1840; *petioliventr* Hartig,1840; *nitens* Hartig,1841; *bipunctatus* Hartig,1841; *rubeculus* Hartig,1841; *aprilinus* Giraud,1859; *burgundus* Schlechtendal,1870; *schlechtendali* Mayr,1870 Range (in code): PT ES FR NL GB IE SE UA PL DE HU MD RO BG YU AT IT TR
- 2619) Neuroterus quercusbaccarum (Linnaeus,1758)** (Cynipidae) Synonym(s): *quercusbaccarum* Linnaeus,1758; *baccarumquercus* Fourcroy,1785; *flavipes* Fourcroy,1785; *pedunculiquercus* Fourcroy,1785; *lenticularis* Olivier,1791; *longipennis* Fabricius,1793; *gallaelenticulatae* Anthoine,1794; *malpighii* Hartig,1840; *interruptor* Hartig,1841; *interruptrix* Hartig,1841; *baccarum* Blanchard,1849; *pedunculi* Dumeril,1860; *striatus* Schenck,1863; *attenuatus* Schenck,1863; *giraudi* Tschek,1869; *histrio* Kieffer,1901; *hispanicus* Tavares,1916; *intermedius* Tavares,1916 Range (in code): PT ES FR BE NL GB IE NO SE FI EE UA PL DE DK CZ SK HU MD RO BG MK GR RU YU HV B-H SS AT CH IT TR 09 15 32 56 65 56F 65D 65Dn
- 2620) Neuroterus tricolor Hartig,1841** (Cynipidae) Synonym(s): *tricolor* Hartig,1841; *fumipennis* Hartig,1841; *varius* Schenck,1863; *ulisippore* Tavares,1928 Range (in code): PT ES FR BE NL GB IE NO SE FI EE UA PL DE DK SK HU MD RO BG MK GR RU YU HV SS AT CH IT TR
- 2621) Plagiotrochus quercusilicis (Fabricius,1798)** (Cynipidae) Synonym(s): *quercusilicis* Fabricius,1798; *cocciferae* Lichtenstein,1877; *ilicis* Lichtenstein,1877; *emereyi* Mayr,1882; *fusifex* Mayr,1882; *kiefferi* Dalla & Torre & Kieffer,1910; *niger* Dalla & Torre & Kieffer,1910; *lichtensteini* Dalla & Torre & Kieffer,1910; *lusitanicus* Tavares,1926 Range (in code): PT ES FR IT TR 20
- 2622) Pseudoneuroterus macropterus (Hartig,1843)** (Cynipidae) Synonym(s): *macropterus* Hartig,1843 Range (in code): IT AT B-H HU RO BG GR TR 09 20
- 2623) Synergus pallicornis Hartig,1841** (Cynipidae) Synonym(s): *pallicornis* Hartig,1841; *pallidicornis* Dalla Torre,1893 Range (in code): PT ES FR GB NL DE DK SE PL UA RO HU AT CH IT B-H TR
- 2624) Synophrus politus Hartig,1843** (Cynipidae) Synonym(s): *politus* Hartig,1843 Range (in code): PT ES IT Si AT CZ HU B-H HV YU RO BG GR TR 56 56D 56Db
- 2625) Trigonaspis megaptera (Panzer,1801)** (Cynipidae) Synonym(s): *megaptera* Panzer,1801 GG Cc IR MD RU TR UA 32
- 2626) Trigonaspis synaspis (Hartig,1841)** (Cynipidae) Synonym(s): *synaspis* Hartig,1841; *megapteropsis* Wriese,1900 Range (in code): PT ES DE PL UA MD RO HU AT IT TR

Dryinidae

- 2627) Gonatopus clavipes (Thunberg,1827)** (Dryinidae) Synonym(s): *clavipes* Thunberg,1827; *sepsoides* Westwood,1833; *pilosus* Thomson,1860; *borealis* J.Sahlberg,1910; *barbatellus* Richards,1939 Range (in code): DK NO SE FI KP KR MN RU Sb KG UZ TR IR Az Cn
- 2628) Gonatopus distinguendus Kieffer,1905** (Dryinidae) Synonym(s): *distinguendus* Kieffer,1905; *excavatus* J.Sahlberg,1910; *thomsoni* Hellén,1953 Range (in code): DK SE FI MN RU Sb IR TR
- 2629) Gonatopus dromedarius (A.Costa)** (Dryinidae) Synonym(s): *dromedarius* A.Costa Range (in code): SE FR IT ES GR NL HU TR IL Pa EG DZ Cn
- 2630) Gonatopus formicarius Ljungh,1810** (Dryinidae) Synonym(s): *formicarius* Ljungh,1810 Range (in code): DK SE RU Sb UZ TR
- 2631) Gonatopus lunatus Klug,1810** (Dryinidae) Synonym(s): *lunatus* Klug,1810; *gracilicornis* Kieffer,1904 Range (in code): TR 33 42 42J
- 2632) Gonatopus lycius Olmi,1989** (Dryinidae) Synonym(s): *lycius* Olmi,1989 Range (in code): IT TR 33 33R
- 2633) Gonatopus pedestris Dalman,1818** (Dryinidae) Synonym(s): *pedestris* Dalman,1818; *ljunghii* Westwood,1833; *leucostomus* J.Sahlberg,1910 Range (in code): DK FI RU Sb TR

- 2634) *Gonatopus sepsoides* Westwood,1833** (Dryinidae) Synonym(s): *sepsoides* Westwood,1833
Range (in code): **TR 01 31 31C**
- 2635) *Haplogonatopus oratorius* (Westwood,1833)** (Dryinidae) Synonym(s): *oratorius* Westwood,1833 Range (in code): **TR 33**

Encyrtidae

- 2636) *Achalcerinys lindus* (Mercet,1921)** (Encyrtidae) Synonym(s): *lindus* Mercet,1921
Range (in code): **TR AM AZ Cc BG CZ ET FR HU IN Or Up Ben IT MD NL RO SK ES TJ TM UA UZ YU**
- 2637) *Adelencyrtus aulacaspidis* (Bréthes,1914)** (Encyrtidae) Synonym(s): *aulacaspidis* Bréthes,1914 Range (in code): **AR Cc AZ BG CL HV CZ FR GG DE HU IT JP KG MG MD NZ CN Fkn RU Da SS ES CH UA GB US Cf YU TR**
- 2638) *Ageniaspis fuscicollis* (Dalman,1820)** (Encyrtidae) Synonym(s): *fuscicollis* Dalman,1820; *cyclocephalus* Bouché,1834; *praysincola* Silvestri,1907; *anchyloperae* De Santis,1957 Range (in code): **AR AM AZ Cc B-H BG CA On HV CZ FI FR GG DE GR IR IE IL Pa IT Si KG KK KP KR LB LT MD MN MA NL CN PL PT RO RU At Am Us Sb To ES SE TN TM UA GB US UZ YU TR**
- 2639) *Anagyrus aligarhensis* Agarwal & Alam,1959** (Encyrtidae) Synonym(s): *diversicornis* Mercet,1921; *opacus* Mercet,1921; *aligarhensis* Agarwal & Alam,1959; *punctulatus* Agarwal,1965; *micans* Noyes,2000 Range (in code): **TR AM AZ Cn HV CZ FR GG GR HU IN Up ID Clb IR IL Pa IT Md MX MD NP CN Hn PT RO ES RU GB TM US Tx UZ YU**
- 2640) *Anagyrus matritensis* (Mercet,1921)** (Encyrtidae) Synonym(s): *matritensis* Mercet,1921; *orbitalis* Ruschka,1923 Range (in code): **AM AZ AT Cc Cn HV CZ DE HU KG MD MN RO RU TR ES TJ TN TM UA UZ YU**
- 2641) *Anagyrus pseudococci* (Girault,1915)** (Encyrtidae) Synonym(s): *pseudococci* Girault,1915
Range (in code): **AR AM AZ BR Cn CL ZR HV CY TR CG EG FR GM GG GH GY Hw HU IN IR IQ IL Pa IT Sa Si KE MD NL NG PK CN Fkn Kwa Hbe Hun She Sha Sz Yu PE PT RU RW SA SN ZA ES SE TJ TW TM UA GB US Cf Tx UY UZ YU**
- 2642) *Anagyrus schoenherri* (Westwood,1837)** (Encyrtidae) Synonym(s): *schoenherri* Westwood,1837; *flavus* Ishii,1928; *alboclavatus* Ishii,1928 Range (in code): **TR AM AZ Cc BY BG CZ DK DE EE FI FR HU IR IT JP MD MN NL CN Hn She PL RO RU Us SK SE UA GB YU**
- 2643) *Anicetus italicus* (Masi,1917)** (Encyrtidae) Synonym(s): *italicus* Masi,1917; *brevicaudatus* Subba-Rao,1965 Range (in code): **AL DZ EG CY FR GR TR IN Up IT IL Pa YU ZW**
- 2644) *Aphycoides clavellatus* (Dalman,1820)** (Encyrtidae) Synonym(s): *clavellatus* Dalman,1820; *corybas* Walker,1837; *liriope* Walker,1837; *ilithyia* Walker,1838; *mysus* Walker,1838; *alycocetus* Walker,1848; *cephalotes* Ratzeburg,1852; *radialis* Thomson,1876; *physokermis* Girault,1916; *merceti* Ferriere,1953; *viridescens* Hoffer,1957 Range (in code): **AT BG CA CZ DK EE FI FR GG DE Cc HU JP KG KK MD MN PL RO RU At Kba Us Ya Sb TR SE SK UA GB US Org YU**
- 2645) *Aphycus primus* (Mercet,1917)** (Encyrtidae) Synonym(s): *primus* Mercet,1917 Range (in code): **RU ES YU TR**
- 2646) *Aschitus annulatus* Erdős,1957** (Encyrtidae) Synonym(s): *annulatus* Erdős,1957
Range (in code): **CZ HU SK SE GB TR**
- 2647) *Blastothrix erythrostetha* (Walker,1847)** (Encyrtidae) Synonym(s): *erythrostetha* Walker,1847; *clara* Nikolskaya,1952 Range (in code): **AM AT Cc BG EG GG FR DE HU IT IL Pa MD PL RO RU ES UA GB TR**
- 2648) *Blastothrix gurselae* Japoshvili & Karaca,2003** (Encyrtidae) Synonym(s): *gurselae* Japoshvili & Karaca,2003 Original reference: *Blastothrix gurselae* Japoshvili & Karaca,2003, Ent. News 114 (4): 188-189, figs 1-7. Holotype ♀: Turkey, Isparta, Sütçüler 10 vii 2002 (ex *Kermes palestiniensis* on *Quercus coccifera*) (ZIN). Range (in code): **TR 32**
- 2649) *Blastothrix hungarica* Erdős,1959** (Encyrtidae) Synonym(s): *hungarica* Erdős,1959; *meridionalis* Sugonjaev,1964 Range (in code): **AF AZ Cc BG GG DE JP PL UA RU YU HU TR**
- 2650) *Blastothrix longipennis* Howard,1881** (Encyrtidae) Synonym(s): *longipennis* Howard,1881; *confusa* Erdős,1959 Range (in code): **AZ AM Cc GG BG CA BCo On CR CZ FR DE HU IT Si JP TR KK KG MD CN PL RO RU Us Sh SK SS GB US Cf NMx Ny Tx UZ YU**
- 2651) *Blastothrix sericea* (Dalman,1820)** (Encyrtidae) Synonym(s): *sericea* Dalman,1820; *saccas* Walker,1851; *coryli* Alam,1961 Range (in code): **CA BCo HV CZ FR GG Cc DE GR HU IN Ass Hp IE IT TR PK CN Gn She Ui Yu PL RO RU ES SE UA GB US Cf YU**
- 2652) *Blastothrix turanica* Sugonjaev,1964** (Encyrtidae) Synonym(s): *turanica* Sugonjaev,1964
Range (in code): **AF AM Cc AZ GG IR KG PK RU Da UZ TR**

- 2653) Bothriothorax clavicornis (Dalman,1820)** (Encyrtidae) Synonym(s): *clavicornis* Dalman,1820; *conformis* Thomson,1876 _ Range (in code): **AM BY Cc CZ DK FI DE HU IE IT LT MD MN NL NO CN PL RO RU At To SK SE CH GB UZ YU TR**
- 2654) Bothriothorax serratellus (Dalman,1820)** (Encyrtidae) Synonym(s): *serratellus* Dalman,1820 _ Range (in code): **AM Cc CZ DK FI MN NL NO RU Kmt Us Sh To SK SE CH TJ GB YU TR**
- 2655) Callipteroma sexguttata Motschulsky,1863** (Encyrtidae) Synonym(s): *sexguttata* Motschulsky,1863; *quinqueguttatum* Motschulsky,1863; *guttatipennis* Girault,1915; *kiushiuensis* Ishii,1928 _ Range (in code): **AM Cc AU QAU AZ BG BF CM HV CZ GM GG GH GR HU IN Up ID Ja IL Pa JP KG MG NG MW MY MN PK PG PT RU Or SG SK ZA ES LK TH TM UA ZM ZW TR**
- 2656) Cerapterocerus mirabilis Westwood,1833** (Encyrtidae) Synonym(s): *mirabilis* Westwood,1833; *anebus* Walker,1837; *platicera* Costa,1839; *mirabilicornis* Förster,1841; *maculipennis* Ratzeburg,1848; *multiradiatus* Thomson,1876 _ Original reference: *Cerapterocerus mirabilis* Westwood,1833, Mag. nat. Hist. 6: 495. Type: England (HDOU). _ Range (in code): **ES GB FR RU SE CZ AT DE IT RO EG TR Cc GG Tbl MN 32 35 65 65N 65Ne**
- 2657) Cerchysiella planiscutellum (Mercet,1921)** (Encyrtidae) Synonym(s): *planiscutellum* Mercet,1921; *laeviscuta* Erdős,1946; *vestonicensis* Hoffer,1954 _ Range (in code): **AF AD AM AZ Cc GG BG CZ FR HU KG MK NL PT RU ES SE TJ TM UA GB YU TR**
- 2658) Cerchysius subplanus (Dalman,1820)** (Encyrtidae) Synonym(s): *subplanus* Dalman,1820; *urocerus* Dalman,1820; *stigmatalis* Westwood,1832; *melanopus* Walker,1837; *caudatus* Förster,1841; _ Range (in code): **AF AM AZ AT Cc Cn HV CZ GG DE HU IN Ass KP LT Md MD MN NL CN PT RO RU Kmt SK SE TH GB Sb TR**
- 2659) Charitopus fulviventris Förster,1860** (Encyrtidae) Synonym(s): *fulviventris* Förster,1860; *pinicola* Mercet,1916 _ Range (in code): **DZ AM AZ GG Cc Cn HV CZ FI DE HU IN KG MD MN CN RO RU Da Us SK ZA ES SE TJ TM UA AE GB YU Sb TR**
- 2660) Cheiloneurus claviger Thomson,1876** (Encyrtidae) Synonym(s): *claviger* Thomson,1876; *graeffei* Ruschka,1923 _ Range (in code): **AM AZ AT Cc GG BG HV CZ EG FR DE GR HU IL Pa IT JP KG MD NL CN Hun She Sz RO RU Us SK SE ES TJ TM UA GB UZ YU TR**
- 2661) Cheiloneurus paralia (Walker,1837)** (Encyrtidae) Synonym(s): *paralia* Walker,1837; *formosus* Boheman,1852; *eriococci* Alam,1957; *brachyptera* Hoffer,1957; *nigrithorax* Hoffer,1957; *submacroptera* Hoffer,1957; *mongolicus* Szélenyi,1971 _ Range (in code): **AF AM AT AZ GG Cc BG HV CZ DK FR HU IL Pa DE IT KG LT MN NL PL RO RU Us Sh SK ES SE TM UA GB YU TR**
- 2662) Cheiloneurus quercus Mayr,1876** (Encyrtidae) Synonym(s): *quercus* Mayr,1876 _ Range (in code): **IT HU TR 32**
- 2663) Choreia maculata (Hoffer,1954)** (Encyrtidae) Synonym(s): *maculata* Hoffer,1954 _ Range (in code): **AM AZ GG Cc BG CZ HU IR KG MD RU Da SK TM UA UZ Sb TR**
- 2664) Coelopencyrtus callidii (Jansson,1957)** (Encyrtidae) Synonym(s): *callidii* Jansson,1957; *cephalotus* Hedqvist,1973 _ Range (in code): **DK FI KG MD MN RU SE GB TR**
- 2665) Comperiella bifasciata Howard,1906** (Encyrtidae) Synonym(s): *bifasciata* Howard,1906; *cerapterocera* Mercet,1921; *eugeniae* Risbec,1952 _ Range (in code): **DZ AR AU QAU NSw AZ BM CL CY CZ EG FJ FR GG Cc GR GU HT Hw HU IN Ass Up Pj ID Ja IL Pa IT Si JP MG MU MD MA NC NZ PK CN Fkn Kwa Hun Sz Yu PH RU Us ZA ES LK SZ TW UA GB US Cf FI Tx YU ZM ZW TR**
- 2666) Copidosoma agrotis (Fonscolombe,1832)** (Encyrtidae) Synonym(s): *agrotis* Fonscolombe,1832; *auricollis* Thomson,1876; *peregrinus* Mercet,1921 _ Range (in code): **AD AM Cc AT HV CZ DK FI FR GG DE HU IT KG MN NO CN Pkn Gn Mc IMn Ti TR RU At Us Sh SK ES SE TM GB YU**
- 2667) Copidosoma aithya (Walker,1837)** (Encyrtidae) Synonym(s): *aithya* Walker,1837; *hydramon* Walker,1848; *phalenarum* Thomson,1876; *kriechbaumeri* Mayr,1876; *quercicola* Mercet,1921; *salicina* Erdős,1956 _ Range (in code): **AT BG CZ SK DK FR DE HU PL RU Kmt SK ES SE CH GB TR**
- 2668) Copidosoma boucheanum Ratzeburg,1844** (Encyrtidae) Synonym(s): *boucheanum* Ratzeburg,1844; *hilaris* Ratzeburg,1852; *cultriformis* Mayr,1876 _ Range (in code): **AM BY Cc TR CZ FR DE HU KG LT MN NL CN Uj Qz RU SK ES CH GB YU**
- 2669) Copidosoma breviclava Hoffer,1970** (Encyrtidae) Synonym(s): *breviclava* Hoffer,1970 _ Range (in code): **AT BG CZ SK GG Cc GR HU IT MK ES UA YU TR**
- 2670) Copidosoma floridanum (Ashmead,1900)** (Encyrtidae) Synonym(s): *floridanum* Ashmead,1900; *japonicum* Ashmead,1904; *javae* Girault,1917; *nippon* Girault,1917; *argentinus* Brèthes,1913; *calypso* Crawford,1914; *brasiliensis* Brèthes,1920; *intermedia* Mercet,1921; *walshi* Mercet,1922; *maculata* Ishii,1928; *brethesi* Blanchard,1936; *daccaensis* Mani,1941; *phytometrae* Risbec,1951 _ Range (in code): **AR AU AZ Cc BD BY BZ BM BR BG CA Cn CV CU CZ EC GS FR GG DE GR GY Hw HU IN Ch Ben Or Up ID Ja IT CI JM JP KP MY NL NZ CN Pkn Gn Kwa Hn Hun PT RU Kc Ro SN SK ES LK SE TH TT GB US Cf FI Ny UY VE YU TR**
- 2671) Copidosoma hispanicum (Mercet,1921)** (Encyrtidae) Synonym(s): *hispanicum* (Mercet,1921) _ Range (in code): **AD FR IT PT ES TR**

- 2672) Copidosoma primulum (Mercet,1921)** (Encyrtidae) Synonym(s): *primulum* Mercet,1921; *obscurum* Nikolskaya,1952; *nanum* Hoffer,1970; *heliathis* Liao,1987 _ Range (in code): **CZ HU CN SK ES SD TR TM UZ**
- 2673) Copidosoma truncatellum (Dalman,1820)** (Encyrtidae) Synonym(s): *truncatellum* Dalman,1820; *aethas* Walker,1837; *aestivalis* Mercet,1921 _ Range (in code): **AD AR AT BR CA BCo CV CL CO CU CZ DE EG FI GG DE GR Hw HU IT Sa Si MK MX NL CN Sz PL PR RO RU Kmt SK SS ES SE CH GB US Arz Cf Fl Ny Nje Tx UY VE YU TR**
- 2674) Copidosoma varicorne (Nees ab Esenbeck,1834)** (Encyrtidae) Synonym(s): *varicorne* Nees ab Esenbeck,1834; *sylliptae* Risbec,1951; *gallaephila* Risbec,1951; *annulata* Nikolskaya,1952; *clavellatus* Erdős,1960; *batorligetensis* Erdős,1960 _ Range (in code): **AF AM AZ Cc BG HV CZ SK FR DE HU IN Pj Up Ben IR IL Pa IT CI KG LB MD PK CN Yu Mc PL RO RU At Us Ro SN ZA ES TM UA YU ZW TR**
- 2675) Cowperia areolata (Walker,1872)** (Encyrtidae) Synonym(s): *longicornis* Fonscolombe,1832; *areolata* Walker,1872; *niger* Masi,1919 _ Range (in code): **AM Cc BG FR GG HU IT ES UA YU TJ TR**
- 2676) Dinocarsis hemiptera (Dalman,1820)** (Encyrtidae) Synonym(s): *hemiptera* Dalman,1820; *submontana* Hoffer,1952 _ Range (in code): **TR AZ AM Cc CZ FR DE IT MN NL CN SK ES SE UA GB**
- 2677) Dicarnosis sugonjaevi Myartseva,1977** (Encyrtidae) Synonym(s): *sugonjaevi* Myartseva,1977 _ Range (in code): **TR**
- 2678) Dicarnosis superba Mercet,1921** (Encyrtidae) Synonym(s): *superba* Mercet,1921 _ Range (in code): **TR**
- 2679) Discodes aeneus (Dalman,1820)** (Encyrtidae) Synonym(s): *aeneus* Dalman,1820; *melanopterus* Nees,1834; *stadius* Walker,1850; *obscuricornis* Mercet,1921; *basihyalinus* Hoffer,1954 _ Range (in code): **HV CZ SK FR GG Cc DE HU IL Pa MD NL PL RO RU ES SE CH TR UA GB US Cf YU**
- 2680) Discodes coccophagus (Ratzeburg,1848)** (Encyrtidae) Synonym(s): *coccophagus* Ratzeburg,1848 _ Range (in code): **AM AZ Cc BY BG CZ SK FR GG DE GR HU IL Pa IT KK MD RO RU SE TM TR UA YU**
- 2681) Discodes obscuriclavus Myartseva,1985** (Encyrtidae) Synonym(s): *obscuriclavus* Myartseva,1985 _ Range (in code): **TR TM UZ**
- 2682) Discodes trjapitzini Herthetvzian,1979** (Encyrtidae) Synonym(s): *trjapitzini* Herthetvzian,1979 _ Range (in code): **AM AT AZ Cc BG CZ SK FR GG MD RU Da Kc UA TR**
- 2683) Echthroplexiella aeneiventris Mercet,1921** (Encyrtidae) Synonym(s): *aeneiventris* Mercet,1921 _ Range (in code): **TR AM Cc AZ CZ GG GR HU MN RU Da Tv SK ES TM UA**
- 2684) Encyrtus aurantii (Geoffroy,1785)** (Encyrtidae) Synonym(s): *aurantii* Geoffroy,1785; *lecaniorum* Mayr,1876; *bicolor* Howard,1881; *albicoxa* Ashmead,1885; *hibisci* Girault,1915; *argenticoxa* Girault,1915; *argentiscapus* Girault,1915; *aurantifasciata* Girault,1915; *mirabilis* Brethes,1916; *albiscapus* Masi,1917; *barbatus* Timerlake,1919; *cocci* Risbec,1951; *ceroplastis* Agarwal,1965 _ Range (in code): **AR DZ AM Cc AU AZ BD BE CM CA On CV CO HV CY CZ DM EC FI FR PF GG DE GH GR TR Hw IN Nk Ass Up Ben ID Ja Mlc IL Pa IR IT JM MW MY MA MZ NL NC NZ PK PA CN Hun Sz Yu PE PH PL PR RU SN SC SG ZA ES SL SE TJ TM UG UA US Cf Col Fl Nje Ny Oh Tx UZ VN YU ZW**
- 2685) Encyrtus infelix (Embleton,1902)** (Encyrtidae) Synonym(s): *infelix* Embleton,1902; *hortensis* Girault,1915; *proserpinensis* Girault,1915; *tananarivensis* Risbec,1952 _ Range (in code): **DZ AU QAU AT BR Cn CV CO CR CU EC EG TR FJ DE Hw IN Ass Ben IL Pa JM KE MG Md MY MX MA NL NC NZ PE PH PR RU SC LK CH TT GB US Cf Fl Ny Tx VE VN ZW WS DO DM BM**
- 2686) Encyrtus infidus (Rossi,1790)** (Encyrtidae) Synonym(s): *infidus* Rossi,1790; *scutellatus* Swederus,1795; *obscura* Dalman,1820; *hokkaidonis* Tachikawa,1963 _ Range (in code): **AM Cc AZ CA On HV CZ TR FR GG DE GR IT JP KG KK KP KR MD MN MA NL CN Fkn PL RU At Am Kmt Us Sh Ya SK ES SE TM GB US Cf UZ**
- 2687) Epitetracnemus intersectus (Fonscolombe,1832)** (Encyrtidae) Synonym(s): *intersectus* Fonscolombe,1832 _ Range (in code): **TR**
- 2688) Erihydus aeneus Nikol'skaya,1952** (Encyrtidae) Synonym(s): *aeneus* Nikol'skaya,1952 _ Range (in code): **TR**
- 2689) Erihydus robustior Mercet,1921** (Encyrtidae) Synonym(s): *robustior* Mercet,1921 _ Range (in code): **TR**
- 2690) Eugahania fumipennis (Ratzeburg,1852)** (Encyrtidae) Synonym(s): *fumipennis* Ratzeburg,1852 _ Range (in code): **TR**
- 2691) Ginsiana carpetana (Mercet,1921)** (Encyrtidae) Synonym(s): *carpetana* Mercet,1921 _ Range (in code): **TR**
- 2692) Habrolepis dalmanni (Westwood,1837)** (Encyrtidae) Synonym(s): *dalmanni* Westwood,1837 _ Range (in code): **TR**

- 2693) Habrolepis italicus Delucchi,1965** (Encyrtidae) **Synonym(s):** *italicus Delucchi,1965*
Range (in code): **IT TR**
- 2694) Homalotylus flaminus (Dalman,1820)** (Encyrtidae) **Synonym(s):** *flaminus Dalman,1820* _ Range (in code): **TR**
- 2695) Homalotylus nigricornis Mercet,1921** (Encyrtidae) **Synonym(s):** *nigricornis Mercet,1921*
Range (in code): **TR**
- 2696) Homalotylus quaylei Timberlake,1919** (Encyrtidae) **Synonym(s):** *quaylei Timberlake,1919*
Range (in code): **TR**
- 2697) Hoplopsis minuta (Fabricius,1793)** (Encyrtidae) **Synonym(s):** *minuta Fabricius,1793*
Range (in code): **TR**
- 2698) Isodromus flaviscutum Hoffer & Trjapitzin,1978** (Encyrtidae) **Synonym(s):** *flaviscutum Hoffer & Trjapitzin,1978* _ Range (in code): **TR**
- 2699) Isodromus niger Ashmead,1900** (Encyrtidae) **Synonym(s):** *niger Ashmead,1900*
Range (in code): **TR**
- 2700) Lamennaisia ambigua (Nees ab Esenbeck,1834)** (Encyrtidae) **Synonym(s):** *ambigua Nees ab Esenbeck,1834* _ Range (in code): **TR**
- 2701) Leptomastidea abnormis (Girault,1915)** (Encyrtidae) **Synonym(s):** *abnormis Girault,1915* _ Range (in code): **TR IR Fa DZ AR AU AZ Cc BE BR CA Cn CL CR CU CY DO EG FR GG GH GR Hw IT IN JP KE MA MX NL NZ CN PE SN SL ES SE TJ TM GB US RU UZ**
- 2702) Leptomastix algerica Trjapitzin,1989** (Encyrtidae) **Synonym(s):** *algerica Trjapitzin,1989*
Range (in code): **DZ TR**
- 2703) Leptomastix dactylopii Howard,1885** (Encyrtidae) **Synonym(s):** *dactylopii Howard,1885*
Range (in code): **TR**
- 2704) Leptomastix flava Mercet,1921** (Encyrtidae) **Synonym(s):** *flava Mercet,1921* _ Range (in code): **TR**
- 2705) Mayridia formosula Mercet,1921** (Encyrtidae) **Synonym(s):** *formosula Mercet,1921*
Range (in code): **TR**
- 2706) Mayridia merceti Trjapitzin,1969** (Encyrtidae) **Synonym(s):** *merceti Trjapitzin,1969*
Range (in code): **TR**
- 2707) Mayridia pulchra Mercet,1921** (Encyrtidae) **Synonym(s):** *pulchra Mercet,1921* _ Range (in code): **TR**
- 2708) Metanotalia maderensis (Walker,1872)** (Encyrtidae) **Synonym(s):** *maderensis Walker,1872* _ Range (in code): **Md TR**
- 2709) Metaphycus asterolecanii (Mercet,1923)** (Encyrtidae) **Synonym(s):** *asterolecanii Mercet,1923; variolosus Alam,1957* _ Range (in code): **TR DZ AD AM Cc BG CZ SK DK FI FR GG DE GR HU IT NL PL RU SA ES GB**
- 2710) Metaphycus bellae Trjapitzin** (Encyrtidae) **Synonym(s):** *#bellae Trjapitzin* _ Range (in code): **TR**
- 2711) Metaphycus delos Guerrieri & Noyes,2000** (Encyrtidae) **Synonym(s):** *delos Guerrieri & Noyes,2000* _ Range (in code): **TR FR ES GR DE 48 48D**
- 2712) Metaphycus dispar (Mercet,1925)** (Encyrtidae) **Synonym(s):** *dispar Mercet,1925; tamakatakaigara Tachikawa,1957* _ Range (in code): **TR AM AZ Cc GG Cn CZ FI FR GR HU IT JP KG KK Md MN CN Hun Sz RU At Sh SK ES TJ TM GB US Cf UZ YU**
- 2713) Metaphycus flavus (Howard,1881)** (Encyrtidae) **Synonym(s):** *flavus Howard,1881; hesperidum Mercet,1916; caridei Brethes,1918; mauritanicus Compere,1940* _ Range (in code): **TR AL AR AU AZ Cc BR Cn CL CR CU CY CZ EG FR GG Hw IN Hp IL Pa IR IT Si JM LB Md MX MA PY PE PT PR ES T-T TN US Cf FI Ny Oh Tx UY YU**
- 2714) Metaphycus garmon Guerrieri & Noyes,2000** (Encyrtidae) **Synonym(s):** *garmon Guerrieri & Noyes,2000* _ Range (in code): **TR FR GR IT ES 48 48D**
- 2715) Metaphycus gennaroi Guerrieri & Noyes,2000** (Encyrtidae) **Synonym(s):** *gennaroi Guerrieri & Noyes,2000* _ Range (in code): **TR DZ HV GR IT YU 48 48D**
- 2716) Metaphycus helvolus (Compere,1926)** (Encyrtidae) **Synonym(s):** *helvolus Compere,1926*
Range (in code): **TR AR AU NSw QAU WAu BD CL CU CY EC EG ER FR Co GR Hw IN IR IL Pa IT MX MA NA NL PK PE ZA ES SE CH TN GB US Cf RU**
- 2717) Metaphycus ibericus (Mercet,1921)** (Encyrtidae) **Synonym(s):** *ibericus Mercet,1921*
Range (in code): **ES TR MA YU HU 48 48D**

- 2718) Metaphycus insidiosus (Mercet,1921)** (Encyrtidae) Synonym(s): *insidiosus* Mercet,1921; *taxi* Alam,1957 _ Range (in code): **TR AD AM Cc GG AZ AT BG Cn CZ SK DK FI FR DE GR HU IT Si KG MD PL RO RU ES SE CH GB US FI**
- 2719) Metaphycus melanostomatus (Timberlake,1916)** (Encyrtidae) Synonym(s): *melanostomatus* Timberlake,1916 _ Range (in code): **TR AM AZ Cc GG BY BG HV CZ DK FR Co DE GR IR IT JP KG MD NL RU ES SE TJ TM UZ GB US Cf YU 35**
- 2720) Metaphycus petitus (Walker,1851)** (Encyrtidae) Synonym(s): *petitus* Walker,1851; *erythraeus* Hoffer,1854 _ Range (in code): **TR CZ DK FI GG Tbl GR Cc IT MD SK ES GB BG 48 48D**
- 2721) Metaphycus piceus Hoffer,1954** (Encyrtidae) Synonym(s): *piceus* Hoffer,1954 _ Range (in code): **TR BG CZ MD RO SK GB YU 48**
- 2722) Metaphycus silvestrii Sugonjaev,1970** (Encyrtidae) Synonym(s): *silvestrii* Sugonjaev,1970 _ Range (in code): **TR AM Cc GG AZ BY BG HV DE HU IT MD PL RO RU UA YU**
- 2723) Metaphycus stagnarum Hoffer,1954** (Encyrtidae) Synonym(s): *stagnarum* Hoffer,1954; *melanus* Sugonjaev,1960 _ Range (in code): **TR BE CZ DK FI DE IT KG NL PL RO RU Sh SK GB**
- 2724) Metaphycus swirskii Annecke & Mynhardt,1979** (Encyrtidae) Synonym(s): *swirskii* Annecke & Mynhardt,1979 _ Range (in code): **ZA TR KE IT IL Pa GR FR**
- 2725) Microterys bellae Trjapitzin,1968** (Encyrtidae) Synonym(s): *bellae* Trjapitzin,1968; *eulecanii* Pilipyuk & Sugonjaev,1971 _ Range (in code): **TR KK KG CN RU Sh**
- 2726) Microterys cneus Trjapitzin & Sugonjaev,1976** (Encyrtidae) Synonym(s): *cneus* Trjapitzin & Sugonjaev,1976 _ Range (in code): **TR RU**
- 2727) Microterys darevskii Trjapitzin,1968** (Encyrtidae) Synonym(s): *darevskii* Trjapitzin,1968 _ Range (in code): **TR AM AZ Cc TM**
- 2728) Microterys hortulanus Erdös,1956** (Encyrtidae) Synonym(s): *hortulanus* Erdös,1956 _ Range (in code): **TR AM AZ Cc GG BG CZ SK DE GR HU IR IT IL Pa KK MD PL RO RU SK ES UA UZ YU GB**
- 2729) Microterys lunatus (Dalman,1820)** (Encyrtidae) Synonym(s): *lunatus* Dalman,1820 _ Range (in code): **TR AT AZ GG Cc BG HV CZ SK DK EE FI FR DE HU IR IT KG LT MN PL RO RU At Mo Ya SE CH UA GB US Cf Sb YU**
- 2730) Microterys masii Silvestri,1919** (Encyrtidae) Synonym(s): *masii* Silvestri,1919 _ Range (in code): **TR DZ HV CY FR DE GR IR IL Pa IT ES TN UA GB RU YU**
- 2731) Microterys nietneri (Motschulsky,1859)** (Encyrtidae) Synonym(s): *nietneri* Motschulsky,1859 _ Range (in code): **TR**
- 2732) Microterys tricoloricornis (De Stefani,1886)** (Encyrtidae) Synonym(s): *tricoloricornis* De Stefani,1886; *consobrinus* Mercet,1921 _ Range (in code): **TR GG Cc GR IL Pa IT Si MX RU Us ES TM US Cf**
- 2733) Monodiscodes dimorphus (Mercet,1921)** (Encyrtidae) Synonym(s): *dimorphus* Mercet,1921 _ Range (in code): **TR**
- 2734) Ooencyrtus fecundus Ferrière & Voegelé,1961** (Encyrtidae) Synonym(s): *fecundus* Ferrière & Voegelé,1961 _ Range (in code): **TR**
- 2735) Ooencyrtus kuvanae (Howard,1910)** (Encyrtidae) Synonym(s): *kuvanae* Howard,1910 _ Range (in code): **TR**
- 2736) Ooencyrtus masii (Mercet,1921)** (Encyrtidae) Synonym(s): *masii* Mercet,1921 _ Range (in code): **TR**
- 2737) Ooencyrtus pityocampae (Mercet,1921)** (Encyrtidae) Synonym(s): *pityocampae* Mercet,1921 _ Range (in code): **TR**
- 2738) Ooencyrtus tardus (Ratzeburg,1844)** (Encyrtidae) Synonym(s): *tardus* Ratzeburg,1844 _ Range (in code): **TR**
- 2739) Ooencyrtus telenomicida (Vassiliev,1904)** (Encyrtidae) Synonym(s): *telenomicida* Vassiliev,1904 _ Range (in code): **TR**
- 2740) Parasauleia trjapitzini Hoffer,1968** (Encyrtidae) Synonym(s): *trjapitzini* Hoffer,1968 _ Range (in code): **TR**
- 2741) Pentacladocerus araraticus (Trjapitzin,1962)** (Encyrtidae) Synonym(s): *araraticus* Trjapitzin,1962; *#ararathicus* Öncüer,1991 _ Original reference: *Calometopia araratica* Trjapitzin,1962, Trudy Zool. Inst. Akad. Nauk USSR 30: 286. **TR Arr Cc AM 76**
- 2742) Pseudococcobius obenbergeri (Nowicki,1926)** (Encyrtidae) Synonym(s): *obenbergeri* Nowicki,1926 _ Range (in code): **TR**
- 2743) Psilophrys bella Japoshvili & Noyes,2006** (Encyrtidae) Synonym(s): *bella* Japoshvili & Noyes,2006 _ Original reference: *Psilophrys bella* Japoshvili & Noyes,2006, J. Nat. Hist. 40:

- 1798-1799, figs. Holotype ♀: Turkey, Isparta, Cire (ex *Kermes palestiniensis* on *Quercus coccifera*) (G.Japoshvili) (IZGAS). Range (in code): **TR 32**
- 2744) *Psilophrys ghilarovi* Japoshvili, 2005** (Encyrtidae) Synonym(s): *ghilarovi* Japoshvili, 2005
Original reference: *Psilophrys ghilarovi* Japoshvili, 2005, Zool. Zh. 84: 524-526. Range (in code):
TR 07 32
- 2745) *Psilophrys tenuicornis* Graham, 1969** (Encyrtidae) Synonym(s): *longicornis* Walker, 1847
nec Dalm., 1820; *tenuicornis* Graham, 1969 Original reference: *Psilophrys tenuicornis* Graham, 1969,
Polski pismo Ent. 39: 235. Range (in code): **GB AT TR 32**
- 2746) *Psyllaephagus caillardiae* Sugonjaev, 1968** (Encyrtidae) Synonym(s): *caillardiae*
Sugonjaev, 1968 Range (in code): **TR**
- 2747) *Psyllaephagus elaeagni* Trjapitzin, 1967** (Encyrtidae) Synonym(s): *elaegn*
Trjapitzin, 1967 Range (in code): **TR**
- 2748) *Psyllaephagus euphyllurae* (Masi, 1911)** (Encyrtidae) Synonym(s): *euphyllurae* Masi, 1911
Range (in code): **TR**
- 2749) *Psyllaephagus pistaciae* Ferrière, 1961** (Encyrtidae) Synonym(s): *pistaciae* Ferrière, 1961
Range (in code): **TR**
- 2750) *Psyllaephagus procerus* (Mercet, 1921)** (Encyrtidae) Synonym(s): *procerus* Mercet, 1921
Range (in code): **TR**
- 2751) *Psyllaephagus pulchellus* (Mercet, 1921)** (Encyrtidae) Synonym(s): *pulchellus*
Mercet, 1921 Range (in code): **TR**
- 2752) *Psyllaephagus tokgaevi* Myartseva, 1979** (Encyrtidae) Synonym(s): *tokgaevi*
Myartseva, 1979 Range (in code): **TR**
- 2753) *Rhopus flavidus* (Mercet, 1921)** (Encyrtidae) Synonym(s): *flavidus* Mercet, 1921 Range
(in code): **TR**
- 2754) *Sryphophagus aphidivorus* (Mayr, 1876)** (Encyrtidae) Synonym(s): *aphidivorus*
Mayr, 1876 Range (in code): **TR**
- 2755) *Tetracnemus heydeni* (Mayr, 1876)** (Encyrtidae) Synonym(s): *heydeni* Mayr, 1876
Range (in code): **TR**
- 2756) *Tetracnemus terminassianae* Herthveztzian, 1978** (Encyrtidae) Synonym(s):
terminassianae Herthveztzian, 1978 Range (in code): **AM AZ Cc GR FR TR**
- 2757) *Trechnites flavipes* (Mercet, 1921)** (Encyrtidae) Synonym(s): *flavipes* Mercet, 1921
Range (in code): **TR AM AZ Cc CZ DK FR HU IT KG MN PL RU Da SK ES**
- 2758) *Trechnites psyllae* (Ruschka, 1923)** (Encyrtidae) Synonym(s): *psyllae* Ruschka, 1923
Range (in code): **TR**
- 2759) *Trichomasthus albimanus* Thomson, 1876** (Encyrtidae) Synonym(s): *albimanus*
Thomson, 1876 Range (in code): **AZ AM GG Cc BY BG HV CZ DK FI FR DE HU IT LT MD MN PL PT**
RU Kb SS ES SE TR US YU
- 2760) *Zaomma lambinus* (Walker, 1838)** (Encyrtidae) Synonym(s): *lambinus* Walker, 1838;
euryclea Walker, 1844; *microphagus* Mayr, 1876; *diaspidinarum* Howard, 1894; *pulchricornis* Ashmead, 1905; *mayri*
Ruschka, 1915; *aspidioti* Girault, 1915; *britannicus* Girault, 1915; *zonatus* Alam, 1957; etc. Range (in code): **TR DZ**
AR AM Cc AT AZ BR BG CA On HV CZ DK FI FR GG DE Hw HU IN Ass Up Ben ID Ja IR GB IT JP KP
KR LB MU MD MN NL NZ CN Fkn Gn Kwa Hn Hun PE PH PL RO RU Da Mo Sh SK ES SE CH TN UA US
Cf Fl Ny Ny Oh UZ YU

Eucharidae

- 2761) *Eucharis (Psilogastrellus) anatolica* Boucek, 1951** (Eucharidae) Synonym(s):
anatolica Boucek, 1952 Original reference: *Eucharis anatolica* Boucek, 1951, Acta ent. Mus. Nat.
Pragae 27: 52. Holotype ♂: Turkey (NMP). Range (in code): **TR 06**
- 2762) *Eucharis (Psilogastrellus) punctata* Förster, 1859** (Eucharidae) Synonym(s):
punctata Förster, 1859 Range (in code): **DZ AT BG EG TN TR MK HV**
- 2763) *Eucharis (s.str.) adscendens* (Fabricius, 1787)** (Eucharidae) Synonym(s): *adscendens*
Fabricius, 1787; *kollari* Förster, 1859 Range (in code): **AT BY B-H HV CZ DE HU IT KG LT MD RO RU**
Da Cc SK UA GB YU Sb TR IR Ak Mrd
- 2764) *Eucharis (s.str.) reticulata* Ruschka, 1924** (Eucharidae) Synonym(s): *reticulata*
Ruschka, 1924 Original reference: *Eucharis reticulata* Ruschka, 1924, Dt. ent. Z. 1924: 86, fig.4.
Type ♀: "Araxestal, Kaukasus (Leder-Reitter)" (NHMW). Range (in code): **Cc TR RO HU**

- 2765) Eucharis (s.str.) specularis Ruschka,1924** (Eucharidae) Synonym(s): *specularis* Ruschka,1924 Original reference: Eucharis specularis Ruschka,1924, Dt. ent. Z. 1924: 83, 84-85. Type ♂: Range (in code): TR
- 2766) Eucharis (s.str.) turca Nikolskaya,1952** (Eucharidae) Synonym(s): *turca* Nikolskaya,1952 Original reference: Eucharis turca Nikolskaya,1952, Chalcids of the fauna of the USSR 44: 204. Syntypes: [Turkey]: Asia minor (ZISP). Range (in code): TR
- 2767) Stilbula cyniformis (Rossi,1792)** (Eucharidae) Synonym(s): *cyniformis* Rossi,1792; *tenuicornis* Ashmead,1904; *nekkensis* Ishii,1938; *#cynipiformis* auct. Range (in code): AT AZ Cc B-H Cc HV CZ FR DE HU IT Si JP KG KP KR MK MD CN RO RU SK TR UA US 16
- 2768) Stilbula vitripennis Masi,1934** (Eucharidae) Synonym(s): *vitripennis* Masi,1934 Range (in code): TR CY IL Pa

Eulophidae

- 2769) Anaprostocetus acuminatus (Ratzeburg,1848)** (Eulophidae) Synonym(s): *acuminatus* Ratzeburg,1848 Range (in code): TR AT CA CZ FR DE HU IN IT JP NL SE UA GB
- 2770) Anaprostocetus ankarensis Gençer,2009** (Eulophidae) Synonym(s): *ankarensis* Gençer,2009 Original reference: Anaprostocetus ankarensis Gençer,2009, Ent. fenn. 20 (4): 225-227. Range (in code): TR 06 06R
- 2771) Aprostocetus agevilleae Graham,1987** (Eulophidae) Synonym(s): *agevilleae* Graham,1987 Range (in code): CZ SK IT TR 42 51 42J
- 2772) Aprostocetus agrus (Walker,1839)** (Eulophidae) Synonym(s): *agrus* Walker,1839; *amynus* Walker,1839; *conii* Erdös,1954; *rugosus* Erdös,1954 Range (in code): CZ FR GR HU GB IE NL RU Us SK SE TR 60
- 2773) Aprostocetus annulatus (Förster,1861)** (Eulophidae) Synonym(s): *annulatus* Förster,1861 Range (in code): FR DE HU RU SE CH UA GB TR 58 58N
- 2774) Aprostocetus arenarius (Erdös,1954)** (Eulophidae) Synonym(s): *arenarius* Erdös,1954 CZ FR Co DE HU IT SK SE GB YU TR 01 60 01D 01G
- 2775) Aprostocetus artemisiae (Erdös,1954)** (Eulophidae) Synonym(s): *artemisiae* Erdös,1954; *#artemissiae* Doğanlar,1992 Range (in code): HU NL RU Us SE SE GB TR 75
- 2776) Aprostocetus bakkendorfi Graham,1987** (Eulophidae) Synonym(s): *bakkendorfi* Graham,1987 Range (in code): TR DK RU SE DE 60
- 2777) Aprostocetus brachycerus (Thomson,1878)** (Eulophidae) Synonym(s): *brachycerus* Thomson,1878 Range (in code): TR DE CZ DK FI FR HU RU Us SE GB 24 25 60
- 2778) Aprostocetus bruzzonis (Masi,1930)** (Eulophidae) Synonym(s): *bruzzonis* Masi,1930 CA CZ FR DE HU IT NL RU Us SE CH UA GB TR 60
- 2779) Aprostocetus bucculentus (Kostjukov,1978)** (Eulophidae) Synonym(s): *bucculentus* Kostjukov,1978 Range (in code): AM Cc IR IL Pa TR 01 23 27 31
- 2780) Aprostocetus catius (Walker,1839)** (Eulophidae) Synonym(s): *catius* Walker,1839 Range (in code): CZ IE GB SE RU Us TR 40 58 60 40G 58N
- 2781) Aprostocetus caudatus Westwood,1833** (Eulophidae) Synonym(s): *caudatus* Westwood,1833; *tristis* Nees,1834; *phalis* Walker,1839; *trabea* Walker,1839; *mutilia* Walker,1839; *crassicauda* Thomson,1878 Range (in code): AT BG CZ FR DE GR HU IE GB IT NL CN RU SK SE YU TR
- 2782) Aprostocetus ceroplastae (Girault,1916)** (Eulophidae) Synonym(s): *ceroplastae* Girault,1916 Range (in code): AU NSw EG FR IL Pa GR IT LB LY MG MU MA CN Fkn Yu ZA UG US FI TR
- 2783) Aprostocetus cerricola (Erdös,1954)** (Eulophidae) Synonym(s): *cerricola* Erdös,1954 Range (in code): BE CZ FR GR HU YU TR 42 60 42J 60O
- 2784) Aprostocetus citrinus (Förster,1841)** (Eulophidae) Synonym(s): *citrinus* Förster,1841; *varius* Thomson,1878 Range (in code): AT CZ FR DE HU MD NL CN Kwa RU Us SK SE GB TR 50
- 2785) Aprostocetus coccidiphagus Graham,1987** (Eulophidae) Synonym(s): *coccidiphagus* Graham,1987 Range (in code): DE GB TR 66
- 2786) Aprostocetus coelarchus (Graham,1991)** (Eulophidae) Synonym(s): *coelarchus* Graham,1991 Range (in code): TR CZ CN Yu SE GB YU
- 2787) Aprostocetus cracens Graham,1987** (Eulophidae) Synonym(s): *cracens* Graham,1987 Range (in code): TR IT GR
- 2788) Aprostocetus crino (Walker,1838)** (Eulophidae) Synonym(s): *crino* Walker,1838; *dispar* Silvestri,1920; *oecanthivorus* Gahan,1932; *compar* Gahan,1932; *dubius* Bakkendorf,1955 Range (in code): AD BG HV CZ DK FR DE HU IE GB IT MD NL CN RU SK SE US Tx YU TR

- 2789) *Aprostocetus decrescens* (Graham,1991)** (Eulophidae) Synonym(s): *decrescens* Graham,1991 Range (in code): **TR FR GB SE CN Kwa**
- 2790) *Aprostocetus diversus* (Förster,1841)** (Eulophidae) Synonym(s): *diversus* Förster,1841; *abydenus* Walker,1848 Range (in code): **CZ FR DE GB HU NL NO SE TR CN Kwa RU Us 40 42 60 40G 42J 60C**
- 2791) *Aprostocetus emesa* (Walker,1839)** (Eulophidae) Synonym(s): *emesa* Walker,1839; *anteius* Walker,1839; *rabirius* Walker,1839; *deipyrus* Walker,1839 Range (in code): **TR CZ FR DE HU NL NO RU Us SK SE GB 38 58 60 38F 58Q**
- 2792) *Aprostocetus holoxanthus* Graham,1991** (Eulophidae) Synonym(s): *flavus* Graham,1987 nec Gir.,1913; *holoxanthus* Graham,1991 Original reference: *Aprostocetus holoxanthus* Graham,1991, Entomologist's Gaz. 42: 93 (nomen novum pro *flavus* Graham,1987 nec Girault,1913). Holotype ♀: Turkey: [Erzurum]: Narman-Eri (M.Doğanlar) (BMNH). Range (in code): **TR 25**
- 2793) *Aprostocetus levadiensis* Graham,1987** (Eulophidae) Synonym(s): *levadiensis* Graham,1987 Range (in code): **GR TR 40 58 60 58N**
- 2794) *Aprostocetus longicauda* (Thomson,1878)** (Eulophidae) Synonym(s): *longicauda* Thomson,1878 Range (in code): **GB FR DE CZ SK HU IT GR SE TR 60**
- 2795) *Aprostocetus lycidas* (Walker,1839)** (Eulophidae) Synonym(s): *lycidas* Walker,1839 Range (in code): **GR FR NL DE DK SE FI PL CZ SK IT YU TR**
- 2796) *Aprostocetus melasomae* (Graham,1991)** (Eulophidae) Synonym(s): *melasomae* Graham,1991 Range (in code): **SE CZ TR**
- 2797) *Aprostocetus mimulus* Graham,1987** (Eulophidae) Synonym(s): *mimulus* Graham,1987 Range (in code): **GR TR 42 42J**
- 2798) *Aprostocetus neglectus* (Domenichini,1957)** (Eulophidae) Synonym(s): *neglectus* Domenichini,1957 Range (in code): **FR DE IT CZ AT HU MD GR TR**
- 2799) *Aprostocetus pausiris* (Walker,1839)** (Eulophidae) Synonym(s): *pausiris* Walker,1839; *anticlea* Walker,1839; *cyrrhus* Walker,1839 Range (in code): **CA On CZ DK FR DE GR HU Md NL NO PT RU Us ES SE TR GB YU 38 58 60 58N**
- 2800) *Aprostocetus phineus* (Walker,1839)** (Eulophidae) Synonym(s): *phineus* Walker,1839 Range (in code): **TR AT CZ DK FR DE SE SK GB YU RU 38**
- 2801) *Aprostocetus phragmiticola* Graham,1987** (Eulophidae) Synonym(s): *phragmiticola* Graham,1987 Range (in code): **GB NL TR HU 42 42J**
- 2802) *Aprostocetus productus* Graham,1987** (Eulophidae) Synonym(s): *productus* Graham,1987 Range (in code): **TR FR RU Us SE 60 60N**
- 2803) *Aprostocetus pygmaeus* (Zetterstedt,1838)** (Eulophidae) Synonym(s): *pygmaeus* Zetterstedt,1838 Range (in code): **TR FR GB DK DE NO SE FI UA CZ HU IT GR 58 60 75 76 58N 60N 75A 76A**
- 2804) *Aprostocetus roesellae* (Nees,1834)** (Eulophidae) Synonym(s): *roesellae* Nees,1834; *deplanatus* Walker,1874 Range (in code): **RU Am Us CZ HU DE SE GB TR 66 66A**
- 2805) *Aprostocetus rumicis* Graham,1987** (Eulophidae) Synonym(s): *rumicis* Graham,1987 Range (in code): **GB NL DE TR AT Co 60**
- 2806) *Aprostocetus sinope* (Walker,1839)** (Eulophidae) Synonym(s): *sinope* Walker,1839; *agathocles* Walker,1839; *hippis* Walker,1839; *rapo* Walker,1839 Range (in code): **TR DZ CA FR DE HU IE IT LT MD NL NZ SE UA GB US Ny YU**
- 2807) *Aprostocetus subcylindricus* Graham,1987** (Eulophidae) Synonym(s): *subcylindricus* Graham,1987 Range (in code): **TR AT DE CZ 60**
- 2808) *Aprostocetus tenuiradialis* Graham,1987** (Eulophidae) Synonym(s): *tenuiradialis* Graham,1987 Range (in code): **CZ FR NL RU SE GB TR 60 75**
- 2809) *Aprostocetus terebrans* Erdös,1954** (Eulophidae) Synonym(s): *terebrans* Erdös,1954 Range (in code): **TR GB FR NO SE DE CZ SK HU**
- 2810) *Aprostocetus toddaliae* (Risbec,1958)** (Eulophidae) Synonym(s): *toddaliae* Risbec,1958 Range (in code): **MG IL Pa TR**
- 2811) *Aprostocetus tompanus* (Erdös,1954)** (Eulophidae) Synonym(s): *tompanus* Erdös,1954 Range (in code): **CZ HU TR RO RU Us GB 58 60 58N**
- 2812) *Aprostocetus trjapitzini* (Kostjukov,1976)** (Eulophidae) Synonym(s): *trjapitzini* Kostjukov,1976 Range (in code): **DE KG MD NL RO RU At Us SE TJ GB UZ TR SE**
- 2813) *Aprostocetus tymber* (Walker,1839)** (Eulophidae) Synonym(s): *tymber* Walker,1839 Range (in code): **TR GB FR NL SE PL CZ SK YU IT**

- 2814) *Aprostocetus venustus* (Gahan,1914)** (Eulophidae) Synonym(s): *venustus* Gahan,1914; *aneurytus* Erdős,1969 Range (in code): SY TR BG CA Cn CZ FR DE HU IR IT NL RU Us SK ES SE US Arz Cf YU 25
- 2815) *Aprostocetus viridinitens* Graham,1987** (Eulophidae) Synonym(s): *viridinitens* Graham,1987 Range (in code): CZ FR RU Us SE GB TR AT 60
- 2816) *Aprostocetus westwoodi* (Fonscolombe,1840)** (Eulophidae) Synonym(s): *westwoodi* Fonscolombe,1840; *variegata* Fonscolombe,1840 Range (in code): TR FR HU IT CZ ES CN Gn 01 60 01D
- 2817) *Aulogymnus skianeuros* (Ratzeburg,1844)** (Eulophidae) Synonym(s): *skianeuros* Ratzeburg,1844; *skianeurus* Ratzeburg,1848 Range (in code): TR AT BE BG HV CZ FR DE HU IT Sa MD NL RO RU ES SE UA GB YU
- 2818) *Baryscapus adalia* (Walker,1839)** (Eulophidae) Synonym(s): *adalia* Walker,1839; *crassinervis* Thomson,1878 Range (in code): TR BG CZ FR DE HU IT RU SE GB YU 58 60 58N
- 2819) *Baryscapus babiye* Doğanlar,1993** (Eulophidae) Synonym(s): *babiye* Doğanlar,1993 Original reference: *Baryscapus babiye* Doğanlar,1993, Entomofauna 14 (23): 382, figs. Holotype ♀: Turkey: Tokat, Taşlıçiftlik (ZSM). Range (in code): TR 60
- 2820) *Baryscapus berhidanus* Erdős,1954** (Eulophidae) Synonym(s): *berhidanus* Erdős,1954 Range (in code): CZ FR HU IT TR 58 58N
- 2821) *Baryscapus bruchidii* (Erdős,1951)** (Eulophidae) Synonym(s): *bruchidii* Erdős,1951 Range (in code): TR HU MD RU
- 2822) *Baryscapus bruchivorus* (Gahan,1942)** (Eulophidae) Synonym(s): *bruchivorus* Gahan,1942 Range (in code): FR IT ES US Org TR
- 2823) *Baryscapus bruchophagi* (Gahan,1913)** (Eulophidae) Synonym(s): *bruchophagi* Gahan,1913 Range (in code): AR AM Cc AT BE CA On DE HU IN KK MX NZ RU Ro SE TR US Arz Cf Org Ut UY RU UZ 31 60 75 31A
- 2824) *Baryscapus ceroplastophilus* (Domenichini,1965)** (Eulophidae) Synonym(s): *ceroplastophilus* Domenichini,1965 Range (in code): FR GR IT LB TR
- 2825) *Baryscapus cirsiicola* Graham,1991** (Eulophidae) Synonym(s): *cirsiicola* Graham,1991 Range (in code): FR RU GB TR 60
- 2826) *Baryscapus crassicornis* (Erdős,1954)** (Eulophidae) Synonym(s): *crassicornis* Erdős,1954 Range (in code): CZ FR DE HU IL Pa RU ES TR 60
- 2827) *Baryscapus दौरа* (Walker,1839)** (Eulophidae) Synonym(s): *dौरа* Walker,1839; *canadensis* Ashmead,1888; *cirsii* Kurdjumov,1913 Range (in code): AR AT BG CA On CL CZ SK FR DE GR HU IT Sa MD NL RU SK ES SE CH GB US Oh TR 58 60 66 58N 66A
- 2828) *Baryscapus endemus* (Walker,1839)** (Eulophidae) Synonym(s): *endemus* Walker,1839; *decisus* Walker,1863; *tibialis* Kurdjumov,1913; *encyrti* Ferriere,1926; *orchestidis* Bukovskii,1938; *cioni* Erdős,1971; *femoralis* Erdős,1971 Range (in code): AT BG CZ SK DK FR DE HU IR MD NL PL RU ES SE CH UA YU TR 60
- 2829) *Baryscapus euphorbiae* Graham,1991** (Eulophidae) Synonym(s): *euphorbiae* Graham,1991 Range (in code): NL RU SE TR 60 75 60F
- 2830) *Baryscapus evonymellae* (Bouché,1834)** (Eulophidae) Synonym(s): *evonymellae* Bouché,1834 Range (in code): TR AZ AM Cc BE B-H BG CZ FR DE HU IR IT KK LT MD NL PL RO RU ES SD SE CH UA GB US Cf YU 21
- 2831) *Baryscapus fossarum* Graham,1991** (Eulophidae) Synonym(s): *fossarum* Graham,1991 Range (in code): CZ FR IT Si NL RU SE GB TR 06 51
- 2832) *Baryscapus galactopus* (Ratzeburg,1844)** (Eulophidae) Synonym(s): *galactopus* Ratzeburg,1844 Range (in code): AU Az BG CA On Cn CZ DK FI FR DE HU IN Hp TR IT LV MD NL NZ RO RU ES SE CH UA GB US Kan YU 25 69
- 2833) *Baryscapus garganus* (Domenichini,1958)** (Eulophidae) Synonym(s): *garganus* Domenichini,1958 Range (in code): DE IT TR 60
- 2834) *Baryscapus gaziantepensis* Doğanlar,1993** (Eulophidae) Synonym(s): *gaziantepensis* Doğanlar,1993 Original reference: *Baryscapus gaziantepensis* Doğanlar,1993, Entomofauna 14 (23): 384. Holotype ♀: Turkey, Gaziantep (ZSM). Range (in code): TR 27
- 2835) *Baryscapus impeditus* (Nees ab Esenbeck,1834)** (Eulophidae) Synonym(s): *impeditus* Nees ab Esenbeck,1834 Range (in code): TR AD BG HV CZ FR DE IN Up IT MD NL PK RU Us SK SE YU 01 51 60
- 2836) *Baryscapus lotellae* (Delucchi,1954)** (Eulophidae) Synonym(s): *lotellae* Delucchi,1954 Range (in code): SE TR 40 40G

- 2837) Baryscapus nigroviolaceus (Nees ab Esenbeck,1834)** (Eulophidae) Synonym(s): *nigroviolaceus* Nees ab Esenbeck,1834 Range (in code): AT BG CZ FR DE HU IR IT MD RU ES SE CH UA GB YU TR 44 44K
- 2838) Baryscapus pallidae Graham,1991** (Eulophidae) Synonym(s): *pallidae* Graham,1991 Range (in code): FI FR DE HU IR IT ES SE GB TR 40 58 60 58Q
- 2839) Baryscapus papaveris Graham,1991** (Eulophidae) Synonym(s): *papaveris* Graham,1991 Range (in code): FR JO ES TR 60
- 2840) Baryscapus phytomyzae (Kostjukov,1978)** (Eulophidae) Synonym(s): *phytomyzae* Kostjukov,1978 Range (in code): AM Cc EG TR MD RU Ro UZ 60 60N
- 2841) Baryscapus protasis Graham,1991** (Eulophidae) Synonym(s): *protasis* Graham,1991 Range (in code): FR TR
- 2842) Baryscapus servadeii (Domenichini,1965)** (Eulophidae) Synonym(s): *servadeii* Domenichini,1965 Range (in code): AL DZ BG HV FR DE GR IL Pa IT MA PT RU ES SY TN YU TR 77
- 2843) Baryscapus spartifoliellae Graham,1991** (Eulophidae) Synonym(s): *spartifoliellae* Graham,1991 Range (in code): CZ DE NL GB TR 60
- 2844) Baryscapus talitzkii (Kostjukov,1978)** (Eulophidae) Synonym(s): *talitzkii* Kostjukov,1978 TR MD RO FR 60
- 2845) Baryscapus tineivorus (Ferrière,1941)** (Eulophidae) Synonym(s): *tineivorus* Ferrière,1941; *carpatus* Burks,1943 Range (in code): TR ZA CH GB US Cf Oh 50
- 2846) Baryscapus turionum (Hartig,1838)** (Eulophidae) Synonym(s): *turionum* Hartig,1838 Range (in code): TR AT BE BG CA On CZ DE HU IT NL PL RO RU ES SE CH GB US Ny Nje YU
- 2847) Ceranisus antalyacus Triapitsyn,2004** (Eulophidae) Synonym(s): *antalyacus* Triapitsyn,2004 Range (in code): TR 07
- 2848) Ceranisus bozovaensis (Doğanlar,2003)** (Eulophidae) Synonym(s): *bozovaensis* Doğanlar,2003 Original reference: *Urfacus bozovaensis* Doğanlar,2003, Turk. J. zool. 27: 181-185, figs. Holotype ♀: Turkey, Urfa, Bozova 15.vi.2002 (MKU). Range (in code): TR 63
- 2849) Ceranisus hirsutus Doğanlar & Triapitsyn,2007** (Eulophidae) Synonym(s): *hirsutus* Doğanlar & Triapitsyn,2007 Original reference: *Ceranisis hirsutus* Doğanlar & Triapitsyn,2007, Eur. J. Ent. 104 (1): 106-107. Holotype ♀: Turkey, Şanlıurfa Prov., Bozova (MKU). Range (in code): TR 63
- 2850) Ceranisus onuri O.Doğanlar,2010** (Eulophidae) Synonym(s): *onuri* O.Doğanlar,2010 Range (in code): TR 51
- 2851) Ceranisus pacuvius (Walker,1838)** (Eulophidae) Synonym(s): *pacuvius* Walker,1838; *acestor* Walker,1839; *aculeo* Walker,1848; *clavicornis* Thomson,1878; *kuttleri* Ferrière,1936 Range (in code): GB TR UA AF AT CZ SK DK DE HU MD SE CH GB YU 21 27 46 63
- 2852) Chrysocharis amanus (Walker,1839)** (Eulophidae) Synonym(s): *amanus* Walker,1839 Range (in code): DZ BG CZ FR GR HU MD NL PL SK SE GB RU YU TR
- 2853) Chrysocharis debussyi Hansson,1985** (Eulophidae) Synonym(s): *debussyi* Hansson,1985 Range (in code): TR GR
- 2854) Chrysocharis gemma (Walker,1839)** (Eulophidae) Synonym(s): *gemma* Walker,1839 Range (in code): TR AT CA BCo Cn CF HV CY FR DE GR Hw IT Si Md MA NL NZ PT RU ES SE CH GB YU
- 2855) Chrysocharis idyia (Walker,1839)** (Eulophidae) Synonym(s): *idyia* Walker,1839 Range (in code): BG CZ DE HU MD NL PL ES SE CH GB YU TR
- 2856) Chrysocharis laomedon (Walker,1839)** (Eulophidae) Synonym(s): *laomedon* Walker,1839 Range (in code): TR IR Fa Ke BG HV CZ DK FR DE HU IT JP MD NL SK SE GB US RU YU
- 2857) Cirrospilus elongatus Boucek,1958** (Eulophidae) Synonym(s): *elongatus* Boucek,1958 Range (in code): TR 06 06R
- 2858) Cirrospilus lyncus Walker,1838** (Eulophidae) Synonym(s): *lyncus* Walker,1838; *unifasciatus* Förster,1841; *caudatulus* Thomson,1878 Range (in code): TR AT AZ Cc B-H BG HV CZ DE HU IR IE IL Pa IT JP KP KR LT MD NL CN PL RO RU Us SK ES SE UA GB YU
- 2859) Cirrospilus pictus (Nees ab Esenbeck,1834)** (Eulophidae) Synonym(s): *pictus* Nees ab Esenbeck,1834 Range (in code): TR 06 44 06E 44K
- 2860) Cirrospilus staryi Boucek,1959** (Eulophidae) Synonym(s): *staryi* Boucek,1959 Range (in code): TR DZ AT BG HV CZ FR GG Cc DE IR LB SE YU
- 2861) Cirrospilus variegatus (Masi,1907)** (Eulophidae) Synonym(s): *variegatus* Masi,1907 Range (in code): TR AM Cc AU QAU WAU AZ BG Cn HV CZ ER ET HU IN IT Si KE LY MD MA NZ PK CN Pkn Hn Hpe Sha PE RO RU SK ES CH TZ TM AE UZ YE YU

- 2862) *Cirrospilus vittatus* Walker, 1838** (Eulophidae) Synonym(s): *vittatus* Walker, 1838; *lineatus* Förster, 1841; *nigrolineatus* Crawford, 1913; *sanguinea* Girault, 1916; *pulcherrimus* Mercet, 1916; *donatellae* Mariani, 1942; *hytomyzae* Ishii, 1953; *novickyi* Bakkendorf, 1955 Range (in code): **TR DZ AT AZ Cc B-H BG CA On Qb Cn HV CZ FR DE GR HU IE IQ IT Sa Si JP JO LT MK MD NL NO CN Pkn She Sha PL RO RU Us SK ES SE CH TN UA GB UA Cf Col YU**
- 2863) *Closterocerus arvensis* (Graham, 1963)** (Eulophidae) Synonym(s): *arvensis* Graham, 1963 Range (in code): **CZ DK FI GR RU SE GB YU TR o6**
- 2864) *Closterocerus chlorogaster* (Erdös, 1966)** (Eulophidae) Synonym(s): *chlorogaster* Erdös, 1966 Range (in code): **HV CZ DK DE HU MD NL SE GB YUTR**
- 2865) *Closterocerus clarus* (Szelenyi, 1977)** (Eulophidae) Synonym(s): *clarus* Szelenyi, 1977 Range (in code): **HU RU Mo MN TR 31 31A**
- 2866) *Closterocerus cuprifrons* (Erdös, 1954)** (Eulophidae) Synonym(s): *cuprifrons* Erdös, 1954 Range (in code): **HV CZ FI GR HU MD NL RU SK ES SE GB YU TR**
- 2867) *Closterocerus formosus* Westwood, 1833** (Eulophidae) Synonym(s): *formosus* Westwood, 1833; *phaenna* Walker, 1839; *lunatus* Ratzeburg, 1848; *ovulorum* Ratzeburg, 1848; *fullowayi* Crawford, 1913; *meridionalis* Silvestri, 1914; *silvia* Girault, 1917; *camilli* Girault, 1917 Range (in code): **AT BG CA Alb On Qb Cn CZ DK ER ET FI FR DE GR GM Hw HU ID IR Th Fa Ss IQ IL Pa IT Si JM JO JP KG MK MY MX MD NL DZ NO CN Gn Yu PL RO RU SK ZA ES SD SE CH TW TR TM UA AE GB US Arz Cf Col FI Ny Tx YE YU o6**
- 2868) *Closterocerus lyonetiae* (Ferrière, 1952)** (Eulophidae) Synonym(s): *lyonetiae* Ferrière, 1952; *fimbriata* Erdös, 1956 Range (in code): **HV FI DE HU IT JP ES SE CH UA RU YU TR**
- 2869) *Colpoclypeus florus* (Walker, 1839)** (Eulophidae) Synonym(s): *florus* Walker, 1839; *silvestrii* Lucchese, 1941 Range (in code): **TR AM AZ Cc BG CA On CZ FR DE HU**
- 2870) *Crataepus marbis* (Walker, 1839)** (Eulophidae) Synonym(s): *marbis* Walker, 1839; *aquisgranensis* Förster, 1878; *fletcherii* Ashmead, 1892 Range (in code): **TR AT BG CA On CZ FR DE HU IT MD NL PL RU SK ES SE GB US UZ 25**
- 2871) *Diglyphus begini* (Ashmead, 1904)** (Eulophidae) Synonym(s): *begini* Ashmead, 1904 Range (in code): **TR BR CA On Cn CO CZ Hw MX NO CN Gn Ts Ti Yu PE PR SK US Arz Cf Fl Kan NMx Ny Ut YE 48**
- 2872) *Diglyphus minoeus* (Walker, 1838)** (Eulophidae) Synonym(s): *minoeus* Walker, 1838; *abron* Walker, 1838; *deldon* Walker, 1839; *myron* Walker, 1839; *smilis* Walker, 1839; *amelon* Walker, 1839 Range (in code): **TR BB AT BG HV CZ DE HU IR IT Si JP KP KR MD NL NO PK CN Pkn Gn Ti Sz She Yu RU Mo Mgd SK SE CH TM GB YE o6 o8 17 28 33 41 48 61**
- 2873) *Diglyphus pachyneurus* Graham, 1963** (Eulophidae) Synonym(s): *pachyneurus* Graham, 1963 Range (in code): **HV DE IT MD NL CN RU Sh Mag SE GB YE YU TR o2 58 58G**
- 2874) *Diglyphus poppoea* Walker, 1848** (Eulophidae) Synonym(s): *poppoea* Walker, 1848 Range (in code): **TR Cn CZ FI DE HU IT Si MD MA NL PT RU 48**
- 2875) *Diglyphus pusztensis* (Erdös & Novicky, 1951)** (Eulophidae) Synonym(s): *pusztensis* Erdös & Novicky, 1951; *tibiscanus* Erdös, 1958; *fulvipes* Erdös, 1961 Range (in code): **TR AZ Cc HV CZ DE HU JP PL RU Us SK SE GB YE YU o7 12 41 48 58 58G**
- 2876) *Diglyphus sabulosus* Erdös, 1951** (Eulophidae) Synonym(s): *sabulosus* Erdös, 1951 Range (in code): **TR CZ SK SE HU RO UA o8**
- 2877) *Elachertus fenestratus* Nees ab Esenbeck, 1834** (Eulophidae) Synonym(s): *fenestratus* Nees ab Esenbeck, 1834; *argissa* Walker, 1839; *eurybates* Walker, 1839; *saon* Walker, 1839; *opaculus* Thomson, 1878; *coxalis* Howard, 1885; *viridaeneus* Cresson, 1887; *pini* Gahan, 1927 Range (in code): **TR AT B-H CA On Qb HV CZ FR DE GR HU IT JP KP KR MX NL CN Pkn Hbe Sz Ti She Sha PL RU Sh Us Kmt Sb SK SE CH TJ TM GB US Arz Cf Oh YU**
- 2878) *Elachertus pulcher* (Erdös, 1961)** (Eulophidae) Synonym(s): *pulcher* Erdös, 1961 Range (in code): **TR AT AZ Cc HV CZ FR GG DE HU Md MD RU Us SK SE TW TM YE YU**
- 2879) *Elasmus cyprianus* Ferrière, 1947** (Eulophidae) Synonym(s): *cyprianus* Ferrière, 1947 Range (in code): **TR ES CY**
- 2880) *Elasmus flabellatus* (Fonscolombe, 1832)** (Eulophidae) Synonym(s): *flabellatus* Fonscolombe, 1832; *scutellaris* Nees, 1834; *rhypicerus* Förster, 1841; *giraudi* Ferrière, 1947 Range (in code): **TR AT B-H HV CZ FR DE GR HU IT Si LB MD MA NL PT RO RU SK ES SE GB YU**
- 2881) *Elasmus nudus* (Nees ab Esenbeck, 1834)** (Eulophidae) Synonym(s): *nudus* Nees ab Esenbeck, 1834; *albipennis* Thomson, 1878 Range (in code): **TR Cc Cn HV CZ FI FR DE HU IT MD PL RU SK ES SE CH TJ TM UA AE GB YE YU**
- 2882) *Elasmus phthorimaeae* Ferrière, 1947** (Eulophidae) Synonym(s): *phthorimaeae* Ferrière, 1947 Range (in code): **TR CY ES TR AE YE**

- 2883) Elasmus platyedrae Ferrière,1935** (Eulophidae) Synonym(s): *platyedrae* Ferrière,1935; *elongatus* Ferrière,1947 Range (in code): **TR AT AM Cc Cn HV CY CZ EG FR GG GR HU IN IT MK Md PT DZ SK ES SE AE US Tx YE YU**
- 2884) Elasmus steffani Viggiani,1967** (Eulophidae) Synonym(s): *masii* Steffan,1962; *steffani* Viggiani,1967 Range (in code): **TR HV FR R IL Pa IT ES SY AE**
- 2885) Elasmus unicolor (Rondani,1877)** (Eulophidae) Synonym(s): *unicolor* Rondani,1877; *fumipennis* Thomson,1878; *vibicellae* Ferrière,1947 Range (in code): **TR Cc BG CZ DE HU IT MD SK ES SE**
- 2886) Elasmus westwoodi Giraud,1856** (Eulophidae) Synonym(s): *westwoodi* Giraud,1856 Range (in code): **AT FI DE GR FR HU IT MD KG ES SE CH TR RU**
- 2887) Entedon abdera Walker,1839** (Eulophidae) Synonym(s): *abdera* Walker,1839; *punctatus* Thomson,1878; *nigritarsis* Erdös,1944 Range (in code): **TR BG CZ DE HU IE MK L CN Gn RO RU SK SE UA GB**
- 2888) Entedon angorensis Gumovsky,1999** (Eulophidae) Synonym(s): *angorensis* Gumovsky,1999 Original reference: Entedon angorensis Gumovsky,1999, Ann. hist. nat. Mus. natn. Hung. 91: 156, 167-168. Holotype ♀: Turkey: Ankara (HNHM). Range (in code): **TR o6**
- 2889) Entedon bakacakicus M.Doğanlar,2013** (Eulophidae) Synonym(s): *bakacakicus* M.Doğanlar,2013 Range (in code): **TR 63**
- 2890) Entedon biroï Erdös,1944** (Eulophidae) Synonym(s): *biroï* Erdös,1944 Range (in code): **TR BG CZ HU IR KG MD MN SK UA GB RU Sb UZ US**
- 2891) Entedon calcicola Graham,1971** (Eulophidae) Synonym(s): *calcicola* Graham,1971 Range (in code): **TR DE SK SE GB YU**
- 2892) Entedon cionobius Thomson,1878** (Eulophidae) Synonym(s): *cionobius* Thomson,1878; *cinereae* Erdös,1961; *fructicola* Gumowsky,1996 Range (in code): **TR BG Cn HV FR DE HU NL ES SE UA GB YU**
- 2893) Entedon fufius Walker,1846** (Eulophidae) Synonym(s): *fufius* Walker,1846; *montanus* Erdös,1951 Range (in code): **TR BG HU MN RU ES SE GB**
- 2894) Entedon hercyna Walker,1839** (Eulophidae) Synonym(s): *hercyna* Walker,1839; *elongatus* Thomson,1878; *aselli* Erdös,1954 Range (in code): **TR BG CZ HU NL NO RU SK SE GB**
- 2895) Entedon longus Boucek,1968** (Eulophidae) Synonym(s): *longulus* Erdös,1944; *longus* Boucek,1968 Range (in code): **TR BG DE HU IL Pa SE GB**
- 2896) Entedon pallicrus Erdös,1944** (Eulophidae) Synonym(s): *pallicrus* Erdös,1944 Range (in code): **TR BG CZ GR FR HU KG MD NL RU SK SE UA GB UZ**
- 2897) Entedon palvicalcar Thomson,1878** (Eulophidae) Synonym(s): *palvicalcar* Thomson,1878; *subovatus* Thomson,1878 Range (in code): **TR BG HV CZ DE HU KG MD NL RU Sb ES SE UA GB YU**
- 2898) Entedon pinetorum Ratzeburg,1852** (Eulophidae) Synonym(s): *pinetorum* Ratzeburg,1852 Range (in code): **TR DE HU**
- 2899) Entedon procioni Erdös,1944** (Eulophidae) Synonym(s): *procioni* Erdös,1944; *molybdaenus* Erdös,1944; *urticarii* Erdös,1951; *meliloti* Askew,1992 Range (in code): **TR BG CZ FR DE HU NL RU SK ES SE UA GB**
- 2900) Entedon sparetus Walker,1839** (Eulophidae) Synonym(s): *sparetus* Walker,1839; *longiventris* Thomson,1878; *longiventrosus* Dalla Torre,1898; *insignis* Erdös,1944; *lixi* Erdös,1951; *mecini* Askew,1992 Range (in code): **TR AT BG HV CZ FR GG Cc DE GR HU**
- 2901) Entedon subpunctatus [n.n.]** (Eulophidae) Synonym(s): *#subpunctatus* Doğanlar,1985 Range (in code): **TR 25**
- 2902) Entedon thomsianus Erdös,1944** (Eulophidae) Synonym(s): *thomsianus* Erdös,1944 Range (in code): **TR AZ Cc BG GG FR DE HU GR MK RO RU ES TM UA**
- 2903) Epomphale menes (Walker,1839)** (Eulophidae) Synonym(s): *menes* Walker,1839; *aculeo* Walker,1848; *brui* Vuillet,1914; *auriventris* Girault,1915; *vinctus* Gahan,1932; *rubensteina* Girault,1934; *rosilloi* De Santis,1961 Range (in code): **AR NSw QAU WAU TA BJ BR BG CA BCo On Cn CL CZ ZR FR DE GR Cr Hw IN Up ID Ja Bli IE IL Pa IT JP KE KP KR MY MX MD NL NZ PG PH RU Mo Us SK ES LK SE CH TW TH GB TR UA Cm YU US Arz Cf Col Fl o2 o7 27 31**
- 2904) Epomphale planitians (Erdös,1966)** (Eulophidae) Synonym(s): *planitians* Erdös,1966 Range (in code): **CZ SK MD ES GB HU TR UA IL Pa US Cf Tx Ut CA**
- 2905) Euderus agrili Boucek,1963** (Eulophidae) Synonym(s): *agrili* Boucek,1963 Range (in code): **TR BG CZ DE GR Cr HU IT KK MD NL PL RU Mo SK SE TJ UA**
- 2906) Euderus brevicornis Boucek,1963** (Eulophidae) Synonym(s): *brevicornis* Boucek,1963 Range (in code): **TR BG Cn CZ GG Cc GR HU IS KK MD RU YU SK ES**
- 2907) Euderus palustris Erdös,1951** (Eulophidae) Synonym(s): *palustris* Erdös,1951 Range (in code): **TR HU KK RU TJ TM YE**

- 2908) *Eulophus larvarum* (Linnaeus,1758)** (Eulophidae) Synonym(s): *larvarum* Linnaeus,1758; *aeneicoxa* Thomson,1878 _ Range (in code): **TR AM Cc BG HV CZ FI FR DE HU IT JP KK KP KR MD NL NO CN PT RU Us Sh SK SE CH TJ GB Sb YU**
- 2909) *Euplectrus bicolor* (Swederus,1795)** (Eulophidae) Synonym(s): *bicolor* Swederus,1795; *albiventris* Spinola,1811; *intactus* Walker,1872 _ Range (in code): **TR AU BG CA HV CZ DK FR Co DE HU IT JP KP KR MD ME NL ZA CN Pkn Fkn Gn Kwa Hn Mc Hpe Hun IMn Sz Yu RU Us Mo Ro YU SC SK SO ES SE TM GB US Mai Msc Nje Org 06 58 06B 06H 06Hb 06R 06T**
- 2910) *Euplectrus ceresensis* Ferrière,1941** (Eulophidae) Synonym(s): *ceresensis* Ferrière,1941 Range (in code): **ZA TR**
- 2911) *Euplectrus flavipes* (Fonscolombe,1832)** (Eulophidae) Synonym(s): *flavipes* Fonscolombe,1832; *cacoeciae* Ferrière,1941 Range (in code): **TR BG Cn HV CY DO FR HU IT MX MD ME CN Kwa Hn Hun PT YU SK SS ES SE SY TW TM**
- 2912) *Euplectrus phthorimaeae* Ferrière,1941** (Eulophidae) Synonym(s): *phthorimaeae* Ferrière,1941 Range (in code): **TR CY IL Pa HU**
- 2913) *Guelsenia amanosus* (M.Doğanlar, Gumovsky & O.Doğanlar,2009)** (Eulophidae) Synonym(s): *amanosus* M.Doğanlar, Gumovsky & O.Doğanlar,2009 Range (in code): **TR 31 38 51**
- 2914) *Hemiptarsenus ornatus* (Nees,1834)** (Eulophidae) Synonym(s): *ornatus* Nees,1834; *dropion* Walker,1839; *gratus* Goureau,1851; *lepidus* Goureau,1851; *opicornis* Förster,1861 Range (in code): **BG Cn HV CZ FR DE HU IT Si JP JO KP KR Md MD MA NL CN Pkn PL PT RU Mo Us SK SS ES SE CH SY TW TM TR AE GB YE YU 06 06G**
- 2915) *Hemiptarsenus unguicellus* (Zetterstedt,1838)** (Eulophidae) Synonym(s): *unguicellus* Zetterstedt,1838; *drusilla* Walker,1839; *hedila* Walker,1839; *laogonus* Walker,1839; *myodes* Walker,1839; *nycteus* Walker,1839; *villius* Walker,1839; *alce* Walker,1840; *antilope* Förster,1841; *harmocerus* Förster,1841; *pellucens* Förster,1841; *sexradiatus* Förster,1841; *janthea* Dalla Torre,1898 Range (in code): **AF AZ Cc BG CA On Cn HV CZ FR DE HU IN IT JP KP KR MK Md MD MN YU MA NL NO CN Pkn Fkn Kwa Gn Hn Hun Sz Ti Yu PL RU Kmt Mo Us Sh SK SS ES SE TW TR GB US 06 58 06T 58G**
- 2916) *Hemiptarsenus varicornis* (Girault,1913)** (Eulophidae) Synonym(s): *varicornis* Girault,1913; *semialbiclavus* Girault,1913; *secundus* Girault,1916; *agromyzae* Dodd,1917; *antennalis* Masi,1917; *ophiomyzae* Risbec,1957; *brevipedicellus* Shafee & Rizvi,1988 Range (in code): **TR AU QAU NSw SAu WAu Cn ET FJ GH Hw IN Up ID Ja Clb IR JP KE Md MY NC NZ PK CN Kwa Hn Yu SA SN SC ES LK TW TZ GU NH**
- 2917) *Hemiptarsenus zilahisebessi* Erdös,1951** (Eulophidae) Synonym(s): *zilahisebessi* Erdös,1951 Range (in code): **TR BG CZ EG FR HU IR JO KR MD CN IMn Ui PL RU YU SK ES**
- 2918) *Holcotetrastichus rhosaces* (Walker,1839)** (Eulophidae) Synonym(s): *rhosaces* Walker,1839; *racilla* Walker,1839 **DE TR AT BG CZ FR HU IT JP MD NL PL RO RU SE CH GB US RU 60**
- 2919) *Hyssopus geniculatus* (Hartig,1838)** (Eulophidae) Synonym(s): *geniculatus* Hartig,1838; *russoi* Zinna,1955 Range (in code): **BG HV CZ SK FI FR DE IR IT JP KP KR MK NL NO CN Pkn Gn Kwa Yu PL RU Us Sh Kmt ES SE TJ TM GB YE TR 06 06P 06Pa**
- 2920) *Hyssopus nigrutilus* (Zetterstedt,1838)** (Eulophidae) Synonym(s): *nigrutilus* Zetterstedt,1838; *aphaca* Walker,1839 _ Range (in code): **AM Cc BG Cn HV CZ FI FR DE HU IT JP KP KR MD NL NO CN Pkn Kwa Ui PL RU Kmt Sh YU SK SS ES SE TM GB Sb YE TR 06 06E 06T 06Y**
- 2921) *Leptocybe invasa* Fisher & La Salle,2004** (Eulophidae) Synonym(s): *invasa* Fisher & La Salle,2004 _ Range (in code): **FR Co IT GR ES PT IL Pa TR JO SY IR IN TH VN DZ MA ET KE UG TZ KE 01 07 33 35 48**
- 2922) *Microlycus erdoesi* Boucek,1959** (Eulophidae) Synonym(s): *erdoesi* Boucek,1959 Range (in code): **TR AT BG CZ HU MD RU SK SE GB**
- 2923) *Minotetrastichus frontalis* (Nees,1834)** (Eulophidae) Synonym(s): *frontalis* Nees,1834; *ecus* Walker,1839; *cyclogaster* Ratzeburg,1844; *xanthops* Ratzeburg,1844; *rivillellae* Rondani,1877; *budensis* Erdös,1954; *cimbicis* Kostjukov,1976 _ AT B-H BG CA BCo Cn HV CZ DK FI FR DE HU IT MK MD NL NO PK RU Sb YU SK SS ES SE CH TR UA AE GB US Oh
- 2924) *Minotetrastichus platanellus* (Mercet,1922)** (Eulophidae) Synonym(s): *platanellus* Mercet,1922; *populi* Erdös,1958; *populifoliella* Erdös,1969 _ BG CZ FR GG Cc DE GR HU IR IL Pa IT NL YU SK TR UA GB
- 2925) *Necremnus artynes* (Walker,1839)** (Eulophidae) Synonym(s): *artynes* Walker,1839; *subcontiguus* Thomson,1878 _ Range (in code): **TR GB AT Cn HV CZ FR DE IT Si MK Md MD MN ME NL SK ES SE US**
- 2926) *Necremnus croton* (Walker,1839)** (Eulophidae) Synonym(s): *croton* Walker,1839 Range (in code): **MK GB TR 44 44K**
- 2927) *Necremnus folia* (Walker,1839)** (Eulophidae) Synonym(s): *folia* Walker,1839; *diyllus* Walker,1839; *rhaecus* Walker,1839 Range (in code): **TR BG CZ HU DE IT MD YU NL PL RO RU SK ES SE GB 06 40 58 66 06B**

- 2928) Necremnus leucarthros (Nees ab Esenbeck,1834)** (Eulophidae) **Synonym(s):** *leucarthros* Nees ab Esenbeck,1834; *cornucopiae* Förster,1841; *anaxippus* Walker,1846; *teratocerus* Förster,1861
Range (in code): **TR DZ AM Cc BG CZ DK FR DE GR HU IN IT MK MD ME NL PL RU At Us SK SE CH Cc GB US YU**
- 2929) Necremnus metalarus (Walker,1839)** (Eulophidae) **Synonym(s):** *metalarus* Walker,1839
Range (in code): **CZ DE GB HU YU TR AT Cn HV FR**
- 2930) Necremnus tidius (Walker,1839)** (Eulophidae) **Synonym(s):** *tidius* Walker,1839; *zeugma* Walker,1839; *metanira* Walker,1839; *hippia* Walker,1839; *mamurius* Walker,1848; *cyrinus* Goureau,1851; *duplicatus* Gahan,1941
Range (in code): **TR BG CA Abt BCo Cn HV CZ FR DE IR IL Pa ME NL PL RU Us Sh YU SK ES SE GB US**
- 2931) Neochrysocharis arvensis (Graham,1963)** (Eulophidae) **Synonym(s):** *arvensis* Graham,1963
Range (in code): **CZ DK FI GR MX ME RU SE TR GB YU 44 44K**
- 2932) Neochrysocharis formosus (Westwood,1833)** (Eulophidae) **Synonym(s):** *formosus* Westwood,1833; *phaenna* Walker,1839; *ovulorum* Ratzeburg,1848; *obscuripes* Förster,1861; *fullowayi* Crawford,1913; *erythraea* Silvestri,1914; *silvia* Girault,1917; *camilli* Girault,1917;
Range (in code): **TR AR AT BG CA Abt BCo On Cn HV CZ DK ER ET FI FR DE GR Hw HU ID IR IQ IL Pa IT Si JM JP JO KG MK MY MX MD ME NL NO CN Pkn Gn Kwa Yu PL RO RU YU SK ZA ES SD SE CH TW TM UA AE GB US Arz Cf Col FI Ny Tx YE GU 44 44K**
- 2933) Neotrichoporoides beyarslani Doğanlar,1993** (Eulophidae) **Synonym(s):** *beyarslani* Doğanlar,1993
Original reference: *Neotrichoporoides beyarslani* Doğanlar,1993, *Entomofauna* 14 (23): 374. Holotype ♀: Turkey (ZSMM).
Range (in code): **TR**
- 2934) Neotrichoporoides biogradensis Graham,1987** (Eulophidae) **Synonym(s):** *biogradensis* Graham,1987
Range (in code): **TR CZ MD SK SE YU**
- 2935) Neotrichoporoides cavigena Graham,1987** (Eulophidae) **Synonym(s):** *cavigena* Graham,1987
Range (in code): **TR BG CZ FR RU SK**
- 2936) Neotrichoporoides cynodontis (Domenichini,1967)** (Eulophidae) **Synonym(s):** *cynodontis* Domenichini,1967
Range (in code): **TR DZ CY FR IT ES**
- 2937) Neotrichoporoides mediterraneus Graham,1986** (Eulophidae) **Synonym(s):** *mediterraneus* Graham,1986
Range (in code): **TR AU QAU BG Cn CZ FR IN IT Sa Md CN Kwa SK ES RU**
- 2938) Neotrichoporoides szelenyii (Erdős,1951)** (Eulophidae) **Synonym(s):** *szelenyii* Erdős,1951
Range (in code): **AZ Cc BG CZ GR Cr HU IT IR MD PT RU SA AE TR**
- 2939) Neotrichoporoides tokatensis Doğanlar,1993** (Eulophidae) **Synonym(s):** *tokatensis* Doğanlar,1993
Range (in code): **TR 60**
- 2940) Neotrichoporoides viridimaculatus (Fullaway,1955)** (Eulophidae) **Synonym(s):** *viridimaculatus* Fullaway,1955; *bicolor* Saraswat,1975; *saraswati* Husain & Khan,1986
Range (in code): **TR AR BG CO CU CZ FR Hw HU IN IT Md CN Gn PT RU SK SE US Cf FI YU**
- 2941) Oomyzus incertus (Ratzeburg,1844)** (Eulophidae) **Synonym(s):** *incertus* Ratzeburg,1844; *fumatus* Erdős,1954; *matranus* Erdős,1954; *erdoesi* Domenichini,1965; *pannonicus* Erdős,1969
Range (in code): **TR AM Cc BG CA CZ FI FR DE HU IR IT KG MD NL PL RU SE CH GB US Arz Cf Col Nje NMx Ny Oh Vr 60**
- 2942) Oomyzus scaposus (Thomson,1878)** (Eulophidae) **Synonym(s):** *scaposus* Thomson,1878; *coccinellae* Kurdjumov,1912; *taprobanae* Waterston,1915; *melanis* Burks,1943; *sexmaculatus* Chandy Kurian,1953
Range (in code): **TR AF AU QAU SAU AT BG CA On Cn CO CZ EG FR DE GR Hw HU IN Hp Pj Up ID IQ IT KR MD NL PK CN RU At Kmt Mo Om Us Tv YU SK LK SE CH SY TM UA GB US Fl Sb UZ 60**
- 2943) Oomyzus sempronius (Erdős,1954)** (Eulophidae) **Synonym(s):** *sempronius* Erdős,1954
Range (in code): **TR HV CZ EG FR DE GR HU IT MD PL RU SK SE CH RU YE**
- 2944) Pediobius bruchicida (Rondani,1872)** (Eulophidae) **Synonym(s):** *bruchicida* Rondani,1872; *waterstonii* Masi,1929; *mundubberae* Girault,1915; *routensis* Erdős,1964; *obtusiceps* Boucek,1965; *pieridis* Kerrich,1973
Range (in code): **DZ AU NSw CZ SK EG GR HU IN IR IL Pa IT Si TR LB LY MK MD NZ PG RU Ro Cc ES SE TJ TM UA YE YU**
- 2945) Pediobius cassidae Erdős,1958** (Eulophidae) **Synonym(s):** *cassidae* Erdős,1958
Range (in code): **TR IR Bk AT HV CZ FR DE HU IT MK MD NL RU SK SS SE Cc UA GB YE YU**
- 2946) Pediobius epigonus (Walker,1839)** (Eulophidae) **Synonym(s):** *epigonus* Walker,1839; *isomerus* Förster,1861; *nigripes* Lindeman,1887
Range (in code): **TR AT CA On CZ FI FR DE HU IT MD ME NL NZ NO RU Mo SK SS SE CH UA GB US Nje Ny Oh Ws**
- 2947) Pediobius illustris (Waterston,1915)** (Eulophidae) **Synonym(s):** *illustris* Waterston,1915
Range (in code): **IR BG CZ DE GR HU IT KK MD NL PL RU SK SE TJ TR UA**
- 2948) Pediobius metallicus (Nees ab Esenbeck,1834)** (Eulophidae) **Synonym(s):** *metallicus* Nees ab Esenbeck,1834; *acantha* Walker,1839; *caenus* Walker,1839
Range (in code): **AT AZ Cc BG CA Cn HV CZ ET DE HU IN IQ IT Si JP JO KP KR Md MD NL NZ PK CN Pkn Gn RU SK SS ES TR UA GB US Cf Ut YE YU 06**

- 2949) *Pediobius nigratarsis* (Thomson,1878)** (Eulophidae) **Synonym(s):** *nigratarsis* Thomson,1878; *benefica* Gahan,1921 **Range (in code):** CA Abt On CZ FI FR DE HU IN IT NL RU SE CH GB US Ny Oh TR
- 2950) *Pediobius pyrgo* (Walker,1839)** (Eulophidae) **Synonym(s):** *pyrgo* Walker,1839; *pyralidum* Audouin,1842; *complaniusculus* Ratzeburg,1852; *substrigosa* Thomson,1878; *nawai* Ashmead,1904; *chalcidiphagus* Szelenyi,1957 **Range (in code):** TR IR Ke Bu BG CA On Cn CZ FR DE HU IQ IT JP KP KR MD NL PL RU Ro Sb SK ES SE TW UA AE GB US YU
- 2951) *Pediobius saulius* (Walker,1839)** (Eulophidae) **Synonym(s):** *saulius* Walker,1839; *linus* Walker,1839; *obscuripes* Ratzeburg,1844; *strigiscuta* Thomson,1878; *gradii* Ferriere,1954; *laeta* Erdős,1956 **Range (in code):** TR AT BG Cn HV CZ DE GR HU IR IL Pa IT Si JP KG KP KR MD NL PL RO RU SK SE CH TM UA AE GB YE YU
- 2952) *Platyplectrus bouceki* (Erdős,1966)** (Eulophidae) **Synonym(s):** *bouceki* Erdős,1966 **Range (in code):** TR BG HV CZ HU IT MD ME YU SK
- 2953) *Pnigalio agraulis* (Walker,1839)** (Eulophidae) **Synonym(s):** *agraulis* Walker,1839; *barbarus* Förster,1841; *tischeriae* Rondani,1868; *orchesticida* Rondani,1877; *populifoliellae* Erdős,1954 **Range (in code):** TR AT B-H BG CZ DK EG FR DE GR HU IR IT Si JO MK NL CN Pkn Fkn Gn Ti Yu RU Sh SS ES SE CH UA GB YU
- 2954) *Pnigalio longulus* (Zetterstedt,1838)** (Eulophidae) **Synonym(s):** *longulus* Zetterstedt,1838; *pisidice* Walker,1839; *arcticus* Thomson,1878 **Range (in code):** TR AT BG CZ CA DK FR DE GR HU IT LV NL NO CN Pkn Gn Yu PL RU Kmt Us ES SE CH UA GB YU US
- 2955) *Pnigalio pectinicornis* (Linnaeus,1758)** (Eulophidae) **Synonym(s):** *pectinicornis* Linnaeus,1758; *fusciventris* Nees,1834; *cromus* Walker,1839; *faustitas* Walker,1839; *mandron* Walker,1839; *mania* Walker,1839; *menyllus* Walker,1839; *lucumo* Walker,1839; *coelicius* Walker,1839;... **Range (in code):** AU AT B-H BG Cn HV CZ FR DE GR HU IR IT MK MD NL NZ NO CN Gn Kwa Sz Ui Ti Yu RO RU Us SK SS ES SE CH UA GB YU TR 06 42 58 71 06G 06Ga 06M 42R 42Rb 58G 58Gi 58N 58Q
- 2956) *Pnigalio soemius* (Walker,1839)** (Eulophidae) **Synonym(s):** *soemius* Walker,1839; *prothernor*,1839; *meriones* Walker,1839; *punctiscuta* Thomson,1878; *flavipes* Erdős,1954; *nigroaeneus* Erdős,1954 **Range (in code):** TR AT BD BG Cn HV CZ FR DE HU IR IQ IL Pa IT Sa Si Md KP KR MK MD NL NO PK CN RO RU Mo Us SK ES SE CH SY UA GB YU 06 40 50 58 60 06G 06Ga 06Y 40G 58G
- 2957) *Pronotalia carlinarum* (Szelényi & Erdős,1951)** (Eulophidae) **Synonym(s):** *carlinarum* Szelényi & Erdős,1951; *liparae* Gradwell,1957; *valkeilai* Gradwell,1957 **Range (in code):** TR AM Cc BG CZ FI FR DE HU IL Pa IT Sa MD NL RU Ro SK SE CH UA GN US Cf 01 25
- 2958) *Pronotalia erzurumica* Doğanlar,1993** (Eulophidae) **Synonym(s):** *erzurumica* Doğanlar,1993 **Original reference:** *Pronotalia erzurumica* Doğanlar,1993, Entomofauna 14 (23): 363-364. Holotype ♀: Turkey, Erzurum (ZSM). **Range (in code):** TR 25
- 2959) *Pronotalia fiorii* (Domenichini,1958)** (Eulophidae) **Synonym(s):** *fiorii* Domenichini,1958 **Range (in code):** DE TR CZ HU IT 01
- 2960) *Pronotalia hungarica* (Erdős,1955)** (Eulophidae) **Synonym(s):** *hungarica* Erdős,1955 **Range (in code):** HU BG CZ FR IT RU SK SE TR 25
- 2961) *Pronotalia tortumensis* Doğanlar,1993** (Eulophidae) **Synonym(s):** *tortumensis* Doğanlar,1993 **Range (in code):** TR 25 25R
- 2962) *Pronotalia tryptetae* Gradwell,1957** (Eulophidae) **Synonym(s):** *tryptetae* Gradwell,1957 **FR RU SE GB TR 58 58N**
- 2963) *Puklina gelincika* Doğanlar,1993** (Eulophidae) **Synonym(s):** *gelincika* Doğanlar,1993 **Original reference:** *Puklina gelincika* Doğanlar,1993, Entomofauna 14 (23): 392-393. Holotype ♀: Turkey (ZSMM). **Range (in code):** TR
- 2964) *Quadrastichodella nova* Girault,1922** (Eulophidae) **Synonym(s):** *nova* Girault,1922; *eucalypti* Timberlake,1957; *obscurata* De Santis,1957 **Original reference:** *Quadrastichodella nova* Girault,1922, Insecutor Inscitiae Mens. 10: 40. Lectotype ♀: Australia, Queensland by Dahms (1986) (QMB). **Range (in code):** AR AU QAu Cn IL Pa IT Sa Si ZA NZ ES US Cf TR 01 31 33 48
- 2965) *Quadrastichus dasineurae* M.Doğanlar, Lasalle, Sertkaya & O.Doğanlar,2009** (Eulophidae) **Synonym(s):** *dasineurae* M.Doğanlar, Lasalle, Sertkaya & O.Doğanlar,2009 **Original reference:** *Quadrastichus dasineurae* M.Doğanlar, Lasalle, Sertkaya & O.Doğanlar,2009, Turk. J. Zool. 33: 310-314, figs. Holotype ♀: Turkey, Hatay Prov., 96m, leg.M.Doğanlar & E.Sertkaya), reared from gall of *Dasineura oleae* (ex *Olea europea*) (MPPD, Antakya, Turkey). **Range (in code):** TR 31
- 2966) *Ratzeburgiola cristatus* (Ratzeburg,1848)** (Eulophidae) **Synonym(s):** *cristatus* Ratzeburg,1848; *#christatus* Doğanlar & Yiğit,2011 **Range (in code):** TR 31 31A
- 2967) *Ratzeburgiola incompleta* Boucek,1971** (Eulophidae) **Synonym(s):** *incompleta* Boucek,1971 **Range (in code):** CZ AZ Cc BG IL Pa IT Si JO MD SK SY TR 31 31A

- 2968) Rhicnopelte crassicornis (Nees,1834)** (Eulophidae) Synonym(s): *crassicornis* Nees,1834; *fulviventrif* Förster,1878 Range (in code): **AT BG CZ SK FR DE HU IR IT KG MK MD NL PL RU YE TR**
- 2969) Semielacher petiolata (Girault,1915)** (Eulophidae) Synonym(s): *petiolata* Girault,1915 Range (in code): **DZ AU NSw QAU CY GR IL Pa IT Si JO MA OM SB ES SY TN TR**
- 2970) Sympiesis acalle (Walker,1848)** (Eulophidae) Synonym(s): *acalle* Walker,1848; *nubeculatus* Ratzeburg,1848; *bifasciatus* Thomson,1878; *bimaculatipennis* Girault,1912; *bimaculatus* Crawford,1913; *meteorif* Girault,1916 Range (in code): **TR AZ Cc B-H BG CA On Qb Cn HV CZ DE HU IT JP KK KP KR MD NL RO RU SK ES SE CH TJ TM UA GB US Cf YE YU o6 58 o6M**
- 2971) Sympiesis albiflava Fahringer,1944** (Eulophidae) Synonym(s): *albiflava* Fahringer,1944 Range (in code): **TR**
- 2972) Sympiesis euspilapterygis (Erdös,1958)** (Eulophidae) Synonym(s): *euspilapterygis* Erdös,1958 Range (in code): **TR AT BG CZ DE HU PL SE YU**
- 2973) Sympiesis flavopicta Boucek,1958** (Eulophidae) Synonym(s): *flavopicta* Boucek,1958 Range (in code): **AT BG CZ DE YU TR o6 o6A o6E o6O**
- 2974) Sympiesis gregori Boucek,1958** (Eulophidae) Synonym(s): *gregori* Boucek,1958 Range (in code): **TR AT CZ FR 58**
- 2975) Sympiesis sericeicornis (Nees ab Esenbeck,1834)** (Eulophidae) Synonym(s): *sericeicornis* Nees ab Esenbeck,1834; *upupaenellae* Bouché,1834; *docilis* Walker,1839; *eneugamus* Walker,1839; *sithon* Walker,1839; *laticornis* Ratzeburg,1848; *punctipleura* Thomson,1878; *conicus* Provancher,1887; *nigrifemora* Ashmead,1888; *massasoit* Crawfo *fulvipes* Györfi,1941 Range (in code): **TR AM AZ Cc AT B-H BG CA On Qb Cn HV CZ FR DE GR Cr HU IR IL Pa IT Sa JP KG KP KR MK MD NL NO CN Pkn Gn Hun She Sha Sz Ti Yu PL RO RU Us Sb Kmt SK SS ES SE CH TJ TW UA GB US Cf Fl Ny Tx YU 42 51 60 42J 42R 42Rb 60O**
- 2976) Sympiesis turcica Fahringer,1938** (Eulophidae) Synonym(s): *turcica* Fahringer,1938 Original reference: *Sympiesis turcica* Fahringer,1938, [in] Schmitscheck, Z. angew. Ent. 25 (2): 307-308. Syntypes: Türkei, [Istanbul]: Bahçeköy bei Büyükdere. Raupenparasiten von *Lithocolletis platani* (Lep.). Range (in code): **TR 34**
- 2977) Urfacus adiyamanensis M.Doğanlar & O.Doğanlar,2013** (Eulophidae) Synonym(s): *adiyamanensis* M.Doğanlar & O.Doğanlar,2013 Range (in code): **TR o2 o2C**
- 2978) Urfacus atcanacus M.Doğanlar & O.Doğanlar,2013** (Eulophidae) Synonym(s): *atcanacus* M.Doğanlar & O.Doğanlar,2013 Range (in code): **TR o1 31 31A 31B 31H 31L 31O**
- 2979) Urfacus bozovaensis M.Doğanlar & O.Doğanlar,2003** (Eulophidae) Synonym(s): *bozovaensis* M.Doğanlar & O.Doğanlar,2003 Range (in code): **TR o2 21 27 31 46 63 21P 27C 27F 31B 31E 31H 31O 63B 63C**
- 2980) Urfacus karacadagi M.Doğanlar & O.Doğanlar,2013** (Eulophidae) Synonym(s): *karacadagi* M.Doğanlar & O.Doğanlar,2013 Range (in code): **TR 27 63**
- 2981) Urfacus karkamisus M.Doğanlar & O.Doğanlar,2013** (Eulophidae) Synonym(s): *karkamisus* M.Doğanlar & O.Doğanlar,2013 Range (in code): **TR 27 31 63 27D 27E 31F 63B 63C**
- 2982) Urfacus komurcukurus M.Doğanlar & O.Doğanlar,2013** (Eulophidae) Synonym(s): *komurcukurus* M.Doğanlar & O.Doğanlar,2013 Range (in code): **TR 31 31B**
- 2983) Urfacus nizipus M.Doğanlar & O.Doğanlar,2013** (Eulophidae) Synonym(s): *nizipus* M.Doğanlar & O.Doğanlar,2013 Range (in code): **TR 27 31 46 63 79 27D 27E 27F 31E 31L 46K 63A 63C 63B 63G 79D**
- 2984) Urfacus sekilinsensis M.Doğanlar & O.Doğanlar,2013** (Eulophidae) Synonym(s): *sekilinsensis* M.Doğanlar & O.Doğanlar,2013 Range (in code): **TR 27 79**
- 2985) Urfacus suncanus M.Doğanlar & O.Doğanlar,2013** (Eulophidae) Synonym(s): *suncanus* M.Doğanlar & O.Doğanlar,2013 Range (in code): **TR 31 31A 31F**
- 2986) Wichmannia decorata Ruschka,1916** (Eulophidae) Synonym(s): *decorata* Ruschka,1916 Range (in code): **TR DZ HV FR Co SS YU**

Eupelmidae

- 2987) Anastatus bifasciatus (Geoffroy,1785)** (Eupelmidae) Synonym(s): *bifasciatus* Geoffroy,1785; *bombycum* Fonscolombe,1832; *gemmarum* Fonscolombe,1832; *comyzus* Rondani,1872; *ovivorus* Rondani,1872; *oophagus* Rondani,1877; *gastropachae* Ashmead,1904; *eurycephalus* Masi,1919; *pratense* Erdös,1946 Range (in code): **B-H BG HV CY CZ SK DE GR HU IN IL Pa IT Si JP KG KE KK KP KR LB MD ME MA CN PT RO RU Ro YU ES SE TW Cc TR UA US**
- 2988) Calosota aestivalis Curtis,1836** (Eupelmidae) Synonym(s): *aestivalis* Curtis,1836; *vernalis* Walker,1837; *fumipennis* Bolivar y Pieltain,1923; *septentrionalis* Hedqvist,1956; *kenra* Burks,1973; *montana*

Burks,1973 _ Range (in code): CA BCo HV CY CZ FR Co HU IL Pa JO MA NL PL RO RU SK ES SE GB US Cf Id Mon Ok Vi TR

2989) Eupelmus annulatus Nees,1834 (Eupelmidae) *Synonym(s): annulatus Nees,1834; nubilipennis Förster,1860* _ Range (in code): TR AT BG CA BCo On HV CZ SK FR DE GR HU IR IT MD NL RO RU Mo YU ES SE CH UA GB US Nje Ny Oh Org Ws

2990) Eupelmus microzonus Förster,1860 (Eupelmidae) *Synonym(s): microzonus Förster,1860; insulae Masi,1919* _ Range (in code): TR BG CA Abt Cn HV CY CZ SK FR DE HU IR IT KG KK MK MD ME MA NL PT RO RU Pe Sb Us UZ YU ES Cc TM

2991) Eupelmus seculatus (Ferrière,1954) (Eupelmidae) *Synonym(s): seculatus Ferrière,1954* _ Range (in code): TR AZ Cc HV FI MK ES

2992) Eupelmus urozonus Dalman,1820 (Eupelmidae) *Synonym(s): urozonus Dalman,1820; zonurus Dalman,1820; orthia Walker,1839; audouinii Ratzeburg,1844; dufourii Ratzeburg,1848* _ Range (in code): AF DZ AD AM CC AU NSw WAu AT BE BG Cn HV CY CZ SK EG FI FR Co DE GR HU IN Ben IR IL Pa IT Sa Si JP JO KG KR LB MD ME MA NL NO PK CN Pkn IMn Yu PL PT RO RU At Mo YU SS ZA ES SE CH SY UA GB US TR

2993) Eupelmus vesicularis (Retzius,1783) (Eupelmidae) *Synonym(s): vesicularis Retzius,1783; degeeri Dalman,1820; geeri Nees,1834; maculipes Walker,1837; messene Walker,1839; canadensis Provancher,1883; saltator Lindeman,1887; albitarsis Costa,1888; coleopterophagus Girault,1916* _ Range (in code): TR DZ AD AT BG CA Abt BCo On Ssk Cc HV CZ SK DK FI FR Co DE GR HU IL Pa IT Sa KG MK MD MA NL NZ CN Mc PL RO RU YU SS ES SE TM UA GB US Cf Col Nje Ny Oh Org Ut Ws Wy Sb

2994) Pentacladia hatayensis Doğanlar,2003 (Eupelmidae) *Synonym(s): hatayensis Doğanlar,2003* _ Range (in code): TR 31

Eurytomidae

2995) Bruchophagus roddi Gussakovskiy,1933 (Eurytomidae) *Synonym(s): roddi Gussakovskiy,1933* _ Range (in code): IR Ak Ab Ha Kd Th Zj Km TR AR AU AT BG CA CL CZ FR DE HU IN IQ IL Pa KG MX MD NL NZ PL PE RO RU SK TR UA US UZ YU

2996) Eurytoma amygdali Enderlein,1907 (Eurytomidae) *Synonym(s): amygdali Enderlein,1907* _ Range (in code): TR AM AZ Cc B-H BG CY FR GG GR HU IL Pa JO LB MK RU Ao SY UA YU IR Yz 01 21 23 27 31 47

2997) Eurytoma aspila (Walker,1836) (Eurytomidae) *Synonym(s): aspila Walker,1836* _ Range (in code): TR BG Cc HV FR DE GR HU IT KG MD MN ES GB RU YU

2998) Eurytoma brevicoxa Zerova & Çam,2003 (Eurytomidae) *Synonym(s): brevicoxa Zerova & Çam,2003* _ Range (in code): TR

2999) Eurytoma curculionum Mayr,1878 (Eurytomidae) *Synonym(s): curculionum Mayr,1878* _ Range (in code): TR AT B-H FR DE HU IN IT IR MK MA NO SE FI GB RU YU

3000) Eurytoma curta Walker,1832 (Eurytomidae) *Synonym(s): curta Walker,1832* _ Range (in code): TR AT FR DE HU MD NL SE GB

3001) Eurytoma kemalpasensis Narendran, Tezcan & Civelek,1995 (Eurytomidae) *Synonym(s): kemalpasensis Narendran, Tezcan & Civelek,1995* _ Range (in code): TR

3002) Eurytoma lobopterae Erdös,1964 (Eurytomidae) *Synonym(s): lobopterae Erdös,1964* _ Range (in code): TR HV FR ES

3003) Eurytoma martellii Domenichini,1960 (Eurytomidae) *Synonym(s): martellii Domenichini,1960* _ Range (in code): TR EG FR Co GR IT Sa Si DZ ES SY

3004) Eurytoma pistaciae Rondani,1877 (Eurytomidae) *Synonym(s): pistaciae Rondani,1877; setigera Mayr,1878* _ Range (in code): TR AT BG HV FR DE HU IT Sa IR Th Elb Ab KP KR JP CN Fkn RO RU ES CH UA GB

3005) Eurytoma robusta Mayr,1878 (Eurytomidae) *Synonym(s): robusta Mayr,1878* _ Range (in code): TR AT BG CZ DK FR DE GR HU IT MD NL RO SK ES SE CH GB RU YU IR Ab Oru

3006) Eurytoma rosae Nees ab Esenbeck,1834 (Eurytomidae) *Synonym(s): rosae Nees ab Esenbeck,1834; pubicornis Boheman,1836* _ Range (in code): TR AD AR AM AT BE BG Cc CZ FI FR Co DE GR HU IR Ak Th Elb IT KG MY NL DZ CN PL RO SK ES SE CH GB RU YU

3007) Eurytoma schreineri Schreiner,1908 (Eurytomidae) *Synonym(s): schreineri Schreiner,1908* _ Range (in code): TR AM GG Cc GR MD RO RU Ao Da UA

3008) Eurytoma serratulae (Fabricius,1798) (Eurytomidae) *Synonym(s): serratulae Fabricius,1798; tristis Mayr,1878* _ Range (in code): TR AT BG CZ FR DE HU IT MD MA NL SE GB RU

- 3009) Eurytoma tokatensis Doğanlar & Çam,1991** (Eurytomidae) Synonym(s): *tokatensis* Doğanlar & Çam,1991 Original reference: Eurytoma tokatensis Doğanlar & Çam,1991, Türk. ent. derg. 15 (3): 144-146, fig. Holotype ♀: Turkey (CUTT). Range (in code): **TR 60**
- 3010) Eurytoma turkezia Zerova & Çam,2003** (Eurytomidae) Synonym(s): *turkezia* Zerova & Çam,2003 Original reference: Eurytoma turkezia Zerova & Çam,2003, Zool. Meded. 77 (1/4): 261-262, figs. Holotype ♀: Turkey (ZIKU). Range (in code): **TR**
- 3011) Macrorileya femorata (Boucek,1952)** (Eurytomidae) Synonym(s): *femorata* Boucek,1952 Range (in code): **TR HU RU**
- 3012) Macrorileya inopinata (Silvestri,1920)** (Eurytomidae) Synonym(s): *inopinata* Silvestri,1920 Range (in code): **TR BG Cc HV CZ GG HU IT KG MX MD DZ RO SK ES TN US Tx RU YU**
- 3013) Rileya doganlari Çam,2003** (Eurytomidae) Synonym(s): *doganlari* Çam,2003 Original reference: Rileya (s.str.) doganlari Çam,2003, Ann. ent. Soc. Am. 96 (1): 40-43. Holotype ♀: Turkey: Tokat (DAGU). Range (in code): **TR 60**
- 3014) Sycophila biguttata (Swederus,1795)** (Eurytomidae) Synonym(s): *biguttata* Swederus,1795; *obscura* Curtis,1831; *cooperi* Curtis,1831; *fasciatus* Fonscolombe,1832; *immaculata* Walker,1832; *semifasciata* Walker,1834; *signata* Nees,1834; *inaequalis* Thomson,1876; *strigifrons* Thomson,1876 Range (in code): **TR AT BE B-H BG Cc HV FR DE HU IR Ab Ak Th Elb Il Lo Km Kd IT Sa KG MK MD NL DZ PL RO RU Sb SS ES SE UA GB YU 13 56 13G 56D 56Dc**
- 3015) Sycophila submutica (Thomson,1876)** (Eurytomidae) Synonym(s): *submutica* Thomson,1876 Range (in code): **TR IR AD AT BE B-H BG HV CZ DK FI FR DE HU GR IQ KG MD NL MK RO YU SE ES CH GB**
- 3016) Sycophila variegata (Curtis,1831)** (Eurytomidae) Synonym(s): *variegata* Curtis,1831 Range (in code): **TR IR Lo Ak BG HV CZ FR HU IQ IT KP KR JP CN RO SK SE GB**
- 3017) Systole brunnicornis Zerova & Çam,2003** (Eurytomidae) Synonym(s): *brunnicornis* Zerova & Çam,2003 Original reference: Systole (s.str.) brunnicornis Zerova & Çam,2003, Zool. Meded. 77 (1/4): 266. Holotype ♀: Turkey: Tokat. Range (in code): **TR 60**
- 3018) Systole minima Zerova & Çam,2003** (Eurytomidae) Synonym(s): *minima* Zerova & Çam,2003 Original reference: Systole minima Zerova & Çam,2003, Zool. Meded. 77 (1/4): 263-265. Holotype ♀: Turkey: Tokat. Range (in code): **TR 60**
- 3019) Systole plana Zerova & Çam,2004** (Eurytomidae) Synonym(s): *plana* Zerova & Çam,2004 Range (in code): **TR 60**
- 3020) Systole tokata Zerova & Çam,2004** (Eurytomidae) Synonym(s): *tokata* Zerova & Çam,2004 Range (in code): **TR 60**
- 3021) Tetramesa anatolica Zerova & Çam,2003** (Eurytomidae) Synonym(s): *anatolica* Zerova & Çam,2003 Range (in code): **TR**
- 3022) Tetramesa maderae (Walker,1849)** (Eurytomidae) Synonym(s): *maderae* Walker,1849; *ips* Walker,1871; *aptera* Portschinsky,1881; *tritici* Riley,1882; *grandis* Riley,1884; *minutum* Howard,1896; *vestali* Girault,1911 Range (in code): **TR CA IT Md MX UA US Arz Cf Nje Ny Oh Tx Ut Ws Wy UZ IR Th Fa BY On Cc HU IL Pa KG RO TJ GB**

Evaniidae

- 3023) Evania appendigaster (Linnaeus,1758)** (Evaniidae) Synonym(s): *appendigaster* Linnaeus,1758 Range (in code): **TR 01 07 31 35**
- 3024) Evania cibriata Semenov,1892** (Evaniidae) Synonym(s): *cibriata* Semenov,1892 Range (in code): **IR TM TR 37**
- 3025) Evania dimidiata Fabricius,1804** (Evaniidae) Synonym(s): *dimidiata* Fabricius,1804 Range (in code): **Cc IR TR TM 01 02 15 27 31 33 44 46 47 51 63 72**
- 3026) Evania schlettereri Kohl,1906** (Evaniidae) Synonym(s): *schlettereri* Kohl,1906 Range (in code): **TR Cc IR 44 49**
- 3027) Prosevania fuscipes (Illiger,1807)** (Evaniidae) Synonym(s): *fuscipes* Illiger,1807 Range (in code): **TR UA Cm 06 07 09 16 35 48**

Figitidae

- 3028) *Aspicera blancae* Ros-Farré,2013** (Figitidae) Synonym(s): *blancae* Ros-Farré,2013
Range (in code): **TR 01**
- 3029) *Aspicera hartigi* Dalla Torre,1889** (Figitidae) Synonym(s): *spinosus* Hartig,1843 nec Boy.,1832; *hartigi* Dalla Torre,1889; *brevispina* Kieffer,1901; *coriacea* Kieffer,1901 _ Range (in code): **HV CY TR FR IR Ha IT ES 01 05 06 34**
- 3030) *Aspicera scutellata* (Villers,1789)** (Figitidae) Synonym(s): *scutellata* Villers,1789; *ediogaster* Rossi,1790; *bicolor* Boyer de Fonscolombe,1830; *aculeata* Boyer de Fonscolombe,1832; *ruficollis* Kieffer,1907 _ Range (in code): **DZ DE HV HU IT TN GB ES FR YU TR Arr 26 76 76A 76Ab**

Formicidae

- 3031) *Acantholepis frauenfeldi* (Mayr,1855)** (Formicidae) Synonym(s): *frauenfeldi* Mayr,1855
Range (in code): **TR 16 22 31 34 35 41 48 56**
- 3032) *Aenictus rhodiensis* Menozzi,1936** (Formicidae) Synonym(s): *rhodiensis* Menozzi,1936
Range (in code): **GR Rd TR 01 01H**
- 3033) *Amblyopone denticulatum* (Roger,1859)** (Formicidae) Synonym(s): *denticulatum* Roger,1859 _ Range (in code): **TR 48**
- 3034) *Anergates atratulus* (Schenck,1852)** (Formicidae) Synonym(s): *atratus* Schenck,1852; *friedlandi* Creighton,1934 _ Range (in code): **AL AM AT Cc BY BE GB BG CZ DK FI FR DE GR HU IT Si LT LV MD NL PL RO RU YU SK E SE CH UA TR**
- 3035) *Anoplolepis gracilipes* (F.Smith,1857)** (Formicidae) Synonym(s): *longipes* Jerdon,1851 nec Latr.,1802; *gracilipes* F.Smith,1857; *trifasciata* F.Smith,1858 _ Range (in code): **Az GR TR AE**
- 3036) *Aphaenogaster aktaci* Kiran & Tezcan,2008** (Formicidae) Synonym(s): *aktaci* Kiran & Tezcan,2008 _ Range (in code): **TR**
- 3037) *Aphaenogaster balcanica* (Emery,1898)** (Formicidae) Synonym(s): *balcanica* Emery,1898; *ionia* Santschi,1933 _ Range (in code): **AL B-H HV GR SS TR**
- 3038) *Aphaenogaster burri* (Donisthorpe,1950)** (Formicidae) Synonym(s): *burri* Donisthorpe,1950 _ Range (in code): **TR**
- 3039) *Aphaenogaster depressa* Bolton,1995** (Formicidae) Synonym(s): *pergandei* Donisthorpe,1950 nec Myr.,1886; *depressa* Bolton,1995 _ Range (in code): **TR**
- 3040) *Aphaenogaster epirotes* (Emery,1895)** (Formicidae) Synonym(s): *epiotes* Emery,1895
Range (in code): **AL BG HV GR IL Pa MK YU SS TR**
- 3041) *Aphaenogaster festae* Emery,1915** (Formicidae) Synonym(s): *festae* Emery,1915
Range (in code): **GR IQ TR**
- 3042) *Aphaenogaster gibbosa* (Latreille,1798)** (Formicidae) Synonym(s): *gibbosa* Latreille,1798; *striola* Roger,1859; *subterraneostriola* Emery & Forel,1879; *laevior* Forel,1892; *muschtaidica* Emery,1908; *fiorii* Emery,1915; *homonyma* Emery,1921; *barcinensis* Menozzi,1922; *chorassanica* Arnoldi,1968
Range (in code): **AL DZ AD AM AZ Cc B-H BG FR Co GG GR IL Pa IR Kh IT Sa Si MK PT ?SA YU ES CH TN TR**
- 3043) *Aphaenogaster holtzi* Emery,1898** (Formicidae) Synonym(s): *holtzi* Emery,1898
Range (in code): **TR 33 56**
- 3044) *Aphaenogaster kervillei* Forel,1910** (Formicidae) Synonym(s): *kervillei* Forel,1910
Range (in code): **CY IL Pa LB SY TR 56**
- 3045) *Aphaenogaster maculifrons* Kiran & Aktaç,2008** (Formicidae) Synonym(s): *maculifrons* Kiran & Aktaç,2008 _ Range (in code): **TR**
- 3046) *Aphaenogaster simonelli* Emery,1894** (Formicidae) Synonym(s): *simonelli* Emery,1894
Range (in code): **TR 34 35 48**
- 3047) *Aphaenogaster subterranea* (Latreille,1798)** (Formicidae) Synonym(s): *subterranea* Latreille,1798 _ Range (in code): **TR 07 34 61**
- 3048) *Bothriomyrmex communista* (Santschi,1920)** (Formicidae) Synonym(s): *communista* Santschi,1920 _ Range (in code): **TR 56**
- 3049) *Camponotus aethiops* (Latreille,1798)** (Formicidae) Synonym(s): *aethiops* Latreille,1798
Range (in code): **TR 06 16 34 35 41 48 56 61**
- 3050) *Camponotus compressus* (Fabricius,1787)** (Formicidae) Synonym(s): *compressus* Fabricius,1787 _ Range (in code): **TR 06 35 48 56**
- 3051) *Camponotus dalmaticus* (Nylander,1848)** (Formicidae) Synonym(s): *dalmaticus* Nylander,1848 _ Range (in code): **TR 34 48**

- 3052) Camponotus fallax (Nylander,1856)** (Formicidae) Synonym(s): *fallax* Nylander,1856
Range (in code): [GR TR HV 33 65 65D](#)
- 3053) Camponotus festai Emery,1894** (Formicidae) Synonym(s): *festai* Emery,1894 - [Range \(in code\): TR 33 56](#)
- 3054) Camponotus gestroi Emery,1878** (Formicidae) Synonym(s): *gestroi* Emery,1878
Range (in code): [GR Cr TR 35 56](#)
- 3055) Camponotus herculeanus (Linnaeus,1758)** (Formicidae) Synonym(s): *herculeanus* Linnaeus,1758 - [Range \(in code\): TR 16 61](#)
- 3056) Camponotus ionius Emery,1901** (Formicidae) Synonym(s): *ionius* Emery,1901 - [Range \(in code\): TR 35 48](#)
- 3057) Camponotus jaliensis Dalla Torre,1893** (Formicidae) Synonym(s): *jaliensis* Dalla Torre,1893 - [Range \(in code\): IQ TR 56](#)
- 3058) Camponotus kiesenwetteri Roger,1859** (Formicidae) Synonym(s): *kiesenwetteri* Roger,1859 - [Range \(in code\): TR 48](#)
- 3059) Camponotus samius Forel,1888** (Formicidae) Synonym(s): *samius* Forel,1888 - [Range \(in code\): TR 34 35 41 48](#)
- 3060) Camponotus sylvaticus (Olivier,1792)** (Formicidae) Synonym(s): *sylvaticus* Olivier,1792
Range (in code): [TR 48](#)
- 3061) Cardiocondyla elegans Emery,1869** (Formicidae) Synonym(s): *elegans* Emery,1869
Range (in code): [TR 06 56](#)
- 3062) Cataglyphis kurdistanicus Pisarski,1965** (Formicidae) Synonym(s): *kurdistanicus* Pisarski,1965 - [Range \(in code\): TR 56](#)
- 3063) Cataglyphis livida André,1881** (Formicidae) Synonym(s): *livida* André,1881 - [Range \(in code\): TR 13 56](#)
- 3064) Cataglyphis nodus (Brullé,1832)** (Formicidae) Synonym(s): *nodus* Brullé,1832 - [Range \(in code\): TR 16 22 27 33 34 35 41 48 56](#)
- 3065) Cataglyphis viaticoides André,1881** (Formicidae) Synonym(s): *viaticoides* André,1881
Range (in code): [TR 35 48 56](#)
- 3066) Crematogaster laestrygon Emery,1869** (Formicidae) Synonym(s): *laestrygon* Emery,1869 - [Range \(in code\): TR 56](#)
- 3067) Crematogaster scutellaris (Olivier,1791)** (Formicidae) Synonym(s): *scutellaris* Olivier,1791 - [Range \(in code\): TR 22 34 35 48](#)
- 3068) Crematogaster sordidula (Nylander,1849)** (Formicidae) Synonym(s): *sordidula* Nylander,1849 - [Range \(in code\): TR 34 41 48](#)
- 3069) Diplorhoptrum fugax (Latreille,1798)** (Formicidae) Synonym(s): *fugax* Latreille,1798
Range (in code): [TR 16 34 36](#)
- 3070) Dorylus (Typhlopone) fulvus (Westwood,1839)** (Formicidae) Synonym(s): *fulvus* Westwood,1839 - [Range \(in code\): TR SO ER ET SD ZA Gau Pre Tva KE TZ RW MZ ZR NA BW ZW UG GH GM CI GN CM](#)
- 3071) Formica cinereofusca Karawajew,1919** (Formicidae) Synonym(s): *cinereofusca* Karawajew,1919 - [Range \(in code\): TR 61](#)
- 3072) Formica cunicularia Latreille,1798** (Formicidae) Synonym(s): *cunicularia* Latreille,1798
Range (in code): [TR 08 16 34 61](#)
- 3073) Formica fusca Linnaeus,1758** (Formicidae) Synonym(s): *fusca* Linnaeus,1758 - [Range \(in code\): TR 16 34 35 61](#)
- 3074) Formica picea Nylander,1846** (Formicidae) Synonym(s): *picea* Nylander,1846 - [Range \(in code\): IT TR 75 75F](#)
- 3075) Formica pressilabris Nylander,1846** (Formicidae) Synonym(s): *pressilabris* Nylander,1846 - [Range \(in code\): TR DE FR ES 75](#)
- 3076) Formica sanguinea Latreille,1798** (Formicidae) Synonym(s): *sanguinea* Latreille,1798
Range (in code): [TR 10 61](#)
- 3077) Lasius alienus (Förster,1850)** (Formicidae) Synonym(s): *alienus* Förster,1850 - [Range \(in code\): TR 06 08 16 34 35 48 56 61](#)
- 3078) Lasius flavus (Fabricius,1781)** (Formicidae) Synonym(s): *flavus* Fabricius,1781 - [Range \(in code\): TR 16 61](#)
- 3079) Lasius niger (Linnaeus,1758)** (Formicidae) Synonym(s): *niger* Linnaeus,1758; *nigerrima* Christ,1791; *palleseus* Schenck,1852; *alienoniger* Forel,1874; *emeryi* Ruzsky,1905; *pinetorum* Ruzsky,1907; *minimus* Kuznetsov-Ugamsky,1928; *transylvanica* Rösler,1943 - [AL DZ AD AM Cc AT BY BE B-H GB BG](#)

HV CZ DK EE FI FR Co GG GR HU Sa LT LV MK Md MD YU NL NO PL PT RO RU SK SS ES SE CH UA
TR

- 3080) Leptothorax muscorum (Nylander,1846)** (Formicidae) Synonym(s): *muscorum* Nylander,1846 _ Range (in code): TR 61
- 3081) Liometopum microcephalum (Panzer,1798)** (Formicidae) Synonym(s): *microcephalum* Panzer,1798 _ Range (in code): TR 56
- 3082) Manica rubida (Latreille,1802)** (Formicidae) Synonym(s): *rubida* Latreille,1802 Range (in code): TR 61
- 3083) Messor semirufus (André,1881)** (Formicidae) Synonym(s): *semirufus* André,1881 Range (in code): TR 07 48 56
- 3084) Messor structor (Latreille,1798)** (Formicidae) Synonym(s): *structor* Latreille,1798 Range (in code): TR 33 34 48
- 3085) Monomorium dentigerum (Roger,1862)** (Formicidae) Synonym(s): *dentigerum* Roger,1862 _ Range (in code): TR 35 48 56
- 3086) Monomorium kusnezowi Santschi,1928** (Formicidae) Synonym(s): *kusnezowi* Santschi,1928 _ Range (in code): TR 56
- 3087) Monomorium minitum Mayr,1855** (Formicidae) Synonym(s): *minitum* Mayr,1855 Range (in code): TR 34 35 48
- 3088) Myrmica bergi Ruzsky,1902** (Formicidae) Synonym(s): *bergi* Ruzsky,1902 _ Range (in code): TR 61
- 3089) Myrmica lobicornis Nylander,1846** (Formicidae) Synonym(s): *lobicornis* Nylander,1846 Range (in code): TR 36 61
- 3090) Myrmica ravasinii Finzi,1923** (Formicidae) Synonym(s): *ravasinii* Finzi,1923 _ Range (in code): AL GR BG TR Cc GG Bjo 14 24 37
- 3091) Myrmica ruginodis Nylander,1846** (Formicidae) Synonym(s): *ruginodis* Nylander,1846 Range (in code): TR 61
- 3092) Myrmica scabrinodis Nylander,1846** (Formicidae) Synonym(s): *scabrinodis* Nylander,1846 _ Range (in code): TR 06 35 61
- 3093) Myrmica schencki Viereck,1903** (Formicidae) Synonym(s): *schencki* Viereck,1903; *kutteri* Finzi,1926; *obscura* Finzi,1926; *subopaca* Arnoldi,1934 _ Range (in code): SE DK ES FR CH CZ BG TR GG Cc KK KG 37
- 3094) Myrmica specioides Bondroit,1918** (Formicidae) Synonym(s): *specioides* Bondroit,1918 Range (in code): NO DE TR 53
- 3095) Myrmica sulcinodis Nylander,1846** (Formicidae) Synonym(s): *sulcinodis* Nylander,1846 Range (in code): TR 16 61
- 3096) Pheidole arenarum Ruzsky,1905** (Formicidae) Synonym(s): *arenarum* Ruzsky,1905; *kosheunikovi* Ruzsky,1905 _ Range (in code): EG TR
- 3097) Pheidole pallidula (Nylander,1848)** (Formicidae) Synonym(s): *pallidula* Nylander,1848 Range (in code): EG TR 06 07 22 41 42 34 35 48 56
- 3098) Plagiolepis pallescens Forel,1888** (Formicidae) Synonym(s): *pallescens* Forel,1888 Range (in code): TR 35 48
- 3099) Plagiolepis pygmaea (Latreille,1798)** (Formicidae) Synonym(s): *pygmaea* Latreille,1798 Range (in code): TR 22 27 34 35 41 46 61
- 3100) Proformica kobachidzei Arnoldi,1968** (Formicidae) Synonym(s): *kobachidzei* Arnoldi,1968 _ Range (in code): TR 61
- 3101) Rossomyrmex anatolicus Tinaut,2007** (Formicidae) Synonym(s): *anatolicus* Tinaut,2007 TR 42
- 3102) Tapinoma erraticum (Latreille,1798)** (Formicidae) Synonym(s): *erraticum* Latreille,1798 Range (in code): TR 06 07 13 16 27 34 41 58
- 3103) Tetramorium caespitum (Linnaeus,1758)** (Formicidae) Synonym(s): *caespitum* Linnaeus,1758 _ Range (in code): TR 06 08 16 22 34 35 36 61
- 3104) Tetramorium lucidula Emery,1909** (Formicidae) Synonym(s): *lucidula* Emery,1909 Range (in code): TR 06 56
- 3105) Tetramorium schmidtii Forel,1904** (Formicidae) Synonym(s): *schmidtii* Forel,1904 Range (in code): TR 56
- 3106) Tetramorium sculptum Poldi,1975** (Formicidae) Synonym(s): *sculptum* Poldi,1975 Range (in code): TR 56

- 3107) Tetramorium semilaeve André,1883** (Formicidae) Synonym(s): *semilaeve* André,1883
Range (in code): **TR 03 16 27 48**

Gasteruptiidae

- 3108) Gasteruption assectator (Linnaeus,1758)** (Gasteruptiidae) Synonym(s): *assectator* Linnaeus,1758 Range (in code): **TR CN Mc IMn Ui Pkn Ts Ti Hun Sz 24 25**
- 3109) Gasteruption diversipes (Abeille,1879)** (Gasteruptiidae) Synonym(s): *diversipes* Abeille,1879 Range (in code): **Sa TR**
- 3110) Gasteruption erythrostomum (Dahlbom,1834)** (Gasteruptiidae) Synonym(s): *erythrostomum* Dahlbom,1834 Range (in code): **TR RU 10 25**
- 3111) Gasteruption freyi (Tournier,1877)** (Gasteruptiidae) Synonym(s): *freyi* Tournier,1877
Range (in code): **TR 25 50**
- 3112) Gasteruption jaculator (Linnaeus,1758)** (Gasteruptiidae) Synonym(s): *jaculator* Linnaeus,1758 Range (in code): **TR 25 42 53**
- 3113) Gasteruption jekylljaechi (Madl,1987)** (Gasteruptiidae) Synonym(s): *jekylljaechi* Madl,1987 Range (in code): **SY Cc TR**
- 3114) Gasteruption opacum (Tournier,1877)** (Gasteruptiidae) Synonym(s): *opacum* Tournier,1877 Range (in code): **TR 11 13 13A**
- 3115) Gasteruption pedemontanum (Tournier,1877)** (Gasteruptiidae) Synonym(s): *pedemontanum* Tournier,1877 Range (in code): **TR 11 25**
- 3116) Gasteruption pyrenaicum Guérin,1844** (Gasteruptiidae) Synonym(s): *pyrenaicum* Guérin,1844 Range (in code): **TR 24 25 33**
- 3117) Gasteruption tibiale (Schletterer,1885)** (Gasteruptiidae) Synonym(s): *tibiale* Schletterer,1885 Range (in code): **RU Sb TR 25 25A**
- 3118) Gasteruption tournieri (Schletterer,1885)** (Gasteruptiidae) Synonym(s): *tournieri* Schletterer,1885 Range (in code): **TR RU 25 31 42**
- 3119) Gasteruption undulatum (Abeille,1879)** (Gasteruptiidae) Synonym(s): *undulatum* Abeille,1879 Range (in code): **TR**

Halictidae

- 3120) Ceylalictus (s.str.) variegatus (Olivier,1789)** (Halictidae) Synonym(s): *variegatus* Olivier,1789; *pulchella* Jurine,1807; *?syrphoides* Walker,1871; *flavopicta* Dours,1873; *jucunda* Morawitz,1874; *fasciatus* Friese,1898; *intermedius* Alfken,1924; *simplex* Blüthgen,1925; *labiatarum* Cockerell,1931; *nigrita* Blüthgen,1934; *pseudocerea* Blüthgen,1934; *nigriventris* Blüthgen,1934 Range (in code): **PT ES FR IT Sa Si Cn MA DZ TN LY EG Cr Rd MK YU AT HU RO UA Cm CY Sn JO SA As QA OM Dh Cc Da RU GR Ae Le Sms Chi Cr TR IL Pa IR CN MN 07 22 39 59 65 65F 65Fé**
- 3121) Dufourea (Afrodufourea) atrata (Warncke,1979)** (Halictidae) Synonym(s): *atrata* Warncke,1979 Range (in code): **TR**
- 3122) Dufourea (Cypriophites) armenia Ebmer,1987** (Halictidae) Synonym(s): *armenia* Ebmer,1987 Original reference: Dufourea (Cypriophites) armenia Ebmer,1987, Linzer biol. Beitr. 19 (1): 50-52, Abb. 13-18. Holotype ♂: Türkei, Erzurum: Tortum/Narman Kireçli Pass Westseite 1900m 14 Juli 1984 an Campanula leg. & coll.Ebmer. Range (in code): **TR 25 25I**
- 3123) Dufourea (Cypriophites) coeruleocephala Morawitz,1872** (Halictidae) Synonym(s): *coeruleocephala* Morawitz,1872 Range (in code): **TR 04**
- 3124) Dufourea (Cypriophites) cypria Mavromoustakis,1952** (Halictidae) Synonym(s): *cypria* Mavromoustakis,1952 Range (in code): **CY TR SY JO**
- 3125) Dufourea (Halictoides) graeca Ebmer,1976** (Halictidae) Synonym(s): *graeca* Ebmer,1976; *dubiosa* Warncke,1979 Range (in code): **GR TR BG 25**
- 3126) Dufourea (Halictoides) pontica (Warncke,1979)** (Halictidae) Synonym(s): *pontica* Warncke,1979 Range (in code): **TR 25 30 25K 30D**
- 3127) Dufourea (Halictoides) schmiedeknechtii (Kohl,1905)** (Halictidae) Synonym(s): *schmiedeknechtii* Kohl,1905 Range (in code): **TR 25 30 38 65 73 30D 65G**

- 3128) Dufourea (s.str.) caelestis Ebmer,1987** (Halictidae) Synonym(s): *caelestis Ebmer,1987*
Range (in code): **TR 65 65B 65Bk**
- 3129) Dufourea (s.str.) quadridentata (Warncke,1979)** (Halictidae) Synonym(s): *quadridentata Warncke,1979* Range (in code): **TR 25**
- 3130) Dufourea (s.str.) wolffi Ebmer,1989** (Halictidae) Synonym(s): *wolffi Ebmer,1989*
Range (in code): **GR Ae Le Sms Rd TR 07**
- 3131) Halictus (Hexataenites) scabiosae (Rossi,1790)** (Halictidae) Synonym(s): *scabiosae Rossi,1790; alternans Fabricius,1793; zebrus Walckenaer,1817; griseozonatus Dours,1872; powelli Cockerell,1931*
Range (in code): **GR Ae Le TR 06 16 25 34 36 65 76 65G 65N 65Np1 65Nm**
- 3132) Halictus (Hexataenites) sexcinctus (Fabricius,1775)** (Halictidae) Synonym(s): *sexcinctus Fabricius,1775* Range (in code): **GR Ae Le Chi Sms Cr TR IL Pa JO IR**
- 3133) Halictus (s.str.) aegypticola Strand,1909** (Halictidae) Synonym(s): *aegypticola Strand,1909* Range (in code): **EG LB TR IL Pa JO**
- 3134) Halictus (s.str.) alfkenellus Strand,1909** (Halictidae) Synonym(s): *alfkenellus Strand,1909; cedens Strand,1925* Range (in code): **GR TR IR LB IL Pa**
- 3135) Halictus (s.str.) asperulus Pérez,1895** (Halictidae) Synonym(s): *asperulus Pérez,1895*
Range (in code): **GR Ae Le Sms Chi Rd CY TR SY IL Pa IR**
- 3136) Halictus (s.str.) berlandi Blüthgen,1936** (Halictidae) Synonym(s): *berlandi Blüthgen,1936* Range (in code): **IL Pa TR**
- 3137) Halictus (s.str.) beytueschepapensis Warncke,1984** (Halictidae) Synonym(s): *beytueschepapensis Warncke,1984* Range (in code): **TR 73**
- 3138) Halictus (s.str.) brunnescens (Eversmann,1852)** (Halictidae) Synonym(s): *brunnescens Eversmann,1852; maximus Friese,1916; aegyptiacus Friese,1916* Range (in code): **MA TN AT ES CZ GR Ae Le Rd Cr CY TR IL Pa EG LY IR AF Cc AM AZ GG CN Ui IN KK KG PK TM UZ 03 06 20 24 25 26 30 31 34 42 46 58 69**
- 3139) Halictus (s.str.) cochlearitarsis (Dours,1872)** (Halictidae) Synonym(s): *cochlearitarsis Dours,1872* Range (in code): **GR Ae Le Sms Cr TR IL Pa**
- 3140) Halictus (s.str.) dschulfensis Blüthgen,1936** (Halictidae) Synonym(s): *dschulfensis Blüthgen,1936* Range (in code): **TR IR AZ Cc Nv AM 30**
- 3141) Halictus (s.str.) eurygnathus Blüthgen,1930** (Halictidae) Synonym(s): *eurygnathus Blüthgen,1930* Range (in code): **GR TR**
- 3142) Halictus (s.str.) falcinellus Warncke,1982** (Halictidae) Synonym(s): *falcinellus Warncke,1982* Range (in code): **IR TR 13 30 73**
- 3143) Halictus (s.str.) fatsensis Blüthgen,1936** (Halictidae) Synonym(s): *fatsensis Blüthgen,1936* Range (in code): **TR CY JO IQ IL Pa 58 63**
- 3144) Halictus (s.str.) gordius Warncke,1975** (Halictidae) Synonym(s): *gordius Warncke,1975*
Range (in code): **TR**
- 3145) Halictus (s.str.) lobatus Ebmer,1978** (Halictidae) Synonym(s): *lobatus Ebmer,1978*
Range (in code): **TR IR**
- 3146) Halictus (s.str.) luganicus Blüthgen,1936** (Halictidae) Synonym(s): *luganicus Blüthgen,1936* Range (in code): **UA AZ GG Cc TR 03 06 17 20 33 38**
- 3147) Halictus (s.str.) lunatus Warncke,1975** (Halictidae) Synonym(s): *lunatus Warncke,1975*
Range (in code): **GR TR IR**
- 3148) Halictus (s.str.) maculatus Smith,1848** (Halictidae) Synonym(s): *maculatus Smith,1848; priesneri Ebmer,1975* Range (in code): **GR Ae Le TR IL Pa IR**
- 3149) Halictus (s.str.) patellatus Morawitz,1873** (Halictidae) Synonym(s): *patellatus Morawitz,1873; wagneri Blüthgen,1937; ifranicola Cockerell,1937* Range (in code): **AT AZ Cc BE FR IL Pa IT LB MK RU SK SS MA SY TM GR Ae Le Chi Sms TR IR 06 25 30 42 43 46 51 70 75**
- 3150) Halictus (s.str.) pentheri Blüthgen,1923** (Halictidae) Synonym(s): *pentheri Blüthgen,1923* Range (in code): **GR Ae Sms Le TR**
- 3151) Halictus (s.str.) ponticus Blüthgen,1934** (Halictidae) Synonym(s): *ponticus Blüthgen,1934* Range (in code): **GR Ae Le Chi Rd TR**
- 3152) Halictus (s.str.) quadricinctoides Blüthgen,1936** (Halictidae) Synonym(s): *quadricinctoides Blüthgen,1936* Range (in code): **TR**
- 3153) Halictus (s.str.) quadricinctus (Fabricius,1776)** (Halictidae) Synonym(s): *quadricinctus Fabricius,1776; hortensis Geoffroy,1785; quadristrigatus Latreille,1805; grandis Illiger,1806*
Range (in code): **FI GR Ae Le TR JO IL Pa IR CN 03 04 06 07 08 13 20 24 25 29 31 34 36 37 42 50 51 55 61 70**

- 3154) Halictus (s.str.) resurgens Nurse,1903** (Halictidae) Synonym(s): *resurgens* Nurse,1903
Range (in code): GR Ae Le Rd Chi Sms Cr CY TR IL Pa JO EG IR
- 3155) Halictus (s.str.) rubicundus (Christ,1791)** (Halictidae) Synonym(s): *rubicundus* Christ,1791
Range (in code): GR TR 16 34
- 3156) Halictus (s.str.) sajoii Blüthgen,1923** (Halictidae) Synonym(s): *sajoi* Blüthgen,1923; *bifidus* Warncke,1975
Range (in code): TR IR 06
- 3157) Halictus (s.str.) scardicus Blüthgen,1936** (Halictidae) Synonym(s): *scardicus* Blüthgen,1936
Range (in code): GR TR
- 3158) Halictus (s.str.) senilis (Eversmann,1852)** (Halictidae) Synonym(s): *senilis* Eversmann,1852; *fucosus* Morawitz,1876; *albarius* Pérez,1895; *bivinctus* Vachal,1902
Range (in code): ES TR IL Pa IR Kh IQ JO EG LY AF PK Ui 03 04 42 63
- 3159) Halictus (s.str.) simplex Blüthgen,1923** (Halictidae) Synonym(s): *simplex* Blüthgen,1923
Range (in code): GR TR
- 3160) Halictus (s.str.) squamosus Lebedev,1910** (Halictidae) Synonym(s): *squamosus* Lebedev,1910
Range (in code): TR IR Elb Kh
- 3161) Halictus (s.str.) submodernus Blüthgen,1936** (Halictidae) Synonym(s): *submodernus* Blüthgen,1936
Range (in code): TR IR 30 73
- 3162) Halictus (s.str.) tetrazonianellus Strand,1909** (Halictidae) Synonym(s): *tetrazonianellus* Strand,1909
Range (in code): GR Ae Le Chi Sms Rd Cr CY TR IL Pa IR
- 3163) Halictus (s.str.) tetrazonius (Klug,1817)** (Halictidae) Synonym(s): *tetrazonius* Klug,1817; *furcatus* Blüthgen,1925
Range (in code): GR Ae Le Sms TR IL Pa IR
- 3164) Halictus (Seladonia) cephalicus (Morawitz,1873)** (Halictidae) Synonym(s): *cephalicus* Morawitz,1873
Range (in code): GR Ae Le Chi Sms Rd CY TR IL Pa IR
- 3165) Halictus (Seladonia) clangulus Warncke,1984** (Halictidae) Synonym(s): *clangulus* Warncke,1984
Range (in code): TR
- 3166) Halictus (Seladonia) confusus Smith,1853** (Halictidae) Synonym(s): *confusus* Smith,1853; *perkinsi* Blüthgen,1926
Range (in code): TR 24
- 3167) Halictus (Seladonia) desertorum Morawitz,1876** (Halictidae) Synonym(s): *desertorum* Morawitz,1876
Range (in code): TR 36
- 3168) Halictus (Seladonia) gemmeus Dours,1872** (Halictidae) Synonym(s): *gemmeus* Dours,1872
Range (in code): FR ES Co Sa IT Si DZ TN HV EG GR TR 34
- 3169) Halictus (Seladonia) kessleri Bramson,1879** (Halictidae) Synonym(s): *kessleri* Bramson,1879
Range (in code): IT Si AT HV FR MK GR Ae Le TR AM Cc Eri HU RU
- 3170) Halictus (Seladonia) kurdasi Ebmer,1975** (Halictidae) Synonym(s): *kurdasi* Ebmer,1975
Range (in code): TR
- 3171) Halictus (Seladonia) laticephalus Warncke,1984** (Halictidae) Synonym(s): *laticephalus* Warncke,1984
Range (in code): TR
- 3172) Halictus (Seladonia) leucaeneus Ebmer,1972** (Halictidae) Synonym(s): *leucaeneus* Ebmer,1972; *occipitalis* Ebmer,1972
Range (in code): TR
- 3173) Halictus (Seladonia) seladonius (Fabricius,1794)** (Halictidae) Synonym(s): *seladonius* Fabricius,1794
Range (in code): GR TR IR 06
- 3174) Halictus (Seladonia) smaragdulus Vachal,1895** (Halictidae) Synonym(s): *smaragdulus* Vachal,1895
Range (in code): GR Ae Le Chi Sms Rd Cr CY TR IL Pa IR
- 3175) Halictus (Seladonia) subauratus (Rossi,1792)** (Halictidae) Synonym(s): *subauratus* Rossi,1792
Range (in code): GR Ae Le Sms TR IL Pa IR
- 3176) Halictus (Seladonia) tumulorum (Linnaeus,1758)** (Halictidae) Synonym(s): *tumulorum* Linnaeus,1758
Range (in code): GR TR
- 3177) Halictus (Seladonia) verticalis Blüthgen,1931** (Halictidae) Synonym(s): *verticalis* Blüthgen,1931
Range (in code): TR
- 3178) Halictus (Vestitohalictus) morawitzi Vachal,1902** (Halictidae) Synonym(s): *morawitzi* Vachal,1902
Range (in code): TR IL Pa IR 04
- 3179) Halictus (Vestitohalictus) nigricutis Warncke,1975** (Halictidae) Synonym(s): *nigricutis* Warncke,1975
Range (in code): TR JO IR
- 3180) Halictus (Vestitohalictus) pollinosus Sichel,1860** (Halictidae) Synonym(s): *pollinosus* Sichel,1860
Range (in code): GR Ae Le Chi Kos Rd Cr CY IL Pa JO IR TR 06 56 65 76 56F 65D 65Dh 76A 76Ac

- 3181) Halictus (Vestitohalictus) pseudomucoreus Ebmer,1975** (Halictidae) Synonym(s): *pseudomucoreus* Ebmer,1975 - Range (in code): **TR IR**
- 3182) Halictus (Vestitohalictus) pulvereus Morawitz,1874** (Halictidae) Synonym(s): *pulvereus* Morawitz,1874 - Range (in code): **GR Ae Le TR JO IL Pa EG IR**
- 3183) Halictus (Vestitohalictus) semiticus Blüthgen,1955** (Halictidae) Synonym(s): *semiticus* Blüthgen,1955 - Range (in code): **GE Ae Chi Sms Rd TR SY JO IL Pa IR**
- 3184) Halictus (Vestitohalictus) solitudinis Ebmer,1975** (Halictidae) Synonym(s): *solitudinis* Ebmer,1975 - Range (in code): **TR 42 58**
- 3185) Halictus (Vestitohalictus) tuberculatus Blüthgen,1925** (Halictidae) Synonym(s): *tuberculatus* Blüthgen,1925 - Range (in code): **TR SY IL Pa JO IR**
- 3186) Halictus korbi Blüthgen,1929** (Halictidae) Synonym(s): *korbi* Blüthgen,1929 Original reference: Halictus korbi Blüthgen,1929, Konowia 8: 55-56, fig.1. Syntypes: [Türkei]: "Russisch-Armenien, Kasikoparan" leg. Korb (ZSM). Range (in code): **Cc TR 76 76C**
- 3187) Lasioglossum (Ctenonomia) vagans (Smith,1858)** (Halictidae) Synonym(s): *vagans* Smith,1858 - Range (in code): **TR LB JO IL Pa EG**
- 3188) Lasioglossum (Evylaeus) adaliae (Blüthgen,1923)** (Halictidae) Synonym(s): *adaliae* Blüthgen,1923 Original reference: Halictus adaliae Blüthgen,1923, Arch. Naturg. A 89 (5): 279. Type ♂: Kleinasien: Adalia [Antalya]. Range (in code): **TR IL Pa Js Hf JO AM Cc TJ KK 01 07 20 33 42 50 54 58 60 20N 33O 50G 50Gd 58G**
- 3189) Lasioglossum (Evylaeus) aeratum (Kirby,1802)** (Halictidae) Synonym(s): *aeratum* Kirby,1802; *caudatum* Warncke,1982 - Range (in code): **GR TR Ae Le Chi Sms Cr IR**
- 3190) Lasioglossum (Evylaeus) albipes (Fabricius,1781)** (Halictidae) Synonym(s): *albipes* Fabricius,1781; *abdominalis* Panzer,1798; *malachurellus* Strand,1909; *alpicola* Blüthgen,1920; *rubelloides* Blüthgen,1924 [ssp.]; *villosum* Ebmer,1995 [ssp.] - Range (in code): **ES FR BE NL DE CH AT IT GR Ae Le Rd TR IR RU Sb At Sh Us UZ Tas Br JP Hkk 53**
- 3191) Lasioglossum (Evylaeus) alectore (Warncke,1984)** (Halictidae) Synonym(s): *alectore* Warncke,1984 Original reference: Halictus alectoris Warncke,1984, Linzer biol. Beitr. 16: 281-283. Holotype ♀: Türkiye, Hakkari Prov., Suvari Halil Pass 2800m (LBM). Range (in code): **TR IR Elb Mz Clu 30 65 30B 30Be 65G 65Ge**
- 3192) Lasioglossum (Evylaeus) alvirum (Blüthgen,1923)** (Halictidae) Synonym(s): *alvirum* Blüthgen,1923 Range (in code): **GR TR IR**
- 3193) Lasioglossum (Evylaeus) anellum (Vachal,1905)** (Halictidae) Synonym(s): *anellum* Vachal,1905; *schelkovnikovi* Kokujev,1912 Range (in code): **GR Ae Le Sms Rd Cr CY TR SY IL Pa JO Cc IR**
- 3194) Lasioglossum (Evylaeus) angusticeps (Perkins,1895)** (Halictidae) Synonym(s): *angusticeps* Perkins,1895; *exetinus* Cockerell,1938; *indecisus* Cockerell,1938 Range (in code): **GR Ae Le Chi Cr TR IL Pa IR**
- 3195) Lasioglossum (Evylaeus) angustipes Ebmer,1972** (Halictidae) Synonym(s): *angustipes* Ebmer,1972 Original reference: Lasioglossum (Evylaeus) angustipes Ebmer,1972, Mitt. zool. Mus. Berlin 48: 250. Holotype ♀: Türkiye, Konya. Range (in code): **GR Ae Sms Cr TR IL Pa He BG 02 04 06 09 20 25 30 38 42 45 50 63 65 73 02F 02Fb 06Y 20N 25F 30B 30D 30Dt 30Df 38B 38O 42R 50G 50Ga 50Gc 65N 65Np 65Np8 65Nm 73A**
- 3196) Lasioglossum (Evylaeus) annulipes (Morawitz,1876)** (Halictidae) Synonym(s): *annulipes* Morawitz,1876 Range (in code): **TR IR**
- 3197) Lasioglossum (Evylaeus) apostoli Ebmer,1970** (Halictidae) Synonym(s): *apostoli* Ebmer,1970 Range (in code): **TR GR**
- 3198) Lasioglossum (Evylaeus) apricarium (Warncke,1982)** (Halictidae) Synonym(s): *apricarium* Warncke,1982 Range (in code): **TR 07 08**
- 3199) Lasioglossum (Evylaeus) araxanum (Blüthgen,1923)** (Halictidae) Synonym(s): *araxanum* Blüthgen,1923; *araxanellus* Blüthgen,1926 - Range (in code): **Cc AM TR PK 36**
- 3200) Lasioglossum (Evylaeus) argaeum (Blüthgen,1931)** (Halictidae) Synonym(s): *argaeum* Blüthgen,1931 Range (in code): **IT GR Cc TR 38 42**
- 3201) Lasioglossum (Evylaeus) atrovirens (Pérez,1903)** (Halictidae) Synonym(s): *atrovirens* Pérez,1903 Range (in code): **GR Cr TR IR**
- 3202) Lasioglossum (Evylaeus) barkense (Blüthgen,1930)** (Halictidae) Synonym(s): *barkense* Blüthgen,1930; *villiersi* Benoist,1941 - Range (in code): **MA LY IL Pa TR**
- 3203) Lasioglossum (Evylaeus) bicallosum (Morawitz,1873)** (Halictidae) Synonym(s): *bicallosum* Morawitz,1873; *dmitrijewi* Morawitz,1892 Range (in code): **GR Ae Chi Cc UA TR IL Pa JO IR**

- 3204) Lasioglossum (Evylaeus) bischoffi (Blüthgen,1931)** (Halictidae) Synonym(s): *bischoffi* Blüthgen,1931 Range (in code): **YU CY GR Ae Le TR 07 33 55**
- 3205) Lasioglossum (Evylaeus) bluethgeni (Ebmer,1971)** (Halictidae) Synonym(s): *hirtipennis* Blüthgen,1923 *nec* Cock.,1922; *bluethgeni* Ebmer,1971 Range (in code): **DZ DE FR AT CZ HU IT SK HV RO GG MK BG GR Ae Sms Le TR 09 42 73**
- 3206) Lasioglossum (Evylaeus) brevicorne (Schenck,1868)** (Halictidae) Synonym(s): *brevicorne* Schenck,1868 Range (in code): **GR Ae Chi Le Sms Rd TR Cr**
- 3207) Lasioglossum (Evylaeus) buccale (Pérez,1903)** (Halictidae) Synonym(s): *buccale* Pérez,1903 Range (in code): **PT ES FR DE CH IT Si AT SS HU AL MK RO UA GR TR RU U_r KG UZ KK TJ IR**
- 3208) Lasioglossum (Evylaeus) calceatum (Scopoli,1763)** (Halictidae) Synonym(s): *calceatum* Scopoli,1763; *cylindricus* Fabricius,1793; *fulvocincta* Kirby,1802; *obovata* Kirby,1802; *vulpina* Fabricius,1804 *nec* Chr.,1791; *terebrator* Walckenaer,1817; *rubellus* Eversmann,1852 *nec* Hal.,1836; *bipunctatus* Schenck,1853; *rubens* F.Smith,1854; *rufiventris* Giraud,1861; *rhodostomus* Dalla Torre,1877; *ulterior* Cockerell,1929 Range (in code): **GB ES FR BE NL DE CH AT IT B-H HV YU BG GR TR JO CN Ui Bc KG Aa KK UZ Smk RU At Sh Us Sb Mc JP Hkk 65 65F 65Fq**
- 3209) Lasioglossum (Evylaeus) cinclum (Warncke,1984)** (Halictidae) Synonym(s): *cinclum* Warncke,1984; *cinclulus* Warncke,1984 Original reference: *Halictus cinclum* Warncke,1984, Linzer biol. Beitr. 16: 302-303. Holotype ♂: Türkei, Hakkari, südl. Vargös im Sat Gebirge 2400m (coll.Warncke). Range (in code): **TR 13 24 30 49 65 73 13G 24L 30B 30Be 30C 30D 30Df 30Dt 44E 49E 65G 65Ge 73C**
- 3210) Lasioglossum (Evylaeus) ciscapum (Blüthgen,1931)** (Halictidae) Synonym(s): *ciscapum* Blüthgen,1931 Range (in code): **TR UZ KK**
- 3211) Lasioglossum (Evylaeus) clypeare (Schenck,1853)** (Halictidae) Synonym(s): *clypeare* Schenck,1853 Range (in code): **GR TR IR**
- 3212) Lasioglossum (Evylaeus) clypeiferellum (Strand,1909)** (Halictidae) Synonym(s): *clypeiferellum* Strand,1909; *testaceohirtulus* Blüthgen,1929 Range (in code): **GR Cr Ae Le Sms CY TR IL Pa JO IR TJ AF MN TM**
- 3213) Lasioglossum (Evylaeus) convexiusculum (Schenck,1853)** (Halictidae) Synonym(s): *convexiusculum* Schenck,1853 Range (in code): **GR Ae Sms Cr CY TR IR**
- 3214) Lasioglossum (Evylaeus) corvinum (Morawitz,1876)** (Halictidae) Synonym(s): *corvinum* Morawitz,1876 Range (in code): **GR TR**
- 3215) Lasioglossum (Evylaeus) crassepunctatum (Blüthgen,1923)** (Halictidae) Synonym(s): *crassepunctatum* Blüthgen,1923 Range (in code): **GR CY TR JO IL Pa IR**
- 3216) Lasioglossum (Evylaeus) croceipes (Morawitz,1876)** (Halictidae) Synonym(s): *croceipes* Morawitz,1876; *longipes* Blüthgen,1923; *semicroceipes* Ebmer,1972 Range (in code): **TR IR Ha Gl_s Kh TM Kp Cc TJ UZ Smk KG Aa KK 36 58 36F 36Fb 50G 50Ge 58G 58Gi**
- 3217) Lasioglossum (Evylaeus) cucullatum (Warncke,1984)** (Halictidae) Synonym(s): *cucullatum* Warncke,1984 Original reference: *Halictus cucullatus* Warncke,1984, Linzer biol. Beitr. 16: 300. Type ♀: Türkei, [Şirnak Prov.]: 10km W Uludere (Mus. Linz, Austria). Range (in code): **TR 30 56 73 30B 30Bf 30D 30Df 56B 73C 73Cg**
- 3218) Lasioglossum (Evylaeus) cupromicans (Pérez,1903)** (Halictidae) Synonym(s): *cupromicans* Pérez,1903; *pangaeum* Warncke,1982; *geviense* Warncke,1984 Range (in code): **TR GR 30**
- 3219) Lasioglossum (Evylaeus) daglariense (Warncke,1984)** (Halictidae) Synonym(s): *daglariense* Warncke,1984 Range (in code): **TR**
- 3220) Lasioglossum (Evylaeus) damascenum (Pérez,1910)** (Halictidae) Synonym(s): *damascenum* Pérez,1910; *semitomentosus* Blüthgen,1923 Range (in code): **GR Ae Le Chi Sms Rd CY TR IL Pa LB IR SY Dms HU AM Cc 31 36 49 76 31A 36F 36Fb 49E 76C**
- 3221) Lasioglossum (Evylaeus) debilior (Pérez,1910)** (Halictidae) Synonym(s): *debilior* Pérez,1910 Range (in code): **LB Baa TR IR Elb Kdj Ke Kh IL Pa Cc AZ Nv 06 29 30 33 42 44 50 56 63 65 72 30B 30Be 44E 65B 65G 65Ge**
- 3222) Lasioglossum (Evylaeus) denislucum (Strand,1909)** (Halictidae) Synonym(s): *denislucum* Strand,1909 Range (in code): **GR Ae Le TR SY**
- 3223) Lasioglossum (Evylaeus) dolichocephalum (Blüthgen,1923)** (Halictidae) Synonym(s): *dolichocephalum* Blüthgen,1923 Range (in code): **GR Ae Le Chi Sms Rd Cr CY TR**
- 3224) Lasioglossum (Evylaeus) duckei (Alfken,1909)** (Halictidae) Synonym(s): *duckei* Alfken,1909 Range (in code): **GR Cr Ae Le TR**
- 3225) Lasioglossum (Evylaeus) edessae Ebmer,1973** (Halictidae) Synonym(s): *edessae* Ebmer,1973 Original reference: *Lasioglossum (Evylaeus) edessae* Ebmer,1973, Nat. Jb. Linz 19:

- 140-142. Type ♂: Türkei, Urfa (leg. J.Gusenleitner, coll. Ebmer). Range (in code): **TR SY IR Th Fa 23 62 63 63D 63F**
- 3226) Lasioglossum (Evylaeus) elegans (Lepeletier,1841)** (Halictidae) Synonym(s): *elegans* Lepeletier,1841; *giraudii* Dalla Torre & Friese,1895 Range (in code): **ES FR CH IT Si AT HU YU RO MK AL GR Ae Le Rd CY TR IL Pa IR Elb TM Kp**
- 3227) Lasioglossum (Evylaeus) epipygiale (Blüthgen,1924)** (Halictidae) Synonym(s): *epipygiale* Blüthgen,1924; *malachuropis* Blüthgen,1931 Original reference: Halictus epipygialis Blüthgen,1924, Konowia 3: 268-276. Type ♂: Kaukasus, Araxestal; Lectotype ♂, designated by Ebmer (1995: 549). Range (in code): **TR SY Bld IL Pa IR Elb Kdj Fa Cc AM AF Jla PK Bl Qu Zh Nwf Txl Mrn Mre Pj IN Mus Kma NP 30 44 65 73 30B 30Be 44E 65F 73A**
- 3228) Lasioglossum (Evylaeus) erraticum (Blüthgen,1931)** (Halictidae) Synonym(s): *erraticum* Blüthgen,1931 Range (in code): **GR Ae Chi Sms Rd Cr CY TR AM Cc**
- 3229) Lasioglossum (Evylaeus) euboense (Strand,1909)** (Halictidae) Synonym(s): *euboense* Strand,1909 Range (in code): **DZ FR ES AT HU GR Ae Rd TR Arr LB IR Ha RU 04 25 30 42 50 73 04C 04Cd 25R 25Rb 30B 30Be 42B 42Ba 50G 50Gc 73C 73Cd**
- 3230) Lasioglossum (Evylaeus) eurydikae Ebmer,1973** (Halictidae) Synonym(s): *eurydikae* Ebmer,1973 Range (in code): **TR IR 63**
- 3231) Lasioglossum (Evylaeus) filipes Ebmer,1972** (Halictidae) Synonym(s): *filipes* Ebmer,1972 Range (in code): **EG Sn IL Pa JO TR TM UZ Smk KK KG Aa Kpt AF Srb 33 63 33O 63B**
- 3232) Lasioglossum (Evylaeus) fratellum (Pérez,1903)** (Halictidae) Synonym(s): *fratellum* Pérez,1903 Range (in code): **GR TR KP KR CN RU Us GB FR BE NL DE ES AT IT NO SE FI**
- 3233) Lasioglossum (Evylaeus) fulvicorne (Kirby,1802)** (Halictidae) Synonym(s): *fulvicorne* Kirby,1802 Range (in code): **GR AM Cc TR IR RU At Ur MN TW 08 14 53**
- 3234) Lasioglossum (Evylaeus) glabriusculum (Morawitz,1872)** (Halictidae) Synonym(s): *glabriusculum* Morawitz,1872; *leucopygus* Pérez,1903; *truncatus* Alfken,1905 *nec* Roberts.,1901; *granulosus* Alfken,1906 Range (in code): **MA TN ES IT Si HV B-H AT IR JO BE UA GR Ae Le Chi Rd TR IL Pa 06 42**
- 3235) Lasioglossum (Evylaeus) griseolum (Morawitz,1872)** (Halictidae) Synonym(s): *griseolum* Morawitz,1872; *labrosus* Vachal,1895 *nec* Say,1837; *misellus* Pérez,1903; *dubitabilis* Saunders,1904; *asnicus* Cockerell,1937 Range (in code): **MA TN SA B-H HV SS AT ES FR DE Co IT Si GR Cr Rd CY TR IL Pa JO IR AF 01 07 34 42 63**
- 3236) Lasioglossum (Evylaeus) harputicum Ebmer,1972** (Halictidae) Synonym(s): *andrenoides* Blüthgen,1923 *nec* Fries.,1909; *amanicus* Blüthgen,1925 *nec* Str.,1919; *harputicum* Ebmer,1972 Range (in code): **TR IR Kd Ha Ke Fa Shr 02 12 20 23 28 30 36 44 56 58 73 30B 36D 36Db 44E 58G 73A 73Aa**
- 3237) Lasioglossum (Evylaeus) hecate Ebmer,1986** (Halictidae) Synonym(s): *hecate* Ebmer,1986 Range (in code): **TR**
- 3238) Lasioglossum (Evylaeus) hethiticum Ebmer,1970** (Halictidae) Synonym(s): *hethiticum* Ebmer,1970 Range (in code): **GR Ae Sms TR**
- 3239) Lasioglossum (Evylaeus) hilare Ebmer,1972** (Halictidae) Synonym(s): *hilare* Ebmer,1972; *makedonicum* Ebmer,1974 Range (in code): **MK GR Cr TR JO IR Elb AF**
- 3240) Lasioglossum (Evylaeus) imbecillum Ebmer,1973** (Halictidae) Synonym(s): *imbecillum* Ebmer,1973; *caprimulgus* Warncke,1975 Original reference: Lasioglossum (Evylaeus) imbecillum Ebmer,1973, Nat. Jb. Linz 19: 142-144. Type ♀: Türkei, [İçel Prov.]: Mut, Sertavul-Pass 1300m 20 Mai 1970, leg. J.Gusenleitner (coll. Ebmer). Range (in code): **BG GR Ae Le TR IL Pa JO Amm 04 05 06 07 13 25 29 30 33 42 46 47 58 65 70 06R 07A 07Af 07D 13G 25K 29F 30O 46F 58G 58I 58Q 65F 65K 65Kd**
- 3241) Lasioglossum (Evylaeus) intermedium (Schenck,1869)** (Halictidae) Synonym(s): *intermedium* Schenck,1869; *melanoproctus* Pérez,1903; *servulellus* Strand,1909 Range (in code): **ES FR NL DE PL AT CH IT RO GR TR IR Elb**
- 3242) Lasioglossum (Evylaeus) interruptum (Panzer,1798)** (Halictidae) Synonym(s): *interruptum* Panzer,1798; *trispinosum* Alfken,1907 Range (in code): **GR Ae Le Sms Cr TR IR**
- 3243) Lasioglossum (Evylaeus) israelense Ebmer,1974** (Halictidae) Synonym(s): *israelense* Ebmer,1974 Original reference: Lasioglossum israelense Ebmer,1974, Israel J. Ent. 9: 197-199. Type ♀: Israel, Erez, Nablus (coll.Ebmer). Range (in code): **IL Pa He TR 47 47F**
- 3244) Lasioglossum (Evylaeus) ituraeum Ebmer,1972** (Halictidae) Synonym(s): *ituraeum* Ebmer,1972 Range (in code): **TR LB IL Pa JO IR**
- 3245) Lasioglossum (Evylaeus) kappadokium Ebmer,1973** (Halictidae) Synonym(s): *kappadokium* Ebmer,1973 Range (in code): **TR 58 58G**

- 3246) Lasioglossum (Evylaeus) lactipenne Ebmer,1975** (Halictidae) Synonym(s): *lactipenne* Ebmer,1975 _ Range (in code): **TR**
- 3247) Lasioglossum (Evylaeus) laevidorsum (Blüthgen,1923)** (Halictidae) Synonym(s): *laevidorsum* Blüthgen,1923 _ Range (in code): **GR Ae Sms Rd TR CY JO IL Pa EG Sn Cr**
- 3248) Lasioglossum (Evylaeus) laticeps Schenck,1870** (Halictidae) Synonym(s): *laticeps* Schenck,1870; *hellenicum* Blüthgen,1937 _ Range (in code): **BG GR Ae Le Sms Cr CY TR IL Pa JO IR RU Ur Cc AM GG TM Kp**
- 3249) Lasioglossum (Evylaeus) limbelloides (Blüthgen,1931)** (Halictidae) Synonym(s): *limbelloides* Blüthgen,1931 _ Range (in code): **GR Cr Rd TR IR**
- 3250) Lasioglossum (Evylaeus) limbellum (Morawitz,1876)** (Halictidae) Synonym(s): *limbellum* Morawitz,1876 _ Range (in code): **GR Ae Le Chi Sms Rd Cr CY TR IL Pa IR**
- 3251) Lasioglossum (Evylaeus) lineare (Schenck,1869)** (Halictidae) Synonym(s): *lineare* Schenck,1869; *sublineare* Ebmer,1974 _ Range (in code): **FR DE GR Cr Le Chi Ae Sms Rd CY TR IL Pa JO IR Cc GG Tbl AM TM Kp K-K**
- 3252) Lasioglossum (Evylaeus) lissonatum (Noskiewicz,1925)** (Halictidae) Synonym(s): *lissonatum* Noskiewicz,1925 _ Range (in code): **GR Ae Le Sms Kos TR Cr**
- 3253) Lasioglossum (Evylaeus) longirostre (Morawitz,1876)** (Halictidae) Synonym(s): *longirostre* Morawitz,1876 _ Range (in code): **GR Ae Le Chi Sms TR IL Pa IR**
- 3254) Lasioglossum (Evylaeus) maculipes (Morawitz,1876)** (Halictidae) Synonym(s): *maculipes* Morawitz,1876 _ Range (in code): **TR IR**
- 3255) Lasioglossum (Evylaeus) malachurum (Kirby,1802)** (Halictidae) Synonym(s): *malachurum* Kirby,1802 _ Range (in code): **Az GB DK MA TN SY JO IL Pa TR GR Ae Le Chi Sms Kos Rd Cr Cc GG Btm Aj Tbl AZ Nv CY IR Ak Tbz TM EG**
- 3256) Lasioglossum (Evylaeus) mandibulare (Morawitz,1866)** (Halictidae) Synonym(s): *mandibulare* Morawitz,1866; *carneivendre* Dours,1872 _ Range (in code): **GR Ae Le Cr CY TR IL Pa EG**
- 3257) Lasioglossum (Evylaeus) marginatum (Brullé,1832)** (Halictidae) Synonym(s): *marginatum* Brullé,1832 Range (in code): **GR Ae Le Chi Sms Rd Cr CY Cc AZ AM Geg Bak Len Nv TR SY Ttu Ltk LB IL Pa Js He JO Amm Ajl IR TM K-K KK Frz UZ KG Db Tm Tkl Ik TJ Pm Kud Dsb PK Bl Zi Pj Mre Ch**
- 3258) Lasioglossum (Evylaeus) mesosclerum (Pérez,1903)** (Halictidae) Synonym(s): *mesosclerum* Pérez,1903; *rhodosianus* Strand,1909; *balneorum* Ebmer,1974; *bubulcus* Warncke,1982 Range (in code): **ES PT IT Sa Si HU HV SY EG JO Amm LY GR Rd Cr IL Pa Cc GG AM Eri Bak AZ RU UZ Smk TJ FR TR IR Mz Elb Fa Shr Ha Kh TM Kp AF 01 02 04 06 07 08 09 20 25 26 30 31 33 34 36 42 48 49 55 63 65 76 06Y 25K 30D 30Df 63D 63E 65E 73A 76E**
- 3259) Lasioglossum (Evylaeus) mesosclerum (Pérez,1903)** (Halictidae) Synonym(s): *mesosclerum* Pérez,1903; *balneorum* Ebmer,1974 Range (in code): **GR Ae Le Rd CY TR SY JO EG IR LY**
- 3260) Lasioglossum (Evylaeus) minutissimum (Kirby,1802)** (Halictidae) Synonym(s): *minutissimum* Kirby,1802 _ Range (in code): **GR Cr CY TR IL Pa EG 07**
- 3261) Lasioglossum (Evylaeus) minutulum (Schenck,1853)** (Halictidae) Synonym(s): *minutulum* Schenck,1853 _ Range (in code): **GR TR 14**
- 3262) Lasioglossum (Evylaeus) montifringillum (Warncke,1984)** (Halictidae) Synonym(s): *montifringillum* Warncke,1984 _ Range (in code): **TR**
- 3263) Lasioglossum (Evylaeus) montivolans Ebmer,1975** (Halictidae) Synonym(s): *montivolans* Ebmer,1975 _ Range (in code): **GR TR IR Elb**
- 3264) Lasioglossum (Evylaeus) morio (Fabricius,1793)** (Halictidae) Synonym(s): *morio* Fabricius,1793 _ Range (in code): **GR Ae Le Sms TR SY IL Pa IR**
- 3265) Lasioglossum (Evylaeus) muganicum Ebmer,1972** (Halictidae) Synonym(s): *muganicum* Ebmer,1972 _ Range (in code): **TR IR**
- 3266) Lasioglossum (Evylaeus) nigripes (Lepeletier,1841)** (Halictidae) Synonym(s): *nigripes* Lepeletier,1841; *orientalis* Magretti,1890 *nec* Lep.,1841; *pharaonis* Strand,1909 [ssp.]; *syriacus* Pérez,1910 Range (in code): **GR Ae Le Cr Rd TR IR IL Pa LB Ale SY Dms JO EG UA Cm Cc AM Eri GG Tbl Abk Sok RU Kis TM Kp 75 75F 75Fa**
- 3267) Lasioglossum (Evylaeus) nitidiusculum (Kirby,1802)** (Halictidae) Synonym(s): *nitidiusculum* Kirby,1802 _ Range (in code): **GR Cr TR IR Kh**
- 3268) Lasioglossum (Evylaeus) nitidulum (Fabricius,1804)** (Halictidae) Synonym(s): *nitidulum* Fabricius,1804 _ Range (in code): **GR Ae Le Chi Sms Cr TR**
- 3269) Lasioglossum (Evylaeus) obscuratum (Morawitz,1875)** (Halictidae) Synonym(s): *obscuratum* Morawitz,1875 _ Range (in code): **UA Cm AT RO GR Rd CY TR SY Dms Hal Ttu IL PA Js JO Amm Cc AZ Nv IR TM Kp K-K AF KG Fbb KK Tls**

- 3270) Lasioglossum (Evylaeus) ordubadense (Friese,1916)** (Halictidae) Synonym(s): *ordubadense* Friese,1916 Original reference: Halictus ordubadensis Friese,1916, Dt. ent. Z. 1916: 33. Syntypes ♂♀: [Azerbaidjan]: Transkaukasien [=Nachicevan], Ordubad. Range (in code): **TR IL Pa Js IR Th Elb Kdj Es IQ AZ Cc Nv Ord 02 23 02E**
- 3271) Lasioglossum (Evylaeus) paleae Ebmer,1972** (Halictidae) Synonym(s): *paleae* Ebmer,1972 Range (in code): **TR**
- 3272) Lasioglossum (Evylaeus) parvulum (Schenck,1853)** (Halictidae) Synonym(s): *parvulum* Schenck,1853 Range (in code): **GR TR IR**
- 3273) Lasioglossum (Evylaeus) pauperatum (Brullé,1832)** (Halictidae) Synonym(s): *pauperatum* Brullé,1832 Range (in code): **GR Cr Ae Le Chi Sms TR**
- 3274) Lasioglossum (Evylaeus) pauxillum (Schenck,1853)** (Halictidae) Synonym(s): *pauxillum* Schenck,1853 Range (in code): **GR Ae Le Chi Rd Cr TR SY IL Pa Cc GG Tbl AM Eri Len AZ JO IR GB RU Ur MA TN ES 30 49 65 75 30D 49E 65K 75F**
- 3275) Lasioglossum (Evylaeus) peregrinum (Blüthgen,1923)** (Halictidae) Synonym(s): *peregrinum* Blüthgen,1923 Range (in code): **HV GR Ae Sms MK BG TR IR Dam GG Cc Tbl AM IL Pa 10 13 16 20 25 26 30 32 36 38 42 50 60 13G 13Gw 26K 30B 30Be 30D 30Dt 38C 42B 50G**
- 3276) Lasioglossum (Evylaeus) pistorium (Vachal,1902)** (Halictidae) Synonym(s): *pistorium* Vachal,1902 Range (in code): **TR IR 36**
- 3277) Lasioglossum (Evylaeus) podolicum (Noskiewicz,1924)** (Halictidae) Synonym(s): *podolicum* Noskiewicz,1924 Range (in code): **GR TR IR**
- 3278) Lasioglossum (Evylaeus) politum Schenck,1853** (Halictidae) Synonym(s): *politum* Schenck,1853 Range (in code): **GR Ae Le Chi Sms TR IL Pa JO IQ IR EG**
- 3279) Lasioglossum (Evylaeus) pressithorax Ebmer,1973** (Halictidae) Synonym(s): *pressithorax* Ebmer,1973 Range (in code): **GR Ae Sms TR IL Pa 31 50 50G 50Ga 50Gd**
- 3280) Lasioglossum (Evylaeus) pseudoleptorhynchum (Blüthgen,1931)** (Halictidae) Synonym(s): *pseudoleptorhynchum* Blüthgen,1931 Range (in code): **TR IR**
- 3281) Lasioglossum (Evylaeus) pseudonigripes (Blüthgen,1934)** (Halictidae) Synonym(s): *pseudonigripes* Blüthgen,1934; *bassanum* Warncke,1982 Range (in code): **TR IR**
- 3282) Lasioglossum (Evylaeus) pseudosphecodimorphum (Blüthgen,1923)** (Halictidae) Synonym(s): *pseudosphecodimorphum* Blüthgen,1923 Range (in code): **TR SY IL Pa JO**
- 3283) Lasioglossum (Evylaeus) pulicarium (Warncke,1975)** (Halictidae) Synonym(s): *pulicarium* Warncke,1975 Range (in code): **TR**
- 3284) Lasioglossum (Evylaeus) punctatissimum (Schenck,1853)** (Halictidae) Synonym(s): *punctatissimum* Schenck,1853 Range (in code): **GR Ae Le Chi Sms Rd Cr TR IL Pa JO IR**
- 3285) Lasioglossum (Evylaeus) puncticolle (Morawitz,1872)** (Halictidae) Synonym(s): *puncticolle* Morawitz,1872 Range (in code): **GR Ae Le Sms Cr TR IR**
- 3286) Lasioglossum (Evylaeus) pygmaeum Schenck,1853** (Halictidae) Synonym(s): *pygmaeum* Schenck,1853; *patulum* Vachal,1905 Range (in code): **GR Ae Le Chi Sms Rd Cr CY TR SY IL Pa JO IR**
- 3287) Lasioglossum (Evylaeus) quadrisignatum (Schenck,1853)** (Halictidae) Synonym(s): *rufipes* Schenck,1853 *nec* Fabr.,1793; *quadrisignatus* Schenck,1853; *atratus* Schenck,1853; *pleuralis* Morawitz,1872; *nigerrimus* Schenck,1875; *commixtus* Dalla Torre & Friese,1895 Range (in code): **DE CH AT CZ HU ES FR IT B-H BG UA Cm GR TR Cc GG Tbl AZ IR 04 25 30 38 42 51 25C 30D 30Dt 30B 30Be 42J 51B**
- 3288) Lasioglossum (Evylaeus) rhynchites (Morawitz,1876)** (Halictidae) Synonym(s): *rhynchites* Morawitz,1876 Range (in code): **TR UZ KG Aa Tas AF Bd 65 65G 65Ge**
- 3289) Lasioglossum (Evylaeus) rupestre (Warncke,1984)** (Halictidae) Synonym(s): *rupestre* Warncke,1984 Original reference: Halictus rupestre Warncke,1984, Linzer biol. Beitr. 16: 301-302. Holotype ♂: Türkei, Hakkari, südl. Vargös im Sat Gebirge 2400m (coll.Warncke). Range (in code): **GR TR 02 24 30 44 73 02F 24L 30B 30Be 30D 30Dt 44A 44Aa 73C**
- 3290) Lasioglossum (Evylaeus) rusticolum (Warncke,1982)** (Halictidae) Synonym(s): *rusticolum* Warncke,1982 Range (in code): **TR IR Elb Fa Shr Ke 30 44 56 73 30B 56B 73 73D**
- 3291) Lasioglossum (Evylaeus) salinum (Morawitz,1875)** (Halictidae) Synonym(s): *salinum* Morawitz,1875 Range (in code): **GR Ae Sms TR IR**
- 3292) Lasioglossum (Evylaeus) samaricum (Blüthgen,1935)** (Halictidae) Synonym(s): *samaricum* Blüthgen,1935 Range (in code): **TR**
- 3293) Lasioglossum (Evylaeus) saxatile (Warncke,1984)** (Halictidae) Synonym(s): *saxatile* Warncke,1984 Range (in code): **TR 30**

- 3294) Lasioglossum (Evylaeus) schachti (Warncke,1984)** (Halictidae) Synonym(s): *schachti* Warncke,1984 _ Range (in code): **TR 30**
- 3295) Lasioglossum (Evylaeus) schwarzi Ebmer,1985** (Halictidae) Synonym(s): *schwarzi* Ebmer,1985 _ Original reference: Lasioglossum schwarzi Ebmer,1985, Linzer biol. Beitr. 17: 203-206. Type: Türkei Hakkari [Şırnak Prov.]: 10km W Uludere (coll.Ebmer). Range (in code): **TR 56 73 73A 73C**
- 3296) Lasioglossum (Evylaeus) semilucens (Alfken,1914)** (Halictidae) Synonym(s): *semilucens* Alfken,1914 _ Range (in code): **GR TR**
- 3297) Lasioglossum (Evylaeus) setulellum (Strand,1909)** (Halictidae) Synonym(s): *setulellum* Strand,1909 _ Range (in code): **ES FR RU GR IT Si TR SY UA Cm IR Elb Dam Kh 06 15 20 25 36 44 38 57 58 65 70 73 06Y 25E 36F 36Fb 44E 58G 58Gd 65B 73C**
- 3298) Lasioglossum (Evylaeus) siirtense (Warncke,1984)** (Halictidae) Synonym(s): *siirtense* Warncke,1984; *#siistense* Grace,2010 _ Range (in code): **TR SY IR 56**
- 3299) Lasioglossum (Evylaeus) skorikovi (Blüthgen,1929)** (Halictidae) Synonym(s): *skorikovi* Blüthgen,1929; *samarkandinum* Blüthgen,1931 _ Range (in code): **TM Kp K-K AF Kab TJ IR Fa TR US Smk 23 31 62 73 79 73A 73Aa**
- 3300) Lasioglossum (Evylaeus) sobrinum (Warncke,1982)** (Halictidae) Synonym(s): *sobrinum* Warncke,1982 _ Original reference: Halictus sobrinus Warncke,1982, Boll. Mus. civ. Stor. nat. Venezia 32 (1981): 119-121. Holotype: Turkey: [Van Prov., Başkale]: Şivelan (Mus. Linz, Austria). Range (in code): **TR IR Ha 56 65 73 56B 65B 65Bj 73A 73Aa 73C**
- 3301) Lasioglossum (Evylaeus) sociorum (Blüthgen,1924)** (Halictidae) Synonym(s): *sociorum* Blüthgen,1924 _ Original reference: Halictus sociorum Blüthgen,1924, Konowia 3: 262-263, 278 Type ♂: Kaukasus, Araxstal (NHMW). Range (in code): **CY TR Arr AM Cc IR Th Kdj Fa Lo Ke 01 06 23 25 31 33 36 38 42 65 71 76 80 06H 06Y 23D 25E 33O 36F 36Fb 38O 65G 65Ge 80E 80Ec**
- 3302) Lasioglossum (Evylaeus) soror (Saunders,1901)** (Halictidae) Synonym(s): *soror* Saunders,1901; *elatum* Warncke,1975; *livium* Warncke,1982 _ Range (in code): **GR Cr Ae Sms Chi TR**
- 3303) Lasioglossum (Evylaeus) stelidum (Warncke,1982)** (Halictidae) Synonym(s): *stelidum* Warncke,1982 _ Range (in code): **TR JO**
- 3304) Lasioglossum (Evylaeus) subaenescens (Pérez,1896)** (Halictidae) Synonym(s): *subaenescens* Pérez,1896; *asiaticum* Dalla Torre,1896 [ssp.] Range (in code): **MK UA Cm BG GR Ae Le Chi Sms Rd Cr TR Arr JO IR Ha Kd Dam Elb Qz Tbz Ak Mak Ab TM Kp UZ Smk EG KK KG TJ CN Ui Be MN 04 06 07 13 23 26 30 32 33 34 35 38 42 44 50 51 58 65 68 70 76 06Y 13A 13Aa 23I 26K 30D 30Dt 32M 35U 38O 42B 44E 50G 58G 58Gd 65B 70C 70Cb**
- 3305) Lasioglossum (Evylaeus) subfulvicorne (Blüthgen,1934)** (Halictidae) Synonym(s): *subfulvicorne* Blüthgen,1934; *austriacum* Ebmer,1974 _ Range (in code): **FR GR TR CN Gn MN RU Ya KP KR KG Aa Cc 16**
- 3306) Lasioglossum (Evylaeus) taninense (Warncke,1984)** (Halictidae) Synonym(s): *taninense* Warncke,1984 _ Range (in code): **TR 73 73C 73Cd**
- 3307) Lasioglossum (Evylaeus) tarsatum (Schenck,1868)** (Halictidae) Synonym(s): *tarsatum* Schenck,1868 _ Range (in code): **GR Ae Sms TR**
- 3308) Lasioglossum (Evylaeus) tauricum Ebmer,1972** (Halictidae) Synonym(s): *tauricum* Ebmer,1972 _ Range (in code): **TR**
- 3309) Lasioglossum (Evylaeus) transitorium (Schenck,1870)** (Halictidae) Synonym(s): *transitorium* Schenck,1870; *uncinum* Vachal,1905 _ Range (in code): **LY GR Ae Le Chi Sms Rd Cr CY TR SY JO IL Pa EG**
- 3310) Lasioglossum (Evylaeus) trichopygum (Blüthgen,1923)** (Halictidae) Synonym(s): *trichopygum* Blüthgen,1923 _ Range (in code): **GR TR**
- 3311) Lasioglossum (Evylaeus) tricinctum (Schenck,1874)** (Halictidae) Synonym(s): *tricinctum* Schenck,1874; *muganicum* Ebmer,1972 [ssp.] _ Range (in code): **GR Ae Le Chi Cr TR IR Kh CY 06 07 08 24 25 42 50 65 06Y 08A 24L 42B 50G 65G 65Ge**
- 3312) Lasioglossum (Evylaeus) truncaticolle (Morawitz,1877)** (Halictidae) Synonym(s): *truncaticolle* Morawitz,1877 _ Range (in code): **GR Ae Le Sms Rd Cr CY TR SY IL Pa IR**
- 3313) Lasioglossum (Evylaeus) tschibuklinum (Blüthgen,1931)** (Halictidae) Synonym(s): *tschibuklinum* Blüthgen,1931 _ Range (in code): **GR TR IR**
- 3314) Lasioglossum (Evylaeus) villosulum (Kirby,1802)** (Halictidae) Synonym(s): *villosulum* Kirby,1802 _ Range (in code): **GR Ae Le Chi Sms Cr CY TR IR**
- 3315) Lasioglossum (Evylaeus) zostaceum (Warncke,1982)** (Halictidae) Synonym(s): *zostaceum* Warncke,1982 _ Range (in code): **TR 30**

- 3316) Lasioglossum (s.str.) acephaloides (Blüthgen,1931)** (Halictidae) Synonym(s): *acephaloides* Blüthgen,1931 _ Range (in code): **IT GR TR Cc**
- 3317) Lasioglossum (s.str.) aegyptiellum (Strand,1909)** (Halictidae) Synonym(s): *aegyptiellum* Strand,1909; *orontis* Cockerell,1918; *dalmaticum* Ebmer,1970 _ Range (in code): **YU GR Ae Le Sms Cr TR IQ JO IR EG IL Pa**
- 3318) Lasioglossum (s.str.) caspicum (Morawitz,1873)** (Halictidae) Synonym(s): *caspicum* Morawitz,1873; *emesianus* Pérez,1911 _ Range (in code): **AF TM IL Pa SY TR AM Cc IR 05 06 25 38 42 47 61 70**
- 3319) Lasioglossum (s.str.) chloropus (Morawitz,1893)** (Halictidae) Synonym(s): *chloropus* Morawitz,1893; *tungusicum* Ebmer,1978 _ Range (in code): **TR IR Elb 08**
- 3320) Lasioglossum (s.str.) cilicium Ebmer,1972** (Halictidae) Synonym(s): *cilicium* Ebmer,1972 _ Range (in code): **TR IR 04 33 38 47 70**
- 3321) Lasioglossum (s.str.) costulatum (Kriechbaumer,1873)** (Halictidae) Synonym(s): *costulatum* Kriechbaumer,1873; *alpestris* Morawitz,1877 _ Range (in code): **MA FR DK ES PT Co DE PL MK IL Pa TR GR Ae Sms Cr IR 34 42**
- 3322) Lasioglossum (s.str.) cristulum (Pérez,1895)** (Halictidae) Synonym(s): *cristulum* Pérez,1895; *mesoleus* Cockerell,1938; *donatum* Warncke,1975; *#cristulam* Grace,2010 _ Range (in code): **MA DZ IT YU AL GR Ae Le Chi Sms TR Cc SY IL Pa IR 05 06 07 16 31 34 38 61**
- 3323) Lasioglossum (s.str.) discum (Smith,1853)** (Halictidae) Synonym(s): *discum* Smith,1853; *morbillosus* Kriechbaumer,1873; *glasunovi* Cockrell,1924; _ Range (in code): **FR Co Sa IT Si GR Ae IL Pa JO IR TR AF MA DZ TN ES FR 16 35 42**
- 3324) Lasioglossum (s.str.) equinum Ebmer,1978** (Halictidae) Synonym(s): *equinum* Ebmer,1978 _ Range (in code): **TR IL Pa IR**
- 3325) Lasioglossum (s.str.) euxinicum Ebmer,1972** (Halictidae) Synonym(s): *euxinicum* Ebmer,1972 _ Range (in code): **MA IT UA Cm AZ Cc TR IR**
- 3326) Lasioglossum (s.str.) fahringeri Friese,1921** (Halictidae) Synonym(s): *fahringeri* Friese,1921 _ Range (in code): **TR IR 06 25 31 75 76**
- 3327) Lasioglossum (s.str.) fallax (Morawitz,1873)** (Halictidae) Synonym(s): *fallax* Morawitz,1873; *melanarium* Morawitz,1876 [ssp.]; *rhadiourgan* Ebner,1980 [ssp.] _ Range (in code): **TR RU Cc Da GG IR TM UZ KG KK TJ AF PK Mre Pj 06 25 42 46**
- 3328) Lasioglossum (s.str.) haesitans (Blüthgen,1931)** (Halictidae) Synonym(s): *haesitans* Blüthgen,1931 _ Range (in code): **GR Ae Le TR**
- 3329) Lasioglossum (s.str.) korbi (Blüthgen,1929)** (Halictidae) Synonym(s): *korbi* Blüthgen,1929 _ Range (in code): **TR IR**
- 3330) Lasioglossum (s.str.) kussariense (Blüthgen,1925)** (Halictidae) Synonym(s): *kussariense* Blüthgen,1925 _ Range (in code): **GR Ae Le Sms Cr TR**
- 3331) Lasioglossum (s.str.) laevigatum (Kirby,1802)** (Halictidae) Synonym(s): *laevigatum* Kirby,1802; *lugubris* Kirby,1802; *semicinctus* Förster,1860 _ Range (in code): **GB Ae Le TR RU Ur ES IR**
- 3332) Lasioglossum (s.str.) laterale (Brullé,1832)** (Halictidae) Synonym(s): *lateralis* Brullé,1832; *bifasciatus* Brullé,1832; *ticinensis* Frey-Gessner,1903 _ Range (in code): **ES FR CH HU GR Cr TR 07 34**
- 3333) Lasioglossum (s.str.) lativentre (Schenck,1853)** (Halictidae) Synonym(s): *lativentre* Schenck,1853; *bisbistrigatus* Schenck,1853; *bicinctus* Schenck,1874; *decipiens* Perkins,1913; *sotschica* Blüthgen,1931 _ Range (in code): **ES GR Ae Le Sms Cr TR IR**
- 3334) Lasioglossum (s.str.) lativentre (Schenck,1853)** (Halictidae) Synonym(s): *lativentre* Schenck,1853 _ Range (in code): **GR Ae Le Sms Cr TR IR**
- 3335) Lasioglossum (s.str.) leucozonium (Schränk,1781)** (Halictidae) Synonym(s): *leucozonium* Schränk,1781; *leucostoma* Schränk,1781; *similis* Smith,1853; *bifasciatellus* Schenck,1875; *nigrotibialis* Dalla Torre,1877; *deiphobus* Bingham,1908; *clusium* Warncke,1975; *cedri* Ebmer,1976 _ Range (in code): **GR Ae Le Chi Sms Cr CY TR IR Elb AF Kab PK 31**
- 3336) Lasioglossum (s.str.) pallens (Brullé,1832)** (Halictidae) Synonym(s): *pallens* Brullé,1832 _ Range (in code): **MA FR ES BE DE CY GR Ae Le Sms TR SY JO IR**
- 3337) Lasioglossum (s.str.) perclavipes (Blüthgen,1934)** (Halictidae) Synonym(s): *perclavipes* Blüthgen,1934 _ Range (in code): **GR Ae Le Chi Cr TR**
- 3338) Lasioglossum (s.str.) perclavipes (Blüthgen,1934)** (Halictidae) Synonym(s): *perclavipes* Blüthgen,1934 _ Range (in code): **IT Si Co GR Ae Le Chi Cr ES MA DZ TR 34 59**
- 3339) Lasioglossum (s.str.) prunellum Warncke,1975** (Halictidae) Synonym(s): *prunellum* Warncke,1975 _ Range (in code): **GR TR 25 61**

- 3340) Lasioglossum (s.str.) pseudocaspicum (Blüthgen,1923)** (Halictidae) Synonym(s): *pseudocaspicum* Blüthgen,1923 _ Range (in code): **GR Ae Le Sms Rd IT HU TR 07 10 16 38**
- 3341) Lasioglossum (s.str.) quadrinotatum (Kirby,1802)** (Halictidae) Synonym(s): *quadrinotatum* Kirby,1802 _ Range (in code): **GB KG RU FI ES IR TR**
- 3342) Lasioglossum (s.str.) sexnotatum (Kirby,1802)** (Halictidae) Synonym(s): *sexnotatum* Kirby,1802 _ Range (in code): **GE Ae Le TR IR**
- 3343) Lasioglossum (s.str.) solitarium (Warncke,1975)** (Halictidae) Synonym(s): *solitarium* Warncke,1975 _ Range (in code): **TR**
- 3344) Lasioglossum (s.str.) subbuteo (Warncke,1982)** (Halictidae) Synonym(s): *subbuteo* Warncke,1982 _ Range (in code): **TR 30**
- 3345) Lasioglossum (s.str.) subfasciatum (Imhoff,1832)** (Halictidae) Synonym(s): *subfasciatum* Imhoff,1832 _ Range (in code): **GR TR IR**
- 3346) Lasioglossum (s.str.) tadschicum (Blüthgen,1929)** (Halictidae) Synonym(s): *tadschicum* Blüthgen,1929 _ Range (in code): **TR IR 65 65E**
- 3347) Lasioglossum (s.str.) tenuiceps (Vachal,1905)** (Halictidae) Synonym(s): *tenuiceps* Vachal,1905 _ Range (in code): **TR**
- 3348) Lasioglossum (s.str.) xanthopum (Kirby,1802)** (Halictidae) Synonym(s): *xanthopum* Kirby,1802; *lativalve* Warncke,1984 _ Range (in code): **GR Ae Le Cr TR IR 06**
- 3349) Lasioglossum (s.str.) zonulum (Smith,1848)** (Halictidae) Synonym(s): *zonulum* Smith,1848 _ Range (in code): **GB Ae Le RU Sb TR AZ Cc IR CN Yu Sz**
- 3350) Lasioglossum eurasicum Ebmer,1972** (Halictidae) Synonym(s): *eurasicum* Ebmer,1972 Range (in code): **YU GR TR 33**
- 3351) Lasioglossum sexnotatum Kirby,1802** (Halictidae) Synonym(s): *sexnotatum* Kirby,1802 Range (in code): **TR**
- 3352) Lasioglossum solitarium Warncke,1975** (Halictidae) Synonym(s): *solitarium* Warncke,1975 _ Range (in code): **TR 07 33**
- 3353) Lasioglossum subfasciatum Imhoff,1832** (Halictidae) Synonym(s): *subfasciatum* Imhoff,1832 _ Range (in code): **TR**
- 3354) Lasioglossum tinnunculum Warncke,1982** (Halictidae) Synonym(s): *tinnunculum* Warncke,1982 _ Range (in code): **TR**
- 3355) Lasioglossum xanthopum Kirby,1802** (Halictidae) Synonym(s): *xanthopum* Kirby,1802 Range (in code): **TR**
- 3356) Nomioides (s.str.) chalybeatus (Blüthgen,1934)** (Halictidae) Synonym(s): *chalybeatus* Blüthgen,1934 _ Range (in code): **GR Ae Le TR IR**
- 3357) Nomioides (s.str.) facilis (Smith,1853)** (Halictidae) Synonym(s): *facilis* Smith,1853 Range (in code): **GR TR IL Pa IR**
- 3358) Nomioides (s.str.) gussakovskiji Blüthgen,1933** (Halictidae) Synonym(s): *gussakovskiji* Blüthgen,1933 _ Range (in code): **TR JO**
- 3359) Nomioides (s.str.) ino (Nurse,1904)** (Halictidae) Synonym(s): *ino* Nurse,1904 Range (in code): **TR JO IQ IR**
- 3360) Nomioides (s.str.) minutissimus (Rossi,1790)** (Halictidae) Synonym(s): *minutissimus* Rossi,1790; *modestus* Pesenko,1977 _ Range (in code): **GR Ae Le Rd Cr CY TR IR**
- 3361) Nomioides (s.str.) modestus Pesenko,1977** (Halictidae) Synonym(s): *modestus* Pesenko,1977 _ Range (in code): **TR**
- 3362) Nomioides (s.str.) parviceps Morawitz,1876** (Halictidae) Synonym(s): *parviceps* Morawitz,1876 _ Range (in code): **TR EG**
- 3363) Nomioides (s.str.) schwarzi Pesenko,1989** (Halictidae) Synonym(s): *schwarzi* Pesenko,1989 Original reference: *Nomioides schwarzi* Pesenko,1989, Trudy Zool. Inst. Akad. Nauk SSSR 188: 125. Type ♀: Turkey, Kars. Range (in code): **TR 36**
- 3364) Nomioides (s.str.) similis Pesenko,1983** (Halictidae) Synonym(s): *similis* Pesenko,1983; *rugosus* Pesenko,1983 _ Range (in code): **TR IR**
- 3365) Nomioides (s.str.) squamiger Saunders,1908** (Halictidae) Synonym(s): *squamiger* Saunders,1908 _ Range (in code): **TR IL Pa EG 33**
- 3366) Nomioides (s.str.) turanicus Morawitz,1876** (Halictidae) Synonym(s): *turanicus* Morawitz,1876 _ Range (in code): **TR IQ IR EG**
- 3367) Pseudapis (Nomiapis) diversipes (Latreille,1806)** (Halictidae) Synonym(s): *diversipes* Latreille,1806 _ Range (in code): **TR GR Ae Le Sms Chi Rd Cr CY IL Pa IR EG LY**

- 3368) Pseudapis (Nomiapis) equestris Gerstaecker,1872** (Halictidae) Synonym(s): *equestris Gerstaecker,1872* _ Range (in code): **GR Ae Le Sms CY TR LB IR Fa Shr**
- 3369) Pseudapis (Nomiapis) femoralis (Pallas,1773)** (Halictidae) Synonym(s): *femoralis Pallas,1773; valga Gerstaecker,1872* _ Range (in code): **GR Ae Rd RU TR IR Fa Shr AF**
- 3370) Pseudapis (Nomiapis) monstrosa (Costa,1861)** (Halictidae) Synonym(s): *monstrosa Costa,1861* _ Range (in code): **IT GR Ae Le Sms CY IL Pa TR**
- 3371) Pseudapis (Nomiapis) unidentata (Olivier,1811)** (Halictidae) Synonym(s): *unidentata Olivier,1811* _ Range (in code): **TR IR Ak Ha Yz Th Ss**
- 3372) Pseudapis (Nomiapis) urfana (Warncke,1980)** (Halictidae) Synonym(s): *urfana Warncke,1980* _ Original reference: *Nomia (Nomiapis) urfana Warncke,1980, Linzer biol. Beitr. 12: 370-372. Holotype ♂: Türkei, Urfa, Halfeti 29.v.1978 leg. Schwarz (coll. Warncke).* _ Range (in code): **TR 63 63E**
- 3373) Pseudapis (Nomiapis) valga (Gerstaecker,1872)** (Halictidae) Synonym(s): *valga Gerstaecker,1872* _ Range (in code): **GR Ae Le Sms CY TR IL Pa IR**
- 3374) Pseudapis (s.str.) anatolica (Warncke,1976)** (Halictidae) Synonym(s): *anatolica Warncke,1976* _ Range (in code): **TR**
- 3375) Pseudapis (s.str.) bytinski (Warncke,1976)** (Halictidae) Synonym(s): *bytinski Warncke,1976* _ Range (in code): **IL Pa EG TR AZ Cc IR**
- 3376) Pseudapis (s.str.) edentata (Morawitz,1876)** (Halictidae) Synonym(s): *edentata Morawitz,1876* _ Range (in code): **TR IQ IR EG**
- 3377) Pseudapis (s.str.) lobata (Olivier,1811)** (Halictidae) Synonym(s): *lobata Olivier,1811* _ Range (in code): **TR IR Ha Th Elb Es Fa Shr 63**
- 3378) Pseudapis (s.str.) platula (Warncke,1976)** (Halictidae) Synonym(s): *platula Warncke,1976* _ Range (in code): **TR IR Ke Ss Kh AF 27**
- 3379) Pseudapis (s.str.) rufescens (Morawitz,1876)** (Halictidae) Synonym(s): *rufescens Morawitz,1876* _ Range (in code): **TR 65**
- 3380) Rhophitoides anatolicus Schwammberger,1975** (Halictidae) Synonym(s): *anatolicus Schwammberger,1975* _ Original reference: *Rhophitoides anatolicus Schwammberger,1975, Senckenberg. biol. 56 (1/3): 60-61, Abb.3. Holotype ♂: Turkey: Ürgüp 30 5 1973 leg.& coll. Warncke* _ Range (in code): **TR 06 50 50G**
- 3381) Rhophitoides canus (Eversmann,1852)** (Halictidae) Synonym(s): *canus Eversmann,1852; bifoveolatus Sichel,1854; distinguendus Schenck,1861* _ Range (in code): **TR IR 25 30 65**
- 3382) Rophites algirus Pérez,1895** (Halictidae) Synonym(s): *algirus Pérez,1895; trispinosus Pérez,1903; montanus Ebmer,1978; graecus Warncke,1980* _ Range (in code): **DZ GR TR**
- 3383) Rophites caucasicus Morawitz,1875** (Halictidae) Synonym(s): *caucasicus Morawitz,1875* _ Range (in code): **Cc TR**
- 3384) Rophites clypealis Schwammberger,1976** (Halictidae) Synonym(s): *clypealis Schwammberger,1976* _ Range (in code): **TR**
- 3385) Rophites foveolatus Friese,1900** (Halictidae) Synonym(s): *foveolatus Friese,1900* _ Range (in code): **TR**
- 3386) Rophites gusenleitneri Schwammberger,1973** (Halictidae) Synonym(s): *gusenleitneri Schwammberger,1973* _ Range (in code): **TR**
- 3387) Rophites hartmanni Friese,1902** (Halictidae) Synonym(s): *hartmanni Friese,1902* _ Range (in code): **GR Ae Le TR SY IL Pa**
- 3388) Rophites heinrichi Schwammberger,1976** (Halictidae) Synonym(s): *heinrichi Schwammberger,1976* _ Range (in code): **TR**
- 3389) Rophites leclercqi Schwammberger,1971** (Halictidae) Synonym(s): *leclercqi Schwammberger,1971* _ Range (in code): **TR**
- 3390) Rophites morawitzia Friese,1902** (Halictidae) Synonym(s): *morawitzia Friese,1902* _ Range (in code): **TR**
- 3391) Rophites nigripes Friese,1902** (Halictidae) Synonym(s): *nigripes Friese,1902* _ Range (in code): **TR IL Pa**
- 3392) Rophites quinquespinosus Spinola,1808** (Halictidae) Synonym(s): *quinquespinosus Spinola,1808* _ Range (in code): **GR TR**
- 3393) Rophites transitorius Ebmer,1993** (Halictidae) Synonym(s): *transitorius Ebmer,1993* _ Range (in code): **TR 30**

- 3394) *Sphecodes albilabris* (Fabricius,1793)** (Halictidae) **Synonym(s):** *albilabris* Fabricius,1793
Range (in code): [GR Ae Le TR JO](#)
- 3395) *Sphecodes alternatus* Smith,1853** (Halictidae) **Synonym(s):** *alternatus* Smith,1853;
punctiventris Hagens,1882; *gracilior* Morawitz,1894; *antigae* Tournier,1901; *lindbergi* Pittioni,1950 **Original**
reference: *Sphecodes alternatus* Smith,1853, Cat. Hym. Br. Mus. 1: 36. Type ♀: Albania. **Range**
(in code): [MA TN ES FR AL GR Ae Le CY TR UZ 01 02 04 06 08 13 20 26 30 33 34 35 36 38 42 50 52 55](#)
[65 73 13G 65E](#)
- 3396) *Sphecodes anatolicus* Warncke,1992** (Halictidae) **Synonym(s):** *anatolicus* Warncke,1992
Original reference: *Sphecodes anatolicus* Warncke,1992, Ber. naturf. Ges. Augsburg 52: 27-28.
Holotype ♂: "Türkei, Konya, Madenşehir 7.8.72" (leg. & coll.Warncke). **Range (in code):** [TR 42 51](#)
- 3397) *Sphecodes armeniacus* Warncke,1992** (Halictidae) **Synonym(s):** *armeniacus*
Warncke,1992 **Original reference:** *Sphecodes armeniacus* Warncke,1992, Ber. naturf. Ges.
Augsburg 52: 19-20. Holotype ♀: "Türkei, Kars / Tuzluca, 17.8.72" [İğdir Prov.] (leg. &
coll.Warncke). **Range (in code):** [TR TJ 76 76E](#)
- 3398) *Sphecodes crassus* Thomson,1870** (Halictidae) **Synonym(s):** *crassus* Thomson,1870
Range (in code): [GR TR](#)
- 3399) *Sphecodes cristatus* Hagens,1882** (Halictidae) **Synonym(s):** *cristatus* Hagens,1882
Range (in code): [GR Ae Le TR](#)
- 3400) *Sphecodes croaticus* Meyer,1922** (Halictidae) **Synonym(s):** *croaticus* Meyer,1922; *cypricus*
Blüthgen,1938 **Range (in code):** [GR CY TR](#)
- 3401) *Sphecodes dusmeti* Blüthgen,1924** (Halictidae) **Synonym(s):** *dusmeti* Blüthgen,1924
Range (in code): [GR Ae Le TR](#)
- 3402) *Sphecodes ephippius* (Linnaeus,1767)** (Halictidae) **Synonym(s):** *ephippius* Linnaeus,1767
Range (in code): [GR Ae Le TR](#)
- 3403) *Sphecodes ferruginatus* Hagens,1882** (Halictidae) **Synonym(s):** *ferruginatus*
Hagens,1882 **Range (in code):** [GR Ae Le TR](#)
- 3404) *Sphecodes geoffrellus* (Kirby,1802)** (Halictidae) **Synonym(s):** *geoffrellus* Kirby,1802;
hakkariensis Warncke,1992 **Range (in code):** [TR 08 13 25 30 73 13G 13Gw](#)
- 3405) *Sphecodes gibbus* (Linnaeus,1758)** (Halictidae) **Synonym(s):** *gibbus* Linnaeus,1758;
rufispinosus Meyer,1920 **Range (in code):** [GR Ae Le CY TR](#)
- 3406) *Sphecodes intermedius* Blüthgen,1923** (Halictidae) **Synonym(s):** *intermedius*
Blüthgen,1923 **Range (in code):** [TR](#)
- 3407) *Sphecodes longulus* Hagens,1882** (Halictidae) **Synonym(s):** *longulus* Hagens,1882
Range (in code): [GR TR](#)
- 3408) *Sphecodes majalis* Pérez,1903** (Halictidae) **Synonym(s):** *majalis* Pérez,1903; *barbatus*
Blüthgen,1923 **Range (in code):** [GR Ae Le TR](#)
- 3409) *Sphecodes marginatus* Hagens,1882** (Halictidae) **Synonym(s):** *marginatus* Hagens,1882;
biskrensis Pérez,1903 **Range (in code):** [DZ GR Ae Le Cr TR](#)
- 3410) *Sphecodes monilicornis* (Kirby,1802)** (Halictidae) **Synonym(s):** *monilicornis* Kirby,1802;
cephalotes Meyer,1920 **Range (in code):** [CY GR Ae Le TR JO](#)
- 3411) *Sphecodes olivieri* Lepeletier,1825** (Halictidae) **Synonym(s):** *olivieri* Lepeletier,1825
Range (in code): [TR IL Pa](#)
- 3412) *Sphecodes pellucidus* Smith,1845** (Halictidae) **Synonym(s):** *pellucidus* Smith,1845
Range (in code): [CY TR](#)
- 3413) *Sphecodes pinguiculus* Pérez,1903** (Halictidae) **Synonym(s):** *pinguiculus* Pérez,1903;
sareptensis Meyer,1922 **Range (in code):** [RU Sr TR IL Pa](#)
- 3414) *Sphecodes punctipes* Thomson,1870** (Halictidae) **Synonym(s):** *punctipes* Thomson,1870
Range (in code): [GR Ae Le CY TR](#)
- 3415) *Sphecodes reticulatus* Thomson,1870** (Halictidae) **Synonym(s):** *reticulatus* Thomson,1870
Range (in code): [GR Ae Le TR](#)
- 3416) *Sphecodes rubicundus* Hagens,1875** (Halictidae) **Synonym(s):** *rubicundus* Hagens,1875
Range (in code): [GR Ae Le TR](#)
- 3417) *Sphecodes rufiventris* (Panzer,1798)** (Halictidae) **Synonym(s):** *rufiventris* Panzer,1798;
hethiticus Warncke,1992 **Range (in code):** [CY GR Ae Le TR](#)
- 3418) *Sphecodes zangherii* Noskiewicz,1931** (Halictidae) **Synonym(s):** *zangherii*
Noskiewicz,1931 **Range (in code):** [TR](#)

- 3419) Systropha (s.str.) curvicornis (Scopoli,1770)** (Halictidae) Synonym(s): *curvicornis* Scopoli,1770; *convolvuli* Pallas,1773; *labrosa* Eversmann,1852 Range (in code): SK RU Ur GR Ae Le TR IR
- 3420) Systropha (s.str.) planidens Giraud,1861** (Halictidae) Synonym(s): *planidens* Giraud,1861; *chrysur* Pérez,1905; *grandimargo* Pérez,1905; *anatolica* Warncke,1977 Range (in code): ES FR AT TR GR IR IL Pa Elb Th 06 13 62
- 3421) Thrincohalictus prognathus (Pérez,1912)** (Halictidae) Synonym(s): *prognathus* Pérez,1912 Range (in code): GR Ae Le Chi TR LB IL Pa IR

Ibaliidae

- 3422) Ibalia leucospoides (Hochenwarth,1785)** (Ibaliidae) Synonym(s): *leucospoides* Hochenwarth,1785 Range (in code): BG TR 81

Ichneumonidae

- 3423) Absyrtus vernalis Bauer,1961** (Ichneumonidae) Synonym(s): *vernalis* Bauer,1961 TR BG FR DE NO PL CH UA GB
- 3424) Absyrtus vicinator (Thunberg,1822)** (Ichneumonidae) Synonym(s): *vicinator* Thunberg,1822; *luteus* Holmgren,1859; *exareolatus* Ulbricht,1926 AT AZ Cc BY BE BG CZ FI FR DE HU IE JP LT LV NL NO PL RO RU Kmt Sh YU ES SE CH TR GB
- 3425) Acaenitus dubitator (Panzer,1800)** (Ichneumonidae) Synonym(s): *dubitator* Panzer,1800; *nigriventris* Constantineanu,1958 TR AL AT BY BE BG CN Ui CZ SK FR DE HU IT LT MD MA NL PL PT RO RU At Ao Us YU ES SE CH UA GB 36
- 3426) Acrodactyla quadrisculpta (Gravenhorst,1820)** (Ichneumonidae) Synonym(s): *quadrisculpta* Gravenhorst,1820; *laevigata* Holmgren,1859; *kincaidii* Ashmead,1894; *albocoxalis* Ashmead,1902; *mellithorax* Cushman,1920 Range (in code): AU QAU AT BY BE BG CA Abt BCo On Ssk CN CZ SK DK FI FR DE HU IE IT LT NO PL RO RU Us Sh Pt Ya Yr ES SE CH US Als Arz Cf Col Ny Org Ws GB TR 53 67 53M
- 3427) Acropimpla didyma (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *didyma* Gravenhorst,1829; *jezoensis* Matsumura,1926 Range (in code): AT BY BE CN CZ SK FI FR DE HU IE IT JP LT PL RO RU Ao Us Sh Yr SE CH UA GB TR
- 3428) Acropimpla pictipes (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *pictipes* Gravenhorst,1829; *gravenhorstii* Taschenberg,1863; *stenostigma* Thomson,1877; *ratzeburgii* Kriechbaumer,1887; *proxima* Förster,1888 AT AZ Cc BY BE BG CN Mc CZ SK FI FR DE HU IE IT JP LT LV MD MN NL NO PL RO RU Am Kmt Us Ro Sh Pt Tv Ya Yr YU ES SE CH UA GB YU TR
- 3429) Acroricnus seductor (Scopoli,1786)** (Ichneumonidae) Synonym(s): *seductor* Scopoli,1786; *syriacus* Mocsary,1883 Range (in code): TR GR CY SY LB IL Pa 16 22 32 33 34 46
- 3430) Acroricnus stylator (Thunberg,1822)** (Ichneumonidae) Synonym(s): *stylator* Thunberg,1822 Range (in code): TR 34
- 3431) Acrotomus lucidulus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *lucidulus* Gravenhorst,1829; *sexcinctus* Gravenhorst,1829; *auriculatus* Thomson,1883 TR AT AZ Cc BY BE BG CZ SK FI FR Co GG DE HU GR IT JP KG KP KR LV MN NL NO PL RO RU Kr Us Pt St Ya Yr ES CH UA GB
- 3432) Acrotomus succinctus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *succinctus* Gravenhorst,1829 TR AT AZ Cc BY BE BG CA On CZ SK FI FR Co GG DE GR HU IN IR IE JO KG KP KR LV MD MN NL NO PL RO RU Da Kb Kr Mo Us Pt Tv Ty Voo Ya Yr ES SE TJ TN US Nje GB YU 53
- 3433) Aderaeon hamatum Kasparyan,1971** (Ichneumonidae) Synonym(s): *hamatum* Kasparyan,1971 TR AM AZ Cc GG BG IR RU VI UA
- 3434) Agrothereutes abbreviatus (Fabricius,1793)** (Ichneumonidae) Synonym(s): *abbreviatus* Fabricius,1793; *breviator* Thunberg,1822; *incubitor* Gravenhorst,1829; *hopei* Gravenhorst,1829; *marginellus* Gravenhorst,1829; *pygoleucus* Gravenhorst,1829; *tibiator* Gravenhorst,1829; *ocellator* Zetterstedt,1838; *leucomerus* Ratzeburg,1852;... Range (in code): TR AT AZ Cc BE BG CA Abt BCo On Yuk CN CZ DK FI FR Co DE HU IT KP KR LT LV NL NO PL RO RU ES SE US Als Cf Col NMx Ny Oh Ut Wy 37
- 3435) Agrothereutes fumipennis (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *fumipennis* Gravenhorst,1829; *filipendulae* Boie,1855; *zygaenarum* Thomson,1873; *hymotomadum* Rudow,1883; *nigricans* Kiss,1915; *gracilentus* Habermehl,1929 Range (in code): AT AZ Cc BE BG HV CZ DK FI FR DE HU IT LT LV MK NL NO PL RO RU Kmt SS ES SE CH TN UA GB YU TR 25 32 37
- 3436) Agrothereutes hospes (Tschek,1871)** (Ichneumonidae) Synonym(s): *hospes* Tschek,1871; *solitarius* Tschek,1871; *intermedius* Verhoeff,1890 Range (in code): AT BE BG CZ FI FR Co DE HU IR IT LT MD NO PL RO YU ES SE CH GB TR 28 32

- 3437) *Agrothereutes parvulus* (Habermehl,1926)** (Ichneumonidae) **Synonym(s):** *parvulus* Habermehl,1926 **Range (in code):** **TR FR BG Co IR ES 28 32 52**
- 3438) *Agrypon debilis* (Wesmael,1849)** (Ichneumonidae) **Synonym(s):** *debilis* Wesmael,1849 **Range (in code):** **TR 06**
- 3439) *Agrypon flaveolatum* (Gravenhorst,1807)** (Ichneumonidae) **Synonym(s):** *flaveolatum* Gravenhorst,1807 **Range (in code):** **TR 06**
- 3440) *Agrypon flexorium* (Thunberg,1822)** (Ichneumonidae) **Synonym(s):** *flexorium* Thunberg,1822 **Range (in code):** **TR 22 25 32 34 69**
- 3441) *Agrypon gracilipes* (Curtis,1839)** (Ichneumonidae) **Synonym(s):** *gracilipes* Curtis,1839 **Range (in code):** **TR 06 69**
- 3442) *Agrypon varitarsum* (Wesmael,1849)** (Ichneumonidae) **Synonym(s):** *varitarsum* Wesmael,1849 **Range (in code):** **TR 25 39**
- 3443) *Alcima pictor* Aubert,1971** (Ichneumonidae) **Synonym(s):** *pictor* Aubert,1971 **Range (in code):** **TR**
- 3444) *Alloplasta piceator* (Thunberg,1822)** (Ichneumonidae) **Synonym(s):** *piceator* Thunberg,1822 **Range (in code):** **TR Cc RU At 32**
- 3445) *Alloplasta tomentosa* (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *tomentosa* Gravenhorst,1829 **Range (in code):** **TR 25 62 62C**
- 3446) *Alomya debellator* (Fabricius,1775)** (Ichneumonidae) **Synonym(s):** *debellator* Fabricius,1775; *ovator* Fabricius,1793 **Range (in code):** **TR 34 77**
- 3447) *Amblyjoppa fuscipennis* (Wesmael,1845)** (Ichneumonidae) **Synonym(s):** *fuscipennis* Wesmael,1845; *bimaculata* Constantineanu,1954; *raouli* Constantineanu,1954 **Range (in code):** **DZ AT AZ Cc BE BG CZ FI FR DE HU IR IE IT Si KG LT MN NL NO PL RO RU Om ES SE CH YU TR GB 08 25 51 76 08H 25C 25Ca 25F 25K 25L 25N 25O 76B 76Bh 76Bf**
- 3448) *Amblyteles armatorius* (Forster,1771)** (Ichneumonidae) **Synonym(s):** *armatorius* Forster,1771; *bidentorius* Fabricius,1775; *fasciatorius* Fabricius,1775; *notatorius* Villers,1789; *dimicatorius* Gmelin,1790; *signatorius* Olivier,1792; *diversorius* Stephens,1835; *regius* Tischbein,1868 **Range (in code):** **Cn MA DZ TN PT ES FR BE NL GB IE SE FI RU DE PL CZ CH IT Sa Si SS YU HU RO BG CY AZ Cc Da RU TR CN Ui Gn JP Sh 16 22 44 59 65 44Lc 65F 65Fb 65N 65Nc**
- 3449) *Aneuclis anterior* Horstmann,1971** (Ichneumonidae) **Synonym(s):** *anterior* Horstmann,1971 **Range (in code):** **BG MD TR RU KG 01 07 35**
- 3450) *Aneuclis incidens* (Thomson,1889)** (Ichneumonidae) **Synonym(s):** *incidens* Thomson,1889 **Range (in code):** **Md Cc RU Sb Us MN MD TR 01 02 03 07 15 22 27 33 37 43 65**
- 3451) *Aneuclis melanarius* (Holmgren,1860)** (Ichneumonidae) **Synonym(s):** *melanarius* Holmgren,1860 **Range (in code):** **MD TN TR KG AF Cc RU 06 17 18**
- 3452) *Anisobas brombacheri* Heinrich,1933** (Ichneumonidae) **Synonym(s):** *brombacheri* Heinrich,1933; *ventouxensis* Pic,1936; *martinae* Riedel,2004 **Range (in code):** **AT HV FR DE GR IT Si KK NO PL ES TR 25 55**
- 3453) *Anisobas cephalotes* Kriechbaumer,1882** (Ichneumonidae) **Synonym(s):** *cephalotes* Kriechbaumer,1882 **Range (in code):** **BG HV FR GR HU IT YU ES CH TR TM Kp**
- 3454) *Anisobas cingulatellus* Horstmann,1997** (Ichneumonidae) **Synonym(s):** *cingulatorius* Gravenhorst,1820 (*praeocc.*); *cingulatellus* Horstmann,1997 **Range (in code):** **ES IT DE CZ TR Cc RU KG IR GB DK BE CZ SK AT IT SS BG AZ Cc IR KG AF UZ TM 01 35 38 42 62 62G**
- 3455) *Anisobas gusenleitneri* Heinrich,1980** (Ichneumonidae) **Synonym(s):** *gusenleitneri* Heinrich,1980 **Range (in code):** **TR 42**
- 3456) *Anisobas hostilis* (Gravenhorst,1820)** (Ichneumonidae) **Synonym(s):** *hostilis* Gravenhorst,1820; *scutelloniger* Pic,1897; *nigroscutellatus* Constantineanu etl al.,1957; *maroccanus* Heinrich,1980 **Range (in code):** **MA DZ AT BE BG CN Ui HV CZ DK FI FR DE GR HU IT Sa Si TR Cc BG RU KK LT NL PL RO Kr Cc YU SK SS ES SE CH GB 25 59**
- 3457) *Anisobas rebellis* Wesmael,1845** (Ichneumonidae) **Synonym(s):** *rebellis* Wesmael,1845 **Range (in code):** **MA DZ TR TM 62 62G**
- 3458) *Anisobas seyrigi* Heinrich,1934** (Ichneumonidae) **Synonym(s):** *seyrigi* Heinrich,1934 **Original reference:** *Anisobas seyrigi* Heinrich,1934, Mitt. zool. Mus. Berlin 19: 158. **Range (in code):** **BG FI FR GR IT Si KG KK RU Sb ES TR 62 62C**
- 3459) *Anisobas turcator* Horstmann,2007** (Ichneumonidae) **Synonym(s):** *turcator* Horstmann,2007 **Original reference:** *Anisobas turcator* Horstmann,2007, Entomofauna 28: 112-113. Holotype ♀: Türkiye: "Turcia centr., Acigel env. [Acıgöl], 19.5.1999 K.Denes sen. lgt. (Linz)". **Range (in code):** **TR 03**

- 3460) *Anomalon cruentatum* (Geoffroy,1785)** (Ichneumonidae) Synonym(s): *cruentatum* Geoffroy,1785 _ Range (in code): **TR IR KG RU Sb 06 07 12 21 24 25 31 32 34 36 38 46 59 62 66 69 76 62G 76B**
- 3461) *Anomalon foliator* (Fabricius,1798)** (Ichneumonidae) Synonym(s): *foliator* Fabricius,1798 _ Range (in code): **TR KG RU Sb 06 34 38 59 66**
- 3462) *Aoplus castaneus* (Gravenhorst,1820)** (Ichneumonidae) Synonym(s): *castaneus* Gravenhorst,1820; *rufoniger* Tischbein,1881; *mesopyrrhus* Kriechbaumer,1893; *flaviger* Berthoumieu,1896; *subniger* Berthoumieu,1896; *fieschensis* Pic,1926; *royatensis* Pic,1926 _ Range (in code): **TR AT BY BE BG CZ SK FI FR DE HU IS IE IT Si LT NL NO PL RO RU Ao Sh SE CH TN UA GB**
- 3463) *Apaeleticus bellicosus* Wesmael,1845** (Ichneumonidae) Synonym(s): *bellicosus* Wesmael,1845; *inclytus* Wesmael,1853; *cautus* Berthoumieu,1898; *rufipes* Constantineanu,1951 _ Range (in code): **TR BY BE BG HV FI FR DE IE IT LT NL PL PT RO RU ES UA GB YU**
- 3464) *Apaeleticus inimicus* (Gravenhorst,1820)** (Ichneumonidae) Synonym(s): *inimicus* Gravenhorst,1820; *haematodus* Gravenhorst,1829; *flammeolus* Wesmael,1845; *balearicus* Kriechbaumer,1894; *amoenus* Habermehl,1917; *ibericus* Seyrig,1927; *muelleri* Kiss,1929 _ Range (in code): **TR AD BE BG HV CZ FI FR Co DE HU IT Sa Md NL PL RO RU ES SE CH GB YU**
- 3465) *Apechthis compunctor* (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *compunctor* Linnaeus,1758 _ Range (in code): **TR RU Sb 16 53 53M**
- 3466) *Apechthis quadridentata* (Thomson,1877)** (Ichneumonidae) Synonym(s): *quadridentata* Thomson,1877 _ Range (in code): **TR 19**
- 3467) *Aphanistes armatus* (Wesmael,1849)** (Ichneumonidae) Synonym(s): *armatus* Wesmael,1849 _ Range (in code): **TR**
- 3468) *Aphanistes bellicosus* (Wesmael,1849)** (Ichneumonidae) Synonym(s): *bellicosus* Wesmael,1849 _ Range (in code): **TR**
- 3469) *Apophua bipunctaria* (Thunberg,1822)** (Ichneumonidae) Synonym(s): *bipunctaria* Thunberg,1822 _ Range (in code): **TR 32**
- 3470) *Aptesis cavigena* Kolarov & Gürbüz,2009** (Ichneumonidae) Synonym(s): *cavigena* Kolarov & Gürbüz,2009 _ Original reference: *Aptesis cavigena* Kolarov & Gürbüz,2009, Ent. News 120 (1): 91-94. Range (in code): **TR**
- 3471) *Aptesis nigrocincta* (Gravenhorst,1815)** (Ichneumonidae) Synonym(s): *nigrocincta* Gravenhorst,1815 _ Range (in code): **TR 62 62C**
- 3472) *Aptesis senicula* (Kriechbaumer,1893)** (Ichneumonidae) Synonym(s): *senicula* Kriechbaumer,1893 _ Range (in code): **AZ Cc NO BG MD DE TR 62 62C**
- 3473) *Aritranis buccatus* (Tschek,1872)** (Ichneumonidae) Synonym(s): *buccatus* Tschek,1872 _ Range (in code): **TR 31**
- 3474) *Aritranis claviventris* (Kriechbaumer,1894)** (Ichneumonidae) Synonym(s): *claviventris* Kriechbaumer,1894 _ Range (in code): **TR 07**
- 3475) *Aritranis confector* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *confeator* Gravenhorst,1829 _ Range (in code): **TR 32**
- 3476) *Aritranis director* (Thunberg,1822)** (Ichneumonidae) Synonym(s): *director* Thunberg,1822; *monotona* Ratzeburg,1844; *varipes* Brischke,1881; *leucopygoides* Strand,1920; *hungarica* Kiss,1924; *postfurcalis* Constantineanu,1960 _ Range (in code): **AT AZ Cc BE BG CA On CZ FI FR Co DE HU IR IL Pa IT LT MK MD NO PL RO RU ES SE TR US Nje Ny Oh GB YU 07 32 53 61**
- 3477) *Aritranis fugitivus* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *fugitivus* Gravenhorst,1829 _ Range (in code): **TR 25 32**
- 3478) *Aritranis graeffei* (Thomson,1896)** (Ichneumonidae) Synonym(s): *graeffei* Thomson,1896 _ Range (in code): **BG TR 35**
- 3479) *Aritranis longicauda* (Kriechbaumer,1873)** (Ichneumonidae) Synonym(s): *longicauda* Kriechbaumer,1873 _ Range (in code): **DZ TR 32**
- 3480) *Aritranis nigrifemur* (Szépligeti,1916)** (Ichneumonidae) Synonym(s): *nigrifemur* Szépligeti,1916 _ Range (in code): **TR 32**
- 3481) *Aritranis nigripes* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *nigripes* Gravenhorst,1829; *gracilis* Taschenberg,1865 _ Range (in code): **TR 31**
- 3482) *Aritranis occisor* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *occisor* Gravenhorst,1829 _ Range (in code): **TR 32**
- 3483) *Aritranis odoriferator* (Dufour & Perris,1840)** (Ichneumonidae) Synonym(s): *odoriferator* Dufour & Perris,1840 _ Range (in code): **ES FR DE IT AT BG TR 32**
- 3484) *Aritranis quadriguttatus* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *quadriguttatus* Gravenhorst,1829 _ Range (in code): **TR 32**

- 3485) Arotes albicinctus Gravenhorst,1829** (Ichneumonidae) **Synonym(s):** *albicinctus* Gravenhorst,1829 **Range (in code):** **TR**
- 3486) Astiphromma splenium (Curtis,1833)** (Ichneumonidae) **Synonym(s):** *splenium* Curtis,1833; *strenuum* Holmgren,1860; *pleurale* Provancher,1875; *plagiatum* Thomson,1885; *provancheri* Dalla Torre,1901; *orcae* Ashmead,1902; *kiotense* Uchida,1933; *sachalinensis* Uchida,1933 **Range (in code):** **TR AT BE BG CA Abt BCo On Ssk CZ SK FI FR Co GG Cc DE HU IE JP KP KR LT LV MD NL NO PL RO RU Ao Kmt Sh To SE CH US Als Cf Col Nje Ny Oh Org Ws GB**
- 3487) Astiphromma varipes (Holmgren,1860)** (Ichneumonidae) **Synonym(s):** *varipes* Holmgren,1860; *variipes* Dalla Torre,1901 **Range (in code):** **AT AZ Cc FI DE IT PL RO SE TR 53**
- 3488) Atrometoides winkleri Fahringer,1922** (Ichneumonidae) **Synonym(s):** *winkleri* Fahringer,1922 **Range (in code):** **TR 01**
- 3489) Banchopsis crassicornis Rudow,1886** (Ichneumonidae) **Synonym(s):** *crassicornis* Rudow,1886 **Range (in code):** **TR RU Cc 06 34**
- 3490) Banchus crefeldensis Ulbricht,1916** (Ichneumonidae) **Synonym(s):** *crefeldensis* Ulbricht,1916 **Range (in code):** **TR TN**
- 3491) Banchus falcatorius (Fabricius,1775)** (Ichneumonidae) **Synonym(s):** *falcatorius* Fabricius,1775 **Range (in code):** **TR 34 80**
- 3492) Banchus palpalis Ruthe,1859** (Ichneumonidae) **Synonym(s):** *palpalis* Ruthe,1859 **Range (in code):** **TR**
- 3493) Banchus pictus Fabricius,1798** (Ichneumonidae) **Synonym(s):** *pictus* Fabricius,1798 **Range (in code):** **TR TJ Pm**
- 3494) Banchus turchator Aubert,1981** (Ichneumonidae) **Synonym(s):** *#turchator* Aubert,1978; *turchator* Aubert,1981 **Original reference:** Banchus turchator Aubert,1981, Bull. Soc. ent. Mulh. 1981: 17-22. **Range (in code):** **AZ Cc TJ TR 06 07 25 34 50 58 69 06R 58G**
- 3495) Banchus volutatorius (Linnaeus,1758)** (Ichneumonidae) **Synonym(s):** *volutatorius* Linnaeus,1758; *venator* Linnaeus,1758; *umbellatarum* Schrank,1786; *certator* Thunberg,1822; *monileatus* Gravenhorst,1829; *farrani* Curtis,1836; *moniliatus* Marshall,1872; *calcaratus* Szépligeti,1910; *alticola* Schmiedeknecht,1910 **Range (in code):** **TR AT BY BE BG CA Abt CN Ui HV CZ SK FI FR DE HU IE IT JP KP KR KK LT LV MN NL NO PL RO KG Aa RU Ya Ao Da Cc Mo Us Sh Yr Pe ES SE CH US Als GB GrI**
- 3496) Baranisobas ridibundus (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *ridibundus* Gravenhorst,1829; *hassicus* Ratzeburg,1848; *variegator* Tischbein,1881; *polystictus* Kriechbaumer,1887; *annulatus* Berthoumieu,1896; *instabilis* Berthoumieu,1897; *insperatus* Dalla Torre,1902; *fallaciosus* Berthoumieu,1903; *nigritegulis* Constantineanu, Andriescu & Ciochia,1956 **Range (in code):** **AD AT BY BE BG HV CZ SK DK FI FR Co DE GR HU IE IT LT NL NO PL RO RU Kr Cc ES SE CH TR TN GB**
- 3497) Barichneumon albicaudatus (Fonscolombe,1847)** (Ichneumonidae) **Synonym(s):** *albicaudatus* Fonscolombe,1847 **Range (in code):** **TR**
- 3498) Barichneumon bilunulatus (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *bilunulatus* Gravenhorst,1829 **Range (in code):** **TR**
- 3499) Barichneumon chionomus (Wesmael,1845)** (Ichneumonidae) **Synonym(s):** *chionomus* Wesmael,1845 **Range (in code):** **TR**
- 3500) Barichneumon manni (Kriechbaumer,1888)** (Ichneumonidae) **Synonym(s):** *manni* Kriechbaumer,1888 **Range (in code):** **TR 16**
- 3501) Barichneumon plagarius (Wesmael,1848)** (Ichneumonidae) **Synonym(s):** *plagarius* Wesmael,1848 **Range (in code):** **TR**
- 3502) Barycnemis alpina (Strobl,1901)** (Ichneumonidae) **Synonym(s):** *alpina* Strobl,1901; *alpina* Strobl,1904 **Range (in code):** **SE TR AT BG FI IR IT NO PL CH 69**
- 3503) Barycnemis harpura (Schrank,1802)** (Ichneumonidae) **Synonym(s):** *harpura* Schrank,1802; *bedeguaris* Panzer,1809; *angularis* Provancher,1874; *micans* Provancher,1875; *elongata* Provancher,1886; *polita* Ashmead,1890; *canaliculata* Viereck,1913; *fusca* Constantineanu,1939; *clypeonigro* Constantineanu,1941 **Range (in code):** **TR AM AT BY BE BG CA Abt BCo Nfl Lbr On Ssk Yuk CZ SK DK EE FI FR GG DE GR HU IE IT Si KG LT LV MD MN NL NO PL RO RU Da Kmt Mgd Mo Us Sh Pt Ty VI Voo Ya Yr ES SE CH US Als Arz Cf Col NMx Ny Org Ut Ws Wy UA GB YU 08 25 53 65 75 75F 75Fe**
- 3504) Barylypa amabilis (Tosquinet,1900)** (Ichneumonidae) **Synonym(s):** *amabilis* Tosquinet,1900 **Range (in code):** **TR 25 55**
- 3505) Barylypa delictor (Thunberg,1822)** (Ichneumonidae) **Synonym(s):** *delictor* Thunberg,1822 **Range (in code):** **TR Cc KK KG TJ 22 25 49**
- 3506) Barylypa insidiator (Förster,1878)** (Ichneumonidae) **Synonym(s):** *insidiator* Förster,1878 **Range (in code):** **TR 53**
- 3507) Barylypa torquata Atanasov,1975** (Ichneumonidae) **Synonym(s):** *torquata* Atanasov,1975 **Range (in code):** **TR 25**

- 3508) Barylypa uniguttata (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *uniguttata* Gravenhorst,1829 Range (in code): [TN TR Cc AM IR AF RU Sb Us 07 25 62 62C](#)
- 3509) Barytarbes segmentarius (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *segmentarius* Gravenhorst,1829; *sultanator* Aubert,1989 Original reference: Tryphon *segmentarius* Gravenhorst,1829, Ichneumon. Eur. 2: 209. Range (in code): [TR 33](#)
- 3510) Barytarbes superbus Schmiedeknecht,1913** (Ichneumonidae) Synonym(s): *superbus* Schmiedeknecht,1913 Original reference: Barytarbes *superbus* Schmiedeknecht,1913, Opusc. Ichneumon. 5: 2911. Range (in code): [TR BG RU IL Pa](#)
- 3511) Barytatocephalus mocsaryi (Brauns,1895)** (Ichneumonidae) Synonym(s): *mocsaryi* Brauns,1895; *seminiger* Brauns,1895; *amoenus* Tosquinet,1900 Range (in code): [_HU RU Ao VI TR UA](#)
- 3512) Bathyplectes algericus (Smit van Burgst,1913)** (Ichneumonidae) Synonym(s): *algerica* Smit van Burgst,1913; *algericus* Habermehl,1922 Range (in code): [DZ TN TR IT 34](#)
- 3513) Bathyplectes anurus Thomson,1887** (Ichneumonidae) Synonym(s): *anurus* Thomson,1887 Range (in code): [TR](#)
- 3514) Bathyplectes carinata Horstmann,1974** (Ichneumonidae) Synonym(s): *carinata* Horstmann,1974 Range (in code): [DE HU YU BG TR 07](#)
- 3515) Bathyplectes carthaginensis (Smit van Burgst,1913)** (Ichneumonidae) Synonym(s): *carthaginensis* Smit van Burgst,1913 Range (in code): [TN TR 06 34](#)
- 3516) Bathyplectes curculionis (Thomson,1887)** (Ichneumonidae) Synonym(s): *curculionis* Thomson,1887 Range (in code): [TR 06 34](#)
- 3517) Bathyplectes exiguus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *exiguus* Gravenhorst,1829 Range (in code): [TR 34](#)
- 3518) Bathyplectes rufipes Horstmann,1974** (Ichneumonidae) Synonym(s): *rufipes* Horstmann,1974 Range (in code): [TR 34](#)
- 3519) Bathyplectes rufiventrorator (Aubert,1979)** (Ichneumonidae) Synonym(s): *rufiventrorator* Aubert,1979 Range (in code): [TR 25](#)
- 3520) Bathytrix claviger (Taschenberg,1865)** (Ichneumonidae) Synonym(s): *claviger* Taschenberg,1865; *atra* Brischke,1881; *tibialis* Cushman,1917 Range (in code): [TR AT BG CA Abt BCo CZ FI FR DE IN IT IE JP KP KR NL NO PL RU Ao Kmt Sh ES SE US Col Tx Ws GB 34](#)
- 3521) Bathytrix decipiens (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *decipiens* Gravenhorst,1829; *gyrini* Parfitt,1881; *signata* Habermehl,1919; *meridionator* Aubert,1960 Range (in code): [TR AT CZ FR Co DE HU IE IT Si MD PL RU Mo Ro ES SE GB 57](#)
- 3522) Bathytrix lamina (Thomson,1884)** (Ichneumonidae) Synonym(s): *lamina* Thomson,1884 Range (in code): [TR AT BE BG CZ FI FR Co DE HU IE IT LT NL PL RU YU ES SE CH UA GB 37 61 61L](#)
- 3523) Bathytrix linearis (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *linearis* Gravenhorst,1829; *heteropus* Thomson,1886 Range (in code): [TR AT BE BG CZ DK FR Co DE IT LT NO PL Kmt SE UA GB 53 53M](#)
- 3524) Bathytrix pellucidator (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *pellucidator* Gravenhorst,1829; *ruficauda* Bridgman,1883 Range (in code): [_TR AT AZ Cc BE BG CZ DK FI FR Co DE HU IR IT MD NL NO PL ES SE CH UA GB 52 53 61 53M 61L](#)
- 3525) Benjaminia horstmanni Wahl,1989** (Ichneumonidae) Synonym(s): *horstmanni* Wahl,1989 Range (in code): [TR RU 06](#)
- 3526) Blapsidotes vicinus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *vicinus* Gravenhorst,1829 Range (in code): [TR 37](#)
- 3527) Brachycyrtus ornatus Kriechbaumer,1880** (Ichneumonidae) Synonym(s): *ornatus* Kriechbaumer,1880 Range (in code): [TR MX 78](#)
- 3528) Bremiella pulchella (Kriechbaumer,1890)** (Ichneumonidae) Synonym(s): *pulchella* Kriechbaumer,1890; *australis* Schmiedeknecht,1913 Range (in code): [_DZ AT BG HU IL Pa MD RU Cc CH UA TR](#)
- 3529) Buathra laborator (Thunberg,1822)** (Ichneumonidae) Synonym(s): *laborator* Thunberg,1822; *fabricii* Schiodte,1839; *proxima* Cresson,1864; *turkestanica* Kriechbaumer,1882; *fulvipes* Magretti,1884; *altonii* Dalla Torre,1902; *fulvipes* Habermehl,1902; *sachalinensis* Matsumura,1911; *satoi* Townes,1962 Range (in code): [TR AT AZ Cc BE BG CA Abt BCo Nfl Lbr On Ssk Yuk CN Ui CZ FI FR DE GrI HU IR IT JP KG KP KR KK LT LV MD MN NL NO PL RO RU Ao Kmt Sh ES SE CH TJ TM US Als Arz Cf Col NMx Ny Org Ut Ws Wy GB UZ 15 32 61](#)
- 3530) Buathra tarsoleucos (Schrank,1781)** (Ichneumonidae) Synonym(s): *tarsoleucos* Schrank,1781; *leucopus* Gmelin,1790; *leucotarsos* Gmelin,1790; *curvicauda* Thomson,1896 Original reference: Ichneumon *tarsoleucos* Schrank,1781, Enum. Insect. Austr.: 359. Range (in code): [TR](#)

AF AT BE BG HV CZ DK FI FR DE HU IR IE IT KP KR LT LV MN NL NO PL RO RU Sh ES SE CH TJ UA
GB 16 25 32

- 3531) *Caenocryptus rufiventris* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *rufiventris* Gravenhorst,1829 _ Range (in code): TR 22
- 3532) *Campoletis cognata* Tschek,1871** (Ichneumonidae) Synonym(s): *cognata* Tschek,1871
Range (in code): TR
- 3533) *Campoletis latrator* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *latrator* Gravenhorst,1829 _ Range (in code): TR 25 62 62G
- 3534) *Campoletis viennensis* Gravenhorst,1829** (Ichneumonidae) Synonym(s): *viennensis* Gravenhorst,1829 _ Range (in code): TR
- 3535) *Campoplex difformis* (Gmelin,1790)** (Ichneumonidae) Synonym(s): *difformis* Gmelin,1790 _ Range (in code): TR 50
- 3536) *Campoplex granditor* Aubert,1972** (Ichneumonidae) Synonym(s): *granditor* Aubert,1972
Range (in code): TR 23
- 3537) *Campoplex melanostictus* Gravenhorst,1829** (Ichneumonidae) Synonym(s): *melanostictus* Gravenhorst,1829 _ Range (in code): TR 38
- 3538) *Campoplex ramidulus* (Brischke,1880)** (Ichneumonidae) Synonym(s): *ramidulus* Brischke,1880 _ Range (in code): TR 06
- 3539) *Campoplex tridentator* Aubert,1972** (Ichneumonidae) Synonym(s): *tridentator* Aubert,1972 _ Range (in code): TR 33
- 3540) *Casitaria tenuiventris* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *tenuiventris* Gravenhorst,1829 _ Range (in code): TR 80
- 3541) *Ceratophygadeuon anurus* (Thomson,1884)** (Ichneumonidae) Synonym(s): *anurus* Thomson,1884 _ Range (in code): TR 65 65E
- 3542) *Charops cantator* (De Geer,1778)** (Ichneumonidae) Synonym(s): *cantator* De Geer,1778; *tenuitarsus* Gravenhorst,1829; *decipiens* Gravenhorst,1829; *nigropetiolatus* Strobl,1904; *nigrifacies* Kiss,1924
AT BE BG HV CZ FI FR GG Cc DE HU IL Pa IT KG KP KR LT MD NO PL RO RU Am Us Ro To YU SK ZA
ES SE CH TR UA GB
- 3543) *Chiotica decorator* (Villers,1789)** (Ichneumonidae) Synonym(s): *decorator* Villers,1789
Range (in code): TR UA 34
- 3544) *Chiotica orientalis* Horstmann,1983** (Ichneumonidae) Synonym(s): *orientalis* Horstmann,1983 _ Range (in code): TR 21 27
- 3545) *Chiotica ruficeps* Horstmann,1983** (Ichneumonidae) Synonym(s): *ruficeps* Horstmann,1983 _ Range (in code): TR IR 36
- 3546) *Chiotica terebrator* Horstmann,1983** (Ichneumonidae) Synonym(s): *terebrator* Horstmann,1983 _ Range (in code): FR IT Si DZ TR IL Pa IR 21 33
- 3547) *Chromoplex picticollis* (Thomson,1887)** (Ichneumonidae) Synonym(s): *picticollis* Thomson,1887 _ Range (in code): FR IT AT HU HV B-H GR BG UA EG IL Pa TR 17 25 31 35 48 61
- 3548) *Cidaphus alarius* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *alarius* Gravenhorst,1829; *thuringiacus* Brauns,1889 _ TR AT BE BG CZ SK FR DE IR IT JP LT MK NP NL PL RO RU Da Cc Sh ES GB YU 25
- 3549) *Cidaphus areolatus* (Boie,1850)** (Ichneumonidae) Synonym(s): *areolatus* Boie,1850; *gigas* Kriechbaumer,1897; *brischkei* Szélipgeti,1911 _ TR FI DE HU IT NO PL RU Us GB 53
- 3550) *Clistopyga rufator* Holmgren,1856** (Ichneumonidae) Synonym(s): *rufator* Holmgren,1856; *rufatrix* Schulz,1906 _ TR AT BG CZ SK FI FR DE HU IR LT NL NO PL RO RU SE GB
- 3551) *Clypeocampulum tibiale* Gauld,1976** (Ichneumonidae) Synonym(s): *tibiale* Gauld,1976
Range (in code): TR 01 48 51
- 3552) *Coelichneumon biguttatorius* (Thunberg,1789)** (Ichneumonidae) Synonym(s): *biguttatorius* Thunberg,1789; *restaurator* Fabricius,1793; *serenus* Gravenhorst,1820; *restitutor* Thunberg,1824; *rufopicalis* Pic,1914; *transsylvanicus* Kiss,1924; *concolor* Heinrich,1949 _ Range (in code): DE FI FR GR GB IT KK Co MN NO AT PL RO SE CH ES CZ UA TR 04 06
- 3553) *Coelichneumon bohemani* (Holmgren,1864)** (Ichneumonidae) Synonym(s): *bohemani* Holmgren,1864; *chevrieri* Pic,1902 _ Range (in code): TR AT BE BG HV CZ FI FR DE HU PL RO RU Cc Da SE CH UA GB YU 25
- 3554) *Coelichneumon comitator* (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *comitator* Linnaeus,1758; *auspex* Müller,1776; *biguttatus* Thunberg,1784; *tripunctorius* Thunberg,1789; *nigrator* Fabricius,1793; *narrator* Fabricius,1804; *ferreus* Gravenhorst,1829; *resturator* Gravenhorst,1829; *coerulescens* Tischbein,1879;... Range (in code): TR AF AD AT AZ Cc BY BE HV CZ EE FI FR DE HU IR IL Pa IT Sa Si JP KG KK LT MD NL NO PL PT RO RU Kr Us Sh ES SE CH UA GB YU 06 25 32 62 65 62G 65F

- 3555) *Coelichneumon consimilis* (Wesmael,1845)** (Ichneumonidae) Synonym(s): *consimilis* Wesmael,1845; *caelareator* Tischbein,1881 _ Range (in code): **ES FR GB NO EE RU HU RO BE NL DE CH IT TR 62 62C**
- 3556) *Coelichneumon dorsosignatus* (Berthoumieu,1894)** (Ichneumonidae) Synonym(s): *dorsosignatus* Berthoumieu,1894; *aureipes* Berthoumieu,1896; *commenticius* Kokujev,1908; *wormatiensis* Habermehl,1916; *bessarabiensis* Constantineanu,1929 _ Range (in code): **TR DZ AT AZ Cc DE IR KG PL RO RU ES 04 08 13 25 36 65 76 13G 65F 76B 76Bh**
- 3557) *Coelichneumon erythromerus* (Rudow,1888)** (Ichneumonidae) Synonym(s): *erythromerus* Rudow,1888; *warnckeii* Heinrich,1980 _ Range (in code): **BE DE FR GB IT KK NL AT PL SE YU Si CZ TR 04 25**
- 3558) *Coelichneumon fasciatus* (Gmelin,1790)** (Ichneumonidae) Synonym(s): *fasciatus* Gmelin,1790 _ Range (in code): **TR 25**
- 3559) *Coelichneumon haemorrhoidalis* (Gravenhorst,1820)** (Ichneumonidae) Synonym(s): *haemorrhoidalis* Gravenhorst,1820; *castaneiventris* Gravenhorst,1829; *castaneicauda* Tischbein,1881; *truncatulus* Thomson,1886; *strandii* Berthoumieu,1910; *binigronotatus* Pic,1925; *vulcanius* Pic,1925; *bipunctatus* Schmiedeknecht,1928 nec Gm.,1790 _ Range (in code): **BE DE FI FR GR GB IT NL NO AT PL RU Us SE CH ES CZ HU TR**
- 3560) *Coelichneumon lacrymator* (Fonscolombe,1847)** (Ichneumonidae) Synonym(s): *lacrymator* Fonscolombe,1847; *calararius* Costa,1863; *orientator* Aubert,1966; *corsicator* Aubert,1969; *eversmanni* Berthoumieu,1894; *impeditus* Kokujev,1907; *molestus* Kokujev,1907; *charkovensii* Kokujev,1908; *peculiaris* Kokujev,1908 _ Range (in code): **RO HU NL IT FR ES Co Sa HV PL UA RU Ur IL Pa TR MN 15 45 62 62D**
- 3561) *Coelichneumon leucocerus* (Gravenhorst,1820)** (Ichneumonidae) Synonym(s): *leucocerus* Gravenhorst,1820 _ Range (in code): **TR ES FR GB NO SE FI DE BE NL CH AT IT CZ PL EE RU MD RO YU 25 51**
- 3562) *Coelichneumon merula* (Berthoumieu,1894)** (Ichneumonidae) Synonym(s): *merula* Berthoumieu,1894 _ Range (in code): **MA TR 25 42 65 65G 65Gc**
- 3563) *Coelichneumon moestus* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *moestus* Gravenhorst,1829; *maestus* Dalla Torre,1902 _ Range (in code): **FR TR**
- 3564) *Coelichneumon nigerrimus* (Stephens,1835)** (Ichneumonidae) Synonym(s): *nigerrimus* Stephens,1835; *derasus* Wesmael,1845; *carbonator* Tischbein,1874; *minor* Kriechbaumer,1894; *annulatus* Heinrich,1929; *nigrifacies* Constantineanu,1956 _ Range (in code): **TR AD AZ Cc BY BE HV CZ FI FR Co DE HU IR IE IT NL NO PL RO RU ES UA GB**
- 3565) *Coelichneumon nigricornis* (Wesmael,1845)** (Ichneumonidae) Synonym(s): *nigricornis* Wesmael,1845 _ Range (in code): **TR 25**
- 3566) *Coelichneumon nigritor* Riedel, Çoruh & Özbek,2010** (Ichneumonidae) Synonym(s): *nigritor* Riedel, Çoruh & Özbek,2010 _ Range (in code): **TR AZ Tlh Cc 25 25C**
- 3567) *Coelichneumon nudicoxator* Aubert,1966** (Ichneumonidae) Synonym(s): *nudicoxator* Aubert,1966 _ Range (in code): **TR IL Pa KG KK 04 25 35**
- 3568) *Coelichneumon oltenensis* Constantineanu, Pirvescu & Mihalache,1979** (Ichneumonidae) Synonym(s): *oltenensis* Constantineanu, Pirvescu & Mihalache,1979 _ Range (in code): **RO BG GR GB AT Si TR 43**
- 3569) *Coelichneumon ophiuseae* (Kriechbaumer,1890)** (Ichneumonidae) Synonym(s): *ophiuseae* Kriechbaumer,1890; *tournieri* Pic,1899; *bodmanorum* Heinrich,1950 _ Range (in code): **AT DE FR IT CH TR 50 50G 50Ga**
- 3570) *Coelichneumon orbitator* (Thunberg,1822)** (Ichneumonidae) Synonym(s): *orbitator* Thunberg,1822 _ Range (in code): **ES FR BE NL GB NO SE DE RO RU TR 25**
- 3571) *Coelichneumon pararudis* Riedel,2008** (Ichneumonidae) Synonym(s): *pararudis* Riedel,2008 _ Original reference: *Coelichneumon pararudis* Riedel,2008, Linzer biol. Beitr. 40: 1850-1852. Holotype ♀: TR.or. 29.6.93 Gevaş/Van Gölü/leg. K.Denes (Linz). Range (in code): **TR IR KK 04 25 36 65 65C 65F**
- 3572) *Coelichneumon paraviolaceiventris* Riedel,2008** (Ichneumonidae) Synonym(s): *paraviolaceiventris* Riedel,2008 _ Original reference: *Coelichneumon paraviolaceiventris* Riedel,2008, Linzer biol. Beitr. 40: 1852-1853. Holotype ♀: Turkey E 49km NE Muradiye 2200m leg. M.Halada (Linz). Range (in code): **TR Cc 04 25 36 65 65C**
- 3573) *Coelichneumon problematicus* Riedel, Çoruh & Özbek,2010** (Ichneumonidae) Synonym(s): *problematicus* Riedel, Çoruh & Özbek,2010 _ Range (in code): **IR Th Elb TR 25**
- 3574) *Coelichneumon rudis* (Fonscolombe,1847)** (Ichneumonidae) Synonym(s): *rudis* Fonscolombe,1847; *vicinus* Fonscolombe,1847 nec Cuv.,1843; *kastneri* Taschenberg,1871; *dromedarius* Rudow,1888; *rufipes* Rudow,1888 _ Range (in code): **PT FR DZ GR IT Co HV MA CH ES CY TR**

- 3575) Coelichneumon rufigaster Riedel,2008** (Ichneumonidae) Synonym(s): *rufigaster* Riedel,2008 Original reference: Coelichneumon rufigaster Riedel,2008, Linzer biol. Beitr. 40: 1853. Holotype ♀: Turkey mer. [İçel Province]: Avgadi 30km NW Erdemli, 20.6.96, 1300m leg. P. Jelinek (Lin). Range (in code): **TR 33 33F**
- 3576) Coelichneumon subviolaceiventris (Pic,1908)** (Ichneumonidae) Synonym(s): *subviolaceiventris* Pic,1908; *afghanicus* Heinrich,1957 Range (in code): **FR IT TR AF Bd IR KG KK CN MN RU Sb 65 65F**
- 3577) Collyria coxator (Villers,1789)** (Ichneumonidae) Synonym(s): *coxator* Villers,1789; *calcitator* Gravenhorst,1829 Range (in code): **TR Cc RU US 06 25 34 42 80**
- 3578) Colpognathus celerator (Gravenhorst,1807)** (Ichneumonidae) Synonym(s): *celerator* Gravenhorst,1807; *procerus* Gravenhorst,1829; *femorator* Stephens,1835; *celeratorius* Zetterstedt,1838; *armatus* Thomson,1891; *atricornis* Pic,1914; *femoralis* Habermehl,1917; *sapporensis* Uchida,1926; *rufus* Kiss,1933; *petiolaris* Constantineanu,1954; *nigroscapous* Aubert,1959 Range (in code): **TR AD AT AZ Cc BE BG HV CZ DK EE FI FR Co DE GR Cr HU IR IE IT Sa JP KG LT LV MK MN NL NO PL PT RO RU Da Kr Mo Pe Ro Yr VI ES SE CH TN UA GB YU**
- 3579) Colpotrochia cincta (Scopoli,1763)** (Ichneumonidae) Synonym(s): *cincta* Scopoli,1763; *elegantula* Schrank,1781; *mandator* Fabricius,1787; *mundator* Thunberg,1822; *affinis* Vollenhofen,1875; *notata* Kriechbaumer,1894; *interstitialis* Constantineanu,1929; *postfurcalis* Constantineanu,1932 Range (in code): **TR AT BY BE BG HV CZ FI FR Co GG Cc DE HU IT Si JP KG KP KR LT MK MD NL NO PL RO RU Am Da Kr Mo Or Us Ro Sh ES SE CH UA GB YU 52 53**
- 3580) Colpotrochia cincta (Scopoli,1763)** (Ichneumonidae) Synonym(s): *cincta* Scopoli,1763; *elegantula* Schrank,1781; *mandator* Fabricius,1787; *mundator* Thunberg,1822; *affinis* Vollenhoven,1875; *notata* Kriechbaumer,1894; *interstitialis* Constantineanu,1929; *postfurcalis* Constantineanu,1932 Range (in code): **TR AT BY BE BG HV CZ SK FI FR Co GG Cc DE HU IT Si JP KG KP KR LT MK MD NL NO PL RO RU Am Da Kr Mo Or Sr Us Ro Sh Pt VI ES SE CH UA GB YU 62 62G**
- 3581) Colpotrochia triclitor (Aubert,1979)** (Ichneumonidae) Synonym(s): *triclitor* Aubert,1979 Range (in code): **IR TR**
- 3582) Colpotrochia triclitor (Aubert,1979)** (Ichneumonidae) Synonym(s): *triclitor* Aubert,1979 Range (in code): **TR IR 63**
- 3583) Cosmoconus ceratophorus (Thomson,1888)** (Ichneumonidae) Synonym(s): *ceratophorus* Thomson,1888 Range (in code): **TR AL AM AT AZ Cc BY BG CZ EE FI FR GG HU IE IT LT LV MN NL NO PL RO RU Kr Us Pt Yr ES SE CH UA GB 53 53M**
- 3584) Cosmoconus elongator (Fabricius,1775)** (Ichneumonidae) Synonym(s): *elongator* Fabricius,1775; *elliotti* Morley,1911 Range (in code): **AL AM Cc AT AZ BY BE BG HV CZ SK DK EE FI FR DE GG HU IE IT KG KP KR LT LV MD NL NO PL RO RU At Mo Pe Us Pt To Yr ES SE CH UA GB TR**
- 3585) Cosmoconus elongator (Fabricius,1775)** (Ichneumonidae) Synonym(s): *elongator* Fabricius,1775 Range (in code): **TR Cc RU At Sb KG Aa 31 33**
- 3586) Cosmoconus meridionator Aubert,1963** (Ichneumonidae) Synonym(s): *meridionator* Aubert,1963 Range (in code): **TR AM Cc BY BG CN Ui CZ SK FR GG DE LT LV MN NO PL RU At Mo Pt To Yr SE CH UA GB**
- 3587) Cotiheresiarches dirus (Wesmael,1853)** (Ichneumonidae) Synonym(s): *dirus* Wesmael,1853 Range (in code): **TR KG 22**
- 3588) Cratichneumon coruscator (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *coruscator* Linnaeus,1758; *luridus* Gravenhorst,1829 Range (in code): **TR Cc IR 33 34**
- 3589) Cratichneumon culex (Müller,1776)** (Ichneumonidae) Synonym(s): *culex* Müller,1776; *tibialis* Geoffroy,1785; *clavipes* Gmelin,1790; *leucostoma* Gmelin,1790; *quadricolor* Gmelin,1790; *versicolor* Gmelin,1790; *annulator* Fabricius,1793; *fabricator* Fabricius,1793; *crassator* Thunberg,1822; *infestor* Thunberg,1822; *viator* Thunberg,1822; *fulvipes* Stephens,1835; *nigroclypeatus* Constantineanu, Andriescu & Ciochia,1956; *ruficoxis* Constantineanu, Andriescu & Ciochia,1956; *intermedius* Constantineanu, Andriescu & Ciochia,1956 Range (in code): **AT AZ Cc BY BE BG HV CZ DK EE FI FR GG DE HU IR IE IT Si LT LV MD NL NO PL RO RU At Da Kr ES SE CH TR UA GB YU**
- 3590) Cratichneumon fabricator (Fabricius,1793)** (Ichneumonidae) Synonym(s): *fabricator* Fabricius,1793 Range (in code): **TR 34**
- 3591) Cratichneumon viator (Scopoli,1763)** (Ichneumonidae) Synonym(s): *viator* Scopoli,1763; *nigritarius* Gravenhorst,1820 Range (in code): **TR 16**
- 3592) Cremastus bellicosus Gravenhorst,1829** (Ichneumonidae) Synonym(s): *bellicosus* Gravenhorst,1829; *partitus* Szépligeti,1899; *meridionator* Aubert,1960 Range (in code): **AT AZ Cc BE BG Cn CZ FI FR DE HU IT Si LT LV MD MN NO PL RO RU Us YU ES SE CH TR GB 25**
- 3593) Cremastus crassicornis Thomson,1880** (Ichneumonidae) Synonym(s): *crassicornis* Thomson,1880; *dalmatinus* Strobl,1903 Range (in code): **YU TR AT BG HV CZ FI DE IT LT MD PL RO RU ES SE 01**

- 3594) *Cremastus geminus* Gravenhorst,1829** (Ichneumonidae) Synonym(s): *geminus* Gravenhorst,1829; *areolaris* Strand,1918 _ Range (in code): **TR AT BG CN CZ DK FI FR DE HU IT LT LV MK MN NO PL RU YU ZA SE ES CH GB 39**
- 3595) *Cremastus gigas* Heinrich,1953** (Ichneumonidae) Synonym(s): *gigas* Heinrich,1953 Range (in code): **TR**
- 3596) *Cremastus inflatipes* Roman,1939** (Ichneumonidae) Synonym(s): *inflatipes* Roman,1939; *rufifemur* Constantineanu,1945 _ Range (in code): **BG FI IT LT PL RO YU TR 22**
- 3597) *Cremastus lineatus* Gravenhorst,1829** (Ichneumonidae) Synonym(s): *lineatus* Gravenhorst,1829; *radialis* Thomson,1890 _ Range (in code): **AT DE GR ES SE UA Cm TR 33**
- 3598) *Cremastus petiolaris* Kolarov & Beyarslan,1999** (Ichneumonidae) Synonym(s): *petiolaris* Kolarov & Beyarslan,1999 _ Range (in code): **TR 01**
- 3599) *Cremastus pungens* Gravenhorst,1829** (Ichneumonidae) Synonym(s): *pungens* Gravenhorst,1829; *laeviusculus* Thomson,1890 Range (in code): **AT BG CZ DK FI FR DE HU IR IT LT LV MN NL PL RO RU YU ES SE TR UA 59**
- 3600) *Cremastus tristator* Aubert,1970** (Ichneumonidae) Synonym(s): *tristator* Aubert,1970 Range (in code): **TR 33**
- 3601) *Cryptopimpla caligata* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *caligata* Gravenhorst,1829; *armeniator* Aubert,1977 _ Range (in code): **TR RU KG Cc 75 75D**
- 3602) *Cryptus adelungi* Kokujev,1909** (Ichneumonidae) Synonym(s): *adelungi* Kokujev,1909 **AT ES RU Sb KG MN GG Akh Cc IQ Hjo TR TM Kp UZ KK TJ CN Ui KG 04 13 14 25 65 13G 13Gw 58G 65F**
- 3603) *Cryptus armator* Fabricius,1804** (Ichneumonidae) Synonym(s): *armator* Fabricius,1804; *albatorius* Tschek,1870 _ Range (in code): **TR 42**
- 3604) *Cryptus bucculentus* Tschek,1871** (Ichneumonidae) Synonym(s): *bucculentus* Tschek,1871; *saidensis* Schmiedeknecht,1900 _ **FR Co CH ES IT HV AL GR TR MA DZ TN 25 33 42 50**
- 3605) *Cryptus diana* Gravenhorst,1829** (Ichneumonidae) Synonym(s): *diana* Gravenhorst,1829 _ Range (in code): **TR 32**
- 3606) *Cryptus genalis* Tschek,1872** (Ichneumonidae) Synonym(s): *genalis* Tschek,1872; *mokrzejki* Kurdjumov,1912 _ **GG Cc TR**
- 3607) *Cryptus immitis* Tschek,1871** (Ichneumonidae) Synonym(s): *immitis* Tschek,1871; *disjunctus* Tosquinet,1896 _ **DE BY CH ES IT GR TR AZ Cc JO 04 24 33 36 42 43 46 47 04C 04Cc 42B**
- 3608) *Cryptus inculcator* (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *inculcator* Linnaeus,1758; *sponsor* Fabricius,1793; *regenerator* Panzer,1804; *quadrilineatus* Gravenhorst,1829; *filicornis* Ratzeburg,1844; *bicolor* Rudow,1882 (preocc.); *erythrosoma* Rudow,1882; *lippensis* Rudow,1883; *albopicta* Seyrig,1928 (preocc.) _ **DE CZ SK CH AT IT SS YU GR Rd KG TR AZ Cc TM UZ Tas Fe KK TJ IR Elb Dam Th AF SY JO 16 20 27 30 31 33 34 60 30D 30Dt 330**
- 3609) *Cryptus laticlypeatus* Schwarz,2015** (Ichneumonidae) Synonym(s): *laticlypeatus* Schwarz,2015 _ **TR TJ Pm 25 25A**
- 3610) *Cryptus leucocheir* (Ratzeburg,1844)** (Ichneumonidae) Synonym(s): *leucocheir* Ratzeburg,1844 _ Range (in code): **ES IT BG TR TJ 01 42**
- 3611) *Cryptus minator* Gravenhorst,1829** (Ichneumonidae) Synonym(s): *minator* Gravenhorst,1829 _ Range (in code): **TR 43**
- 3612) *Cryptus moschator* (Fabricius,1787)** (Ichneumonidae) Synonym(s): *moschator* Fabricius,1787 _ Range (in code): **TR 62 62C**
- 3613) *Cryptus notaulicus* Schwarz,2015** (Ichneumonidae) Synonym(s): *notaulicus* Schwarz,2015 **TR 33**
- 3614) *Cryptus schenkioides* Schwarz,2015** (Ichneumonidae) Synonym(s): *schenkioides* Schwarz,2015 _ **TR 06 46**
- 3615) *Cryptus spinosus* Gravenhorst,1829** (Ichneumonidae) Synonym(s): *armatorius* Fabricius,1804; *spinosus* Gravenhorst,1829; *corsicator* Aubert,1969 _ Range (in code): **GB DE CZ SK UA FR CH AT HU RO PT ES IT HV YU BG AL GR TR Cc CY KK UZ TJ IR Ak SY IL MA DZ TN LY 01 16 31 32 33 76 330 76A 76Ab 76D 76Dc**
- 3616) *Cryptus spiralis* (Geoffroy,1785)** (Ichneumonidae) Synonym(s): *spiralis* Geoffroy,1785 Range (in code): **TR CY AZ Cc UZ KK TJ MA DZ Orn TN NL BE DE CZ SK CH AT SS UA Cm FR RO PT ES IT MK BG GR KG 14 25 27 30 32 36 42 50 69 30B 30Be 30D 30Dt**
- 3617) *Cryptus spissus* Schwarz,2015** (Ichneumonidae) Synonym(s): *spissus* Schwarz,2015 **TR 04 65 04C 04Cc 65C**
- 3618) *Cryptus subspinosus* Smits van Burgst,1913** (Ichneumonidae) Synonym(s): *subspinosus* Smits van Burgst,1913 _ Range (in code): **TN DZ TR ES FR IT BG IL Pa CZ SK AT YU GR CY IR JO MA TN 32 63 63E**

- 3619) *Cryptus tuberculatus* Gravenhorst,1829** (Ichneumonidae) Synonym(s): *tuberculatus* Gravenhorst,1829; *investigator* Tschek,1871; *solivagus* Rossem,1989 _ Range (in code): **TR GB DE CZ SK FR CH AT HU RO PT ES IT HV YU AL MK BG GR UA Cn RU Cc KG AZ Cc TM IR Fa UZ KK TJ SY Hms MA Ifr 04 07 16 22 47 58 59 65 65F**
- 3620) *Cryptus viduatorius* Fabricius,1804** (Ichneumonidae) Synonym(s): *viduatorius* Fabricius,1804; *germari* Taschenberg,1865; *nigriventris* Habermehl,1918; *exannulata* Habermehl,1920; *alboclypeatus* Ciochia,1979; *albopostscutellus* Ciochia,1979; *antefurcalis* Ciochia,1979; *bilineata* Ciochia,1979; *rufa* Ciochia,1979 _ Range (in code): **TR AZ Cc CY IR TJ RU Sb NO SE IE GB BE DE CZ SK UA FR Co CH AT HU ES RO SS IT HV YU MK BG GR AD RU KG MN GG AM Eri TM Kp UZ KK MA 04 13 14 25 34 38 42 50 53 58 13G 13Gw 53M 58G**
- 3621) *Cryptus vitreifrontalis* Schwarz,2015** (Ichneumonidae) Synonym(s): *vitreifrontalis* Schwarz,2015 _ TR AZ Cc IR GlS 04 13 23 25 58 65 76 13G 25C 58G 65F 76D 76Da
- 3622) *Ctenichneumon castigator* (Fabricius,1793)** (Ichneumonidae) Synonym(s): *castigator* Fabricius,1793 _ TR
- 3623) *Ctenichneumon divisorius* (Gravenhorst,1820)** (Ichneumonidae) Synonym(s): *divisorius* Gravenhorst,1820 _ TR
- 3624) *Ctenichneumon funereus* (Geoffroy,1785)** (Ichneumonidae) Synonym(s): *funereus* Geoffroy,1785 _ TR
- 3625) *Ctenichneumon inspector* (Wesmael,1845)** (Ichneumonidae) Synonym(s): *inspector* Wesmael,1845 _ TR
- 3626) *Ctenichneumon melanocastanus* Gravenhorst,1829** (Ichneumonidae) Synonym(s): *melanocastanus* Gravenhorst,1829 _ TR
- 3627) *Ctenichneumon nitens* (Christ,1791)** (Ichneumonidae) Synonym(s): *nitens* Christ,1791 TR
- 3628) *Ctenichneumon panzeri* (Wesmael,1845)** (Ichneumonidae) Synonym(s): *panzeri* Wesmael,1845 _ TR
- 3629) *Ctenichneumon repentinus* (Gravenhorst,1820)** (Ichneumonidae) Synonym(s): *repentinus* Gravenhorst,1820 _ TR
- 3630) *Ctenochira meridionator* Aubert,1969** (Ichneumonidae) Synonym(s): *meridionator* Aubert,1969; *cavigena* Kasparyan,1976 _ AM Cc BG FR Co GG PL RU Kr Sh Pt ES UA GB TR 52
- 3631) *Ctenochira pratensis* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *pratensis* Gravenhorst,1829 _ AT Cc TR AZ BE BG CZ SK FI FR GG DE HU IE MN NO PL ES SE UA GB
- 3632) *Cycasis rubiginosa* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *rubiginosa* Gravenhorst,1829; *insidiator* Holmgren,1857; *morio* Holmgren,1857; *binotata* Thomson,1883; *parvula* Thomson,1883 _ TR AL AT AZ Cc BY BE BG HV CZ SK FI FR DE HU IT KG KK LT LV MD MN NL NO PL RO RU Am Da Kb Kr Sh Pt Sr Ya Yr ES SE CH TM UA GB
- 3633) *Cyclolabus pactor* (Wesmael,1845)** (Ichneumonidae) Synonym(s): *pactor* Wesmael,1845; *pici* Berthoumieu,1910; *septentrionalis* Berthoumieu,1910 _ AD AZ Cc BE CZ SK FI FR DE IR IE NL NO PL RO ES SE TR GB YU
- 3634) *Cylloceria melancholica* (Gravenhorst,1820)** (Ichneumonidae) Synonym(s): *melancholica* Gravenhorst,1820; *caligata* Gravenhorst,1829; *defectiva* Gravenhorst,1829; *nigra* Gravenhorst,1829; *sexlineata* Say,1829; *crenicornis* Curtis,1832; *affiniz* Zetterstedt,1838; *denticornis* Haliday,1838; *fracticornis* Haliday,1838; *nuntiator* Zetterstedt,1838; *longicornis* Ratzeburg,1852; *atra* Ruthe,1855; *mancha* Ruthe,1855; *aciculata* Cameron,1905; *marginatrix* Schulz,1906; *rugulosa* Haupt,1917; *altior* Heinrich,1953 _ TR AT AZ Cc BY BE BG CA Abt BCo Nfl Lbr On Ssk Yuk CN CZ SK DK EE FI FR GG DE HU IR IE IT KK LT LV MN NL NO PL RO RU At Ao Kmt Mo Us Sh Ya YU ES SE CH TR US Als Arz Cf Col Fl Nje NMx Ny Oh Org Tx Ut Ws Wy UA GB
- 3635) *Cymodusa* (s.str.) *longiterebra* Dbar,1985** (Ichneumonidae) Synonym(s): *longiterebra* Dbar,1985 _ Range (in code): **PL MD UA RU Cc AZ GG AM CY TR 62 62C**
- 3636) *Cymodusa* (s.str.) *propodeata* Kolarov & Yurtcan,2008** (Ichneumonidae) Synonym(s): *propodeata* Kolarov & Yurtcan,2008 Original reference: *Cymodusa* (s.str.) *propodeata* Kolarov & Yurtcan,2008, *Biologia* 63 (4): 548-549, 4 figs. Holotype ♀: Turkey: Bursa, Suleymaniye 19.9.1992 M.Yurtcan leg. (coll. Univ. Plovdiv,BG). Range (in code): **TR 16**
- 3637) *Cymodusa* (s.str.) *yildirimi* Kolarov & Çoruh,2008** (Ichneumonidae) Synonym(s): *yildirimi* Kolarov & Çoruh,2008 Original reference: *Cymodusa* (s.str.) *yildirimi* Kolarov & Çoruh,2008, *Ent. News* 119 (3): 291-293, figs. Holotype ♀: Turkey: Erzurum, 1850m 30 7 1998 E.Yıldırım leg. (coll. Univ. Plovdiv,BG). Range (in code): **TR 25 25C**
- 3638) *Delomerista mandibularis* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *mandibularis* Gravenhorst,1829; *albicinctus* Desvignes,1862; *desvignesii* Marshall,1870; *gelida* Walkley,1960 AT BE BG CA Abt BCo On Ssk CZ SK EE FI FR DE HU IE IT JP LT NO PL RO RU Ao Sh Pt To Mgd Ty Voo Kj Bry SE CH US Arz Cf Col Ny UA GB YU TR

- 3639) Delomerista pfankuchi Brauns,1905** (Ichneumonidae) Synonym(s): *pfankuchi* Brauns,1905; *unicolor* Hedwig,1959 _ Range (in code): **TR AT BY BG FI FR DE LT NL NO PL RO RU Us SE GB**
- 3640) Diadegma apostata (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *apostata* Gravenhorst,1829 _ Range (in code): **Cc AM TR 25**
- 3641) Diadegma armilata (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *armilata* Gravenhorst,1829; *turcica* Fahringer,1944 _ Range (in code): **TR o6 34**
- 3642) Diadegma chrysostictos (Gmelin,1790)** (Ichneumonidae) Synonym(s): *chrysostictos* Gmelin,1790 _ Range (in code): **TR IL Pa EG o9**
- 3643) Diadegma claripennis (Thomson,1887)** (Ichneumonidae) Synonym(s): *claripennis* Thomson,1887 _ Range (in code): **TR o6**
- 3644) Diadegma consumptor Gravenhorst,1829** (Ichneumonidae) Synonym(s): *consumptor* Gravenhorst,1829 Range (in code): **TR**
- 3645) Diadegma crassicornis (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *crassicornis* Gravenhorst,1829; *carnifex* Gravenhorst,1829; *brevicorne* Holmgren,1860; *normannicum* Rudow,1883 Range (in code): **AT AZ Cc BE BG HV DK FI FR DE GR Cr HU IR IE IL Pa IT Si KG LT MK NL NO PL ES SE CH GB YU TR o6 38**
- 3646) Diadegma crataegellae (Thomson,1877)** (Ichneumonidae) Synonym(s): *crataegellae* Thomson,1877 _ Range (in code): **TR o6**
- 3647) Diadegma elishae Bridgman,1884** (Ichneumonidae) Synonym(s): *elishae* Bridgman,1884 Range (in code): **TR**
- 3648) Diadegma eucrophaga Horstmann,1969** (Ichneumonidae) Synonym(s): *eucrophaga* Horstmann,1969 Range (in code): **TR**
- 3649) Diadegma fenestralis (Holmgren,1860)** (Ichneumonidae) Synonym(s): *fenestralis* Holmgren,1860 _ Range (in code): **TR 35**
- 3650) Diadegma grisescens (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *grisescens* Gravenhorst,1829; *hydropota* Holmgren,1858 _ Range (in code): **TR o1**
- 3651) Diadegma maculata (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *maculata* Gravenhorst,1829 _ Range (in code): **TR 21**
- 3652) Diadegma mediterraneum Constantineanu,1930** (Ichneumonidae) Synonym(s): *mediterraneum* Constantineanu,1930 Range (in code): **TR**
- 3653) Diadegma pulchripes (Kokujev,1915)** (Ichneumonidae) Synonym(s): *pulchripes* Kokujev,1915 _ Range (in code): **TR GR Cr AF MN**
- 3654) Diadegma semiclausum (Hellén,1949)** (Ichneumonidae) Synonym(s): *semiclausum* Hellén,1949 _ Range (in code): **TR o6 35**
- 3655) Diadegma velox (Holmgren,1860)** (Ichneumonidae) Synonym(s): *velox* Holmgren,1860 Range (in code): **TR o1 o6**
- 3656) Diadromus collaris (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *collaris* Gravenhorst,1829 _ AF AD AU NSw QAU AT AZ Cc Az BD BE BG Cn CN Pkn IMn TW CZ SK FJ FI FR Co DE GR IN IR IL Pa IT Si JP Md MY MX MD NL NZ PK PL PT ZA ES SE TJ TR TH TN TM UA GB YU
- 3657) Diadromus subtilicornis (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *subtilicornis* Gravenhorst,1829; *imbellis* Wesmael,1845; *plutellae* Ashmead,1890 _ AZ Cc BE BG CA On CN CZ SK EE FI FR DE HU IE IR JP KG LT MD NL NO PL RO RU Kr Mo VI Yr ES SE CH TR US Ny Oh UA GB YU
- 3658) Diaglyptellana punctata (Holmgren,1857)** (Ichneumonidae) Synonym(s): *punctata* Holmgren,1857; *sisyphii* Verhoeff,1891 _ Range (in code): **TR o6**
- 3659) Diaglyptellodes sculpturator (Aubert,1977)** (Ichneumonidae) Synonym(s): *sculpturator* Aubert,1977 _ BG IT MA TN EG GR TR PL SK ES TM o6 71
- 3660) Diaparsis (Nanodiaparsis) apertus (Thomson,1889)** (Ichneumonidae) Synonym(s): *apertus* Thomson,1889 _ Range (in code): **TR Cc o8**
- 3661) Diaparsis (Nanodiaparsis) frontella (Holmgren,1860)** (Ichneumonidae) Synonym(s): *frontella* Holmgren,1860 _ Range (in code): **KG TR Cc RU Sb 37**
- 3662) Diaparsis (s.str.) multiplicator Aubert,1969** (Ichneumonidae) Synonym(s): *multiplicator* Aubert,1969 _ Range (in code): **TR 24 24D**
- 3663) Diaparsis (s.str.) nitida Horstmann,1980** (Ichneumonidae) Synonym(s): *nitida* Horstmann,1980 _ Range (in code): **UA AZ Cc TR KG RU Us 36 55 36F**
- 3664) Diaparsis (s.str.) nutritor (Fabricius,1804)** (Ichneumonidae) Synonym(s): *nutritor* Fabricius,1804 _ Range (in code): **TR Cc 59**

- 3665) Diaparsis (s.str.) rara (Horstmann,1971)** (Ichneumonidae) Synonym(s): *rara* Horstmann,1971 _ Range (in code): AT HU DE LT BY UA RU Cc Sb Us KG TR 37
- 3666) Diaparsis (s.str.) temporalis Horstmann,1979** (Ichneumonidae) Synonym(s): *temporalis* Horstmann,1979 _ Range (in code): TR Cc KG 22
- 3667) Dicaelotus mandibulator (Aubert,1958)** (Ichneumonidae) Synonym(s): *mandibulator* Aubert,1958 _ FR PL RU Cc Da ES TR
- 3668) Dicaelotus montanus (Destefani,1886)** (Ichneumonidae) Synonym(s): *montanus* Destefani,1886 _ Range (in code): IT Si Cc TR 26
- 3669) Dicaelotus morosator Aubert,1969** (Ichneumonidae) Synonym(s): *morosator* Aubert,1969 _ Range (in code): TR 54
- 3670) Dicaelotus rufilimbatus (Gravenhorst,1820)** (Ichneumonidae) Synonym(s): *rufilimbatus* Gravenhorst,1820 _ Range (in code): TR 51
- 3671) Dichrogaster diatropa Townes,1983** (Ichneumonidae) Synonym(s): *diatropa* Townes,1983 _ Range (in code): TR 42
- 3672) Dichrogaster liostylus (Thomson,1884)** (Ichneumonidae) Synonym(s): *liostylus* Thomson,1884 _ Range (in code): TR 55 53 61 53M 61L
- 3673) Dichrogaster modesta (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *modesta* Gravenhorst,1829 _ Range (in code): TR IL Pa 37 57
- 3674) Dimophora nitens (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *nitens* Gravenhorst,1829; *robusta* Brischke,1880; *similis* Brischke,1880; *arenicola* Thomson,1890 _ Range (in code): AT BY HV CZ DK FI FR DE HU IT LT MK MN NO PL RO YU ES SE CH GB TR 06
- 3675) Diphyus amatorius (Müller,1776)** (Ichneumonidae) Synonym(s): *amatorius* Müller,1776 TR
- 3676) Diphyus fossorius (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *fossorius* Linnaeus,1758 _ TR
- 3677) Diphyus inopinus Heinrich,1972** (Ichneumonidae) Synonym(s): *inopinus* Heinrich,1972 TR
- 3678) Diphyus longimanus (Wesmael,1857)** (Ichneumonidae) Synonym(s): *longimanus* Wesmael,1857 _ TR
- 3679) Diphyus luctatorius (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *luctatorius* Linnaeus,1758; *culpatorius* Linnaeus,1758 _ Range (in code): TR 34
- 3680) Diphyus mercatorius (Fabricius,1793)** (Ichneumonidae) Synonym(s): *mercatorius* Fabricius,1793; *ponticus* Heinrich,1978 _ Range (in code): TR Cc AM IR 76
- 3681) Diphyus montivagans (Berthoumieu,1896)** (Ichneumonidae) Synonym(s): *montivagans* Berthoumieu,1896 _ Range (in code): TR 31 58 61
- 3682) Diphyus ochromelas (Gmelin,1790)** (Ichneumonidae) Synonym(s): *ochromelas* Gmelin,1790; *negatorius* Fabricius,1793 _ Range (in code): TR Cc KG RU Sb MN 41
- 3683) Diphyus palliatorius (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *palliatorius* Gravenhorst,1829 _ Range (in code): TR RU Sb KG 16
- 3684) Diphyus pseudomercator Heinrich,1978** (Ichneumonidae) Synonym(s): *pseudomercator* Heinrich,1978; *hexaleucos* Heinrich,1978; *#caucasicus* Heinrich,1978 _ Range (in code): TR Cc AM 25 76
- 3685) Diphyus quadripunctorius (Müller,1776)** (Ichneumonidae) Synonym(s): *quadripunctorius* Müller,1776 _ Range (in code): TR 34
- 3686) Diphyus quinquecinctus (Kriechbaumer,1892)** (Ichneumonidae) Synonym(s): *quinquecinctus* Kriechbaumer,1892; *transbaicalicus* Heinrich,1978 [ssp.] _ Range (in code): TR CN Ui AF BG Cn DE KG RO RU ES TM 38
- 3687) Diphyus septemguttatus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *septemguttatus* Gravenhorst,1829 _ TR
- 3688) Diplazon annulatus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *annulatus* Gravenhorst,1829 _ Range (in code): TR 25
- 3689) Diplazon laetatorius (Fabricius,1781)** (Ichneumonidae) Synonym(s): *laetatorius* Fabricius,1781 _ Range (in code): TR 03 06 08 14 15 24 25 26 32 34 42 50 63
- 3690) Diplazon pectoratorius (Thunberg,1822)** (Ichneumonidae) Synonym(s): *pectoratorius* Thunberg,1822 _ Range (in code): TR 06
- 3691) Diplazon schachti Diller,1986** (Ichneumonidae) Synonym(s): *schachti* Diller,1986 _ Range (in code): TR 73
- 3692) Diplazon scutatorius Teunissen,1943** (Ichneumonidae) Synonym(s): *scutatorius* Teunissen,1943 _ Range (in code): TR 62 62G

- 3693) Diplazon tetragonus Thunberg,1822** (Ichneumonidae) Synonym(s): *tetragonus* Thunberg,1822 _ Range (in code): **TR 34**
- 3694) Diplazon tibiatorius (Thunberg,1822)** (Ichneumonidae) Synonym(s): *tibiatorius* Thunberg,1822; *albosignatus* Gravenhorst,1829 _ Range (in code): **TR 06 07 16 25**
- 3695) Dolichomitus mesocentrus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *mesocentrus* Gravenhorst,1829 _ Range (in code): **TR 16 34**
- 3696) Dolichomitus messor (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *messor* Gravenhorst,1829 _ Range (in code): **TR 34**
- 3697) Dolichomitus populneus (Ratzeburg,1848)** (Ichneumonidae) Synonym(s): *populneus* Ratzeburg,1848; *abbreviatus* Thomson,1877 _ TR AT BE BG CA On Ssk CN Mc Ui CZ SK FI FR DE GR HU IT LT PL RO RU Us Yr YU ES SE CH US Col Ws GB
- 3698) Dolichomitus sericeus (Hartig,1847)** (Ichneumonidae) Synonym(s): *sericeus* Hartig,1847 _ Range (in code): **TR 06 40**
- 3699) Dolichomitus subglabratus (Perkins,1843)** (Ichneumonidae) Synonym(s): *subglabratus* Perkins,1843 _ Range (in code): **TR 16**
- 3700) Drepanoctonus tricoloratus Sedivy,1971** (Ichneumonidae) Synonym(s): *tricoloratus* Sedivy,1971 _ GG Cc MN RU UA TR
- 3701) Dusona falcator (Fabricius,1775)** (Ichneumonidae) Synonym(s): *falcator* Fabricius,1775 _ Range (in code): **TR 16**
- 3702) Dusona inermis (Förster,1868)** (Ichneumonidae) Synonym(s): *inermis* Förster,1868 _ Range (in code): **TR AT BY BE BG CZ SK FI FR DE HU IT Si LT MD NL PL RO RU At Mo ES SE CH GB 75**
- 3703) Dusona inteligator Aubert,1966** (Ichneumonidae) Synonym(s): *inteligator* Aubert,1966 _ Range (in code): **TR 33**
- 3704) Dusona nidulator (Fabricius,1804)** (Ichneumonidae) Synonym(s): *nidulator* Fabricius,1804 _ Range (in code): **TR 62 62C**
- 3705) Dusona oxyacanthae (Boie,1855)** (Ichneumonidae) Synonym(s): *oxyacanthae* Boie,1855 _ Range (in code): **TR IL Pa 34**
- 3706) Dusona prominula (Förster,1868)** (Ichneumonidae) Synonym(s): *prominula* Förster,1868; *contumax* Förster,1868; *foveolata* Förster,1868 _ Range (in code): **DZ AT BE BG CZ SK FI FR DE GR HU IE IT MD NL NO PL RO RU Kr ES SE CH UA GB TR**
- 3707) Dusona stragifex (Förster,1868)** (Ichneumonidae) Synonym(s): *stragifex* Förster,1868; *adjuncta* Förster,1868; *areolata* Brauns,1895; *daisetsuzana* Uchida,1928 _ Range (in code): **AM AT Cc BY BE BG CZ SK FI FR GG DE GR HU IE IT JP KP KR LT MD MA NL NO PL RO RU At Ao Us Sh To ES SE CH UA GB TR 80**
- 3708) Dusona tricolorator Aubert,1970** (Ichneumonidae) Synonym(s): *tricolorator* Aubert,1970 _ Range (in code): **TR 63**
- 3709) Dusona turcator Horstmann,2009** (Ichneumonidae) Synonym(s): *turcator* Horstmann,2009 _ Original reference: *Dusona turcator* Horstmann,2009, *Spixiana* 32 (1): 108. Holotype ♂: Turkey, 40km E Urfa (leg. Kl.Warncke) (ZSM) _ **TR 63**
- 3710) Dusona ucranica Hinz,1972** (Ichneumonidae) Synonym(s): *ucranica* Hinz,1972 _ Range (in code): **TR**
- 3711) Echthronomas tricincta (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *tricincta* Gravenhorst,1829 _ Range (in code): **FR PL TR 06**
- 3712) Echthrus reluctator (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *reluctator* Linnaeus,1758 _ Range (in code): **TR 16**
- 3713) Enclisis ornaticeps (Thomson,1885)** (Ichneumonidae) Synonym(s): *ornaticeps* Thomson,1885 _ Range (in code): **DE DK FR IT AT PL YU TR**
- 3714) Encrateola laevigata (Ratzeburg,1848)** (Ichneumonidae) Synonym(s): *laevigata* Ratzeburg,1848; *furcata* Taschenberg,1865; *subimpressa* Brischke,1892; *nigrescens* Hedwig,1936 _ AF AT BG CA CZ FI FR Co DE HU IE MD NL NO PL RO ZA SE TR US Org Nh Ny Ws UA GB 28
- 3715) Endasys brevis (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *brevis* Gravenhorst,1829 _ Range (in code): **TR**
- 3716) Endasys erythrogaster (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *erythrogaster* Gravenhorst,1829 _ Range (in code): **TR 06 38**
- 3717) Endasys parviventris (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *parviventris* Gravenhorst,1829 _ Range (in code): **TR**

- 3718) Endasys plagiator (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *plagiator* Gravenhorst,1829; *braunsi* Lange,1911; *laetus* Habermehl,1929 _ Range (in code): **TR AT BE BG HV CZ DK FI FR DE HU IT Si MK NL NO PL ES SE CH UA GB YU 25 53**
- 3719) Endasys rubricator (Thunberg,1822)** (Ichneumonidae) Synonym(s): *rubricator* Thunberg,1822 _ Range (in code): **TR 06**
- 3720) Endromopoda arundinator (Fabricius,1804)** (Ichneumonidae) Synonym(s): *arundinator* Fabricius,1804; *melanopyga* Gravenhorst,1829; *erythrosoma* Rudow,1883; *arundinatrix* Schulz,1906; *nigricans* Ulbricht,1913; *culpator* Morley,1914; *crefeldensis* Strand,1918 _ TR DZ AT AZ Cc BY BE BG CZ FI FR Co DE HU IR IE IT Sa Si LT LV MD MN NL NO PL RO RU Ao Da Pe Ro Pt Sr St To Yr ES SE UA GB
- 3721) Endromopoda detrita (Holmgren,1860)** (Ichneumonidae) Synonym(s): *punctator* Müller,1766; *detritus* Holmgren,1860; *laevidorsum* Vollenhoven,1873; *brunnea* Birschke,1880 _ Range (in code): **TR AT AZ Cc BY BE BG CA Abt BCo On CN TW HV CZ SK DK FI FR Co GG DE HU IR IE IT LT LV MD NL NO PL RO RU Kmt Us Sh Yr YU ES SE CH US Cf Ny Org Ws UA GB 62 62C**
- 3722) Endromopoda phragmitidis (Perkins,1957)** (Ichneumonidae) Synonym(s): *phragmitidis* Perkins,1957; *rufipes* Aubert,1963 _ TR AT BY BG CZ FI FR DE MD MN NO PL RO YU SE TR GB
- 3723) Enicospilus cerebrator Aubert,1966** (Ichneumonidae) Synonym(s): *cerebrator* Aubert,1966 _ Range (in code): **ES FR IT Co Si RU TR 50**
- 3724) Enicospilus cruciator Victorov,1957** (Ichneumonidae) Synonym(s): *cruciator* Victorov,1957 _ Range (in code): **ES FR IT Co BG TR IR DZ MN KG RU At 20 50**
- 3725) Enicospilus incognitus Izquierdo,1983** (Ichneumonidae) Synonym(s): *incognitus* Izquierdo,1983 _ Range (in code): **ES YU TR**
- 3726) Enicospilus inflexus (Ratzeburg,1844)** (Ichneumonidae) Synonym(s): *inflexus* Ratzeburg,1844 _ TR BG Cn HV CZ SK FR DE HU IL Pa IT MA PL ES TM GB
- 3727) Enicospilus ramidulus (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *ramidulus* Linnaeus,1758; *merdarius* Gravenhorst,1829 _ Range (in code): **ES FR IE GB SE FI DK DE PL BE NL CH AT CZ SK HU Co Sa Si MD RO BG TR Cc RU Sb Us Sh 25 32 38 42 50 62 80 62F**
- 3728) Enicospilus repentinus (Holmgren,1858)** (Ichneumonidae) Synonym(s): *repentinus* Holmgren,1858 _ Range (in code): **PT ES FR BE NL DE PL EE SE FI AT IT HU RO BG TR RU Sb KG 38**
- 3729) Enicospilus tournieri (Snellen van Vollenhoven,1879)** (Ichneumonidae) Synonym(s): *tournieri* Snellen van Vollenhoven,1879 _ Range (in code): **ES FR GB BE NL DE PL UA RU MD RO HU CH IT Co BG TR 50**
- 3730) Ephialtes manifestator (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *manifestator* Linnaeus,1758; *gracilis* Gmelin,1790; *leucopalpus* Gmelin,1790; *melanopus* Gmelin,1790; *carbonarius* Christ,1791; *gracilis* Schrank,1802; *nepotor* Thunberg,1822; *elongator* Zetterstedt,1838 _ TR AT AZ Cc BY BE BG CA Abt BCo On CN Gn HV CZ SK DK EE FI FR Co DE GR Cr HU IS IN IR IE IT Sa Si JP KG LT LV MA NL NO PL RO RU Ao Sh Pt YU SS ES SE CH TJ US Arz Nje Ny UA GB
- 3731) Eremotylus marginatus (Jurine,1807)** (Ichneumonidae) Synonym(s): *marginatus* Jurine,1807 _ Range (in code): **Cc TR**
- 3732) Eriborus terebrans (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *terebrans* Gravenhorst,1829 _ Range (in code): **TR**
- 3733) Eridolius pictus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *pictus* Gravenhorst,1829; *marginatus* Thomson,1883; *crassipes* Szépligeti,1901; *nigrofemoralis* Ashmead,1902 _ Range (in code): **TR FR IT AT BY BE NL DK DE CZ SK IE PL NO MN KG SE FI EE LT RU Pt Tt Ya Yr At Kmt Mgd Sh US Als GB 25**
- 3734) Erromenus bibulus Kasparyan,1973** (Ichneumonidae) Synonym(s): *bibulus* Kasparyan,1973 _ BY BG FI GG Cc DE KG LT MN PL RU Mo Pt Ya Yr TR GB
- 3735) Erromenus brunnicans (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *brunnicans* Gravenhorst,1829; *brunicans* Dalla Torre,1901 _ Range (in code): **TR AT BE BG CZ SK EE FI FR DE HU IE KG LT LV MN NL NO PL RO RU Da Mo Us Pt Voo Yr ES SE CH GB 67**
- 3736) Erromenus junior (Thunberg,1822)** (Ichneumonidae) Synonym(s): *junior* Thunberg,1822; *frenator* Gravenhorst,1829; *arenicola* Thomson,1883; *discretus* Szépligeti,1899 _ TR
- 3737) Erromenus melanotus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *melanotus* Gravenhorst,1829; *cavigena* Thomson,1883 _ Range (in code): **TR 38**
- 3738) Erromenus punctulatus Holmgren,1857** (Ichneumonidae) Synonym(s): *punctulatus* Holmgren,1857; *crassus* Cresson,1868; *tejonius* Cresson,1879; *leviculus* Davis,1897; *niger* Szépligeti,1901 _ TR
- 3739) Eucremastoides angelovi Kolarov,1980** (Ichneumonidae) Synonym(s): *angelovi* Kolarov,1980 _ Range (in code): **BG TR 05**
- 3740) Eucremastus collaris Narolsky,1990** (Ichneumonidae) Synonym(s): *collaris* Narolsky,1990 _ Range (in code): **AZ AM GG Cc TR 33**

- 3741) *Eucremastus manni* (Tschek,1871)** (Ichneumonidae) Synonym(s): *manni* Tschek,1871
Range (in code): **DZ ES GR TR**
- 3742) *Eucremastus priebei* Kolarov,1999** (Ichneumonidae) Synonym(s): *priebei* Kolarov,1999
Range (in code): **TR**
- 3743) *Eudelus simillimus* (Taschenberg,1865)** (Ichneumonidae) Synonym(s): *simillimus* Taschenberg,1865
Range (in code): **ES FR GB NL DE SE FI NO PL CZ SK AT IT Co HU RO BG TR UA RU o6**
- 3744) *Eugalta cinctipes* (Kriechbaumer,1899)** (Ichneumonidae) Synonym(s): *cinctipes* Kriechbaumer,1899
Range (in code): **UA Cm TR**
- 3745) *Eurylabus larvatus* (Christ,1791)** (Ichneumonidae) Synonym(s): *larvatus* Christ,1791; *vinulatorius* Thunberg,1822; *intrepidus* Wesmael,1855; *pestrei* Berthoumieu,1892; *vinulator* Thomson,1894; *flavosignatus* Kriechbaumer,1894; *dusmeti* Berthoumieu,1904
Range (in code): **TR DZ AT BE HV CZ SK FI FR DE HU IT KG PL RO RU Kr Cc ES SE GB**
- 3746) *Euryproctus arbustorum* Holmgren,1857** (Ichneumonidae) Synonym(s): *arbustorum* Holmgren,1857
Range (in code): **TR NO SE FI PL AT UA BY RU 53 53M**
- 3747) *Euryproctus luteicornis* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *luteicornis* Gravenhorst,1829
Range (in code): **TR SE FI IE GB FR DE CH PL CZ SK AT HU LT GG Cc 53 53M**
- 3748) *Euryproctus mundus* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *mundus* Gravenhorst,1829
Range (in code): **TR 33 34**
- 3749) *Euryproctus nemoralis* (Geoffroy,1785)** (Ichneumonidae) Synonym(s): *nemoralis* Geoffroy,1785
Range (in code): **TR AZ Cc RU Sb 53 53M**
- 3750) *Euryproctus numidicus* Schmiedeknecht,1900** (Ichneumonidae) Synonym(s): *numidicus* Schmiedeknecht,1900; *tunetanus* Habermehl,1925; *turcator* Aubert,1979
Range (in code): **DZ TN IL Pa TR 42**
- 3751) *Eutanyacra glaucatoria* (Fabricius,1793)** (Ichneumonidae) Synonym(s): *albiventris* Gmelin,1790; *glaucatoria* Fabricius,1793; *basalis* Stephens,1835; *hungarica* Tischbein,1868; *sicula* Rudow,1888; *distyca* Berthoumieu,1894; *hispanica* Berthoumieu,1896; *meridionalis* Berthoumieu,1896; *nigriventris* Berthoumieu,1896; *obesa* Berthoumieu,1896; *spoliata* Berthoumieu,1896; *medinai* Berthoumieu,1903; *nigroscutella* Ulbricht,1909; *praetexta* Berthoumieu,1910; *nigerrima* Habermehl,1917; *bruyanti* Pic,1927; *viturati* Pic,1927; *krapiensis* Schmiedeknecht,1930; *quadrmarginata* Constantineanu,1951; *quinquecingulata* Constantineanu,1954; *immaculata* Heinrich,1978
Range (in code): **TR DZ AT AZ Cc BY BE BG HV CZ SK FI FR DE GR Cr HU IR IE IL Pa IT Sa Si KG LT MD MA NL NO PL RO RU Ao Kr Mo Us Ro ES SE CH TN UA GB**
- 3752) *Eutanyacra picta* (Schränk,1776)** (Ichneumonidae) Synonym(s): *picta* Schränk,1776; *laboratoria* Müller,1776; *sanguinea* Christ,1791; *vadatoria* Illiger,1807; *affirmatoria* Thunberg,1822; *concinna* Stephens,1829
Range (in code): **TR AF AT AZ Cc BY BE BG CN Pkn Gn Mc Hun Sz Ui Yu HV CZ SK FI FR DE HU IR IT JP KG KP KR LT MT MD MN NL PL RO RU Ao Mo Om Pe Ro Sm Sr Tv Tt Voo Pt ES SE CH GB**
- 3753) *Exenterus ictericus* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *ictericus* Gravenhorst,1829
Range (in code): **TR RU Ur 37**
- 3754) *Exephanes fulvescens* Vollenhoven,1875** (Ichneumonidae) Synonym(s): *fulvescens* Vollenhoven,1875; *annulicornis* Kriechbaumer,1895; *ulbrichti* Hinz,1957
Range (in code): **BE BG FR DE IE NL PL TR GB**
- 3755) *Exephanes ischioxanthus* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *ischioxanthus* Gravenhorst,1829; *exulans* Gravenhorst,1829; *hilaris* Gravenhorst,1829; *subnudus* Tischbein,1881; *bisignatus* Kriechbaumer,1890; *marginalis* Kriechbaumer,1890; *flavocinctus* Habermehl,1917
Range (in code): **AT BE BG HV CZ SK FI FR DE GR HU IE IT LT MD NL PL RO RU ES SE CH TR GB**
- 3756) *Exephanes tauricus* Hinz,2000** (Ichneumonidae) Synonym(s): *tauricus* Hinz,2000
Original reference: *Exephanes tauricus* Hinz,2000, Spixiana 23 (1): 22-23. Holotype ♀: [Türkei]: "Aintab (Taurus)" (ZSM). **TR 27**
- 3757) *Exeristes arundinis* Kriechbaumer,1887** (Ichneumonidae) Synonym(s): *arundinis* Kriechbaumer,1887; *niger* Ulbricht,1913
Range (in code): **AT BY BG CN CZ SK FI FR DE HU IR KG LT MK MN PL RO RU Us ES CH TM UA YU TR**
- 3758) *Exeristes roborator* (Fabricius,1793)** (Ichneumonidae) Synonym(s): *instigator* Rossi,1790; *roborator* Fabricius,1793; *longicauda* Brullé,1832; *aegyptius* Walker,1871; *robustus* Rudow,1883; *nodosus* Rudow,1883; *flavipennis* Rudow,1883; *schmiedeknechti* Kriechbaumer,1888; *brachycerus* Thomson,1894; *punctatus* Thomson,1894;...
Range (in code): **AL DZ AT AZ Cc BE B-H BG Cn CN Pkn Gn Hun Ui TW HV CY CZ SK EG FI FR Co GG DE GR HU IN IR IL Pa IT Sa Si JP JO KG KE KP KR LT LY LV MK MT MD MN MA NO PK PL RO RU Ao Us Sh Voo SS ES LK SE CH TN UA GB TR o6 31 35 38 62 62F**
- 3759) *Exetastes adpressorius* (Thunberg,1822)** (Ichneumonidae) Synonym(s): *adpressorius* Thunberg,1822; *guttatorius* Fahringer,1921
Range (in code): **TR KG RU Sb CN 62 62C**
- 3760) *Exetastes alpius* (Heinrich,1952)** (Ichneumonidae) Synonym(s): *alpius* Heinrich,1952
Range (in code): **TR**

- 3761) Exetastes crassus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *crassus*
Gravenhorst,1829 Range (in code): **TR**
- 3762) Exetastes curvator Aubert,1977** (Ichneumonidae) Synonym(s): *curvator* Aubert,1977
Range (in code): **TR 75 75D**
- 3763) Exetastes femorator Desvignes,1856** (Ichneumonidae) Synonym(s): *femorator*
Desvignes,1856 Range (in code): **TR KG MN RU Sb CN**
- 3764) Exetastes fornicator (Fabricius,1781)** (Ichneumonidae) Synonym(s): *fornicator*
Fabricius,1781 Range (in code): **TR**
- 3765) Exetastes illusor Gravenhorst,1829** (Ichneumonidae) Synonym(s): *illusor*
Gravenhorst,1829 Range (in code): **TR Cc KG RU Sb 34**
- 3766) Exetastes inquisitor Gravenhorst,1829** (Ichneumonidae) Synonym(s): *inquisitor*
Gravenhorst,1829 Range (in code): **TR**
- 3767) Exetastes laevigator (Villers,1789)** (Ichneumonidae) Synonym(s): *laevigator* Villers,1789
Range (in code): **TR RU At Cc CN 34**
- 3768) Exetastes nigripes Gravenhorst,1829** (Ichneumonidae) Synonym(s): *nigripes*
Gravenhorst,1829 Range (in code): **TR**
- 3769) Exetastes robustus Gravenhorst,1829** (Ichneumonidae) Synonym(s): *robustus*
Gravenhorst,1829 Range (in code): **TR**
- 3770) Exetastes rufipes (Gmelin,1790)** (Ichneumonidae) Synonym(s): *rufipes* Gmelin,1790
Range (in code): **TR**
- 3771) Exetastes segmentarius Pérez,1895** (Ichneumonidae) Synonym(s): *segmentarius*
Pérez,1895 Range (in code): **TR**
- 3772) Exochus albicinctus Holmgren,1873** (Ichneumonidae) Synonym(s): *albicinctus*
Holmgren,1873 Range (in code): **TR Cc AM MN 32**
- 3773) Exochus bolivari Seyrig,1927** (Ichneumonidae) Synonym(s): *bolivari* Seyrig,1927 Range (in code): **TR**
- 3774) Exochus britannicus Morley,1911** (Ichneumonidae) Synonym(s): *britannicus* Morley,1911
Range (in code): **TR**
- 3775) Exochus castaniventris Brauns,1896** (Ichneumonidae) Synonym(s): *castaniventris*
Brauns,1896 Range (in code): **TR EG KG 01 07 34 46 01M 07D 34B 46F**
- 3776) Exochus consimilis Holmgren,1858** (Ichneumonidae) Synonym(s): *consimilis*
Holmgren,1858 Range (in code): **TR**
- 3777) Exochus elegantissimus Schmiedeknecht,1925** (Ichneumonidae) Synonym(s):
elegantissimus Schmiedeknecht,1925; *#clesantissimus* Öncüler,1991 Range (in code): **DE BG UA MD TR**
- 3778) Exochus erkini Kolarov,1986** (Ichneumonidae) Synonym(s): *erkini* Kolarov,1986
Original reference: Exochus erkini Kolarov,1986, Türk. bitki kor.derg. 10: 98. Type: Turkey,
Manisa, Alaşehir. Range (in code): **TR 45 45C**
- 3779) Exochus erythronotus (Gravenhorst,1820)** (Ichneumonidae) Synonym(s):
erythronotus Gravenhorst,1820 Range (in code): **TR 42**
- 3780) Exochus ferus Tolkantitz,1993** (Ichneumonidae) Synonym(s): *ferus* Tolkantitz,1993 Range (in code): **TR**
- 3781) Exochus flavifrons Boheman,1863** (Ichneumonidae) Synonym(s): *flavifrons*
Boheman,1863 Range (in code): **TR 53 53M**
- 3782) Exochus foveolatus Schmiedeknecht,1924** (Ichneumonidae) Synonym(s): *foveolatus*
Schmiedeknecht,1924 Range (in code): **TR**
- 3783) Exochus lictor Haliday,1838** (Ichneumonidae) Synonym(s): *lictor* Haliday,1838 Range (in code): **TR**
- 3784) Exochus marklini Holmgren,1858** (Ichneumonidae) Synonym(s): *marklini*
Holmgren,1858 Range (in code): **TR**
- 3785) Exochus mitratus Gravenhorst,1829** (Ichneumonidae) Synonym(s): *mitratus*
Gravenhorst,1829 Range (in code): **TR 06 28 39 53**
- 3786) Exochus prosopius Gravenhorst,1829** (Ichneumonidae) Synonym(s): *prosopius*
Gravenhorst,1829 Range (in code): **TR 28 53**
- 3787) Exochus protuberans Kolarov & Çoruh,2009** (Ichneumonidae) Synonym(s):
protuberans Kolarov & Çoruh,2009 Range (in code): **TR**
- 3788) Exochus suborbitalis Schmiedeknecht,1924** (Ichneumonidae) Synonym(s):
suborbitalis Schmiedeknecht,1924 Range (in code): **FR DE HU RO BG LT MD UA TR 07 28 07K**
- 3789) Exochus thomsoni Schmiedeknecht,1924** (Ichneumonidae) Synonym(s): *thomsoni*
Schmiedeknecht,1924 Range (in code): **TR 62 62C**
- 3790) Exochus vafer Holmgren,1873** (Ichneumonidae) Synonym(s): *vafer* Holmgren,1873
Range (in code): **TR**

- 3791) Exyston montanus Kerrich,1975** (Ichneumonidae) **Synonym(s):** *montanus* Kerrich,1975
Range (in code): ES CH TR Cc KK TJ UZ AT AZ BG KG 25 53
- 3792) Exyston sponsorius (Fabricius,1781)** (Ichneumonidae) **Synonym(s):** *sponsorius* Fabricius,1781; *cinctulus* Gravenhorst,1820; *conopsator* Thunberg,1822; *carinatus* Thomson,1883
Cc AZ BE BG CZ SK FI FR Co GG DE HU IE IT KG KK LT MD MN NL NO PL RO RU Kmt Mo Us Pt St Tt
Voo Ya Yr ES SE CH UA GB
- 3793) Exyston subnitidus (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *subnitidus* Gravenhorst,1829; *phaeorrhæus* Haliday,1838
Range (in code): TR RU Da Cc AT AZ BE BG CZ SK FI
FR DE IE MD NL PL Sr VI ES CH UA GB
- 3794) Fileanta flavolaeta (Berthoumieu,1892)** (Ichneumonidae) **Synonym(s):** *flavolaeta* Berthoumieu,1892
Range (in code): TR Cc 58 65 58G 65F
- 3795) Fileanta radoszkowskii (Berthoumieu,1892)** (Ichneumonidae) **Synonym(s):** *radoszkowskii* Berthoumieu,1892; *cursorius* Smith,1874
Range (in code): TR CN Ui KG
- 3796) Gambrus incubitor (Linnaeus,1758)** (Ichneumonidae) **Synonym(s):** *incubitor* Linnaeus,1758; *vibex* Müller,1776; *upsaliensis* Geoffroy,1785; *superus* Thomson,1896; *incertus* Habermehl,1935
Range (in code): TR AT AZ Cc BE BG HV CZ FI FR Co DE HU IR IE IT KE LT LV NO PL RO RU Ao ES
SE CH GB YU 32 53 53B
- 3797) Gambrus ornatus (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *ornatus* Gravenhorst,1829; *inferus* Thomson,1896; *quadricinctus* Strobl,1901; *ruficoxis* Habermehl,1919; *meridionator* Aubert,1965
Range (in code): TR TJ AT AZ Cc BY BG HV CZ DK FI FR Co DE HU IE IT KK LT MD
NL NO PL RO RU Kmt ES SE CH SY TM GB 34
- 3798) Gambrus tricolor (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *tricolor* Gravenhorst,1829; *subcinctus* Gravenhorst,1829; *opacus* Szépligeti,1916
Range (in code): TR AT BE BG
CZ FI FR Co DE HU IE IT LT LV NO PL RO RU ES SE GB YU 25 37 53 53M
- 3799) Gelis agilis (Fabricius,1775)** (Ichneumonidae) **Synonym(s):** *agilis* Fabricius,1775; *cursor* Schrank,1780; *ruficornis* Retzius,1783; *celer* Olivier,1792; *instabilis* Förster,1850; *mediocris* Förster,1850; *thoracicus* Brischke,1878; *alpigena* Strobl,1901; *rossicus* Szépligeti,1901; *albulae* Rudow,1917; *cuculliae* Rudow,1917; *eupitheciae* Rudow,1917; *intrans* Rudow,1917; *lineatus* Rudow,1917; *microrum* Rudow,1917; *monozonius* Rudow,1917; *nigerrimus* Rudow,1917; *rosarum* Rudow,1917; *rufostictus* Rudow,1917; *vanessae* Rudow,1917; *cephalotes* Hellen,1970
Range (in code): TR Cc RU Sb AL AT AZ BY BE BG HV CZ DK FI
FR DE GR HU IE IT LT LV MD NL NO PL RO Kmt Kr Om SK ES SE CH UA GB
- 3800) Gelis anatolicus Schwarz,1998** (Ichneumonidae) **Synonym(s):** *anatolicus* Schwarz,1998
Original reference: Gelis anatolicus Schwarz,1998, Linzer biol. Beitr. 30 (2): 668-669. Holotype
♀: "Türkei" (MNHW). TR
- 3801) Gelis cursitans (Fabricius,1775)** (Ichneumonidae) **Synonym(s):** *cursitans* Fabricius,1775; *tuberculatus* Hartig,1838; *decipiens* Förster,1850; *peregrinator* Förster,1850; *alpinus* Rudow,1917; *braconidum* Rudow,1917; *helicis* Rudow,1917; *psychivorus* Rudow,1917
AT BY BG HV CZ SK DK FI FR DE HU IE IT
LT NO PL RO RU Ao Pt SE CH UA GB TR 53
- 3802) Gelis cyanurus (Förster,1850)** (Ichneumonidae) **Synonym(s):** *cyanurus* Förster,1850; *wesmaelii* Fonscolombe,1852; *tricolor* Giraud,1857; *coeruleus* Pfankuch,1914; *violaceus* Rudow,1917; *africanus* Seyrig,1928
Range (in code): TR DZ AT CZ FR Co DE GR HU IT Sa MT MA RO YU SK SS ES UA 42
- 3803) Gelis exareolatus (Förster,1850)** (Ichneumonidae) **Synonym(s):** *exareolatus* Förster,1850; *nigritus* Förster,1850; *simulans* Förster,1850; *micromelas* Kriechbaumer,1894; *lapponicus* Hellen,1970
Range (in code): TR AT BG CZ DK FI FR DE GR HU IE IR IT LB NL NO PL RO RU ES SE GB 06
- 3804) Gelis formicarius (Linnaeus,1758)** (Ichneumonidae) **Synonym(s):** *formicarius* Linnaeus,1758
TR 53 53M
- 3805) Gelis mutillatus (Gmelin,1790)** (Ichneumonidae) **Synonym(s):** *mutillatus* Gmelin,1790
TR 25
- 3806) Gelis stevenii (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *stevenii* Gravenhorst,1829
TR GG Cc CZ SK CH AT HU RO BG UA MD RU ES FR Co IT Si HV AL MK GR
- 3807) Gelis trux (Förster,1850)** (Ichneumonidae) **Synonym(s):** *trux* Förster,1850
TR 25 53
- 3808) Giraudia gyratoria (Thunberg,1822)** (Ichneumonidae) **Synonym(s):** *gyratoria* Thunberg,1822; *congruens* Gravenhorst,1829
Range (in code): TR Cc 16
- 3809) Glyphicnemis profligator (Fabricius,1775)** (Ichneumonidae) **Synonym(s):** *profligator* Fabricius,1775
Range (in code): TR 25
- 3810) Glyphicnemis vagabunda (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *vagabunda* Gravenhorst,1829
Range (in code): TR 25
- 3811) Glypta (Diblastomorpha) cylindrator (Fabricius,1787)** (Ichneumonidae)
Synonym(s): *cylindrator* Fabricius,1787; *erythrogaster* Lucas,1849; *bicornis* Boie,1850; *bicornis* Desvignes,1856; *rostrata* Holmgren,1860; *corniculata* Brischke,1865; *elegans* Vollenhoven,1873; *ephippigera* Kriechbaumer,1895; *ruficornis* Szépligeti,1898; *szepligetii* Dalla Torre,1901; *cylindatrix* Schulz,1906; *abundans* Hellen,1915; *abundans*

Schmiedeknecht, 1934 Range (in code): **TR AL DZ AM Cc AT BY BE B-H BG CZ SK FI FR GG DE GR HU IE IT LT LV NL NO PL RO RU Kr Sh To Yr SE CH UA GB YU**

3812) Glypta (s.str.) bifoveolata Gravenhorst, 1829 (Ichneumonidae) Synonym(s): *bifoveolata* Gravenhorst, 1829; *sotosa* Roman, 1909 Range (in code): **TR AT BY BE BG CZ SK DK EE FI FR DE HU IE IL Pa IT Si LT LV MD MN NL NO PL RO RU At Kmt Pe Ns Ya ES SE CH UA GB**

3813) Glypta (s.str.) haesitator Gravenhorst, 1829 (Ichneumonidae) Synonym(s): *haesitator* Gravenhorst, 1829; *haesitatrix* Schulz, 1906; *australis* Hedwig, 1959 Range (in code): **TR AT BE BG CA BCo On CZ FI FR DE HU IE IT LT MN MA NO PL RO RU Kmt ES SE CH US Org Ws UA GB**

3814) Glypta (s.str.) mensurator (Fabricius, 1775) (Ichneumonidae) Synonym(s): *mensurator* Fabricius, 1775; *lugubrina* Holmgren, 1860; *macropyga* Hellen, 1915; *heydeni* Habermehl, 1917; *jaroslavensis* Shestakov, 1927 Range (in code): **TR AT BY BE BG CZ SK DK FI FR DE HU IE IT Sa KG LT LV MD MN NL NO PL RU At Tt Yr Bry ES SE CH UA GB**

3815) Glypta (s.str.) salicis Thomson, 1889 (Ichneumonidae) Synonym(s): *salicis* Thomson, 1889 Range (in code): **CZ SK FI DE HU TR**

3816) Glypta (s.str.) salsolicola Schmiedeknecht, 1907 (Ichneumonidae) Synonym(s): *salsolicola* Schmiedeknecht, 1907 Range (in code): **TR CZ SK FI FR DE HU PL RO RU At Mo ES CH**

3817) Glypta (s.str.) similis Bridgman, 1886 (Ichneumonidae) Synonym(s): *similis* Bridgman, 1886; *rufipes* Thomson, 1889; *thomsonii* Dalla Torre, 1901; *thomsoni* Strobl, 1902; *nigricoxis* Constantineanu, 1958 Range (in code): **TR AT BG CZ SK FI FR DE IE LT MD NL PL RO RU Us SE GB**

3818) Grasseiteles ciliator Aubert, 1968 (Ichneumonidae) Synonym(s): *ciliator* Aubert, 1968 Range (in code): **TR FR 01 31**

3819) Gravenhorstia (Erigorgus) cerinops (Gravenhorst, 1829) (Ichneumonidae) Synonym(s): *cerinops* Gravenhorst, 1829 Range (in code): **DZ KK KG MN RU Sb Ya TR 22 25**

3820) Gravenhorstia (Erigorgus) cubitator (Aubert, 1960) (Ichneumonidae) Synonym(s): *cubitator* Aubert, 1960 Range (in code): **TR 25**

3821) Gravenhorstia (Erigorgus) melanobatus (Gravenhorst, 1829) (Ichneumonidae) Synonym(s): *melanobatus* Gravenhorst, 1829 Range (in code): **TR 25**

3822) Gravenhorstia (Kokujewiella) ibera (Ceballos, 1957) (Ichneumonidae) Synonym(s): *ibera* Ceballos, 1957 Range (in code): **ES IL Pa TR**

3823) Gravenhorstia (Kokujewiella) vicaria Shestakov, 1926 (Ichneumonidae) Synonym(s): *vicaria* Shestakov, 1926 Range (in code): **TR KG 32**

3824) Gravenhorstia (s.str.) picta Boie, 1836 (Ichneumonidae) Synonym(s): *picta* Boie, 1836 Range (in code): **TR AZ Cc KG UZ TJ 59**

3825) Gregopimpla inquisitor (Scopoli, 1763) (Ichneumonidae) Synonym(s): *inquisitor* Scopoli, 1763; *visitator* Scopoli, 1763; *scanica* Geoffroy, 1785; *albipes* Gmelin, 1790; *annulata* Gmelin, 1790; *aurifrons* Gmelin, 1790; *variegata* Gmelin, 1790; *perquisitor* Olivier, 1792; *flavipes* Gravenhorst, 1829; *pinnator* Thunberg, 1822; *pini* Hartig, 1838 Range (in code): **TR AL AT AZ Cc BY BE BG CA On HV CZ SK DK EE FI FR DE GR HU IR IE IT Si KP KR LT LV MD NL PL RO RU Ao Pe Us Sh Sr Tv Yr YU ES SE CH UA GB**

3826) Gregopimpla malacosomae (Seyrig, 1927) (Ichneumonidae) Synonym(s): *malacosomae* Seyrig, 1927 Range (in code): **AT BG IR IT Sa MK MD PL RO ES TR YU**

3827) Habronyx heros (Wesmael, 1849) (Ichneumonidae) Synonym(s): *heros* Wesmael, 1849 Range (in code): **TR**

3828) Hadradactylus femoralis (Holmgren, 1855) (Ichneumonidae) Synonym(s): *femoralis* Holmgren, 1855 Range (in code): **TR**

3829) Hadradactylus fugax (Gravenhorst, 1829) (Ichneumonidae) Synonym(s): *fugax* Gravenhorst, 1829 Range (in code): **TR**

3830) Hadradactylus typhae (Geoffroy, 1785) (Ichneumonidae) Synonym(s): *typhae* Geoffroy, 1785 Range (in code): **FR TR 16**

3831) Hadradactylus bidentulus Thomson, 1883 (Ichneumonidae) Synonym(s): *bidentulus* Thomson, 1883; *orientator* Aubert, 1995 Range (in code): **SE SK BY UA Kkv Cm RU KG GR TR**

3832) Hadradactylus flavofacialis Hortsman, 2000 (Ichneumonidae) Synonym(s): *flavofacialis* Hortsman, 2000 Range (in code): **GB NO FI IT BG AZ Cc CN RU Sb To TR UA Kkv Cm Da Kc Kb 25**

3833) Hadradactylus fugax (Gravenhorst, 1829) (Ichneumonidae) Synonym(s): *fugax* Gravenhorst, 1829 Range (in code): **RU Sb Cc TR 62 62C**

3834) Hadradactylus larvatus Kriechbaumer, 1891 (Ichneumonidae) Synonym(s): *larvatus* Kriechbaumer, 1891 Range (in code): **TR ES FI IT DE AT CZ SK HU PL LT UA BY AZ RU Sb Cc 25**

3835) Helcostizus restaurator (Fabricius, 1775) (Ichneumonidae) Synonym(s): *restaurator* Fabricius, 1775; *turcicus* Fahringer, 1944 Range (in code): **TR 34**

- 3836) *Hellwigiella dichromoptera* (Costa,1886)** (Ichneumonidae) **Synonym(s):** *dichromoptera* Costa,1886; *nigripennis* Szépligeti,1905 **Range (in code):** **DZ TN ES MA IT Sa IL Pa TR**
- 3837) *Hepiopelmus melanogaster* (Gmelin,1790)** (Ichneumonidae) **Synonym(s):** *melanogaster* Gmelin,1790; *leucostigmus* Gravenhorst,1820; *maculiventris* Desvignes,1856; *aureosericeus* Taschenberg,1866; *incorruptus* Holmgren,1871; *palliventris* Rudow,1888; *quadriguttatus* Kriechbaumer,1892; *annulitarsis* Pic,1914; *maculipes* Hellén,1951; *intermedius* Constantineanu,1954 **Range (in code):** **TR AT BY BE B-H BG CZ SK FI FR DE HU IE IT JP LT LV NL NO PL RO RU ES SE CH GB YU**
- 3838) *Herpestomus brunnicornis* (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *brunnicornis* Gravenhorst,1829 **Range (in code):** **TR o6**
- 3839) *Heterischnus anomalus* (Wesmael,1857)** (Ichneumonidae) **Synonym(s):** *anomalus* Wesmael,1857 **Range (in code):** **TR BE BG CZ FI FR DE HU NL PL RO UA**
- 3840) *Heterischnus truncator* (Fabricius,1798)** (Ichneumonidae) **Synonym(s):** *truncator* Fabricius,1798; *thoracicus* Gravenhorst,1829; *notatipes* Pic,1927; *moravicus* Gregor,1939; *pseudonigricollis* Gregor,1939; *rufithorax* Gregor,1939; *rufoniger* Constantineanu, Andriescu & Ciochia,1956; *nigrinus* Constantineanu,1959; *rufescens* Constantineanu,1959 **Original reference:** *Ichneumon truncator* Fabricius,1798, Suppl. Ent. Syst.: 222. **Range (in code):** **Cn TR AD AT AZ Cc BE BG CZ SK EE FI FR Co DE HU IR IT LT MD NL NO PL RU Kr Mo Yr ES SE CH UA GB 34**
- 3841) *Heterocola longipalpis* Kolarov & Beyarslan,1994** (Ichneumonidae) **Synonym(s):** *longipalpis* Kolarov & Beyarslan,1994 **Range (in code):** **TR 25**
- 3842) *Heterocola nigrotibialis* Horstmann & Kolarov,1988** (Ichneumonidae) **Synonym(s):** *nigrotibialis* Horstmann & Kolarov,1988 **Range (in code):** **ES BG TR 18 58**
- 3843) *Hidryta sordida* (Tschek,1871)** (Ichneumonidae) **Synonym(s):** *sordida* Tschek,1871 **Range (in code):** **TR 32**
- 3844) *Himerta anatolica* (Schmiedeknecht,1913)** (Ichneumonidae) **Synonym(s):** *anatolica* Schmiedeknecht,1913 **Original reference:** *Himertus anatolica* Schmiedeknecht,1913, Opusc. Ichneumon. 5: 2749. **Range (in code):** **TR 16**
- 3845) *Homotherus locutor* (Thunberg,1822)** (Ichneumonidae) **Synonym(s):** *locutor* Thunberg,1822; *labiotorius* Thunberg,1822; *albicinctus* Gravenhorst,1829; *albiceps* Hartig,1838; *festinatorius* Zetterstedt,1838; *lautus* Tischbein,1868; *ruber* Kiss,1924 **Range (in code):** **TR DZ AD AT BY BE BG Cn HV CZ SK DK FI FR Co DE HU IE IS IT KG LT LV Md NL NO PL RO PT RU At Kmt Mo Yr ES SE GB YU**
- 3846) *Hoplismenus axillatorius* (Thunberg,1822)** (Ichneumonidae) **Synonym(s):** *axillatorius* Thunberg,1822 **Range (in code):** **TR 62 62C**
- 3847) *Hoplismenus bidentatus* (Gmelin,1790)** (Ichneumonidae) **Synonym(s):** *bidentatus* Gmelin,1790 **Range (in code):** **DZ TR IR 62 62C**
- 3848) *Hoplocryptus bohemani* (Holmgren,1856)** (Ichneumonidae) **Synonym(s):** *bohemani* Holmgren,1856 **Range (in code):** **TR AT AZ Cc BG Cn CZ FI FR DE HU LT MN NO PL RO RU YU ES SE CH GB**
- 3849) *Hoplocryptus coxator* (Tschek,1871)** (Ichneumonidae) **Synonym(s):** *coxator* Tschek,1871; *bicolor* Szépligeti,1916; *coxalis* Szépligeti,1916; *rubi* Habermehl,1919; *ruficoxis* Habermehl,1926; *signatus* Habermehl,1926 **Range (in code):** **TR DZ AT BE BG CZ FI FR DE HU IR IT LT MD NO PL PT RP YU SS ES SE CH TM UZ UA**
- 3850) *Hoplocryptus femoralis* (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *femoralis* Gravenhorst,1829; *xylocopae* Rondani,1877; *humeralis* Rudow,1882; *algericus* Schmiedeknecht,1900; *nigroscutellatus* Aubert,1959 **Range (in code):** **DZ BG HV EG FR Co DE GR Cr TR IL Pa IR IT Si KG KK TJ MK NO PL RO SS ES SE TN YU 25 62 62C**
- 3851) *Hoplocryptus heliophilus* (Tschek,1871)** (Ichneumonidae) **Synonym(s):** *heliophilus* Tschek,1871; *mediterraneus* Tschek,1872; *meridionalis* Szépligeti,1916; *semirufus* Szépligeti,1916; *rufosignator* Aubert,1970; *africator* Aubert,1977; *jordanicus* Kolarov,1987 **Range (in code):** **DZ AT AZ Cc BG HV CY CZ FI FR Co DE GR Cr HU IR IL Pa IT Sa Si JO KG LT MK MA PL PT RO SK ES CH SY TJ TM UZ YU TR**
- 3852) *Hoplocryptus murarius* (Börner,1782)** (Ichneumonidae) **Synonym(s):** *murarius* Börner,1782; *olitorius* Fabricius,1793; *fugitivus* Gravenhorst,1829; *gracilis* Gravenhorst,1829; *binotatulus* Thomson,1873; *tegularis* Szépligeti,1916; *pseudocryptus* Szépligeti,1916; *ignal, noensis* Strand,1918; *ratzeburgi* Habermehl,1919; *obscuratus* Kiss,1929 **Range (in code):** **TR Cc AZ IR KG KK AT AZ Cc B-H BG HV CZ FI FR Co DE GR HU IT LT LV MD MN NO PL RO YU SK SS ES SE CH GB 53 53M**
- 3853) *Hoplocryptus quadriguttatus* (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *quadriguttatus* Gravenhorst,1829; *cognatus* Fonscolombe,1850; *mallorcanus* Kriechbaumer,1894; *enslini* Habermehl,1921; *larvatus* Habermehl,1926; *tricolor* Constantineanu,1929; *hebraicator* Aubert,1970; *tiloidalis* Kolarov & Beyarslan,1994 **Range (in code):** **AF AT AZ Cc BE BG HV IL Pa IT Sa Si GG DE GR HU FI FR Co LT LV MA NO PL RO YU SK SS ES SE TM GB TR o7 22**
- 3854) *Hyposoter didymator* (Thunberg,1822)** (Ichneumonidae) **Synonym(s):** *didymator* Thunberg,1822 **Range (in code):** **TR o6 o9 26**

- 3855) Hyposoter discedens (Schmiedeknecht,1911)** (Ichneumonidae) **Synonym(s):** *discedens Schmiedeknecht,1911* Range (in code): **TR 22**
- 3856) Hyposoter ebeninus (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *ebeninus Gravenhorst,1829; ruficinctus Gravenhorst,1829* Range (in code): **TR 01 06 50 51**
- 3857) Hyposoter ebenitor Aubert,1972** (Ichneumonidae) **Synonym(s):** *ebenitor Aubert,1972* Range (in code): **FR TR IL Pa 71**
- 3858) Hyposoter notatus (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *notatus Gravenhorst,1829* Range (in code): **TR 01**
- 3859) Hyposoter vulgaris (Tschek,1871)** (Ichneumonidae) **Synonym(s):** *vulgaris Tschek,1871* Range (in code): **TR 26**
- 3860) Hypsicera anglicus (Schmiedeknecht,1925)** (Ichneumonidae) **Synonym(s):** *anglicus Schmiedeknecht,1925* Range (in code): **GB FR BE CH IT RO TR**
- 3861) Hypsicera femoralis (Geoffroy,1785)** (Ichneumonidae) **Synonym(s):** *femoralis Geoffroy,1785* Range (in code): **TR AU TW US Hw 07 25 28 62 62F**
- 3862) Ichneumon albicollis Wesmael,1857** (Ichneumonidae) **Synonym(s):** *albicollis Wesmael,1857* Range (in code): **Cc TR RU Sb KG**
- 3863) Ichneumon alius Tischbein,1879** (Ichneumonidae) **Synonym(s):** *alius Tischbein,1879* Original reference: *Ichneumon alius Tischbein,1879, Stettin ent. Ztg. 1879: 28.* Range (in code): **TR**
- 3864) Ichneumon balteatus Wesmael,1845** (Ichneumonidae) **Synonym(s):** *balteatus Wesmael,1845* Range (in code): **TR 25**
- 3865) Ichneumon bucculentus Wesmael,1844** (Ichneumonidae) **Synonym(s):** *bucculentus Wesmael,1844* Range (in code): **Cc KG TR RU Sb 16 25 34 41**
- 3866) Ichneumon cessator Müller,1776** (Ichneumonidae) **Synonym(s):** *cessator Müller,1776* Range (in code): **TR 25**
- 3867) Ichneumon confusor Gravenhorst,1820** (Ichneumonidae) **Synonym(s):** *confusor Gravenhorst,1820* Range (in code): **TR 36**
- 3868) Ichneumon coniger Tischbein,1876** (Ichneumonidae) **Synonym(s):** *coniger Tischbein,1876* Range (in code): **TR 25**
- 3869) Ichneumon curtulus Kriechbaumer,1882** (Ichneumonidae) **Synonym(s):** *curtulus Kriechbaumer,1882* TR
- 3870) Ichneumon erythromerus Wesmael,1857** (Ichneumonidae) **Synonym(s):** *erythromerus Wesmael,1857* Range (in code): **TR 25**
- 3871) Ichneumon exilicornis Wesmael,1857** (Ichneumonidae) **Synonym(s):** *exilicornis Wesmael,1857* Range (in code): **TR 25**
- 3872) Ichneumon extensorius Linnaeus,1758** (Ichneumonidae) **Synonym(s):** *extensorius Linnaeus,1758* Range (in code): **TR Cc RU Sb 08 33**
- 3873) Ichneumon fulvicornis Gravenhorst,1829** (Ichneumonidae) **Synonym(s):** *fulvicornis Gravenhorst,1829* Range (in code): **TR 25 69**
- 3874) Ichneumon gracilentus Wesmael,1844** (Ichneumonidae) **Synonym(s):** *gracilentus Wesmael,1844* Range (in code): **TR RU Sb 41**
- 3875) Ichneumon gracilicornis Gravenhorst,1829** (Ichneumonidae) **Synonym(s):** *gracilicornis Gravenhorst,1829* Range (in code): **TR Cc RU Sb 25**
- 3876) Ichneumon gratus Wesmael,1855** (Ichneumonidae) **Synonym(s):** *gratus Wesmael,1855* Range (in code): **TR 25**
- 3877) Ichneumon haematofemur Heinrich,1980** (Ichneumonidae) **Synonym(s):** *haematofemur Heinrich,1980* Range (in code): **GR TR YU 69**
- 3878) Ichneumon ignobilis Wesmael,1855** (Ichneumonidae) **Synonym(s):** *ignobilis Wesmael,1855* Range (in code): **TR 25**
- 3879) Ichneumon languidus Wesmael,1845** (Ichneumonidae) **Synonym(s):** *languidus Wesmael,1845* Range (in code): **TR 25**
- 3880) Ichneumon lautatorius Desvignes,1856** (Ichneumonidae) **Synonym(s):** *lautatorius Desvignes,1856* Range (in code): **TR 25 76**
- 3881) Ichneumon ligatorius Thunberg,1822** (Ichneumonidae) **Synonym(s):** *ligatorius Thunberg,1822* Range (in code): **TR**
- 3882) Ichneumon minutorius Desvignes,1856** (Ichneumonidae) **Synonym(s):** *minutorius Desvignes,1856* Range (in code): **Cc TR 08 25**

- 3883) Ichneumon ostentator Heinrich, 1978** (Ichneumonidae) **Synonym(s):** *ostentator* Heinrich, 1978 **Range (in code):** [TR GR YU 25 58 58G](#)
- 3884) Ichneumon phaeostigmus Wesmael, 1857** (Ichneumonidae) **Synonym(s):** *phaeostigmus* Wesmael, 1857 **Range (in code):** [TR 25](#)
- 3885) Ichneumon primatorius Forster, 1771** (Ichneumonidae) **Synonym(s):** *primatorius* Forster, 1771 **Range (in code):** [TR](#)
- 3886) Ichneumon proletarius Wesmael, 1848** (Ichneumonidae) **Synonym(s):** *proletarius* Wesmael, 1848 **Range (in code):** [BG TR Cc IR 08 25 36 65 75](#)
- 3887) Ichneumon quaesitorius Linnaeus, 1761** (Ichneumonidae) **Synonym(s):** *quaesitorius* Linnaeus, 1761 **Range (in code):** [TR](#)
- 3888) Ichneumon sarcitorius Linnaeus, 1758** (Ichneumonidae) **Synonym(s):** *sarcitorius* Linnaeus, 1758; *vaginatorius* Linnaeus, 1758; *curvatorius* Müller, 1776; *bipartitus* Geoffroy, 1785; *flavatus* Gmelin, 1790; *tripunctatus* Gmelin, 1790; *farctor* Gravenhorst, 1807; *vaginator* Zetterstedt, 1838; *fuscipennis* Berthoumieu, 1895; *mutabilis* Berthoumieu, 1895; *zaydamensis* Kokujev, 1909; *funereus* Schmeideknecht, 1928; *pfankuchi* Kiss, 1929; *ruficornis* Kiss, 1929; *excavatus* Constantineanu et al., 1956; *costulatus* Constantineanu et al., 1956; *albatus* Constantineanu et al., 1957 **Range (in code):** [Cc TR DZ AD AT AZ Az BY BE BG Cn CN Mc Ui HV CY CZ SK DK EG FI FR Co GG DE GR HU IE IR IL Pa IT Sa Si KG KP KR KK LT LV Md MD MN MA NL NO PL PT RO RU Ao Da Kr Us Pt Tv ES SE CH TJ TN UA GB YU UZ 25 69](#)
- 3889) Ichneumon sexcinctoides Riedel, Çoruh & Özbek, 2010** (Ichneumonidae) **Synonym(s):** *sexcinctoides* Riedel, Çoruh & Özbek, 2010 **Range (in code):** [TR 25](#)
- 3890) Ichneumon sexcinctus Gravenhorst, 1829** (Ichneumonidae) **Synonym(s):** *sexcinctus* Gravenhorst, 1829 **Range (in code):** [TR 25](#)
- 3891) Ichneumon simulans Tischbein, 1873** (Ichneumonidae) **Synonym(s):** *simulans* Tischbein, 1873 **Range (in code):** [TR](#)
- 3892) Ichneumon stramentarius Gravenhorst, 1820** (Ichneumonidae) **Synonym(s):** *stramentarius* Gravenhorst, 1820 **Range (in code):** [TR 41 69](#)
- 3893) Ichneumon stramentor Rasnitsin, 1984** (Ichneumonidae) **Synonym(s):** *stramentor* Rasnitsin, 1984 **Range (in code):** [TR](#)
- 3894) Ichneumon suspiciosus Wesmael, 1845** (Ichneumonidae) **Synonym(s):** *suspiciosus* Wesmael, 1845 **Range (in code):** [TR 25](#)
- 3895) Ichneumon terminatorius Gravenhorst, 1820** (Ichneumonidae) **Synonym(s):** *terminatorius* Gravenhorst, 1820 **Range (in code):** [TR Cc 16 24 25 33 80](#)
- 3896) Ichneumon tuberculipes Wesmael, 1848** (Ichneumonidae) **Synonym(s):** *tuberculipes* Wesmael, 1848 **Range (in code):** [TR 05](#)
- 3897) Ichneumon vafer Tischbein, 1876** (Ichneumonidae) ⁷ **Synonym(s):** *vafer* Tischbein, 1876; *conjugal* Holmgren, 1878; *brevicornis* Tischbein, 1881; *rogenhoferi* Kriechbaumer, 1888; *quartanus* Perkins, 1953 **Range (in code):** [IR Elb TR AD AT AZ Cc BE BG CZ FI FR DE HU IT PL RO ES CH GB 25](#)
- 3898) Ichneumon veressi (Kiss, 1915)** (Ichneumonidae) **Synonym(s):** *veressi* Kiss, 1915 **Range (in code):** [TR RU Sb CN](#)
- 3899) Ichneumon xanthorius Forster, 1771** (Ichneumonidae) **Synonym(s):** *xanthorius* Forster, 1771 **Range (in code):** [TR 20](#)
- 3900) Idiolispa analis (Gravenhorst, 1829)** (Ichneumonidae) **Synonym(s):** *analis* Gravenhorst, 1829 **Range (in code):** [TR 15 32 62 62C](#)
- 3901) Ischnus agitator (Olivier, 1792)** (Ichneumonidae) **Synonym(s):** *agitator* Olivier, 1792 **Range (in code):** [TN TR 32](#)
- 3902) Ischnus alternator (Gravenhorst, 1829)** (Ichneumonidae) **Synonym(s):** *alternator* Gravenhorst, 1829 **Range (in code):** [TR 28 53 61 61L](#)
- 3903) Ischnus inquisitorius (Müller, 1776)** (Ichneumonidae) **Synonym(s):** *inquisitorius* Müller, 1776 **Range (in code):** [MX TR 57 62 62G](#)
- 3904) Ischnus migrator (Fabricius, 1775)** (Ichneumonidae) **Synonym(s):** *migrator* Fabricius, 1775 **Original reference:** *Cryptus migrator* Fabricius, 1775, Syst. ent.: 334. **Range (in code):** [TR 33](#)
- 3905) Iseropus stercorator (Fabricius, 1793)** (Ichneumonidae) **Synonym(s):** *stercorator* Fabricius, 1793; *graminellae* Schrank, 1802; *mussii* Hartig, 1838; *holmgreni* Schmiedeknecht, 1888 **Range (in code):** [TR DZ AM Cc AT BY BE BG CA Abt BCo Nfl Lbr On Ssk Yuk CN Ui CZ SK DK EE FR GG DE HU IR IE IT Sa Si JP KG LT LV MD MN NL NO PL RO RU Am Ao Kmt Mgd Pe Us Sh Pt Sr Voo Ya Yr ES SE CH US Als Arz Cf Col Nje NMx Ny Oh Org Ws Wy UA GB UZ](#)

⁷ From Erzurum (NE Turkey) to North Iran, this species is represented by the subspecies *salihiae* Koçak & Kemal, 2013 (*Miscellaneous Papers* 160: 7), nomen novum pro *meridionalis* Heinrich, 1929 nec Cresson, 1865.

- 3906) Itopectis alternans (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *alternans* Gravenhorst,1829; *examinanda* Ratzeburg,1852; *tricolor* Ratzeburg,1852; *tricineta* Thomson,1877; *spiracularis* Morley,1908; *ruficoxis* Ulbricht,1916. Range (in code): TR Cc RU At AL AM AT AZ BY BE BG CN Gn Mc Hun Sz Yu HV CZ SK DK FI FR Co GG DE HU IN IE IT JP KP KR LT LV MD MN NL NO PL PT RO RU Am Ao Da Kb Kmt Kc Kr Mo Pe Us Mo Sh Pt Sr To Voo Ya Yr YU ES SS SE CH UA GB UZ ME 52
- 3907) Itopectis aterrima Jussila,1965** (Ichneumonidae) Synonym(s): *#enslini* Ulbricht,1916; *aterrima* Jussila,1965; *ultimator* Aubert,1966. Range (in code): TR AT BY BG FI FR DE IR IT KG LT LV MN NO PL RU At Mo Sh Pt To Ya Yr SE CH UA GB
- 3908) Itopectis maculator (Fabricius,1775)** (Ichneumonidae) Synonym(s): *maculator* Fabricius,1775; *arlequinata* Geoffroy,1785; *plasseus* Geoffroy,1785; *scanica* Villers,1789; *lateratoria* Thunberg,1822; *vincta* Vollenhoven,1873; *maculatrix* Schulz,1906. Range (in code): TR DZ Cc Cn AL AM AT AZ BY BE BG HV CZ SK DK EE FR FI Co GG DE GR HU IR IE IT LT LV MK MT MD MN MA NL NO PL PT RO RU At Ao Da Kb Kc Kr Ro Pt St To Tv YU ES SE CH TN GB UA 06 25 26 28 35 40 45 50 61 66
- 3909) Itopectis tunetana (Schmiedeknecht,1914)** (Ichneumonidae) Synonym(s): *tunetana* Schmiedeknecht,1914; *haemorrhoidalis* Habermehl,1918; *europaeator* Aubert,1958; *alternoides* Aubert,1959; *mediorufa* Aubert,1959. Range (in code): DZ AM AT AZ BG Cn CZ SK FR Co GR HU TR Cc IR KG RU At Tv Pe St YU TJ TN TM UA UZ MN CN IT KG KK MK MD PL RO 06 25 34 42 50
- 3910) Itopectis viduata (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *viduata* Gravenhorst,1829; *atrocoxalis* Cresson,1870; *ovalis* Thomson,1877; *meridionalis* Kriechbaumer,1887; *annulata* Ulbricht,1911. Range (in code): TR AL AM Cc AT AZ BY BE BG CA Abt BCo Ssk CN IMn HV CZ SK DK FI FR DE HU IR IT KG KK MD MN NL PL RO RU At Am Ao Kr Us Ro Sh Pt Sr To Tv VI Voo Yr ES SE CH TJ TM US Arz Cf Col NMx Org Ut Ws Wy UA GB UZ YU 25
- 3911) Kristotomus laetus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *laetus* Gravenhorst,1829; *cephalotes* Gravenhorst,1829; *orbitatorius* Schiodte,1839; *calcaratus* Thomson,1883; *marginatus* Thomson,1883. Range (in code): TR AM Cc AT BE BG CZ SK DK FI FR Co GG DE GR HU IR IE IT LT LV MN NL NO PL RO RU Am Kc Mo Us Sh Pt Voo Yr ES SE CH UA GB
- 3912) Kristotomus pumilio (Holmgren,1857)** (Ichneumonidae) Synonym(s): *pumilio* Holmgren,1857. Range (in code): AT BY BG CZ SK FI DE IT LT NL PL RU Pt ES SE GB TR 61 61L
- 3913) Lagarotis semicaligata (Gravenhorst,1820)** (Ichneumonidae) Synonym(s): *semicaligata* Gravenhorst,1820. Range (in code): AZ Cc RU Us GG TR 62 62C
- 3914) Lamachus splendor Aubert,1989** (Ichneumonidae) Synonym(s): *splendor* Aubert,1989. Range (in code): TR 06 36
- 3915) Lathrolestes acinaces Reshchikov,2011** (Ichneumonidae) Synonym(s): *acinaces* Reshchikov,2011. Range (in code): TR 14 14B 14Bb
- 3916) Lathrolestes buccinator (Holmgren,1857)** (Ichneumonidae) Synonym(s): *buccinator* Holmgren,1857. Range (in code): TR AZ Cc AM AF RU Sb 25
- 3917) Lathrolestes fascialis Reshchikov,2011** (Ichneumonidae) Synonym(s): *fascialis* Reshchikov,2011. Original reference: Lathrolestes fascialis Reshchikov,2011, J. Ent. Res. Soc. 13 (1): 86. Holotype ♀: Turkey, Hatay, Kengerlidüz 1650m [National Protection Area], leg. M.F.Gürbüz (ZIN RAS). Range (in code): TR 31
- 3918) Lathrolestes zoticus Reshchikov,2011** (Ichneumonidae) Synonym(s): *zoticus* Reshchikov,2011. Original reference: Lathrolestes zoticus Reshchikov,2011, J. Ent. Res. Soc. 13 (1): 85. Holotype ♂: Turkey, Hatay, Habibi Neccar 106m [National Protection Area], leg. M.F.Gürbüz (ZIN RAS). Range (in code): TR 31
- 3919) Latibulus argiolus (Rossi,1790)** (Ichneumonidae) Synonym(s): *argiolus* Rossi,1790. Range (in code): TN TR CY TJ UZ KG KK RU Am Cc 05 06 25 42
- 3920) Limerodops subsericans (Gravenhorst,1820)** (Ichneumonidae) Synonym(s): *subsericans* Gravenhorst,1820; *pedestrinus* Gravenhorst,1820. Range (in code): TR AT BY BE HV CZ SK DK FI FR DE HU IE IT Si JP KG LT MD NL NO PL RO RU Ao Pt ES SE CH UA GB
- 3921) Lyncus exhortator (Fabricius,1793)** (Ichneumonidae) Synonym(s): *exhortator* Fabricius,1793; *dimidiatus* Gravenhorst,1829. Range (in code): TR DZ AD AT BY BE BG CA On CZ SK DK FI FR Co DE HU IE IT LT LV Md MA NL NO PL PT RO RU Kmt Sh E SE CH TN US Col Nje Ny GB 25 51
- 3922) Liotryphon caudatus (Ratzeburg,1848)** (Ichneumonidae) Synonym(s): *caudatus* Ratzeburg,1848; *brevivalvis* Hensch,1929; *incertus* Hensch,1929; *foveolatus* Constantineanu & Pisica,1970. Range (in code): AT AZ BY BE BG HV CY CZ SK FI FR DE HU IR IT Si KG MD NZ TR Cc MN NO PL RO RU YU ES SE CH TM UA GB
- 3923) Liotryphon crassisetus (Thomson,1877)** (Ichneumonidae) Synonym(s): *crassisetus* Thomson,1877; *pleuralis* Thomson,1877; *musculus* Kriechbaumer,1889; *albispiculus* Morley,1908; *taschenbergi* Ulbricht,1909; *sternoleucus* Lange,1911; *foveolatus* Ulbricht,1912; *taschenbergella* Strand,1918; *rufipes* Hensch,1930. Range (in code): AZ Cc BE BG CN HV FI FR DE GR HU IE IT LV MD NL NO PL RO YU ES SE CH GB TR

- 3924) Liotryphon punctulatus (Ratzeburg,1848)** (Ichneumonidae) Synonym(s): *punctulatus* Ratzeburg,1848; *discolor* Brischke,1880; *macrurus* Förster,1888; *longulus* Kriechbaumer,1890; *tener* Hensch,1929; *vernalis* Hensch,1929; *gracilentus* Hensch,1930 _ Range (in code): **AT AZ Cc BY BE BG CN HV CZ SK FI FR DE HU IT KK LT LV MK MD MN NL NO PL RO RU Ya YU ES SE CH GB TR**
- 3925) Lissonota (Loxonota) cruentator (Panzer,1809)** (Ichneumonidae) Synonym(s): *cruentator* Panzer,1809; *insignita* Gravenhorst,1829; *verberans* Gravenhorst,1829; *insignita* Gravenhorst,1829; *cruentatrix* Schulz,1906; *rufifemur* Kiss,1926; *szepligeti* Kiss,1926 _ Range (in code): **AL AT AZ BE Cc HV CZ BG TR DK FI FR Co DE GR HU IT Si LT MD MA NL PL PT RO RU Ao Da Us Sr ES SE CH UA GB YU 22 67**
- 3926) Lissonota (Loxonota) flavovariegata (Lucas,1849)** (Ichneumonidae) Synonym(s): *flavovariegata* Lucas,1849; *lineolator* Aubert,1972 _ Range (in code): **DZ CH BG ES FR GR IT RO RU YU AM Cc TR IR 14 32 42**
- 3927) Lissonota (Loxonota) histrio (Fabricius,1798)** (Ichneumonidae) Synonym(s): *histrio* Fabricius,1798 _ Range (in code): **TR 15 32**
- 3928) Lissonota (Loxonota) mediterranea Seyrig,1927** (Ichneumonidae) Synonym(s): *mediterranea* Seyrig,1927 _ Range (in code): **TR IR 62 62C**
- 3929) Lissonota (Loxonota) perspicillator Gravenhorst,1829** (Ichneumonidae) Synonym(s): *perspicillator* Gravenhorst,1829; *intermedia* Szépligeti,1899; *perspicillatrix* Schulz,1906; *hispanica* Habermehl,1927 _ Range (in code): **AT BE BG FI FR NL PL RO GB TR DE AT ES HU IT YU MD KG**
- 3930) Lissonota (s.str.) accusator (Fabricius,1793)** (Ichneumonidae) Synonym(s): *accusator* Fabricius,1793 _ Range (in code): **TR 62 62C**
- 3931) Lissonota (s.str.) barbator Aubert,1972** (Ichneumonidae) Synonym(s): *barbator* Aubert,1972 _ Range (in code): **TR 01**
- 3932) Lissonota (s.str.) bivittata Gravenhorst,1829** (Ichneumonidae) Synonym(s): *bivittata* Gravenhorst,1829 _ Range (in code): **DZ IL Pa TR TM MN 62 62C**
- 3933) Lissonota (s.str.) clypeator (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *clypeator* Gravenhorst,1829 _ Range (in code): **TR 34**
- 3934) Lissonota (s.str.) compar Fonscolombe,1854** (Ichneumonidae) Synonym(s): *compar* Fonscolombe,1854 _ Range (in code): **FR TR RU 32**
- 3935) Lissonota (s.str.) culiciformis Gravenhorst,1829** (Ichneumonidae) Synonym(s): *culiciformis* Gravenhorst,1829 _ Range (in code): **TR 15 32**
- 3936) Lissonota (s.str.) fundator (Thunberg,1822)** (Ichneumonidae) Synonym(s): *fundator* Thunberg,1822 _ Range (in code): **Cc RU Sb TR 15 32 62 62C**
- 3937) Lissonota (s.str.) mutator Aubert,1969** (Ichneumonidae) Synonym(s): *mutator* Aubert,1969 _ Range (in code): **BG TR 06**
- 3938) Lissonota (s.str.) nigricoxis Habermehl,1918** (Ichneumonidae) Synonym(s): *nigricoxis* Habermehl,1918; *orientalis* Hedwig,1959 _ Range (in code): **DE RO TR 34**
- 3939) Lissonota (s.str.) parallela Gravenhorst,1829** (Ichneumonidae) Synonym(s): *parallela* Gravenhorst,1829 _ Range (in code): **TR 34 38**
- 3940) Lissonota (s.str.) quadrinotata Gravenhorst,1829** (Ichneumonidae) Synonym(s): *quadrinotata* Gravenhorst,1829 _ TR
- 3941) Lissonota (s.str.) rufitarsis Szépligeti,1899** (Ichneumonidae) Synonym(s): *rufitarsis* Szépligeti,1899 _ Range (in code): **TR 15 32 34**
- 3942) Lissonota (s.str.) superbator Aubert,1967** (Ichneumonidae) Synonym(s): *superbator* Aubert,1967 _ Range (in code): **GR TR SY LB 35**
- 3943) Lissonota (s.str.) variabilis Holmgren,1860** (Ichneumonidae) Synonym(s): *variabilis* Holmgren,1860 _ Range (in code): **GG Cc TR 62 62C**
- 3944) Listrodromus nycthemerus (Gravenhorst,1820)** (Ichneumonidae) Synonym(s): *nycthemerus* Gravenhorst,1820; *quinqueguttatus* Gravenhorst,1829 _ Range (in code): **BY BG BE CZ FI FR Co DE IT LT LV NL PL RO RU ES SE GB TR CN 25**
- 3945) Listrognathus (s.str.) furax (Tschek,1871)** (Ichneumonidae) Synonym(s): *furax* Tschek,1871 _ Range (in code): **TR IR Elb Th 32**
- 3946) Listrognathus ligator (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *ligator* Gravenhorst,1829 _ Range (in code): **AM Cc GB FR CH AT IT YU TR**
- 3947) Listrognathus orientalis Horstmann,1989** (Ichneumonidae) Synonym(s): *orientalis* Horstmann,1989 _ Range (in code): **TR LB 32**
- 3948) Lymantrichneumon disparis (Poda,1761)** (Ichneumonidae) Synonym(s): *disparis* Poda,1761 _ Range (in code): **AT SS TR 33**

- 3949) *Lysibia nana* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *nana* Gravenhorst,1829; *fulvipes* Gravenhorst,1829; Range (in code): **TR 34 35**
- 3950) *Magwengiella flavescens* Bachmaier & Diller,1985** (Ichneumonidae) Synonym(s): *flavescens* Bachmaier & Diller,1985 Original reference: *Magwengiella flavescens* Bachmaier & Diller,1985, Entomofauna 6: 495-498, Abb. 6-10. Holotype ♀: Turkey: Prov. Hakkari, Sat Dag Vargös SW Yüsekova 1700m 4-8.8.1983 leg. W. Schacht (ZSM). Range (in code): **TR 30**
- 3951) *Megarhyssa perlata* (Christ,1791)** (Ichneumonidae) Synonym(s): *gigas* Laxmann,1770 (preocc.); *perlata* Christ,1791; *histrion* Christ,1791; *clavata* Fabricius,1798; *obovator* Thunberg,1822; *insignis* Jaroschewsky,1890 AT AZ Cc BY BE BG CN Mc CZ SK FI FR DE HU IT LT MD NO PL RO RU At Us Pt SE UA YU TR
- 3952) *Megastylus flavopictus* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *flavopictus* Gravenhorst,1829; *lineator* Schiodte,1838; *aemulus* Förster,1871; *cingulator* Förster,1871 TR AT BG CA On DK FI FR Co GG Cc DE HU IR IE IT LT NO PL RU Us YU ES SE US Arz Col Hw UA GB
- 3953) *Melanichneumon glaucatoriops* Heinrich,1972** (Ichneumonidae) Synonym(s): *glaucatoriops* Heinrich,1972 TR AT AZ Cc IR IT PL
- 3954) *Meloboris collector* (Thunberg,1822)** (Ichneumonidae) Synonym(s): *collector* Thunberg,1822 Range (in code): **AZ Cc IL Pa CN ZA TR 06 25**
- 3955) *Meringopus calescens* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *calescens* Gravenhorst,1829 Range (in code): **AZ Cc TR IR MN KK 25**
- 3956) *Meringopus cyanator* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *cyanator* Gravenhorst,1829 Range (in code): **TR 25**
- 3957) *Meringopus nigerrimus* (Fonscolombe,1850)** (Ichneumonidae) Synonym(s): *nigerrimus* Fonscolombe,1850 Range (in code): **TR 25**
- 3958) *Meringopus pseudonymphus* (Tschek,1872)** (Ichneumonidae) Synonym(s): *pseudonymphus* Tschek,1872; *hellenicus* Schmeideknecht,1890; *caudatus* Szépligeti,1916; *setosus* Szépligeti,1916; *algericus* Habermehl,1918 Original reference: *Cryptus pseudonymphus* Tschek,1872, Verh. zool.-bot. Ges. Wien 22: 238. Range (in code): **DZ AT BG HV FR DE GR HU IR IT TR TJ JO IL Pa PL RO RU ES YU 32 34 62 62C**
- 3959) *Meringopus titillator* (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *titillator* Linnaeus,1758; *orientalis* Szépligeti,1916 Range (in code): **SE TR HV GR AM Cc RU Da AZ TM AF IR SY IL Pa JO 07 32 33 70**
- 3960) *Mesochorella nigriceps* (Brischke,1880)** (Ichneumonidae) Synonym(s): *nigriceps* Brischke,1880 BG TR CZ SK DE HU NO PL RO 22
- 3961) *Mesochorus arenarius* (Haliday,1838)** (Ichneumonidae) Synonym(s): *arenarius* Haliday,1838; *melas* Fonscolombe,1852; *nigripes* Ratzeburg,1852; *gibbulus* Holmgren,1856 AF AT BG Cn CZ DK FI FR DE GR Cr Gr HU IE IT NO PL RO RU SE TJ TN TR US Col GB UZ 01 03 22 24 33 36 39 46 63
- 3962) *Mesochorus cimbicis* Ratzeburg,1844** (Ichneumonidae) Synonym(s): *cimbicis* Ratzeburg,1844 TR 53
- 3963) *Mesochorus discitergus* (Say,1835)** (Ichneumonidae) Synonym(s): *discitergus* Say,1835 TR 25
- 3964) *Mesochorus faciator* Horstmann,2003** (Ichneumonidae) Synonym(s): *faciator* Horstmann,2003 DE IT TR 39
- 3965) *Mesochorus fulgurans* (Curtis,1833)** (Ichneumonidae) Synonym(s): *fulgurans* Curtis,1833 TR 53
- 3966) *Mesochorus giberius* (Thunberg,1822)** (Ichneumonidae) Synonym(s): *giberius* Thunberg,1822; *thoracicus* Gravenhorst,1829; *sylvarum* Curtis,1833; *marginatus* Thomson,1886 TR AT BY BE BG CA Abt BCo On Yu CN HV CZ SK DK FI FR Co DE HU IE IT JP KP KR LT LV MX MN NP NL NO PL RO RU Ao Kmt Mo YU ES SE US Als Cf Ny Oh Org Ws GB 08
- 3967) *Mesochorus laricis* Hartig,1838** (Ichneumonidae) Synonym(s): *laricis* Hartig,1838 TR 08 25 75 75F
- 3968) *Mesochorus muncupator* (Panzer,1800)** (Ichneumonidae) Synonym(s): *muncupator* Panzer,1800 TR 25
- 3969) *Mesochorus olerum* Curtis,1833** (Ichneumonidae) Synonym(s): *olerum* Curtis,1833 TR 25
- 3970) *Mesochorus punctipleuris* Thomson,1886** (Ichneumonidae) Synonym(s): *punctipleuris* Thomson,1886 TR 08 53
- 3971) *Mesochorus rubeculus* Hartig,1838** (Ichneumonidae) Synonym(s): *rubeculus* Hartig,1838 TR 36 75
- 3972) *Mesochorus salicis* Thomson,1886** (Ichneumonidae) Synonym(s): *salicis* Thomson,1886 TR 31

- 3973) Mesochorus semirufus Holmgren,1886** (Ichneumonidae) Synonym(s): *semirufus* Holmgren,1886 --TR 53
- 3974) Mesochorus stigmator (Thunberg,1822)** (Ichneumonidae) Synonym(s): *stigmator* Thunberg,1822; *splendidulus* Gravenhorst,1829; *pallidus* Brischke,1880; *stigmaticus* Thomson,1886; *orgyiae* Dalla Torre,1902 --TR AT CZ DK FI FR DE HU IE IT LT Md NL RO PL RU Ro SE GB 2536
- 3975) Mesochorus temporalis Thomson,1886** (Ichneumonidae) Synonym(s): *temporalis* Thomson,1886 --TR 31 33 80
- 3976) Mesochorus testaceus Gravenhorst,1829** (Ichneumonidae) Synonym(s): *testaceus* Gravenhorst,1829 --TR 08
- 3977) Mesochorus vittator (Zetterstedt,1839)** (Ichneumonidae) Synonym(s): *vittator* Zetterstedt,1839 --Range (in code): TR 38
- 3978) Mesochorus vitticollis Holmgren,1860** (Ichneumonidae) Synonym(s): *vitticollis* Holmgren,1860 --TR 25 36 53 75
- 3979) Mesoleptidea cingulata (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *bidens* Fabricius,1798; *bidentor* Thunberg,1822; *cingulata* Gravenhorst,1829; *pectoralis* Gravenhorst,1829; *submarginata* Stephens,1835; *undecimnotata* Desvignes,1856; *amoena* Holmgren,1857; --TR AT BE BG CN CZ DK FI Co DE GR HU IE IT LT LV MD NL NO PL RO RU Kr Mo ES SE CH UA GB 61
- 3980) Mesoleptus filicornis (Thomson,1884)** (Ichneumonidae) Synonym(s): *filicornis* Thomson,1884 --Range (in code): TR 34
- 3981) Mesoleptus laevigatus (Gravenhorst,1820)** (Ichneumonidae) Synonym(s): *laevigatus* Gravenhorst,1820 --Range (in code): TR 25
- 3982) Mesoleptus laticinctus (Walker,1874)** (Ichneumonidae) Synonym(s): *laticinctus* Walker,1874 --TR 53 53M
- 3983) Mesoleptus marginatus (Thomson,1884)** (Ichneumonidae) Synonym(s): *marginatus* Thomson,1884 --Range (in code): TR 34
- 3984) Mesostenus albinotatus Gravenhorst,1829** (Ichneumonidae) Synonym(s): *albinotatus* Gravenhorst,1829; *notatus* Gravenhorst,1829 --Range (in code): TR RU Sb 01 23 32 53 53M
- 3985) Mesostenus grammicus Gravenhorst,1829** (Ichneumonidae) Synonym(s): *grammicus* Gravenhorst,1829 --Range (in code): TR 32 34
- 3986) Mesostenus transfuga Gravenhorst,1829** (Ichneumonidae) Synonym(s): *transfuga* Gravenhorst,1829 --Range (in code): TR 09 15 32
- 3987) Metopius (Ceratopius) dissectorius (Panzer,1805)** (Ichneumonidae) Synonym(s): *dissectorius* Panzer,1805 --Range (in code): TR CN NP IN 34
- 3988) Metopius (Ceratopius) erythropus Kirechbaumer,1894** (Ichneumonidae) Synonym(s): *erythropus* Kirechbaumer,1894 --Range (in code): HU TR AT YU 35 42
- 3989) Metopius (Peltocarus) croceicornis Thomson,1887** (Ichneumonidae) Synonym(s): *croceicornis* Thomson,1887 --Range (in code): DZ TR Cc KG IR 16 42
- 3990) Metopius (Peltocarus) dentatus (Fabricius,1779)** (Ichneumonidae) Synonym(s): *dentatus* Fabricius,1779 --Range (in code): TR NO RU Sb Cc 34
- 3991) Metopius (Peltocarus) dirus Mocsary,1883** (Ichneumonidae) Synonym(s): *dirus* Mocsary,1883 --Range (in code): TR DZ Cc TJ KG RU 16
- 3992) Metopius (s.str.) fulvicornis Mocsary,1883** (Ichneumonidae) Synonym(s): *fulvicornis* Mocsary,1883 --Range (in code): TR 44
- 3993) Metopius (Tylopius) brevispinus Thomson,1887** (Ichneumonidae) Synonym(s): *brevispinus* Thomson,1887 --Range (in code): SE DE FR AT HU TR 51
- 3994) Metopius (Tylopius) leiopygus Förster,1859** (Ichneumonidae) Synonym(s): *leiopygus* Förster,1859 --Range (in code): TR Cc KG RU Sb
- 3995) Metopius (Tylopius) pinatorius Brullé,1846** (Ichneumonidae) Synonym(s): *pinatorius* Brullé,1846 --Range (in code): TR RU
- 3996) Monoblastus brachyacanthus (Gmelin,1790)** (Ichneumonidae) Synonym(s): *brachyacanthus* Gmelin,1790 --Range (in code): DZ GG Cc RU Sb TR 25
- 3997) Monoblastus fulvescens (Fonscolombe,1849)** (Ichneumonidae) Synonym(s): *fulvescens* Fonscolombe,1849; *schmiedeknechti* Brauns,1888; *puniceus* Schmiedeknecht,1900; *antefurcalis* Seyrig,1928; *romani* Gregor,1929; *jaegeri* Bauer,1937; *romani* Gregor,1937; *tibilissicus* Ozols & Djanelidze,1966 AM Cc AT AZ BG CZ SK FR Gb DE IT MK PL ES CH TN YU
- 3998) Monoblastus marginellus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *marginellus* Gravenhorst,1829 --AT BG CZ SK FI FR Co DE IT PL RU Kr Pe Pt TR GB
- 3999) Myrmeleonostenus italicus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *italicus* Gravenhorst,1829 Original reference: *Cryptus italicus* Gravenhorst,1829, Ichn. Eur. 2: 559. Range (in code): IT TR RU Sb 07 32 62 67 62C 62G

- 4000) Nemeritis specularis** Horstmann,1975 (Ichneumonidae) Synonym(s): *specularis* Horstmann,1975 _ Range (in code): **TR 05 06 08 14 16 17 37 43 55**
- 4001) Nemeritis tuitor** Aubert,1986 (Ichneumonidae) Synonym(s): *tuitor* Aubert,1986 Range (in code): **TR 36 36F 36Fb**
- 4002) Neotypus coreensis** Uchida,1930 (Ichneumonidae) Synonym(s): *lapidator* Fabricius,1793; *coreensis* Uchida,1930 _ TR AT CA Abt CZ FR DE HU JP KP KR LT MD MN PL RO RU Us ES SE CH US Org GB
- 4003) Neotypus melanocephalus** (Gmelin,1790) (Ichneumonidae) Synonym(s): *melanocephalus* Gmelin,1790; *pusillus* Gregor,1940 Original reference: Ichneumon *melanocephalus* Gmelin,1790, Syst. Nat. 13: 2687. Range (in code): **BE CZ FR DE HU IT KP KR NL PL RO RU Sb ES SE GB TR 34**
- 4004) Neotypus nobilitator** (Gravenhorst,1807) (Ichneumonidae) Synonym(s): *nobilitator* Gravenhorst,1807; *erythronotus* Rudow,1882; *americanus* Cushman,1926 _ TR AT CA Abt CN Fkn Kwa Mc TW CZ DE JP KP KR PT RU ES SE CH US Nje Ny Oh Wy GB
- 4005) Neoxorides nitens** (Gravenhorst,1829) (Ichneumonidae) Synonym(s): *nitens* Gravenhorst,1829 _ Range (in code): **TR UA 34**
- 4006) Netelia (Bessobates) latungula** (Thomson,1888) (Ichneumonidae) Synonym(s): *latungula* Thomson,1888 _ Range (in code): **TR 41**
- 4007) Netelia (Bessobates) virgata** (Fourcroy,1785) (Ichneumonidae) Synonym(s): *virgata* Fourcroy,1785 _ Range (in code): **TR IN**
- 4008) Netelia (Parapheltes) beschkovi** Kolarov,1994 (Ichneumonidae) Synonym(s): *beschkovi* Kolarov,1994 Original reference: Netelia (Parapheltes) *beschkovi* Kolarov,1994, Entomofauna 15: 94, 2 figs. Holotype ♀: Turkey, [Nevşehir Prov.]: Karain, Göreme 16.7.1991, light trap, leg.S.Beschkov (coll.Kolarov). Range (in code): **TR 50**
- 4009) Netelia (Parapheltes) elevator** Aubert,1971 (Ichneumonidae) Synonym(s): *elevator* Aubert,1971 _ TR
- 4010) Netelia (Parapheltes) maculiventris** Kokujev,1915 (Ichneumonidae) Synonym(s): *maculiventris* Kokujev,1915 _ TR
- 4011) Netelia (Parapheltes) nomas** Kokujev,1899 (Ichneumonidae) Synonym(s): *nomas* Kokujev,1899 _ TR AZ Cc BG GG IL Pa KG MA TM UZ
- 4012) Netelia (Parapheltes) turanica** (Kokujev,1899) (Ichneumonidae) Synonym(s): *turanicus* Kokujev,1899 _ TR AM AZ Cc CN IR KG TJ TM UZ
- 4013) Netelia (Prosthodocis) japonica** (Uchida,1928) (Ichneumonidae) Synonym(s): *japonica* Uchida,1928 _ TR JP AM AZ Cc BY B-H BG CN TW CZ SK FR GG DE IN IT KG MD PL RU Kc Kr Mo Us Sh VI YU CH UA
- 4014) Netelia (s.str.) dilatata** (Thomson,1888) (Ichneumonidae) Synonym(s): *dilatata* Thomson,1888; *brachycera* Thomson,1888; *nigricans* Kriechbaumer,1898; *capito* Kokujev,1899; *genalis* Kokujev,1899; *schirjajewi* Kokujev,1899; *sibiricola* Kokujev,1899; *nigridorsum* Meyer,1929 _ TR AL AM AZ Cc DZ BE BG CN CZ SK FR GG DE GR IR KG KK MK MD MA NL PL RO RU At Da Kr Us Sr St To Sb VI YU ES SE TJ TM UA GB UZ YU
- 4015) Netelia (s.str.) fuscicornis** (Holmgren,1860) (Ichneumonidae) Synonym(s): *fuscicornis* Holmgren,1860; *gracilipes* Thomson,1888 _ Range (in code): **ES PT FR GB BE NL DE SE FI CH AT IT CZ SK PL HU YU RO RU BG GR TR 31 38 42 65**
- 4016) Netelia (s.str.) testacea** (Gravenhorst,1829) (Ichneumonidae) Synonym(s): *testacea* Gravenhorst,1829; *opacula* Thomson,1888; *melanurus* Thomson,1888; *fuscicarpus* Kokujev,1899; *deserta* Kokujev,1915; *maltractata* Roman,1939; *valvator* Aubert,1969; *ambiguator* Aubert,1969 _ Range (in code): **AL DZ AM AU NWs QAU AT AZ Cc Az BD BY BE BG BI Cn CL CN Fkn Kwa Hn Ui HV CY CZ SK DK EG FI FI FR Co DE GR HU IN IR IE IL IT Sa Si JP JO KG KP KR LT LS LY Md MY MT MD MN MA MM NL NO PG PL PT RO RU Am Ao Kc Mo Or Pe Us Sh Pt Sr St Vi Voo Yr RW SA YU TR ES SE CH TN UA GB UZ 16 31 34 35 48**
- 4017) Netelia (Toxochiloides) krishtali** Tolkantiz,1971 (Ichneumonidae) Synonym(s): *krishtali* Tolkantiz,1971 _ Range (in code): **BG UA RU TR SY IR Cc 20**
- 4018) Obtusodonta equitatoria** (Panzer,1786) (Ichneumonidae) Synonym(s): *equitatoria* Panzer,1786; *antennatoria* Panzer,1800; *mediatoria* Fabricius,1804; *cingulatoria* Thunberg,1822; *haemorrhoidaria* Thunberg,1822; *major* Kriechbaumer,1894; *commutata* Berthoumieu,1896; *nigricauda* Berthoumieu,1896; *subnigra* Berthoumieu,1896 _ Range (in code): **TR Cc IR KG AD AT AZ BE BG HV CZ SK FR Co GG DE GR HU IL Pa IT Si LT NL PL PT RO RU Da Kr Mo Ro Sh To Ya ES SE CH SY TN TM UA GB YU 06 34**
- 4019) Odontocolon dentipes** (Gmelin,1790) (Ichneumonidae) Synonym(s): *dentipes* Gmelin,1790 _ Range (in code): **TR KG RU Kmt 16**
- 4020) Oedemopsis scabricula** (Gravenhorst,1829) (Ichneumonidae) Synonym(s): *scabricula* Gravenhorst,1829; *dorsata* Zetterstedt,1838; *pulchra* Zetterstedt,1838; *rogenhoferi* Tschek,1869; *limbata*

Thomson,1883; rufidorsalis Uchida,1932 --_AM AT AZ Cc BE BG CA BCo CN CZ FI FR Co GG DE IE JP KG
LT NL NO PL RO RU Kr Pe Us Sh Pt Ya Yr ES SE UA GB TR 28 52 53

4021) Olesicampe fulviventris (Gmelin,1790) (Ichneumonidae) Synonym(s): *fulviventris*
Gmelin,1790 --_Range (in code): TR 62 62C

4022) Olesicampe macellator (Thunberg,1822) (Ichneumonidae) Synonym(s): *macellator*
Thunberg,1822 --_Range (in code): TR 06

4023) Olesicampe proterva (Brischke,1880) (Ichneumonidae) Synonym(s): *proterva*
Brischke,1880 --_Range (in code): TR 25

4024) Olesicampe radiella (Thomson,1885) (Ichneumonidae) Synonym(s): *radiella*
Thomson,1885 --_Range (in code): TR 25

4025) Opheltes glaucopterus (Linnaeus,1758) (Ichneumonidae) Synonym(s): *glaucopterus*
Linnaeus,1758; fuscipennis Gravenhorst,1829 --_Range (in code): AT AZ Cc BY BE BG CA Abt BCo On CN Mc
IMn Ui HV CZ DK FI FR Co DE HU IE IL Pa IT JP KP KR LT LV MK MD NL NO PL RO RU Am Ao Kmt
Mo Us Sh Pt To Tv ES SE CH TN TR US Col Nje Ny UA GB YU 80

4026) Ophion bipictor Aubert,1980 (Ichneumonidae) Synonym(s): *bipictor* Aubert,1980
Range (in code): BE TR IL Pa 58

4027) Ophion brevicornis Morley,1915 (Ichneumonidae) Synonym(s): *brevicornis* Morley,1915
BE BG FI NL PL ES GB TR

4028) Ophion costatus Ratzeburg,1848 (Ichneumonidae) Synonym(s): *costatus* Ratzeburg,1848
TR

4029) Ophion internigrans Kokujev,1906 (Ichneumonidae) Synonym(s): *internigrans*
Kokujev,1906 --_TR

4030) Ophion longigena Thomson,1888 (Ichneumonidae) Synonym(s): *longigena*
Thomson,1888 --_Range (in code): ES FR GB NO SE FI BY RU PL CZ BE NL DE AT IT Sa RO BG TR 26
34

4031) Ophion luteus (Linnaeus,1758) (Ichneumonidae) Synonym(s): *luteus* Linnaeus,1758; *fulvus*
Retzius,1783; *distans* Thomson,1888; *slaviceki* Kriechbaumer,1892; *pictus* Kokujev,1906; *calcaratus* Morley,1915
Range (in code): PT ES FR IE GB NO SE FI EE LT BY RU UA PL CZ SK HU AT CH IT Sa MD RO BG GR
CY TR 33 34

4032) Ophion minutus Kriechbaumer,1879 (Ichneumonidae) Synonym(s): *minutus*
Kriechbaumer,1879 --_Range (in code): ES FR GB SE BE NL DE PL CZ SK RU AT IT Sa HU MD RO BG
TR 06

4033) Ophion mirsa (Shestakov,1926) (Ichneumonidae) Synonym(s): *mirsa* Shestakov,1926
Range (in code): TR

4034) Ophion mocsaryi Brauns,1889 (Ichneumonidae) Synonym(s): *mocsaryi* Brauns,1889
Range (in code): BG TR IR 32 33

4035) Ophion obscuratus Fabricius,1798 (Ichneumonidae) Synonym(s): *obscuratus*
Fabricius,1798; *obscurus* Fabricius,1804 --_Range (in code): GB ES FR BE NL NO SE FI DE PL EE RU CZ
SK HU AT IT Sa Si MD RO BG GR CY TR 34 38 62 62C

4036) Ophion parvulus Kriechbaumer,1879 (Ichneumonidae) Synonym(s): *parvulus*
Kriechbaumer,1879 --_TR

4037) Ophion pteridis Kriechbaumer,1879 (Ichneumonidae) Synonym(s): *pteridis*
Kriechbaumer,1879 --_TR

4038) Ophion similis (Szépligeti,1905) (Ichneumonidae) Synonym(s): *similis* Szépligeti,1905;
bagdadensis Gregor,1940 --_Range (in code): TN EG LY IL Pa IQ Bgd TR

4039) Ophion ventricosus Gravenhorst,1829 (Ichneumonidae) Synonym(s): *impressus*
Thunberg,1822 (preocc.); *ventricosus* Gravenhorst,1829 --_Range (in code): GB TR AT AZ Cc BE BG CZ FI
FR GG DE HU LT MD NL NO PL RO RU Ao Kr ES SE CH UA 32 34

4040) Orthocentrus radialis Thomson,1897 (Ichneumonidae) Synonym(s): *radialis*
Thomson,1897 --_Range (in code): TR BG DE HU LT NL PL RO RU Kr Cc SE GB 34

4041) Orthopelma brevicorne Morley,1907 (Ichneumonidae) Synonym(s): *brevicorne*
Morley,1907 --_TR BG FI FR RU Us ES SE GB

4042) Orthopelma mediator (Thunberg,1822) (Ichneumonidae) Synonym(s): *mediator*
Thunberg,1822; *luteolator* Gravenhorst,1829; *rufinum* Gravenhorst,1829; *pavoniae* Rondani,1877; *rosaecola*
Ashmead,1890; *thompsoni* Brues,1907; *nigrescens* Constantineanu,1939 --_Range (in code): AD AT Cc BE
BG CA BCo On CZ DK FI FR DE HU IR IT Si LT MD NL NO PL PT RO ES SE CH TR US Arz Col Ny Ut GB
YU 26

4043) Otlophorus inflammator Aubert,1970 (Ichneumonidae) Synonym(s): *inflammator*
Aubert,1970 --_Range (in code): FR TR 31

- 4044) *Otoblastus luteomarginatus* (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *luteomarginatus* Gravenhorst,1829 -- TR AM AZ Cc AT BE BG CZ SK FR Co GG DE HU IT Sa JP MD NL PL RO RU Us Sh Sr ES SE UA GB
- 4045) *Oxytorus luridator* (Gravenhorst,1820)** (Ichneumonidae) **Synonym(s):** *luridator* Gravenhorst,1820; *coxator* Gravenhorst,1829; *ventrator* Gravenhorst,1829; *properator* Haliday,1838; *varicornis* Holmgren,1860; *longicornis* Habermehl,1909; *nigricoxa* Kiss,1924 -- TR GG Cc AT BY BE BG CZ DK FI FR DE HU IT LT NL NO PL RO RU Mo ES SE CH UA GB 53 53M
- 4046) *Pantorhaestes xanthostomus* (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *xanthostomus* Gravenhorst,1829 -- Range (in code): TR 06
- 4047) *Parania geniculata* (Holmgren,1857)** (Ichneumonidae) **Synonym(s):** *geniculata* Holmgren,1857 -- Range (in code): TR 25 59
- 4048) *Paraperithous gnathaulax* (Thomson,1877)** (Ichneumonidae) **Synonym(s):** *gnathaulax* Thomson,1877; *luteipes* Thomson,1877; *ruficollis* Rudow,1881; *aterrimus* Haupt,1954; *moldavicus* Constantineanu & Pisica,1970 -- TR AZ Cc BY BE BG CZ SK FI FR DE HU IR IT LT NL NO PL RO RU Us Pt Yr SE CH GB YU
- 4049) *Patrocloides sputator* (Fabricius,1793)** (Ichneumonidae) **Synonym(s):** *semiannulatus* Schrank,1776; *ferruginosus* semiannulator Olivier,1792; *Gmelin*,1790; *sputator* Fabricius,1793; *nigriventris* Berthoumieu,1896; *solutus* Berthoumieu,1896; *aterrimus* Strobl,1901; *rufatus* Kiss,1929; *apertus* Constantineanu,1942; *bimaculatus* Constantineanu,1954 -- Range (in code): AT BE BG HV CZ FI FR DE IT HU LT LV MN NL PL RO RU ES CH TJ UA GB TR 34 41 80
- 4050) *Perilissus dissimilator* Aubert,1987** (Ichneumonidae) **Synonym(s):** *dissimilator* Aubert,1987 -- Range (in code): TR 01 23
- 4051) *Perilissus filicornis* (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *filicornis* Gravenhorst,1829 -- Range (in code): TR RU Sb
- 4052) *Perilissus lutescens* Holmgren,1855** (Ichneumonidae) **Synonym(s):** *lutescens* Holmgren,1855 -- Range (in code): TR
- 4053) *Perilissus rufoniger* (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *rufoniger* Gravenhorst,1829 -- Range (in code): TR RU At 65
- 4054) *Perilissus spilonotus* (Stephens,1835)** (Ichneumonidae) **Synonym(s):** *spilonotus* Stephens,1835; *dissimilis* Woldstedt,1877 -- Range (in code): TR 38
- 4055) *Perilissus tenebrator* Aubert,1987** (Ichneumonidae) **Synonym(s):** *tenebrator* Aubert,1987 -- Range (in code): TR 30 30D 30Du
- 4056) *Perilissus variator* (Müller,1776)** (Ichneumonidae) **Synonym(s):** *variator* Müller,1776 -- Range (in code): TR 25
- 4057) *Perithous divinator* (Rossi,1790)** (Ichneumonidae) **Synonym(s):** *divinator* Rossi,1790 -- Range (in code): TR 59
- 4058) *Perithous scurra* (Panzer,1804)** (Ichneumonidae) **Synonym(s):** *scurra* Panzer,1804; *mediator* Fabricius,1804 -- Range (in code): TR 06
- 4059) *Perithous septemcinctorius* (Thunberg,1822)** (Ichneumonidae) **Synonym(s):** *septemcinctorius* Thunberg,1822; *varius* Gravenhorst,1829; *marginellatrius* Dufour & Perris,1840; *brunnescens* Koornneef,1951; *exiguus* Haupt,1954; *meridionator* Aubert,1963; *rufatus* Constantineanu & Constantineanu,1968 -- Range (in code): TR AT AZ Cc BY BE BG CN Ui HV CZ SK FI FR Co GG HU IR IE IT KG LV MK MD NL NO PL RO RU Ao Pt Yr YU ES SE CH US UA GB 25
- 4060) *Phaenolobus areolator* (Constantineanu & Constantineanu,1968)** (Ichneumonidae) **Synonym(s):** *areolator* Constantineanu & Constantineanu,1968 -- Range (in code): ES BG GR IR PL RO TR Cc AZ RU KG 25 36 63
- 4061) *Phaenolobus cornutus* Victorov,1962** (Ichneumonidae) **Synonym(s):** *cornutus* Victorov,1962 -- Range (in code): AM Cc TR 21
- 4062) *Phaenolobus fulvicornis* (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *fulvicornis* Gravenhorst,1829 -- Range (in code): AL AT BY BG HV CZ FR GG DE Cc HU IR IL Pa IT LT LV MA NL PL PT RO RU Ao YU ES CH GB TR DZ 08 25 36 69
- 4063) *Phaenolobus hilalii* Kolarov & Gürbüz,2010** (Ichneumonidae) **Synonym(s):** *hilalii* Kolarov & Gürbüz,2010 -- Original reference: Phaenolobus hilalii Kolarov & Gürbüz,2010, Ent. News 121 (1): 53-58. Range (in code): TR
- 4064) *Phaenolobus major* Szépligeti,1914** (Ichneumonidae) **Synonym(s):** *major* Szépligeti,1914 -- Range (in code): CZ PL HU TR 06
- 4065) *Phaenolobus saltans* (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *saltans* Gravenhorst,1829 -- Range (in code): AT HV DE GR HU IR IT MK PL PT RO ES YU UA TR 22 24 25 36 65

- 4066) *Phaenolobus terebrator* (Scopoli,1763)** (Ichneumonidae) Synonym(s): *terebrator* Scopoli,1763; *arator* Rossi,1790 _ Range (in code): **AL AT BY BE BG HV CZ FI FR GG Cc DE HU IT KG KP KR LT MD MA NL NO PL RO RU YU ES SE CH UA GB UZ TR 12 25 34**
- 4067) *Phaenolobus trochanteralis* Çoruh & Kolarov,2013** (Ichneumonidae) Synonym(s): *trochanteralis* Çoruh & Kolarov,2013 _ Range (in code): **TR 24 25**
- 4068) *Phaeogenes aff. rusticatus* Wesmael,1844** (Ichneumonidae) Synonym(s): *rusticatus* Wesmael,1844 _ Range (in code): **TR 16**
- 4069) *Phaeogenes corcirensis* Berthoumieu,1901** (Ichneumonidae) Synonym(s): *corcirensis* Berthoumieu,1901 _ Range (in code): **BG TR GR Cc RU**
- 4070) *Phaeogenes nigridens* Wesmael,1844** (Ichneumonidae) Synonym(s): *nigridens* Wesmael,1844 _ Range (in code): **TR 34**
- 4071) *Phaeogenes planifrons* Wesmael,1844** (Ichneumonidae) Synonym(s): *planifrons* Wesmael,1844 _ Range (in code): **TR 34**
- 4072) *Phaestacoenitus bidentator* Aubert,1979** (Ichneumonidae) Synonym(s): *bidentator* Aubert,1979 _ Range (in code): **TR 25**
- 4073) *Phobetres atomator* (Müller,1776)** (Ichneumonidae) Synonym(s): *atomator* Müller,1776; *croaticus* Kiss,1926; *melanurus* Ulbricht,1926 Range (in code): **AT BY BE BG CZ SK FI FR DE HU IE IT LT NL NO PL RU Ya YU ES SE UA GB TR 53**
- 4074) *Phobetres leptocerus* (Gravenhorst,1820)** (Ichneumonidae) Synonym(s): *leptocerus* Gravenhorst,1820; *stigmaticus* Brischke,1878; *schmiedeknechti* Lange,1911; *aigneri* Kiss,1926 Range (in code): **TR AT BE BG CZ SK FI FR DE GR HU IE IT LT MD NL PL RO RU Ao Sr ES SE CH UA GB 53**
- 4075) *Phradis brevis* (Brischke,1880)** (Ichneumonidae) Synonym(s): *brevis* Brischke,1880 Range (in code): **RU Cc Sb Us KG MN TR 58**
- 4076) *Phradis decrescens* (Thomson,1889)** (Ichneumonidae) Synonym(s): *decrescens* Thomson,1889 _ Range (in code): **KG TR Cc 65 65G 65Ge**
- 4077) *Phradis minutus* (Bridgman,1889)** (Ichneumonidae) Synonym(s): *minutus* Bridgman,1889 _ Range (in code): **TR Cc 32**
- 4078) *Phradis morionellus* (Holmgren,1860)** (Ichneumonidae) Synonym(s): *morionellus* Holmgren,1860 _ Range (in code): **TN MD Cc TR RU Sb Us KG**
- 4079) *Phradis nigritulus* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *nigritulus* Gravenhorst,1829 _ Range (in code): **RU KG TR Sb Us MN 33**
- 4080) *Phradis rufiventris* Horstmann,1980** (Ichneumonidae) Synonym(s): *rufiventris* Horstmann,1980 _ Range (in code): **TR KG 65 65G 65Ge**
- 4081) *Pimpla aquilonia* Cresson,1870** (Ichneumonidae) Synonym(s): *aquilonia* Cresson,1870 **TR 53 61 53M**
- 4082) *Pimpla arcadica* Kasparyan,1973** (Ichneumonidae) Synonym(s): *arcadica* Kasparyan,1973 **TR**
- 4083) *Pimpla artemonis* Kasparyan,1973** (Ichneumonidae) Synonym(s): *artemonis* Kasparyan,1973 **TR**
- 4084) *Pimpla caucasica* Kasparyan,1974** (Ichneumonidae) Synonym(s): *caucasica* Kasparyan,1974 **TR Cc**
- 4085) *Pimpla contemplator* (Müller,1776)** (Ichneumonidae) Synonym(s): *contemplator* Müller,1776 **TR**
- 4086) *Pimpla coxalis* Habermehl,1917** (Ichneumonidae) Synonym(s): *coxalis* Habermehl,1917 **TR**
- 4087) *Pimpla hypochondriaca* (Retzius,1783)** (Ichneumonidae) Synonym(s): *hypochondriaca* Retzius,1783 _ Range (in code): **TR 06 16 33 50**
- 4088) *Pimpla illecebrator* (Villers,1799)** (Ichneumonidae) Synonym(s): *illecebrator* Villers,1799 Range (in code): **TR Cc KG 06 22 33**
- 4089) *Pimpla insignatoria* (Gravenhorst,1807)** (Ichneumonidae) Synonym(s): *insignatoria* Gravenhorst,1807 **TR 61**
- 4090) *Pimpla melanacrias* Perkins,1941** (Ichneumonidae) Synonym(s): *melanacrias* Perkins,1941 **TR 53 53M**
- 4091) *Pimpla rufipes* Brullé,1846** (Ichneumonidae) Synonym(s): *rufipes* Brullé,1846 **TR**
- 4092) *Pimpla sodalis* Ruthe,1859** (Ichneumonidae) Synonym(s): *sodalis* Ruthe,1859 **TR**
- 4093) *Pimpla spuria* Gravenhorst,1829** (Ichneumonidae) Synonym(s): *spuria* Gravenhorst,1829 Range (in code): **TR Cc KG RU At IR 06 25 28 41 53 61 62 53M 62C**
- 4094) *Pimpla turionellae* (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *turionellae* Linnaeus,1758; *examinator* Fabricius,1804 _ Range (in code): **TR 06 16 26 42 50**

- 4095) Pion crassipes Holmgren,1857** (Ichneumonidae) Synonym(s): *crassipes Holmgren,1857*
Range (in code): **TR**
- 4096) Pion fortipes (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *fortipes Gravenhorst,1829* Range (in code): **TR 34**
- 4097) Pithotomus rufiventris Kriechbaumer,1888** (Ichneumonidae) Synonym(s): *rufiventris Kriechbaumer,1888* Range (in code): **RO BG TR RU Cc 34**
- 4098) Platylabus iridipennis (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *iridipennis Gravenhorst,1829* Range (in code): **TR**
- 4099) Platylabus neglectus (Fonscolombe,1847)** (Ichneumonidae) Synonym(s): *neglectus Fonscolombe,1847; decipiens Wesmael,1848; minai De Stefani,1885; exannulatus Habermehl,1917* Range (in code): **TR DZ AT BE BG CZ SK EE FI FR DE HU IE IT Si KK LT MN NL PL RO ES SE CH GB**
- 4100) Platylabus obator (Desvignes,1856)** (Ichneumonidae) Synonym(s): *obator Desvignes,1856* Range (in code): **TR BE BG DE FI FR GB MA AT SE CH**
- 4101) Platylabus odiosus Perkins,1953** (Ichneumonidae) Synonym(s): *odiosus Perkins,1953*
Range (in code): **BG DE FI FR GB Co NL NO AT PL CH SE CZ TR**
- 4102) Platylabus oehlkei (Heinrich,1972)** (Ichneumonidae) Synonym(s): *oehlkei Heinrich,1972*
Range (in code): **TR CZ FI FR DE PL RO SK CH**
- 4103) Platylabus ponticus Riedel,2008** (Ichneumonidae) Synonym(s): *ponticus Riedel,2008*
Original reference: Platylabus ponticus Riedel,2008, Spixiana 31 (1): 114, 146-147. Holotype ♀: [Türkei, Erzurum Prov.], Delibaba, Horasan 18km E (LIN). Range (in code): **TR 25 25E**
- 4104) Platylabus tricingulatus (Gravenhorst,1820)** (Ichneumonidae) Synonym(s): *tricingulatus Gravenhorst,1820* Range (in code): **TR DZ AT AZ Cc BY BE BG HV EG FI FR Co DE GR IR IT MA NO PL PT ES SE CH SY TN GB YU**
- 4105) Platylabus vibratorius (Thunberg,1822)** (Ichneumonidae) Synonym(s): *vibratorius Thunberg,1822; wienkeri Ratzeburg,1844; rufiventris Wesmael,1845* Range (in code): **TR AT BY BE BG HV CZ FI FR DE HU IE LT NL NO PL RO ES SE GB YU**
- 4106) Pleolophus brachypterus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *brachypterus Gravenhorst,1829* Range (in code): **AZ Cc TR 16 62 62C**
- 4107) Poemenia hectica (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *hectica Gravenhorst,1829* Range (in code): **TR Cc RU 14**
- 4108) Polyblastus cothurnatus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *cothurnatus Gravenhorst,1829; drewseni Schiodte,1838; uncinatus Bridgman,1889; intermedius Ulbricht,1916; hungaricus Kiss,1926* Range (in code): **AT BY BE BG CZ SK DK FI FR GG Cc DE HU IT LT LV MD NL PL RO RU At Sh Pt Ya Yr SE UA GB TR**
- 4109) Polyblastus varitarsus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *varitarsus Gravenhorst,1829; albovinctus Gravenhorst,1829; affinis Woldstedt,1874; subtilis Thomson,1883; rufus Kiss,1926; xanthostomus Ulbricht,1926* Range (in code): **AT AZ BY BE BG CA Abt BCo Nfl Lbr On Ssk Yuk HV CZ SK DK FI FR GG DE HU IE IL IT JP KG KK LT LV MN NL NO PL RO RU Am Mgd Mo Or Us Pt To Vi Ya Yr SE CH US Als Cf Col NMx Ny Org Ut Ws Wy UA GB TR**
- 4110) Polysphincta tuberosa Gravenhorst,1829** (Ichneumonidae) Synonym(s): *tuberosa Gravenhorst,1829; taschenbergi Woldstedt,1877; sculpturata Roman,1931* Range (in code): **AT BY BG CA BCo CZ SK FI FR DE HU IR IE IT MN RO PL RU Kmt St Pt ES SE CH US Als Cf Ny Ut Ws GB TR**
- 4111) Polytribax rufipes (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *rufipes Gravenhorst,1829; curvus Gravenhorst,1829* Range (in code): **TR**
- 4112) Priopoda stictica (Fabricius,1799)** (Ichneumonidae) Synonym(s): *stictica Fabricius,1799*
Range (in code): **TR DZ o6**
- 4113) Pristomerus armatus (Lucas,1849)** (Ichneumonidae) Synonym(s): *armatus Lucas,1849; cingulatus Szépligeti,1905* Range (in code): **DZ SE DE BE FR Co CH IT HU RO BG GR RU Sb DZ TR Cc AM GG 22 39 59**
- 4114) Pristomerus kasparyani Narolsky,1986** (Ichneumonidae) Synonym(s): *kasparyani Narolsky,1986* Range (in code): **FR BG TR UA Cm HU 33**
- 4115) Pristomerus pallidus Thomson,1890** (Ichneumonidae) Synonym(s): *pallidus Thomson,1890* Range (in code): **TR**
- 4116) Pristomerus rivalis Narolsky,1987** (Ichneumonidae) Synonym(s): *rivalis Narolsky,1987*
Range (in code): **TR MD UA KG UZ KK**
- 4117) Pristomerus vulnerator (Panzer,1799)** (Ichneumonidae) Synonym(s): *vulnerator Panzer,1799; schreineri Ashmead,1904; #marginalis Habermehl,1923* Range (in code): **SE GB DE FR Co PL RO HU RU Sb KP KR JP IT Si GR TR IN CN 16 22 38 55**
- 4118) Probles (Euporizon) exilis (Holmgren,1860)** (Ichneumonidae) Synonym(s): *exilis Holmgren,1860* Range (in code): **TR o1**

- 4119) Probes (Euporizon) rufipes (Holmgren,1860)** (Ichneumonidae) **Synonym(s):** *rufipes* Holmgren,1860 **Range (in code):** [TR RU Sb 61](#)
- 4120) Probes (Microdiaparsis) anatolicus Hortsman,1980** (Ichneumonidae) **Synonym(s):** *anatolicus* Hortsman,1980 **Original reference:** Probes (Microdiaparsis) anatolicus Hortsman,1980, Spixiana 4 (suppl.): 31-33, fig. Holotype ♀: "3.viii.1972 Zigara-Pass/T." (Hinz). [Türkei, Trabzon Prov., Zigana Pass]. **Range (in code):** [TR RU Cc Kr GG AM Eri 53 59 61](#)
- 4121) Probes (Microdiaparsis) caudiculatus Khalaim,2007** (Ichneumonidae) **Synonym(s):** *caudiculatus* Khalaim,2007 **Range (in code):** [TR 25 25A](#)
- 4122) Probes (Microdiaparsis) neoversutus (Horstmann,1967)** (Ichneumonidae) **Synonym(s):** *neoversutus* Horstmann,1967 **Range (in code):** [RU Us TR 37](#)
- 4123) Probes (Rugodiaparsis) sp.** (Ichneumonidae) **Synonym(s):** **Range (in code):** [TR 38](#)
- 4124) Probes (s.str.) erythrostomus (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *erythrostomus* Gravenhorst,1829; *minator* Gravenhorst,1829; *melanarius* Szépligeti,1899 **Range (in code):** [TR AT BE BG HV CZ SK DK FR DE HU IE IT LT PL ES SE GB 03 07](#)
- 4125) Probes (s.str.) flavipes (Szépligeti,1899)** (Ichneumonidae) **Synonym(s):** *flavipes* Szépligeti,1899 **Range (in code):** [TR 61](#)
- 4126) Probolus crassulus Horstmann,2000** (Ichneumonidae) **Synonym(s):** *crassicornis* Stephens,1835; *nigriventris* Ulbricht,1922; *crassulus* Horstmann,2000 **Range (in code):** [AT CZ FR DE HU IE IT NO ES GB TR](#)
- 4127) Procinetus decimator Gravenhorst,1829** (Ichneumonidae) **Synonym(s):** *decimator* Gravenhorst,1829; *maculatus* Gravenhorst,1829; *aberrans* Kriechbaumer,1889; *crassulus* Kriechbaumer,1889; *interstitialis* Constantineau,1958; *postfurcalis* Constantineau,1958 **Range (in code):** [TR UZ GB UA TN CH SE ES RU IT MD MA NL PL RO AL DZ AT BE BG HV CZ FR DE HU IR 24](#)
- 4128) Promethes sulcator (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *sulcator* Gravenhorst,1829; *areolatus* Holmgren,1856; *anomalus* Taschenberg,1865; *longicornis* Provancher,1883; *aciculatus* Provancher,1888; *auriculatus* Provancher,1888; *dodsi* Morley,1906; *splendidus* Dasch,1964 **Range (in code):** [TR AF AT AZ Cc BY BE BG CA Abt BCo Nfl Lbr On Ssk Yuk CN Gn CZ SK DK FI FR DE GR HU IN IE IT JP LT LV Md MD NL NO PL RO RU Kmt Mo Ro ES SE CH US Als Arz Col Nje Ny Oh Org Ut Ws Wy UA GB 06](#)
- 4129) Protichneumon coqueberti (Wesmael,1848)** (Ichneumonidae) **Synonym(s):** *coqueberti* Wesmael,1848 **Range (in code):** [TR IR 25](#)
- 4130) Protichneumon fusorius (Linnaeus,1761)** (Ichneumonidae) **Synonym(s):** *fuscus* Linnaeus,1761; *fuscus* Linnaeus,1767; *italicus* Rudow,1888; *persicus* Morley,1915; *obscuratus* Habermehl,1916 **Range (in code):** [TR IR 08 25](#)
- 4131) Protichneumon similatorius (Fabricius,1798)** (Ichneumonidae) **Synonym(s):** *similatorius* Fabricius,1798 **Range (in code):** [IR TR AT BE HV CZ SK FI FR DE HU IT Sa LT NL NO PL RO RU ES SE CH GB YU](#)
- 4132) Pseudoamblyteles homocerus (Wesmael,1854)** (Ichneumonidae) **Synonym(s):** *homocerus* Wesmael,1854; *fumipennis* Rudow,1888; *massiliensis* Berthoumeu,1894; *rufescens* Berthoumeu,1898; *freyi* Pic,1899; *slavonicus* Kiss,1924; *transitorius* Constantineau,1929 **Range (in code):** [TR AF DZ AD AT BY BE BG CA BCo On Yuk CN Ui HV CZ SK FI FR DE GR HU IR IT Si MN MA PL RO RU Ao Kmt Sh ES CH TN US Als Col Wy GB](#)
- 4133) Pseudoplatylabus violentus (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *violentus* Gravenhorst,1829; *infaustus* Wesmael,1845; *thalhammeri* Strobl,1901; *nigricornis* Ulbricht,1910; *caudatus* Smits van Burgst,1931 **Range (in code):** [DZ BY BE BG CZ FI FR DE HU IT Sa NL PL ES TR US YU](#)
- 4134) Pycnocryptodes reticulator Aubert,1971** (Ichneumonidae) **Synonym(s):** *reticulator* Aubert,1971 **Range (in code):** [CY TR 32](#)
- 4135) Pycnocryptus claviventris Kriechbaumer,1894** (Ichneumonidae) **Synonym(s):** *claviventris* Kriechbaumer,1894 **Range (in code):** [TR 63](#)
- 4136) Pycnocryptus rarus (Habermehl,1920)** (Ichneumonidae) **Synonym(s):** *rarus* Habermehl,1920 **Range (in code):** [TR 14](#)
- 4137) Pygmaeolus turcicus Kolarov,1993** (Ichneumonidae) **Synonym(s):** *turcicus* Kolarov,1993; *#turicus* Kolarov,1993 **Original reference:** Pygmaeolus turcicus Kolarov,1993, Linzer biol. Beitr. 25 (2): 1095-1095. Holotype ♀: Türkei, Angora 13.6.1925 leg. Biro (HNHM Budapest). **Range (in code):** [TR 06](#)
- 4138) Pyracmon nactor Aubert,1986** (Ichneumonidae) **Synonym(s):** *nactor* Aubert,1986 **Range (in code):** [TR 30](#)
- 4139) Rhyssa persuasoria (Linnaeus,1758)** (Ichneumonidae) **Synonym(s):** *persuasoria* Linnaeus,1758 **Range (in code):** [TR 16 34](#)

- 4140) Rictichneumon lombardi (Berthoumieu,1897)** (Ichneumonidae) **Synonym(s):** *lombardi* Berthoumieu,1897; *solymus* Berthoumieu,1900; *albanicus* Heinrich,1926; *desertorum* Heinrich,1926
TR AL BG FR HU IL Pa RO CH
- 4141) Scambus (Atelophadnus) rufator Aubert,1963** (Ichneumonidae) **Synonym(s):** *rufator* Aubert,1963 **Range (in code): FR YU BG TR RU**
- 4142) Scambus (s.str.) brevicornis (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *brevicornis* Gravenhorst,1829 **Range (in code): TR TN US MN 34**
- 4143) Scambus (s.str.) buolianae (Hartig,1838)** (Ichneumonidae) **Synonym(s):** *buolianae* Hartig,1838 **TR**
- 4144) Scambus (s.str.) calobatus (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *calobatus* Gravenhorst,1829 **Range (in code): TN TR RU Ur TR**
- 4145) Scambus (s.str.) elegans (Woldstedt,1877)** (Ichneumonidae) **Synonym(s):** *elegans* Woldstedt,1877 **Range (in code): TR Cc UA Cm 16 35**
- 4146) Scambus (s.str.) foliae (Cushman,1938)** (Ichneumonidae) **Synonym(s):** *foliae* Cushman,1938 **TR**
- 4147) Scambus (s.str.) nigricans (Thomson,1877)** (Ichneumonidae) **Synonym(s):** *nigricans* Thomson,1877 **TR**
- 4148) Scambus (s.str.) planatus Hartig,1838** (Ichneumonidae) **Synonym(s):** *planatus* Hartig,1838 **TR**
- 4149) Scambus (s.str.) pomorum (Ratzeburg,1848)** (Ichneumonidae) **Synonym(s):** *pomorum* Ratzeburg,1848 **Range (in code): TR Cc 35**
- 4150) Scambus (s.str.) sagax Hartig,1838** (Ichneumonidae) **Synonym(s):** *sagax* Hartig,1838 **TR**
- 4151) Scambus (s.str.) signatus Pfeffer,1913** (Ichneumonidae) **Synonym(s):** *signatus* Pfeffer,1913 **TR**
- 4152) Scambus (s.str.) strobilorum (Ratzeburg,1848)** (Ichneumonidae) **Synonym(s):** *strobilorum* Ratzeburg,1848; *laticeps* Ratzeburg,1848; *diversipes* Ulbricht,1909; *varipoda* Strand,1918; *#sitrobilorum* Çoruh et al.,2014 **TR AT CZ FI FR DE HU JP LT PL RO RU At Am Ao SE CH GB**
- 4153) Scambus (s.str.) vesicarius (Ratzeburg,1844)** (Ichneumonidae) **Synonym(s):** *vesicarius* Ratzeburg,1844 **TR**
- 4154) Schizopyga circulator (Panzer,1800)** (Ichneumonidae) **Synonym(s):** *circulator* Panzer,1800; *analis* Gravenhorst,1829; *circulatrix* Schulz,1906 **TR**
- 4155) Schizopyga podagrica Gravenhorst,1829** (Ichneumonidae) **Synonym(s):** *podagrica* Gravenhorst,1829; *minuta* Gravenhorst,1829; *silbernageli* Kiss,1933 **TR**
- 4156) Schreineria populnea (Giraud,1872)** (Ichneumonidae) **Synonym(s):** *populnea* Giraud,1872; *albopicta* Kriechbaumer,1892; *albomarginata* Ulbricht,1911; *bimaculata* Constantineau,1929; *intermedia* Constantineau,1929; *notonigra* Constantineanu,1929 **TR AT BE BG CN Gn Mc Ui CZ FR DE GR HU IR IT RO RU Mo CH YU 28**
- 4157) Scolobates auriculatus (Fabricius,1804)** (Ichneumonidae) **Synonym(s):** *auriculatus* Fabricius,1804; *auriculator* Thunberg,1822; *elevator* Thunberg,1822; *crassitarsus* Gravenhorst,1829; *hylotomae* Kriechbaumer,1877; *canadensis* Harrington,1892; *zonatus* Marshall,1898; *niger* Roman,1917; *nigrifacies* Teunissen,1953 **TR AT AZ Cc BY BE BG CA Abt BCo Nfl Lbr On CZ SK EE FI FR Co HU IN IE IT KG LT LV MD NL NO PL RO RU Am Kmt Kr Us Sh Pt Ya ES SE CH US Col Nje NMx Ny Org Tx UA GB 52**
- 4158) Scolobates nigripennis Sichel,1860** (Ichneumonidae) **Synonym(s):** *nigripennis* Sichel,1860; *nigripennis* Giraud,1872; *nigripennis* Schmiedeknecht,1925 (preocc.) **Range (in code): BG HV FR GR IT Si SS ES TR UA Cm Cc 80**
- 4159) Sinarachna anomala (Holmgren,1860)** (Ichneumonidae) **Synonym(s):** *anomala* Holmgren,1860 **Range (in code): TR**
- 4160) Sinophorus nigrtellus (Thomson,1887)** (Ichneumonidae) **Synonym(s):** *nigrtellus* Thomson,1887 **Range (in code): TR**
- 4161) Sinophorus pleuralis (Thomson,1887)** (Ichneumonidae) **Synonym(s):** *pleuralis* Thomson,1887 **Range (in code): TR RU Sb 34**
- 4162) Sinophorus sticticale Sanborne,1984** (Ichneumonidae) **Synonym(s):** *sticticale* Sanborne,1984 **Range (in code): TR KG Aa UZ**
- 4163) Sinophorus xanthostomus (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *xanthostomus* Gravenhorst,1829 **Range (in code): DZ TR CY IL Pa JO Cc AM IR SA**
- 4164) Spilichneumon ammonius (Gravenhorst,1820)** (Ichneumonidae) **Synonym(s):** *ammonius* Gravenhorst,1820 **TR**
- 4165) Spilichneumon limnophilus (Thomson,1888)** (Ichneumonidae) **Synonym(s):** *limnophilus* Thomson,1888 **TR**

- 4166) *Spilichneumon occisorius* (Fabricius,1793)** (Ichneumonidae) Synonym(s): *occisorius* Fabricius,1793 Range (in code): ES GB NO DK DE PL RU UA CZ BE NL FR CH IT Si HU MD RO BG TR 65 65N 65Np 65Nm
- 4167) *Spilothyrates illuminatorius* (Gravenhorst,1820)** (Ichneumonidae) Synonym(s): *illuminatorius* Gravenhorst,1820; *zonalis* Gravenhorst,1829 Range (in code): TR DZ AT AZ Cc BE BG HV CZ SK DK FR Co DE GR HU IR IT Sa PL RO ES CH GB
- 4168) *Spilothyrates nuptatorius* (Fabricius,1893)** (Ichneumonidae) Synonym(s): *nuptatorius* Fabricius,1893; *fabricii* Schrank,1802; *terminator* Panzer,1804; *insidiator* Fonscolombe,1847; *melanocerus* Wesmael,1855; *cubicularis* Desvignes,1856; *truncicola* Thomson,1888; *paganus* Berthoumieu,1892; *frustrator* Berthoumieu,1892; *australis* Habermehl,1917 Range (in code): DZ AT B-H HV DK FI FR DE HU IE IT PL RO RU ES SE TR GB YU
- 4169) *Spudaeus scaber* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *scaber* Gravenhorst,1829; *lapponicus* Holmgren,1858 Range (in code): AT BG CA Abt BCo CZ SK FI FR DE HU IT KG LT LV NO PL RO RU Yr ES SE US Arz Cf Ws Wy UA TR
- 4170) *Stenarella domator* (Poda,1761)** (Ichneumonidae) Synonym(s): *domator* Poda,1761; *gladiator* Fahringer,1922 Range (in code): TR CY 34
- 4171) *Stenerella domator* (Poda,1761)** (Ichneumonidae) Synonym(s): *domator* Poda,1761 Range (in code): TR 32
- 4172) *Stenichneumon culpator* (Schrank,1802)** (Ichneumonidae) Synonym(s): *culpator* Schrank,1802; *nigriventris* Kriechbaumer,1894; *nigrotibialis* Kiss,1929 Range (in code): AT AZ Cc BY BE B-H BG CA Abt BCo Nfl Lbr On Yuk CZ SK FI FR Co DE HU IR IE IT Si JP KG KP KR LT LV MD NL NO PL RO RU At Da Kc Kr Mo Sh Pt Yr ES SE TN TR US Als Col Nje Ny UA GB YU
- 4173) *Stenomacrus affinator* Aubert,1981** (Ichneumonidae) Synonym(s): *affinator* Aubert,1981 Range (in code): TR BG FR DE GR Md ES 06 34
- 4174) *Stictopisthus bilineatus* (Thomson,1886)** (Ichneumonidae) Synonym(s): *bilineatus* Thomson,1886; *africanus* Ferrière,1925 Range (in code): TR AF AT CA Abt Ssk Cn ZR EG FI FR Co DE IT LT MX NL PL RO ES SD US Arz Cf Col NMx Tx Ws 02 32
- 4175) *Stictopisthus maroccanus* Schwenke,1999** (Ichneumonidae) Synonym(s): *maroccanus* Schwenke,1999 Range (in code): MA TR 02 32 33 59
- 4176) *Stilbops ruficornis* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *ruficornis* Gravenhorst,1829; *abdominalis* Gravenhorst,1829; *nematorum* Rudow,1881; *longiceps* Strobl,1903; *basiniger* Constantineanu & Pisica,1970 Range (in code): TR
- 4177) *Stilpnus adanensis* Kolarov & Beyarslan,1994** (Ichneumonidae) Synonym(s): *adanensis* Kolarov & Beyarslan,1994 Range (in code): TR 01
- 4178) *Strongyloopsis abdominalis* Kasparyan,1974** (Ichneumonidae) Synonym(s): *abdominalis* Kasparyan,1974 Range (in code): BG HU RO RU Cc TR 41
- 4179) *Strongyloopsis belua* Kuzin,1850** (Ichneumonidae) Synonym(s): *belua* Kuzin,1850 Range (in code): TR AM AZ Cc IR KG KK MN RU Da St TJ UA
- 4180) *Sympherta fuscicornis* (Gmelin,1790)** (Ichneumonidae) Synonym(s): *fuscicornis* Gmelin,1790 Range (in code): NL DE SE PL RU TR
- 4181) *Synechocryptus mactator* (Tschek,1870)** (Ichneumonidae) Synonym(s): *mactator* Tschek,1870 Range (in code): TR Cc 34
- 4182) *Synomelix albipes* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *albipes* Gravenhorst,1829 Range (in code): SE FI GB DE FR IT BG TR
- 4183) *Syrphoctonus bifoveolatus* (Kriechbaumer,1895)** (Ichneumonidae) Synonym(s): *bifoveolatus* Kriechbaumer,1895 Range (in code): TR 01
- 4184) *Syrphoctonus signatus* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *signatus* Gravenhorst,1829 Range (in code): TR 06
- 4185) *Syrphoctonus tarsatorius* (Panzer,1809)** (Ichneumonidae) Synonym(s): *tarsatorius* Panzer,1809 Range (in code): TR 06 35
- 4186) *Syrphophilus bizonatus* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *bizonatus* Gravenhorst,1829; *cingulatus* Holmgren,1858; *frontalis* Brischke,1878; *saginat* Provancher,1879; *inconstans* Davis,1895; *iwatensis* Uchida,1930; *satoi* Uchida,1930 Range (in code): TR AT AZ Cc BE BG CA Abt BCo Nfl Lbr On Ssk Yuk CN HV CY CZ SK DK FI FR Co DE HU IN IE IL Pa IT Si JP LT LV MD MN MA NL NO PL PT RO RU Sh ES SE CH TN US Als Arz Cf Col Ny Org Ut Ws Wy GB 06 25 34 42
- 4187) *Syspasis carinator* (Fabricius,1798)** (Ichneumonidae) Synonym(s): *carinator* Fabricius,1798; *helleri* Holmgren,1878; *tenuidens* Berthoumieu,1904 Range (in code): AT BE HV FR Co DE IT PL TR YU
- 4188) *Syspasis scutellator* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *scutellator* Gravenhorst,1829; *rufescens* Berthoumieu,1894; *iberica* Seyrig,1927 Range (in code): DZ AD AT AZ Cc BY BE BG HV CZ SK DK FI FR DE HU IR IT Si LT LV NL PL RO RU Kc Pt Yr ES CH TN TR UA GB

- 4189) Syzeuctus irrisorius (Rossi,1794)** (Ichneumonidae) Synonym(s): *irrisorius* Rossi,1794
Range (in code): **TR**
- 4190) Syzeuctus tenuifasciatus Schmiedeknecht,1900** (Ichneumonidae) Synonym(s): *tenuifasciatus* Schmiedeknecht,1900 - Range (in code): **TR**
- 4191) Syzeuctus turcator Aubert,1984** (Ichneumonidae) Synonym(s): *turcator* Aubert,1984
Range (in code): **TR 42**
- 4192) Temelucha afghana Sedivy,1968** (Ichneumonidae) Synonym(s): *afghana* Sedivy,1968
Range (in code): **TR AF**
- 4193) Temelucha anatolica (Sedivy,1959)** (Ichneumonidae) Synonym(s): *anatolica* Sedivy,1959
Range (in code): **TN TR FR GG Cc IL Pa Da RU TM 01 07 33**
- 4194) Temelucha annulata (Szépligeti,1899)** (Ichneumonidae) Synonym(s): *annulata* Szépligeti,1899; *brevicornis* Kolarov & Beyarslan,1999 - Range (in code): **AT BG CZ FR GR MD PL RO YU SE TR 39 58**
- 4195) Temelucha arenosa (Szépligeti,1900)** (Ichneumonidae) Synonym(s): *arenosa* Szépligeti,1900 - Range (in code): **TR BG CZ FR Co DE HU IR GB LT MK NL PL RO ES SE YU 01 25 27 46**
- 4196) Temelucha brevipetiolata Kolarov,1989** (Ichneumonidae) Synonym(s): *brevipetiolata* Kolarov,1989 - Range (in code): **BG TR 59**
- 4197) Temelucha caudata (Szépligeti,1899)** (Ichneumonidae) Synonym(s): *caudata* Szépligeti,1899; *oculata* Szépligeti,1899; *gallicator* Aubert,1960 - Range (in code): **AT BG HV CZ FR HU IT IR LT RU Da Cc ES TR 22**
- 4198) Temelucha confluens (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *confluens* Gravenhorst,1829 - Range (in code): **TR AT BE BG HV CZ FI FR Co DE HU IL Pa IT Si LT MD NL PL RO RU ES SE YU 25 38 39**
- 4199) Temelucha decorata (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *decorata* Gravenhorst,1829; *ornatus* Szépligeti,1900 - Range (in code): **TR AZ Cc MD DK 01 54**
- 4200) Temelucha discoidalis (Szépligeti,1899)** (Ichneumonidae) Synonym(s): *discoidalis* Szépligeti,1899 - Range (in code): **BG CZ FR DE HU IR PL RO RU ES TR YU**
- 4201) Temelucha genalis (Szépligeti,1899)** (Ichneumonidae) Synonym(s): *genalis* Szépligeti,1899; *rostrata* Abdinbekova,1965 - Range (in code): **AM Cc AZ BG CZ DE HU IT Si LT MD PL ES TR 22 32**
- 4202) Temelucha interruptor (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *interruptor* Gravenhorst,1829; *buoliana* Curtis,1854 - Range (in code): **AT BE B-H BG HV CZ DK FI FR DE IT IR LT LV MK MD MN NL NO PL RO RU YU SE TR UA GB 39**
- 4203) Temelucha lucida (Szépligeti,1899)** (Ichneumonidae) Synonym(s): *lucida* Szépligeti,1899
Range (in code): **BG CZ GR HU IT IR MD RO RU At Da Cc TR**
- 4204) Temelucha meridionellator Aubert,1981** (Ichneumonidae) Synonym(s): *meridionellator* Aubert,1981 - Range (in code): **MT TR IL Pa 36 63**
- 4205) Temelucha observator Aubert,1966** (Ichneumonidae) Synonym(s): *observator* Aubert,1966 - Range (in code): **TN RO TR IL Pa EG 09**
- 4206) Temelucha ophthalmica (Holmgren,1860)** (Ichneumonidae) Synonym(s): *ophthalmica* Holmgren,1860; *macrostigma* Thomson,1890 - Range (in code): **AT BE BG HV CZ FR Co HU IT PL RO SE GB TR 39**
- 4207) Temelucha pseudocaudata (Kolarov,1982)** (Ichneumonidae) Synonym(s): *pseudocaudata* Kolarov,1982 Range (in code): **TR**
- 4208) Temelucha schoenobia (Thomson,1890)** (Ichneumonidae) Synonym(s): *schoenobia* Thomson,1890; *caucasica* Kokujev,1912 - Range (in code): **Cc BG CZ FI HU IR PL RO RU Us SE TR TM 07**
- 4209) Temelucha tricolorata Sedivy,1968** (Ichneumonidae) Synonym(s): *tricolorata* Sedivy,1968 - Range (in code): **AF IR TR Cn**
- 4210) Temelucha tuberculata (homonym)** (Ichneumonidae) Synonym(s): *tuberculata* Kolarov & Beyarslan,1999 *nec* Dasch,1979 - Range (in code): **TR 23**
- 4211) Temelucha turcata Kolarov & Beyarslan,1999** (Ichneumonidae) Synonym(s): *turcata* Kolarov & Beyarslan,1999 - Range (in code): **TR 63**
- 4212) Temelucha variipes (Szépligeti,1899)** (Ichneumonidae) Synonym(s): *variipes* Szépligeti,1899 - Range (in code): **AT B-H BG CZ DK DE HU IT Si LT MD MN RO YU ES SE TR**
- 4213) Tersilochus (Gonolochus) caudatus (Holmgren,1860)** (Ichneumonidae) Synonym(s): *caudatus* Holmgren,1860 - Range (in code): **TR 22 25**

- 4214) Tersilochus (Gonolochus) nitens Horstmann & Kolarov,1988** (Ichneumonidae)
Synonym(s): *nitens* Horstmann & Kolarov,1988 _ Range (in code): **AT BG UA TR Cm Cc Kr RU 24 37**
- 4215) Tersilochus (Gonolochus) rugulosus Horstmann,1980** (Ichneumonidae)
Synonym(s): *rugulosus* Horstmann,1980 _ Range (in code): **TR GB IT SS 03**
- 4216) Tersilochus (s.str.) cognatus Holmgren,1860** (Ichneumonidae) Synonym(s):
cognatus Holmgren,1860 _ Range (in code): **TR KG 22**
- 4217) Tersilochus (s.str.) heterocerus (Thomson,1889)** (Ichneumonidae) Synonym(s):
heterocerus Thomson,1889 _ Range (in code): **Cc GG TR 16**
- 4218) Tersilochus (s.str.) obscurator (Aubert,1959)** (Ichneumonidae) Synonym(s):
obscurator Aubert,1959 _ Range (in code): **TR 06 22 25 42**
- 4219) Tersilochus (s.str.) triangularis (Gravenhorst,1807)** (Ichneumonidae) Synonym(s):
triangularis Gravenhorst,1807 _ Range (in code): **TR 03 22**
- 4220) Tersilochus (s.str.) tripartitus (Brischke,1880)** (Ichneumonidae) Synonym(s):
tripartitus Brischke,1880 _ Range (in code): **TR 22 25**
- 4221) Therion brevicorne Gravenhorst,1829** (Ichneumonidae) Synonym(s): *brevicorne*
Gravenhorst,1829 _ Range (in code): **TR HV CZ SK FR DE HU NO PL RU Mo GB**
- 4222) Therion circumflexum (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *circumflexum*
Linnaeus,1758 _ Range (in code): **TR IN CN 06 25 34 36 42**
- 4223) Therion tarsatum (Shestakov,1923)** (Ichneumonidae) Synonym(s): *tarsatum*
Shestakov,1923 _ Range (in code): **TR KG 25**
- 4224) Theronia atalantae (Poda,1761)** (Ichneumonidae) Synonym(s): *atalantae* Poda,1761
Range (in code): **TR Cc TM 06 33**
- 4225) Theroscopus hemipterus (Fabricius,1793)** (Ichneumonidae) Synonym(s): *hemipterus*
Fabricius,1793 _ Range (in code): **TR 42**
- 4226) Theroscopus subzonatus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s):
subzonatus Gravenhorst,1829 _ Range (in code): **TR 06**
- 4227) Thibetoides acerbus Victorov,1964** (Ichneumonidae) Synonym(s): *acerbus* Victorov,1964
Range (in code): **TR Cc RU 32**
- 4228) Thrybius praedator (Rossi,1792)** (Ichneumonidae) Synonym(s): *praedator* Rossi,1792;
drewseni Thomson,1873 _ Range (in code): **TR 34**
- 4229) Thyrateles camelinus (Wesmael,1845)** (Ichneumonidae) Synonym(s): *certator*
Müller,1776; *cardui* Schrank,1786; *adustus* Gmelin,1790; *camelinus* Wesmael,1845; *malignus* Tischbein,1868;
brunnipes Tischbein,1879; *rufomaculatus* Kriechbaumer,1894; *brischkei* Berthoumieu,1896; *alticola*
Habermehl,1920; *oisanensis* Pic,1927; *bimaculatus* Constantineanu,1954 _ Range (in code): **AT BY BE CZ SK FI FR GG Cc DE HU IR IT NL PL RO RU Da Om ES CH TR UA GB**
- 4230) Thyrateles pandur (Kriechbaumer,1882)** (Ichneumonidae) Synonym(s): *pandur*
Kriechbaumer,1882; *tardus* Berthoumieu,1897 _ Range (in code): **FR HU KG PL RO RU Ao Da Cc ES TR**
- 4231) Trathala hieronchotica (Schmiedeknecht,1910)** (Ichneumonidae) Synonym(s):
hieronchotica Schmiedeknecht,1910; *europator* Aubert,1964; *romanica* Sedivy,1965 _ Range (in code): **BG EG FR IR IL Pa MA RO RU Cc Da TR 01**
- 4232) Trematopygus triangulator Aubert,1981** (Ichneumonidae) Synonym(s): *triangulator*
Aubert,1981 _ Range (in code): **IL Pa TR**
- 4233) Trichomma enecator (Rossi,1790)** (Ichneumonidae) Synonym(s): *enecator* Rossi,1790
Range (in code): **TR 06 40**
- 4234) Triclistus areolatus Thomson,1887** (Ichneumonidae) Synonym(s): *areolatus*
Thomson,1887 _ Range (in code): **TR AT BE CZ SK DK FR DE LT PL RU Kmt Us SE UA GB**
- 4235) Triclistus globulipes (Desvignes,1856)** (Ichneumonidae) Synonym(s): *globulipes*
Desvignes,1856; *holmgreni* Boheman,1863; *fuscopicalis* Uchida,1930 _ Range (in code): **AT AZ Cc BY BE BG CN TW CZ SK DK FI FR DE HU IE IT JP KP KR LT LV MD MA NL PL RU Kr Pe Pt Sr SE CH UA GB TR 28**
- 4236) Triclistus lativentris Thomson,1887** (Ichneumonidae) Synonym(s): *lativentris*
Thomson,1887 _ Range (in code): **TR Cc BE BG CZ SK FI FR DE HU IE IT LT LV Md MD NL NO PL RO ES SE CH UA GB 61**
- 4237) Triclistus longicalcar Thomson,1887** (Ichneumonidae) Synonym(s): *longicalcar*
Thomson,1887; *#longicalcor* Çoruh et al.,2014 _ Range (in code): **BG CZ SK FI DE HU LT NL NO PL RO ES SE UA GB TR**
- 4238) Triclistus podagricus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *podagricus*
Gravenhorst,1829; *nigritellus* Holmgren,1873 _ Range (in code): **AT BE BY BG CA Abt BCo On Ssk CZ**

SK DK FI FR GG Cc DE HU IE IT JP KG LT LV NL NO PL RO RU Kr Us Ro Sh Pt Ya Yr ES SE CH US Als
UA GB TR 69

- 4239) *Trieces tricarinatus* (Holmgren,1856)** (Ichneumonidae) Synonym(s): *tricarinatus* Holmgren,1858; *nigrofemur* Telenga,1929 Range (in code): TR Cc KG AT BE BG CZ SK EE FI FR DE HU IE IT LT MD NL NO PL RO RU Kr Yr ES SE CH UA GB 33 61
- 4240) *Triptognathus atripes* (Gravenhorst,1820)** (Ichneumonidae) Synonym(s): *atripes* Gravenhorst,1820; *pratensis* Gravenhorst,1829; *quadricingulatus* Gravenhorst,1829; *interruptus* Gravenhorst,1829; *goedarti* Gravenhorst,1829; *flavifemur* Tischbein,1873; *subfasciatus* Tischbein,1879; *stygius* Berthoumieu,1896; *alpestris* Berthoumieu,1905; *alpinus* Berthoumieu,1905; *caucasicus* Berthoumieu,1905; *infuscatus* Berthoumieu,1905; *luctuosus* Berthoumieu,1905; *nivernensis* Berthoumieu,1905; *obesus* Berthoumieu,1905; *simplex* Berthoumieu,1905; *notostictus* Kriechbaumer,1894; *taiyudongus* Uchida,1926; *albocingulatus* Constantineanu,1954; *nigripes* Constantineanu,1954; *quadrialbatus* Constantineanu,1954 Range (in code): TR DZ AT BE BG HV CZ SK FR Cc GG DE GR HU IR IT Si KP KR LT MD MN MA NL PL RO RU Kr Ro Pt ES SE CH SY GB 38
- 4241) *Triptognathus fumigator* (Gravenhorst,1820)** (Ichneumonidae) Synonym(s): *fumigator* Gravenhorst,1820; *conspurcatus* Gravenhorst,1829; *flavolimbatus* Gravenhorst,1829; *nigripes* Gravenhorst,1829; *alternator* Tischbein,1879; *quadrimaculatus* Rudow,1888; *severus* Rudow,1888 Range (in code): AT BE HV FR DE GR HU IR TR IT LT MN NL PL ES CH GB
- 4242) *Triptognathus unidentatus* (Berthoumieu,1894)** (Ichneumonidae) Synonym(s): *unidentatus* Berthoumieu,1894 Range (in code): TR 25 51
- 4243) *Triptognathus unifasciatus* (Spinola,1843)** (Ichneumonidae) Synonym(s): *unifasciatus* Spinola,1843; *zonatus* Rudow,1888; *unidentatus* Berthoumieu,1894; *jugorum* Strobl,1901; *hungaricus* Kiss,1915; *dammholzi* Heinrich,1929 Range (in code): AT BG FR HU IR KG PL ES CH TR
- 4244) *Triptognathus uniguttatus* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *uniguttatus* Gravenhorst,1829; *stephani* Pic,1903 Range (in code): DZ AT BE BG CZ SK FR Cc GG DE HU IT Si KK LT MN MA NL PL RO Kr Ro Pt ES CH SY TR GB
- 4245) *Trogus lapidator* (Fabricius,1787)** (Ichneumonidae) Synonym(s): *anthracinus* Scopoli,1763; *lapidator* Fabricius,1787; *coerulator* Weber,1795; *coerulator* Fabricius,1796; *saxator* Thunberg,1822; *fuscipennis* Gravenhorst,1829; *violaceus* Mocsary,1883; *cyaneipennis* Costa,1886; *cyaneus* Kriechbaumer,1892; *romani* Uchida,1942; *brevicaudae* Heinrich,1975 Range (in code): DZ AT BY BE BG CA Abt BCo Nfl Lbr Ssk Yuk CN Gn Mc Sz CZ SK FI FR Co DE HU IN IT Sa Si JP KG KP KR LT NL NO PL RO RU Da Cc Us Pt ES SE CH UA GB TR
- 4246) *Tromatobia oculatoria* (Fabricius,1798)** (Ichneumonidae) Synonym(s): *oculatoria* Fabricius,1798 Range (in code): TR 11 25 32
- 4247) *Tromatobia ornata* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *ornata* Gravenhorst,1829 Range (in code): AZ Cc IL Pa PK KG TR 10 32 62 10N 62C
- 4248) *Tromatobia ovivora* (Boheman,1821)** (Ichneumonidae) Synonym(s): *ovivora* Boheman,1821 Range (in code): TR
- 4249) *Tromatobia variabilis* (Holmgren,1856)** (Ichneumonidae) Synonym(s): *variabilis* Holmgren,1856 Range (in code): TR 06 11 32
- 4250) *Trychosis ambigua* (Tschek,1871)** (Ichneumonidae) Synonym(s): *ambigua* Tschek,1871; *mesocastana* Tschek,1871; *molesta* Tschek,1871; *annulicornis* Thomson,1896; *trisculpta* Habermehl,1929 Range (in code): AT AZ Cc BE BG CZ FI FR DE HU IL Pa MD NO PL RO ES SE TR YU
- 4251) *Trychosis atripes* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *atripes* Gravenhorst,1829 Range (in code): TR 32
- 4252) *Trychosis legator* (Thunberg,1822)** (Ichneumonidae) Synonym(s): *legator* Thunberg,1822 Range (in code): TR TJ 15 25 32 62 62C
- 4253) *Trychosis neglecta* (Tschek,1870)** (Ichneumonidae) Synonym(s): *neglecta* Tschek,1870 Range (in code): TR 01 16 32
- 4254) *Trychosis pauper* (Tschek,1871)** (Ichneumonidae) Synonym(s): *pauper* Tschek,1871 Range (in code): TR 25 32 62 62C
- 4255) *Trychosis priesneri* Rossem,1971** (Ichneumonidae) Synonym(s): *priesneri* Rossem,1971 Original reference: *Trychosis priesneri* Rossem,1971, Tijdschr. Ent. 114: 215. Holotype: Turkey: Konya. Range (in code): TR FR CH AT PL YU GR 07 32 42
- 4256) *Trychosis trisator* (Tschek,1871)** (Ichneumonidae) Synonym(s): *trisator* Tschek,1871 Range (in code): TR 32 62 62C
- 4257) *Tryphon* (s.str.) *abditus* Kasparyan,1969** (Ichneumonidae) Synonym(s): *abditus* Kasparyan,1969 Range (in code): TR
- 4258) *Tryphon* (s.str.) *atriceps* Stephens,1835** (Ichneumonidae) Synonym(s): *atriceps* Stephens,1835; *ephippium* Holmgren,1857 Range (in code): TR AF AL AT AZ Cc BY BE BG CZ FR GG DE HU IR IE IT LT MD NL NO PL RO RU Mo YU ES SE CH UA GB

- 4259) Tryphon (s.str.) caucasicus Kasparyan,1969** (Ichneumonidae) **Synonym(s):** *caucasicus* Kasparyan,1969 -- **TR AM AZ Cc BG GG IR RU Kr**
- 4260) Tryphon (s.str.) psilosagator Aubert,1966** (Ichneumonidae) **Synonym(s):** *psilosagator* Aubert,1966 -- **TR BG FR GR IR IT KG RU Da Cc VI UA**
- 4261) Tryphon (s.str.) relator (Thunberg,1822)** (Ichneumonidae) **Synonym(s):** *relator* Thunberg,1822 -- **TR**
- 4262) Tryphon (s.str.) rutilator (Linnaeus,1761)** (Ichneumonidae) **Synonym(s):** *rutilator* Linnaeus,1761; *impraegnator* Schrank,1781; *cepa* Geoffroy,1785; *anodon* Schrank,1802; *ceparum* Schrank,1802; *insultator* Gravenhorst,1807; *quadratus* Stephens,1835 -- **Range (in code): TR IR Cc AL AM AT AZ BY BE BG HV CZ SK DK EE FI FR GG DE GR HU IT LT LV MD NL NO PL RO RU Kr Pe Ya Yr ES SE CH SY UA GB YU 25 33 34 53 53M**
- 4263) Tryphon (s.str.) signator Gravenhorst,1829** (Ichneumonidae) **Synonym(s):** *signator* Gravenhorst,1829; *facialis* Stephens,1835; *nigrifacies* Ulbricht,1926 -- **Range (in code): TR RU Sb Ya AL AT AZ BY BE BG HV CZ SK DK FI FR DE HU IE IL Pa IT LV MD NL NO PL RO RU Kr Yr SE ES CH UA GB 34**
- 4264) Tryphon (s.str.) talitzkii Telenga,1930** (Ichneumonidae) **Synonym(s):** *talitzkii* Telenga,1930 -- **TR AZ Cc BG RU Da VI ES UA**
- 4265) Tryphon (s.str.) thomsoni Roman,1939** (Ichneumonidae) **Synonym(s):** *thomsoni* Roman,1939 -- **TR 25 53 53M**
- 4266) Tryphon (s.str.) trochanteratus Holmgren,1855** (Ichneumonidae) **Synonym(s):** *trochanteratus* Holmgren,1855 -- **Range (in code): Cc KG TR RU Sb 34**
- 4267) Tryphon (s.str.) zavreli Gregor,1939** (Ichneumonidae) **Synonym(s):** *zavreli* Gregor,1939; *spatiator* Kasparyan,1969 -- **Range (in code): HU BG TR Cc KG AM AZ CZ SK GG DE MD PL RU Or VI UA 06 25**
- 4268) Tryphon (Stenocrotaphon) subsulcatus Holmgren,1857** (Ichneumonidae) **Synonym(s):** *subsulcatus* Holmgren,1857 -- **TR AT BY BE BG CN CZ SK FI FR DE HU IE LT MN NL PL RU Ya Yr SE UA GB**
- 4269) Tryphon auricularis Thomson,1883** (Ichneumonidae) **Synonym(s):** *auricularis* Thomson,1883 -- **Range (in code): KG TR RU To**
- 4270) Venturia anatolica Horstmann,1986** (Ichneumonidae) **Synonym(s):** *anatolica* Horstmann,1986 -- **Range (in code): TR 08**
- 4271) Venturia canescens (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *canescens* Gravenhorst,1829 -- **Range (in code): TR Cc RU 01**
- 4272) Virgichneumon albosignatus (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *albosignatus* Gravenhorst,1829; *mesostlpnus* Thomson,1888; *punctus* Berthoumieu,1895; *nigrifrons* Constantineanu,1942; *nigricollis* Constantineanu,1954; *bipunctatus* Constantineanu et al.,1957 -- **AF AD AT AZ Cc BY BE BG CN HV CZ SK FI FR DE HU IR IT JP KG LT LV MD MN NL NO PL RO RU Om Yr ES SE CH UA GB TR**
- 4273) Virgichneumon callicerus (Gravenhorst,1820)** (Ichneumonidae) **Synonym(s):** *callicerus* Gravenhorst,1820; *plurialbatus* Wesmael,1855; *eremita* Kokujev,1909; *nigrifemur* Constantineanu et al.,1957 -- **AT AZ Cc BY BE B-H BG CN Ui HV CZ SK FI FR DE HU IR IT KG MD NL NO PL RO RU Ao Pt ES SE CH UA GB TR**
- 4274) Virgichneumon digrammus (Gravenhorst,1820)** (Ichneumonidae) **Synonym(s):** *digrammus* Gravenhorst,1820; *nudicoxa* Thomson,1888; *balearicus* Kriechbaumer,1894 -- **AD AT AZ Cc BY BE BG CZ FI FR DE HU IR IT Sa KG LT MT MD NL PL RO RU Kr Cc ES SE GB YU TR**
- 4275) Virgichneumon maculicauda Perkins,1953** (Ichneumonidae) **Synonym(s):** *perscrutator* Wesmael,1845; *maculicauda* Perkins,1953 -- **TR AZ Cc BE FI FR Co DE HU IR IE NL NO PL RO ES GB**
- 4276) Vulgichneumon deceptor (Scopoli,1763)** (Ichneumonidae) **Synonym(s):** *deceptor* Scopoli,1763; *deceptorius* Thunberg,1822; *vestigator* Wesmael,1851; *completus* Berthoumieu,1894; *obscurior* Berthoumieu,1895; *nigritegulis* Constantineanu,1951; *quadrialbatus* Constantineanu,1951; *nigrofaciatus* Constantineanu et al.,1957 -- **TR AD AT BY BE CZ SK FI FR Co GG Cc DE HU IE IT KG NL NO PL PT RO RU Kr ES SE CH UA GB**
- 4277) Vulgichneumon saturatorius (Linnaeus,1758)** (Ichneumonidae) **Synonym(s):** *saturatorius* Linnaeus,1758; *nigratorius* Pontoppidan,1763; *carnifex* Müller,1776; *clavatorius* Müller,1776; *fuscocastaneus* Gravenhorst,1829; *saturator* Zetterstedt,1838; *albotrochanteratus* Ulbricht,1926; *nigripedis* Kiss,1929 -- **TR AT AZ Cc BY BE BG CZ SK DK FI FR Co DE GR HU IR IE IL PT Sa Si JP KG LT LV NL NO PK PL RO RU Kr Om Pt Yr ES SE CH UA GB 25 75 25K 75F**
- 4278) Vulgichneumon suavis (Gravenhorst,1820)** (Ichneumonidae) **Synonym(s):** *suavis* Gravenhorst,1820; *fallax* Gravenhorst,1829; *lepidus* Gravenhorst,1829 -- **TR AZ Cc AT BY BE CZ SK DK FI FR Co DE HU IR IE IL Pa IT LT NL NO PL RO RU Kr Pt ES SE CH GB 25 25O**
- 4279) Xenoschesis (Polycinetus) ustulata (Desvignes,1856)** (Ichneumonidae) **Synonym(s):** *ustulata* Desvignes,1856; *resplendens* Holmgren,1857; *polita* Kriechbaumer,1891; *montana* Habermehl,1922

AT BY BE BG CN Mc CZ SK EE FI FR DE HU LT LV NL NO PL RO RU Kmt Mgd Pt Ya SE CH US Tx UA
GB TR 53

- 4280) *Xenoschesis (s.str.) fulvipes* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s):
fulvipes Gravenhorst,1829 _ Range (in code): TR 34
- 4281) *Xorides (Gonophonus) annulator* (Fabricius,1804)** (Ichneumonidae) Synonym(s):
annulator Fabricius,1804 _ Range (in code): UA Cm TR
- 4282) *Xorides (Moerophora) rufipes* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s):
rufipes Gravenhorst,1829 _ Range (in code): TR Cc
- 4283) *Xorides (s.str.) filiformis* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s):
filiformis Gravenhorst,1829 _ Range (in code): TR 16 34
- 4284) *Xorides (s.str.) fuligator* (Thunberg,1822)** (Ichneumonidae) Synonym(s): *fuligator*
Thunberg,1822 _ Range (in code): Cc Da RU TR BG
- 4285) *Xorides (s.str.) gracilicornis* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s):
gracilicornis Gravenhorst,1829 _ Range (in code): TR 32
- 4286) *Xorides (s.str.) gravenhorstii* (Curtis,1831)** (Ichneumonidae) Synonym(s):
gravenhorstii Curtis,1831; *securicornis* Holmgren,1860; *seticornis* Strobl,1902 _ Range (in code): Cc TR
- 4287) *Xorides (s.str.) praecatorius* (Fabricius,1793)** (Ichneumonidae) Synonym(s):
praecatorius Fabricius,1793 _ Range (in code): CN TR 78
- 4288) *Xylophrurus angustus* (Dalman,1823)** (Ichneumonidae) Synonym(s): *angustus*
Dalman,1823 _ Range (in code): TR TN 62 62C
- 4289) *Zabrachypus primus* Cushman,1920** (Ichneumonidae) Synonym(s): *primus*
Cushman,1920 _ Range (in code): TR 25 62 62C
- 4290) *Zabrachypus tenuiabdominalis* (Uchida,19141)** (Ichneumonidae) Synonym(s):
tenuiabdominalis Uchida,19141 _ Range (in code): RU Cc TR JP 14 37 74
- 4291) *Zaglyptus multicolor* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *multicolor*
Gravenhorst,1829; *fairmairii* Laboulbene,1858; *ephippius* Rudow,1883; *moldavicus* Constantineanu,1929; *rufus*
Aubert,1959 _ TR
- 4292) *Zaglyptus varipes* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *varipes*
Gravenhorst,1829 _ Range (in code): TR 06
- 4293) *Zaplethocornia procurator* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s):
procurator Gravenhorst,1829; *asiaminor* Aubert,1989 _ Range (in code): TR 25
- 4294) *Zatypota bohemani* (Holmgren,1860)** (Ichneumonidae) Synonym(s): *bohemani*
Holmgren,1860 _ Range (in code): TR Cc AM KG Aa US UA GB AT BE BG CA BCo Cn CY CZ SK FI FR
DE HU IR LT NL PL RO YU ES SE TJ 34
- 4295) *Zatypota percontatoria* (Müller,1776)** (Ichneumonidae) Synonym(s): *percontatoria*
Müller,1776 _ Range (in code): TR 14 37

Leucospidae

- 4296) *Leucospis bifasciata* Klug,1814** (Leucospidae) Synonym(s): *bifasciata* Klug,1814; *gibba*
Klug,1814 _ Range (in code): AL AZ Cc B-H HV CY FR GR IL Pa IT JO LB ES SY TR TJ TM UA RU UZ YU
08 33 42 76 76B
- 4297) *Leucospis biguetina* Jurine,1807** (Leucospidae) Synonym(s): *biguetina* Jurine,1807;
parvicauda Mocsary,1879 _ Range (in code): DZ AT B-H HV CZ FR Co HU IL Pa IT Si MA RU SK SS ES CH
YU TR 04 08 10 25 44 58 65 65F
- 4298) *Leucospis brevicauda* Fabricius,1804** (Leucospidae) Synonym(s): *brevicauda*
Fabricius,1804; *grohmanni* Spinola,1838; *clavata* Westwood,1839; *fabricii* Westwood,1839; *torquata* Costa,1882
Range (in code): DZ IT Sa Si MA TN TR
- 4299) *Leucospis dorsigera* (Fabricius,1775)** (Leucospidae) Synonym(s): *dorsigera*
Fabricius,1775; *passaviensis* Schrank,1782; *coelogaster* Hochenwarth,1785; *dubia* Schrank,1802; *dispar*
Fabricius,1804; *algorica* Walker,1862; *turkestanica* Radoszkowski,1886 _ Range (in code): TR AF DZ AT BG Cc
HV CY CZ EG FR DE GR HU IR IL Pa IT Si KG MK MD PL RO SK SS ES CH TM UA YU 04 06 08 09 13
16 25 26 30 31 33 39 42 44 46 47 48 50 51 54 55 63 65 76 80 30D 65F 76B
- 4300) *Leucospis gigas* (Fabricius,1793)** (Leucospidae) Synonym(s): *gigas* Fabricius,1793; *grandis*
Klug,1814; *varia* Klug,1814; *shuckardi* Westwood,1834; *rufonotata* Westwood,1839; *quaettaensis* Cameron,1906;
nursei Cameron,1906 _ Range (in code): TR AF AT B-H Cc HV CZ FR Co DE GR HU IR IL Pa IT Si JO MK
PK BI Qu RU SS CH SK CH TN UA US Nje 07 08 25 35 36 51 58 63 65 76 65K 65Ky1 76D 76Dg
- 4301) *Leucospis intermedia* Illiger,1807** (Leucospidae) Synonym(s): *intermedia* Illiger,1807;
aculeata Klug,1814; *frenata* Klug,1834; *hoplophora* Förster,1851; *sardoa* Costa,1888 _ Range (in code): TR AT Cc

HV CY CZ EG FR DE GR HU IL Pa IT Sa Si SK ES CH UA RU 04 13 25 33 35 43 46 47 50 58 63 65 65E
65F 65K

Megachilidae

- 4302) Aglaopis tridentata (Nylander,1848)** (Megachilidae) Synonym(s): *tridentata* Nylander,1848 _ Range (in code): **CY TR**
- 4303) Allodioxyx schulthessi (Popov,1936)** (Megachilidae) Synonym(s): *schulthessi* Popov,1936
Range (in code): **TR 63**
- 4304) Anthidium (Anthidiellum) brevisculum Pérez,1890** (Megachilidae) Synonym(s): *breviusculum* Pérez,1890; *troodicum* Mavromoustakis,1949 _ Range (in code): **FR CY GR Rd LB IL Pa Js TR TN 06 09 17 33 42 50 63 63E**
- 4305) Anthidium (Anthidiellum) strigatum (Panzer,1805)** (Megachilidae) Synonym(s): *strigatum* Panzer,1805; *contractum* Latreille,1809; *frontale* Lepeletier,1841; *minusculum* Nylander,1852; *coronatum* Dufour,1853; *decoratum* Chevrier,1872; *luteum* Friese,1897; *rubellum* Friese,1917; *cyrenaicum* Gribodo,1924; *pauperculum* Cockerell,1928; *crassepunctatum* Popov,1935; *palaestinense* Alfken,1935; *ibericum* Alfken,1936; *judaicum* Alfken,1936; *humerales* Alfken,1936 _ Range (in code): **MA TN DZ LY Cy ES FI CH RU Sb Us YU TR GR Cr Nv Ord Cc AZ TM Kp TJ CY IL Pa IQ 06 07 08 09 17 18 25 31 32 33 35 42 45 46 48 50 55 63 70**
- 4306) Anthidium (Archianthidium) forcipatum Morawitz,1875** (Megachilidae) Synonym(s): *forcipatum* Morawitz,1875; *edentatum* Friese,1931 _ Range (in code): **TJ TR 25 31**
- 4307) Anthidium (Archianthidium) laticeps Morawitz,1873** (Megachilidae) Synonym(s): *laticeps* Morawitz,1873; *fasciatellum* Friese,1917; *anatolicum* Mavromoustakis,1939 _ Original reference: Anthidium laticeps Morawitz,1873, Horae Soc. ent. ross. 10: 121. Syntypes ♂♀: Griechenland. Range (in code): **GR Ae Le TR AL DZ YU 06 31 33**
- 4308) Anthidium (Exanthidium) eximium Giraud,1863** (Megachilidae) Synonym(s): *eximium* Giraud,1863; *excisum* Mocsary,1884 _ Range (in code): **FR IT ES BG Cc AM Eri TR IR 25 36 25K**
- 4309) Anthidium (Icteranthidium) aequabile Morawitz,1896** (Megachilidae) Synonym(s): *aequabile* Morawitz,1896 _ Range (in code): **Cc AZ Nv Ord TR 63**
- 4310) Anthidium (Icteranthidium) cimbiciforme (Smith,1854)** (Megachilidae) Synonym(s): *cimbiciforme* Smith,1854; *bartholomei* Radoszkowski,1862 _ Range (in code): **IT Si AL SY LB IR GR Cc TR KG RU DZ 04 06 07 13 24 25 26 30 33 44 50 58 65 04F 06R 13B 30D 30Df 65K 65Ky**
- 4311) Anthidium (Icteranthidium) ferrugineum (Fabricius,1787)** (Megachilidae) Synonym(s): *ferrugineum* Fabricius,1787; *discoideale* Latreille,1809 _ Range (in code): **ES EG SA TM MR SY TR IL Pa CY IR 33 38 70**
- 4312) Anthidium (Icteranthidium) grohmanni Spinola,1838** (Megachilidae) Synonym(s): *grohmanni* Spinola,1838; *latreillii* Lepeletier,1841; *rubiginosum* Lepeletier,1841; *provinciale* Lepeletier,1841; *comptum* Lepeletier,1841; *numidum* Lepeletier,1841; *lepeletieri* Fonscolombe,1846; *klugi* Lucas,1849; *coronatum* Smith,1854 (praeocc.); *obscurum* Dusmet,1908 (praeocc.); *tergale* Pasteels,1969. _ Range (in code): **FR ES DZ AL MA EG FR IT HV CY GR Cr IL Pa LB PT BG TR SY AZ Cc Nv Ord 05 06 07 24 25 38 42 50 63 63E**
- 4313) Anthidium (Icteranthidium) laterale Latreille,1809** (Megachilidae) Synonym(s): *laterale* Latreille,1809; *scutellare* Latreille,1809; *quadrilobum* Lepeletier,1841; *auripes* Eversmann,1852; *annulare* Schenck,1868; *sexmaculatum* Chevrier,1872; *perrisii* Dours,1873; *ifranicum* Cockerell,1931; *confluens* Alfken,1931
Range (in code): **MA ES FR AT CH HU UA Ur BG Cc TR IR Elb Dam TM RU Bs At CN Ui 25**
- 4314) Anthidium (Icteranthidium) limbiferum Morawitz,1875** (Megachilidae) Synonym(s): *limbiferum* Morawitz,1875 _ Range (in code): **UZ TR Cc 25 44 63 63B**
- 4315) Anthidium (Icteranthidium) ovasi Warncke,1980** (Megachilidae) Synonym(s): *ovasi* Warncke,1980 _ Original reference: Anthidium (Icteranthidium) ovasi Warncke,1980, Entomofauna 1 (10): 176-177. Holotype ♀: Türkiye, Kayseri, Yeşilhisar 3.viii.1979 leg. & coll. Warncke. Range (in code): **TR 38 65 69 65K 65Ky**
- 4316) Anthidium (Icteranthidium) urfanum Warncke,1980** (Megachilidae) Synonym(s): *urfanum* Warncke,1980 _ Original reference: Anthidium (Icteranthidium) urfanum Warncke,1980, Entomofauna 1 (10): 123-128, 136-142, 179. Holotype ♀: Türkiye, Urfa 14-17.vi.1977 leg. Heinrich (coll. Warncke). Range (in code): **TR IR Kz Fa Ke 63**
- 4317) Anthidium (Mesanthidium) carduele Morawitz,1876** (Megachilidae) Synonym(s): *carduele* Morawitz,1876; *controversum* Radoszkowski,1886; *malacopygum* Gribodo,1894; *konowi* Friese,1897; *zonulum* Alfken,1935 _ Range (in code): **Cc RU TM TR IL Js Pa BG SY DZ ES 04 06 13 16 24 25 33 38 42 63 04H 13B**

- 4318) Anthidium (Mesanthidium) lebanense Mavromoustakis,1955** (Megachilidae)
Synonym(s): *lebanense* Mavromoustakis,1955; *nigritum* Pasteels,1969 _ Range (in code): **LB IL Pa TR 13 60 13G 13Ga**
- 4319) Anthidium (Mesanthidium) malacopygum (Gribodo,1894)** (Megachilidae)
Synonym(s): *malacopygum* Gribodo,1894 _ Range (in code): **GR Ae Le TR 16 25**
- 4320) Anthidium (Mesanthidium) pusillum Morawitz,1895** (Megachilidae) Synonym(s):
pusillum Morawitz,1895; *mochii* Mavromoustakis,1956 _ Range (in code): **TM SY TR Cc LB IL Pa IR EG 30 30D**
- 4321) Anthidium (Oxyanthidium) aculeatum Klug,1832** (Megachilidae) Synonym(s):
aculeatum Klug,1832; *uncatum* Mocsary,1887 nec Schr.,1802 _ Range (in code): **SY LB TR IR Elb 08 16 25 08A 08H 25F**
- 4322) Anthidium (Paraanthidium) dumerlei Warncke,1980** (Megachilidae) Synonym(s):
dumerlei Warncke,1980 _ Original reference: *Anthidium (Paraanthidium) dumerlei* Warncke,1980, Entomofauna 1 (10): 158. Holotype ♀: Griechenland: Stavros leg. & coll. Warncke. Range (in code): **GR TR 30 33 42 30D 30Df 30Dt**
- 4323) Anthidium (Paraanthidium) interruptum (Fabricius,1781)** (Megachilidae)
Synonym(s): *interruptum* Fabricius,1781; *rufipes* Fabricius,1787 nec Fabr.,1781; *varia* Olivier,1789; *erythropus* Gmelin,1790; *flavilabre* Latreille,1809; *dufourii* Lepeletier,1841; *liteipes* Lepeletier,1841; *integrum* Eversmann,1852; *curvipes* Smith,1872; *melanostomum* Costa, 1884; *foliivolor* Ferton,1921 _ Range (in code): **FR RU CH IT Sa DZ TN GR ES PT MK YU Cc TR 06 07 10 16 17 24 25 26 32 33 36 42 46 50 63 66 73 06R**
- 4324) Anthidium (Proanthidium) anguliventre Morawitz,1888** (Megachilidae)
Synonym(s): *anguliventre* Morawitz,1888; *arabicum* Pasteels,1969; *intermedium* Pasteels,1969 _ Range (in code): **OM TM PK Qu Bl IR IL Pa Js SY TR 63**
- 4325) Anthidium (Proanthidium) oblongatum (Illiger,1806)** (Megachilidae) Synonym(s):
oblongatum Illiger,1806; *oblongatum* Latreille,1809; *trochantericum* Morawitz,1894; *nigrum* Friese,1897; *luteum* Dusmet,1915 nec Fr.,1897; *xanthurum* Cockerell,1925; *australe* Alfken,1937; *flavens* Moczar,1956; *tornense* Tkalcu,1966; *berberum* Warncke,1980 _ Range (in code): **MA AT PT ES HU IT CZ Cc AZ Len RU Ur Bs TM Kp GR TR IR Elb Mz Ali CN IMn Ui Au 25 42**
- 4326) Anthidium (Proanthidium) rotundum Warncke,1980** (Megachilidae) Synonym(s):
rotundum Warncke,1980 _ Range (in code): **IR Elb Th LB Bsa TR 30 30D**
- 4327) Anthidium (Proanthidium) undulatifforme Friese,1917** (Megachilidae) Synonym(s):
undulatifforme Friese,1917 _ Original reference: *Anthidium undulatifforme* Friese,1917, Dt. ent. Z. 1917: 53-54. Syntypes 2♂: "Kleinasien (Asia Minor) und Spanien". Range (in code): **TR AM Cc ES IL Pa Js GR 20 42 50 63 63E**
- 4328) Anthidium (Proanthidium) undulatum Dours,1873** (Megachilidae) Synonym(s):
undulatum Dours,1873; *littorale* Morawitz,1874; *holozonicum* Mavromoustakis,1939; *kvakium* Mavromoustakis,1939; *wahrmani* Mavromoustakis,1948 _ Range (in code): **FR HV GR MK AZ Bak Cc Cr SY LB TR IL Pa IR TJ 21 23 27 33 50 63 63E**
- 4329) Anthidium (Pseudoanthidium) alpinum Morawitz,1874** (Megachilidae)
Synonym(s): *alpinum* Morawitz,1874 _ Range (in code): **Cc RU Da RO HU TR 42 50**
- 4330) Anthidium (Pseudoanthidium) cribratum Morawitz,1875** (Megachilidae)
Synonym(s): *cribratum* Morawitz,1875; *palaesticum* Mavromoustakis,1938 Range (in code): **GR Ae Le Rd TR IL Pa IR**
- 4331) Anthidium (Pseudoanthidium) lituratum (Panzer,1801)** (Megachilidae)
Synonym(s): *lituratum* Panzer,1801; *scapulare* Latreille,1809; *sinuatum* Lepeletier,1841; *reptans* Eversmann,1852; *floripetum* Eversmann,1852; *stigmaticorne* Dours,1873; *cribratum* Morawitz,1875; *petechiale* Morawitz,1875; *nanum* Mocsary,1879; *leucostoma* Costa,1883; *peregrinum* Costa,1884; *eversmanni* Radoszkowski,1886; *fraternum* Perez,1895; *astilleroi* Dusmet,1915; *grandi* Alfken,1937; *karakalense* Popov,1952; *canariense* Mavromoustakis,1954 Range (in code): **FR RU Ur IT Sa Si AT HU RU TR Cc IR Cr GR UZ TJ TM DZ MA TN Cn 04 06 07 15 25 26 35 36 38 48 58 06R**
- 4332) Anthidium (Pseudoanthidium) melanurum Klug,1832** (Megachilidae) Synonym(s):
melanurum Klug,1832; *nigricolle* Morawitz,1876; *dilobum* Pérez,1895; *moricei* Friese,1911; *royoi* Dusmet,1915; *flavicolle* Friese,1917; *flaviventre* Friese,1917 Range (in code): **IL Pa SY Cc FR BG TR GG Bjo DZ MA GR IT Sa DE TN 07 25 36**
- 4333) Anthidium (Pseudoanthidium) reticulatum Mocsary,1884** (Megachilidae)
Synonym(s): *reticulatum* Mocsary,1884; *tegulare* Morawitz,1886; *mocsaryi* Friese,1897; *asiaticum* Friese,1917; *kindermanni* Mavromoustakis,1954 _ Range (in code): **ES AZ Cc Len HU DZ IT HV BG GR TR FR LB Bsa IR 06 33 36 42 63**
- 4334) Anthidium (Pseudoanthidium) rhombiferum Friese,1917** (Megachilidae)
Synonym(s): *rhombiferum* Friese,1917 _ Original reference: *Anthidium rhombiferum* Friese,1917, Dt. ent. Z. 1917: 57. Type ♂: "Syrien (Jaffa)" [Telaviv]. Range (in code): **TR IL Pa Jf 63**

- 4335) Anthidium (Rhodanthidium) acuminatum Mocsary,1884** (Megachilidae)
Synonym(s): *acuminatum* Mocsary,1884 Range (in code): GR TR 16 42 70
- 4336) Anthidium (Rhodanthidium) buteum Warncke,1980** (Megachilidae) Synonym(s):
buteum Warncke,1980 Original reference: Anthidium (Rhodanthidium) buteum Warncke,1980,
Entomofauna 1 (10): 156-157. Holotype ♂: Türkiye: östl. Şırnak / Siirt, 4.vi.77, leg. & coll.
Warncke. Range (in code): TR 73
- 4337) Anthidium (Rhodanthidium) caturigense Giraud,1863** (Megachilidae)
Synonym(s): *caturigense* Giraud,1863; *ducale* Morawitz,1876; *moreense* Friese,1917; *pyrenaicum* Alfken,1927;
jerusalemicum Mavromoustakis,1938 Original reference: Anthidium caturigense Giraud,1863, Verh.
zool.-bot. Ges. Wien 13: 36-38. Syntypes ♂♀: N-İtaliyen. Range (in code): IT CH ES Py FR GG Bjo Cc
TR GR LB IL Pa Js 33 36 42 50 33O 36F 50G
- 4338) Anthidium (Rhodanthidium) exsectum (Pasteels,1969)** (Megachilidae)
Synonym(s): *exsectum* Pasteels,1969 Original reference: Bellanthidium exsectum Pasteels,1969,
Israel J. Ent. 4: 410. Type ♀: Turkey: Erzincan: Refahiye. Range (in code): TR LB Bsa IR 24 30 42
58 73 24G 30B 30Be 58G 73C 73Cd
- 4339) Anthidium (Rhodanthidium) septemdentatum (Latreille,1809)** (Megachilidae)
Synonym(s): *septemdentatum* Latreille,1809; *rufiventre* Brullé,1832; *quadridentatum* Lepeletier,1841;
fuscipenne Lepeletier,1841; *binominatum* Smith,1854; *sexlineatum* Chevrier,1872; *fasciale* Friese,1917; *rufocinctum*
Alfken,1930; *nigrosetosum* Stanek,1968 Range (in code): ES FR CH GR Cr Rd LB IL Pa TR Cc AM Nv
AZ Ord IR Ab 05 06 07 09 17 20 24 25 31 33 42 50 70 09K 33O 50G
- 4340) Anthidium (Rhodanthidium) superbum Radoszkowski,1876** (Megachilidae)
Synonym(s): *superbum* Radoszkowski,1876; *christophi* Morawitz,1884; *grande* Friese,1897 Original
reference: Anthidium superbum Radoszkowski,1876, Horae Soc. ent. ross. 12: 91. Type ♀: Türkiye:
Amasia. Range (in code): TR AM Cc IR Kh TM 05 06 25 33 36 51 60 65 06A 06Aa 06K 06Kb 25F 25R
60F 65B 65D 65Dd 65F 65Fb 65Fe 65Fp 65Fs 65Fz 65N 65Np5 65Nr2 65Nr4 65Nm
- 4341) Anthidium (s.str.) caspicum Morawitz,1880** (Megachilidae) Synonym(s): *caspicum*
Morawitz,1880; *germabicum* Radoszkowski,1893; *labrosum* Pasteels,1969 Range (in code): TR TM IR Elb
06 30
- 4342) Anthidium (s.str.) cingulatum Latreille,1809** (Megachilidae) Synonym(s): *cingulatum*
Latreille,1809 Range (in code): ES FR CH IT AT CZ SK HU Sa Si SS RU Sb DZ Cc TR IR Ak 04 06 13
24 25 26 33 36 42 50 51 58 65 70 76 58G 65F 65Fq 65G 65Ga 65K 65Ku
- 4343) Anthidium (s.str.) dalmaticum Mocsary,1884** (Megachilidae) Synonym(s):
dalmaticum Mocsary,1884; *syriacum* Dusmet,1915 Range (in code): GR Rd TR SY LB IL Pa 06 09 25 31
33 51 63 63E
- 4344) Anthidium (s.str.) diadema Latreille,1809** (Megachilidae) Synonym(s): *diadema*
Latreille,1809; *ornatum* Lepeletier,1841; *albiventre* Lepeletier,1841; *radoszkowskyi* Mocsary,1887; *seraxense*
Radoszkowski,1893; *terminale* Morawitz,1894; *caucasicum* Friese,1897 Range (in code): DZ ES FR TR RU
HU TM CN Ui UZ Cc LY Cy HV GR Cr CY BG IL Pa IQ LB 03 04 05 06 07 08 24 25 26 30 31 34 38 42 49
50 58 63 65 69 70 06R 08H 24K 25F 30D 42B 58G 63D 65F
- 4345) Anthidium (s.str.) florentinum (Fabricius,1775)** (Megachilidae) Synonym(s):
florentinum Fabricius,1775; *subspinosum* Klug,1832; *caucasicum* Radoszkowski,1862; *hispanicum* Mocsary,1884;
kissi Alfken,1935; *cypriacum* Mavromoustakis,1949 Range (in code): US RU Sb TR SY Cc IR ES FR TM
IT KK TJ UZ AM AZ DE YU GR IQ CN IMn Ui 06 07 08 16 20 25 26 32 33 35 36 42 48 66 76
- 4346) Anthidium (s.str.) gussakowskiji Mavromoustakis,1939** (Megachilidae)
Synonym(s): *gussakowskiji* Mavromoustakis,1939; *neosyriacum* Mavromoustakis,1956 Range (in code):
TJ TR 63 63D 63F
- 4347) Anthidium (s.str.) loti Perris,1852** (Megachilidae) Synonym(s): *variegata* Fabricius,1781
(*praeocc.*); *loti* Perris,1852; *regulare* Eversmann,1852; *meridionale* Giraud,1863; *mosaicum* Costa,1863;
quadriseriatum Kriechbaumer,1873; *circumcinctum* Kriechbaumer,1873; *incisum* Friese,1917 Original
reference: Anthidium loti Perris,1852, Ann. Soc. linn. Lyon (n.s.) 1: 193-195. Syntypes: S. France.
Range (in code): RU Sb KG TR CY IL Pa Js LB TM Kp GR 05 06 09 20 25 26 32 33 35 38 50 63
- 4348) Anthidium (s.str.) manicatum (Linnaeus,1758)** (Megachilidae) Synonym(s):
manicatum Linnaeus,1758; *undulatofasciatum* Friese,1917 Range (in code): TR RU Sb Cc Bs DZ BR UY
AR IR Elb Mz CN IMn Ui 05 06 08 16 22 24 25 33 36 62 66 70 75
- 4349) Anthidium (s.str.) neosyriacum Mavromoustakis,1956** (Megachilidae)
Synonym(s): *neosyriacum* Mavromoustakis,1956 Range (in code): SY TR IL Pa IR 63
- 4350) Anthidium (s.str.) punctatum Latreille,1809** (Megachilidae) Synonym(s): *punctatum*
Latreille,1809; *minus* Nylander,1848; *senile* Eversmann,1852; *greyi* Radoszkowski,1862; *albidulum* Chevrier,1872;
nigrinum Morawitz,1875; *nitidulum* Morawitz,1894; *mayeti* Pérez,1895; *albofasciatum* Friese,1897; *fulvipes*
Friese,1897; *kohlili* Friese,1897; *bequaerti* Alfken,1914; *amanusense* Dusmet,1915; *ariasi* Dusmet,1915; *nigritulum*

- Friese, 1917; suecicum Alfken, 1927* _ Range (in code): SE FI RU Sb Ur CH UZ TJ MA DZ ES GR HU Cc AM TR 25 31 36 42 50 58 65 25S 58G 65G 65Gc
- 4351) Anthidium (s.str.) septemspinosum Lepeletier, 1841** (Megachilidae) Synonym(s): *septemspinosum Lepeletier, 1841* _ Range (in code): TR 25 38
- 4352) Anthidium (s.str.) spiniventre Friese, 1899** (Megachilidae) Synonym(s): *spiniventre Friese, 1899; melanopygum Friese, 1917* _ Range (in code): IL Pa LB Cr TR Cc AZ Kir TM Rpt 06 33 42
- 4353) Anthidium (s.str.) syriacum Pérez, 1911** (Megachilidae) Synonym(s): *syriacum Pérez, 1911* _ Range (in code): IL Pa SY LB TR IR AF
- 4354) Anthidium (s.str.) taeniatum Latreille, 1809** (Megachilidae) Synonym(s): *taeniatum Latreille, 1809; fasciatum Latreille, 1809; sulphureum Lepeletier, 1841; affine Morawitz, 1873; monile Friese, 1897; nostrum Radoszkowski, 1893* _ Range (in code): FR ES IT Si TM MA DZ HV GR Rd TR IL Pa 05 06 24 25 30 34 42 63 70 30D
- 4355) Anthidium (s.str.) trispinosum Friese, 1917** (Megachilidae) Synonym(s): *trispinosum Friese, 1917* _ Original reference: Anthidium trispinosum Friese, 1917, Dt. ent. Z. 1917: 52-53. Syntypes 2♂: "Murut im Kaukasus". Range (in code): Cc RU TR 06 25 42 50
- 4356) Anthidium (s.str.) waltlii Spinosa, 1838** (Megachilidae) Synonym(s): *waltlii Spinosa, 1838* _ Range (in code): GR TR IR IL Pa EG 08 08H
- 4357) Anthidium (s.str.) wuestneii Mocsary, 1887** (Megachilidae) Synonym(s): *wuestneii Mocsary, 1887* _ Range (in code): GR Ae Rd TR LB SY IR Elb 48
- 4358) Anthidium (Trachusa) byssinum (Panzer, 1804)** (Megachilidae) Synonym(s): *byssina Panzer, 1804; resinana Schilling, 1829; pyrenaica Lepeletier, 1841; rotundiventris Perris, 1852; seitzi Cockerell, 1925* _ Range (in code): DE ES FR RU TR Cc 06 34 36 36F
- 4359) Anthidium (Trachusa) pubescens Morawitz, 1872** (Megachilidae) Synonym(s): *pubescens Morawitz, 1872; maximum Friese, 1931; verhoeffi Mavromoustakis, 1955* _ Original reference: Anthidium pubescens Morawitz, 1872, Horae Soc. ent. ross. 9: 59-60. Type *: Kaukasus. Range (in code): UA Cm RU HU GR TM TR Cc SY IL Pa ZA 06 09 25 31 32 38 40 42
- 4360) Chalicodoma (Euchalicodoma) asiaticum (Morawitz, 1875)** (Megachilidae) Synonym(s): *asiaticum Morawitz, 1875* _ Range (in code): TR 32 33 32C
- 4361) Chalicodoma (Euchalicodoma) montenegrensis (Dours, 1873)** (Megachilidae) Synonym(s): *montenegrensis Dours, 1873* _ Range (in code): YU TR 07 09 10 13 25 26 31 33 36 10K 36D 36Da
- 4362) Chalicodoma (Pseudomegachile) ericetorum (Lepeletier, 1841)** (Megachilidae) Synonym(s): *ericetorum Lepeletier, 1841* _ Range (in code): DZ Cc AM TR IR Elb Mz RU Bs CN 04 06 10 26
- 4363) Chalicodoma (Pseudomegachile) flavipes (Spinola, 1838)** (Megachilidae) Synonym(s): *flavipes Spinola, 1838; meridionalis Pasteels, 1970* _ Range (in code): TR EG MR ML NE 06 09 20 21 24 25 33 69 76
- 4364) Chalicodoma (Pseudomegachile) sanguinipes (Morawitz, 1875)** (Megachilidae) Synonym(s): *sanguinipes Morawitz, 1875* _ Range (in code): TR 38 42
- 4365) Chalicodoma (Pseudomegachile) saussurei (Radoszkowski, 1874)** (Megachilidae) Synonym(s): *saussurei Radoszkowski, 1874* _ Range (in code): TR 04 13 24 25 47 60 04F
- 4366) Chalicodoma (Pseudomegachile) transgrediens (Rebmann, 1970)** (Megachilidae) Synonym(s): *transgrediens Rebmann, 1970* _ Range (in code): TR
- 4367) Chalicodoma (s.str.) parietina (Geoffroy, 1785)** (Megachilidae) Synonym(s): *parietina Geoffroy, 1785* _ Range (in code): DZ FR DE PL UA CZ SK HU CH AT SS IT Sa Si GR RU Cc TR IL Pa 13 24 25 36 42 44 49 65 13A 13Ac 13Ax 13F 44L 44Lc 65B 65Bn 65Bn1 65N 65Nr3 65Nm
- 4368) Chelostoma (Foveosmia) bytinskii (Mavromoustakis, 1948)** (Megachilidae) Synonym(s): *bytinskii Mavromoustakis, 1948* _ Range (in code): TR SY IL Js Pa JO LB 31 46 31B
- 4369) Chelostoma (Foveosmia) campanularum (Kirby, 1802)** (Megachilidae) Synonym(s): *campanularum Kirby, 1802* _ Range (in code): AT NL BE BG CH CZ DE DK EE FR FI GB GR HV IT Si LT MK PL RO RU SK SS UA DZ TR CA US
- 4370) Chelostoma (Foveosmia) distinctum (Stöckert, 1929)** (Megachilidae) Synonym(s): *distinctum Stöckert, 1929* _ Range (in code): AT AD BE BG CH CZ DE EE FR FI GR HU HV IT LT MK NL PL RO RU SK SS UA Cc TR IR TM 25 58 25R 58I
- 4371) Chelostoma (Foveosmia) forcipatum (Benoist, 1928)** (Megachilidae) Synonym(s): *forcipatum Benoist, 1928* _ Original reference: Heriades forcipata Benoist, 1928, Bull. Mus. Hist. nat. Paris 34: 334. Lectotype ♂: "Taurus" [Turkey] (MNHNP). Range (in code): GR Ae Le TR LB IL Pa 07 33 46 48

- 4372) *Chelostoma (Foveosmia) foveolatum* (Morawitz,1868)** (Megachilidae) **Synonym(s):** *foveolatum* Morawitz,1868 **_ Range (in code):** [AL AD BG CH DE EE FR GR Ae Le Chi HU HV IT PL RU SK SS UA TR](#)
- 4373) *Chelostoma (Foveosmia) galeridum* (Warncke,1991)** (Megachilidae) **Synonym(s):** *galeridum* Warncke,1991 **Original reference:** *Osmia (Foveosmia) galerida* Warncke,1991, Linzer biol. Beitr. 23: 274. Holotype ♂: [Turkey]: "Anamuryon" (OLM). **Range (in code):** [TR 07 33 33A](#)
- 4374) *Chelostoma (Foveosmia) garrulum* (Warncke,1991)** (Megachilidae) **Synonym(s):** *garrulum* Warncke,1991 **Original reference:** *Osmia (Foveosmia) garrula* Warncke,1991, Linzer biol. Beitr. 23: 270. Holotype ♀: Türkiye: Kars, 20km W Sarıkamış 2200m (OLML Linz). **Range (in code):** [TR AM Cc 13 25 30 36 53 25K](#)
- 4375) *Chelostoma (Foveosmia) isabellinum* (Warncke,1991)** (Megachilidae) **Synonym(s):** *isabellinum* Warncke,1991 **Original reference:** *Osmia (Foveosmia) isabellina* Warncke,1991, Linzer biol. Beitr. 23: 272. Holotype ♀: Türkiye: [Şırnak Prov.]: 10km W Uludere (OLML Linz). **Range (in code):** [TR 31 46 47 73 47F 73C](#)
- 4376) *Chelostoma (Foveosmia) josefi* Schwarz & Gusenleitner,2000** (Megachilidae) **Synonym(s):** *josefi* Schwarz & Gusenleitner,2000 **Original reference:** *Chelostoma josefi* Schwarz & Gusenleitner,2000, Entomofauna 21: 160. Holotype ♂: Türkiye: [Şırnak Prov.]: 22km S Beytüşşebap 1300m (coll.Schwarz). **Range (in code):** [TR 73](#)
- 4377) *Chelostoma (Foveosmia) maidli* (Benoist,1935)** (Megachilidae) **Synonym(s):** *maidli* Benoist,1935; *seidenstueckeri* Mavromoustakis,1954 **Original reference:** *Heriades maidli* Benoist,1935, Bull. Soc. ent. Fr. 40: 279. Lectotype ♂: "Asie mineure, Olympe, Broussa [Turkey: Bursa Prov.] (MNHPN). **Range (in code):** [TR IL Pa SY Hms 16 30 36 65 65G 65Ge](#)
- 4378) *Chelostoma (Foveosmia) palaestina* (Benoist,1935)** (Megachilidae) **Synonym(s):** *palaestina* Benoist,1935 **_ Range (in code):** [IL Pa TR 31 31B](#)
- 4379) *Chelostoma (Foveosmia) schlettereri* (Friese,1899)** (Megachilidae) **Synonym(s):** *schlettereri* Friese,1899; *palaestina* Benoist,1935; *pici* Benoist,1935 **Original reference:** *Osmia schlettereri* Friese,1899, Ent. Nachr. 21: 327. Lectotype ♂: "Bethlehem, Palaestine" (ZMHB). **Range (in code):** [GR Ae Sms IL Pa JO LB SY TR 07 31 33 46 48 58 58G](#)
- 4380) *Chelostoma (Foveosmia) styriacum* Schwarz & Gusenleitner,1999** (Megachilidae) **Synonym(s):** *styriacum* Schwarz & Gusenleitner,1999 **_ Range (in code):** [AT BG GR RO SS TR](#)
- 4381) *Chelostoma (Foveosmia) subnitidum* (Benoist,1935)** (Megachilidae) **Synonym(s):** *subnitidum* Benoist,1935 **_ Range (in code):** [TR](#)
- 4382) *Chelostoma (Foveosmia) torquillum* Warncke,1991** (Megachilidae) **Synonym(s):** *torquillum* Warncke,1991 **Original reference:** *Osmia (Foveosmia) torquilla* Warncke,1991, Linzer biol. Beitr. 23: 271. Holotype ♀: Türkiye: [Şırnak Prov.]: Suvari Halil Pass 2300m (OLML Linz). **Range (in code):** [TR 13 30 36 38 65 73 30B 30Be](#)
- 4383) *Chelostoma (Foveosmia) ventrale* Schletterer,1889** (Megachilidae) **Synonym(s):** *ventrale* Schletterer,1889 **_ Range (in code):** [TR 16](#)
- 4384) *Chelostoma (Gyrodromella) handlirschi* Schletterer,1889** (Megachilidae) **Synonym(s):** *handlirschi* Schletterer,1889 **_ Range (in code):** [IT HU GR TR RO TM](#)
- 4385) *Chelostoma (Gyrodromella) hebraeum* (Benoist,1935)** (Megachilidae) **Synonym(s):** *hebraeum* Benoist,1935 **_ Range (in code):** [IL Pa Js TR](#)
- 4386) *Chelostoma (Gyrodromella) orientale* Schletterer,1890** (Megachilidae) **Synonym(s):** *orientale* Schletterer,1890 **_ Range (in code):** [Cc AM TR](#)
- 4387) *Chelostoma (Gyrodromella) proximum* Schletterer,1889** (Megachilidae) **Synonym(s):** *proximum* Schletterer,1889 **_ Range (in code):** [AZ GG Cc RU UA TM IR TR CN Jn 16 25](#)
- 4388) *Chelostoma (Gyrodromella) rapunculi* (Lepeletier,1841)** (Megachilidae) **Synonym(s):** *rapunculi* Lepeletier,1841; *nigricornis* Nylander,1848; *inerme* Eversmann,1852; *casularum* Chevrier,1872; *archanensis* Cockerell,1928; *platyodonta* Cockerell,1928 **_ Range (in code):** [AT AD BE BG CH DE DK EE FI FR GG Cc GR HU HV LT MK PL RO RU SK SS UA DZ MA KG KK MN TM UZ TR CA US 05 06 16 25 26 68 06R 25K](#)
- 4389) *Chelostoma (s.str.) diodon* Schletterer,1889** (Megachilidae) **Synonym(s):** *diodon* Schletterer,1889; *cypriacum* Mavromoustakis,1951 **_ Range (in code):** [GR Ae Le Sms TR CY IL Pa JO SY 05](#)
- 4390) *Chelostoma (s.str.) dolosum* (Benoist,1935)** (Megachilidae) **Synonym(s):** *dolosum* Benoist,1935 **Original reference:** *Heriades dolosum* Benoist,1935, Bull. Soc. ent. Fr. 40: 279. Lectotype ♀: [Turkey]: Aie mineure, Brousse" (MNHN Paris). **Range (in code):** [TR 16](#)

- 4391) *Chelostoma* (s.str.) *emarginatum* (Nylander,1856)** (Megachilidae) Synonym(s): *emarginatum* Nylander,1856; *appendiculata* Morawitz,1871; *angustata* Chevrier,1872; *intermedia* Chevrier,1872; *quadrifidum* Kriechbaumer,1879; *incertum* Pérez,1890; *ursina* Benoist,1935 _ Range (in code): **AZ Cc Len BG CH CZ GB FR GR Ae Le HU HV IT Si MK PL RO SK SS IR TR 33 33E**
- 4392) *Chelostoma* (s.str.) *florisomnis* (Linnaeus,1758)** (Megachilidae) Synonym(s): *florisomnis* Linnaeus,1758; *maxillosa* Linnaeus,1767; *culmorum* Lepeletier,1841; *parumcristatus* Alfken,1932 Range (in code): **AT AL AM Cc BE BG CH CZ DE DK GB EE FR FI GR HU HV IT LT NL PL RO RU SS SK UA TR 06 25 25O**
- 4393) *Chelostoma* (s.str.) *grande* (Nylander,1852)** (Megachilidae) Synonym(s): *grande* Nylander,1852 _ Range (in code): **GR TR 31**
- 4394) *Chelostoma* (s.str.) *lucens* (Benoist,1928)** (Megachilidae) Synonym(s): *lucens* Benoist,1928 Original reference: *Heriades lucens* Benoist,1928, *Annls Soc. ent. Fr.* 97: 418. Lectotype ♀: [Turkey]: "Taurus" (MNHN Paris). Range (in code): **TR CY GR Rd JO IL Pa LB 33E**
- 4395) *Chelostoma* (s.str.) *mocsaryi* Schletterer,1889** (Megachilidae) Synonym(s): *mocsaryi* Schletterer,1889 _ Range (in code): **BG HV FR GR Ae Le IT Si UA Cc TR IL Pa 05 08**
- 4396) *Chelostoma* (s.str.) *transversum* (Friese,1897)** (Megachilidae) Synonym(s): *transversum* Friese,1897 _ Range (in code): **BG GR TR?**
- 4397) *Chelostoma* (subgen?) *ventrale* Schletterer,1889** (Megachilidae) Synonym(s): *ventrale* Schletterer,1889; *brevifurca* Benoist,1935; *subnitida* Benoist,1935 _ Range (in code): **HU AT BG CZ HV RO SK SS UA EE FR JO SY TR 16 46 46F**
- 4398) *Coelioxys* (Allocoelioxys) *acanthura* (Illiger,1806)** (Megachilidae) Synonym(s): *acanthura* Illiger,1806 _ Range (in code): **GR TR 18 63 18F 63D**
- 4399) *Coelioxys* (Allocoelioxys) *afra* Lepeletier,1841** (Megachilidae) Synonym(s): *afra* Lepeletier,1841; *coronata* Förster,1853; *mandibularis* Chevrier,1872; *tunensis* Gribodo,1894; *erzurumensis* Tkalcu Range (in code): **TN HU TM KK UZ EG TN MA DZ RU GB GR IL Pa TR Arr Cc IR Ab KG Uk 06 07 13 16 18 24 25 26 30 35 36 42 43 50 51 58 65 68 13G 13Gw 30D 30Dt 65E 65F 65Fn**
- 4400) *Coelioxys* (Allocoelioxys) *artemis* Schwarz,1991** (Megachilidae) Synonym(s): *artemis* Schwarz,1991; *#artemix* Özbek & Zanden,1994 _ Range (in code): **TR GR SY JO IR Fa TM KG 13 20 23 27 33 42 47 50 65**
- 4401) *Coelioxys* (Allocoelioxys) *echinata* Förster,1853** (Megachilidae) Synonym(s): *octodentata* Lepeletier,1841 *nec* Say,1824; *echinata* Förster,1853; *rufocaudata* Smith,1854 _ Range (in code): **FR MA DZ TR CN Ui 06 13 16 30 42 58 65 73 76 06 13G 13Gw 30D 42B 42J 65F 65Fn 73A**
- 4402) *Coelioxys* (Allocoelioxys) *elsei* Schwarz,2001** (Megachilidae) Synonym(s): *elsei* Schwarz,2001 _ Range (in code): **TR BG GR JO 12 36 50 36F**
- 4403) *Coelioxys* (Allocoelioxys) *emarginata* Förster,1853** (Megachilidae) Synonym(s): *emarginata* Förster,1853 _ Range (in code): **HU UZ MA ES FR AT UA AM Cc TR 25**
- 4404) *Coelioxys* (Allocoelioxys) *haemorrhoea* Förster,1853** (Megachilidae) Synonym(s): *haemorrhoea* Förster,1853; *pulchella* Morawitz,1874; *coturnix* Pérez,1884; *taurus* Nurse,1902 _ Range (in code): **MA DZ EG TR BG FR GR IL Pa IT Si KG KK MT AT PT ES TN TJ TM HU UZ CY RU Cc Da Der CN Ui 06 09 13 24 25 30 35 42 47 50 51 63 73 13G 13Gw 30D 30Dt 63D 73A**
- 4405) *Coelioxys* (Allocoelioxys) *polycentris* Förster,1853** (Megachilidae) Synonym(s): *polycentris* Förster,1853; *conspersa* Morawitz,1874; *orientalis* Friese,1925 Range (in code): **AT CY HU RU Da Cc MN TR?**
- 4406) *Coelioxys* (Allocoelioxys) *pulchella* Morawitz,1874** (Megachilidae) Synonym(s): *pulchella* Morawitz,1874 _ Range (in code): **RU GR TJ TR 13 50 63 13G 13Gw 50G 63D**
- 4407) *Coelioxys* (Argcoelioxys) *argentea* Lepeletier,1841** (Megachilidae) Synonym(s): *argentea* Lepeletier,1841; *constricta* Förster,1853; *diplotaenia* Förster,1853; *transcaspica* Radoszkowski,1886 Range (in code): **MA DZ HV TM IL Pa Js TR IR CN Gn Ui 18 30 80 18F 30D 30De**
- 4408) *Coelioxys* (Liothyrapis) *decipiens* Spinola,1838** (Megachilidae) Synonym(s): *decipiens* Spinola,1838; *cretensis* Förster,1853; *farinosa* Smith,1854; *albofasciata* Radoszkowski,1888; *seraxensis* Radoszkowski,1893; *aberrans* Morawitz,1895; *decemdentata* Pérez,1902; *proxima* Friese,1925; *proximata* Popov,1946; *sinuata* Stanek,1968 Range (in code): **MA TN EG Cr GR TR TM TJ 07 20 31 35 36 42 80 26D 36D**
- 4409) *Coelioxys* (Radoszkowskiana) *rufiventris* (Spinola,1838)** (Megachilidae) Synonym(s): *rufiventris* Spinola,1838; *gymnopygia* Spinola,1838; *barrei* Radoszkowski,1893; *nursei* Cockerell,1922; *giovannelli* Biegeleben,1932 Range (in code): **EG DZ TR TM UZ TJ IN KG IR Ke Th Tas 24**
- 4410) *Coelioxys* (Radoszkowskiana) *tkalcui* Schwarz,2001** (Megachilidae) Synonym(s): *tkalcui* Schwarz,2001 _ Range (in code): **TR 13 65 13B 65L**

- 4411) Coelioxys (s.str.) aurolimbata Förster,1853** (Megachilidae) Synonym(s): *aurolimbata* Förster,1853; *orientalica* Warncke,1992 [ssp.] - Range (in code): IR LB AM Geg Cc TJ UZ RU Cc Bs DZ TR TJ UZ KG MN IR CN IMn Ui Tax 06 09 16 22 25 30 42 50 55 56 65 76 30C 65H
- 4412) Coelioxys (s.str.) brevis Eversmann,1842** (Megachilidae) Synonym(s): *brevis* Eversmann,1842 - Range (in code): RU TR 24 25 63 63E
- 4413) Coelioxys (s.str.) conoidea (Illiger,1806)** (Megachilidae) Synonym(s): *conoidea* Illiger,1806; *vectus* Curtis,1831; *punctata* Lepeletier,1841; *temporalis* Nylander,1848; *ambigua* Schenck,1855; *aegyptiaca* Radoszkowski,1876; *sipissicauda* Pasteels,1968 - Range (in code): DE GB IT FR GR TR 08 13 16 25 30 34 36 42 57 13G 13Gw 30D 30Dt 36F 42J
- 4414) Coelioxys (s.str.) elongata Lepeletier,1841** (Megachilidae) Synonym(s): *elongata* Lepeletier,1841; *simplex* Nylander,1852; *tricuspidata* Förster,1853; *denticulata* Schenck,1855; *distincta* Schenck,1855; *sponsa* Schenck,1855; *stigmatica* Schenck,1855; *gracilis* Schenck,1859; *obscura* Schenck,1859; *tridenticulata* Schenck,1859; *claripennis* Schenck,1868; *kudiana* Cockerell,1924; *popovici* Friese,1925 - Range (in code): MA DZ TN FR SE DE GB TR RU Sb 16 25 62 62E
- 4415) Coelioxys (s.str.) inermis (Kirby,1802)** (Megachilidae) Synonym(s): *acuminata* Christ,1791 nec Gmel.,1790; *inermis* Kirby,1802; *divergens* Förster,1853; *microdonta* Förster,1853 - Range (in code): GB DE MA DZ TR 16 17 26 30 30D 30Dt
- 4416) Coelioxys (s.str.) mandibularis Nylander,1848** (Megachilidae) Synonym(s): *mandibularis* Nylander,1848; *olgae* Cockerell,1924 - Range (in code): Cc RO TR RU Sb MN 25 38 25A 38C 38Ca
- 4417) Coelioxys (s.str.) quadridentata (Linnaeus,1758)** (Megachilidae) Synonym(s): *quadridentata* Linnaeus,1758; *conica* Linnaeus,1758; *agilis* Harris,1776; *acuminata* Gmelin,1790; *bidentata* Panzer,1798; *acuta* Nylander,1848; *fissidens* Förster,1853; *fraterna* Förster,1853; *convergens* Schenck,1855; *truncata* Höppner,1901 - Range (in code): SE GB DE RU Ur GR TR 14 25 34 42 14I 14Ib 25C 42B
- 4418) Coelioxys (s.str.) rufescens Lepeletier,1825** (Megachilidae) Synonym(s): *rufescens* Lepeletier,1825; *umbrina* Smith,1843; *apiculata* Nylander,1848; *hebesens* Nylander,1848; *diglypha* Förster,1853; *trinacria* Förster,1853; *carinata* Schenck,1855 nec Sm.,1854; *longiuscula* Schenck,1855; *obtusata* Schenck,1855; *parvula* Schenck,1855; *fallax* Mocsary,1879; *agona* Alfken,1912; *nigrescens* Cockerell,1924; *gigantea* Friese,1925; *turkestanica* Friese,1925; *oltuensis* Tkalcu [ssp.]; *anatolica* Warncke,1992 [ssp.] - Range (in code): HU DE GB SE FI FR TR Cc AZ AM Geg Nv Ord KG TJ MN RU Sb 06 25 30 35 36 60 75 25K 30D 30Dt 36D
- 4419) Coelioxys alata Förster,1853** (Megachilidae) Synonym(s): *alata* Förster,1853; *montandoni* Gribodo,1884 - Range (in code): BE DE RO RU Sb FI BG TR 53
- 4420) Coelioxys caudata Spinola,1838** (Megachilidae) Synonym(s): *caudata* Spinola,1838 - Range (in code): TR 04 13 24 30 42 51 58
- 4421) Coelioxys elytrura Spinola,1838** (Megachilidae) Synonym(s): *elytrura* Spinola,1838 - Range (in code): TR 33
- 4422) Coelioxys obtusa Pérez,1884** (Megachilidae) Synonym(s): *obtusa* Pérez,1884 - Range (in code): TR 13 13B 13Ba
- 4423) Creightonella (Metamegachile) albisepta (Klug,1817)** (Megachilidae) Synonym(s): *albisepta* Klug,1817 - Range (in code): RU DZ Cc TR 07 09 13 24 25 30 33 35 42 49 57 76 13G 25K 30B 30Be
- 4424) Creightonella (Metamegachile) doriae (Magretti,1890)** (Megachilidae) Synonym(s): *doriae* Magretti,1890 - Range (in code): TR 06
- 4425) Creightonella (Metamegachile) heinrichi Tkalcu,1979** (Megachilidae) Synonym(s): *heinrichi* Tkalcu,1979 - Range (in code): TR 63
- 4426) Dioxys cincta (Jurine,1807)** (Megachilidae) Synonym(s): *cincta* Jurine,1807 - Range (in code): GR Ae Le TR IL Pa 25 33 38 42 58 63
- 4427) Dioxys moesta (Costa,1883)** (Megachilidae) Synonym(s): *moesta* Costa,1883 - Range (in code): GR Ae Le TR
- 4428) Dioxys montana Heinrich,1977** (Megachilidae) Synonym(s): *montana* Heinrich,1977 - Range (in code): TR 06 33 42
- 4429) Dioxys pumila Gerstaecker,1869** (Megachilidae) Synonym(s): *pumila* Gerstaecker,1869 - Range (in code): GR Ae Le CY TR SY IL Pa IR Elb Fa 20 33 42 50 58 63
- 4430) Ensliniana bidentata (Friese,1899)** (Megachilidae) Synonym(s): *bidentata* Friese,1899; *anatolica* Heinrich,1977 - Range (in code): SY TR IL Pa 04 25 42
- 4431) Eoanthidium (Clistanthidium) nasicum (Friese,1917)** (Megachilidae) Synonym(s): *nasicum* Friese,1917; *nasiculum* Pasteels,1969 - Original reference: *Anthidium nasicum* Friese,1917, Dt. ent. Z. 1917: 50-51. Type ♀: "Kleinasien (Asia Minor)". - Range (in code): IL Pa SY TR 25 33 63

- 4432) Eoanthidium (s.str.) clypeare (Morawitz,1874)** (Megachilidae) Synonym(s): *clypeare* Morawitz,1874; *elongatum* Friese,1897; *hoplostomum* Mavromoustakis,1945 _ Range (in code): **Cc RU Da GR Rd HV TR IL Pa SY 33 50 73**
- 4433) Eoanthidium (s.str.) insulare (Morawitz,1873)** (Megachilidae) Synonym(s): *insulare* Morawitz,1873; *persicolum* Mavromoustakis,1937; *lemesum* Mavromoustakis,1937 _ Range (in code): **GR Rd IR TR CY TJ 09 20 31 33 63**
- 4434) Eoanthidium (s.str.) judaeense (Mavromoustakis,1945)** (Megachilidae) Synonym(s): *judaeense* Mavromoustakis,1945; *anale* Pasteels,1969 _ Range (in code): **AM Cc IL Pa LB TR 09 20 33 70**
- 4435) Haetosmia vechti (Peters,1974)** (Megachilidae) Synonym(s): *vechti* Peters,1974 Range (in code): **IR Elb Th TR IL Pa GR 33 35 38**
- 4436) Heriades (Michenerella) dalmaticus Maidl,1922** (Megachilidae) Synonym(s): *dalmaticus* Maidl,1922; *troodicus* Mavromoustakis,1951 _ Range (in code): **HV BG GR Ae Le Rd IT Si MT CY LB IL Pa SY TR 31 31B**
- 4437) Heriades (Michenerella) hissaricus Popov,1955** (Megachilidae) Synonym(s): *hissaricus* Popov,1955 _ Range (in code): **KG TJ UZ TR 63 63E**
- 4438) Heriades (Michenerella) punctuliferus Schletterer,1889** (Megachilidae) Synonym(s): *punctuliferus* Schletterer,1889; *syriaca* Benoist,1928 _ Range (in code): **TR GR Ae Le CY SY JO 07 07M 07Mb**
- 4439) Heriades (Rhopaloheriades) clavicornis Morawitz,1875** (Megachilidae) Synonym(s): *clavicornis* Morawitz,1875; *armeniacus* Popov,1956 _ Range (in code): **Cc AM TM CY IL Pa SY TR GR TJ**
- 4440) Heriades (s.str.) crenulatus Nylander,1856** (Megachilidae) Synonym(s): *crenulatus* Nylander,1856 _ Range (in code): **AT BG CH CZ DE ES FR GR Cr Ae Le HU HV IT Sa Si MK PT PL RO RU SK SS UA Cc DZ MA TN KG TR 05 06 07 22 34 57 66**
- 4441) Heriades (s.str.) rubicola Pérez,1890** (Megachilidae) Synonym(s): *rubicola* Pérez,1890; *copetica* Morawitz,1892; *aurantifer* Cockerell,1931 _ Range (in code): **MA DZ TN AT BG ES FR GR Ae Le HV IT Sa Si MK PT SK SS KK KG TM CY IL Pa JO SY TR**
- 4442) Heriades (s.str.) truncorum (Linnaeus,1758)** (Megachilidae) Synonym(s): *truncorum* Linnaeus,1758; *xanthogastris* Schrank,1802; *mordax* Schletterer,1889 _ Range (in code): **AT AL AM BE BG CH DE DK ES FR FI NL GG Cc GR HU HV IT Sa Si LT MK PL PT RO RU SK SS UA DZ KK KG CY IL Pa SY TR**
- 4443) Hofferia schmiedeknechti (Schletterer,1889)** (Megachilidae) Synonym(s): *schmiedeknechti* Schletterer,1889; *tumida* Benoist,1928; *gibba* Benoist,1928 _ Range (in code): **BG GR Ae Le MK RO TR IL Pa SY JO 33**
- 4444) Hoplitis (Alcidamea) acanthophora (Morawitz,1875)** (Megachilidae) Synonym(s): *acanthophora* Morawitz,1875 _ Range (in code): **TJ TR 30 44**
- 4445) Hoplitis (Alcidamea) acuticornis (Dufour & Perris,1840)** (Megachilidae) Synonym(s): *acuticornis* Dufour & Perris,1840; *dentiventris* Morawitz,1877; *hispanica* Schmiedeknecht,1886; *brunneipes* Peters,1975; *gilva* Zanden,1994 Range (in code): **AT AL AD AM Cc CH CZ DE ES FR GR Cr Ae Le HU IT Sa Si MK PT RO RU SK S UA DZ Cn Md TN KG TJ TM CY IR JO SY TR 06 25 30 33 36 38 50 62 65 70 73 80**
- 4446) Hoplitis (Alcidamea) antennata (Morawitz,1876)** (Megachilidae) Synonym(s): *antennata* Morawitz,1876 Original reference: *Osmia antennata* Morawitz,1876, *Horae Soc. ent. ross.* 12: 43. Lectotype ♂: [Armenia] "auf dem Berge Schaffnabadell", designated by Warncke,1991 (ZIN) Range (in code): **AM Cc TR 36**
- 4447) Hoplitis (Alcidamea) bicallosa (Morawitz,1876)** (Megachilidae) Synonym(s): *bicallosa* Morawitz,1876 _ Range (in code): **Gg Bjo Cc GR TR 07 36 42 76**
- 4448) Hoplitis (Alcidamea) bispinosa Zanden,1992** (Megachilidae) Synonym(s): *bispinosa* Zanden,1992 Original reference: *Hoplitis (Liosmia) bispinosa* Zanden,1992, *Linzer biol. Beitr.* 24: 820. Holotype ♂: [Turkey]: Hakkari Prov., Yüsekova 2250m (RMNH). Range (in code): **TR GR 30**
- 4449) Hoplitis (Alcidamea) caucasica (Friese,1920)** (Megachilidae) Synonym(s): *caucasica* Friese,1920 _ Range (in code): **Cc TR 25 29**
- 4450) Hoplitis (Alcidamea) caularis (Morawitz,1875)** (Megachilidae) Synonym(s): *caularis* Morawitz,1875; *proxima* Morawitz,1875 *nec* Cress.,1864; *turcestanica* Dalla Torre,1896 _ Range (in code): **RU UA KG KK CN TM UZ SY TR 65**
- 4451) Hoplitis (Alcidamea) ciliaris (Pérez,1902)** (Megachilidae) Synonym(s): *ciliaris* Pérez,1902 _ Range (in code): **FR GR HV MK SS IL Pa TR 24 30 42**

- 4452) *Hoplitis (Alcidamea) claviventris* (Thomson,1872)** (Megachilidae) **Synonym(s):** *interrupta* Schenck,1861 *nec* Latr.,1811; *claviventris* Thomson,1872; *foveolata* Schenck,1873; *columba* Warncke,1991
Range (in code): AT AL BE BG CH CZ DE DK ES FR Co FI NL GB GR HU HV IT Sa Si LT MK PT PL RO RU SK SS UA Cc KG MN CN TR 14 14I 14Ib
- 4453) *Hoplitis (Alcidamea) decaocta* (Warncke,1991)** (Megachilidae) **Synonym(s):** *decaocta* Warncke,1991 **Original reference:** *Osmia* (Alcidamea) *decaocta* Warncke,1991, Linzer biol. Beitr. 23: 732. Holotype ♀: [Turkey]: Van, Erçek (OLML Linz). **Range (in code):** TR 40 65
- 4454) *Hoplitis (Alcidamea) galbula* (Warncke,1991)** (Megachilidae) **Synonym(s):** *galbula* Warncke,1991 **Range (in code):** GR TR 30 73
- 4455) *Hoplitis (Alcidamea) garzetta* (Warncke,1991)** (Megachilidae) **Synonym(s):** *garzetta* Warncke,1991 **Range (in code):** TR 13 30 42 73 13G
- 4456) *Hoplitis (Alcidamea) leucomelaena* (Kirby,1802)** (Megachilidae) **Synonym(s):** *leucomelaena* Kirby,1802; *caulicola* Schrank,1802; *parvula* Dufour & Perris,1840; *bidenticulatus* Costa,1863
Range (in code): AT AL AM Cc BE BG CH CZ DE DK ES FR Co GB HV IT Si Sa NL LT MK PT PL RO RU SK SS UA DZ KG KK CN TJ TR 06 24 25 30 36 38 50 58 73 76
- 4457) *Hoplitis (Alcidamea) limassolica* (Mavromoustakis,1937)** (Megachilidae) **Synonym(s):** *limassolica* Mavromoustakis,1937 **Range (in code):** CY IL Pa JO TR 27 31 46 56 63
- 4458) *Hoplitis (Alcidamea) mollis* Tkalcu,2000** (Megachilidae) **Synonym(s):** *mollis* Tkalcu,2000 **Original reference:** *Hoplitis* (Liosmia) *mollis* Tkalcu,2000, Acta Soc. zool. bohemosl. 64: 316. Holotype ♂: [Turkey]: Erzurum, Tkalcu coll. (Praha). **Range (in code):** TR JO SY 25
- 4459) *Hoplitis (Alcidamea) ozbeki* Tkalcu,2000** (Megachilidae) **Synonym(s):** *ozbeki* Tkalcu,2000 **Original reference:** *Hoplitis* (Liosmia) *ozbeki* Tkalcu,2000, Acta Soc. zool. bohemosl. 64: 313. Holotype ♂: [Turkey]: Erzurum Serceme (EMET). **Range (in code):** Cc TR 25
- 4460) *Hoplitis (Alcidamea) praestans* (Morawitz,1894)** (Megachilidae) **Synonym(s):** *praestans* Morawitz,1894; *lineola* Pérez,1895 **Range (in code):** AT CH ES FR Co GR HU IT RO RU SK SS UA Cc YU DZ EG MA TN KG TJ UZ IL Pa JO TR 07 30 33 36 73
- 4461) *Hoplitis (Alcidamea) stellaris* (Warncke,1991)** (Megachilidae) **Synonym(s):** *stellaris* Warncke,1991 **Original reference:** *Osmia* (Alcidamea) *stellaris* Warncke,1991, Linzer biol. Beitr. 23: 731. Holotype ♂: [Turkey]: Van, Başkale 30km S 1700m (OLML Linz). **Range (in code):** JO SY TR GR 20 65 65B
- 4462) *Hoplitis (Alcidamea) subbutea* (Warncke,1991)** (Megachilidae) **Synonym(s):** *subbutea* Warncke,1991 **Original reference:** *Osmia* (Alcidamea) *subbutea* Warncke,1991, Linzer biol. Beitr. 23: 733. Holotype ♂: [Turkey]: Hakkari, Suvarihalil Pass 1900m (OLML Linz). **Range (in code):** TR GR KG IL Pa SY 02 30 50 58 73
- 4463) *Hoplitis (Alcidamea) tridentata* (Dufour & Perris,1840)** (Megachilidae) **Synonym(s):** *tridentata* Dufour & Perris,1840; *melanoleuca* Benoist,1934; *asensioi* Tkalcu,1975 **Range (in code):** AT BE AM CH Cc CZ DE ES FR DE GR HU HV IT Si LT PL RU SK S UA DZ EG MA KG UZ SY TR IR 05 06 25 30 36 42 51
- 4464) *Hoplitis (Alcidamea) verruciventris* (Morawitz,1886)** (Megachilidae) **Synonym(s):** *verruciventris* Morawitz,1886 **Range (in code):** Cc AZ TR 40 50
- 4465) *Hoplitis (Alcidamea) xanthoprymna* (Warncke,1991)** (Megachilidae) **Synonym(s):** *xanthoprymna* Warncke,1991 **Range (in code):** TR 42
- 4466) *Hoplitis (Annosmia) annulata* (Latreille,1811)** (Megachilidae) **Synonym(s):** *annulata* Latreille,1811; *crenulata* Morawitz,1871; *pruinosa* Destefani,1887; *corsaria* Warncke,1991; *cretica* Warncke,1991
Range (in code): AM Cc BG ES FR Co GR Cr HV IT Sa Si PT DZ MA TN CY IL Pa SY TR
- 4467) *Hoplitis (Annosmia) chukar* (Warncke,1991)** (Megachilidae) **Synonym(s):** *chukar* Warncke,1991 **Original reference:** *Osmia* (Annosmia) *chukar* Warncke,1991, Linzer biol. Beitr. 23: 316. Holotype ♂: [Turkey]: Hakkari Prov., W. Serpil 1800m Mt. Cilo (OLML Linz). **Range (in code):** TR 30 30B
- 4468) *Hoplitis (Annosmia) elaziga* (Warncke,1991)** (Megachilidae) **Synonym(s):** *elaziga* Warncke,1991 **Range (in code):** TR 06 23
- 4469) *Hoplitis (Annosmia) eremophila* (Warncke,1991)** (Megachilidae) **Synonym(s):** *eremophila* Warncke,1991 **Original reference:** *Osmia* (Annosmia) *eremophila* Warncke,1991, Linzer biol. Beitr. 23: 317. Holotype ♀: [Turkey]: Hakkari Prov., nördl. Gavaruk Mt. 2900m (Sat Gebirge) (OLML Linz). **Range (in code):** TR SY 13 30 13G 13Gw 30D 30Du
- 4470) *Hoplitis (Annosmia) fulica* (Warncke,1991)** (Megachilidae) **Synonym(s):** *fulica* Warncke,1991 **Original reference:** *Osmia* (Annosmia) *fulica* Warncke,1991, Linzer biol. Beitr. 23: 312. Holotype ♀: [Turkey]: Van Prov., Erciş 1650m (OLML Linz). **Range (in code):** TR 65 65E

- 4471) *Hoplitis (Annosmia) gentilis* (Warncke,1991)** (Megachilidae) Synonym(s): *gentilis* Warncke,1991 _ Range (in code): **TR 42**
- 4472) *Hoplitis (Annosmia) idaensis* (Warncke,1991)** (Megachilidae) Synonym(s): *idaensis* Warncke,1991 _ Range (in code): **GR Cr TR**
- 4473) *Hoplitis (Annosmia) mutica* (Warncke,1991)** (Megachilidae) Synonym(s): *mutica* Warncke,1991 _ Range (in code): **TR 02 06 30 33 42 50 51 63 65 70 06Y 33O 50G**
- 4474) *Hoplitis (Annosmia) uncaticornis* (Stanek,1969)** (Megachilidae) Synonym(s): *uncaticornis* Stanek,1969; *cursoria* Warncke,1991 _ Range (in code): **TR SY 33 42 50 58 63 63F**
- 4475) *Hoplitis (Anthocopa) agis* (Benoist,1929)** (Megachilidae) Synonym(s): *agis* Benoist,1929 _ Range (in code): **GR TR IR 33**
- 4476) *Hoplitis (Anthocopa) anipuncta* (Alfken,1935)** (Megachilidae) Synonym(s): *anipuncta* Alfken,1935 _ Range (in code): **GR Cr CY IL Pa JO SY TR 13 25 42 62 65**
- 4477) *Hoplitis (Anthocopa) bifoveolata* (Alfken,1935)** (Megachilidae) Synonym(s): *bifoveolata* Alfken,1935 _ Range (in code): **IL Pa JO SY TR**
- 4478) *Hoplitis (Anthocopa) bipartita* (Friese,1899)** (Megachilidae) Synonym(s): *bipartita* Friese,1899 _ Range (in code): **CN Ui KG TR**
- 4479) *Hoplitis (Anthocopa) bisulca* (Gerstaecker,1869)** (Megachilidae) Synonym(s): *bisulca* Gerstaecker,1869; *lanosa* Pérez,1879 _ Range (in code): **ES FR Co GR HV IT Si PT DZ LY TN IL Pa JO SY TR**
- 4480) *Hoplitis (Anthocopa) brevispina* (Tkalcu,2000)** (Megachilidae) Synonym(s): *brevispina* Tkalcu,2000 _ Original reference: *Anthocopa (Arctosmia) brevispina* Tkalcu,2000, *Acta Soc. zool. bohemosl.* 64: 305. Holotype ♂: [Turkey]: Erzurum (EMET). _ Range (in code): **TR Cc 25**
- 4481) *Hoplitis (Anthocopa) cristatula* (Zanden,1990)** (Megachilidae) Synonym(s): *cristata* Fonscolombe,1846 nec Duf.,1841; *cristatula* Zanden,1990 _ Range (in code): **ES FR Co IT Si DZ MA TN TR CN 25**
- 4482) *Hoplitis (Anthocopa) cypriaca* (Mavromoustakis,1938)** (Megachilidae) Synonym(s): *cypriaca* Mavromoustakis,1938; *bayburtensis* Tkalcu,1980 _ Range (in code): **CY IL Pa JO SY TR 69**
- 4483) *Hoplitis (Anthocopa) dalmatica* (Morawitz,1871)** (Megachilidae) Synonym(s): *dalmatica* Morawitz,1871 _ Range (in code): **AL AD CH ES FR GR HU HV IT Sa MK SS TR**
- 4484) *Hoplitis (Anthocopa) duckeana* (Kohl,1905)** (Megachilidae) Synonym(s): *duckeana* Kohl,1905 _ Range (in code): **SY TR 38**
- 4485) *Hoplitis (Anthocopa) furcula* (Morawitz,1875)** (Megachilidae) Synonym(s): *furcula* Morawitz,1875 _ Range (in code): **KG AM Cc GR Cr TR**
- 4486) *Hoplitis (Anthocopa) graeca* (Tkalcu,2000)** (Megachilidae) Synonym(s): *graeca* Tkalcu,2000; *ionica* Tkalcu,2000 _ Range (in code): **GR TR 35**
- 4487) *Hoplitis (Anthocopa) grumi* (Morawitz,1894)** (Megachilidae) Synonym(s): *grumi* Morawitz,1894 _ Range (in code): **TJ TR**
- 4488) *Hoplitis (Anthocopa) idalia* (Mavromoustakis,1948)** (Megachilidae) Synonym(s): *idalia* Mavromoustakis,1948 _ Range (in code): **GR Cr CY JO SY TR**
- 4489) *Hoplitis (Anthocopa) jakovlevi* (Radoszkowski,1874)** (Megachilidae) Synonym(s): *jakovlevi* Radoszkowski,1874; *serrilabris* Morawitz,1875; *quadridentata* Fonscolombe,1879 _ Range (in code): **Cc AM FR IT Si DZ TN CN Ui Ku KG KK TJ TM IR TR 25**
- 4490) *Hoplitis (Anthocopa) mocsaryi* (Friese,1895)** (Megachilidae) Synonym(s): *mocsaryi* Friese,1895; *linophila* Westrich,2006 _ Range (in code): **AT AM Cc ES FR Co GR HU RU SK TR**
- 4491) *Hoplitis (Anthocopa) obtusa* (Friese,1899)** (Megachilidae) Synonym(s): *obtusa* Friese,1899 _ Range (in code): **TR AL GR Cr HV? IL Pa SY JO 33**
- 4492) *Hoplitis (Anthocopa) papaveris* (Latreille,1799)** (Megachilidae) Synonym(s): *papaveris* Latreille,1799; *hyalinipennis* Lepeletier,1841 _ Range (in code): **AT AL BE BG CH CZ DE ES FR GR HU IT Sa Si NL PT RO RU SK UA Cc KG CN Ui TR 35 42 45 50 50G**
- 4493) *Hoplitis (Anthocopa) perezi* (Ferton,1895)** (Megachilidae) Synonym(s): *perezi* Ferton,1895; *convolvuli* Duche,1899 _ Range (in code): **AM Cc ES FR Co GR HV IT Si MK UA MA KK KG TJ TM UZ AF TR 25 76**
- 4494) *Hoplitis (Anthocopa) picicornis* (Morawitz,1895)** (Megachilidae) Synonym(s): *picicornis* Morawitz,1895 _ Range (in code): **TM KG TJ AF IR TR 24**
- 4495) *Hoplitis (Anthocopa) rugidorsis* (Pérez,1895)** (Megachilidae) Synonym(s): *rugidorsis* Pérez,1895; *fasciculata* Alfken,1934 _ Range (in code): **IT Sa DZ MA TR 25 25A**

- 4496) *Hoplitis (Anthocopa) singularis* (Morawitz,1875)** (Megachilidae) Synonym(s): *singularis* Morawitz,1875 - Range (in code): **KG KK TJ TM UZ IL Pa TR**
- 4497) *Hoplitis (Anthocopa) unispina* (Alfken,1935)** (Megachilidae) Synonym(s): *unispina* Alfken,1935 - Range (in code): **GR? IL Pa JO SY TR**
- 4498) *Hoplitis (Anthocopa) urfensis* (Zanden,1984)** (Megachilidae) Synonym(s): *urfensis* Zanden,1984 - Range (in code): **SY TR 63 63D**
- 4499) *Hoplitis (Anthocopa) villosa* (Schenck,1853)** (Megachilidae) Synonym(s): *villosa* Schenck,1853; *platycera* Gerstaecker,1869 - Range (in code): **AT AL? AD BE CH CZ DE ES FR IT MK? NL RU SK SS TR?**
- 4500) *Hoplitis (Anthocopa) wadicola* (Alfken,1935)** (Megachilidae) Synonym(s): *wadicola* Alfken,1935 - Range (in code): **IL Pa TR**
- 4501) *Hoplitis (Anthocopa) yermasoyiae* (Mavromoutakis,1938)** (Megachilidae) Synonym(s): *yermasoyiae* Mavromoutakis,1938; *asiae* Tkalcu,1979; *corcyraea* Tkalcu,1979 - Range (in code): **AL AM Cc GR CY YU SY TR 25**
- 4502) *Hoplitis (Bytinskia) parasitica* (Warncke,1991)** (Megachilidae) Synonym(s): *parasitica* Warncke,1991 - Original reference: *Bytinskia parasitica* Warncke,1991, Linzer biol. Beitr. 23: 486. Holotype ♀: [Turkey]: Hakkari, Sat Gebirge Tal südl. des Gevria Pass, 3000m (OLML Linz). Range (in code): **TR 30 30Du**
- 4503) *Hoplitis (Chlidoplitis) heinrichi* Zanden,1980** (Megachilidae) Synonym(s): *heinrichi* Zanden,1980 - Range (in code): **TR SY IR 63**
- 4504) *Hoplitis (Chlidoplitis) illustris* Zanden,1992** (Megachilidae) Synonym(s): *illustris* Zanden,1992 - Original reference: *Hoplitis illustris* Zanden,1992, Linzer biol. Beitr. 24: 817. Holotype ♂: Turkey: Nevşehir Prov., Ürgüp (RMNH Leiden). Range (in code): **TR 33 50 70 33O**
- 4505) *Hoplitis (Chlidoplitis) lysholmi* (Friese,1899)** (Megachilidae) Synonym(s): *lysholmi* Friese,1899 - Range (in code): **GR Rd IL Pa JO SY LB TR 33**
- 4506) *Hoplitis (Chlidoplitis) onychophora* (Mavromoustakis,1939)** (Megachilidae) Synonym(s): *onychophora* Mavromoustakis,1939 - Range (in code): **IL Pa JO SY TR**
- 4507) *Hoplitis (Megahoplitis) tigrina* (Morawitz,1871)** (Megachilidae) Synonym(s): *tigrina* Morawitz,1871; *tricuspidata* Sichel,1873; *deserti* Benoist,1934 - Range (in code): **DZ MA GR TR SY IR**
- 4508) *Hoplitis (Megalosmia) fulva* (Eversmann,1852)** (Megachilidae) Synonym(s): *fulva* Eversmann,1852; *grandis* Morawitz,1872 - Range (in code): **AM Cc AZ HU RO RU Or KG MN CN JO SY TR 05 06 31 38 42 58 62 63 68 62G**
- 4509) *Hoplitis (Micreriades) antalyae* Tkalcu,2000** (Megachilidae) Synonym(s): *antalyae* Tkalcu,2000 - Range (in code): **TR 07**
- 4510) *Hoplitis (Micreriades) lebanotica* (Mavromoustakis,1955)** (Megachilidae) Synonym(s): *lebanotica* Mavromoustakis,1955 - Range (in code): **JO LB TR 25 65 73 65D 73C 73Cd**
- 4511) *Hoplitis (Micreriades) mazzuccoi* (Schwarz & Gusenleitner,2005)** (Megachilidae) Synonym(s): *mazzuccoi* Schwarz & Gusenleitner,2005 - Range (in code): **AT BG HU SK TR**
- 4512) *Hoplitis (Micreriades) pisidiae* Tkalcu,2000** (Megachilidae) Synonym(s): *pisidiae* Tkalcu,2000 - Range (in code): **TR 32**
- 4513) *Hoplitis (Pentadentoscia) gallinula* (Warncke,1991)** (Megachilidae) Synonym(s): *gallinula* Warncke,1991 - Original reference: *Osmia (Pentadentoscia) gallinula* Warncke,1991, Entomofauna 9: 19. Holotype ♂: Türkei: Urfa, Ceylanpınar 20km N 500m (OLML Linz). Range (in code): **TR JO SY 63 63D**
- 4514) *Hoplitis (Pentadentoscia) laevifrons* (Morawitz,1872)** (Megachilidae) Synonym(s): *laevifrons* Morawitz,1872 - Range (in code): **AT AM Cc CZ HU IT MK RU SK SS ES CN Ui PK TR IN 25**
- 4515) *Hoplitis (Pentadentoscia) pomarina* (Warncke,1991)** (Megachilidae) Synonym(s): *pomarina* Warncke,1991 - Original reference: *Osmia (Pentadentoscia) pomarina* Warncke,1991, Entomofauna 12: 22. Holotype ♂: Türkei: Van Prov., Erciş 1650m (OLML Linz). Range (in code): **GR MK TR Arr IR 04 30 33 36 65 76 65E**
- 4516) *Hoplitis (Pentadentoscia) ridibunda* (Warncke,1991)** (Megachilidae) Synonym(s): *ridibunda* Warncke,1991 - Range (in code): **TR 31**
- 4517) *Hoplitis (Pentadentoscia) rufopicta* (Morawitz,1875)** (Megachilidae) Synonym(s): *rufopicta* Morawitz,1875; *laeviscutum* Alfken,1935 - Range (in code): **TJ TM UZ IL Pa IR JO PK TR 30 63 30D 63E**
- 4518) *Hoplitis (Pentadentoscia) tringa* (Warncke,1991)** (Megachilidae) Synonym(s): *tringa* Warncke,1991 - Range (in code): **TR 23**

- 4519) *Hoplitis (Platosmia) alchata* (Warncke,1990)** (Megachilidae) Synonym(s): *alchata* Warncke,1990 Original reference: *Osmia alchata* Warncke,1990, Entomofauna 11: 489-492. Type ♀: Türkiye: Şanlıurfa Prov., 20km SO Harran (leg. u. coll. Warncke). Range (in code): **TR 63 63F**
- 4520) *Hoplitis (Platosmia) recticauda* (Stanek,1969)** (Megachilidae) Synonym(s): *recticauda* Stanek,1969 Original reference: *Osmia recticauda* Stanek,1969, Nachr. naturw. Mus. Aschaffenburg 78: 9-10. Type ♂: Türkiye. Range (in code): **TR 07 25 30 33**
- 4521) *Hoplitis (Prionohoplitis) brachypogon* (Pérez,1879)** (Megachilidae) Synonym(s): *brachypogon* Pérez,1879; *carsophila* Ducke,1899; *seyrigi* Benoist,1934 Range (in code): **AL BG ES FR GR Cr HV IT PT SY TR**
- 4522) *Hoplitis (Prionohoplitis) campanularis* (Morawitz,1877)** (Megachilidae) Synonym(s): *campanularis* Morawitz,1877; *sexcinctella* Pérez,1895; *digitata* Friese,1899; *ibericola* Mavromoustakis,1947 Range (in code): **AL BG Cc GG GR IT SS MA DZ TR**
- 4523) *Hoplitis (Prionohoplitis) curvipes* (Morawitz,1871)** (Megachilidae) Synonym(s): *curvipes* Morawitz,1871 Range (in code): **GR AZ Cc BG ES FR IT Si TR**
- 4524) *Hoplitis (Prionohoplitis) eburnea* (Warncke,1991)** (Megachilidae) Synonym(s): *eburnea* Warncke,1991 Range (in code): **TR IL Pa SY 73 73C**
- 4525) *Hoplitis (Prionohoplitis) grossepunctata* (Kohl,1905)** (Megachilidae) Synonym(s): *grossepunctata* Kohl,1905 Original reference: *Osmia grossepunctata* Kohl,1905, Annln naturh. Mus. Wien 20: 242. Holotype ♂: Türkiye, [Kayseri Prov.], Erdschias (Wwlije-Dagh" (NHMW). Range (in code): **GR AM Cc TR 38 38C 38Ca**
- 4526) *Hoplitis (s.str.) adunca* (Panzer,1798)** (Megachilidae) Synonym(s): *adunca* Panzer,1798; *spinolae* Lepeletier,1841; *aduncoides* Strand,1910; *contraria* Tkalcu,1974 Range (in code): **AT AL AM Cc BE BG CH CZ DE DK ES FR Co GR HU HV IT Sa Si LT NL PT PL RU SK SS UA DZ MA TN LY KG TM TR 06 25 34 42 06R**
- 4527) *Hoplitis (s.str.) bombiformis* Zanden,1991** (Megachilidae) Synonym(s): *bombiformis* Zanden,1991 Original reference: *Hoplitis (s.str.) bombiformis* Zanden,1991, Reichenbachia 28: 167. Holotype ♀: Turkey: Hakkari Prov., 20km E Yüksekova 2200m (RMNH Leiden). Range (in code): **TR 30 65 30D 30Dd 65B 65G 65Gb**
- 4528) *Hoplitis (s.str.) carinata* (Stanek,1969)** (Megachilidae) Synonym(s): *carinata* Stanek,1969 Range (in code): **AM Cc BG GR MK JO TR SY 25 42**
- 4529) *Hoplitis (s.str.) erzurumensis* Tkalcu,2000** (Megachilidae) Synonym(s): *erzurumensis* Tkalcu,2000 Range (in code): **TR 25**
- 4530) *Hoplitis (s.str.) flabellifera* (Morice,1901)** (Megachilidae) Synonym(s): *flabellifera* Morice,1901; *conjuncta* Alfken,1935; *stichi* Alfken,1935 Range (in code): **IL Pa JO SY TR AM Cc 25 33 25L 33F 33P**
- 4531) *Hoplitis (s.str.) lapidaria* (Morawitz,1877)** (Megachilidae) Synonym(s): *lapidaria* Morawitz,1877 Range (in code): **AM Eri Cc TR**
- 4532) *Hoplitis (s.str.) libanensis* (Morice,1901)** (Megachilidae) Synonym(s): *libanensis* Morice,1901 Range (in code): **LB IL Pa JO SY TR 07**
- 4533) *Hoplitis (s.str.) linguaria* (Morawitz,1876)** (Megachilidae) Synonym(s): *linguaria* Morawitz,1876 Range (in code): **Cc TR**
- 4534) *Hoplitis (s.str.) manicata* (Morice,1901)** (Megachilidae) Synonym(s): *manicata* Morice,1901 Range (in code): **AT AL BG CZ FR Co GR Cr HV IT MK RO SK UA DZ? TR 05 06 32 06R**
- 4535) *Hoplitis (s.str.) monstrabilis* Tkalcu,2000** (Megachilidae) Synonym(s): *monstrabilis* Tkalcu,2000 Original reference: *Hoplitis (s.str.) monstrabilis* Tkalcu,2000, Acta Soc. zool. bohemosl. 64: 323. Holotype ♂: Turkey: Erzurum (EMET). Range (in code): **TR JO 25**
- 4536) *Hoplitis (s.str.) pallicornis* (Friese,1895)** (Megachilidae) Synonym(s): *pallicornis* Friese,1895 Range (in code): **AL GR Cr HV IT MK SS IL Pa JO SY TR**
- 4537) *Hoplitis (s.str.) pici* (Friese,1899)** (Megachilidae) Synonym(s): *pici* Friese,1899 Range (in code): **GR Cr HV RO SY TR**
- 4538) *Hoplitis (s.str.) strymonia* Tkalcu,1999** (Megachilidae) Synonym(s): *strymonia* Tkalcu,1999 Range (in code): **BG TR**
- 4539) *Hoplitis (Stenosmia) kotschisa* (Warncke,1991)** (Megachilidae) Synonym(s): *kotschisa* Warncke,1991 Original reference: *Osmia (Stenosmia) kotschisa* Warncke,1991, Entomofauna 12: 404. Holotype ♂: Türkiye, Ankara Prov., Şereflikoçhisar (OLML Linz). Range (in code): **TR 06**

- 4540) Lithurgus chrysurus Fonscolombe,1834** (Megachilidae) Synonym(s): *chrysurus* Fonscolombe,1834; *analys* Lepeletier,1841; *haemorrhoidalis* Lepeletier,1841; *monocerus* Morawitz,1873 _ Range (in code): ES FR DE CH IT Co Sa Si SS HU SK BG RU GR Ae Le Rd CY TR SY LB IL Pa IR 25 38 49 25K 25R 38C 38Ca
- 4541) Lithurgus cornutus (Fabricius,1787)** (Megachilidae) Synonym(s): *cornutus* Fabricius,1787; *fuscipennis* Lepeletier,1841; *umbraculatus* Lepeletier,1841; *nasutus* Dufour,1849; *monoceros* Eversmann,1852; *dohrni* Radoszkowski,1862; *maximus* Radoszkowski,1872 [ssp.] _ Range (in code): ES FR IT SS CZ SK HU GR TR IR Ab Cc Kh Gor KG CN Ui Um JP TW MA RO UZ Smk 65 65F 65Fi 65F4 65Fp 65Fz 65Fq
- 4542) Lithurgus tibialis Morawitz,1875** (Megachilidae) Synonym(s): *tibialis* Morawitz,1875 _ Range (in code): ES GR Ae Nx CY TR SY IL Pa JO EG IR 02 07 21 33 63 76
- 4543) Megachile (Euricharaea) inexpectata Rebmann,1968** (Megachilidae) Synonym(s): *inexpectata* Rebmann,1968 _ Range (in code): TR 33 63 63E
- 4544) Megachile (Eutricharaea) anatolica Rebmann,1968** (Megachilidae) Synonym(s): *anatolica* Rebmann,1968 _ Original reference: Megachile (Eutricharaea) anatolica Rebmann,1968, Dt. ent. Z. 15: 21-48. Range (in code): TR 07 12 20 21 25 33 48 55 12B
- 4545) Megachile (Eutricharaea) apicalis Spinola,1808** (Megachilidae) Synonym(s): *apicalis* Spinola,1808 _ Range (in code): CA DZ Cc TR IR Elb Dam Kh CN IMn 06 26 58
- 4546) Megachile (Eutricharaea) deceptoria Pérez,1890** (Megachilidae) Synonym(s): *deceptoria* Pérez,1890 _ Range (in code): Cc KG TM TR 06 10 26 38
- 4547) Megachile (Eutricharaea) leachella Curtis,1828** (Megachilidae) Synonym(s): *leachella* Curtis,1828 _ Range (in code): TR 06 07 24 25 33 34 41 42 44 50 63
- 4548) Megachile (Eutricharaea) pilidens Alfken,1924** (Megachilidae) Synonym(s): *pilidens* Alfken,1924 _ Range (in code): Cc TR DZ 06 07 08 10 25 26 33 34 35 38 50 65 68 76 06R 65F
- 4549) Megachile (Eutricharaea) rotundata (Fabricius,1787)** (Megachilidae) Synonym(s): *rotundata* Fabricius,1787; *pacifica* Panzer,1798 _ Range (in code): AT BE CZ FI FR DE HU IT ES SS SK CH TR Cc RU KG CA US NZ 06 13 13A 13Ab 13Ac 13Ax
- 4550) Megachile (Metamegachile) rhodosiaca Rebmann,1972** (Megachilidae) Synonym(s): *rhodosiaca* Rebmann,1972 _ Range (in code): Rd TR 02 07 21 24 33 46
- 4551) Megachile (Neoeutricharaea) basilaris Mavromoustakis,1952** (Megachilidae) Synonym(s): *basilaris* Mavromoustakis,1952 _ Range (in code): TR 63 63E
- 4552) Megachile (Neoeutricharaea) communis Morawitz,1875** (Megachilidae) Synonym(s): *communis* Morawitz,1875 _ Range (in code): TR 06
- 4553) Megachile (Neoeutricharaea) fertoni Pérez,1896** (Megachilidae) Synonym(s): *fertoni* Pérez,1896 _ Range (in code): TR 03 07 09
- 4554) Megachile (Neoeutricharaea) flabellipes Pérez,1895** (Megachilidae) Synonym(s): *flabellipes* Pérez,1895 _ Range (in code): TR 09 34 50
- 4555) Megachile (Neoeutricharaea) leucomella Gerstaecker,1869** (Megachilidae) Synonym(s): *leucomella* Gerstaecker,1869 _ Range (in code): TR 08
- 4556) Megachile (Neoeutricharaea) melanogaster Eversmann,1852** (Megachilidae) Synonym(s): *melanogaster* Eversmann,1852 _ Range (in code): TR 04 25 04D 04Da 04F
- 4557) Megachile (Neoeutricharaea) minutissima Radoszkowski,1876** (Megachilidae) Synonym(s): *minutissima* Radoszkowski,1876 _ Range (in code): TR 01 01G
- 4558) Megachile (Neoeutricharaea) picicornis Morawitz,1878** (Megachilidae) Synonym(s): *picicornis* Morawitz,1878 _ Range (in code): TR 07 09 25 55 65 65E
- 4559) Megachile (Neoeutricharaea) rubrimana Morawitz,1893** (Megachilidae) Synonym(s): *rubrimana* Morawitz,1893 _ Range (in code): TR 20 22 55
- 4560) Megachile (Neoeutricharaea) terminata Morawitz,1875** (Megachilidae) Synonym(s): *terminata* Morawitz,1875 _ Range (in code): TR 63
- 4561) Megachile (Neoeutricharaea) villipes Morawitz,1875** (Megachilidae) Synonym(s): *villipes* Morawitz,1875 _ Range (in code): TR 07 49 65 65E
- 4562) Megachile (s.str.) alpicola Alfken,1924** (Megachilidae) Synonym(s): *alpicola* Alfken,1924 _ Range (in code): TR 25
- 4563) Megachile (s.str.) armenia Tkalcu,1992** (Megachilidae) Synonym(s): *armenia* Tkalcu,1992 _ Range (in code): TR 25
- 4564) Megachile (s.str.) centuncularis (Linnaeus,1758)** (Megachilidae) Synonym(s): *centuncularis* Linnaeus,1758 _ Range (in code): TR 01 06 08 09 24 25 61 75 61K 75F

- 4565) Megachile (s.str.) genalis Morawitz,1880** (Megachilidae) Synonym(s): *genalis* Morawitz,1880; *tortumensis* Tkalcu,1980 _ Range (in code): **TR 25 25R**
- 4566) Megachile (s.str.) ligniseca (Kirby,1802)** (Megachilidae) Synonym(s): *ligniseca* Kirby,1802 _ Range (in code): **TR 08 61**
- 4567) Megachile (s.str.) melanopyga Costa,1863** (Megachilidae) Synonym(s): *melanopyga* Costa,1863 _ Range (in code): **SS GR TR 07 08 25 30 33 30B**
- 4568) Megachile (s.str.) octosignata Nylander,1852** (Megachilidae) Synonym(s): *octosignata* Nylander,1852 _ Range (in code): **TR 25 36 25O 36F**
- 4569) Megachile (s.str.) pilicrus Morawitz,1878** (Megachilidae) Synonym(s): *pilicrus* Morawitz,1878 _ Range (in code): **UA HU DE Cc RU TR IR Elb Dam KK UZ Tas TJ CN Ui 06 25 66 06R**
- 4570) Megachile (s.str.) pyrenaea Pérez,1890** (Megachilidae) Synonym(s): *pyrenaea* Pérez,1890 _ Range (in code): **FI SE Cc TR 06 25 26 38 75 06R**
- 4571) Megachile (s.str.) versicolor Smith,1844** (Megachilidae) Synonym(s): *versicolor* Smith,1844 _ Range (in code): **TR 25 26 36 25R 36F**
- 4572) Megachile (Xanthosarus) analis Nylander,1852** (Megachilidae) Synonym(s): *analis* Nylander,1852 _ Range (in code): **TR 25**
- 4573) Megachile (Xanthosarus) boops Friese,1921** (Megachilidae) Synonym(s): *boops* Friese,1921 _ Range (in code): **TR 31**
- 4574) Megachile (Xanthosarus) circumcincta (Kirby,1802)** (Megachilidae) Synonym(s): *circumcincta* Kirby,1802; *bryorum* Schrank,1781; *ozbeki* Tkalcu,1977 _ Range (in code): **TR 16 24 25 29 36 48 65 80 36F 65B 65Bk**
- 4575) Megachile (Xanthosarus) giraudi Gerstaecker,1869** (Megachilidae) Synonym(s): *giraudi* Gerstaecker,1869; *erzurumensis* Tkalcu,1980 Range (in code): **HU UA DE SK TR 06 07 17 25 26 32**
- 4576) Megachile (Xanthosarus) lagopoda (Linnaeus,1761)** (Megachilidae) Synonym(s): *lagopoda* Linnaeus,1761 _ Original reference: Apis lagopoda Linnaeus,1761, Fauna Suec.: 922. Range (in code): **TR Cc IR Ab RU Sb Us JP DZ 06 25 26 06R**
- 4577) Megachile (Xanthosarus) maritima (Kirby,1802)** (Megachilidae) Synonym(s): *maritima* Kirby,1802 Range (in code): **Cc KG RU Us TR 06 08 18 24 25 26 33 36 38 75 76 08H 25C 25E 25F 25K 25M 25O 25R 36F 36Fb 75B**
- 4578) Megachile (Xanthosarus) metatarsalis Morawitz,1895** (Megachilidae) Synonym(s): *metatarsalis* Morawitz,1895 _ Range (in code): **TR 24**
- 4579) Megachile (Xanthosarus) willughbiella (Kirby,1802)** (Megachilidae) Synonym(s): *willughbiella* Kirby,1802 _ Range (in code): **TR 06 23 24 25 62 06O 25C 25K 25O 62E**
- 4580) Megachile albocristata Smith,1853** (Megachilidae) Synonym(s): *albocristata* Smith,1853 Range (in code): **TR 04 19 25 35 04C 04F**
- 4581) Megachile albonotata Radoszkowski,1886** (Megachilidae) Synonym(s): *albonotata* Radoszkowski,1886 _ Range (in code): **TR 50**
- 4582) Megachile atratula Rebmann,1968** (Megachilidae) Synonym(s): *atratula* Rebmann,1968 Range (in code): **TR 12 21 12B**
- 4583) Megachile bicoloriventris Mocsary,1878** (Megachilidae) Synonym(s): *bicoloriventris* Mocsary,1878 _ Range (in code): **TR 25**
- 4584) Megachile derasa Gerstäcker,1869** (Megachilidae) Synonym(s): *derasa* Gerstäcker,1869 Range (in code): **TR 01 07 20 33**
- 4585) Megachile foersteri Gerstäcker,1869** (Megachilidae) Synonym(s): *foersteri* Gerstäcker,1869 _ Range (in code): **TR 01 06 07 09 13 24 25 31 35 62 65 65E**
- 4586) Megachile hungarica Mocsáry,1877** (Megachilidae) Synonym(s): *hungarica* Mocsáry,1877 Range (in code): **HU TR IL Pa**
- 4587) Megachile manicata Giraud,1861** (Megachilidae) Synonym(s): *manicata* Giraud,1861 Range (in code): **TR 25**
- 4588) Megachile monstifica Morawitz,1878** (Megachilidae) Synonym(s): *monstifica* Morawitz,1878 _ Range (in code): **TR 25 42 65 65D**
- 4589) Megachile multispinosa Morawitz,1875** (Megachilidae) Synonym(s): *multispinosa* Morawitz,1875 _ Range (in code): **TR 13 24 25**
- 4590) Megachile nigrita Radoszkowski,1876** (Megachilidae) Synonym(s): *nigrita* Radoszkowski,1876 _ Range (in code): **TR 01 34**
- 4591) Megachile pacifica Panzer,1798** (Megachilidae) Synonym(s): *pacifica* Panzer,1798 Range (in code): **TR 25 75**

- 4592) Megachile pyrenaica Lepeletier,1841** (Megachilidae) Synonym(s): *pyrenaica* Lepeletier,1841 _ Range (in code): **TR ES FR Py 16 23 25 32 38**
- 4593) Megachile roeweri (Alfken,1927)** (Megachilidae) Synonym(s): *roeweri* Alfken,1927 _ Range (in code): **TR 62 62E**
- 4594) Megachile thracia Tkalcu,1979 (stat.n.)** (Megachilidae) Synonym(s): *sexmaculata* Alfken,1942 nec Smith,1868; *thracia* Tkalcu,1979 _ Range (in code): **BG TR 25 60 65 69 65E**
- 4595) Metadioxys graeca Mavromoustakis,1963** (Megachilidae) Synonym(s): *graeca* Mavromoustakis,1963 _ Range (in code): **GR TR 42**
- 4596) Osmia (Allosmia) bischoffi Atanassov,1938** (Megachilidae) Synonym(s): *bischoffi* Atanassov,1938 _ Range (in code): **BG GR RO TR**
- 4597) Osmia (Allosmia) melanura Morawitz,1871** (Megachilidae) Synonym(s): *melanura* Morawitz,1871 _ Range (in code): **AM Cc BG FR GR IT Si MK UA TR**
- 4598) Osmia (Allosmia) nuda Friese,1899** (Megachilidae) Synonym(s): *nuda* Friese,1899 _ Range (in code): **BG TR**
- 4599) Osmia (Allosmia) rufohirta Latreille,1811** (Megachilidae) Synonym(s): *rufohirta* Latreille,1811; *spiniventris* Giraud,1857; *soror* Pérez,1896 _ Range (in code): **AT AL AM Cc BE BG CH CZ DE ES FR Co DE GR IT Sa Si MK PT RO RU SK SS UA DZ MA TN CN Ui IL Pa JO SY TR IR Mz Elb 07 09 20**
- 4600) Osmia (Allosmia) sybarita Smith,1853** (Megachilidae) Synonym(s): *sybarita* Smith,1853; *ruficollis* Sichel,1873; *fossoria* Pérez,1890; *ducke* Friese,1899 _ Range (in code): **AL GR Cr DZ EG TN CY IL Pa JO SY TR 33**
- 4601) Osmia (Erythrosmia) andrenoides Spinola,1808** (Megachilidae) Synonym(s): *andrenoides* Spinola,1808 _ Range (in code): **AT AL BE BG CH CZ DE FR Cc GG GR Cr HU HV IT Sa Si PT RO RU SK SS UA DZ MA TN CY IL Pa TR**
- 4602) Osmia (Erythrosmia) erythrogastra Ferton,1905** (Megachilidae) Synonym(s): *erythrogastra* Ferton,1905 _ Range (in code): **FR Co GR IT Sa CY TR**
- 4603) Osmia (Helicosmia) aeruginosa Warncke,1988** (Megachilidae) Synonym(s): *aeruginosa* Warncke,1988 _ Original reference: *Osmia (Helicosmia) aeruginosa* Warncke,1988, Entomofauna 9: 26. Holotype ♀: Türkei, Hakkari Prov., südl. Vargös im Mt.Sat 1700m (OLML Linz). _ Range (in code): **TR 30 30D 30Dt**
- 4604) Osmia (Helicosmia) aquila Warncke,1988** (Megachilidae) Synonym(s): *aquila* Warncke,1988 _ Range (in code): **TR IL Pa JO 42**
- 4605) Osmia (Helicosmia) aurulenta (Panzer,1799)** (Megachilidae) Synonym(s): *aurulenta* Panzer,1799; *haematoda* Panzer,1801 _ Range (in code): **AT AL AD AM Cc BE CH DE DK ES FR GB GG GR HU IT Sa IE LV LT MK NL NO PT PL RO RU SE FI SK SS UA IR LB TR 06 07 08 13 24 25 31 38 50 62 62G**
- 4606) Osmia (Helicosmia) breviata Warncke,1988** (Megachilidae) Synonym(s): *breviata* Warncke,1988 _ Range (in code): **TR 42**
- 4607) Osmia (Helicosmia) brevipes Zanden,1994** (Megachilidae) Synonym(s): *brevipes* Zanden,1994 _ Range (in code): **TR 58 58G**
- 4608) Osmia (Helicosmia) caerulescens (Linnaeus,1758)** (Megachilidae) Synonym(s): *caerulescens* Linnaeus,1758; *aenea* Linnaeus,1761; *superbus* Harris,1776; *muraria* Retzius,1783; *cuprea* Geoffroy,1785; *cyanea* Fabricius,1793; *purpurea* Cresson,1864; *rustica* Cresson,1864 _ Range (in code): **AT AL AM AZ Cc BE BG CZ CH DE DK ES FR FI GB GG GR Cr HU HV IT Sa Si LT MT MK NL PL PT RO RU SK SS UA DZ EG MA TN KK KG CN TJ TM UZ CY IR JO SY TR CA US IN 06 07 08 09 16 24 25 34 36 42 46 57 76**
- 4609) Osmia (Helicosmia) carinoclypearis Wu,1985** (Megachilidae) Synonym(s): *carinoclypearis* Wu,1985 _ Range (in code): **CN KK TJ TR**
- 4610) Osmia (Helicosmia) chrysaetos Warncke,1988** (Megachilidae) Synonym(s): *chrysaetos* Warncke,1988 _ Range (in code): **TR 30 30D 30Dt**
- 4611) Osmia (Helicosmia) cinerea Warncke,1988** (Megachilidae) Synonym(s): *cinerea* Warncke,1988 _ Range (in code): **TR 30 30D**
- 4612) Osmia (Helicosmia) clypearis Morawitz,1871** (Megachilidae) Synonym(s): *clypearis* Morawitz,1871; *macedonica* Tkalcu,1979; *acuta* Warncke,1988 _ Range (in code): **MK BG ES GR IL Pa JO SY Cc TR 30 36 58**
- 4613) Osmia (Helicosmia) dimidiata Morawitz,1870** (Megachilidae) Synonym(s): *dimidiata* Morawitz,1870; *taurica* Radoszkowski,1874; *rossica* Friese,1899 _ Range (in code): **AL BG ES FR GR Cr IT Sa Si MK RU UA Cc TM CY IL Pa LB TR IR 06 07 09 30 31 33 36 65 70 73**
- 4614) Osmia (Helicosmia) diomedia Warncke,1988** (Megachilidae) Synonym(s): *diomedia* Warncke,1988 _ Range (in code): **TR 73 73C**

- 4615) Osmia (Helicosmia) dives Mocsary,1877** (Megachilidae) Synonym(s): *dives* Mocsary,1877; *medanae* Magreti,1890; *subintegra* Pérez,1902; *hierosolomita* Benoist,1934 - Range (in code): GR Cr HU EG? KK UZ CY IL Pa Js JO SY TR
- 4616) Osmia (Helicosmia) dlabolae Tkalcu,1978** (Megachilidae) Synonym(s): *dlabolae* Tkalcu,1978 - Range (in code): TR 44 44E
- 4617) Osmia (Helicosmia) fulviventris (Panzer,1798)** (Megachilidae) Synonym(s): *fulviventris* Panzer,1798 - Range (in code): CA Cc KG Cn Az UA Cm TR DZ CY CN Ui 01 07 16 18 30 33 34 36 47 51 54 55 67 70 73 06R 30C 73C
- 4618) Osmia (Helicosmia) gutturalis Warncke,1988** (Megachilidae) Synonym(s): *gutturalis* Warncke,1988 - Range (in code): TR IL Pa IR 30 30D 30Dt
- 4619) Osmia (Helicosmia) heliaca Warncke,1988** (Megachilidae) Synonym(s): *heliaca* Warncke,1988 - Range (in code): TR 30 30D 30Dt
- 4620) Osmia (Helicosmia) latreillei (Spinola,1806)** (Megachilidae) Synonym(s): *latreillei* Spinola,1806; *nasidens* Latreille,1811; *quadricornis* Kriechbaumer,1869; *friesei* Verhoeff,1892; *iberoafricana* Peters,1975 - Range (in code): CH ES FR Co GR Cr HV IT Sa Si MT MK PT DZ Cn EG LY MA Md TN CY IL Pa JO TR
- 4621) Osmia (Helicosmia) leaiana (Kirby,1802)** (Megachilidae) Synonym(s): *hirta* Geoffroy,1785 *nec* Schr.,1781; *leaiana* Kirby,1802; *confusa* Morawitz,1869; *solkysi* Morawitz,1870; *bidens* Pérez,1879; *forsii* Alfken,1924; *schachti* Warncke,1988 - Range (in code): AT AD AM BE BG CH CZ DE DK ES FR FI GB GG GR HU IT Si LT NL MK PL RO RU SK SS UA DZ MA TN KK TR IR 25 75
- 4622) Osmia (Helicosmia) livida Tkalcu,1978** (Megachilidae) Synonym(s): *livida* Tkalcu,1978
Original reference: Osmia (Chalcosmia) livida Tkalcu,1978, Casopis Slezskeho Muzea Opava (A) 27: 163. Holotype ♀: Turkey: Bayburt (EMET). Range (in code): TR 69
- 4623) Osmia (Helicosmia) melanogaster Spinola,1808** (Megachilidae) Synonym(s): *melanogaster* Spinola,1808; *aterrima* Morawitz,1872; *carniolica* Morawitz,1872; *incerta* Radoszkowski,1876; *subaenea* Pérez,1895 - Range (in code): AT AM Cc BG CZ DE ES FR Co GR HU HV IT Si MK RU SK SS UA DZ MA TN LY EG CN Ui CY JO SY TR IR Elb Ali
- 4624) Osmia (Helicosmia) milenae Tkalcu,1992** (Megachilidae) Synonym(s): *milenae* Tkalcu,1992
Original reference: Osmia (Chalcosmia) milenae Tkalcu,1992, Acta Soc. zool. bohemosl. 56: 225. Holotype ♂: Turkey: Muş (EMET). Range (in code): TR 49 49E
- 4625) Osmia (Helicosmia) niveata (Fabricius,1804)** (Megachilidae) Synonym(s): *niveata* Fabricius,1804; *fulvicornis* Latreille,1809; *minuta* Bramson,1879; *sieversii* Morawitz,1886; *carneiventris* Dours,1887; *albiscopa* Alfken,1914 - Range (in code): AT AL AZ Cc BE BG CH CZ DE DK ES FR Co GB GG GR HU HV IT Sa Si LV LT MK PT Az PL RO RU SK SS UA Cm DZ Cn EG LY MA Md TN CN CY IL Pa IR JO LB SY TR
- 4626) Osmia (Helicosmia) ocularis Warncke,1988** (Megachilidae) Synonym(s): *ocularis* Warncke,1988
Original reference: Osmia (Helicosmia) ocularis Warncke,1988, Entomofauna 9: 7. Holotype ♀: Türkiye, [Şırnak Prov.]: Altın Dağları, Suvani Halil Pas 2600-3000m (OLML Linz). Range (in code): TR 73
- 4627) Osmia (Helicosmia) onocrotala Warncke,1988** (Megachilidae) Synonym(s): *onocrotala* Warncke,1988
Original reference: Osmia (Helicosmia) onocrotala Warncke,1988, Entomofauna 9: 32. Holotype ♀: Türkiye, Kars Prov., 20km W Sarıkamış 2200m (OLML Linz). Range (in code): TR 36 36F
- 4628) Osmia (Helicosmia) pennata Warncke,1988** (Megachilidae) Synonym(s): *pennata* Warncke,1988
Original reference: Osmia (Helicosmia) pennata Warncke,1988, Entomofauna 9: 13. Holotype ♂: Türkiye, İçel Prov., Sertavul 1400m (OLML Linz). Range (in code): TR 30 33 33O
- 4629) Osmia (Helicosmia) peregrina Warncke,1988** (Megachilidae) Synonym(s): *peregrina* Warncke,1988
Original reference: Osmia (Helicosmia) peregrina Warncke,1988, Entomofauna 9: 12. Holotype ♂: Türkiye, Urfa Prov., Birecik (OLML Linz). Range (in code): TR 63 63B
- 4630) Osmia (Helicosmia) saxatilis Warncke,1988** (Megachilidae) Synonym(s): *saxatilis* Warncke,1988
Original reference: Osmia (Helicosmia) saxatilis Warncke,1988, Entomofauna 9: 5. Holotype ♀: Türkiye, Kars Prov., 20km W Karakurt 1600m (OLML Linz). Range (in code): TR SY JO 36 36F 36Fb
- 4631) Osmia (Helicosmia) signata Erichson,1835** (Megachilidae) Synonym(s): *signata* Erichson,1835; *jucunda* Smith,1853; *vidua* Gerstaecker,1869; *cincta* Dours,1873; *taurica* Radoszkowski,1874; *laticincta* Pérez,1879; *atriventris* Costa,1883; *costaniana* Dalla Torre,1895 - Range (in code): AL ES FR Co GR Cr IT Sa Si PT UA Cm DZ EG MA CN Ui TM CY IL Pa IR JO SY TR
- 4632) Osmia (Helicosmia) sogdiana Morawitz,1875** (Megachilidae) Synonym(s): *sogdiana* Morawitz,1875; *nassonowi* Pérez,1902 - Range (in code): KK KG TJ TM UZ AF IL Pa SY TR

- 4633) *Osmia (Helicosmia) subaenea* Pérez,1895** (Megachilidae) Synonym(s): *subaenea* Pérez,1895 - Range (in code): **EG TR**
- 4634) *Osmia (Helicosmia) subcornuta* Morawitz,1875** (Megachilidae) Synonym(s): *subcornuta* Morawitz,1875 - Range (in code): **AM Cc GR Cr HV IT MK KK TJ UZ IL Pa JO LB TR 02 30 32 50**
- 4635) *Osmia (Helicosmia) torquata* Warncke,1988** (Megachilidae) Synonym(s): *torquata* Warncke,1988 Original reference: *Osmia (Helicosmia) torquata* Warncke,1988, Entomofauna 9: 8. Holotype ♀: Türkiye, [Şırnak Prov.]: Suvari Halil Pass 2800m (OLML Linz). Range (in code): **TR 73 73A 73Ağ**
- 4636) *Osmia (Helicosmia) ventralis* (Panzer,1798)** (Megachilidae) Synonym(s): *ventralis* Panzer,1798 - Range (in code): **TR 24 25 36 53**
- 4637) *Osmia (Hemiosmia) difficilis* Morawitz,1875** (Megachilidae) Synonym(s): *difficilis* Morawitz,1875; *falcata* Morawitz,1875; *alborufa* Alfken,1935 Original reference: *Osmia difficilis* Morawitz,1875, [in] Fedtschenko, Reise nach Turkestan 1: 91. Usbekistan. Range (in code): **KK KG RU TJ UZ IL Pa TR IR 06 23 25 26 30 36 42 62 65 70 73**
- 4638) *Osmia (Hoplosmia) algae* (Tkalcu,1978)** (Megachilidae) Synonym(s): *algae* Tkalcu,1978 Range (in code): **BG TR SY**
- 4639) *Osmia (Hoplosmia) bidentata* Morawitz,1876** (Megachilidae) Synonym(s): *bidentata* Morawitz,1876; *affinis* Frivaldsky,1877; *pallens* Tkalcu,1979 Range (in code): **AT AL AM Cc BG CZ ES FR GR HV HU IT MK RU SK SS UA EG DZ? IL Pa JO SY TR 04 06 07 09 10 13 25 26 34 35 38 50 58 65 66 69 75 06R 13G 65E**
- 4640) *Osmia (Hoplosmia) croatica* Friese,1893** (Megachilidae) Synonym(s): *croatica* Friese,1893 - Range (in code): **BG GR HV IT SS TR 25 34**
- 4641) *Osmia (Hoplosmia) distinguenda* (Tkalcu,1974)** (Megachilidae) Synonym(s): *distinguenda* Tkalcu,1974 - Range (in code): **IL Pa Js AM GR Cc JO TR 25**
- 4642) *Osmia (Hoplosmia) elegans* (Tkalcu,1992)** (Megachilidae) Synonym(s): *elegans* Tkalcu,1992 - Range (in code): **GR TR JO 07**
- 4643) *Osmia (Hoplosmia) ligurica* Morawitz,1868** (Megachilidae) Synonym(s): *ligurica* Morawitz,1868; *detrita* Pérez,1879 - Range (in code): **AT AL AM Cc BG CH ES FR Co GR Cr HU HV IT Sa Si PT MK RO SK S MA CY IL Pa IR JO SY TR**
- 4644) *Osmia (Hoplosmia) padri* (Tkalcu,1974)** (Megachilidae) Synonym(s): *padri* Tkalcu,1974 Range (in code): **BG GR HV MK SY TR**
- 4645) *Osmia (Hoplosmia) scutellaris* Morawitz,1868** (Megachilidae) Synonym(s): *scutellaris* Morawitz,1868 - Range (in code): **AL BG CH ES FR GR Cr HU IT Si MK PT RO RU SK SS UA DZ MA CY IL Pa JO SY TR**
- 4646) *Osmia (Hoplosmia) spinigera* Latreille,1811** (Megachilidae) Synonym(s): *spinigera* Latreille,1811; *clavicula* Gerstaecker,1869 - Range (in code): **BG GR MK EG IL Pa JO LB SY TR**
- 4647) *Osmia (Hoplosmia) spinulosa* (Kirby,1802)** (Megachilidae) Synonym(s): *spinulosa* Kirby,1802; *euchreiformis* Radoszkowski,1882 - Range (in code): **AT AD AM Cc BE BG CH CZ DE ES FI FR GB HU HV IT Si LV NL RU SE SK SS UA KK KG TR 25**
- 4648) *Osmia (Hoplosmia) warnckeii* (Tkalcu,1992)** (Megachilidae) Synonym(s): *warnckeii* Tkalcu,1992 - Range (in code): **TR IR Fa 73**
- 4649) *Osmia (Melanosmia) parietina* Curtis,1828** (Megachilidae) Synonym(s): *parietina* Curtis,1828; *angustula* Zetterstedt,1838; *vankovitzii* Radoszkowski,1887 - Range (in code): **AT BE BG BY CH CZ DE DK ES EE FR FI GB GR HU IT LV LT NO NL PL RU SE SK S UA Cc TR 25**
- 4650) *Osmia (Melanosmia) thoracica* Radoszkowsky,1874** (Megachilidae) Synonym(s): *thoracica* Radoszkowsky,1874; *pentheri* Kohl,1905 - Range (in code): **Cc AM Eri TR 25 38**
- 4651) *Osmia (Metallinella) brevicornis* (Fabricius,1798)** (Megachilidae) Synonym(s): *brevicornis* Fabricius,1798; *atrocaerulea* Schilling,1849; *panzeri* Morawitz,1869; *leucogastra* Morawitz,1875; *subcyanea* Alfken,1935 - Range (in code): **AT AM Cc BG CH CZ DE DK ES FR GR HU IT LT MK PT PL RO RU SK S UA DZ MA KK KG TJ TM UZ CY IR TR**
- 4652) *Osmia (Monosmia) apicata* Smith,1853** (Megachilidae) Synonym(s): *apicata* Smith,1853; *macroglossa* Gerstaecker,1869 - Range (in code): **AL AM Cc BG IT GG GR HV MK RU SS IL Pa JO IR SY TR 49**
- 4653) *Osmia (Neosmia) bicolor* (Schränk,1781)** (Megachilidae) Synonym(s): *bicolor* Schränk,1781; *rustica* Geoffroy,1785; *fusca* Christ,1791; *hirudinaria* Christ,1791; *pyrenaea* Lepeletier,1841; *fusca* Gistel,1857; *rufitarsis* Smith,1879; *monachiensis* Strand,1917 - Range (in code): **AT AL BE BG CH CZ DE ES FR FI GB GG Cc HU IT LT PT PL RO RU SE SK TR UA CN Ui 76 76D 76Dh**
- 4654) *Osmia (Orientosmia) maxillaris* Morawitz,1875** (Megachilidae) Synonym(s): *maxillaris* Morawitz,1875 - Range (in code): **KG TJ TM UZ IR TR 25 58 58G**

- 4655) *Osmia (Ozbekosmia) avosetta* Warncke,1988** (Megachilidae) Synonym(s): *avosetta* Warncke,1988 Original reference: *Osmia* (Tergosmia) *avosetta* Warncke,1988, Entomofauna 9: 394. Holotype ♀: Türkiye, Van Prov., Erçek (OLML Linz). Range (in code): **TR IR 04 07 25 30 44 65 73 65K 65Ky**
- 4656) *Osmia (Pyrosmia) amathusica* Mavromoustakis,1937** (Megachilidae) Synonym(s): *amathusica* Mavromoustakis,1937 Range (in code): **GR CY IT Si IL Pa JO SY TR 25**
- 4657) *Osmia (Pyrosmia) cephalotes* Morawitz,1870** (Megachilidae) Synonym(s): *cephalotes* Morawitz,1870; *bacillus* Pérez,1879; *pulsata* Buysson,1899; *longiceps* Morawitz,1876 Range (in code): **AM Cc AZ BG ES FR GG GR HU HV IT Si PT RO RU SS DZ LY TN MA TM CY IL Pa JO SY TR**
- 4658) *Osmia (Pyrosmia) cyanoxantha* Pérez,1879** (Megachilidae) Synonym(s): *cyanoxantha* Pérez,1879; *cyanoxura* Zanden,1991; *elbaba* Warncke,1992 Range (in code): **AM Cc ES FR Co GR IT Si MK PT SS DZ MA TN CY IL Pa JO SY TR**
- 4659) *Osmia (Pyrosmia) dilaticornis* Morawitz,1875** (Megachilidae) Synonym(s): *dilaticornis* Morawitz,1875 Range (in code): **TJ UZ Tas IL Pa JO TR**
- 4660) *Osmia (Pyrosmia) forticornis* Zanden,1989** (Megachilidae) Synonym(s): *forticornis* Zanden,1989 Range (in code): **AM Cc GR TR**
- 4661) *Osmia (Pyrosmia) gallarum* Spinola,1808** (Megachilidae) Synonym(s): *gallarum* Spinola,1808; *ruborum* Dufour & Perris,1840; *lapidistructor* Ferton,1920 Range (in code): **AT AL BG CH CZ DE ES FR GR HU HV IT MK PT PL RO RU SK SS DZ MA TN TR 49**
- 4662) *Osmia (Pyrosmia) hellados* Zanden,1984** (Megachilidae) Synonym(s): *hellados* Zanden,1984 Range (in code): **AZ Cc BG GG GR Cr IT Si CY IL Pa JO TR**
- 4663) *Osmia (Pyrosmia) hermona* Warncke,1992** (Megachilidae) Synonym(s): *hermona* Warncke,1992 Range (in code): **TJ IL Pa SY TR 30**
- 4664) *Osmia (Pyrosmia) laticauda* Stanek,1969** (Megachilidae) Synonym(s): *laticauda* Stanek,1969; *tichodroma* Warncke,1992 Range (in code): **GR MK TR 33**
- 4665) *Osmia (Pyrosmia) moreensis* Zanden,1984** (Megachilidae) Synonym(s): *moreensis* Zanden,1984 Range (in code): **GR Rd IL Pa SY TR**
- 4666) *Osmia (Pyrosmia) nana* Morawitz,1874** (Megachilidae) Synonym(s): *nana* Morawitz,1874; *tetrodonta* Benoist,1934 Range (in code): **BG GR Cr HV IT Si RU Da Cc DZ? CN Ui CY IL Pa JO LB SY TR**
- 4667) *Osmia (Pyrosmia) nigricollis* Warncke,1992** (Megachilidae) Synonym(s): *nigricollis* Warncke,1992 Original reference: *Osmia* (Pyrosmia) *nigricollis* Warncke,1992, Linzer biol. Beitr. 24: 900. Holotype ♀: Türkiye, Hakkari Prov., Şemdinli 1700m (OLML Linz). Range (in code): **TR 30 30C 30Ce**
- 4668) *Osmia (Pyrosmia) oramara* Warncke,1992** (Megachilidae) Synonym(s): *oramara* Warncke,1992 Original reference: *Osmia* (Pyrosmia) *oramara* Warncke,1992, Linzer biol. Beitr. 24: 908. Holotype ♀: Türkiye, Hakkari Prov., Yüksekova, Oramar [Dağlica] 1500m (OLML Linz). Range (in code): **TR IR 23 30 30B 30Be 30D 30Df**
- 4669) *Osmia (Pyrosmia) saxicola* Dücke,1899** (Megachilidae) Synonym(s): *saxicola* Dücke,1899; *caelestina* Benoist,1929; *cypricola* Mavromoustakis,1937; *posti* Mavromoustakis,1956; *riemanni* Warncke,1992 Range (in code): **ES FR GR CY Cr HV IT TJ IL Pa JO LB SY TR**
- 4670) *Osmia (Pyrosmia) submicans* Morawitz,1870** (Megachilidae) Synonym(s): *submicans* Morawitz,1870; *giraudi* Schmiedeknecht,1886; *hebraea* Benoist,1934; *canaria* Mavromoustakis,1957; *lanzarotae* Warncke,1992; *columbina* Zanden,1996 Range (in code): **CH CZ DE ES FR Co GR Cr HU HV IT Sa Si MT MK PT RU SK SS UA DZ Cn EG LY MA TN CY IL Pa Js JO LB SY TR**
- 4671) *Osmia (Pyrosmia) tawildara* Warncke,1992** (Megachilidae) Synonym(s): *tawildara* Warncke,1992 Range (in code): **TJ TR 30**
- 4672) *Osmia (Pyrosmia) teunissenii* Zanden,1981** (Megachilidae) Synonym(s): *teunissenii* Zanden,1981 Range (in code): **GR HV IT CY IL Pa JO SY TR**
- 4673) *Osmia (Pyrosmia) versicolor* Latreille,1811** (Megachilidae) Synonym(s): *versicolor* Latreille,1811; *corrusca* Erichson,1835; *laeta* Gistel,1857; *algarbiensis* Strand,1917; *viricephalica* Warncke,1992 Range (in code): **AL BG DE ES FR Co GG Cc GR Cr HU HV IT Sa Si MK PT RU SS DZ LY MA IL Pa LB SY TR 35**
- 4674) *Osmia (Pyrosmia) viridana* Morawitz,1874** (Megachilidae) Synonym(s): *viridana* Morawitz,1874; *rufispina* Morawitz,1875; *angulata* Pérez,1896; *nicosiana* Mavromoustakis,1939; *mulleolus* Zanden,1984 Range (in code): **AM Cc BG CH DE ES FR GR Cr HV IT MK RU SS UA DZ TN KK KG TJ UZ TM CY IL Pa JO SY TR 25 50**
- 4675) *Osmia* (s.str.) *ariadne* Peters,1978** (Megachilidae) Synonym(s): *ariadne* Peters,1978 Range (in code): **GR Cr TR 07**

- 4676) *Osmia (s.str.) bicornis* (Linnaeus,1758)** (Megachilidae) Synonym(s): *bicornis* Linnaeus,1758; *rufa* Linnaeus,1758; *globosa* Scopoli,1763; *agino* Harris,1776; *cornigera* Rossi,1790; *fronticornis* Panzer,1799; *hedera* Smith,1844; *fracticornis* Pérez,1895; *borealis* Ducke,1899 _ Range (in code): **AT AL AM Cc BE BG CH CZ DE DK ES FR Co FI GB GR HU HV IT Sa Si IE LT LV MK NO NL PT PL RO RU SK SS UA DZ MA TN KK KG RU TM CY TR SY IR**
- 4677) *Osmia (s.str.) cerinthidis* Morawitz,1876** (Megachilidae) Synonym(s): *cerinthidis* Morawitz,1876 Range (in code): **AT AM Cc GG Bjo CZ DE FR GR IT Si MK PL RO RU SK SS UA CN Pkn Jn IR Ak Tbz Ke Th TR 05 06 07 08 16 24 25 26 30 36 42 58 73 30B 30Be 30D 30Dt 58G 73C 73Cd**
- 4678) *Osmia (s.str.) cornuta* (Latreille,1805)** (Megachilidae) Synonym(s): *cornuta* Latreille,1805; *divergens* Friese,1920; *neoregaena* Mavromoustakis,1938; *quasirufa* Peters,1978 _ Range (in code): **AT AM AD Cc BE CH CZ DE ES FR Co GG GR Cr HU IT Sa Si MK PL PT NL RO RU SK SS UA EG DZ TN TM CN Ui CY IR TR**
- 4679) *Osmia (s.str.) mustelina* Gerstaecker,1869** (Megachilidae) Synonym(s): *mustelina* Gerstaecker,1869; *nigrohirta* Friese,1899; *griseohirta* Alfken,1935; *umbrosa* Peters,1978 _ Range (in code): **AT AM Cc CH CZ DE GG GR HU IT Si MK PL RO RU SK SS UA IL Pa IR LB TR 36**
- 4680) *Osmia (s.str.) mutensis* Peters,1978** (Megachilidae) Synonym(s): *mutensis* Peters,1978 Range (in code): **TR 33**
- 4681) *Osmia (s.str.) nigrohirta* Friese,1899** (Megachilidae) Synonym(s): *nigrohirta* Friese,1899 Range (in code): **AL MK GR TR IR Cc 25**
- 4682) *Osmia (s.str.) rufa* (Linnaeus,1758)** (Megachilidae) Synonym(s): *rufa* Linnaeus,1758; *cornigera* Rossi,1790 _ Range (in code): **GR CY TR JO 01 07 16 25**
- 4683) *Osmia (Tergosmia) glareola* Warncke,1988** (Megachilidae) Synonym(s): *glareola* Warncke,1988 Original reference: *Osmia (Tergosmia) glareola* Warncke,1988, Entomofauna 9: 393. Holotype ♀: Türkiye, Van Prov., Erçek (OLML Linz). Range (in code): **TR 65 65K 65Ky**
- 4684) *Osmia (Tergosmia) pratincola* Warncke,1988** (Megachilidae) Synonym(s): *pratincola* Warncke,1988 Original reference: *Osmia pratincola* Warncke,1988, Entomofauna 9 (20): 393. Type: Türkiye: Ağrı Prov., Patnos N. 20km. Range (in code): **TR 04 06 23 58**
- 4685) *Osmia (Tergosmia) pratincola* Warncke,1988** (Megachilidae) Synonym(s): *pratincola* Warncke,1988 Original reference: *Osmia (Tergosmia) pratincola* Warncke,1988, Entomofauna 9: 392. Holotype ♀: Türkiye, Ağrı Prov., Patnos 1650m (OLML Linz). Range (in code): **TR 04**
- 4686) *Osmia (Tergosmia) rhodoensis* (Zanden,1983)** (Megachilidae) Synonym(s): *rhodoensis* Zanden,1983 Original reference: *Anthocopa rhodensis* Zanden,1983, Faun. Abh. Mus. Tierk. Dresden 10: 126-129. Griechenland: Rhodos. Range (in code): **GR Rd TR 07 20 33 42**
- 4687) *Osmia (Tergosmia) rhodoensis* (Zanden,1983)** (Megachilidae) Synonym(s): *rhodoensis* Zanden,1983; *arcuata* Warncke,1988; *ferina* Warncke,1988 _ Range (in code): **AM Cc GR Rd JO TR 53**
- 4688) *Osmia (Tergosmia) tergestensis* Ducke,1897** (Megachilidae) Synonym(s): *tergestensis* Ducke,1897; *ononidis* Ferton,1897; *rondoui* Pérez,1902; *wolhynica* Noskiewicz,1922; *atlantica* Benoist,1934; *remota* Tkalcu,1979 Original reference: *Osmia tergestensis* Ducke,1897, Ent. Nachr. 23: 41-42. Triest/Italien. Range (in code): **AT BG CH CZ ES FR GR HU IT PL SK SS UA EG MA TR 06 25 42**
- 4689) *Paradioxys pannonica* Mocsary,1877** (Megachilidae) Synonym(s): *pannonica* Mocsary,1877 _ Range (in code): **TR 01 63**
- 4690) *Protosmia (Chelostomopsis) longiceps* (Friese,1899)** (Megachilidae) Synonym(s): *longiceps* Friese,1899; *depauperata* Benoist,1928 _ Range (in code): **GR Cr TR IL Pa JO SY LB**
- 4691) *Protosmia (Nanosmia) limbata* (Benoist,1935)** (Megachilidae) Synonym(s): *limbata* Benoist,1935 _ Range (in code): **LB SY TR 30**
- 4692) *Protosmia (s.str.) exenterata* (Pérez,1895)** (Megachilidae) Synonym(s): *exenterata* Pérez,1895 _ Range (in code): **ES FR IT Si PT DZ MA TN TR?**
- 4693) *Protosmia (s.str.) glutinosa* (Giraud,1871)** (Megachilidae) Synonym(s): *glutinosa* Giraud,1871 _ Range (in code): **BG ES FR GR HV IT RO SS Cc DZ MA CY JO SY TR 08 25**
- 4694) *Protosmia (s.str.) humeralis* (Pérez,1895)** (Megachilidae) Synonym(s): *humeralis* Pérez,1895 _ Range (in code): **ES DZ IL Pa JO SY TR 63**
- 4695) *Protosmia (s.str.) magnicapitis* (Stanek,1969)** (Megachilidae) Synonym(s): *magnicapitis* Stanek,1969 _ Range (in code): **TR 63 63B**
- 4696) *Protosmia (s.str.) mirabilis* (Friese,1899)** (Megachilidae) Synonym(s): *mirabilis* Friese,1899 _ Range (in code): **TR 09 32**
- 4697) *Protosmia (s.str.) monstrosa* (Pérez,1895)** (Megachilidae) Synonym(s): *monstrosa* Pérez,1895; *mirabilis* Friese,1899 _ Range (in code): **GR DZ CY IL Pa JO LB SY TR**

- 4698) Protosmia (s.str.) paradoxa (Friese,1899)** (Megachilidae) Synonym(s): *paradoxa* Friese,1899 _ Range (in code): GR CY IL Pa JO LB SY TR 42
- 4699) Protosmia (s.str.) sideritis Tkalcu,1978** (Megachilidae) Synonym(s): *sideritis* Tkalcu,1978 _ Range (in code): BG GR MK TR 58
- 4700) Protosmia (s.str.) stigmatica (Pérez,1895)** (Megachilidae) Synonym(s): *stigmatica* Pérez,1895 _ Range (in code): ES FR GR MA DZ TR
- 4701) Protosmia (s.str.) tauricola Popov,1961** (Megachilidae) Synonym(s): *tauricola* Popov,1961 _ Range (in code): UA Cm TR BG RU 30
- 4702) Protosmia (s.str.) tiflensis (Morawitz,1876)** (Megachilidae) Synonym(s): *tiflensis* Morawitz,1876; *graffei Schmiedeknecht,1890* _ Range (in code): BG GG Tbl Cc GR HV IT MK RU SS UA IL Pa JO TR
- 4703) Stelis (s.str.) aculeata Morawitz,1880** (Megachilidae) Synonym(s): *aculeata* Morawitz,1880 _ Range (in code): TR MN CN TJ Pm Ti 06 65
- 4704) Stelis (s.str.) annulata (Lepeletier,1841)** (Megachilidae) Synonym(s): *annulata* Lepeletier,1841; *freygessneri* Friese,1885; *hispanica* Dusmet,1921; *hungarica* Noskiewicz,1962 _ Range (in code): DZ HU CH FR IT ES GR Ae Le TR 33 42 80 33E 42R 42Rc 80C
- 4705) Stelis (s.str.) breviscula (Nylander,1848)** (Megachilidae) Synonym(s): *breviscula* Nylander,1848; *pygmaea* Schenck,1853; *paxillorum* Chevrier,1872 _ Range (in code): ES SE EG CH DE GR EG TR RU Bs TM CN Ui 25 58 25F
- 4706) Stelis (s.str.) denticulata Friese,1899** (Megachilidae) Synonym(s): *denticulata* Friese,1899; *wahrmanni* Mavromoustakis,1954 _ Range (in code): IL Pa TR Js 02 04 24 30 42 65 02E 04H 30D 30Dt 65E
- 4707) Stelis (s.str.) gigantea Friese,1921** (Megachilidae) Synonym(s): *gigantea* Friese,1921 _ Range (in code): GR AM Cc TR IR Elb 06 33 44 70 81 06R
- 4708) Stelis (s.str.) iugae Noskiewicz,1962** (Megachilidae) Synonym(s): *iugae* Noskiewicz,1962 _ Range (in code): RO HU CZ SK TR 39 39G
- 4709) Stelis (s.str.) minuta Lepeletier & Audinet-Serville,1828** (Megachilidae) Synonym(s): *minuta* Lepeletier & Audinet-Serville,1828; *nana* Schenck,1853; *minima* Schenck,1859; *#unicolor* Alfken,1944 _ Range (in code): MA DZ DE FR YU MK RU GR TR LB Cc AZ Nv Ord 06 09 47 61 06R
- 4710) Stelis (s.str.) odontopyga Noskiewicz,1925** (Megachilidae) Synonym(s): *odontopyga* Noskiewicz,1925 _ Range (in code): BE UA YU HV FR HU IT ES GR TR 25 34
- 4711) Stelis (s.str.) ornatula (Klug,1807)** (Megachilidae) Synonym(s): *ornatula* Klug,1807; *sempunctata* Stschegloff,1826; *octomaculata* Smith,1843; *sexsignata* Costa,1858; *immaculata* Noskiewicz,1925 _ Range (in code): MA DZ ES GB DE RU IT YU GR TR 06 06R
- 4712) Stelis (s.str.) punctulatissima (Kirby,1802)** (Megachilidae) Synonym(s): *punctulatissima* Kirby,1802; *moravica* Tkalcu,1970 _ Range (in code): MA DE GB CZ SK GR Ae Le Cr Rd TR SY Dms 09
- 4713) Stelis (s.str.) rhodia Mavromoustakis,1959** (Megachilidae) Synonym(s): *rhodia* Mavromoustakis,1959 _ Range (in code): GR Ae Le Rd TR 33
- 4714) Stelis (s.str.) ruficornis Morawitz,1872** (Megachilidae) Synonym(s): *ruficornis* Morawitz,1872; *paradoxum* Mocsary,1884; *lebanensis* Mavromoustakis,1963 _ Range (in code): GR Ae Le Rd TR LB 05 11 16 20 25 73
- 4715) Stelis (s.str.) scutellaris Morawitz,1894** (Megachilidae) Synonym(s): *scutellaris* Morawitz,1894; *inamoena* Popov,1932 _ Range (in code): TJ Cc TM IR Gor AZ Cc AM TR 06 42
- 4716) Stelis (s.str.) signata (Latreille,1809)** (Megachilidae) Synonym(s): *signata* Latreille,1809 _ Range (in code): MA DZ TN FR DE HV GR Ae Le Rd TR CY IL Pa LB IQ Cc Nv Ord GG Kir 06 09 35 46
- 4717) Stelis (s.str.) simillima Morawitz,1876** (Megachilidae) Synonym(s): *simillima* Morawitz,1876; *cognata* Kohl,1892; *genalis* Pasteels,1969 _ Range (in code): MA ES GR LB TR BG RU AM Cc IR IT Si AZ Cc Nv Ord TM Kp GG Kir 13 36
- 4718) Stelis (Stelidomorpha) nasuta (Latreille,1809)** (Megachilidae) Synonym(s): *nasuta* Latreille,1809 _ Range (in code): MA DZ GR Ae Le Cr TR Arr IL Pa JO SY LB UZ IT Sa 25 36 42 70 76 81
- 4719) Stelis (Stelidomorpha) pentelica Mavromoustakis,1963** (Megachilidae) Synonym(s): *pentelica* Mavromoustakis,1963; *bicornuta* Pasteels,1969 _ Range (in code): GR IL Pa TR 36 42 50 63
- 4720) Stenoheriades asiaticus (Friese,1921)** (Megachilidae) Synonym(s): *asiaticus* Friese,1921; *coelostoma* Benoist,1935 _ Original reference: Heriades asiaticus Friese,1921, Ark. Naturg. 87: 175. Syntypes ♂♂: Türkei, "Airan". Range (in code): TR BG GR HV IL Pa JO LB SY 33

- 4721) *Stenoheriades hofferi* (Tkalcu,1984) (Megachilidae) Synonym(s): *hofferi* Tkalcu,1984**
Range (in code): BG TR 33

Megalodontesidae

- 4722) *Megalodontes cephalotes* (Fabricius,1781) (Megalodontesidae) Synonym(s): *cephalotes* Fabricius,1781; *klugii* Leach,1817; *spissicornis* Klug,1824; *fuscipennis* Herrich-Schäffer,1840**
Range (in code): AD AT GB BE B-H BG HV CZ FR DE IT LT MK PL RO RU SK SS ES CH YU TR? 16?
- 4723) *Megalodontes crassicornis* Springate, Burckardt & Springate,2011 (Megalodontesidae) Synonym(s): *crassicornis* Springate, Burckardt & Springate,2011**
Range (in code): TR 04 30 36 65
- 4724) *Megalodontes escaleraei* Konow,1899 (Megalodontesidae) Synonym(s): *escaleraei* Konow,1899**
Original reference: *Megalodontes escaleraei* Konow,1899, Actas Soc. Esp. Hist. Nat. 28 (7): 203. **Range (in code): LB IL Pa SY TR IR 01 07 25 27 31 33 51 63**
- 4725) *Megalodontes eversmanni* (Freymuth,1870) (Megalodontesidae) Synonym(s): *eversmanni* Freymuth,1870; *loewii* Stein,1876; *multicincta* Mocsary,1891**
Range (in code): AM AZ GG Cc BG GR RU UA TR 04 06 07 09 16 25 30 36 65
- 4726) *Megalodontes fabricii* (Leach,1817) (Megalodontesidae) Synonym(s): *fabricii* Leach,1817; *megacephalus* Klug,1824; *redimita* Klug,1824**
Range (in code): AT DE HU HV BG GR CZ MD MK PL RO RU YU SK SS UA TR 05 07 33 38 40 42 58 60
- 4727) *Megalodontes flabellicornis* Germar,1817 (Megalodontesidae) Synonym(s): *flabellicornis* Germar,1817; *exornatus* Zaddach,1866; *coronatus* Zaddach,1866; *albicincta* Stein,1876; *speciosus* Mocsary,1877**
Range (in code): B-H YU HV Cc GR MD IT SS TR 08 16 25 51
- 4728) *Megalodontes flavicornis* Klug,1824 (Megalodontesidae) Synonym(s): *flavicornis* Klug,1824**
Range (in code): AM AT AZ BG CZ GG DE HU IT RU SK TM UA TR Cc IR 04 06 08 21 36 42 60 65
- 4729) *Megalodontes jucundus* (Mocsary,1891) (Megalodontesidae) Synonym(s): *jucundus* Mocsary,1891**
Original reference: *Tarpa jucunda* Mocsary,1891, Termes. Füzetek 14 (3/4): 157. **Range (in code): TR 06 24 25 33 42 44 50 60 70**
- 4730) *Megalodontes judaicus* (Lepelletier,1823) (Megalodontesidae) Synonym(s): *judaicus* Lepelletier,1823; *caesariensis* Lepelletier,1823; *leucostictus* Zaddach,1865; *punctatus* Konow,1898; *candidatus* Konow,1899**
Range (in code): TR SY IL Pa LB 01 21 31 33 63 80
- 4731) *Megalodontes laticeps* Konow,1897 (Megalodontesidae) Synonym(s): *laticeps* Konow,1897**
Original reference: *Megalodontes laticeps* Konow,1897, Annln naturh. Mus. Wien 12: 10. Syntypes ♂♀: "Mehadia" (NHMW). **Range (in code): B-H BG HV RO IL Pa TR 38 42 51**
- 4732) *Megalodontes medius* Konow,1897 (Megalodontesidae) Synonym(s): *medius* Konow,1897**
Original reference: *Megalodontes* (s.str.) *medius* Konow,1897, Annln naturh. Mus. Wien 12: 9. Syntypes ♂♀: Russia merid., Asia minor, Amasia, Brussa (NHMW). **Range (in code): GR UA AZ TR Cc RU 05 08 16 19 25 32 33**
- 4733) *Megalodontes mocsaryi* (André,1881) (Megalodontesidae) Synonym(s): *mocsaryi* André,1881; *anatolicus* Mocsary,1883**
Range (in code): BG GR RO YU TR 16
- 4734) *Megalodontes olivieri* (Brullé,1846) (Megalodontesidae) Synonym(s): *olivieri* Brullé,1846**
Original reference: *Tarpa olivieri* Brullé,1846, [in] Lepelletier, Hist. Nat. Ins., Hymenopt. 4: 660, pl.45 fig.6. Type ♂: [Iraq]: "Bagdad; Olivier,C.M." **Range (in code): AM Cc IR IL Pa EG SA MA IQ Bgd TR 76 76B 76Bb**
- 4735) *Megalodontes phaenicius* (Lepelletier,1823) (Megalodontesidae) Synonym(s): *phoenicius* Lepelletier,1823; *caucasicus* André,1881; *imperialis* Konow,1897; *kohli* Konow,1897**
Original reference: *Tarpa phaenicia* Lepelletier,1823, Monographia Tenthredinetarum: 15, nr.42. Type ♂: In Syria (Mus. Savigny). **Range (in code): AZ BG YU EG GR MD IL Pa SY Cc TR UA Cm IR 01 05 06 07 08 25 32 33 38 42 48 50 55**
- 4736) *Megalodontes quinlani* Springate, Burckardt & Springate,2011 (Megalodontesidae) Synonym(s): *quinlani* Springate, Burckardt & Springate,2011**
Range (in code): TR 31
- 4737) *Megalodontes reitteri* (Konow,1894) (Megalodontesidae) Synonym(s): *reitteri* Konow,1894**
Original reference: *Tarpa reitteri* Konow,1894, Wien. ent. Ztg. 13: 131-132. Syntypes ♂♀: "Caucasus, aus dem Araxesthal" **Range (in code): AZ Cc TR 04 30**
- 4738) *Megalodontes turcicus* (Mocsary,1881) (Megalodontesidae) Synonym(s): *turcicus* Mocsary,1881; *orientalis* Mocsary,1881**
Range (in code): BG TR 05 06 16 19 42 44 60

- 4739) Megalodontes weiffenbachi Springate, Burckardt & Springate,2011** (Megalodontesidae) Synonym(s): *weiffenbachi Springate, Burckardt & Springate,2011* - Range (in code): **TR 32 33 35 38 42**

Melittidae

- 4740) Dasypoda (Heterodasypoda) pyrotrichia Förster,1855** (Melittidae) Synonym(s): *pyrotrichia Förster,1855; eatoni Saunders,1881; nigra Quilis,1928* Range (in code): **ES PT FR BG MK IL Pa GR SY TR 24 25 29 36 38 61 69 36F**
- 4741) Dasypoda (Megadasypoda) argentata Panzer,1809** (Melittidae) Synonym(s): *argentata Panzer,1809* Range (in code): **ES FR AT DE CH IT PL CZ SK HV HU RO LT AM AZ Cc GG SE MK BG UA KG IN IQ SY DZ EG TN GR TR IR 04 12 24 25 29 30 33 36 58 69 73 75 36F 73A**
- 4742) Dasypoda (Megadasypoda) aurata Rudow,1881** (Melittidae) Synonym(s): *suripes Christ,1791; aurata Rudow,1881; spectabilis Rudow,1881; mixta Radoszkowski,1887; thomsoni Schletterer,1890* Range (in code): **CZ SE DK DE AT IT PL SK HU HV MK AL RO BG LT BY UA AM Cc CY TR RU GR Ae Le Rd 09 25 31 33 48**
- 4743) Dasypoda (Megadasypoda) braccata Eversmann,1852** (Melittidae) Synonym(s): *braccata Eversmann,1852; anatolica Warncke,1973* Range (in code): **AL AT BG Cc IT MK YU RU HU PL UA KG GR TR 06 23 24 25 30 36 42 44 46 47 58 69 06R**
- 4744) Dasypoda (Megadasypoda) frieseana Schletterer,1890** (Melittidae) Synonym(s): *frieseana Schletterer,1890* Range (in code): **GR MK Ae TR 69**
- 4745) Dasypoda (Megadasypoda) longigena Schletterer,1890** (Melittidae) Synonym(s): *longigena Schletterer,1890* Range (in code): **TR 25**
- 4746) Dasypoda (Megadasypoda) patinyi Michez,2002** (Melittidae) Synonym(s): *patinyi Michez,2002* Range (in code): **TR SY 63**
- 4747) Dasypoda (Megadasypoda) spinigera Kohl,1905** (Melittidae) Synonym(s): *spinigera Kohl,1905* Range (in code): **Cc AM IR BG MK IT RO UA RU GR TR 06 09 13 17 25 33 38 42 50 51 58 59 65 65L**
- 4748) Dasypoda (Megadasypoda) toroki Michez,2004** (Melittidae) Synonym(s): *toroki Michez,2004* Range (in code): **IL Pa SY TR 07 63**
- 4749) Dasypoda (Megadasypoda) visnaga Rossi,1790** (Melittidae) Synonym(s): *visnaga Rossi,1790* Range (in code): **MA DZ TN PT GR Ae Le Cr TR 07**
- 4750) Dasypoda (s.str.) hirtipes (Fabricius,1793)** (Melittidae) Synonym(s): *hirtipes Fabricius,1793; graeca Lepeletier,1841* Range (in code): **GR TR EG IR LY MN CN 04 05 06 08 10 11 13 16 24 25 26 34 35 36 37 38 42 43 45 50 55 57 58 60 65 66 75 76 04F 06Y 13G 13Gw 36C 65F 65Fe 65L**
- 4751) Dasypoda (s.str.) pyriformis Radoszkowski,1887** (Melittidae) Synonym(s): *pyriformis Radoszkowski,1887; schlettereri Friese,1900* Range (in code): **HV MK AL BG GR Ae Le TR SY 05 20 25 36 36D**
- 4752) Dasypoda (s.str.) tubera Warncke,1973** (Melittidae) Synonym(s): *tubera Warncke,1973* Range (in code): **TR SY 01 07 11 19 26 30 31 33 35**
- 4753) Dasypoda (s.str.) warnckei Michez,2004** (Melittidae) Synonym(s): *warnckei Michez,2004* Original reference: Dasypoda warnckei Michez,2004, Linzer biol. Beitr. 36 (2): 875-876. Holotype ♂: Turquie, Kayseri, Yeşilhisar 3 viii 1979 leg. K.Warncke (GÖLL). Range (in code): **TR 19 20 30 36 38 50 51 76 36C**
- 4754) Macropis (s.str.) frivaldszkyi Mocsary,1878** (Melittidae) Synonym(s): *frivaldszkyi Mocsary,1878* Range (in code): **IT BG KG MK RO HV HU YU RU GR TR SY 06 25 30 42 57 65**
- 4755) Macropis (s.str.) fulvipes (Fabricius,1804)** (Melittidae) Synonym(s): *fulvipes Fabricius,1804* Range (in code): **GG Cc RU DZ TR 08 18 37 53 57 75**
- 4756) Melitta (Cilissa) bicollaris Warncke,1973** (Melittidae) Synonym(s): *bicollaris Warncke,1973* Range (in code): **TR 08 24 25 36**
- 4757) Melitta (Cilissa) budensis (Mocsary,1878)** (Melittidae) Synonym(s): *budensis Mocsary,1878* Range (in code): **AM Eri Cc TR KG RU UA 02 13 14 25 30**
- 4758) Melitta (Cilissa) dimidiata Morawitz,1875** (Melittidae) Synonym(s): *dimidiata Morawitz,1875; robusta Radoszkowski,1876; hungaria Mocsary,1883* Range (in code): **GB BE AM Cc TR 06 13 25 33 42**
- 4759) Melitta (Cilissa) haemorrhoidalis (Fabricius,1775)** (Melittidae) Synonym(s): *haemorrhoidalis Fabricius,1775; dichroa Gmelin,1790; chrysura Kirby,1802* Range (in code): **GR AM Eri Cc TR 53**

- 4760) Melitta (Cilissa) melanura (Nylander,1852)** (Melittidae) Synonym(s): *melanura* Nylander,1852; *wankowiczi* Radoszkowski,1891 _ Range (in code): **AT BY RU DE LT MN PL RO SK SE UA TR Cc GR Ae Le 36 36F**
- 4761) Melitta (Cilissa) rasmonti Michez,2007** (Melittidae) Synonym(s): *rasmonti* Michez,2007 Original reference: *Melitta rasmonti* Michez,2007, *Annls Soc. ent. Fr. (n.s.)* 43 (4): 417, figs. Holotype ♂ (fig.176): Turkey, W. of Hakkari, Tanin Tanin Pass 2300-2600m 14 viii 1979 leg. & coll. Warncke Range (in code): **TR 25 73 25C 25Ca 73C 73Cd**
- 4762) Melitta (Cilissa) singular Michez,2012** (Melittidae) Synonym(s): *singular* Michez,2012 Range (in code): **TR 40 40G**
- 4763) Melitta (s.str.) leporina (Panzer,1799)** (Melittidae) Synonym(s): *leporina* Panzer,1799; *fortipes* Imhoff,1832; *ruthenica* Radoszkowski,1891; *centaureae* Torka,1922; *nigrinotum* Alfken,1927; *sinkiangensis* Wu,1978 _ Range (in code): **DE FI SE TR IR KK MN CN Ui Kun 03 05 08 11 16 24 25 26 35 38 42 43 51 55 57 58 65 66 68 70 65H 66A**
- 4764) Melitta (s.str.) nigricans Alfken,1905** (Melittidae) Synonym(s): *nigricans* Alfken,1905 Range (in code): **MA PT DE SE PL RU Or TR 10**

Mutillidae

- 4765) Artiotilla biguttata (Costa,1858)** (Mutillidae) Synonym(s): *biguttata* Costa,1858 Range (in code): **TR AZ TM IR IL Pa GR CY HV YU MK AL IT 11 36 76 36C 76B**
- 4766) Ctenotilla caeca (Radoszkowski,1879)** (Mutillidae) Synonym(s): *caeca* Radoszkowski,1879; *pectinifera* André,1893; *obscura* Nonveiller,1959 _ Range (in code): **TR AM AZ GG Cc IR SY GR BG HV YU MK RO UA Cm 01 07 08 14 24 25 30 42 60 25A 30D 30De**
- 4767) Dasylabris (Craspedopyga) mandersternii (Radoszkowski,1865)** (Mutillidae) Synonym(s): *mandersternii* Radoszkowski,1865; *cypria* Sichel & Radoszkowski,1870 [ssp.] _ Range (in code): **TR SY CY GR BG AZ AM GG Cc TM IR LB UA Cm RU 01 11 20 21 24 25 27 31 33 35 42 48 65 25K**
- 4768) Dasylabris (Inbaltilla) biblica Invrea,1950** (Mutillidae) Synonym(s): *biblica* Invrea,1950 Range (in code): **TR IL Pa GR Cr Rd 01 07**
- 4769) Dasylabris (Inbaltilla) scutula Skorikov,1935** (Mutillidae) Synonym(s): *scutula* Skorikov,1935 _ Range (in code): **GR AZ AM GG Cc TR 06 24 25 36 42 60 25K 25N 36D 36Db**
- 4770) Dasylabris (s.str.) maura (Linnaeus,1758)** (Mutillidae) Synonym(s): *maura* Linnaeus,1758 _ Range (in code): **TR CY GG AM AZ Cc GR BG HV B-H YU MK AL DE HU CH DE CZ SK PL UA Cm IT Si MT FR 06 08 12 24 25 34 36 59 65 12A 12Ag 25C 36C 65B 65Bn 65Bn1**
- 4771) Dentilla curtiventris (André,1901)** (Mutillidae) Synonym(s): *curtiventris* André,1901 Range (in code): **TR AM AZ Cc SY GR YU MK AL IT Si 06 08 21 24 25 34 36 45 58 60 65 25C 25R 65F 65Fl**
- 4772) Dentilla erronea (André,1902)** (Mutillidae) Synonym(s): *erronea* André,1902 _ Range (in code): **TR GR BG AL IT DZ 16 25 65 25C 65K**
- 4773) Dentilla persica (Sichel & Radoszkowski,1869)** (Mutillidae) Synonym(s): *persica* Sichel & Radoszkowski,1869 _ Range (in code): **IR TR AZ AM Cc IL Pa GR 24 30 30B**
- 4774) Dentilla ursina (Nagy,1972)** (Mutillidae) Synonym(s): *ursina* Nagy,1972 _ Range (in code): **TR AZ Cc 06**
- 4775) Krombeinella aramaea (Suarez,1963)** (Mutillidae) Synonym(s): *aramaea* Suarez,1963 Range (in code): **IL Js Pa SY TR IR 21 21P**
- 4776) Krombeinella beaumonti (Invrea,1953)** (Mutillidae) Synonym(s): *beaumonti* Invrea,1953 _ Range (in code): **TR RO IT Si ES PT MA 11 25 25O**
- 4777) Krombeinella gaullei (Invrea,1952)** (Mutillidae) Synonym(s): *nigriceps* auct. nec Saunders,1850; *gaullei* Invrea,1952 Range (in code): **BG TR 11 34**
- 4778) Krombeinella hebraea (Suarez,1963)** (Mutillidae) Synonym(s): *hebraea* Suarez,1963 Range (in code): **IL Pa Hf TR**
- 4779) Krombeinella longicollis (Tournier,1889)** (Mutillidae) Synonym(s): *longicollis* Tournier,1889 _ Range (in code): **GR BG TR HV YU MK RO SK UA RU Cc 36 39 55 36F**
- 4780) Krombeinella wolffi (Invrea,1963)** (Mutillidae) Synonym(s): *wolffi* Invrea,1963 _ Range (in code): **YU BG UA TR RU AZ GG Cc 11 25 36 55**
- 4781) Macromyrme binotata (Radoszkowski,1879)** (Mutillidae) Synonym(s): *binotata* Radoszkowski,1879; *araratica* Radoszkowski,1890 Original reference: *Mutilla binotata*

- Radoszkowski,1879, Horae Soc. ent. ross. 14: 150 Type ♀: "Caucasus". Range (in code): **TR Arr IR Cc AM GG AZ 01 76 01L**
- 4782) Macromyrme sinuata (Olivier,1811)** (Mutillidae) Synonym(s): *sinuata* Olivier,1811; *villosa* Klug,1829 Range (in code): **IR SY LB IL Pa CY TR Arr MA 76**
- 4783) Mutilla europaea Linnaeus,1758** (Mutillidae) Synonym(s): *europaea* Linnaeus,1758; *similis* Harris,1782; *scharfferi* Schrank,1802; *coerulans* Lepeletier,1845; *cyanea* Lepeletier,1845; *panzeri* Lepeletier,1845; *obscura* Nylander,1847; *kaschiriensis* Baer,1848; *laevigata* Sichel & Radoszkowski,1870; *notomelas* André,1902; *rufula* Hoffer,1938; *nigrescens* Hoffer,1938 nec Andr.,1901; *ruficeps* Hoffer,1938 Range (in code): **TR RU Ur Sb KG SE FI ES DZ 08 25 36 69 25O**
- 4784) Mutilla marginata BAer,1848** (Mutillidae) Synonym(s): *marginata* BAer,1848; *trifasciata* Radoszkowski,1865 Range (in code): **CZ SS DE AT CH HU RO UA BG IT RU Ur GG Cc TR SY**
- 4785) Mutilla quinque maculata Cyrillo,1787** (Mutillidae) Synonym(s): *quinque maculata* Cyrillo,1787 Range (in code): **TR SY IL Pa CY GR HV UA Cm IT Sa Si MT FR ES DZ EG 01 07 25 25B**
- 4786) Mutilla richterae Lelej,1984** (Mutillidae) Synonym(s): *richterae* Lelej,1984 Range (in code): **AM Cc IQ TR 45**
- 4787) Myrmilla (Eurygnathilla) emiliae (Dalla Torre,1897)** (Mutillidae) Synonym(s): *laticeps* Radoszkowski,1888 nec Blake,1871; *emiliae* Dalla Torre,1897; *chusistana* Skorikov,1927 Range (in code): **TR IQ IR Cc AZ AM TM 27**
- 4788) Myrmilla (Pseudomutilla) atalanta Nagy,1967** (Mutillidae) Synonym(s): *atalanta* Nagy,1967 Range (in code): **RO TR**
- 4789) Myrmilla (Pseudomutilla) filippovi Lelej,1985** (Mutillidae) Synonym(s): *filippovi* Lelej,1985 Range (in code): **TR 33**
- 4790) Myrmilla (Pseudomutilla) glabrata (Fabricius,1775)** (Mutillidae) Synonym(s): *glabrata* Fabricius,1775; *ciliata* Fabricius,1775; *fraterna* Baer,1848; *cephalica* Sichel & Radoszkowski,1869; *sarmatica* Skorikov,1927; *beljovskii* Skorikov,1927 Range (in code): **TR KG UZ SY GR BG YU MK AT HU RO UA RU 10 11 26 42**
- 4791) Myrmilla (Pseudomutilla) vutshetitshi Skorikov,1927** (Mutillidae) Synonym(s): *vutshetitshi* Skorikov,1927; *kusdasi* Invrea,1965 Range (in code): **TR SY GR BG AT RO UA 06 25 67 06R 25C**
- 4792) Myrmilla (s.str.) anopla Skorikov,1927** (Mutillidae) Synonym(s): *anopla* Skorikov,1927 Range (in code): **YU TR 24**
- 4793) Myrmilla (s.str.) calva (Villers,1789)** (Mutillidae) Synonym(s): *calva* Villers,1789; *triareolata* Spinola,1841; *distincta* Lepeletier,1845; *agrestis* Lepeletier,1845; *incompleta* Lepeletier,1845; *hastata* Costa,1858; *andalusiana* Skorikov,1927 Range (in code): **AT CZ SK HU DE CH RO AL SL HV B-H YU MK BG GR Cr IT Si FR ES PT TR MA TN LY EG 06 08 24**
- 4794) Myrmilla (s.str.) caucasica (Kolenati,1846)** (Mutillidae) Synonym(s): *caucasica* Kolenati,1846; *jasonia* Skorikov,1927; *kiritschenkoi* Skorikov,1927 Range (in code): **GR BG TR Cc RU Da GG AM AZ IR UA Cm 11 12 25 29 42 49 12A 25C 25L 49E**
- 4795) Myrmilla (s.str.) corniculata (Sichel & Radoszkowski,1869)** (Mutillidae) Synonym(s): *#corniculata* Gerstaecker,1862; *corniculata* Sichel & Radoszkowski,1869 Range (in code): **FR GR SY Cc UA Cm TR IL Pa IR 25 25K**
- 4796) Myrmilla (s.str.) lezginica (Radoszkowski,1885)** (Mutillidae) Synonym(s): *lezginica* Radoszkowski,1885; *subcornuta* Morawitz,1893; *nigrifrons* André,1901 [ssp.]; *kokujevi* Skorikov,1927; *susiana* Skorikov,1927 Range (in code): **GR BG MK RO UA RU GG Cc AM AZ TR UZ TM IR SY IL Pa 25 45 25C**
- 4797) Myrmosa atra Panzer,1801** (Mutillidae) Synonym(s): *melanocephala* Fabricius,1793 (*praeooc.*); *atra* Panzer,1801; *nigra* Latreille,1809; *bicolor* Baer,1848; *melanaria* Blanchard,1849; *#rufomaculata* Hoffer,1938; *erythrocephala* Yarrow,1954 Range (in code): **SE GB IE BE NL DE PL EE BY UA AT CZ SK HU CH FR ES PT IT SL HV B-H YU RO RU Sb Ya TR KG KK IR? 08 25 25C 25O 25M**
- 4798) Nemka viduata (Pallas,1773)** (Mutillidae) Synonym(s): *viduata* Pallas,1773; *bartholomaei* Radoszkowski,1865 Range (in code): **TR GG AM AZ Cc RU MN KG KK UZ TM IR CN Ui SY IL Pa BG GR SS HV YU B-H MK AL DE AT HU RO CZ SK UA RU Ur At IT Sa Si MT FR ES 06 07 08 09 10 13 15 22 24 25 33 36 42 48 58 60 69 73 13A 13Ab 13Ax 25C 25F 73A 73Ad 73Ad1**
- 4799) Paramyrmosa brunnipes (Lepeletier,1845)** (Mutillidae) Synonym(s): *brunnipes* Lepeletier,1845; *cognata* Costa,1858 Range (in code): **DE PL BY UA CZ SK AT HU RO BG GR AL SL HV B-H YU MK IT FR ES PT RU Sb Cc AM TR 16**
- 4800) Paramyrmosa radoszkowskyi (Saussure,1880)** (Mutillidae) Synonym(s): *radoszkowskyi* Saussure,1880 Range (in code): **Cc GG AM AZ TR 08 11 21 25 25C 25K**
- 4801) Phyetopoda daghestanica (Radoszkowski,1885)** (Mutillidae) Synonym(s): *daghestanica* Radoszkowski,1885 Range (in code): **TR Cc AM AZ GG RU Da Sb At KG YU GR MK HV DE CZ SK AT CH HU RO UA FR IT Si 25 60 25C 25L 25K 25O 25R**

- 4802) *Physetopoda punctata* (Latreille,1792)** (Mutillidae) Synonym(s): *punctata* Latreille,1792
Range (in code): HV HU RO IT Si Sa MT FR ES PT EG TN DZ MA TR 25
- 4803) *Physetopoda scutellaris* (Latreille,1792)** (Mutillidae) Synonym(s): *scutellaris* Latreille,1792
Range (in code): Cc AM AZ TR SS HV YU DE CZ SK AT CH RO HU IT Si FR ES 01 11 06 24 25 36 60 69 25C 25K 25L 25M 25N 25R 36F
- 4804) *Physetopoda similis* (Lelej,1984)** (Mutillidae) Synonym(s): *similis* Lelej,1984
Range (in code): TR AM AZ UA Cm Cc 11 24 25 36 42 53 55 60 69 76 24H 25C 25F 25K 25L 25R 69B 69Bc 76B
- 4805) *Platymyrma quinquefasciata* (Olivier,1811)** (Mutillidae) Synonym(s): *quinquefasciata* Olivier,1811
Range (in code): TR GG Cc AM AZ IR IL Pa SY IQ GR BG MK HU RO MD 09 35
- 4806) *Pseudophotopsis caucasica* (Radoszkowski,1885)** (Mutillidae) Synonym(s): *caucasica* Radoszkowski,1885; *causicola* Dalla Torre,1897; Range (in code): Cc GG AM AZ TR IR Elb Fa Shr IL Pa AF TM CY
- 4807) *Pseudophotopsis schachruda* (Skorikov,1935)** (Mutillidae) Synonym(s): *schachruda* Skorikov,1935; *robusta* Skorikov,1935; *mavromoustakisi* Suarez,1959; *#schachrudii* Özbek et al.,1999; *caucasica* auct.
Range (in code): TM IR TR CY AM Cc IL Pa 01 09 17 23 25 25M
- 4808) *Pseudophotopsis syriaca* (André,1900)** (Mutillidae) Synonym(s): *syriaca* André,1900; *caspiaca* sensu Özbek et al.,1999 nec Radoszkowski,1885
Range (in code): SY IL Pa TR GR 07 17 32 33 45
- 4809) *Ronisia brutia* (Petagna,1787)** (Mutillidae) Synonym(s): *brutia* Petagna,1787; *sexmaculata* Cyrillo,1787; *hungarica* Fabricius,1793; *confusa* Lepeletier,1845; *monspeliensis* Lepeletier,1845; *robusta* Smith,1855; *torosa* Costa,1858; *sericeiventris* Costa,1864; *duplex* Radoszkowski,1885; *discoidalis* Radoszkowski,1885 *morawitzii* Dalla Torre,1897
Range (in code): TR GG AZ AM Cc IR TM Kp KG GR Cr CY BG HV YU MK DE AT CZ SK UA RU Ur IT Sa Si MT FR 03 11 20 22 24 25 30 33 35 36 42 60 65 25C 30D 30De 36C 65K 65Ky1
- 4810) *Ronisia marocana* (Olivier,1811)** (Mutillidae) Synonym(s): *marocana* Olivier,1811; *novemguttata* Klug,1835; *octomaculata* Spinola,1843; *algira* Lepeletier,1845; *rubricollis* Lucas,1849; *dorsalis* Lucas,1849; *humeralis* Stichel & Radoszkowski,1870; *bodenheimeri* Invrea,1950; *flavicornuta* Invrea,1965
Range (in code): TR SY IL Pa JO IT Si MT FR ES PT MA DZ TN EG 42 46
- 4811) *Sigilla dorsata* (Fabricius,1798)** (Mutillidae) Synonym(s): *dorsata* Fabricius,1798; *excoriata* Lepeletier,1845; *spinolae* Lepeletier,1845; *punctum* Lepeletier,1845; *affinis* Lucas,1849; *cognata* F.Smith,1855; *calcariventris* Sichel & Radoszkowski,1870
Range (in code): IT Sa FR Co ES MA DZ TN EG TR
- 4812) *Skorikovia anatolica* Lelej,2009** (Mutillidae) Synonym(s): *anatolica* Lelej,2009
Range (in code): TR 06 24 06Y
- 4813) *Skorikovia radoszkowskii* (Skorikov,1935)** (Mutillidae) Synonym(s): *radoszkowskii* Skorikov,1935
Range (in code): AZ GG Cc RU Da TR 24 25 50 25C 25K 25O
- 4814) *Skorikovia transcaucasica* (Lelej,1985)** (Mutillidae) Synonym(s): *transcaucasica* Lelej,1985
Range (in code): AZ AM Cc TR 25 25C
- 4815) *Smicromyrme (Astomyrme) ausonius* Invrea,1950** (Mutillidae) Synonym(s): *ausonius* Invrea,1950
Range (in code): TR KG TM Kp CY GR UA Cm MD RU Ur IT Si FR Co 01 11 25 53 25C 25K
- 4816) *Smicromyrme (Eremotilla) novaki* Invrea,1954** (Mutillidae) Synonym(s): *novaki* Invrea,1954
Range (in code): TR HV RO 12 12A
- 4817) *Smicromyrme (Eremotilla) schwarzi* Suarez,1975** (Mutillidae) Synonym(s): *schwarzi* Suarez,1975
Range (in code): TR GG AZ Cc GR UA 06 11 24 25 31 25C 25K 25M
- 4818) *Smicromyrme (Erimyrme) azerbaijdzhanicus* Lelej,1985** (Mutillidae) Synonym(s): *azerbaidzhanicus* Lelej,1985
Range (in code): AZ Cc TM TR 24
- 4819) *Smicromyrme (Erimyrme) pulawskii* Suarez,1975** (Mutillidae) Synonym(s): *pulawskii* Suarez,1975
Range (in code): TR GR Rd BG 10 11 24 25 42 45 60 25B 25K 25O 25R
- 4820) *Smicromyrme (Erimyrme) sicanus* (De Stefani,1887)** (Mutillidae) Synonym(s): *sicanus* De Stefani,1887
Range (in code): TR SY GR HV YU AL AT CZ SK HU RO UA RU Ur At IT Si Sa FR 11 24 25 34 25C
- 4821) *Smicromyrme (s.str.) ruficollis* (Fabricius,1793)** (Mutillidae) Synonym(s): *ruficollis* Fabricius,1793
Range (in code): TR KG RU At GR BG HV YU AT UA IT Si MT FR ES 01 11 24 25 50 24D 25C 25O
- 4822) *Smicromyrme (s.str.) rufipes* (Fabricius,1787)** (Mutillidae) Synonym(s): *rufipes* Fabricius,1787
Range (in code): TR KG SS HV B-H YU MK SE FI DE AT CH HU CZ SK UA BY RU Ur At Ya ES IT Si FR 25 25O 25M
- 4823) *Smicromyrme (s.str.) turanicus* (Morawitz,1893)** (Mutillidae) Synonym(s): *turanicus* Morawitz,1893
Range (in code): TR GG AZ AM IR 12 25 65 66 12A 25C 25R 65K

- 4824) Stenomutilla (s.str.) acanthosterna Nonveiller,1994** (Mutillidae) Synonym(s): *acanthosterna Nonveiller,1994* Original reference: Stenomutilla acanthosterna Nonveiller,1994, Boll. Mus. civ. Stor. Nat. Verona 18: 189, figs.21, 22. Holotype ♂: Turkey, Van Pr. 10km S Van 2100m 9 vii 1984 A.W.Ebmer (Gusenleitner coll.). Range (in code): **TR 65 65K 65Kd**
- 4825) Stenomutilla (s.str.) anatolica Nonveiller,1994** (Mutillidae) Synonym(s): *anatolica Nonveiller,1994* Range (in code): **TR 58 60 58G**
- 4826) Stenomutilla (s.str.) bizonata (Smith,1856)** (Mutillidae) Synonym(s): *bizonata Smith,1856* Range (in code): **AM Cc TR IR SY IL PA LB GR HV AL 01 06 08 25 30 33 36 37 42 44 45 48 58 65 25K 25N 25M**
- 4827) Stenomutilla (s.str.) osellai Nonveiller,1994** (Mutillidae) Synonym(s): *osellai Nonveiller,1994* Range (in code): **TR 13 30**
- 4828) Trogaspidia catanensis (Rossi,1794)** (Mutillidae) Synonym(s): *catanensis Rossi,1794* Range (in code): **TR KG AM GR HV YU MK HU RO UA Cm RU IT Si DZ 16 25 25O**
- 4829) Tropidotilla grisescens (Lepeletier,1845)** (Mutillidae) Synonym(s): *grisescens Lepeletier,1845; litoralis sensu Özbek et al.,1999 nec Petagna,1787* Range (in code): **TR GR BG HV YU MK UA Cm IT Si FR DZ 11 24**
- 4830) Tropidotilla litoralis (Petagna,1787)** (Mutillidae) Synonym(s): *litoralis Petagna,1787* Range (in code): **TR GG AZ AM Cc TM Kp IR SY IL Pa GR BG HV YU MK AL BE CH AT HU CZ RO UA RU IT Sa Si FR ES PT MA DZ EG 08 11 12 17 19 24 25 29 30 36 38 12A 25A 25D 25E 25F 25K 25N 30B 36F 36Fb**
- 4831) Tropidotilla sareptana (André,1901)** (Mutillidae) Synonym(s): *sareptana André,1901* Range (in code): **TR Cc AZ AM GR MK RU 24 25 76 25O 76B**
- 4832) Tropidotilla semirufa (André,1893)** (Mutillidae) Synonym(s): *semirufa André,1893* Range (in code): **AM AZ Cc IR TR 12 12A**

Mymaridae

- 4833) Anagrus atomus (Linnaeus,1767)** (Mymaridae) Synonym(s): *atomus Linnaeus,1767* Range (in code): **TR**
- 4834) Anaphes diana (Girault,1911)** (Mymaridae) Synonym(s): *diana Girault,1911; lameerei Debauche,1948* Range (in code): **TR DZ AU AT BE BG CA FR DE GR Cr IT MD MA NZ RO ES SY GB US**
- 4835) Gonatocerus chrysis (Debauche,1948)** (Mymaridae) Synonym(s): *chrysis Debauche,1948; gracilentus Hellén,1974* Range (in code): **AR BE GR BG CA On CL FI FR GR Cr RO RU Sh ES SE TR GB US Tx**
- 4836) Gonatocerus litoralis (Haliday,1833)** (Mymaridae) Synonym(s): *litoralis Haliday,1833; radiculatus Ahlberg,1925; effusi Bakkendorf,1934; paludis Debauche,1948; rhacodes Debauche,1948; pulchellus Hellén,1974* Range (in code): **AR AT AU BE GR BG CL CZ DK FI DE GR Cr IE JP MK MX NL NO PL RO SK ES SE TR GB US YU**
- 4837) Gonatocerus longicornis (Nees ab Esenbeck,1834)** (Mymaridae) Synonym(s): *longicornis Nees ab Esenbeck,1834; terebrator Förster,1847; cicadellae Nikolskaya,1951; britteni Hincks,1960; longiventris Botoc,1963; uttarodeccanus Mani & Saraswat,1973* Range (in code): **AT BG CZ FI FR DE GR IN IT JP KK KP KR NL CN Ui RO RU Us SK SE TH TR GB**
- 4838) Gonatocerus longior Soyka,1946** (Mymaridae) Synonym(s): *longior Soyka,1946* Range (in code): **AT BG DE NL ES TR GB**
- 4839) Gonatocerus ovicenatus Leonhard & Crosby,1915** (Mymaridae) Synonym(s): *ovicenatus Leonhard & Crosby,1915; tremulae Bakkendorf,1934* Range (in code): **DK IR IT NL ES TR GB US Ny**
- 4840) Gonatocerus sulphuripes (Förster,1847)** (Mymaridae) Synonym(s): *sulphuripes Förster,1847; pictosimilis Soyka,1946; alecto Debauche,1948; crassipes Debauche,1948; synaptus Debauche,1948* Range (in code): **BE BG DK DE JP NO CN Ui PL RO ES SE TR GB**
- 4841) Gonatocerus thyrides (Debauche,1948)** (Mymaridae) Synonym(s): *thyrides Debauche,1948* Range (in code): **BE BG RO ES TR GB**
- 4842) Litus cynipseus Haliday,1833** (Mymaridae) Synonym(s): *cynipseus Haliday,1833; krygeri Kieffer,1913* Range (in code): **AT BE BG CA On CZ DK FI FR DE GR HU IT JP KK KP KR MX MD MA NP NL RO RU Us SS ES SE GB US Tx YU TR**
- 4843) Polynema fennicum Soyka,1946** (Mymaridae) Synonym(s): *fennicum Soyka,1946* Range (in code): **BG FI NL TR**

- 4844) Polynema fuscipes Haliday,1833** (Mymaridae) Synonym(s): *fuscipes Haliday,1833; elegans Förster,1841; pulla Förster,1847* _ Range (in code): BE BG CL DK DE GR NO SK SE TR GB
- 4845) Polynema laetum Förster,1847** (Mymaridae) Synonym(s): *laetum Förster,1847* _ Range (in code): DE RO TR
- 4846) Polynema ovulorum (Linnaeus,1758)** (Mymaridae) Synonym(s): *ovulorum Linnaeus,1758* _ Range (in code): AT BE BG FR DE GR Cr RO TR SE GB
- 4847) Polynema pusillum Haliday,1833** (Mymaridae) Synonym(s): *pusillum Haliday,1833* _ Range (in code): BG CZ DE NL RO TR GB
- 4848) Polynema tenue Soyka,1956** (Mymaridae) Synonym(s): *tenue Soyka,1956* _ Range (in code): PL RO TR
- 4849) Polynema valkenburgense Soyka,1931** (Mymaridae) Synonym(s): *valkenburgense Soyka,1931* _ Range (in code): BE BG CH NL GB TR RO SE
- 4850) Stephanodes similis (Förster,1847)** (Mymaridae) Synonym(s): *similis Förster,1847; elegans Enock,1909; enockii Girault,1911; psecas Girault,1912; isotoma Debauche,1949* _ Range (in code): AR AT BE BG CA Abt Yuk CV HV CY ZR DK FI FR DE GR Cr HU IT KK MK MD NO PY PL RO RU SS ES SE CH TM UA GB US TR

Ormyridae

- 4851) Ormyrus ardahanensis (Doğanlar,1991)** (Ormyridae) Synonym(s): *ardahanensis Doğanlar,1991; #ardhanensis Doğanlar,1991* _ Range (in code): TR 75 75A 75Aa
- 4852) Ormyrus bingoeliensis Doğanlar,1991** (Ormyridae) Synonym(s): *bingoeliensis Doğanlar,1991* _ Original reference: Ormyrus bingoeliensis Doğanlar,1991, Türk. ent. derg. 15 (1): 6-7, figs.6-10. Holotype ♀: Turkey, Bingöl, Genç 13 viii 1975 ex cynipid gall on Quercus (leg.Doğanlar) (MPPDT). Range (in code): TR 12 12B
- 4853) Ormyrus diffinis (Fonscolombe,1832)** (Ormyridae) Synonym(s): *diffinis Fonscolombe,1832; punctulatus Ratzeburg,1848* _ Range (in code): BG Cc HV CZ FR DE HU IL Pa KG MK MD RU Kc SK ES TJ TM UA YU TR 25 60
- 4854) Ormyrus graciosus (Förster,1860)** (Ormyridae) Synonym(s): *graciosus Förster,1860* _ Range (in code): AM AZ Cc GG BG CZ FI FR DE HU KG MK NL PL RU Ao SK ES SE CH TM UA GB UZ YU TR 01 25
- 4855) Ormyrus kazovaensis (Doğanlar,1991)** (Ormyridae) Synonym(s): *kazovaensis Doğanlar,1991* _ Range (in code): TR 60
- 4856) Ormyrus longicornis Boucek,1969** (Ormyridae) Synonym(s): *longicornis Boucek,1969* _ Range (in code): BG AZ Cc TR GG RU Da 01
- 4857) Ormyrus nitidulus (Fabricius,1804)** (Ormyridae) Synonym(s): *nitidulus Fabricius,1804; tubulosa Fonscolombe,1832; cyanostehus Walker,1847; gallaequercus Dufour,1864; chrysidiformis De Stefani,1868* _ Range (in code): DZ AT AZ B-H BG Cc HV CZ FR GG DE HU IT Si MK NL RO SK SS ES TR UA GB US YU 30 49 60 30C
- 4858) Ormyrus orientalis Walker,1871** (Ormyridae) Synonym(s): *orientalis Walker,1871; indicus Ahmad,1946; hungaricus Erdös,1946; peninsularis Mani & Kaul,1972; fredricki Narendran & Samodan,1990* _ Range (in code): Cn AF AZ BY BG Cc HV CZ FR GG DE GR HU TR IN Ben Up IR IQ IT MK MD PK RU Da Us SK ES LK TJ TM UA UZ YU
- 4859) Ormyrus rufimanus Mayr,1904** (Ormyridae) Synonym(s): *rufimanus Mayr,1904* _ AT BG FR DE HU CN PL RO RU ES SE UA AE TR 60
- 4860) Ormyrus tschami (Doğanlar,1991)** (Ormyridae) Synonym(s): *tschami Doğanlar,1991* _ Range (in code): TR 60
- 4861) Ormyrus wachtli Mayr,1904** (Ormyridae) Synonym(s): *wachtli Mayr,1904* _ Range (in code): AT BG HV CZ FR HU IT KG MD RO RU Ao Sb SK ES SE UA YU TR 60
- 4862) Ormyrus yeschilirmaka (Doğanlar,1991)** (Ormyridae) Synonym(s): *#yeschilirmaka Doğanlar,1991; yeschilirmaka Doğanlar,1991* _ Original reference: Cyrtosoma (Cyrtosoma) yeschilirmaka Doğanlar,1991, Türk. ent. derg. 15 (2): 74, 75 80-81, figs. Holotype ♀: Turkey, Tokat, Fidanlık, leg. H.Çam (CUTT). Range (in code): TR 60

Orussidae

- 4863) Mocsarya syriaca Benson,1936** (Orussidae) Synonym(s): *syriaca* Benson,1936 Original reference: Mocsarya syriaca Benson,1936, Proc. R. ent. Soc. London B5 (1): 2-3. Type: [Turkey]: Akbes. Range (in code): **GR TR 31 67 31M**
- 4864) Orussus abietinus (Scopoli,1763)** (Orussidae) Synonym(s): *abietinus* Scopoli,1763; *degener* Christ,1791; *vespertilio* Fabricius,1793; *coronatus* Fabricius,1798; *albopunctatus* Gimmerthal,1836 Range (in code): **CZ SY TR Cc YU DZ KG KP RU Us 33 48**
- 4865) Pseudoryssus henschii (Mocsary,1910)** (Orussidae) Synonym(s): *henschii* Mocsary,1910; *emanuelis* Guiglia,1956 Range (in code): **BG HV DE GR IT IQ Mos MA TR**

Pamphiliidae

- 4866) Acantholyda (Itycorsia) hieroglyphica (Christ,1791)** (Pamphiliidae) Synonym(s): *hieroglyphica* Christ,1791 Range (in code): **TR 06**
- 4867) Acantholyda (Itycorsia) fumata (Enslin,1910)** (Pamphiliidae) Synonym(s): *fumata* Enslin,1910 Original reference: Lyda (Itycorsia) fumata Enslin,1910, Dt. ent. Z. 1910: 317-318. Type: "Cilicischer Taurus". Range (in code): **TR 33**
- 4868) Neurotoma fausta (Klug,1808)** (Pamphiliidae) Synonym(s): *fausta* Klug,1808 Range (in code): **TR 16**
- 4869) Neurotoma saltuum (Linnaeus,1758)** (Pamphiliidae) Synonym(s): *saltuum* Linnaeus,1758 Range (in code): **TR 54**
- 4870) Neurotoma nemoralis (Linnaeus,1758)** (Pamphiliidae) Synonym(s): *nemoralis* Linnaeus,1758; *punctata* Fabricius,1798 *nec* Geoffr.,1785; *caprifolii* Schrank,1802; *lucorum* Fallén,1808; *drupacearum* Nördlinger,1855; *maculifrons* Snellen van Vollenhoven,1858 Range (in code): **SE DK DE IT HU RO Cc RU KG Sb TR 43**
- 4871) Kelidoptera maculipennis (J.P.E.F.Stein,1876)** (Pamphiliidae) Synonym(s): *maculipennis* J.P.E.F.Stein,1876 Range (in code): **TR 05 06 35**
- 4872) Pamphilius cilix Konow,1897** (Pamphiliidae) Synonym(s): *cilix* Konow,1897 Range (in code): **TR 01**
- 4873) Pamphilius sylvaticus (Linnaeus,1758)** (Pamphiliidae) Synonym(s): *sylvaticus* Linnaeus,1758 Range (in code): **TR 02**
- 4874) Pamphilius betulae (Linnaeus,1758)** (Pamphiliidae) Synonym(s): *betulae* Linnaeus,1758 Range (in code): **TR 26**
- 4875) Pseudocephaleia praeteritorum (Semenov,1934)** (Pamphiliidae) Synonym(s): *praeteritorum* Semenov,1934; *brachycerus* Zirngiebl,1937; *pseudoreticulata* Zombori,1967 Range (in code): **AL AZ Cc CN Ui HV HU IT RO TR 73 73D 73Df**

Perilampidae

- 4876) Chrysolampus thenae (Walker,1848)** (Perilampidae) Synonym(s): *thenae* Walker,1848; *obscurus* Walker,1874 Range (in code): **HV CZ FI FR HU KG MK MD NL PL RU Am Ao Sb SK ES SE UA GB TR YU**
- 4877) Chrysomalla roseri Förster,1859** (Perilampidae) Synonym(s): *roseri* Förster,1859 Range (in code): **TR AT AZ Cc CZ SK DE HU KG YU ES TJ UA RU**
- 4878) Chrysomalla stigmatica Boucek,1972** (Perilampidae) Synonym(s): *stigmatica* Boucek,1972 Range (in code): **TR BG JO**
- 4879) Chrysomalla turcica Boucek,1972** (Perilampidae) Synonym(s): *turcica* Boucek,1972 Range (in code): **TR**
- 4880) Perilampus aeneus (Rossius,1790)** (Perilampidae) Synonym(s): *aeneus* Rossius,1790; *italicus* Fabricius,1793 Range (in code): **TR B-H HV CZ SK DE HU IT MD NL RU Yr YU ES SE GB**
- 4881) Perilampus catilus (Argaman,1990)** (Perilampidae) Synonym(s): *catilus* Argaman,1990 Range (in code): **TR**

Platygastridae

- 4882) Baryconus graeffei (Kieffer,1908)** (Platygastridae) Synonym(s): *graeffei* Kieffer,1908 **FR GR ME TR**

Pompilidae

- 4883) Agenioideus apicalis (Van der Linden,1827)** (Pompilidae) Synonym(s): *apicalis* Van der Linden,1827 _ Range (in code): **TR 24 60 63 65**
- 4884) Agenioideus ciliatus (Lepeletier,1845)** (Pompilidae) Synonym(s): *ciliatus* Lepeletier,1845; *acrobates* Fertton,1911 Range (in code): **TR SY JO 05 25 36 42 50 51 58 60 63 65 69 76 58G 65B**
- 4885) Agenioideus cinctellus (Spinola,1808)** (Pompilidae) Synonym(s): *cinctellus* Spinola,1808 Range (in code): **TR 05 54**
- 4886) Agenioideus dichrous (Brullé,1840)** (Pompilidae) Synonym(s): *dichrous* Brullé,1840 Range (in code): **TR SY JO 07 25 47**
- 4887) Agenioideus excisus (Morawitz,1890)** (Pompilidae) Synonym(s): *excisus* Morawitz,1890; *emarginatus* Haupt Range (in code): **TR JO IQ IR 01 04 06 09 10 23 24 25 30 33 42 44 50 60 63 65**
- 4888) Agenioideus nubecula (Costa,1874)** (Pompilidae) Synonym(s): *nubecula* Costa,1874; *tristis* Priesner,1965 _ Range (in code): **TR 06 07 09 10 31 33 34 36 45 63 73 76**
- 4889) Agenioideus oasis (Haupt,1962)** (Pompilidae) Synonym(s): *oasis* Haupt,1962 _ Range (in code): **TR LY TN IL Pa ES Cn SY Hms 06**
- 4890) Agenioideus rhodosoma (Kohl,1886)** (Pompilidae) Synonym(s): *rhodosoma* Kohl,1886 Range (in code): **TR 33**
- 4891) Agenioideus ruficeps (Eversmann,1849)** (Pompilidae) Synonym(s): *ruficeps* Eversmann,1849 _ Range (in code): **TR 04 06 09 20 24 25 30 33 38 42 50 63 65 71 65L**
- 4892) Agenioideus rytiphorus (Kohl,1886)** (Pompilidae) Synonym(s): *rytiphorus* Kohl,1886 Range (in code): **TR SY Hms TM 07 20 25 38 42 45 46 59 76**
- 4893) Agenioideus sericeus (Van der Linden,1827)** (Pompilidae) Synonym(s): *sericeus* Van der Linden,1827 _ Range (in code): **TR JO 06 08 12 20 25 30 33 36 50 65 73 76**
- 4894) Agenioideus usurarius (Tournier,1889)** (Pompilidae) Synonym(s): *usurarius* Tournier,1889 _ Range (in code): **TR 06 08 24 25 33 50 73**
- 4895) Agenioideus vesanus (Kohl,1907)** (Pompilidae) Synonym(s): *vesanus* Kohl,1907 Range (in code): **TR SY Dms Hms JO YE 30 65 65F**
- 4896) Amblyellus hasdrubal (Kohl,1894)** (Pompilidae) Synonym(s): *hasdrubal* Kohl,1894 Range (in code): **TR 25 38 42 50 58 58G**
- 4897) Anoplius aeruginosus (Tournier,1890)** (Pompilidae) Synonym(s): *aeruginosus* Tournier,1890 _ Range (in code): **TR 50**
- 4898) Anoplius caviventris (Aurivillius,1907)** (Pompilidae) Synonym(s): *caviventris* Aurivillius,1907 _ Range (in code): **TR 30 30C**
- 4899) Anoplius concinnus (Dahlbom,1845)** (Pompilidae) Synonym(s): *concinnus* Dahlbom,1845 Range (in code): **TR 08 25 31 33 36 42 50 60 61 64 65 76**
- 4900) Anoplius infuscatus (Van der Linden,1827)** (Pompilidae) Synonym(s): *infuscatus* Van der Linden,1827; *meticulosus* Costa,1882 _ Range (in code): **TR 01 06 07 08 09 11 24 25 31 30 33 34 36 42 44 46 50 52 53 55 58 63 65 70 71 76 78 65N 65Ne**
- 4901) Anoplius nigerrimus (Scopoli,1763)** (Pompilidae) Synonym(s): *nigerrimus* Scopoli,1763 Range (in code): **TR AT SS HV 02 08 21 23 24 25 30 36 53 55 61 73 75 30C**
- 4902) Anoplius piliventris (Morawitz,1889)** (Pompilidae) Synonym(s): *piliventris* Morawitz,1889; *pannonicus sensu* Priesner,1967 _ Range (in code): **TR 33**
- 4903) Anoplius samariensis (Pallas,1771)** (Pompilidae) Synonym(s): *samariensis* Pallas,1771 Range (in code): **RU TR 01 04 06 24 25 30 33 36 38 42 50 51 58 65 69 58G 65B**
- 4904) Anoplius schlettereri (Radoszkowski,1888)** (Pompilidae) Synonym(s): *schlettereri* Radoszkowski,1888; *niger* Priesner,1967 _ Range (in code): **TR 04 12 16 24 25 27 33 34 42 44 65 69 70 73 04C 65C**
- 4905) Anoplius viaticus (Linnaeus,1758)** (Pompilidae) Synonym(s): *viaticus* Linnaeus,1758; *fusca* Linnaeus,1761; *paganus* Dahlbom,1843; *propinquus* SWmith,1879; *delatorius* Tournier,1890; *immixtus* Tournier,1890; *macrurus* Tournier,1890; *pleuropicus* Tournier,1890; *tibialis* Tournier,1890; *valesicus* Tournier,1890; *holomelas* Mantero,1905 Range (in code): **PT ES FR GB NO SE RU BY RO PL DK DE CZ SK AT CH HV IT Co Sa Si AL GR BG TR CY 02 05 06 07 08 11 12 13 16 21 22 23 24 25 30 31 32 33 34 35 36 38 39 42 43 46 50 51 53 55 58 60 63 64 65 69 76 80 13G 58G 65F 65Fp 65Fz 65N 65Ne**
- 4906) Anospilus orbitalis (Costa,1863)** (Pompilidae) Synonym(s): *orbitalis* Costa,1863 Range (in code): **TR 10 11 16 20 31 32 33 34 35 42 59**

- 4907) *Aporinellus moestus* (Klug,1834)** (Pompilidae) **Synonym(s):** *moestus* Klug,1834; *sericeomaculatus* Kohl,1888 **Range (in code):** [TR 06 24 25 31 38 42 44 50 63 76](#)
- 4908) *Aporinellus sexmaculatus* (Spinola,1805)** (Pompilidae) **Synonym(s):** *sexmaculatus* Spinola,1805; *asiaticus* Gussakovskii,1935 **Range (in code):** [TR 07 11 24 25 33 34 36 38 42 43 50 58 63 65 58G 65B](#)
- 4909) *Aporus bicolor* Spinola,1808** (Pompilidae) **Synonym(s):** *bicolor* Spinola,1808 **Range (in code):** [TR 07 30 33](#)
- 4910) *Aporus pollux* (Kohl,1888)** (Pompilidae) **Synonym(s):** *pollux* Kohl,1888 **Range (in code):** [TR 08 25 61](#)
- 4911) *Arachnospila anceps* (Wesmael,1851)** (Pompilidae) **Synonym(s):** *anceps* Wesmael,1851; *peninsulana* Wolf,1966 **Range (in code):** [TR 12 19 25 50 73](#)
- 4912) *Arachnospila angorana* (Wolf,1990)** (Pompilidae) **Synonym(s):** *angorana* Wolf,1990 **Range (in code):** [TR 06 23 42 06R](#)
- 4913) *Arachnospila ausa* (Tournier,1890)** (Pompilidae) **Synonym(s):** *ausa* Tournier,1890 **Range (in code):** [TR 16](#)
- 4914) *Arachnospila clericalis* (Morawitz,1889)** (Pompilidae) **Synonym(s):** *clericalis* Morawitz,1889 **Range (in code):** [TR 25 36 69](#)
- 4915) *Arachnospila colpostoma* (Kohl,1886)** (Pompilidae) **Synonym(s):** *colpostoma* Kohl,1886 **Range (in code):** [TR 16 25 58](#)
- 4916) *Arachnospila conjungens* (Kohl,1898)** (Pompilidae) **Synonym(s):** *conjungens* Kohl,1898 **Range (in code):** [TR 33](#)
- 4917) *Arachnospila consobrina* (Dahlbom,1843)** (Pompilidae) **Synonym(s):** *consobrina* Dahlbom,1843; *continentalis* Wolf,1966 **Range (in code):** [TR 25 36 42 73](#)
- 4918) *Arachnospila esau* (Kohl,1886)** (Pompilidae) **Synonym(s):** *esau* Kohl,1886; *vaucheri* Tournier,1890; *rufocincta* Haupt,1933 **Range (in code):** [TR 06 58 73 58G](#)
- 4919) *Arachnospila fumipennis* (Zetterstedt,1838)** (Pompilidae) **Synonym(s):** *fumipennis* Zetterstedt,1838 **Range (in code):** [TR 08 25 65 75](#)
- 4920) *Arachnospila fuscomarginata* (Thomson,1870)** (Pompilidae) **Synonym(s):** *fuscomarginata* Thomson,1870 **Range (in code):** [TR 25 36 42 60 69 75](#)
- 4921) *Arachnospila gibbomima* (Haupt,1929)** (Pompilidae) **Synonym(s):** *gibbomima* Haupt,1929 **Range (in code):** [TR 24 25 58 60 58G](#)
- 4922) *Arachnospila hedickei* (Haupt,1929)** (Pompilidae) **Synonym(s):** *hedickei* Haupt,1929 **Range (in code):** [TR 25 29 50 65](#)
- 4923) *Arachnospila holomelas* (Costa,1882)** (Pompilidae) **Synonym(s):** *holomelas* Costa,1882; *gymnesiae* Dalla Torre,1897; *dissona* Wahis,1974 **Range (in code):** [TR 01 38 73](#)
- 4924) *Arachnospila ionica* (Wolf,1964)** (Pompilidae) **Synonym(s):** *ionica* Wolf,1964 **Range (in code):** [TR 07 36 42 58 70 73](#)
- 4925) *Arachnospila minutula* (Dahlbom,1843)** (Pompilidae) **Synonym(s):** *minutula* Dahlbom,1843; *appeninurata* Wolf,1970 **Range (in code):** [TR 10 16 25 26 34 38 42 58 69 58G](#)
- 4926) *Arachnospila osmana* (Wolf,1999)** (Pompilidae) **Synonym(s):** *osmana* Wolf,1999 **Range (in code):** [TR 65 65B](#)
- 4927) *Arachnospila pamira* (Haupt,1930)** (Pompilidae) **Synonym(s):** *pamira* Haupt,1930 **Range (in code):** [TR TJ Pm 72 72E](#)
- 4928) *Arachnospila rufa* (Haupt,1927)** (Pompilidae) **Synonym(s):** *rufa* Haupt,1927 **Range (in code):** [TR 06 24 25 38 65 65B](#)
- 4929) *Arachnospila silvana* (Kohl,1886)** (Pompilidae) **Synonym(s):** *silvana* Kohl,1886 **Range (in code):** [TR 25](#)
- 4930) *Arachnospila sogdiana* (Morawitz,1893)** (Pompilidae) **Synonym(s):** *sogdiana* Morawitz,1893; *anatolica* Wolf,1966 **Range (in code):** [TR 06 25 30 33 35 42 64 70](#)
- 4931) *Arachnospila spissa* (Schioedte,1837)** (Pompilidae) **Synonym(s):** *spissa* Schioedte,1837 **Range (in code):** [TR 06 25 58 60 58G](#)
- 4932) *Arachnospila trivialis* (Dahlbom,1843)** (Pompilidae) **Synonym(s):** *trivialis* Dahlbom,1843; *insubrica* Wolf,1965 **Range (in code):** [TR 24 25 42 51 58 60 58G](#)
- 4933) *Arachnospila valesabnormis* (Wolf,1965)** (Pompilidae) **Synonym(s):** *valesabnormis* Wolf,1965; *?anatolica* Wolf,1966 **Range (in code):** [TR 06 25 69](#)
- 4934) *Arachnotheutes leucurus* (Morawitz,1891)** (Pompilidae) **Synonym(s):** *leucurus* Morawitz,1891 **Range (in code):** [TR](#)

- 4935) Arachnotheutes minor (Priesner,1955)** (Pompilidae) Synonym(s): *minor* Priesner,1955
Range (in code): **TR**
- 4936) Arachnotheutes rufithorax (Costa,1887)** (Pompilidae) Synonym(s): *rufithorax* Costa,1887
Range (in code): **TR 04 06 25 26 36 50 60**
- 4937) Arachnotheutes signatipennis (Klug,1834)** (Pompilidae) Synonym(s): *signatipennis* Klug,1834
Range (in code): **TR 06**
- 4938) Arachnotheutes squalidus (Haupt,1962)** (Pompilidae) Synonym(s): *squalidus* Haupt,1962
Range (in code): **TR 04 26 38**
- 4939) Arctoclavelia soikai Wolf,1966** (Pompilidae) Synonym(s): *soikai* Wolf,1966
Range (in code): **TR 06**
- 4940) Auplopus albifrons (Dalman,1823)** (Pompilidae) Synonym(s): *albifrons* Dalman,1823; *obscurus* Priesner,1967
Range (in code): **TR 04 06 13 24 25 33 46 50 69 13G**
- 4941) Auplopus carbonarius (Scopoli,1763)** (Pompilidae) Synonym(s): *carbonarius* Scopoli,1763
Range (in code): **TR HV SS 04 07 08 09 21 24 25 26 27 31 33 38 42 45 50 61 63 65 66**
- 4942) Auplopus rectus (Haupt,1927)** (Pompilidae) Synonym(s): *rectus* Haupt,1927; *ater* Haupt,1930
Range (in code): **TR 06 08 11 14 20 22 24 25 29 30 31 33 36 42 47 50 51 52 53 58 60 63 65 73 06R 58G 65B**
- 4943) Batozonellus lacerticida (Pallas,1771)** (Pompilidae) Synonym(s): *lacerticida* Pallas,1771
Range (in code): **TR 07 09 25 31 33 37 42 60 65 65F 65Fp 65Fz 65L**
- 4944) Caliadurgus fasciatellus (Spinola,1808)** (Pompilidae) Synonym(s): *fasciatellus* Spinola,1808
Range (in code): **TR 25 60 61**
- 4945) Ceropales albicincta (Rossi,1790)** (Pompilidae) Synonym(s): *albicincta* Rossi,1790; *wolff* Moczar,1978
Range (in code): **TR IT 01 04 06 11 23 24 25 30 33 36 42 55 58 65 66 58G**
- 4946) Ceropales bipartita Haupt,1962** (Pompilidae) Synonym(s): *bipartita* Haupt,1962; *flava* Moczar,1987
Range (in code): **TR 21 31 44**
- 4947) Ceropales bogdanovi Radoszkowski,1877** (Pompilidae) Synonym(s): *bogdanovi* Radoszkowski,1877
Range (in code): **TR**
- 4948) Ceropales cribrata Costa,1881** (Pompilidae) Synonym(s): *cribrata* Costa,1881
Range (in code): **TR 24 25 30 33 50 58 60 63 76 58G**
- 4949) Ceropales helvetica Tournier,1889** (Pompilidae) Synonym(s): *helvetica* Tournier,1889
Range (in code): **TR 06 07 08 30 31 33 36 42 44 50 51 65**
- 4950) Ceropales maculata (Fabricius,1775)** (Pompilidae) Synonym(s): *maculata* Fabricius,1775
Range (in code): **TR 08 24 25 36 60 69 75 76**
- 4951) Ceropales maroccana Beaumont,1947** (Pompilidae) Synonym(s): *maroccana* Beaumont,1947
Range (in code): **MA TR 63**
- 4952) Ceropales ruficornis Gussakowskii,1931** (Pompilidae) Synonym(s): *ruficornis* Gussakowskii,1931
Range (in code): **TR 06 63**
- 4953) Ceropales seraxensis Radoszkowski,1893** (Pompilidae) Synonym(s): *seraxensis* Radoszkowski,1893
Range (in code): **TR 63**
- 4954) Ceropales tectigera Moczar,1987** (Pompilidae) Synonym(s): *tectigera* Moczar,1987
Range (in code): **TR 35**
- 4955) Ceropales variegata (Fabricius,1798)** (Pompilidae) Synonym(s): *variegata* Fabricius,1798
Range (in code): **TR 11 15 25**
- 4956) Cryptocheilus albosignatus Sustera,1924** (Pompilidae) Synonym(s): *albosignatus* Sustera,1924
Range (in code): **TR 20 25 42 45 63 73**
- 4957) Cryptocheilus alternatus (Lepeletier,1845)** (Pompilidae) Synonym(s): *alternatus* Lepeletier,1845; *caspius* Gussakowskii,1952
Range (in code): **TR 06 24 30 35 38 42 45 50 51 58 63 65 78 58G 65F 65Fp 65Fz 65N 65Nb**
- 4958) Cryptocheilus bequaerti Sustera,1924** (Pompilidae) Synonym(s): *bequaerti* Sustera,1924
Range (in code): **TR 63**
- 4959) Cryptocheilus confinis Haupt,1926** (Pompilidae) Synonym(s): *confinis* Haupt,1926
Range (in code): **TR 06 07 27 47**
- 4960) Cryptocheilus discolor (Fabricius,1793)** (Pompilidae) Synonym(s): *discolor* Fabricius,1793
Range (in code): **TR 06 13 24 25 31 33 35 38 42 50 58 60 65 68 13G 58G 65K 65Kd 65Kg**
- 4961) Cryptocheilus egregius (Lepeletier,1845)** (Pompilidae) Synonym(s): *egregius* Lepeletier,1845
Range (in code): **TR 06 14 16 24 25 30 33 35 36 44 50 51 60 65 78 65H 65K 65Kc**

- 4962) *Cryptocheilus elegans* (Spinola,1806)** (Pompilidae) Synonym(s): *elegans* Spinola,1806
Range (in code): **TR**
- 4963) *Cryptocheilus exiguus* Sustera,1924** (Pompilidae) Synonym(s): *exiguus* Sustera,1924
Range (in code): **TR 02 17 31 33 42 58 65 58G 65F1**
- 4964) *Cryptocheilus fabricii* (Van der Linden,1827)** (Pompilidae) Synonym(s): *fabricii* Van der Linden,1827; *meridionalis* Junco,1943 _ Range (in code): **TR 06 08 13 25 30 32 34 36 42 44 50 58 60 65 13G 58G**
- 4965) *Cryptocheilus fischeri* (Spinola,1855)** (Pompilidae) Synonym(s): *fischeri* Spinola,1855
Range (in code): **TR 09 20 21 23 24 25 31 33 34 36 42 52 54 55 56 63 73**
- 4966) *Cryptocheilus freygessneri* (Kohl,1883)** (Pompilidae) Synonym(s): *freygessneri* Kohl,1883; *differens* Priesner,1967 _ Range (in code): **TR 25 31 42 69**
- 4967) *Cryptocheilus gazella* Haupt,1962** (Pompilidae) Synonym(s): *gazella* Haupt,1962
Range (in code): **TR 31 53**
- 4968) *Cryptocheilus guttulatus* (Costa,1887)** (Pompilidae) Synonym(s): *guttulatus* Costa,1887
Range (in code): **TR 11 25 33 47 58 63 70 80**
- 4969) *Cryptocheilus hebraeus* Sustera,1924** (Pompilidae) Synonym(s): *hebraeus* Sustera,1924
Range (in code): **TR 33 42 47 63**
- 4970) *Cryptocheilus ichneumonoides* (Costa,1874)** (Pompilidae) Synonym(s): *ichneumonoides* Costa,1874 _ Range (in code): **TR 01 04 06 07 09 15 17 31 33 42 43 45 48 64**
- 4971) *Cryptocheilus infumatus* (Palma,1869)** (Pompilidae) Synonym(s): *infumatus* Palma,1869 _ Range (in code): **TR 63**
- 4972) *Cryptocheilus manchurianus* Yasumatsu,1935** (Pompilidae) Synonym(s): *manchurianus* Yasumatsu,1935 _ Range (in code): **TR 08**
- 4973) *Cryptocheilus nigroferrugineus* (Sustera,1924)** (Pompilidae) Synonym(s): *nigroferrugineus* Sustera,1924 _ Range (in code): **TR 04**
- 4974) *Cryptocheilus notatus* (Rossi,1792)** (Pompilidae) Synonym(s): *notatus* Rossi,1792; *affinis* Van der Linden,1827; *melanius* Lepeletier,1845 _ Range (in code): **TR IT 04 06 08 13 24 25 30 33 36 38 45 50 58 63 75 13G 58G 75F**
- 4975) *Cryptocheilus octomaculatus* (Rossi,1790)** (Pompilidae) Synonym(s): *octomaculatus* Rossi,1790; *eatoni* Saunders,1901 _ Range (in code): **TR 01 04 06 11 20 23 25 31 34 35 46 47 49 50 62 65 76**
- 4976) *Cryptocheilus postscutellabus* Wolf,1998** (Pompilidae) Synonym(s): *postscutellabus* Wolf,1998 _ Range (in code): **TR 47**
- 4977) *Cryptocheilus propodeonitens* Wolf,1998** (Pompilidae) Synonym(s): *propodeonitens* Wolf,1998 _ Range (in code): **TR 36**
- 4978) *Cryptocheilus pseudonotatus* Sustera,1913** (Pompilidae) Synonym(s): *pseudonotatus* Sustera,1913 _ Range (in code): **TR 09 63 76**
- 4979) *Cryptocheilus richardsi* Moczar,1953** (Pompilidae) Synonym(s): *richardsi* Moczar,1953
Range (in code): **TR 25 30 36 63**
- 4980) *Cryptocheilus rubellus* (Eversmann,1846)** (Pompilidae) Synonym(s): *rubellus* Eversmann,1846 _ Range (in code): **TR RU 07 13 16 24 31 33 34 36 42 65 13G 65N 65Nb**
- 4981) *Cryptocheilus rufatus* Priesner,1967** (Pompilidae) Synonym(s): *rufatus* Priesner,1967
Range (in code): **TR 04 20 25 31 33 42 60 80**
- 4982) *Cryptocheilus stygium* Priesner,1967** (Pompilidae) Synonym(s): *stygium* Priesner,1967
Range (in code): **TR 24 31 50 65 76**
- 4983) *Cryptocheilus susterai* (Haupt,1930)** (Pompilidae) Synonym(s): *susterai* Haupt,1930
Range (in code): **TR 31 42**
- 4984) *Cryptocheilus tredecimmaculatus* Haupt,1962** (Pompilidae) Synonym(s): *tredecimmaculatus* Haupt,1962 _ Range (in code): **TR 26 31 38 42**
- 4985) *Cryptocheilus variabilis* (Rossi,1790)** (Pompilidae) Synonym(s): *variabilis* Rossi,1790; *nigripes* Priesner,1967 _ Range (in code): **TR 01 06 09 11 24 25 27 30 31 33 35 36 42 45 53 55 58 60 78 30C 58G**
- 4986) *Cryptocheilus variipennis* Sustera,1924** (Pompilidae) Synonym(s): *variipennis* Sustera,1924 _ Range (in code): **TR 01 07 09 14 25 26 33 42 48 50 51 60 63 65 65B**
- 4987) *Cryptocheilus versicolor* (Scopoli,1763)** (Pompilidae) Synonym(s): *versicolor* Scopoli,1763 _ Range (in code): **TR 07 20 25 34 42 44 46 52 55 58 76 46F**
- 4988) *Ctenagenia ozbeki* Wahis,2002** (Pompilidae) Synonym(s): *ozbeki* Wahis,2002 Original reference: Ctenagenia ozbeki Wahis,2002, Notes faun. Gembloux 49: 116-117, figs. Holotype ♀:

- Turkey: Adana Prov. Karakuz 1410m leg. O.Kaftanoğlu (Gembloux). Range (in code): **TR AF PK 01 31 32 33 35**
- 4989) Ctenagenia vespiformis (Klug,1834)** (Pompilidae) Synonym(s): *vespiformis* Klug,1834
Range (in code): **SY ET ER DZ CY EG GR IL Pa JO LB TR NE SA SD YE SO 07 35**
- 4990) Cyphononyx flavicornis (Fabricius,1793)** (Pompilidae) Synonym(s): *flavicornis* Fabricius,1793; *bretonii* Guérin-Meneville,1843 Range (in code): **TR 33**
- 4991) Dicyrtomellus argenteus Wahis,1982** (Pompilidae) Synonym(s): *argenteus* Wahis,1982
Range (in code): **TR 01 06 11 14 20 24 25 26 30 32 36 42 45 50 51 58 60 63 69 70 58G**
- 4992) Dicyrtomellus dubitabilis (Saunders,1901)** (Pompilidae) Synonym(s): *dubitabilis* Saunders,1901 Range (in code): **TR 36**
- 4993) Dicyrtomellus tomentosus (Priesner,1955)** (Pompilidae) Synonym(s): *tomentosus* Priesner,1955 Range (in code): **TR 47**
- 4994) Dipogon (Deuteragenia) variegatus (Linnaeus,1758)** (Pompilidae) Synonym(s): *variegatus* Linnaeus,1758; *erythropus* Kohl,1888 Range (in code): **TR 09 25 26 30 31 33 36 48 60 70**
- 4995) Dipogon sinan Wolf,1998** (Pompilidae) Synonym(s): *sinan* Wolf,1998 Range (in code): **TR 50 76**
- 4996) Elaphrosyron heinrichi Haupt,1930** (Pompilidae) Synonym(s): *heinrichi* Haupt,1930
Range (in code): **TR 73**
- 4997) Elaphrosyron paglianoi Wolf,1999** (Pompilidae) Synonym(s): *paglianoi* Wolf,1999
Range (in code): **TR 65 65Ge**
- 4998) Entomobora crassitarsis (Costa,1887)** (Pompilidae) Synonym(s): *crassitarsis* Costa,1887
Range (in code): **TR 09 34**
- 4999) Entomobora fuscipennis (Van der Linden,1827)** (Pompilidae) Synonym(s): *fuscipennis* Van der Linden,1827 Range (in code): **TR 35**
- 5000) Entomobora vomeriventris (Costa,1863)** (Pompilidae) Synonym(s): *vomeriventris* Costa,1863 Range (in code): **TR 07 09 10 11 16 33 34 35 45**
- 5001) Eoferreola anatolica Piesner,1973** (Pompilidae) Synonym(s): *anatolica* Piesner,1973
Range (in code): **TR HV FR GR IL Pa KG KK MK RU ES TM 13 20 25 31 33 36 38 42 51 65 69 70 76 13G 13Gw 36F 65B**
- 5002) Eoferreola anomala (Piesner,1955)** (Pompilidae) Synonym(s): *anomala* Piesner,1955
Range (in code): **TR 31**
- 5003) Eoferreola distincta (Smith,1855)** (Pompilidae) Synonym(s): *distincta* Smith,1855; *syraensis* Radoszkowski,1888; *schmidtii* Priesner,1973; *#cinerata* Priesner,1973 Range (in code): **DZ IT KG KK UZ TR EG Cr GR Rd AL IR Kz SY 09 25 32 42**
- 5004) Eoferreola erythraea (Pallas,1773)** (Pompilidae) Synonym(s): *erythraea* Pallas,1773; *sirdariensis* Radoszkowski,1889 Range (in code): **AM Cc IR TM Kp TR KK KG Uk RU Da 31**
- 5005) Eoferreola manticata (Pallas,1771)** (Pompilidae) Synonym(s): *manticata* Pallas,1771; *fasciatus* Eversmann,1849; *variabilis* Eversmann,1849 *nec* Ross.; *hellmanni* Eversmann,1849; *micans* Radoszkowski,1877; *caucasica* Radoszkowski,1889; *rossica* Radoszkowski,1889; *lichtensteini* Tournier,1895; *claripennis* Priesner,1966;... Range (in code): **MA DZ TN FR BG GR HU IT Si KG HV YU SS ES PT UA TR RU IL Pa EG JO LB SY Cc Da AZ IR TM Kp UZ 07 11 13 20 21 25 30 32 36 42 47 50 51 58 60 13G 13Gw 58G**
- 5006) Eoferreola rhombica (Christ,1791)** (Pompilidae) Synonym(s): *rhombica* Christ,1791; *coccineus* Fabricius,1804 Range (in code): **CH ES IT DE FR AT HU GR Cc TR 04 06 20 25 30 36 58 60 58G**
- 5007) Eoferreola thoracica (Rossi,1794)** (Pompilidae) Synonym(s): *thoracica* Rossi,1794
Range (in code): **TR 20 25 36**
- 5008) Episyron albonotatum (Van der Linden,1827)** (Pompilidae) Synonym(s): *albonotatum* Van der Linden,1827 Range (in code): **TR 06 08 20 24 25 31 34 36 44 58 60 76 58G**
- 5009) Episyron arrogans (Smith,1873)** (Pompilidae) Synonym(s): *arrogans* Smith,1873
Range (in code): **TR 34**
- 5010) Episyron candiotum Wahis,1966** (Pompilidae) Synonym(s): *candiotum* Wahis,1966
Range (in code): **TR 08 10 16 17 25 36 42 58 65 58G**
- 5011) Episyron coccineipes (Saunders,1904)** (Pompilidae) Synonym(s): *coccineipes* Saunders,1904 Range (in code): **TR 09 35**
- 5012) Episyron funerarium (Tournier,1889)** (Pompilidae) Synonym(s): *funerarium* Tournier,1889 Range (in code): **TR 60**
- 5013) Episyron gallicum (Tournier,1889)** (Pompilidae) Synonym(s): *gallicum* Tournier,1889; *intermedium* Haupt,1930 Range (in code): **TR 04 08 24 25 30 33 35 36 42 43 48 50 52 58 65 58G**

- 5014) *Episyrion rufipes* (Linnaeus,1758)** (Pompilidae) Synonym(s): *rufipes* Linnaeus,1758
Range (in code): **TR 07 08 09 10 17 25 33 34 35 36 41 43 46 50 55 58 60 6575 65E**
- 5015) *Evagetes anatolicus* Van der Smissen,2003** (Pompilidae) Synonym(s): *anatolicus* Van der Smissen,2003
Range (in code): **TR 04 25 58 04C 25C 58G**
- 5016) *Evagetes crassicornis* (Shuckard,1837)** (Pompilidae) Synonym(s): *crassicornis* Shuckard,1837; *intermedius* Schenck,1857
Range (in code): **AL BE DK DE FI FR GR GB IE IT KK MA NL NO AT PL RU SE CH ES CZ TR 08**
- 5017) *Evagetes dubius* (Van der Linden,1827)** (Pompilidae) Synonym(s): *dubius* Van der Linden,1827; *obscurodubius* Wolf & Diniz,1970
Range (in code): **TR GB ES FR BE NL SE FI DK DE PL CH AT CZ SK HU IT Co Sa Si SS BG GR CY TM 04 07 08 24 25 30 33 36 38 42 43 58 60 65 69 70 58G**
- 5018) *Evagetes elongatus* Lepeletier,1845** (Pompilidae) Synonym(s): *elongatus* Lepeletier,1845; *infernalis* Wolf,1970
Range (in code): **CY PT ES FR CH AT IT Co MA DZ TN HV HU BG GR GG Cc RU TR 20 30 31 33 42**
- 5019) *Evagetes fabrei* Van der Smissen,2003** (Pompilidae) Synonym(s): *fabrei* Smissen,2003
Range (in code): **TR IR Elb Th TM Kp 30 42 70 30D**
- 5020) *Evagetes gibbulus* Lepeletier,1845** (Pompilidae) Synonym(s): *gibbulus* Lepeletier,1845
Range (in code): **TR BE BG DE FI FR IT YU KG NL AT PL RU SE CH SK CZ UA HU 65**
- 5021) *Evagetes gusenleitneri* Wolf,1988** (Pompilidae) Synonym(s): *gusenleitneri* Wolf,1988
Range (in code): **TR 25 42 58 58G**
- 5022) *Evagetes iconionus* Wolf,1970** (Pompilidae) Synonym(s): *iconionus* Wolf,1970
Range (in code): **TR BG CN DE GG Cc IT KG KK MA AT RU SK SS HU 42**
- 5023) *Evagetes pauli* Haupt,1941** (Pompilidae) Synonym(s): *pauli* Haupt,1941
Range (in code): **TR 06**
- 5024) *Evagetes paulinus* Wolf,1970** (Pompilidae) Synonym(s): *paulinus* Wolf,1970
Range (in code): **TR 33**
- 5025) *Evagetes pectinipes* (Linnaeus,1758)** (Pompilidae) Synonym(s): *pectinipes* Linnaeus,1758; *trispinosus* Kohl,1886; *mediterraneus* Wolf,1970
Range (in code): **DZ BE BG DK DE FI FR GR GB IT KG KK HV NL AT PL PT RU SE CH SK ES CZ HU UZ Cr Rd Sa Si CY Co TR 06 08 13 16 25 26 30 31 33 34 42 52 58 60 63 64 73 13G 58G**
- 5026) *Evagetes pontomoravicus* (Sustera,1938)** (Pompilidae) Synonym(s): *pontomoravicus* Sustera,1938; *schwarzi* Priesner,1965; *mauromoustakisi* Wolf,1970
Range (in code): **TR BG GR KG RU SK HU CY TM Cr Kp 25 30 33 42 44 50 58 65 70 73 58G 65C**
- 5027) *Evagetes proximus* (Dahlbom,1843)** (Pompilidae) Synonym(s): *proximus* Dahlbom,1843
Range (in code): **BE DK DE FR GR IR IT NL NO AT PL RU SE CH CZ UA TR 06 07 25 75**
- 5028) *Evagetes siculus* (Lepeletier,1845)** (Pompilidae) Synonym(s): *siculus* Lepeletier,1845; *seitzi* Haupt,1927; *villicus* Tournier,1969
Range (in code): **DZ BE DE FR GR GB IL Pa IT HV MT MA NL AT PL PT CH ES HU CY TR 06 25 30 36 50 78**
- 5029) *Evagetes tumidosus* (Tournier,1890)** (Pompilidae) Synonym(s): *tumidosus* Tournier,1890; *lusaticus* Blüthgen,1944; *sinuatus* Haupt,1969; *tumidinus* Wolf,1970
Range (in code): **BE DE FR PT ES TR 06 13 14 20 25 30 31 33 34 42 44 50 58 60 63 65 13G 58G**
- 5030) *Ferreola diffinis* (Lepeletier,1845)** (Pompilidae) Synonym(s): *diffinis* Lepeletier,1845
Range (in code): **TR 25 80**
- 5031) *Ferreola dimidiata* (Van der Linden,1827)** (Pompilidae) Synonym(s): *dimidiata* Van der Linden,1827
Range (in code): **TR 31**
- 5032) *Ferreola sagax* (Kohl,1886)** (Pompilidae) Synonym(s): *sagax* Kohl,1886
Range (in code): **TR 31**
- 5033) *Hemipepsis brunnea* (Klug,1834)** (Pompilidae) Synonym(s): *brunnea* Klug,1834
Range (in code): **TR 01 35 63**
- 5034) *Hemipepsis mauritanica* (Linnaeus,1767)** (Pompilidae) Synonym(s): *mauritanica* Linnaeus,1767; *barbara* Lepeletier,1845
Range (in code): **DZ TR 31**
- 5035) *Homonotus sanguinolentus* (Fabricius,1793)** (Pompilidae) Synonym(s): *sanguinolentus* Fabricius,1793
Range (in code): **TR 09 11 13 24 25 33 44 50 63 70**
- 5036) *Microphadnus insperatus* Priesner,1967** (Pompilidae) Synonym(s): *insperatus* Priesner,1967
Range (in code): **TR IL Pa 31 42 63**
- 5037) *Microphadnus pumilus* (Costa,1882)** (Pompilidae) Synonym(s): *pumilus* Costa,1882
Range (in code): **PT ES FR MT GR Rd CY IT TR IL Pa EG EG39 TN Sfx MA TJ AF Hr MN 31 33 42 63**
- 5038) *Nanoclavelia leucoptera* (Dahlbom,1845)** (Pompilidae) Synonym(s): *leucoptera* Dahlbom,1845
Range (in code): **TR 24 50 58 60 68 58G**

- 5039) *Pedinpompilus atatuerki* (Wolf,1960)** (Pompilidae) Synonym(s): *atatuerki* Wolf,1960
Range (in code): **TR 31**
- 5040) *Pedinpompilus obscurus* (Haupt,1962)** (Pompilidae) Synonym(s): *obscurus* Haupt,1962
Range (in code): **TR 42**
- 5041) *Pedinpompilus orbitalis* (Haupt,1962)** (Pompilidae) Synonym(s): *orbitalis* Haupt,1962
Range (in code): **TR 06 33 42 43 70 71**
- 5042) *Pedinpompilus paulinus* (Wolf,1960)** (Pompilidae) Synonym(s): *paulinus* Wolf,1960
Range (in code): **TR 33**
- 5043) *Pedinpompilus wolffi* (Priesner,1965)** (Pompilidae) Synonym(s): *wolffi* Priesner,1965
Range (in code): **TR 25 26 42 43 56 63 71**
- 5044) *Podagenia crassipes* Priesner,1973** (Pompilidae) Synonym(s): *crassipes* Priesner,1973
Original reference: *Podagenia crassipes* Priesner,1973, NachrBl. bayer. Ent. 22 (6): 106-108.
Holotype ♂: Anatolien: Urfa, 1 6 1968 leg. Gusenleitner. Range (in code): **TR 25 60 63 73**
- 5045) *Podagenia* Priesner,1973** (Pompilidae) Synonym(s): *Podagenia* Priesner,1973 Original reference: *Podagenia* Priesner,1973, NachrBl. bayer. Ent. 22 (6): 106. Type-species: *Podagenia crassipes* Priesner,1973, by monotypy. Range (in code): **TR**
- 5046) *Poecilagenia* Haupt,1926** (Pompilidae) Synonym(s): *Poecilagenia* Haupt,1926 Range (in code): **TR**
- 5047) *Poecilagenia sculpturata* (Kohl,1898)** (Pompilidae) Synonym(s): *sculpturata* Kohl,1898
Range (in code): **TR 53**
- 5048) *Pompilus cinereus* (Fabricius,1787)** (Pompilidae) Synonym(s): *cinereus* Fabricius,1787
Range (in code): **TR 07 09 10 33 34 36 56 57 65 65C**
- 5049) *Priocnemis agilis* (Shuckard,1837)** (Pompilidae) Synonym(s): *agilis* Shuckard,1837; *obtusiventris* Schioedte,1837; *fraterculus* Junco,1946; *moravicus* Wolf,1963; *stigmaticus* Wolf,1963; *subalpinus* Wolf,1963 Range (in code): **DE TR 64 76**
- 5050) *Priocnemis coriacea* Dahlbom,1843** (Pompilidae) Synonym(s): *coriacea* Dahlbom,1843
Range (in code): **TR 25 30 33 44 45 70 80**
- 5051) *Priocnemis costai* Costa,1887** (Pompilidae) Synonym(s): *costai* Costa,1887 Range (in code): **TR**
- 5052) *Priocnemis diversa* Junco,1946** (Pompilidae) Synonym(s): *diversa* Junco,1946 Range (in code): **TR 09 33 42 63**
- 5053) *Priocnemis enslini* Haupt,1927** (Pompilidae) Synonym(s): *enslini* Haupt,1927; *anatolica* Wolf,1963 Range (in code): **DE TR 38**
- 5054) *Priocnemis exaltata* (Fabricius,1775)** (Pompilidae) Synonym(s): *exaltata* Fabricius,1775; *longicornis* Haupt,1927 Range (in code): **DE TR 25 75**
- 5055) *Priocnemis fahringeri* Wolf,1963** (Pompilidae) Synonym(s): *fahringeri* Wolf,1963
Range (in code): **TR 01 07 25 34 35**
- 5056) *Priocnemis fallax* Verhoeff,1892** (Pompilidae) Synonym(s): *fallax* Verhoeff,1892
Range (in code): **TR 06 07 09 13 14 24 25 30 32 33 34 36 42 43 45 55 60 73 06R 13G 30C**
- 5057) *Priocnemis fastigiata* Haupt,1934** (Pompilidae) Synonym(s): *fastigiata* Haupt,1934
Range (in code): **TR 25 31 42 55**
- 5058) *Priocnemis fennica* Haupt,1927** (Pompilidae) Synonym(s): *DE fennica* Haupt,1927
Range (in code): **TR 25**
- 5059) *Priocnemis gracilis* Haupt,1927** (Pompilidae) Synonym(s): *gracilis* Haupt,1927 Range (in code): **TR 31 55 58 76 58G**
- 5060) *Priocnemis hankoi* Moczar,1944** (Pompilidae) Synonym(s): *hankoi* Moczar,1944; *trigeminus* Blüthgen,1944 Range (in code): **DE TR 25**
- 5061) *Priocnemis hyalinata* Fabricius,1793** (Pompilidae) Synonym(s): *hyalinata* Fabricius,1793
Range (in code): **DE TR 05**
- 5062) *Priocnemis massaliensis* Soyer,1945** (Pompilidae) Synonym(s): *massaliensis* Soyer,1945
Range (in code): **TR 06 06R**
- 5063) *Priocnemis minuta* (Van der Linden,1827)** (Pompilidae) Synonym(s): *minuta* Van der Linden,1827; *italica* Haupt,1934 Range (in code): **TR 07 11 25 30 31 32 33 36 42 46 50 58 63 70 76 46F**
- 5064) *Priocnemis parvula* Dahlbom,1845** (Pompilidae) Synonym(s): *parvula* Dahlbom,1845
Range (in code): **DE TR 25 33 55 70**

- 5065) Priocnemis perturbator (Harris,1776)** (Pompilidae) Synonym(s): *perturbator* Harris,1776; *serripes* Dahlbom,1829; *ambulator* Lepeletier,1845; *sepicola* F.Smith,1851; *galatica* Wolf,1963; *ater* Wolf,1963 _ Range (in code): **DE TR 34 53 77**
- 5066) Priocnemis pillichi Priesner,1960** (Pompilidae) Synonym(s): *pillichi* Priesner,1960; *maura* Wolf & Diniz,1970 _ Range (in code): **TR 25 73**
- 5067) Priocnemis propinqua (Lepeletier,1847)** (Pompilidae) Synonym(s): *propinqua* Lepeletier,1847 _ Range (in code): **TR 06 07 33 42 46 63**
- 5068) Priocnemis pusilla (Schioedte,1837)** (Pompilidae) Synonym(s): *pusilla* Schioedte,1837 _ Range (in code): **DE TR 25 36**
- 5069) Priocnemis rugosa Sustera,1922** (Pompilidae) Synonym(s): *rugosa* Sustera,1922 _ Range (in code): **TR 15 32 34**
- 5070) Priocnemis schioedtei Haupt,1926** (Pompilidae) Synonym(s): *schioedtei* Haupt,1926 _ Range (in code): **TR 25 31 36**
- 5071) Priocnemis sulci Balthasar,1943** (Pompilidae) Synonym(s): *sulci* Balthasar,1943; *cirrata* Haupt,1962 _ Range (in code): **TR 05 30 33 36**
- 5072) Priocnemis vulgaris (Dufour,1841)** (Pompilidae) Synonym(s): *vulgaris* Dufour,1841 _ Range (in code): **TR 01 07 08 13 14 15 24 25 34 36 42 50 53 58 65 73 13A 36F 58G**
- 5073) Pseudopompilus humboldti (Dahlbom,1845)** (Pompilidae) Synonym(s): *humboldti* Dahlbom,1845 _ Range (in code): **TR 24**
- 5074) Schistonox modestus Priesner,1967** (Pompilidae) Synonym(s): *modestus* Priesner,1967 _ Range (in code): **TR 33**
- 5075) Tachyagetes aegyptiacus (Priesner,1955)** (Pompilidae) Synonym(s): *aegyptiacus* Priesner,1955 _ Range (in code): **TR 13 34 42 50 58 63 58G**
- 5076) Tachyagetes alicantus Wolf,1987** (Pompilidae) Synonym(s): *allicantus* Wolf,1987 _ Range (in code): **TR 50**
- 5077) Tachyagetes bytinskii Haupt,1962** (Pompilidae) Synonym(s): *bytinskii* Haupt,1962 _ Range (in code): **TR 43 50 58 65 76 58G**
- 5078) Tachyagetes exortivus Wolf,1987** (Pompilidae) Synonym(s): *exortivus* Wolf,1987 _ Range (in code): **TR 25 33 42 58 63 58G**
- 5079) Tachyagetes filicornis (Tornier,1890)** (Pompilidae) Synonym(s): *filicornis* Tornier,1890; *rubescens* Haupt,1929; *funebri* Priesner,1965; *graecus* Priesner,1965 _ Range (in code): **TR 04 06 13 20 22 25 31 33 34 38 42 43 44 45 50 55 58 61 63 13G 58G**
- 5080) Tachyagetes furvescens Wahis,1970** (Pompilidae) Synonym(s): *furvescens* Wahis,1970 _ Range (in code): **TR 45**
- 5081) Tachyagetes gusenleitneri (Priesner,1973)** (Pompilidae) Synonym(s): *gusenleitneri* Priesner,1973 _ Original reference: Epagetes gusenleitneri Priesner,1973, NachrBl. bayer. Ent. 22 (6): 108-109. Holotype ♂: Anatolien: Mut, 6 Juni 1968, leg. Gusenleitner. Range (in code): **TR 33 33O**
- 5082) Tachyagetes kebdanus Wolf,1987** (Pompilidae) Synonym(s): *kebdanus* Wolf,1987 _ Range (in code): **TR 42**
- 5083) Tachyagetes konyanus Wolf,1987** (Pompilidae) Synonym(s): *konyanus* Wolf,1987 _ Range (in code): **TR 19 42 65**
- 5084) Tachyagetes kurdasi Priesner,1965** (Pompilidae) Synonym(s): *kurdasi* Priesner,1965 _ Range (in code): **TR 14 25 34**
- 5085) Tachyagetes leucocnemis Haupt,1930** (Pompilidae) Synonym(s): *leucocnemis* Haupt,1930 _ Range (in code): **TR 06 24 25 31 33 36 42 62 63**
- 5086) Tachyagetes navalperalus Wolf,1987** (Pompilidae) Synonym(s): *navalperalus* Wolf,1987 _ Range (in code): **TR 25**
- 5087) Tachyagetes nomadaschwarzi Wolf,1987** (Pompilidae) Synonym(s): *nomadaschwarzi* Wolf,1987 _ Range (in code): **TR 73**
- 5088) Tachyagetes turcoturanicus Wolf,1986** (Pompilidae) Synonym(s): *turcoturanicus* Wolf,1986 _ Range (in code): **TR 24 42 50 58 65 58G 65C**
- 5089) Telostegus cretensis Priesner,1965** (Pompilidae) Synonym(s): *cretensis* Priesner,1965 _ Range (in code): **Gr Cr TR 50 65 65B**
- 5090) Telostegus excisus (Haupt,1930)** (Pompilidae) Synonym(s): *excisus* Haupt,1930 _ Range (in code): **TR 42 58 65 58G 65C**
- 5091) Telostegus fumigatus (Klug,1834)** (Pompilidae) Synonym(s): *fumigatus* Klug,1834 _ Range (in code): **TR 11 13 16 26 42 44 50 65 76 13G 65C**

- 5092) *Telostegus imitator* Priesner,1955** (Pompilidae) Synonym(s): *imitator* Priesner,1955
Range (in code): **TR 50**
- 5093) *Telostegus inermis* (Brullé,1832)** (Pompilidae) Synonym(s): *inermis* Brullé,1832; *ater* Haupt,1930
Range (in code): **TR 04 06 07 08 09 13 20 24 25 33 35 36 38 42 44 45 50 51 58 65 73 76 13G 58G 65C**
- 5094) *Xenaporus schmidtii* Priesner,1967** (Pompilidae) Synonym(s): *schmidtii* Priesner,1967
Range (in code): **TR PT GR Rd CY TN EG IL Pa JO KG 31 33 36 47 50**

Pteromalidae

- 5095) *Anisopteromalus calandrae* (Howard,1881)** (Pteromalidae) Synonym(s): *calandrae* Howard,1881; *oryzae* Cameron,1891; *vandinei* Tucker,1910; *mollis* Ruschka,1912; *pratti* Crawford,1913; *medius* Masi,1917; *mamezophagus* Ishii & Nagasawa,1942; *brasiliensis* Domenichini,1951
Range (in code): **AR AU QAU WAU AT BD BE TR BM BO BW BR Spa BF CO CU CZ SK EG SV FR DE GR GY Hw HU IN Hp Ben Rj Ker ID Ja BliIR IQ IL Pa IT JM JP KG KE KP KR Md MW MY MU ME MD MA MM NZ NG PK PG PE PT PR RO RU SA SC SK SB SE CH SY TW TZ TH TG GB US Arz Cf Fl Nje Ny Tx Ore NMx Knt De Kan Iln Lou NCa SCa Vi VE YU**
- 5096) *Arthrolytus discoideus* (Nees ab Esenbeck,1834)** (Pteromalidae) Synonym(s): *discoideus* Nees ab Esenbeck,1834; *artembares* Walker,1839; *punctatus* C.G.Thomson,1878
Range (in code): **TR 25**
- 5097) *Asaphes suspensus* (Nees ab Esenbeck,1834)** (Pteromalidae) Synonym(s): *suspensus* Nees ab Esenbeck,1834; *altiventris* Nees ab Esenbeck,1834; *petioliventris* Zetterstedt,1838; *aphidicola* Rondani,1848; *lucens* Provancher,1887; *fletcheri* Crawford,1909; *rufipes* Brues,1909; *huebrichi* Brethes,1913; *americana* Girault,1914; *bonariensis* Brethes,1916; *sawraji* Sharma & Subba Rao,1959; *uniarticulata* Mani & Saraswat,1974
Range (in code): **AR BE BR CA BCo On Qb Cn CL HV CZ FR DE IN Ch Hp Pj Up IR IL Pa IT JP KG KK KP KR MX MA NP NL NO PK TR CN Fkn Mc Hon Hun She Sz Ui Ti Yu PL PT RO RU SK ES SE CH UA GB US Cf Fl Knt Cnt Ny Msc Tx Vi Oh Ok Wc YU 01 24 25**
- 5098) *Asaphes vulgaris* Walker,1834** (Pteromalidae) Synonym(s): *vulgaris* Walker,1834; *aenea* Nees ab Esenbeck,1834; *aphidophila* Rondani,1848
Range (in code): **AR DZ AM Cc AU TA AT BE BR CA BCo On CL HV CZ FI FR DE GR HU IS IN Meg Up GrI IT Sa KG KK KR LT MK MD MA NP NL NO PK TR CN Sz Ti Yu PL PT RO RU SK SS ES SE CH TM UA GB US Cf Kan Msc Nje NMx Oh Vi UZ YU 01 06**
- 5099) *Caenocrepis arenicola* (Thomson,1878)** (Pteromalidae) Synonym(s): *arenicola* Thomson,1878
Range (in code): **TR AT AZ Cc HV CZ FR GG GR HU KG MD RO SK ES SE RU YU**
- 5100) *Caenocrepis bothynoderi* (Gromakov,1940)** (Pteromalidae) Synonym(s): *bothynoderi* Gromakov,1940
Range (in code): **TR AZ Cc IR KK KG RU UA**
- 5101) *Catolaccus ater* (Ratzeburg,1852)** (Pteromalidae) Synonym(s): *ater* Ratzeburg,1852; *cavigena* Thomson,1878
Range (in code): **TR AM AT Cc Cn HV CZ FR DE HU IT KG KK MD PL RO RU Sb SK ES SE TM UA GB YU**
- 5102) *Cea pulicaris* Walker,1837** (Pteromalidae) Synonym(s): *pulicaris* Walker,1837; *irene* Walker,1851
Range (in code): **DE TR DZ CZ IT MD RO RU ES SE GB 24**
- 5103) *Cheiopachus quadrum* (Fabricius,1787)** (Pteromalidae) Synonym(s): *quadrum* Fabricius,1787; *bimaculatus* Fabricius,1787; *maculipennis* Curtis,1827; *binaevius* Ratzeburg,1844; *bicaliginosus* Ratzeburg,1844; *fraxini* Ratzeburg,1844; *binimbatus* Ratzeburg,1844
Range (in code): **TR AR AM AT Cc BE B-H CA Abt BCo On Cn CL HV CZ EG FR HU DE IN Hp Ch IR IL Pa IT Sa KG KK LB MK MD MA NL NO PK CN Gn Pkn Mc IMn Ui PL RO RU Mo SK SS ES SE CH TN TM UA GB YU US Cf**
- 5104) *Chlorocytus diversus* (Walker,1836)** (Pteromalidae) Synonym(s): *diversus* Walker,1836; *rhytium* Walker,1848; *sybritia* Walker,1848; *laeviusculus* Thomson,1878
Range (in code): **TR HV YU FR DE KG KK NL SK ES SE GB UZ**
- 5105) *Chlorocytus phalaridis* Graham,1965** (Pteromalidae) Synonym(s): *phalaridis* Graham,1965
Range (in code): **TR BE CZ DE KG NL CN Ts GB**
- 5106) *Chlorocytus ultonicus* Graham,1965** (Pteromalidae) Synonym(s): *ultonicus* Graham,1965
Range (in code): **TR DE NL SE GB**
- 5107) *Coelopisthia caledonica* Askew,1980** (Pteromalidae) Synonym(s): *caledonica* Askew,1980
Range (in code): **FI SE CH GB TR**
- 5108) *Colotrechnus subcoeruleus* Thomson,1878** (Pteromalidae) Synonym(s): *subcoeruleus* Thomson,1878
Range (in code): **FR DE HU IN IT KG MD MK RO SK ES SE Cc GB YU TR 24**
- 5109) *Colotrechnus viridis* (Masi,1921)** (Pteromalidae) Synonym(s): *viridis* Masi,1921
Range (in code): **TR AZ Cc Cn HV CZ SK HU KG LY LV MD RO SK ES TM RU UZ 01 25**

- 5110) Conomorium patulum (Walker,1835)** (Pteromalidae) **Synonym(s):** *patulum* Walker,1835; *vitripennis* Thomson,1878 **Range (in code):** **TR AM Cc Cn HV CZ SK EG FI FR DE GR HU IR IT Sa Si JP KG KP KR MK MD MA RU Ro SK ES SE CH TM UA GB RU YU 25**
- 5111) Conomorium pityocampae Graham,1992** (Pteromalidae) **Synonym(s):** *pityocampae* Graham,1992 **Range (in code):** **TR HV CY FR Co GR IT SS ES SE YU**
- 5112) Cyrtogaster vulgaris Walker,1833** (Pteromalidae) **Synonym(s):** *vulgaris* Walker,1833; *cingulipes* Walker,1833; *rufipes* Walker,1833; *tenuis* Walker,1833; *thoracica* Walker,1833; *viridiaeneus* Nees,1834; *aquisgranensis* Förster,1841; *acarnas* Walker,1848; *degener* Walker,1872 **Range (in code):** **AT AZ Cc Az BE CA BCo On Cn HV CZ FR DE HU IS TR IR IT KG LT LV Md MD MA NL NO RO RU SK ES SE CH GB US YU 24**
- 5113) Cyrtotypx latipes (Rondani,1874)** (Pteromalidae) **Synonym(s):** *latipes* Rondani,1874; *dacicida* Masi,1907; *virescens* Masi,1908; *lesbiacus* Masi,1922; *albicus* Masi,1934 **Range (in code):** **AZ Cc HV CY EG ER GR IN IT Si KG LB LY PK CN ES SY YU TR**
- 5114) Cyrtotypx robustus (Masi,1907)** (Pteromalidae) **Synonym(s):** *robustus* Masi,1907 **Range (in code):** **IT SE HV TR 12 12B**
- 5115) Dibrachoides dynastes (Förster,1841)** (Pteromalidae) **Synonym(s):** *dynastes* Förster,1841; *transversus* Förster,1841; *acutus* Thomson,1878 **Range (in code):** **TR BE CZ Cc HV CZ SK FR DE HU IT IR KG KK MK MD MA NL RO RU Or SK ES SE GB US Cf Ut YU 25**
- 5116) Dibrachys affinis Masi,1907** (Pteromalidae) **Synonym(s):** *affinis* Masi,1907 **Range (in code):** **DZ AT BG CZ SK FR DE GR HU IT MA NL PT RO ES CH UA YU GB TR**
- 5117) Dibrachys microgastri (Bouché,1834)** (Pteromalidae) **Synonym(s):** *microgastri* Bouché,1834; *cavus* Walker,1835; *decedens* Walker,1835; *perversus* Walker,1835; *boucheanus* Ratzeburg,1844; *zelleri* Ratzeburg,1848; *vesparum* Ratzeburg,1852; *boarmiae* Walker,1863; *nigrocyanus* Norton,1869; *apatelae* Ashmead,1893; *pimplae* Ashmead,1893.. **Range (in code):** **TR AF DZ AR AU AT BY BE B-H BR BG CA BCo Abt On CL HV CY CZ SK DK EG ER FI FR DE GR HU IN Hp Ch IT IR Sa Si KG JP KK KP KR MX MD MA NL NZ PK CN Gn She PE PL PT RO RU SK ZA ES CH SY TJ TN TM UA GB US Als Arz Cf Col FI NMx Nje Ny Tx Ut UA Sb YU UZ**
- 5118) Dibrachys palandoekenus Doğanlar,1987** (Pteromalidae) **Synonym(s):** *palandoekenus* Doğanlar,1987 **Range (in code):** **TR 25**
- 5119) Dinarmus acutus (Thomson,1878)** (Pteromalidae) **Synonym(s):** *robustus* Walker,1847; *acutus* Thomson,1878; *kollari* Dalla Torre,1898; *mayri* Masi,1924; *arachnephaga* Risbec,1951 **Range (in code):** **TR DZ AT BE BG CA Cc HV CZ FR GM DE GR HU IN IR IQ IL Pa IT CI KG MK MT MD MA NL RO SN SK ES LK SE CH RU GB US Nje YU**
- 5120) Dinarmus italicus (Masi,1922)** (Pteromalidae) **Synonym(s):** *italicus* Masi,1922 **Range (in code):** **IT TR DZ HV FR KG ES TM UZ RU**
- 5121) Dinocistus eupterus (Walker,1836)** (Pteromalidae) **Synonym(s):** *eupterus* Walker,1836; *dimidiatus* Walker,1836; *capitatus* Förster,1841; *lanceolatus* Ratzeburg,1848; *clypealis* Thomson,1878; *acutus* Provancher,1887; *polygraphi* Ashmead,1894; *ashmeadi* Crawford,1912; *pityogenis* Ishii,1938 **Range (in code):** **GB SE DE TR JP**
- 5122) Dipara claviger (Kieffer,1906)** (Pteromalidae) **Synonym(s):** *claviger* Kieffer,1906 **Range (in code):** **B-H HV GR IT RO TR**
- 5123) Erdoesina albuannulata (Ratzeburg,1852)** (Pteromalidae) **Synonym(s):** *albuannulata* Ratzeburg,1852 **Range (in code):** **AZ Cc CZ DE KG PL RO RU SK UZ TR 25**
- 5124) Eunotus areolatus (Ratzeburg,1852)** (Pteromalidae) **Synonym(s):** *areolatus* Ratzeburg,1852; *subcyanus* Erdős,1953 **Range (in code):** **TR CZ DK FR DE HU IT KG NL CN RO ES SE RU**
- 5125) Gastrancistrus glabellus (Nees ab Esenbeck,1834)** (Pteromalidae) **Synonym(s):** *glabellus* Nees ab Esenbeck,1834; *laeviscuta* Thomson,1876 **Range (in code):** **TR CZ DE HU KG NL RO ES SE RU YU GB 25 25C**
- 5126) Gastrancistrus hirtulus Graham,1969** (Pteromalidae) **Synonym(s):** *hirtulus* Graham,1969 **Range (in code):** **NL SE GB TR 25 25E**
- 5127) Gastrancistrus latifrons (Thomson,1876)** (Pteromalidae) **Synonym(s):** *latifrons* Thomson,1876 **Range (in code):** **HV HU NL ES SE GB YU TR 25**
- 5128) Goidanichium atrum Boucek,1970** (Pteromalidae) **Synonym(s):** *atrum* Boucek,1970 **Range (in code):** **TR IT**
- 5129) Gugolzia bademia Doğanlar,2004** (Pteromalidae) **Synonym(s):** *bademia* Doğanlar,2004 **Original reference:** *Gugolzia bademia* Doğanlar,2004, Zool. Middle East 32: 76-78. Holotype ♀: Turkey (MKUT). **Range (in code):** **TR 23**
- 5130) Gugolzia harmolitae Delucchi & Steffan,1956** (Pteromalidae) **Synonym(s):** *harmolitae* Delucchi & Steffan,1956 **Range (in code):** **FR IT TR 01**

- 5131) *Gugolzia karadagae* M.Doğanlar & O.Doğanlar,2010** (Pteromalidae) Synonym(s): *karadagae* M.Doğanlar & O.Doğanlar,2010 Original reference: *Gugolzia karadagae* M.Doğanlar & O.Doğanlar,2010, Turk. J. Zool. 34: 32-33, figs. Holotype ♀: Turkey, Gaziantep Prov., 940m, leg. S.Karadağ (MPPD,Antakya,Turkey). Range (in code): **TR 27**
- 5132) *Gugolzia melengicia* M.Doğanlar & O.Doğanlar,2010** (Pteromalidae) Synonym(s): *melengicia* M.Doğanlar & O.Doğanlar,2010 Original reference: *Gugolzia melengicia* M.Doğanlar & O.Doğanlar,2010, Turk. J. Zool. 34: 30-32, figs. Holotype ♀: Turkey, Hatay Prov., leg. M.Doğanlar (MPPD,Antakya,Turkey). Range (in code): **TR 31**
- 5133) *Halticoptera adanacus* Doğanlar,2006** (Pteromalidae) Synonym(s): *adanacus* Doğanlar,2006 Original reference: *Halticoptera adanacus* Doğanlar,2006, J. Appl. Sci. Res. 2 (3): 170, 178-180. Holotype ♂: Turkey (ZSMM). Range (in code): **TR 01**
- 5134) *Halticoptera aenea* (Walker,1833)** (Pteromalidae) Synonym(s): *aenea* Walker,1833; *cinctipes* Walker,1833; *nigroaenea* Walker,1833; *tristis* Nees,1834; *sophron* Walker,1839; *petiolata* Thomson,1876; *liqueatus* Ashmead,1894; *citripes* Ashmead,1896; *occidentalis* Ashmead,1896; *floridanus* Ashmead,1896; *foersteri* Crawford,1913 Range (in code): **TR AZ Cc BE Cn CZ FR Co DE HU IR IT KG MX MD NL PR RO RU Sb ES SE CH UA GB US Arz Fl**
- 5135) *Halticoptera circulus* (Walker,1833)** (Pteromalidae) Synonym(s): *circulus* Walker,1833; *fuscicornis* Walker,1833; *tristis* Walker,1833; *brevicornis* Zetterstedt,1838; *palpigerus* Zetterstedt,1838; *suilius* Walker,1839; *lapponicus* Dalla Torre,1898 Range (in code): **AM Cc AT AZ BE CA BCo Cn CL CZ ET FR DE Hw HU IQ IT JP JO KG KP KR MX MD NL NO CN Pkn Fkn Gn Hn IMn Kwa Ti Ui Yu PR RO SK RU TR GB US Arz Cf Fl Org YU 25**
- 5136) *Halticoptera crius* (Walker,1839)** (Pteromalidae) Synonym(s): *crius* Walker,1839; *citritibius* Rondani,1877 Range (in code): **TR CZ DE HU IE IT NL CN Gn IMn Ui Yu RO SE GB 25C**
- 5137) *Halticoptera dimidiata* (Förster,1841)** (Pteromalidae) Synonym(s): *dimidiata* Förster,1841; *brevicornis* Thomson,1876 Range (in code): **TR AT BE CZ DE HU IE IT KG NL RO SK SS ES RU GB YU 24 24E**
- 5138) *Halticoptera kemaliyensis* Doğanlar,2006** (Pteromalidae) Synonym(s): *kemaliyensis* Doğanlar,2006 Range (in code): **TR 24**
- 5139) *Halticoptera laevigata* Thomson,1876** (Pteromalidae) Synonym(s): *laevigata* Thomson,1876 Range (in code): **TR CZ DE KG KK NL CN RU SE CH GB 01**
- 5140) *Halticoptera longipetiolus* Hedqvist,1975** (Pteromalidae) Synonym(s): *longipetiolus* Hedqvist,1975 Range (in code): **TR SE**
- 5141) *Halticoptera patellana* (Dalman,1818)** (Pteromalidae) Synonym(s): *patellana* Dalman,1818; *flavicornis* Curtis,1832; *aeratus* Walker,1839; *similis* Förster,1841 Range (in code): **BE BR CA On Cn CL CZ FR DE Hw IT JP MX NL CN IMn Ui Ti PE RO RU SE CH TW TT TR GB US Arz Cf Col Fl Kan Ny Oh Tx YU 25**
- 5142) *Halticoptera polita* (Walker,1834)** (Pteromalidae) Synonym(s): *polita* Walker,1834; *mandrocles* Walker,1839; *festiva* Thomson,1876 Range (in code): **TR BE CZ DE HU IE NL CN Pkn Gn RO SE GB**
- 5143) *Halticoptera poreia* (Walker,1848)** (Pteromalidae) Synonym(s): *poreia* Walker,1848; *cercaphrus* Walker,1848 Range (in code): **TR BG IT NL CN IMn SE GB YU**
- 5144) *Halticoptera sakipagai* Doğanlar,2006** (Pteromalidae) Synonym(s): *sakipagai* Doğanlar,2006 Range (in code): **TR**
- 5145) *Halticoptera yoncacus* Doğanlar,2006** (Pteromalidae) Synonym(s): *yoncacus* Doğanlar,2006 Range (in code): **TR**
- 5146) *Halticopterina moczari* Erdös,1954** (Pteromalidae) Synonym(s): *moczari* Erdös,1954; *penthocoryne* Dzhanokmen,1975 Range (in code): **HU KG RO SK RU TR 25**
- 5147) *Halticopterina triannulata* Erdös,1946** (Pteromalidae) Synonym(s): *triannulata* Erdös,1946 Range (in code): **AT CZ DE HU KG MD CN Gn RO SK SE RU GB TR 25**
- 5148) *Hobbya stenonota* (Ratzeburg,1848)** (Pteromalidae) Synonym(s): *stenonota* Ratzeburg,1848; *collaris* Thomson,1878 Range (in code): **TR AT BE BG HV CZ FR DE GR HU IR JO NL RO RU SS ES SE UA GB**
- 5149) *Homoporus arestor* (Walker,1848)** (Pteromalidae) Synonym(s): *arestor* Walker,1848; *chlorogaster* Thomson,1878 Range (in code): **TR CZ FR DE HU KG KK MD CN Pkn SK ES SE RU GB**
- 5150) *Homoporus fulviventris* (Walker,1835)** (Pteromalidae) Synonym(s): *fulviventris* Walker,1835; *bicolor* Förster,1841; *bicoloratus* Dalla Torre,1898; *clavicornis* Erdös,1953 Range (in code): **TR BE B-H Cn HV CZ DE HU IR IT KG Md MD NL CN Pkn IMn Ui RO RU SK ES SE GB YU**

- 5151) Homoporus subniger (Walker,1835)** (Pteromalidae) Synonym(s): *subniger* Walker,1835; *chalcornelas* Walker,1836; *kurdjumovi* Szélnyi,1956; *danuvianus* Delucchi,1957 _ Range (in code): **TR AT CZ FR DE HU KG NL CN Yu RO SK ES SE RU GB YU**
- 5152) Ksenoplatia quadrata Boucek,1965** (Pteromalidae) Synonym(s): *quadrata* Boucek,1965 Range (in code): **DZ AZ Cc BG CZ SK MK ES YU TR 25**
- 5153) Lampoterna viride (Thomson,1876)** (Pteromalidae) Synonym(s): *viride* Thomson,1876 Original reference: *Metastenus viride* Thomson,1876, Hym. Scand. 4: 206. Lectotype ♀: Sweden: Lund (LUSN). Range (in code): **SE TR**
- 5154) Lamprotatus truncatus (Fonscolombe,1832)** (Pteromalidae) Synonym(s): *truncatus* Fonscolombe,1832; *cerebrosus* Delucchi,1955; *mirabile* Delucchi,1955 _ Range (in code): **HV FR DE IT KG NL SE RU GB TR 25**
- 5155) Lariophagus distinguendus (Förster,1841)** (Pteromalidae) Synonym(s): *distinguendus* Förster,1841; *calamis* Walker,1849; *oryzinus* Rondani,1877; *utibilis* Tucker,1910; *resoluta* Girault,1915; *miltoni* Girault,1929 _ Range (in code): **TR AR AU QAU AT BE BR BG CA BCo On CL HV CZ EG DE HU IN IL Pa IT JP KG KP KR LB Md MX MA NP NL NZ CN PT RO RU SK LK SE CH TH UA GB US Cf Fl Ny Tx UY YU**
- 5156) Macroglenes varicornis (Haliday,1833)** (Pteromalidae) Synonym(s): *varicornis* Haliday,1833; *deplana* Nees,1834 _ Range (in code): **TR BE HV CZ FR DE HU IE NL CN Sz RO SK ES SE CH GB YU 36 36D**
- 5157) Merisus splendidus Walker,1834** (Pteromalidae) Synonym(s): *splendidus* Walker,1834; *spinolae* Förster,1841; *acutangulus* Thomson,1878 _ Range (in code): **TR BE BG CZ FR DE HU IT KG MK MD NL RO SK ES SE RU GB YU**
- 5158) Mesopolobus diffinis (Walker,1834)** (Pteromalidae) Synonym(s): *diffinis* Walker,1834 Range (in code): **TR**
- 5159) Mesopolobus graminum (Hardh,1950)** (Pteromalidae) Synonym(s): *graminum* Hardh,1950 _ Range (in code): **TR**
- 5160) Mesopolobus incultus (Walker,1874)** (Pteromalidae) Synonym(s): *incultus* Walker,1874 Range (in code): **TR**
- 5161) Mesopolobus laticornis (Walker,1834)** (Pteromalidae) Synonym(s): *laticornis* Walker,1834 _ Range (in code): **TR**
- 5162) Mesopolobus mediterraneus (Mayr,1903)** (Pteromalidae) Synonym(s): *mediterraneus* Mayr,1903 _ Range (in code): **TR**
- 5163) Mesopolobus morys (Walker,1848)** (Pteromalidae) Synonym(s): *morys* Walker,1848 Range (in code): **TR**
- 5164) Mesopolobus nobilis (Walker,1834)** (Pteromalidae) Synonym(s): *nobilis* Walker,1834 Range (in code): **TR**
- 5165) Mesopolobus sericeus (Forster,1770)** (Pteromalidae) Synonym(s): *sericeus* Forster,1770 Range (in code): **TR**
- 5166) Mesopolobus teliformis (Walker,1834)** (Pteromalidae) Synonym(s): *teliformis* Walker,1834 _ Range (in code): **TR**
- 5167) Miscogaster elegans Walker,1833** (Pteromalidae) Synonym(s): *elegans* Walker,1833; *punctiger* Nees,1834; *helenor* Walker,1846 _ Range (in code): **TR BE CZ DE HU IT NL PL SE GB 25**
- 5168) Miscogaster hortensis Walker,1833** (Pteromalidae) Synonym(s): *hortensis* Walker,1833; *gracilipes* Thomson,1876; *lucens* Delucchi,1953 _ Range (in code): **TR BE HU IN KG NL RO ES SE RU GB US 25**
- 5169) Miscogaster rufipes Walker,1833** (Pteromalidae) Synonym(s): *rufipes* Walker,1833; *fulgens* Delucchi,1953 _ Range (in code): **TR BE HV CZ FR DE IE KF MD NL ES SE RU GB 25**
- 5170) Muscidifurax adanacus Doğanlar,2007** (Pteromalidae) Synonym(s): *adanacus* Doğanlar,2007 Original reference: *Muscidifurax adanacus* Doğanlar,2007, Türk. ent. derg. 31 (4): 245-246. Holotype ♀: Turkey (MKUT) Range (in code): **TR 01**
- 5171) Nasonia vitripennis (Walker,1836)** (Pteromalidae) Synonym(s): *vitripennis* Walker,1836; *muscarum* Hartig,1838; *pallinervosus* Walker,1872; *insuetus* Walker,1872; *pallidinervosus* Dalla Torre,1898; *brevicornis* Ashmead,1904; *erausquinii* Brethes,1913 _ Range (in code): **TR AR AU NSw QAU AT BE BR CA Abt BCo On CL HV CZ DK EG FR DE Hw IN IL Pa IT JP KG KK KP KR Md NL NC NZ CN PL RO SN SK ZA ES LK SE TJ US Cf Fl Nje Ny Arz Ut Tx UZ YU**
- 5172) Norbanus calabrus (Masi,1942)** (Pteromalidae) Synonym(s): *calabrus* Masi,1942; *albiventris* Boucek,1969 _ Range (in code): **TR AZ Cc BG HV CY CZ FR IT KG SK TJ RU TM UA YU**
- 5173) Norbanus cerasiops (Masi,1922)** (Pteromalidae) Synonym(s): *cerasiops* Masi,1922 Range (in code): **TR Cc HV CY CZ FR GR HU IR IT KG Md MD MA CN Hn RO SK ES RU YU**

- 5174) *Norbanus obscurus* (Masi,1922)** (Pteromalidae) Synonym(s): *obscurus* Masi,1922; *erdoesi* Szelényi,1974 _ Range (in code): **TR DZ AZ Cc HV CZ FR DE HU IT KG MK RO RU ES SY UA YU**
- 5175) *Oxyglypta rugosa* Ruschka,1912** (Pteromalidae) Synonym(s): *rugosa* Ruschka,1912 _ Range (in code): **TR AT IL Pa**
- 5176) *Pachycrepoideus vindemmiae* (Rondani,1875)** (Pteromalidae) Synonym(s): *vindemmiae* Rondani,1875; *#vindemmiae* Doğanlar,1985 _ Range (in code): **AR TR 01**
- 5177) *Pachyneuron ahlaense* Mani & Saraswat,1974** (Pteromalidae) Synonym(s): *ahlaense* Mani & Saraswat,1974 _ Range (in code): **TR IN Hp**
- 5178) *Pachyneuron aphidis* (Bouché,1834)** (Pteromalidae) Synonym(s): *aphidis* Bouché,1834; *minutissimum* Förster,1841; *pruni* Walker,1850; *siphonophorae* Ashmead,1886; *aphidivora* Ashmead,1887; *maidaphidis* Ashmead,1888; *gifuensis* Ashmead,1904; *argentinus* Brethes,1913, etc. _ Range (in code): **TR AR AM Cc AY NSw QAU SAU BE BR BG CA Cn CL CO HV CZ EG FR DE GR Hw HU IN Hp Ch Up IR IQ IL Pa IT JP KG KK KP KR LY MK MX MD MA NL NZ PK CN Pkn Fkn Gn Kwa Hn Mc Hun IMn Ui Yu PE PL PR RO RU RW SK ES SE CH SY TJ TW T-T UA GB US CF Fl Nje Ny Oh Tx Ut UY YE**
- 5179) *Pachyneuron erzurumicum* Doğanlar,1986** (Pteromalidae) Synonym(s): *erzurumicum* Doğanlar,1986 _ Range (in code): **TR 25**
- 5180) *Pachyneuron formosum* (Walker,1833)** (Pteromalidae) Synonym(s): *formosum* Walker,1833; *amoenus* Förster,1841; *incubator* Förster,1841 _ Range (in code): **TR BE Cn FR DE HU IR IT JP KG KK MA NL CN Pkn Fkn Gn Mc Sz Ui Ti Yu RO ES SE CH TJ RU GB**
- 5181) *Pachyneuron gibbiscuta* Thomson,1878** (Pteromalidae) Synonym(s): *gibbiscuta* Thomson,1878 _ Range (in code): **TR AT CZ DE CN Kwa Mc SE**
- 5182) *Pachyneuron groenlandicum* (Holmgren,1872)** (Pteromalidae) Synonym(s): *groenlandicum* Holmgren,1872; *mitsukurii* Ashmead,1904; *karnalensis* Mani,1939; *umbratus* Delucchi,1955; *coeruleum* Delucchi,1955; *bakrotus* Mani & Saeaswat,1974 _ Range (in code): **TR BE GrI CZ FR DE IN Hp Ch IR IT JP KG KP KR MD NL CN Pkn Fkn Mc IMn Sz Ui Yu PL RO SK SE CH RU Sb GB YE**
- 5183) *Pachyneuron leucopiscida* Mani,1939** (Pteromalidae) Synonym(s): *leucopiscida* Mani,1939; *cremifaniae* Delucchi,1953 _ Range (in code): **TR HV CZ DE IN IR IL Pa KG KK MD SK SE CH GB YE**
- 5184) *Pachyneuron muscarum* (Linnaeus,1758)** (Pteromalidae) Synonym(s): *muscarum* Linnaeus,1758 _ Range (in code): **TR**
- 5185) *Pachyneuron nelsoni* Girault,1928** (Pteromalidae) Synonym(s): *nelsoni* Girault,1928; *aeneus* Masi,1939; *deccanensis* Mani & Saraswat,1974; *kamathi* Mani & Saraswat,1974 _ Range (in code): **TR AU NSw QAU SAU WAU AZ Cn Cc HV IN Hp Up KG KK LY MD CN Pkn RU ES TJ UZ YE**
- 5186) *Platneptis laeta* (Walker,1848)** (Pteromalidae) Synonym(s): *laeta* Walker,1848; *maceki* Boucek,1961 _ Range (in code): **CZ SK SE GB TR 25**
- 5187) *Pseudocatolaccus nitescens* (Walker,1834)** (Pteromalidae) Synonym(s): *nitescens* Walker,1834; *thoracicus* Walker,1835; *bebryce* Walker,1839; *elymus* Walker,1839; *validus* Förster,1841; *polyphagus* Förster,1841; *euryops* Förster,1841; *asphondyliae* Ashmead,1908; *amegallus* Dzhankmen,1989 _ Range (in code): **TR BE BG Cn HV CY CZ FR DE GR HU IT Si KG MK Md MD MA NL RO RU UA GB YU**
- 5188) *Psilocera obscura* Walker,1833** (Pteromalidae) Synonym(s): *obscura* Walker,1833; *atrum* Walker,1834 _ Range (in code): **TR BG HV CZ FR DE IT MD NL RO RU SK SS ES SE GB YU**
- 5189) *Psilonotus achaeus* Walker,1848** (Pteromalidae) Synonym(s): *achaeus* Walker,1848; *cyamon* Walker,1848; *viridulus* Thomson,1878; *betulae* Girault,1917 _ Range (in code): **TR BE BG CA On CZ DE HU KG NL SE RU UA GB US Ny**
- 5190) *Psilonotus adamas* Walker,1834** (Pteromalidae) Synonym(s): *adamas* Walker,1834; *catuli* Förster,1856; *aureolus* Thomson,1878 _ Range (in code): **TR BE CZ DE HU KG NL RO RU SE UA GB**
- 5191) *Psilonotus hortensia* Walker,1846** (Pteromalidae) Synonym(s): *hortensia* Walker,1846; *alticornis* Graham,1957 _ Range (in code): **TR BE DE HU NL SE GB**
- 5192) *Psychophagus omnivorus* (Walker,1835)** (Pteromalidae) Synonym(s): *omnivorus* Walker,1835; *rotundatus* Ratzeburg,1844; *processionae* Ratzeburg,1844; *antorides* Walker,1845; *chrysorrhoeae* Dalla Torre,1898; *caeruleocephalae* Dalla Torre,1898 _ Range (in code): **TR AT AZ BE CA On HV CZ FR DE HU IR MK MD NL PL RO RU Cc SK ES SE UA GB US Col Nje Ny Oh YU**
- 5193) *Pteromalus albipennis* Walker,1835** (Pteromalidae) Synonym(s): *coeruleus* Dalman,1820; *albipennis* Walker,1835; *cingulipes* Walker,1835; *plenus* Walker,1835; *zelus* Walker,1839; *caeno* Walker,1848; *diomedon* Walker,1848; *orthagus* Walker,1848; *priansos* Walker,1848; *beryllinus* Thomson,1878 _ Range (in code): **TR BE CZ Cn DE HU IT KG MD NL RO SK ES SE CH RU GB YU**
- 5194) *Pteromalus apum* (Retzius,1783)** (Pteromalidae) Synonym(s): *apum* Retzius,1783; *venustus* Walker,1835; *planiscutum* Thomson,1878 _ Range (in code): **TR AR BE BG CA Abt On CZ DK FI FR NL RU SK SS ES SE CH GB US Ut Sb YU**

- 5195) *Pteromalus bedeguaris* (Thomson,1878)** (Pteromalidae) Synonym(s): *bedeguaris* Thomson,1878 _ Range (in code): **TR AD AT BE CA BCo On CZ DK FR DE HU IR IT KG KK NL RO RU SK ES SE TJ UA GB US Col UZ YU**
- 5196) *Pteromalus bifoveolatus* Förster,1861** (Pteromalidae) Synonym(s): *bifoveolatus* Förster,1861; *saturniae* Rudow,1886; *mauritanus* Masi,1937 _ Range (in code): **TR HV CZ DE IT Si KG MR MD MA RO SK ES SE CH RU GB YU**
- 5197) *Pteromalus chrysos* Walker,1836** (Pteromalidae) Synonym(s): *chrysos* Walker,1836; *inclusus* Walker,1836; *zipaetes* Walker,1839; *telon* Walker,1839; *eucerus* Ratzeburg,1848; *acutigena* Thomson,1878; *poecilopus* Crawford,1910 _ Range (in code): **TR DZ AT BE HV CZ FI FR DE HU IT KG MK MD MA NL PL RO RU Cc SK ES SE CH UA GB YU**
- 5198) *Pteromalus cionobius* (Erdös,1953)** (Pteromalidae) Synonym(s): *cionobius* Erdös,1953 Range (in code): **TR CZ FR DE HU MD ES SE YU**
- 5199) *Pteromalus elevatus* (Walker,1834)** (Pteromalidae) Synonym(s): *elevatus* Walker,1834; *boreus* Walker,1839; *ceropasades* Walker,1839; *deucetius* Walker,1839; *dentifer* Thomson,1878 _ Range (in code): **TR AT BE BG CA Nfl CZ DE Hw HU KG KK MK MD NL RO RU ES SE CH TJ UA GB UZ YU**
- 5200) *Pteromalus intermedius* (Walker,1834)** (Pteromalidae) Synonym(s): *intermedius* Walker,1834 _ Range (in code): **TR FR DE IT KG Md NL RO ES SE RU GB Sb 31 31A**
- 5201) *Pteromalus platyphilus* (Walker,1874)** (Pteromalidae) Synonym(s): *amplus* Walker,1836 (preocc.); *platyphilus* Walker,1874; *pappi* Szelenyi,1982 _ Range (in code): **TR AF HV CZ DE HU KG KK MK MD NL RU Am ES SE TM GB YU Sb**
- 5202) *Pteromalus puparum* (Linnaeus,1758)** (Pteromalidae) Synonym(s): *puparum* Linnaeus,1758 _ Range (in code): **TR**
- 5203) *Pteromalus semotus* (Walker,1834)** (Pteromalidae) Synonym(s): *semotus* Walker,1834; *cupreus* Walker,1835; *lugubris* Walker,1835; *imbutus* Walker,1835; *maerens* Walker,1836; *equestris* Walker,1836; *thalassinus* Walker,1836; *pione* Walker,1839; *variabilis* Ratzeburg,1844; *glautias* Walker,1848, etc. _ Range (in code): **TR AT BE B-H BG Cn CV CZ DK EG EE FR DE HU IN IT JP KG MX MD NL NZ NO PK CN Pkn PL RO RU Cc Mo SK ES SE CH SY TM UA GB Sb YU**
- 5204) *Pteromalus sequester* Walker,1835** (Pteromalidae) Synonym(s): *sequester* Walker,1835; *placidus* Walker,1835; *infectus* Walker,1835; *simulans* Walker,1836; *oroetes* Walker,1839; *eulimene* Walker,1848; *leguminum* Ratzeburg,1852; *insularis* Walker,1872; *medicaginis* Gahan,1914 _ Range (in code): **TR AU SAu BE BG CA Abt On Cn CL CZ FR DE Co Hw HU IN Pj IQ IL Pa KG KK MX NL PL RO RU SK ES SE UA GB US Arz Cf Kan NMx Ny Ut Sb YU**
- 5205) *Rhaphitelus maculatus* Walker,1834** (Pteromalidae) Synonym(s): *maculatus* Walker,1834; *hecato* Walker,1839; *subulifer* Förster,1841; *scolytii* Brethes,1913 _ Range (in code): **TR AR AU BE BG CA Abt CL HV CZ EG FR DE HU IN Ch IL Pa IT Si JP KG KK MD NL NZ CN Pkn Gn Mc IMn Ui Yu PL RO RU Mo SK ES SE TN TM UA GB US Cf Nje Ny Oh UZ YU**
- 5206) *Rhopalicus guttatus* (Ratzeburg,1844)** (Pteromalidae) Synonym(s): *guttatus* Ratzeburg,1844 _ Range (in code): **TR CZ FI FR DE HU LT NL CN Yu PT RU ES SE GB YU**
- 5207) *Rhopalicus tutela* (Walker,1836)** (Pteromalidae) Synonym(s): *tutela* Walker,1836; *maculifer* Förster,1841; *immaculatus* Ratzeburg,1844; *spinolae* Ratzeburg,1844; *suspensus* Ratzeburg,1844; *multicolor* Ratzeburg,1848; *lunulus* Ratzeburg,1848; *annellus* Thomson,1878 _ Range (in code): **TR AM AT Cc BY BE BG CA Nfl On HV CZ FI FR DE HU**
- 5208) *Roptrocercus xylophagorum* (Ratzeburg,1844)** (Pteromalidae) Synonym(s): *xylophagorum* Ratzeburg,1844; *eccoptogastris* Ratzeburg,1844; *rectus* Provancher,1887; *sulcatus* Waterson,1922; *karafutoensis* Ishii,1938 _ Range (in code): **TR AU WAu SAu AT BE B-H BG CA BCo Nfl On HV CZ FI FR DE GR GT HU IN Up IL Pa IT JP KG LT MX NL NO CN Fkn Gn Yu PL RO RU Mo SK ES SE CH UA GB US Arz Cf Col Nje Ny Tx**
- 5209) *Schizonotus sieboldi* (Ratzeburg,1848)** (Pteromalidae) Synonym(s): *sieboldi* Ratzeburg,1848 _ Range (in code): **TR BG Cc HV CZ FR DE HU IR IT KG LT MK MD NO PK CN RU At TM GB US UZ YU**
- 5210) *Scutellista caerulea* (Fonscolombe,1832)** (Pteromalidae) Synonym(s): *caerulea* Fonscolombe,1832; *cyanea* Motschulsky,1859; *myrti* Costa,1863 _ Range (in code): **TR AL DZ AR AU NSw SAu AZ Cc BO BR Cn CL CO HV CU CY CZ EG ER ET FR GG GR Hw IN IL Pa IT Si CI JP KE LB MT MX MA NL NZ OM CN PE PR SN ZA ES LK T-T TN UG US Cf FI VE**
- 5211) *Spalangia fuscipes* Nees ab Esenbeck,1834** (Pteromalidae) Synonym(s): *fuscipes* Nees ab Esenbeck,1834 _ Range (in code): **TR 25**
- 5212) *Spalangia subpunctata* Förster,1850** (Pteromalidae) Synonym(s): *subpunctata* Förster,1850 _ Range (in code): **TR 25**
- 5213) *Sphegigaster aculeata* (Walker,1833)** (Pteromalidae) Synonym(s): *aculeata* Walker,1833 Range (in code): **TR 25**

- 5214) Sphegigaster brevicornis (Walker,1833)** (Pteromalidae) Synonym(s): *brevicornis* Walker,1833 _ Range (in code): **TR 24 25**
- 5215) Sphegigaster pallicornis (Spinola,1808)** (Pteromalidae) Synonym(s): *pallicornis* Spinola,1808 _ Range (in code): **TR 01**
- 5216) Sphegigaster pedunculiventris (Spinola,1808)** (Pteromalidae) Synonym(s): *pedunculiventris* Spinola,1808 _ Range (in code): **TR CZ**
- 5217) Spintherus dubius (Nees ab Esenbeck,1834)** (Pteromalidae) Synonym(s): *dubius* Nees ab Esenbeck,1834; *nigroaeneus* Walker,1835; *signatus* Walker,1836; *orbiculatus* Walker,1836; *caligatus* Walker,1836; *conterminus* Walker,1836; *codrus* Walker,1839; *triqueter* Förster,1841; *flavitaris* Förster,1841; *lutescens* Förster,1841; *alimentus* Walker,1848; *Anchinoe* Walker,1848; *hermachus* Walker,1848; *obscurus* Thomson,1878 _ Range (in code): **TR BE BG Cc HV CZ FR DE HU KG KK MD NL PL RO RU Am Mo SK ES SE CH UA GB YU**
- 5218) Stenomalina communis (Nees ab Esenbeck,1834)** (Pteromalidae) Synonym(s): *communis* Nees ab Esenbeck,1834; *bifrons* Walker,1836; *continuus* Walker,1836; *erasippus* Walker,1839; *nyctimus* Walker,1839; *cerycus* Walker,1848; *rugosus* Thomson,1878; *laetus* Ruschka,1912 _ Range (in code): **TR AT BY HV CZ DE HU KG MD NL RO RU Mo ES SE GB**
- 5219) Stenomalina favorinus (Walker,1839)** (Pteromalidae) Synonym(s): *favorinus* Walker,1839 _ Range (in code): **TR BE HV CZ DE GB SE RO NL**
- 5220) Stenomalina laticeps (Walker,1850)** (Pteromalidae) Synonym(s): *laticeps* Walker,1850 _ Range (in code): **TR CZ DE HU KG NL CN ES SE RU GB**
- 5221) Syntomopus incisus Thomson,1878** (Pteromalidae) Synonym(s): *incisus* Thomson,1878 _ Range (in code): **Cn CZ DE HU GB IT KG NL CN Fkn IMn Sz Yu RO SK ES SE YU TR 25**
- 5222) Syntomopus incurvus Walker,1833** (Pteromalidae) Synonym(s): *incurvus* Walker,1833; *dirce* Walker,1839; *phylander* Walker,1848; *madizae* Rondani,1877 _ Range (in code): **BE CZ DE IT KG CN SE GB YU TR 25**
- 5223) Systasis encyrtoides Walker,1834** (Pteromalidae) Synonym(s): *encyrtoides* Walker,1834; *geniculatus* Nees,1834; *punctatus* Ratzeburg,1852; *longicornis* Thomson,1876 _ Range (in code): **TR AT AZ Cc BE Cn HV CZ FR Co DE GR HU IL Pa IT KG MD MA NL CN Pkn Fkn Gn Hn Mc Yu PL PT RO RU SK SS ES SE UA GB US Als Org YU 25 25C**
- 5224) Theocolax elegans (Westwood,1874)** (Pteromalidae) Synonym(s): *elegans* Westwood,1874 _ Range (in code): **TR**
- 5225) Thinodytes cyzicus (Walker,1839)** (Pteromalidae) Synonym(s): *cyzicus* Walker,1839; *#cyzinus* Doğanlar,1985 _ Range (in code): **TR 25 25C**
- 5226) Tomicobia promulus (Walker,1840)** (Pteromalidae) Synonym(s): *promulus* Walker,1840; *acrotatus* Walker,1845; *sublaevis* Thomson,1878 _ Range (in code): **AT BE CZ MK MD RO SK SE GB TR 25 25E**
- 5227) Trichomalopsis hemiptera (Walker,1835)** (Pteromalidae) Synonym(s): *hemiptera* Walker,1835; *apicalis* Walker,1835; *pedestris* Förster,1861; *nidulans* Thomson,1878 _ Range (in code): **AT BE CA BCo CZ FI FR DE HU IE IT JM JP KG KP KR MD MA NL NZ CN PR RU ES SE CH UA GB US Cf YU TR**
- 5228) Trichomalopsis littoralis (Graham,1969)** (Pteromalidae) Synonym(s): *littoralis* Graham,1969 _ Range (in code): **TR NL GB ES SE 25**
- 5229) Trichomalopsis peregrina (Graham,1969)** (Pteromalidae) Synonym(s): *peregrina* Graham,1969 _ Range (in code): **AT CA BCo On CZ FR DE HU IT Sa KG MD NL RO RU SK ES UA GB US TR**
- 5230) Trichomalus apertus (Walker,1835)** (Pteromalidae) Synonym(s): *apertus* Walker,1835 _ Range (in code): **TR DE HU NL ES SE GB 25**
- 5231) Trichomalus campestris (Walker,1834)** (Pteromalidae) Synonym(s): *campestris* Walker,1834; *tenuicornis* Walker,1834; *rufipes* Nees,1834; *fumipennis* Walker,1835; *tenuis* Walker,1835; *redactus* Walker,1835; *concisus* Walker,1836; *nubeculosus* Förster,1841; *coxalis* Thomson,1878 _ Range (in code): **TR BE B-H HV CZ FR DE HU IL Pa IT MD NL RO SK ES SE CH UA GB YU 25**
- 5232) Trichomalus elongatus Delucchi & Graham,1956** (Pteromalidae) Synonym(s): *elongatus* Delucchi & Graham,1956; *#elengatus* Doğanlar,1985 _ Range (in code): **TR AT BE Cn DE KG KK ES SE RU GB 25**
- 5233) Trichomalus fulvipes (Walker,1836)** (Pteromalidae) Synonym(s): *fulvipes* Walker,1836; *operosus* Förster,1841 _ Range (in code): **TR BE CZ DE HU IL Pa NL RO SK ES SE CH GB 25**
- 5234) Trichomalus helvipes (Walker,1834)** (Pteromalidae) Synonym(s): *helvipes* Walker,1834; *famulus* Walker,1835; *cuprinus* Walker,1835; *detritus* Walker,1835; *futilis* Walker,1835; *obtus* Walker,1835; *perpetuus* Walker,1835; *chrysammos* Walker,1836; *crocale* Walker,1839; *janira* Walker,1839; *delectus* Förster,1841; *lethargicus* Förster,1841; *peregrinus* Förster,1841; *quaesitus* Förster,1841; *carma* Walker,1848;

hyrtacina Walker,1848; *lebadeia* Walker,1848; *mese* Walker,1848; *laticeps* Thomson,1878 Range (in code): **TR BE CZ FR DE HU NL NO RO ES SE CH GB 25**

5235) *Trichomalus nanus* (Walker,1836) (Pteromalidae) Synonym(s): *nanus* Walker,1836; *lucidus* Förster,1841; *dipoenos* Walker,1848; *versutus* Förster,1861; *speciosus* Dalla Torre,1898 Range (in code): **TR AT CZ DE HU KG LT MD NL RU SK ES SE CH UA GB 25**

5236) *Trichomalus posticus* (Walker,1834) (Pteromalidae) Synonym(s): *posticus* Walker,1834; *sunides* Walker,1845; *punctinucha* Thomson,1878 Range (in code): **TR BE CZ DE KG NL ES SE RU GB 25**

5237) *Trichomalus rufinus* (Walker,1835) (Pteromalidae) Synonym(s): *rufinus* Walker,1835; *inops* Walker,1835; *confinis* Walker,1836; *irus* Walker,1839; *nitefactus* Förster,1841; *vagans* Förster,1841; *pedicellaris* Thomson,1878; *rufimanus* Thomson,1878 Range (in code): **TR AT BE B-H Cn CZ FR DE GR HU KG LT NL NO RO SK ES SE UA YU 25**

5238) *Trjapitzinia leucomae* Dzhanokmen,1975 (Pteromalidae) Synonym(s): *leucomae* Dzhanokmen,1975 Range (in code): **TR KG**

Sapygidae

5239) *Asmisapyga warnckei* Kurzenko,1994 (Sapygidae) Synonym(s): *warnckei* Kurzenko,1994 Original reference: *Asmisapyga warnckei* Kurzenko,1994, Linzer biol. Beitr. 26 (2): 587, figs. Holotype ♂: Turkey: Hakkari, Oramar 10km NE 1700m 29.6.1985 leg. Max Schwarz (coll. Gusenleitner). Range (in code): **TR SY Bld IL Pa JO TN 30 40 73 30D 30Df 40G 73A**

5240) *Fedtschenkia grossa* Saussure,1880 (Sapygidae) Synonym(s): *grossa* Saussure,1880 Range (in code): **TR IR TM UZ TJ PK 33 33O**

5241) *Monosapyga clavicornis* (Linnaeus,1758) (Sapygidae) Synonym(s): *clavicornis* Linnaeus,1758; *prisma* Fabricius,1787; *ininterrupta* Pic,1920; *triinterrupta* Pic,1920; *theresae* Pic,1920 Range (in code): **DZ Cc TR 07 25 33 48 55 60 33E 48H**

5242) *Sapyga* (*Polosapyga*) *singla* Kurzenko,1994 (Sapygidae) Synonym(s): *singla* Kurzenko,1994 Range (in code): **TR 36 36F 36Fa 36Fb**

5243) *Sapyga* (*s.str.*) *caucasica* Radoszkowski,1880 (Sapygidae) Synonym(s): *caucasica* Radoszkowski,1880 Range (in code): **IR TR Cc 08 25 30 36 65 30D**

5244) *Sapyga* (*s.str.*) *gusenleitneri* Kurzenko,1994 (Sapygidae) Synonym(s): *gusenleitneri* Kurzenko,1994 Range (in code): **TR IL Pa JO 31 48 63 48H**

5245) *Sapyga* (*s.str.*) *morawitzi* Turner,1911 (Sapygidae) Synonym(s): *morawitzi* Turner,1911; *gussakovskii* Kurzenko,1986 Original reference: *Sapyga morawitzi* Turner,1911, Ann. Mag. nat. Hist. (8) 7: 309-310. Holotype: Iran: SW Persia (Escalera leg.) (BMNH). Range (in code): **TR GR Cr IR 11 21 23 30 33 42 58 63 65 73 21K 23I 30D 30Dt 65H 73C 73Cd**

5246) *Sapyga* (*s.str.*) *mutica* Kurzenko,1994 (Sapygidae) Synonym(s): *mutica* Kurzenko,1994 Range (in code): **TR SY 33 42 50 33O 50G**

5247) *Sapyga* (*s.str.*) *pulcherrima* Morawitz,1894 (Sapygidae) Synonym(s): *pulcherrima* Morawitz,1894 Range (in code): **TR SY TM UZ 06 33 40 50 58 60 65 33O 50G 50Gd 58G**

5248) *Sapyga* (*s.str.*) *quinquepunctata* (Fabricius,1781) (Sapygidae) Synonym(s): *quinquepunctata* Fabricius,1781 Range (in code): **TR SY Bld CY IL Pa JO MT GR MA TN MA 02 07 13 14 25 30 33 34 42 48 50 51 55 58 63 65 73 33O 48H 51D 51Da 63E**

5249) *Sapyga* (*s.str.*) *similis* (Fabricius,1793) (Sapygidae) Synonym(s): *similis* Fabricius,1793; *variegata* Dahlbom,1844; *exornata* Gerstraecker,1861; *pedestris* Gerstraecker,1861; *rufipes* A.Costa,1864 Range (in code): **RU MN CN TR 65 65H**

5250) *Sapygina decemguttata* (Jurine,1807) (Sapygidae) Synonym(s): *decemguttata* Jurine,1807; *millefolii* Lepeletier,1825; *chelostomae* Robineau,1836; *panzeri* Guérin,1837; *cylindricum* Schenk,1857; *nigra* Tournier,1889 Range (in code): **IT HV BG FR TR IL Pa GR Le 02 08 33 42 44 50 80**

5251) *Sapygina maloasiatica* Kurzenko,1994 (Sapygidae) Synonym(s): *maloasiatica* Kurzenko,1994 Original reference: *Sapygina maloasiatica* Kurzenko,1994, Linzer biol. Beitr. 26 (2): 584-585. Holotype ♀: Turkey, Namrun (coll. Gusenleitner). Range (in code): **TR 33 33E**

5252) *Sapygina schwarzi* Kurzenko,1994 (Sapygidae) Synonym(s): *schwarzi* Kurzenko,1994 Original reference: *Sapygina schwarzi* Kurzenko,1994, Linzer biol. Beitr. 26 (2): 585-586. Holotype ♀: Turkey, [Şirnak]: "Hakkari W. Tanin-Tanin Pass, 3.6.1980, 1900m, leg. Max Schwarz, coll. Gusenleitner". Range (in code): **TR 73 73C 73Cd**

Scelionidae

- 5253) Trissolcus djadetchko (Rjachovsky,1959)** (Scelionidae) Synonym(s): *djadetchko Rjachovsky,1959* _ Range (in code): **TR 31 40 68**
- 5254) Trissolcus grandis (Thomson,1860)** (Scelionidae) Synonym(s): *grandis Thomson,1860; frontalis Thomson,1860; nigripes Thomson,1860; nigrinus Thomson,1860; nixomartini Javahery,1968; silwoodensis Javahery,1968* _ Range (in code): **TR 01 02 03 07 09 10 15 16 17 18 19 20 21 22 23 31 32 33 35 38 39 40 42 44 46 47 48 50 54 59 63 66 68 70 73**
- 5255) Trissolcus manteroi (Kieffer,1909)** (Scelionidae) Synonym(s): *manteroi Kieffer,1909* _ Range (in code): **MD AM Cc RU TR TM 18**
- 5256) Trissolcus pseudoturesis (Rjachovsky,1959)** (Scelionidae) Synonym(s): *pseudoturesis Rjachovsky,1959; rossicus Rjachovsky,1959* _ Range (in code): **MD RO BG IR MN UA SS LT EE RU TR 03 15 17 31 33 48 59 68**
- 5257) Trissolcus rufiventris (Mayr,1908)** (Scelionidae) Synonym(s): *rufiventris Mayr,1908; stshepetilnikova Pubstov,1944; rubriventris Szabo,1959* _ Range (in code): **MD IR Cc UA TR AZ AM GG DZ 27 38 40 66**
- 5258) Trissolcus semistriatus (Nees ab Esenbeck,1834)** (Scelionidae) Synonym(s): *semistriatus Nees ab Esenbeck,1834; grandis sensu Mayr,1897* _ Range (in code): **TR 01 02 03 06 07 09 10 15 16 17 18 19 20 21 22 23 31 33 35 38 40 42 44 46 47 48 50 54 59 63 64 66 68 70**
- 5259) Trissolcus simoni (Mayr,1897)** (Scelionidae) Synonym(s): *simoni Mayr,1897; scutellaris Masner,1958; vassilievi sensu Viktorov,1960; reticulatus Delucchi,1961* _ Range (in code): **MA SY TR Cc AZ GG 01 03 06 07 09 10 15 16 17 18 19 20 22 31 32 33 35 39 42 46 48 54 59 60 64 66 68 70**
- 5260) Trissolcus vassilievi (Mayr,1903)** (Scelionidae) Synonym(s): *vassilievi Mayr,1903; rufiventris Rubstov,1944; scutellaris Masner,1958* _ Range (in code): **MD Cc AZ AM GG IR MN UA TR 01 02 18 21 23 31 38 44 46 47 63 68 66 73**

Scoliidae

- 5261) Campsomeriella thoracica (Fabricius,1787)** (Scoliidae) Synonym(s): *thoracica Fabricius,1787; eriophora Khalof,1958* _ Range (in code): **IR Fa Shr Ke Lo Kz Ss Th Elb Cr CY GR IT MT MA Si ES SY TR**
- 5262) Colpa (s.str.) sexmaculata (Fabricius,1782)** (Scoliidae) Synonym(s): *sexmaculata Fabricius,1782; interrupta Fabricius,1782; sareptana Eversmann,1849* _ Range (in code): **TR DZ 01 06 07 35**
- 5263) Colpa interrupta (Fabricius,1781)** (Scoliidae) Synonym(s): *interrupta Fabricius,1781* _ Range (in code): **TR 35 41**
- 5264) Colpa klugii (Van der Linden,1827)** (Scoliidae) Synonym(s): *klugii Van der Linden,1827* _ Range (in code): **TR 10 17 33 34 35**
- 5265) Colpa quinquecincta (Fabricius,1775)** (Scoliidae) Synonym(s): *villosa Fabricius,1775; quinquecincta Fabricius,1775; abdominalis Spinola,1806; continua Leeletier,1845* _ Range (in code): **IT Sa Si TR 06 07 08 09 16 20 24 25 30 31 33 35 36 39 42 44 45 48 49 50 51 60 63 65 76 80**
- 5266) Dasyscolia ciliata (Fabricius,1787)** (Scoliidae) Synonym(s): *ciliata Fabricius,1787; araratica Radoskovsky,1890; fastuosa Gribodo,1893* _ Range (in code): **MA PT ES MT GR Rd TR Arr IR Fa Shr Kh Mz Th Elb Ha Es IL Pa Cc IT Sa Si 01 04 06 07 10 24 31 33 35 36 45 48 49 58 65 63 72 76 060 36D 65N 65Np 65Np2 65Nm 72E 76D 76Dg**
- 5267) Megascolia (Regiscolia) maculata (Drury,1773)** (Scoliidae) Synonym(s): *maculata Drury,1773; flavifrons Fabricius,1775; haemorrhoidalis Fabricius,1787; insignis Saussure,1858; versicolor Saussure,1859* _ Range (in code): **FR IT Sa Si GR Cr TR AL B-H Cr BG HV HU MK DZ SS RO TM IQ IR Fa Shr Elb Th Ss Lo Mz 05 06 07 09 10 12 17 20 22 23 30 32 33 34 35 45 46 47 48 56 73 12A 12Ac 30A 56D 56Dc 56Dg 56F 73D 73Df 73Dfa**
- 5268) Proscolia archaica Rasnitsyn,1977** (Scoliidae) Synonym(s): *archaica Rasnitsyn,1977* _ Range (in code): **TR Cc 36**
- 5269) Proscolia spectator Day,1981** (Scoliidae) Synonym(s): *spectator Day,1981* _ Range (in code): **TR GR**
- 5270) Scolia (s.str.) anatoliae Osten,2004** (Scoliidae) Synonym(s): *anatoliae Osten,2004* _ Original reference: *Scolia anatoliae Osten,2004, Ent. Z. 114 (5): 204-208.* _ Range (in code): **TR IR Fa Th GR Cr SY TM UZ**
- 5271) Scolia (s.str.) fallax Eversmann,1849** (Scoliidae) Synonym(s): *fallax Eversmann,1849; syriacola Betrem,1935; moreana Muehe,1962; tricolor Bradley,1972* _ Range (in code): **ES FR IT GR TR UA AM AZ Cc IL Pa LB Bei TM IR Th Elb Ak Ab Fa Kd 01 08 23 25 31 34 35 45 48 60 65 65K 65Kz 65Kg**

- 5272) *Scolia* (s.str.) *flaviceps* Eversmann,1846** (Scoliidae) Synonym(s): *flaviceps* Eversmann,1846; *mangichlakensis* Radoszkowski,1879 _ Range (in code): **Cr GR CY LB SY JO IL Pa TR IR Th Elb Ak Fa Mz IQ TJ Cc UZ TM 72 72B**
- 5273) *Scolia* (s.str.) *fuciformis* Scopoli,1786** (Scoliidae) Synonym(s): *fuciformis* Scopoli,1786; *insubrica* Scopoli,1786 _ Range (in code): **FR IT TR EG TM 65 65K 65Kz 65Kg 65N 65Np5 65Nm**
- 5274) *Scolia* (s.str.) *sexmaculata* (Müller,1766)** (Scoliidae) Synonym(s): *sexmaculata* Müller,1766; *biguttata* Fabricius,1804; *violacea* Panzer,1799; *syriaca* Klug,1832; *hispanica* Betrem,1935; *beirut* Betrem,1935; *montana* Steinberg,1962; *orientalis* Steinberg,1962; *dionysopolis* Tkalcu,1988 _ Range (in code): **IT LB Bei ES TR DE GB IR Fa Shr Ak Ab Th Kh Kd Mz 01 02 04 06 07 08 09 13 15 21 24 25 27 30 34 35 36 38 42 53 65 73 76**
- 5275) *Scolia* *asiella* Betrem,1935** (Scoliidae) Synonym(s): *asiella* Betrem,1935 _ Range (in code): **TR 33 35**
- 5276) *Scolia* *erivanensis* (Radoszkowski,1876)** (Scoliidae) Synonym(s): *erivanensis* Radoszkowski,1876 _ Range (in code): **TR Cc AM Eri**
- 5277) *Scolia* *galbula* (Pallas,1771)** (Scoliidae) Synonym(s): *galbula* Pallas,1771; *tricolor* Pallas,1771; *quadricincta* Scopoli,1786; *notata* Fabricius,1787; *bifasciata* Rossi,1790; *tridens* Fabricius,1793; *elisabethae* Muche,1962 _ Range (in code): **FR IT Si YU HU UA BG GR CY Cc TR EG 04 06 07 08 16 20 24 25 31 35 36 42 45 63 76**
- 5278) *Scolia* *hirta* (Schrank,1781)** (Scoliidae) Synonym(s): *hirta* Schrank,1781; *bicincta* Scopoli,1786; *unifasciata* Cyrillo,1787; *alutus* Nagy,1967; *mongolina* Nagy,1970 _ Range (in code): **IT Sa Si TR PT ES MT CY FR Co CY KG 06 07 08 09 11 15 24 25 30 31 32 33 35 36 38 45 46 48 51 65 76 65F 65Fe 65Fp 65Fz**
- 5279) *Scolia* *insubrica* (Scopoli,1786)** (Scoliidae) Synonym(s): *insubrica* Scopoli,1786; *fuciformis* Scopoli,1786; *amabilis* Eversmann,1849 _ Range (in code): **IT YU EG TR RU 06 08 09**
- 5280) *Scolia* *turkestanica* Betrem,1935** (Scoliidae) Synonym(s): *turkestanica* Betrem,1935 _ Range (in code): **TR**

Signiphoridae

- 5281) *Chartocerus* *novitzkyi* (Domenichini)** (Signiphoridae) Synonym(s): Range (in code): **TR**
- 5282) *Chartocerus* *subaeneus* (Förster)** (Signiphoridae) Synonym(s): Range (in code): **TR**
- 5283) *Thysanus* *ater* Walker** (Signiphoridae) Synonym(s): *ater* Walker _ Range (in code): **TR**

Sphecidae

- 5284) *Ammophila* *assimilis* Kohl,1901** (Sphecidae) Synonym(s): *assimilis* Kohl,1901 _ Range (in code): **SY IL Pa Js TR AF KG JO 07 33**
- 5285) *Ammophila* *barbara* Lepeletier,1845** (Sphecidae) Synonym(s): *barbara* Lepeletier,1845; *semota* De Beaumont,1967 [ssp.] _ Range (in code): **MA DZ TN LY EG IL Pa TR OM NE 06 42**
- 5286) *Ammophila* *campestris* Latreille,1809** (Sphecidae) Synonym(s): *campestris* Latreille,1809; *retusus* Gistel,1848; *neoxenus* F.Smith,1856; ? *striaticollis* Morawitz,1889; ? *nigrina* Morawitz,1889; *slovaca* Zavadil,1937 _ Range (in code): **TR ... 06 14 16 25 29 33 36 38 46 58 61**
- 5287) *Ammophila* *heydeni* Dahlbom,1845** (Sphecidae) Synonym(s): *heydeni* Dahlbom,1845; *iberica* André,1886 _ Range (in code): **TR Cc AM KK RU Sr Ao Or IT HV FR Si DE BG HU AT UA Cm AZ Cc Ur DZ LY TN KG PT SK CZ IR Co Sa CH ES RO GR TM AF 01 03 05 06 07 08 09 11 12 13 16 18 19 22 24 25 29 31 33 34 36 37 38 40 42 43 44 46 49 50 51 54 57 58 59 60 63 65 69 76 65N 65Ne**
- 5288) *Ammophila* *hungarica* Mocsary,1883** (Sphecidae) Synonym(s): *hungarica* Mocsary,1883; *turcica* Mocsary,1883; *hispanica* Mocsary,1883; *fallax* Kohl,1884 _ Range (in code): **HU BE ES PT CY JO YU UZ Tas AT TR IT BG GR CZ SK KG Aa IR Kz AF 05 06 09 16 25 33 34 48**
- 5289) *Ammophila* *pubescens* Curtis,1836** (Sphecidae) Synonym(s): *pubescens* Curtis,1836 _ Range (in code): **TR 25**
- 5290) *Ammophila* *sabulosa* (Linnaeus,1758)** (Sphecidae) Synonym(s): *sabulosa* Linnaeus,1758 _ Range (in code): **TR 05 06 07 08 11 14 16 18 24 25 26 33 34 36 41 42 43 45 46 49 53 61 67 69**
- 5291) *Ammophila* *sabulosa* (Linnaeus,1758)** (Sphecidae) Synonym(s): *sabulosa* Linnaeus,1758 _ Range (in code): **TR 06 07 08 09 10 11 14 16 18 24 25 26 34 35 36 41 42 43 45 46 49 53 61 67 69**
- 5292) *Ammophila* *sareptana* Kohl,1894** (Sphecidae) Synonym(s): *sareptana* Kohl,1894 _ Range (in code): **TR 06 18 33 58 59**

- 5293) *Ammophila sinensis* Sickmann,1894** (Sphecidae) Synonym(s): *sinensis* Sickmann,1894
Range (in code): CN TR 24 25
- 5294) *Ammophila striata* Mocsary,1878** (Sphecidae) Synonym(s): *striata* Mocsary,1878
Range (in code): TR 42 43 46 58 65
- 5295) *Ammophila terminata* F.Smith,1856** (Sphecidae) Synonym(s): *terminata* F.Smith,1856;
mocsaryi Frivaldsky,1877 [ssp.] Range (in code): TR 06 07 16 25 34
- 5296) *Chilosphex argyrius* (Brullé,1833)** (Sphecidae) Synonym(s): *argyrius* Brullé,1833
Range (in code): TR 16 20 25 31 36
- 5297) *Chilosphex pseudargyrius* (Roth,1967)** (Sphecidae) Synonym(s): *pseudargyrius*
Roth,1967 Range (in code): TR 33
- 5298) *Eremochares dives* (Brullé,1833)** (Sphecidae) Synonym(s): *dives* Brullé,1833 Range
(in code): TR 06 20 33 42 51
- 5299) *Hoplammophila anatolica* (de Beaumont,1960)** (Sphecidae) Synonym(s): *anatolica*
de Beaumont,1960 Range (in code): TR 07 33
- 5300) *Hoplammophila armata* (Illiger,1807)** (Sphecidae) Synonym(s): *armata* Illiger,1807
Range (in code): TR 08 33 42 55
- 5301) *Hoplammophila clypeata* (Mocsary,1883)** (Sphecidae) Synonym(s): *clypeata*
Mocsary,1883 Range (in code): TR 33 59
- 5302) *Isodontia paludosa* (Rossi,1790)** (Sphecidae) Synonym(s): *paludosa* Rossi,1790
Range (in code): TR 06 08 16 24 25 36 42
- 5303) *Isodontia splendidula* (A.Costa,1858)** (Sphecidae) Synonym(s): *splendidula* A.Costa,1858
Range (in code): TR 06 31
- 5304) *Palmodes melanarius* (Mocsary,1883)** (Sphecidae) Synonym(s): *melanarius*
Mocsary,1883; *anatolicus* Kohl,1888; *pivicornis* F.Morawitz,1890 Range (in code): TR Cc GG Tbl TM LY
ES KK KG TJ GR MA DZ SY UA Cm RU Ro 06 20 35
- 5305) *Palmodes minor* (F.Morawitz,1890)** (Sphecidae) Synonym(s): *minor* F.Morawitz,1890
Range (in code): TR TM KG KK UZ T-S TJ 05 42 51
- 5306) *Palmodes occitanicus* (Lepeletier & Audinet-Serville,1828)** (Sphecidae)
Synonym(s): *occitanicus* Lepeletier & Audinet-Serville,1828; *syriacus* Mocsary,1881; *puncticollis* Kohl,1888
Range (in code): TR 05 06 07 16 19 20 25 31 33 34 36 42 63
- 5307) *Palmodes parvulus* (Roth,1967)** (Sphecidae) Synonym(s): *parvulus* Roth,1967 Range
(in code): TR 06
- 5308) *Palmodes strigulosus* (A.Costa,1861)** (Sphecidae) Synonym(s): *strigulosus* A.Costa,1861
Range (in code): TR 05 06 11 12 16 34 38 42 51 63
- 5309) *Parapsammophila caspica* (Gussakowski,1930)** (Sphecidae) Synonym(s): *caspica*
Gussakowski,1930 Range (in code): TR 33
- 5310) *Podalonia affinis* (W.Kirby,1798)** (Sphecidae) Synonym(s): *affinis* W.Kirby,1798
Range (in code): TR 05 06 07 08 16 25 33 36 38 58 61 75
- 5311) *Podalonia alpina* (Kohl,1888)** (Sphecidae) Synonym(s): *alpina* Kohl,1888 Range (in
code): TR 29 33 36 38
- 5312) *Podalonia ebenina* (Spinola,1839)** (Sphecidae) Synonym(s): *ebenina* Spinola,1839
Range (in code): TR 06 12 14 25 38 40 42 51 58
- 5313) *Podalonia fera* (Lepeletier,1845)** (Sphecidae) Synonym(s): *fera* Lepeletier,1845
Range (in code): TR 05 06 08 16 20 25 26 33 38 42 43 51 53
- 5314) *Podalonia harveyi* (de Beaumont,1967)** (Sphecidae) Synonym(s): *harveyi* de
Beaumont,1967 Range (in code): TR 06 33
- 5315) *Podalonia hirsuta* (Scopoli,1763)** (Sphecidae) Synonym(s): *hirsuta* Scopoli,1763
Range (in code): TR SS 01 05 06 08 09 11 12 13 14 16 19 21 23 24 25 28 29 31 33 34 35 36 37 38 42 43
45 46 48 51 53 55 58 61 64 65 69 75 65N 65Nc
- 5316) *Podalonia luffii* (E.Saunders,1903)** (Sphecidae) Synonym(s): *luffii* E.Saunders,1903
Range (in code): TR 25
- 5317) *Podalonia rothi* (de Beaumont,1951)** (Sphecidae) Synonym(s): *rothi* de Beaumont,1951
Range (in code): TR 38 42 45
- 5318) *Podalonia tydei* (Le Guillou,1841)** (Sphecidae) Synonym(s): *tydei* Le Guillou,1841
Range (in code): TR 01 06 07 08 09 10 16 23 24 25 33 34 36 42 44 55 76
- 5319) *Prionyx crudelis* (F.Smith,1856)** (Sphecidae) Synonym(s): *crudelis* F.Smith,1856
Range (in code): TR 33 45 46

- 5320) Prionyx guichardi (de Beaumont,1967)** (Sphecidae) Synonym(s): *guichardi de Beaumont,1967* - Range (in code): **TR 38 40**
- 5321) Prionyx kirbii (Vander Linden,1827)** (Sphecidae) Synonym(s): *kirbii Vander Linden,1827* - Range (in code): **TR 01 03 05 06 07 16 18 25 33 35 36 38 43 55**
- 5322) Prionyx lividocincta (A.Costa,1861)** (Sphecidae) Synonym(s): *lividocincta A.Costa,1861* - Range (in code): **TR 06 07 16 20 33 38 63**
- 5323) Prionyx niveatus (Dufour,1854)** (Sphecidae) Synonym(s): *niveatus Dufour,1854* - Range (in code): **TR 06 36**
- 5324) Prionyx nudatus (Kohl,1885)** (Sphecidae) Synonym(s): *nudatus Kohl,1885* - Range (in code): **TR 06 07 08 16 18 24 25 34 36 42 58**
- 5325) Prionyx songaricus (Eversmann,1849)** (Sphecidae) Synonym(s): *songaricus Eversmann,1849* - Range (in code): **TR 07 33 42 63**
- 5326) Prionyx subfuscatus (Dahlbom,1845)** (Sphecidae) Synonym(s): *subfuscatus Dahlbom,1845* - Range (in code): **TR 16 34**
- 5327) Prionyx Vander Linden,1827** (Sphecidae) Synonym(s): *Prionyx Vander Linden,1827* - Range (in code): **TR**
- 5328) Prionyx viduatus (Christ,1791)** (Sphecidae) Synonym(s): *viduatus Christ,1791* - Range (in code): **TR 05 06 18 20 24 25 26 32 33 36 51**
- 5329) Prionyx vittatus (Kohl,1884)** (Sphecidae) Synonym(s): *vittatus Kohl,1884* - Range (in code): **TR 18**
- 5330) Sceliphron (Hensenia) funestum Kohl,1918** (Sphecidae) Synonym(s): *funestum Kohl,1918* - Range (in code): **GR Cr Rd TR 07 09 14 33 35 48**
- 5331) Sceliphron (s.str.) arabs (Lepeletier,1845)** (Sphecidae) Synonym(s): *arabs Lepeletier,1845; caucasicus André,1888* - Range (in code): **Cc AZ SY Hal TR IQ Bgd IR Ke 01 07 21 31 33 44 49**
- 5332) Sceliphron (s.str.) destillatorium (Illiger,1807)** (Sphecidae) Synonym(s): *flavipes Christ,1791 nec Fabr.,1781; destillatorium Illiger,1807; pensilis Illiger,1807; sardonius Lepeletier,1845; sardous Caruccio,1872; trinacriensis De Stefani Perez,1889* - Original reference: Pepsis destillatoria Illiger,1807 [in] Rossi, Fauna Etrusca 2 (2 Edn.): 94. Type: Italia. Range (in code): **PL DE HV CZ RU Aa Or Ur IT AT UA Cm Sa Si HU GR PT ES CH BG MA RO TN FR AL IL Pa DZ TR Cr TM MT Cc CN Ui Ga Pkn KG 01 03 05 06 07 08 09 15 20 16 25 26 28 31 34 36 37 42 44 45 46 54 61 63 65 80 44L 44Lc 65D 65Do 65N 65Nc**
- 5333) Sceliphron (s.str.) madraspatanum (Fabricius,1781)** (Sphecidae) Synonym(s): *madraspatanum Fabricius,1781; interruptus Palisot de Beauvois,1806; bilineatus F.Smith,1852; separatus F.Smith,1852* - Range (in code): **IT PT ES FR GR Cr IQ TR UA Cm IN Up TJ TH ZR BD KG ID Clb Amb JP MY CN Ti Sz PH Bas TW Ass Ja OM AF PK 05 06 07 16 20 33 42 46 48**
- 5334) Sceliphron (s.str.) sprifex (Linnaeus,1758)** (Sphecidae) Synonym(s): *sprifex Linnaeus,1758; aegyptius Linnaeus,1758; atra Scopoli,1786; aegyptiacum Dalla Torrwie,1897* - Range (in code): **NG ST GR Cn DZ CZ HV GA AT MZ EG DE IT IN AO SD ET ES TN MG FR Si SO CM ZA Cap Tva Lpo TZ MT AL MR ER CI LR CY IL Pa MA YU Cr PT Co BG MA KG OM CF GH TR 01 07 09 10 16 31 33 34 35 45 46 48 61**
- 5335) Sphecx (Fernaldina) melanocnemis Kohl,1885** (Sphecidae) Synonym(s): *melanocnemis Kohl,1885* - Range (in code): **TR 06 16 18 20 33 42**
- 5336) Sphecx (s.str.) atropilosus Kohl,1885** (Sphecidae) Synonym(s): *atropilosus Kohl,1885* - Range (in code): **TR 25**
- 5337) Sphecx (s.str.) flavipennis Fabricius,1793** (Sphecidae) Synonym(s): *flavipennis Fabricius,1793; rufocinctus Brullé,1833; bicolor Dahlbom,1845; cinereorufocinctus Dahlbom,1845; sellae Gribodo,1873; rufodorsatus DeStefani,1887* - Range (in code): **HU IT Si Sa GR Rd Cr CY BG TR IL Pa IR Kh AF AE TM TJ UZ KG 01 03 04 06 07 10 15 16 18 19 20 24 25 28 33 35 36 42 43 45 46 48 49 55 59 66 72**
- 5338) Sphecx (s.str.) fomicatus Christ,1791** (Sphecidae) Synonym(s): *fomicatus Christ,1791* - Range (in code): **TR 07 33 36**
- 5339) Sphecx (s.str.) funerarius Gussakowski,1934** (Sphecidae) Synonym(s): *funerarius Gussakowski,1934* - Range (in code): **TR 01 06 07 08 09 10 13 16 18 20 24 25 26 28 29 31 33 34 35 36 38 42 43 45 48 53 65 76 13G 13Gw 65N 65Nb 76D 76Dg**
- 5340) Sphecx (s.str.) leuconotus Brullé,1833** (Sphecidae) Synonym(s): *leuconotus Brullé,1833* - Range (in code): **TR 08 25 26 31 36 42 49 76**
- 5341) Sphecx (s.str.) oxianus Gussakowski,1928** (Sphecidae) Synonym(s): *oxianus Gussakowski,1928* - Range (in code): **TR 06 08 63**

- 5342) *Sphex (s.str.) pruinus* Germar,1817** (Sphecidae) Synonym(s): *pruinus* Germar,1817
Range (in code): **TR 01 06 07 08 10 13 25 33 42 46 49 61 71 76 13G 13Gw 76D 76Dg**

Stephanidae

- 5343) *Foenatopus hesperophagus* Aguiar,2010** (Stephanidae) Synonym(s): *hesperophagus* Aguiar,2010 Range (in code): **TR 09 20**

Tenthredinidae

- 5344) *Aglaostigma (Astochus) aucupariae* (Klug,1817)** (Tenthredinidae) Synonym(s): *aucupariae* Klug,1817; *lacteore* Benson,1968 Range (in code): **AD AT BE GB BG HV CZ DK EE FR DE IT LT GR YU MK Cc TR PL RO RU Si SK ES SE CH UA NL 42**
- 5345) *Allantus balteatus* (Klug,1818)** (Tenthredinidae) Synonym(s): *balteatus* Klug,1818; *bucculentus* Tischbein,1846; *fulvocinctus* Rudow,1872 Range (in code): **CY TR Cc RU Sb IR 03 25 29 69**
- 5346) *Allantus basalis* (Klug,1818)** (Tenthredinidae) Synonym(s): *basalis* Klug,1818; *togatus* Stephens,1835 nec Panz.,1801; *caledonicus* Benson,1945 Range (in code): **TR RU Sb MN CN JP CA 16 24 25 55**
- 5347) *Allantus cinctus* (Linnaeus,1758)** (Tenthredinidae) Synonym(s): *cinctus* Linnaeus,1758; *cordigera* Geoffroy,1785; *togata* Zetterstedt,1840; *varipes* Audinet-Serville,1840; *neglectus* Zaddach,1859 Range (in code): **Cc TR UA Cm IR KG MN CA 05 08 25 29**
- 5348) *Allantus cingulatus* (Scopoli,1763)** (Tenthredinidae) Synonym(s): *cingulatus* Scopoli,1763; *tenuis* Audinet-Serville,1823; *elegans* Costa,1859 Range (in code): **TR Cc RU Sb 24 25 29**
- 5349) *Allantus didymus* (Klug,1818)** (Tenthredinidae) Synonym(s): *didymus* Klug,1818; *testaceipes* Audinet-Serville,1823; *nigritarsis* Brullé,1832; *proximus* Costa,1859; *ruficrus* Mocsary,1880; *fumatus* André,1880 Range (in code): **TR Cc IR KG RU 01 05 06 08 14 24 25 29 33 36 51 60**
- 5350) *Allantus togatus* (Panzer,1801)** (Tenthredinidae) Synonym(s): *togatus* Panzer,1801; *succincta* Klug,1817; *steini* Schmiedeknecht,1881 Range (in code): **RU Sb TR JP 25**
- 5351) *Allantus viennensis* (Schränk,1781)** (Tenthredinidae) Synonym(s): *viennensis* Schränk,1781; *uberius* Enslin,1914; *nigricoxis* De Stefani,1883; *medinae* Konow,1894 Range (in code): **TR Cc RU Sb 24 25 29 36**
- 5352) *Ametastegia carpini* (Hartig,1837)** (Tenthredinidae) Synonym(s): *carpini* Hartig,1837 Range (in code): **GR BG TR**
- 5353) *Ametastegia glabrata* (Fallén,1808)** (Tenthredinidae) Synonym(s): *glabrata* Fallén,1808; *fulvipes* Costa,1882; *agilis* Klug,1817; *rufipes* Audinet-Serville,1823; *nigrisoma* Norton,1862; *abnormis* Provancher,1885; *potulenta* MacGillivray,1923 Range (in code): **RU Sb UA Cm TR Cc KG DZ MN CA 25 33**
- 5354) *Ametastegia pallipes* (Spinola,1808)** (Tenthredinidae) Synonym(s): *pallipes* Spinola,1808; *grossulariae* Klug,1818; *lapponica* Zetterstedt,1838; *pallipes* Provancher,1878 nec Spin.,1808; *leucopodus* Audinet-Serville,1823; *canadense* Kirby,1882; *pallidipes* Dalla Torre,1894; *cavata* MacGillivray,1911; *cetaria* MacGillivray,1921 Range (in code): **TR Cc IR RU Sb CA**
- 5355) *Apethymus apicalis* (Klug,1818)** (Tenthredinidae) Synonym(s): *apicalis* Klug,1818; *serotinus* Müller,1776; *filiformis* Klug,1818 Range (in code): **TR RU Cc 36**
- 5356) *Athalia ahngerii* Kokujev,1909** (Tenthredinidae) Synonym(s): *ahngerii* Kokujev,1909
Original reference: *Athalia ahngerii* Kokujev,1909, Rev. Ent. Russ. 9: 246. Range (in code): **IL Pa TR Cc TM UZ AF 29 51**
- 5357) *Athalia bicolor* Audinet-Serville,1823** (Tenthredinidae) Synonym(s): *bicolor* Audinet-Serville,1823 Range (in code): **UA Cm TR Cc DZ RU 08 11 12 16 22 24 25 29 36 55 61 64 69**
- 5358) *Athalia circularis* (Klug,1815)** (Tenthredinidae) Synonym(s): *circularis* Klug,1815; *lineolata* Audinet-Serville,1823; *bolivari* Dusmet,1896; *libertoides* Priesner,1928; *longifoliae* Kontuniemi,1951; *alpina* Chevin,1969 Original reference: *Tenthredo circularis* Klug,1815, Mag. Ges. Fr. Berlin 7: 129. Range (in code): **UA Cm TR RU MN CA CN TM Kp AF TJ Pm RU Sb At JP 05 08 14 19 24 25 29 33 34 36 48 53 55 60 61 67**
- 5359) *Athalia cordata* Audinet-Serville,1823** (Tenthredinidae) Synonym(s): *cordata* Audinet-Serville,1823; *suessionensis* Audinet-Serville,1823; *blanchardi* Brullé,1846 Range (in code): **UA Cm TR GR Cr CY RU BY MD Cc GG AM AZ Cn DZ IL Pa 08 09 12 14 16 25 28 36 43 48 53 55 61**
- 5360) *Athalia cornubiae* Benson,1931** (Tenthredinidae) Synonym(s): *cornubiae* Benson,1931 Range (in code): **TR IR 14 61**

- 5361) *Athalia dimidiata* Konow,1891** (Tenthredinidae) Synonym(s): *dimidiata* Konow,1891
Original reference: *Athalia dimidiata* Konow,1891, Wien. ent. Ztg. 10: 42. Range (in code): **TR**
- 5362) *Athalia liberta* (Klug,1815)** (Tenthredinidae) Synonym(s): *liberta* Klug,1815; *immaculata* Konow,1884 Range (in code): **RU TR IR UZ KK Cc Sb IN CN JP 05 08 09 15 24 25 29 34 36 53 55 61 76**
- 5363) *Athalia maculata* Mocsary,1879** (Tenthredinidae) Synonym(s): *maculata* Mocsary,1879
Original reference: *Athalia maculata* Mocsary,1879, Termés. Fü. 3: 117. Range (in code): **HU Cc TR 05 14 25 29 36 55 69**
- 5364) *Athalia paradoxa* Konow,1886** (Tenthredinidae) Synonym(s): *paradoxa* Konow,1886
Range (in code): **CH FR MK GR TR IT HU AT 16 25 29 61**
- 5365) *Athalia paveli* Mocsary,1879** (Tenthredinidae) Synonym(s): *paveli* Mocsary,1879
Original reference: *Athalia paveli* Mocsary,1879, Termés. Fü. 3: 117. Range (in code): **TR**
- 5366) *Athalia rosae* (Linnaeus,1758)** (Tenthredinidae) Synonym(s): *rosae* Linnaeus,1758; *spinarum* Fabricius,1775; *salicis* Schrank,1781 *nec* Linn.,1758; *colibri* Christ,1791; *centifoliae* Panzer,1798
Range (in code): **TR IL Pa IR RU Cc Sb CN 01 04 06 08 10 12 25 29 31 32 33 34 36 42 43 48 53 55 61 64 69**
- 5367) *Athalia rufoscutellata* Mocsary,1879** (Tenthredinidae) Synonym(s): *rufoscutellata* Mocsary,1879; *maculata* Mocsary,1879; *maritima* Kirby,1884; *mocsaryi* Konow,1892; *nigroscutellata* Konow,1892; *pleuralis* Konow,1898; *obscurata* Konow,1904
Original reference: *Athalia rufoscutellata* Mocsary,1879, Termés. Fü. 3: 116. Range (in code): **AL AT B-H BG CN HV CZ FR DE GR HU IT MK NL RO RU SK ES CH TR UA Cm YU 06 08 12 14 16 19 25 29 36 38 55**
- 5368) *Caliroa cerasi* (Linnaeus,1758)** (Tenthredinidae) Synonym(s): *cerasi* Linnaeus,1758
Range (in code): **TR Cc RU AU NZ CA 25 55**
- 5369) *Cladius pectinicornis* (Geoffroy,1785)** (Tenthredinidae) Synonym(s): *pectinicornis* Geoffroy,1785 Range (in code): **TR 65**
- 5370) *Cuneala amasiensis* (Kriechbaumer,1869)** (Tenthredinidae) Synonym(s): *amasiensis* Kriechbaumer,1869 Range (in code): **TR 05 06 09 16 19 20 35**
- 5371) *Cuneala confinis* (Konow,1886)** (Tenthredinidae) Synonym(s): *confinis* Konow,1886; *koehleri sensu* Puls,1870 *nec* Klug,1817; *atratus* André,1883; *confinis* Konow,1886; *parviceps* Konow,1898.
Range (in code): **TR 08 14 18 25 29 37 38 53 61**
- 5372) *Cuneala koehleri* Klug,1817** (Tenthredinidae) Synonym(s): *koehleri* Klug,1817 - Range (in code): **TR 08 25 53**
- 5373) *Dolerus germanicus* (Fabricius,1775)** (Tenthredinidae) Synonym(s): *abietis* Linnaeus,1761 *nec* Linn.,1758; *germanicus* Fabricius,1775; *melanocephala* Geoffroy,1785; *analisis* Fabricius,1793; *pedestris* Panzer,1801; *eglanteriae* Klug,1818; *bajulus* Audinet-Serville,1823; *xanthopus* Stephens,1835; *quadricincta* Zetterstedt,1838 - Range (in code): **TR UA Cc RU Sb 05 08 12 24 25 29 32 36 53 61 69**
- 5374) *Dolerus haematodes* (Schrank,1781)** (Tenthredinidae) Synonym(s): *haematodes* Schrank,1781 - Range (in code): **TR 25 29 55 61**
- 5375) *Dolerus puncticollis* C.G.Thomson,1871** (Tenthredinidae) Synonym(s): *puncticollis* C.G.Thomson,1871; *croaticus* Konow,1890 - Range (in code): **TR HV RU UA Cc IR IL Pa DZ 12 25 29 36 53 55 75 76 25A 25C 25F 25K 25M 25O 36F 36Fb 76B 76Bf 76Bh**
- 5376) *Dolerus triplicatus* (Klug,1818)** (Tenthredinidae) Synonym(s): *triplicatus* Klug,1818
Range (in code): **TR 06 08 22 24 25 29 36 69**
- 5377) *Elinora asiatica* Enslin,1910** (Tenthredinidae) Synonym(s): *asiatica* Enslin,1910
Range (in code): **TR 25 32 36 48 69 76**
- 5378) *Elinora baetica* Spinola,1843** (Tenthredinidae) Synonym(s): *baetica* Spinola,1843; *fulviventrtris* Mocsary,1880; *dusmeti* Konow,1894; *antigae* Zirngiebl,1937 - Range (in code): **TR 25 36**
- 5379) *Elinora ornata* André,1881** (Tenthredinidae) Synonym(s): *ornata* André,1881; *discolor* Konow,1890; *ornatus* André,1881; *mocsaryi* Enslin,1910; *baja* Enslin,1912; *camilla* Enslin,1912 - Range (in code): **TR 36**
- 5380) *Eriocampa ovata* (Linnaeus,1761)** (Tenthredinidae) Synonym(s): *ovata* Linnaeus,1761
Range (in code): **TR Cc RU US 08 22 34 39 53 60 61**
- 5381) *Eriocampa umbratica* (Klug,1816)** (Tenthredinidae) Synonym(s): *umbratica* Klug,1816; *nigrita* Fallén,1829 - Range (in code): **TR 08 53 61**
- 5382) *Eutomostethus ephippium* (Panzer,1798)** (Tenthredinidae) Synonym(s): *ephippium* Panzer,1798 - Range (in code): **TR RU Cc IN US 61**
- 5383) *Fenusa pusilla* Lepeletier,1823** (Tenthredinidae) Synonym(s): *pusilla* Lepeletier,1823
Range (in code): **RO Cc RU TR MN US 25**
- 5384) *Macrophya albicincta* (Schrank,1776)** (Tenthredinidae) Synonym(s): *albicincta* Schrank,1776; *leucopoda* Palma,1861; *melasoma* Rudow,1871; *albipes* Geoffroy,1785; *fera* Fallén,1808 *nec*

- Scop.*,1786; *lugubris* Audinet-Serville,1823; *luctuosa* Audinet-Serville,1823 nec Schr.,1802 _ Range (in code):
TR 08 14 16 28 53 55 61 67
- 5385) *Macrophya annulata* Geoffroy,1785** (Tenthredinidae) Synonym(s): *annulata* Geoffroy,1785; *ligata* Müller,1776; *similis* Spinola,1808; *neglecta* Klug,1817; *abietis* Audinet-Serville,1823 nec Linn.,1758 _ Range (in code): **TR 06 29 53 55**
- 5386) *Macrophya blanda* Fabricius,1775** (Tenthredinidae) Synonym(s): *blanda* Fabricius,1775; *solitaria* Schrank,1781 nec Scop.,1763; *ligustrina* Geoffroy,1785; *cylindrica* Fabricius,1804; *lacrymosa* Audinet-Serville,1823; *cognata* Fallén,1829; *nyctea* Fischer de Waldheim,1843 _ Range (in code): **TR 02 05 06 08 24 25 28 29 31 33 36 42 53 55 61 64 69**
- 5387) *Macrophya crassula* (Klug,1817)** (Tenthredinidae) Synonym(s): *crassula* Klug,1817; *maculosa* Audinet-Serville,1823; *klugii* Snellen van Vollenhoven,1869; *cora* Kirby,1886 _ Range (in code): **TR 08 16 33 55 57 61**
- 5388) *Macrophya cyrus* Benson,1954** (Tenthredinidae) Synonym(s): *cyrus* Benson,1954
Range (in code): **TR 03 05 06 12 13 23 24 25 29 36 42 51 65 69**
- 5389) *Macrophya diversipes* (Schrank,1782)** (Tenthredinidae) Synonym(s): *diversipes* Schrank,1782; *flavipes* Tischbein,1852; *haematopus* Costa,1866; *eximia* Moscardy,1877; *caucasica* André,1881; *rubripes* André,1881; *saundersi* Kirby,1886; *sanguinipes* Moscardy,1891; *dalmatina* Gasparini,1891; *haematopus* Villers,1789; *ochreatea* Panzer, _ Range (in code): **TR 08 12 24 25 29 36 53 65 69**
- 5390) *Macrophya duodecimpunctata* (Linnaeus,1758)** (Tenthredinidae) Synonym(s): *duodecimpunctata* Linnaeus,1758; *signata* Scopoli,1763; *fera* Scopoli,1786; *melanoleuca* Gmelin,1789; *albamacula* Audinet-Serville,1823; *idriensis* Lepeletier,1823; *dolens* Eversmann,1847; *curvipes* Gimmerthal,184 novemguttata Costa,1859; *luridicarpa* Costa,1894; _ Range (in code): **TR 25 55 69**
- 5391) *Macrophya erythrocnema* A.Costa,1859** (Tenthredinidae) Synonym(s): *erythrocnema* A.Costa,1859; *femoralis* Kawall,1864 nec Stephens,1835 _ Range (in code): **TR 08 25 53 61 69**
- 5392) *Macrophya militaris* Klug,1817** (Tenthredinidae) Synonym(s): *militaris* Klug,1817; *lepeletieri* Costa,1859; *analisis* Spinola,1808 nec Fabr.,1793; *schaefferi* Audinet-Serville,1823 nec Klug,1817
Range (in code): **TR 08 25**
- 5393) *Macrophya montana* (Scopoli,1763)** (Tenthredinidae) Synonym(s): *montana* Scopoli,1763
Range (in code): **TR 03 05 25 32 53 55 58 69**
- 5394) *Macrophya ottomana* Mocsary,1881** (Tenthredinidae) Synonym(s): *ottomana* Mocsary,1881
Original reference: *Macrophya ottomana* Mocsary,1881, Termes fizetek 5: 29.
Type: Amasia. Range (in code): **TR Cc AM IR IL Pa JO LB SY RU 05**
- 5395) *Macrophya postica* Brullé,1832** (Tenthredinidae) Synonym(s): *postica* Brullé,1832; *ratzeburgii* Tischbein,1852; *histrionica* Snellen,1878 _ Range (in code): **TR 01 03 05 06 07 08 09 10 12 14 21 24 25 29 33 35 36 48 52 53 55 57 69 80**
- 5396) *Macrophya rufipes* Linnaeus,1758** (Tenthredinidae) Synonym(s): *rufipes* Linnaeus,1758; *pavida* Fabricius,1775; *dumetorum* Geoffroy,1785; *strigosa* Fabricius,1798; *citreipes* Audinet-Serville,1823
Range (in code): **TR 08 10 12 25 29 36 69**
- 5397) *Macrophya suberba* Tischbein,1852** (Tenthredinidae) Synonym(s): *erythropus* Brullé,1832; *suberba* Tischbein,1852; *flavipennis* Kriechbaumer,1891
Original reference: *Macrophya suberba* Tischbein,1852, Stettin ent. Ztg. 13: 137. Range (in code): **TR 03 05 06 08 10 18 24 25 29 36 41 45 51 65 69**
- 5398) *Macrophya teutonia* Panzer,1799** (Tenthredinidae) Synonym(s): *teutonia* Panzer,1799; *marginata* Mocsary,1881; *aureatensis* Schrank,1802 _ Range (in code): **TR 24 25 36**
- 5399) *Messa hortulana* (Klug,1818)** (Tenthredinidae) Synonym(s): *hortulana* Klug,1818; *doederleini* De Stefani,1883; *ticinensis* Magretti,1886 _ Range (in code): **TR 25**
- 5400) *Monophadnoides punctipes* (Konow,1886)** (Tenthredinidae) Synonym(s): *punctipes* Konow,1886 _ Range (in code): **TR RU Sb 25**
- 5401) *Monophadnus pallescens* (Gmelin,1790)** (Tenthredinidae) Synonym(s): *pallescens* Gmelin,1790 _ Range (in code): **TR RU Cc KG US 53 61**
- 5402) *Pachyprotasis rapae* Linnaeus,1767** (Tenthredinidae) Synonym(s): *rapae* Linnaeus,1767; *scripta* Gmelin,1790; *luctuosa* Schrank,1802; *floricola* Gravenhorst,1807; *nigrofasciata* Eschscholtz,1822; *ornega* Norton,1867; *sayi* Rohwer,1908 _ Range (in code): **TR 08 25 28 53 61**
- 5403) *Rhogogaster auctor* Weiffenbach,1967** (Tenthredinidae) Synonym(s): *auctor* Weiffenbach,1967
Original reference: *Rhogogaster auctor* Weiffenbach,1967, NachrBl. bayer. Ent. 16 (3/4): 17-19, figs. Holotype ♂: "Asia Minor, cil. Taurus, Cittehan" [Çiftehan, Niğde Prov.] Demelt leg. Range (in code): **AT BE BG HV FR DE GB IT MD NL SK CH TR 06 51**
- 5404) *Rhogogaster chambersi* Benson,1947** (Tenthredinidae) Synonym(s): *chambersi* Benson,1947 _ Range (in code): **AT IT BE MD BG NL HV SK FR CH DE GB TR**

- 5405) Rhogogaster chlorosoma (Benson,1943)** (Tenthredinidae) Synonym(s): *scalaris* auct.; *chlorosoma* Benson,1943; *podkumokensis* Muche,1973 _ Range (in code): **AT EE LT PL UA BY FI RO YU BE FR MK RU Cc BG DE MD SK CN GB MN ES HV HU NL CH CZ IT NO TR 06 08 12 25 29 34 53 60 69**
- 5406) Rhogogaster dryas (Benson,1943)** (Tenthredinidae) Synonym(s): *dryas* Benson,1943; *similis* Lindqvist,1959 _ Range (in code): **AT BG DE RU HV GB CH IT CZ EE FI NL NO FR PL TR**
- 5407) Rhogogaster naias Benson,1965** (Tenthredinidae) Synonym(s): *naias* Benson,1965 _ Range (in code): **TR CN**
- 5408) Rhogogaster picta (Klug,1817)** (Tenthredinidae) Synonym(s): *picta* Klug,1817; *breviuscula* Costa,1859 _ Range (in code): **AL CZ LT RO UA AT FR MK RU YU BY DE MD SK BE NL SS B-H GR ES BG HU PL CH HV IT PT TR**
- 5409) Rhogogaster punctulata (Klug,1817)** (Tenthredinidae) Synonym(s): *punctulata* Klug,1817; *idriensis* Giraud,1857 _ Range (in code): **AL ZC GR PL CH AT DK IT RO BE EE LT RU UA B-H FI SK BG FR MN SS CN DE NL ES HV GB NO SE TR**
- 5410) Sciapteryx circassica Dovnar-Zapolski,1930** (Tenthredinidae) Synonym(s): *circassica* Dovnar-Zapolski,1930 _ Range (in code): **TR 25 29 61**
- 5411) Sciapteryx laeta Konow,1891** (Tenthredinidae) Synonym(s): *laeta* Konow,1891; *laeta* Muche,1973 _ Range (in code): **TR 25 29**
- 5412) Selandria serva (Fabricius,1793)** (Tenthredinidae) Synonym(s): *serva* Fabricius,1793 _ Range (in code): **TR 58**
- 5413) Seljukia tenebrosa Benson,1966** (Tenthredinidae) Synonym(s): *tenebrosa* Benson,1966 _ Range (in code): **TR 07 32 33**
- 5414) Stethomostus fuliginosus (Schränk,1781)** (Tenthredinidae) Synonym(s): *fuliginosus* Schränk,1781 _ Range (in code): **TR 06 14 51 53**
- 5415) Tenthredo (Cephaledo) bifasciata O.Müller,1766** (Tenthredinidae) Synonym(s): *bifasciata* O.Müller,1766; *vidua* Spinola,1806; *palestina* Pic,1948 _ Range (in code): **GR TR IL Pa 65 76 65D 65Dç 65Fz 76D 76De**
- 5416) Tenthredo (Cephaledo) caucasica Eversmann,1847** (Tenthredinidae) Synonym(s): *caucasica* Eversmann,1847; *moestus* Mocsary,1883 _ Range (in code): **TR 25 29 32 53 61**
- 5417) Tenthredo (Cephaledo) costata Klug,1817** (Tenthredinidae) Synonym(s): *costata* Klug,1817; *sareptana* Eversmann,1847; *subcostatus* Jakovlev,1888; *graecus* Konow,1888; *parnasius* Konow,1888; *violaceipennis* Costa,1890 _ Range (in code): **TR 05 06 08 12 13 23 24 25 28 29 42 51 58 69**
- 5418) Tenthredo (Cephaledo) excellens Konow,1886** (Tenthredinidae) Synonym(s): *annulata* Klug,1817 *nec* Geoffr.,1785; *excellens* Konow,1888; *mandibularis* Enslein,1910; *caja* Enslein,1912 _ Range (in code): **TR 05 06 10 24 25 33 36 38 58 69**
- 5419) Tenthredo (Elinora) amasiensis (Kriechbaumer,1869)** (Tenthredinidae) Synonym(s): *amasiensis* Kriechbaumer,1869 _ Original reference: *Allantus xanthorius* var. *amasiensis* Kriechbaumer,1869, Verh. zool.- bot. Ges. Wien 19: 591-592. Type: Amasia. Range (in code): **BG TR 05**
- 5420) Tenthredo (Elinora) parvula (Kriechbaumer,1869)** (Tenthredinidae) Synonym(s): *parvula* Kriechbaumer,1869 _ Original reference: *Allantus parvulus* Kriechbaumer,1869, Verh. zool.- bot. Ges. Wien 19: 589. Type: Amasia. Range (in code): **TR SY 05**
- 5421) Tenthredo (s.str.) scrophulariae Linnaeus,1758** (Tenthredinidae) Synonym(s): *scrophulariae* Linnaeus,1758; *branensis* Pic,1926; *joannis* Pic,1926; *morvandicus* Pic,1926; *repartitus* Pic,1926 _ Range (in code): **AL HV GB MK SK YU CZ GR NL SS AT DK HU NO ES BY EE IR PL SE BE FI IT PT CH B-H FR LT RO BG DE UA TR RU Cc 08 14 24 25 53 58 60 69 76 76B 76Bj 76Bi**
- 5422) Tenthredo (Zonuledo) flavipennis (Brullé,1832)** (Tenthredinidae) Synonym(s): *flavipennis* Brullé,1832; *frivaldszkyi* Mocsary,1879; *lautus* Konow,1891 _ Range (in code): **TR 02 24 25 29 36 65 69**
- 5423) Tenthredo (Zonuledo) zonula Klug,1817** (Tenthredinidae) Synonym(s): *fasciata* Scopoli,1763 *nec* Linn.,1758; *bifasciata* Geoffroy,1785 *nec* Müll.,1766; *bicictaflava* Christ,1791; *zonula* Klug,1817; *similis* Mocsary,1880; *nazarensis* André; *serena* Konow; *calcaratus* André,1881; *scutellaris* Konow,1898 _ Range (in code): **TR RU UA IR MD Cc AM IL SY LB 01 02 03 05 06 07 08 09 12 13 14 16 19 21 24 25 29 31 32 33 34 35 36 41 42 48 50 51 57 58 63 65 69 80**
- 5424) Tenthredo acerrima Benson,1952** (Tenthredinidae) Synonym(s): *acerrima* Benson,1952; *nitidior* (Konow,1888); *marginella* Panzer,1804, *nec* Fabricius,1793; *aegra* Enslein,1912; *sulphuripes* (Kriechbaumer,1869); *arcuatus* Zirngiebl,1937 _ Range (in code): **TR 08 25 29 53 61 75**
- 5425) Tenthredo albiventris Mocsary,1880** (Tenthredinidae) Synonym(s): *albiventris* Mocsary,1880; *trivittata* André,1881; *lederi* Konow,1890; *albiventris* Enslein,1912; *pallidula* Benson,1930; *kerketa* Dovnar-Zapolskij,1930 _ Range (in code): **TR 29**

- 5426) *Tenthredo albopicta* Puls,1870** (Tenthredinidae) Synonym(s): *albopicta* Puls,1870; *nigrochypeata* Mocsary,1909 - Range (in code): **TR 08 61**
- 5427) *Tenthredo arcuata* Forster,1771** (Tenthredinidae) Synonym(s): *arcuata* Forster,1771; *labiata* Geoffroy,1785; *virgata* Geoffroy,1785; *viminalis* Schrank,1796; *marginella* Panzer,1804,nec Fabricius,1793,p.p.; *melanotus* Rudow,1872; *dispar* Rudow,1872,nec Klug,1817; *clpealis* Konow,1888 - Range (in code): **TR 08 25 53**
- 5428) *Tenthredo caligator* Eversmann,1847** (Tenthredinidae) Synonym(s): *caligator* Eversmann,1847; *nigritarsis* Puls,1870; *morawitzi* Jakovlev,1888 - Range (in code): **TR 25 53 61**
- 5429) *Tenthredo colon* Klug,1817** (Tenthredinidae) Synonym(s): *colon* Klug,1817; *obscura* Panzer,1805 nec Gmel.,1790; *rudowi* André,1881; *nigricollis* Kirby,1882; *jocosa* Provancher,1882; *punctulata* Konow,1887; *nigriventris* Enslin,1912 - Range (in code): **TR 08 43 61**
- 5430) *Tenthredo discophora* Konow,1896** (Tenthredinidae) Synonym(s): *discophora* Konow,1896; *pullata* Konow,1898; *bigemmis* Konow,1903 - Range (in code): **TR 14 29 53 61**
- 5431) *Tenthredo frauenfeldii* Giraud,1857** (Tenthredinidae) Synonym(s): *frauenfeldii* Giraud,1857; *helveticus* Konow,1898; *merceti* Konow; *montanus* Enslin; *dilleri* Taeger,1991 - Range (in code): **TR 08 25 29 53 55**
- 5432) *Tenthredo hyrcana* Benson,1968** (Tenthredinidae) Synonym(s): *hyrcana* Benson,1968 - Range (in code): **AM TR 05 06 08 24 25**
- 5433) *Tenthredo liturata* (Mocsary,1886)** (Tenthredinidae) Synonym(s): *liturata* Mocsary,1886; *egregia* Enslin,1914; *reitteri* Konow,1886 - Range (in code): **TR 08 18 25 29 43 53 61**
- 5434) *Tenthredo livida* Linnaeus,1758** (Tenthredinidae) Synonym(s): *livida* Linnaeus,1758; *dubia* Ström,1768; *lurida* Müller,1775; *pellucida* Müller,1776; *bipunctata* Müller,1776; *annularis* Schrank,1776; *albicornis* Geoffroy,1785; *maura* Fabricius,1793; *carpini* Panzer,1799; *aterrimus* Stephens,1835 - Range (in code): **TR 25 53 69 67**
- 5435) *Tenthredo luteipennis* Eversmann,1847** (Tenthredinidae) Synonym(s): *luteipennis* Eversmann,1847; *fallax* Mocsary,1880 nec Smith,1878 nec Audinet-Serville,1823; *mocsaryi* André,1882; *menetriesi* Kirby,1882; *obscuraria* Enslin,1913 - Range (in code): **TR Cc Pm 25 53 61**
- 5436) *Tenthredo maculata* Geoffroy,1785** (Tenthredinidae) Synonym(s): *maculata* Geoffroy,1785; *unifasciata* Geoffroy,1785; *zonta* Christ,1791; *equestris* Panzer,1809; *latizona* Audinet-Serville,1823; *andrei* Mocsary,1883; *maculata* Enslin,1912 - Range (in code): **TR Cc RU Sb JP 25 29 61**
- 5437) *Tenthredo marginella* Fabricius,1793** (Tenthredinidae) Synonym(s): *marginella* Fabricius,1793; *fuscipennis* Konow,1886 [ssp.]; *hakkariensis* Blank,1991 [ssp.] - Original reference: *Tenthredo marginella* Fabricius,1793, Ent. Syst. 2: 117. Type: Germany, Kiel. Range (in code): **YU BG GR TR AZ Cc Kir 30 65 76 30D 30Dt 65L 76D**
- 5438) *Tenthredo mesomelas* Linnaeus,1758** (Tenthredinidae) Synonym(s): *mesomelas* Linnaeus,1758; *viridis* Klug,1817 nec Linn.,1758; *bernardi* Konow,1888; *mesomelaena* Konow,1905; *montana* Pasteels,1946; *mesopleuralis* Enslin,1912; *atramentaria* Enslin,1912 - Range (in code): **TR 14 25 29 53 61 67**
- 5439) *Tenthredo notha* Klug,1817** (Tenthredinidae) Synonym(s): *notha* Klug,1817; *perkinsi* Morice,1919; *niger* Zirngiebl,1937 - Range (in code): **TR 25**
- 5440) *Tenthredo omissa* Förster,1844** (Tenthredinidae) Synonym(s): *omissa* Förster,1844; *vienensis* sensu Panzer,1799; *marginella* sensu Thomson,1871; *melanoceraea* Enslin,1912 - Range (in code): **TR Cc RU Sb 14 25**
- 5441) *Tenthredo propinqua* Klug,1817** (Tenthredinidae) Synonym(s): *propinqua* Klug,1817 - Range (in code): **TR RU UA Cc 08 18 25 37 53**
- 5442) *Tenthredo thompsoni* Curtis,1839** (Tenthredinidae) Synonym(s): *thompsoni* Curtis,1839; *basanalis* Enslin,1912; *marginella* sensu Chevin,1983; *semifasciatus* Rudow,1872 - Range (in code): **TR Cc RU KG 16 24 25 29 61**
- 5443) *Tenthredo vespa* Retzius,1783** (Tenthredinidae) Synonym(s): *vespa* Retzius,1783; *multifasciata* Geoffroy,1785; *sexannulata* Schrank,1802; *tricincta* Fabricius,1804 nec Christ,1791; *quadricincta* Fallén,1808; *vespiformis* Audinet-Serville,1823; *multicinctus* Rudow,1872; *nigrilabris* Frivaldszky,1877 - Range (in code): **TR RU Cc Sb CN MN 25 53 61 65**
- 5444) *Tenthredo vespiformis* Schrank,1781** (Tenthredinidae) Synonym(s): *vespiformis* Schrank,1781 - Range (in code): **TR RU UA 24 25 36**
- 5445) *Tenthredopsis albonotata* (Brullé,1832)** (Tenthredinidae) Synonym(s): *albonotata* Brullé,1832; *propinqua* Mocsary,1880 nec Klug,1817 - Range (in code): **TR LB SY IL 21 23 31**
- 5446) *Tenthredopsis festiva* Konow,1890** (Tenthredinidae) Synonym(s): *festiva* Konow,1890 - Range (in code): **TR Cc 25 29 36 69**
- 5447) *Tenthredopsis harveyi* Benson,1968** (Tenthredinidae) Synonym(s): *harveyi* Benson,1968 - Range (in code): **TR 14 25**

- 5448) Tenthredopsis nassata Linnaeus,1767** (Tenthredinidae) Synonym(s): *nassata* Linnaeus,1767; *albomaculatus* Cameron,1881; *dorsivittatus* Cameron,1881; *lividiventris* Cameron,1881; *alneti* Schrank,1781; *palmata* Geoffroy,1785; *perlata* Geoffroy,1785; *apicaris* Geoffroy,1785; *subulata* Gmelin,1790; *melanorrhoea* Gmelin,1790; Range (in code): **TR 05 06 08 18 25 61**
- 5449) Tenthredopsis nigella Konow,1891** (Tenthredinidae) Synonym(s): *nigella* Konow,1891 Range (in code): **TR 25**
- 5450) Tenthredopsis sordida Klug,1817** (Tenthredinidae) Synonym(s): *sordida* Klug,1817 Range (in code): **TR 25**
- 5451) Tenthredopsis tessellata Klug,1817** (Tenthredinidae) Synonym(s): *tessellata* Klug,1817; *alboplagiata* Konow,1890; *ischiadica* Eversmann,1847; *cylindrica* Rudow,1871 Range (in code): **TR RU Cc Sb MN CN IR 16 25 55**
- 5452) Tomostethus nigrinus (Fabricius,1804)** (Tenthredinidae) Synonym(s): *nigrinus* Fabricius,1804; *brevicornis* Klug,1816; *nigerrima* Klug,1816; *fraxini* Audinet-Serville,1823 Range (in code): **RU Cc Sb TR 36**

Tetracampidae

- 5453) Epiclerus alahanensis Doğanlar,2003** (Tetracampidae) Synonym(s): *alahanensis* Doğanlar,2003 Range (in code): **TR**
- 5454) Epiclerus guemenekus Doğanlar,2003** (Tetracampidae) Synonym(s): *guemenekus* Doğanlar,2003 Range (in code): **TR**
- 5455) Epiclerus panyas (Walker)** (Tetracampidae) Synonym(s): *panyas* Walker Range (in code): **TR**
- 5456) Epiclerus tokatus Doğanlar,2003** (Tetracampidae) Synonym(s): *tokatus* Doğanlar,2003 Range (in code): **TR 60**
- 5457) Eremocampe choresmiana Sugonjaev** (Tetracampidae) Synonym(s): Range (in code): **TR**
- 5458) Foersterella seyhanensis Doğanlar,2003** (Tetracampidae) Synonym(s): *seyhanensis* Doğanlar,2003 Range (in code): **TR 01**
- 5459) Platynochaetus cuprifrons (Nees ab Esenbeck)** (Tetracampidae) Synonym(s): Range (in code): **TR**
- 5460) Platynochaetus karsensis Doğanlar,2003** (Tetracampidae) Synonym(s): *karsensis* Doğanlar,2003 Range (in code): **TR 36**

Tiphiidae

- 5461) Icronatha caucasica (Mocsary,1883)** (Tiphiidae) Synonym(s): *caucasica* Mocsary,1883 Range (in code): **Cc TR 01 12 25 35 36 45 55 58 65 66**
- 5462) Ludita fulvipennis (Smith,1879)** (Tiphiidae) Synonym(s): *fulvipennis* Smith,1879 Range (in code): **TR 01 02 04 06 08 13 20 25 30 32 33 34 35 37 39 42 43 47 55 58 65 66 13G 30C 47K 65B 65D**
- 5463) Ludita villosa (Fabricius,1793)** (Tiphiidae) Synonym(s): *villosa* Fabricius,1793 Range (in code): **TR 12 13 25 32 33 58 65 13G**
- 5464) Meria anatolica Bartalucci,2004** (Tiphiidae) Synonym(s): *anatolica* Bartalucci,2004 Range (in code): **TR 07**
- 5465) Meria askhabadensis Radoszkowski,1886** (Tiphiidae) Synonym(s): *askhabadensis* Radoszkowski,1886 Range (in code): **TR TM Kp 06 07 10 15 24 36 51**
- 5466) Meria aurantiaca Guérin-Ménéville,1837** (Tiphiidae) Synonym(s): *aurantiaca* Guérin-Ménéville,1837; *paradisiaca* Boni Bartalucci,1992 Range (in code): **TR GR Rd 07 15 17 20 45 51**
- 5467) Meria dorsalis (Fabricius,1804)** (Tiphiidae) Synonym(s): *dorsalis* Fabricius,1804 Range (in code): **TR 01 04 06 08 10 11 13 15 17 20 24 25 26 32 33 35 36 42 43 45 51 60 69**
- 5468) Meria geniculata (Brullé,1832)** (Tiphiidae) Synonym(s): *geniculata* Brullé,1832; *graeca* Saunders,1850; *swanetiae* Radoszkowski,1861; *nigriceps* Mocsary,1883; *picta* Schulthess,1893; *nigrigena* Guiglia,1966 Range (in code): **TR GR RU Cc GG 04 06 10 15 17 24 25 32 35 36 45 51**
- 5469) Meria nitidula Klug,1810** (Tiphiidae) Synonym(s): *nitidula* Klug,1810 Range (in code): **TR 32 35 36**

- 5470) Meria orotaura Elçin, Bağrıaçık & Bartalucci, 2013** (Tiphidae) Synonym(s): *orotaura* Elçin, Bağrıaçık & Bartalucci, 2013 Range (in code): **TR 51**
- 5471) Meria tripunctata (Rossi, 1790)** (Tiphidae) Synonym(s): *tripunctata* Rossi, 1790; *sexfasciata* Rossi, 1792; *verhoeffi* Guiglia, 1961 Range (in code): **AT IT Co Sa Si FR ES DE PL Md HU AL RU TR IL Pa EG MA DZ**
- 5472) Mesa palestinella Guiglia, 1963** (Tiphidae) Synonym(s): *palestinella* Guiglia, 1963 Range (in code): **IL Pa TR Rd 13 25**
- 5473) Methocha articulata (Latreille, 1792)** (Tiphidae) Synonym(s): *articulata* Latreille, 1792; *formicaria* Latreille, 1792; *ichneumonides* Latreille, 1805; *mutillaria* Latreille, 1806; *sanvitali* Latreille, 1809; *italica* Costa, 1858 *articulata* Latreille, 1792 Range (in code): **DZ AT BY BE BG HV CZ DK GB EE FI FR DE GR HU IT LT KG NL NO PL RO RU Sb Us PT SK ES SE CH TR TJ UA TM 24 25 48 80 25C**
- 5474) Poecilotiphia melaena Bartalucci, 2013** (Tiphidae) Synonym(s): *melaena* Bartalucci, 2013 Original reference: Poecilotiphia melaena Bartalucci, 2013, Linzer biol. Beitr. 45 (2): 2157-2159, figs. Holotype ♂: Turkey, Van Prov. Başkale 30km N 2700m leg. R. Hensen (NBC). Range (in code): **TR 65 65B 65Bk**
- 5475) Poecilotiphia parvula (Smith, 1855)** (Tiphidae) Synonym(s): *parvula* Smith, 1855 Range (in code): **TR 15 36 42 45**
- 5476) Silifka fatima Argaman & Özbek, 1992** (Tiphidae) Synonym(s): *fatima* Argaman & Özbek, 1992 Range (in code): **TR 07 33 33P**
- 5477) Tiphia bahattini Yıldırım, 2009** (Tiphidae) Synonym(s): *bahattini* Yıldırım, 2009 Range (in code): **TR 21**
- 5478) Tiphia bituberculata Yıldırım, 2009** (Tiphidae) Synonym(s): *bituberculata* Yıldırım, 2009 Range (in code): **TR 76**
- 5479) Tiphia femorata Fabricius, 1775** (Tiphidae) Synonym(s): *femorata* Fabricius, 1775 Range (in code): **TR 01 02 06 07 08 09 10 11 13 15 16 17 20 24 25 26 29 31 32 33 35 36 39 42 43 45 46 47 50 52 55 58 60 65 69 76**
- 5480) Tiphia minuta Van der Linden, 1827** (Tiphidae) Synonym(s): *minuta* Van der Linden, 1827 Range (in code): **TR 02 04 12 13 15 20 24 25 31 35 36 42 45 46 47 50 58 63 65**
- 5481) Tiphia persica Turner, 1908** (Tiphidae) Synonym(s): *persica* Turner, 1908 Original reference: Tiphia persica Turner, 1908, Ann. Mag. nat. Hist. (8) 2: Syntypes 6♀: Iran: "K. Sefid", SW Persia (Escalera) (BMNH). Range (in code): **TR IR Fa 01 02 04 06 07 12 21 25 27 29 31 32 33 36 42 43 46 47 50 55 58 63 65 66 80**
- 5482) Tiphia ruficornis Klug, 1810** (Tiphidae) Synonym(s): *ruficornis* Klug, 1810 Range (in code): **PL RU TR 32**

Torymidae

- 5483) Adontomerus amygdali (Boucek, 1958)** (Torymidae) Synonym(s): *amygdali* Boucek, 1958 Range (in code): **TR JO RU 01 21 31**
- 5484) Adontomerus impolitus (Askew & Nieves-Aldrey, 1988)** (Torymidae) Synonym(s): *impolitus* Askew & Nieves-Aldrey, 1988 Range (in code): **ES TR UZ IR Ak**
- 5485) Exopristoides dentatus Boucek, 1982** (Torymidae) Synonym(s): *dentatus* Boucek, 1982 Original reference: Exopristoides dentatus Boucek, 1982, Entomologist's Gaz. 33: 186. Holotype ♂: Turkey: Ankara, 23.v.1934 (leg. Novitzky) (BMNH). Range (in code): **TR TN Gf o6**
- 5486) Exopristus trigonomerus (Masi, 1916)** (Torymidae) Synonym(s): *trigonomerus* Masi, 1916 Range (in code): **B-H HV CZ FR GR HU IT MK MD MN DZ RO SK ES Cc UA RU TR IR Ab Oru 15**
- 5487) Glyphomerus stigma (Fabricius, 1793)** (Torymidae) Synonym(s): *stigma* Fabricius, 1793 Range (in code): **TR IR Ak Th Elb AD AT BG CA HV CZ FR DE GR HU IT JP KK NL RO RU YU SK ES SE CH GB US**
- 5488) Glyphomerus tibialis Förster, 1856** (Torymidae) Synonym(s): *tibialis* Förster, 1856 Range (in code): **AT HV CZ FI FR DE GR JO MK MD MN NL SK ES SE Cc GB RU YU TR**
- 5489) Idiomacromerus pannonicus (Ruschka, 1923)** (Torymidae) Synonym(s): *pannonicus* Ruschka, 1923 Range (in code): **TR**
- 5490) Idiomacromerus papaveris (Förster, 1856)** (Torymidae) Synonym(s): *papaveris* Förster, 1856; *akdenizeus* Doğanlar, 1989 Range (in code): **TR AD AT HV CZ FR DE HU IL Pa IT MK MD ES YU IR Ab Oru Qz 01**
- 5491) Megastigmus almusiensis Doğanlar, 1989** (Torymidae) Synonym(s): *almusiensis* Doğanlar, 1989 Range (in code): **TR IR 60**

- 5492) Megastigmus dorsalis (Fabricius,1798)** (Torymidae) Synonym(s): *dorsalis* Fabricius,1798; *bohemanii* Ratzeburg,1848; *xanthopygus* Förster,1859 Range (in code): **FR GB IE SE EE UA DE CZ SK HU RO YU HV B-H MK Co IT TR IR Lo Kd Ab BG DK IN MD NL CN RU**
- 5493) Megastigmus juniperi Nikol'skaya,1952** (Torymidae) Synonym(s): *juniperi* Nikol'skaya,1952 Range (in code): **TR**
- 5494) Megastigmus pistaciae Walker,1871** (Torymidae) Synonym(s): *pistaciae* Walker,1871; *ballestrerii* Rondani,1877 Range (in code): **ES FR IT Si YU B-H UA GR CY TR IR Ab Ak Fa Ha Es Kh Se Th Elb Zj Qz AF DZ AU BG HV IL Pa MA MX CN PT TN TM UA UZ US**
- 5495) Megastigmus rosae Boucek,1971** (Torymidae) Synonym(s): *rosae* Boucek,1971; *kondaricus* Zerova & Seregina,1994 Range (in code): **DE CH AT CZ UA TR IR Ab AM Cc AZ BG GG KG RU TJ TM**
- 5496) Megastigmus schimitscheki Novicky,1954** (Torymidae) Synonym(s): *schimitscheki* Novicky,1954 Range (in code): **TR**
- 5497) Megastigmus suspectus Borries,1895** (Torymidae) Synonym(s): *suspectus* Borries,1895; *piceae* Seitner,1916; *bornmuelleriana* Hussey,1957 Range (in code): **GB IE FR DK DE CZ SK AT UA YU RO SE FI TR**
- 5498) Megastigmus wachtli Seitner,1916** (Torymidae) Synonym(s): *wachtli* Seitner,1916 Range (in code): **PT DZ FR IT SS B-H GR Cr TR**
- 5499) Microdontomerus annulatus (Spinola,1808)** (Torymidae) Synonym(s): *annulatus* Spinola,1808 Range (in code): **IR Elb Th AT BG HV CZ EG DE HU IT LY MD YU PK RO SK ES SE TR GB**
- 5500) Monodontomerus aereus Walker,1834** (Torymidae) Synonym(s): *aereus* Walker,1834 Range (in code): **TR IR Ab Qz AM Cc AT B-H BG CA HV CZ FR GG DE GR HU IT IN JP KG MD NL PL MK RO DZ SK YU CH UA GB US**
- 5501) Monodontomerus obscurus Westwood,1833** (Torymidae) Synonym(s): *obscurus* Westwood,1833 Range (in code): **TR IR Az BG CA CL HV CZ DK EG FR DE HU IL Pa IN IT KG LB MD NL PK MK RU SK ES SE CH TM UA GB US**
- 5502) Oopristus turkestanicus (Skriptshinsky,1929)** (Torymidae) Synonym(s): *turkestanicus* Skriptshinsky,1929; *safavii* Steffan,1968 Range (in code): **UZ PK IQ IR Elb Th TR 01**
- 5503) Podagrion splendens Spinola,1811** (Torymidae) Synonym(s): *splendens* Spinola,1811 Range (in code): **TR**
- 5504) Podagrionella eremiaphilae O.Doğanlar & M.Doğanlar,2009** (Torymidae) Synonym(s): *eremiaphilae* O.Doğanlar & M.Doğanlar,2009 Range (in code): **TR 63**
- 5505) Podagrionella konyaensis O.Doğanlar & M.Doğanlar,2009** (Torymidae) Synonym(s): *konyaensis* O.Doğanlar & M.Doğanlar,2009 Range (in code): **TR 42**
- 5506) Pseudotorymus militaris (Boheman,1834)** (Torymidae) Synonym(s): *militaris* Boheman,1834; *parellinus* Boheman,1834 Range (in code): **DE SE CZ UA TR IR Ab Oru**
- 5507) Pseudotorymus pannonicus (Mayr,1874)** (Torymidae) Synonym(s): *pannonicus* Mayr,1874 Range (in code): **HU UA TR**
- 5508) Pseudotorymus sapphyrinus (Fonscolombe,1832)** (Torymidae) Synonym(s): *sapphyrinus* Fonscolombe,1832; *mongolicus* Szelenyi,1973 Range (in code): **FR DE CZ SK HU B-H YU MD TR MN**
- 5509) Torymoides dispar (Masi,1916)** (Torymidae) Synonym(s): *dispar* Masi,1916 Range (in code): **TR IT SK HU B-H YU AL MK**
- 5510) Torymoides kiesenwetteri (Mayr,1874)** (Torymidae) Synonym(s): *kiesenwetteri* Mayr,1874; *longicauda* Masi,1916 Range (in code): **ES FR GB DE PL CZ SK HU IT B-H YU BG MK GR TR**
- 5511) Torymoides yumurtalikiensis (Doğanlar,1989)** (Torymidae) Synonym(s): *#yumurtalikiensis* Doğanlar,1989; *yumurtalikiensis* Doğanlar,1989; *#yamurtalikiensis* Noyes,2010 Original reference: Ameromicrus yumurtalikiensis Doğanlar,1989, Türk. ent. derg. 13 (3): 142-144, figs.1-2. Holotype ♀: Turkey: Adana Prov. Yumurtalık (MDCO). Range (in code): **TR 01**
- 5512) Torymus arcella Graham & Gijswijt,1998** (Torymidae) Synonym(s): *arcella* Graham & Gijswijt,1998 Original reference: Torymus arcella Graham & Gijswijt,1998, Zool. Verh. 317: 53-54. Holotype ♀: Turkey: [İğdir Prov.], Serdarbulak, 5000" [Ağrı Dağı] leg. Guichard & Harvey (BMNH). Range (in code): **TR UA KG 76**
- 5513) Torymus bedeguaris (Linnaeus,1758)** (Torymidae) Synonym(s): *bedeguaris* Linnaeus,1758; *viridis* Geoffroy,1785; *aurata* Christ,1791; *elegans* Boheman,1834; *forsteri* Ratzeburg,1844; *divisus* Walker,1871; *rosarum* Hoffmeyer,1929 Original reference: Ichneumon bedeguaris Linnaeus,1758, Syst. Nat. (Edn.10) 1: 567. Range (in code): **AD AM Cc AZ GG BE BG CA On HV CZ DK FR GR HU IR Kd IT KK KG MD NL RO RU Da SK ES SE CH TJ TR TM UA GB US Arz Cf Col Or Ut YU**
- 5514) Torymus cultratus Graham & Gijswijt,1998** (Torymidae) Synonym(s): *cultratus* Graham & Gijswijt,1998 Original reference: Torymus cultratus Graham & Gijswijt,1998, Zool.

Verh. 317: 79-80. Holotype ♀: Turkey: Kütahya Prov., Murat Dağı 1700m 31.vii.1962, Guichard & Harvey leg. (BMNH). Range (in code): UA TR 43

5515) Tormus cultriventris Ratzeburg,1844 (Torymidae) Synonym(s): *cultriventris Ratzeburg,1844* Range (in code): BE HV CZ DE HU NL PL SK TR UA GB YU

5516) Tormus nitidulus (Walker,1833) (Torymidae) Synonym(s): *nitidulus Walker,1833; pallidicornis Boheman,1834; nanulus Walker,1874* Range (in code): CZ DE HU MN CA NL CN RO RU Am Kmt Sb SE TR UA GB US Mon

5517) Tormus rubi (Schrank,1781) (Torymidae) Synonym(s): *rubi Schrank,1781; macropterum Walker,1833; splendidus Förster,1841* Range (in code): AT AZ Cc BE BG Cc HV CZ DK FR DE HU IT KG KK MD NL PL RO RU Sh Kmt SK ES SE CH TR YU B-H MK

Trichogrammatidae

5518) Aphelinoidea anatolica Novicki,1936 (Trichogrammatidae) Synonym(s): *anatolica Novicki,1936* Range (in code): TR

5519) Bloodiella andalusica Nowicki (Trichogrammatidae) Synonym(s): Range (in code): TR

5520) Chaetostricha steineri (Nowicki) (Trichogrammatidae) Synonym(s): Range (in code): TR

5521) Monorthochaeta adanaensis Doğanlar,2002 (Trichogrammatidae) Synonym(s): *adanaensis Doğanlar,2002* Range (in code): TR 01

5522) Monorthochaeta galatica Nowicki,1935 (Trichogrammatidae) Synonym(s): *galatica Nowicki,1935* Range (in code): TR

5523) Oligosita collina Walker,1851 (Trichogrammatidae) Synonym(s): *collina Walker,1851; saturata Nowicki,1940* Range (in code): TR CZ FR IE GB TH

5524) Oligosita foersteri Girault,1914 (Trichogrammatidae) Synonym(s): *foersteri Girault,1914* Range (in code): TR DE HU ES

5525) Oligosita pallida Kryger,1919 (Trichogrammatidae) Synonym(s): *pallida Kryger,1919; nigromaculata Soyka,1931; tominici Bakkendorf,1971* Range (in code): TR CZ HV DK HU IR IT NL GB YU

5526) Pseudoligosita gracilior (Nowicki,1935) (Trichogrammatidae) Synonym(s): *gracilior Nowicki,1935* Range (in code): TR

5527) Pseudoligosita paphlagonica (Nowicki,1935) (Trichogrammatidae) Synonym(s): *paphlagonica Nowicki,1935* Range (in code): TR

5528) Pterandrophysalis levantina Nowicki,1935 (Trichogrammatidae) Synonym(s): *levantina Nowicki,1935* Range (in code): TR

5529) Trichogramma brassicae Bezdenko (Trichogrammatidae) Synonym(s): Range (in code): TR

5530) Trichogramma buluti Bulut & Kılınçer,1991 (Trichogrammatidae) Synonym(s): *buluti Bulut & Kılınçer,1991* Range (in code): TR 06

5531) Trichogramma cacaeciae Marchal,1927 (Trichogrammatidae) Synonym(s): *cacaeciae Marchal,1927* Range (in code): TR

5532) Trichogramma dendrolimi Matsumura,1926 (Trichogrammatidae) Synonym(s): *dendrolimi Matsumura,1926* Range (in code): TR 06

5533) Trichogramma embryophagum (Hartig,1838) (Trichogrammatidae) Synonym(s): *embryophagum Hartig,1838* Range (in code): TR 06

5534) Trichogramma evanescens Westwood,1833 (Trichogrammatidae) Synonym(s): *evanescens Westwood,1833* Range (in code): TR

5535) Trichogramma kilinceri Bulut & Kılınçer,1991 (Trichogrammatidae) Synonym(s): *kilinceri Bulut & Kılınçer,1991* Range (in code): TR 06

5536) Trichogramma pinto Voegelé,1982 (Trichogrammatidae) Synonym(s): *pinto Voegelé,1982* Range (in code): TR

5537) Trichogramma turkeiensis Bulut & Kılınçer,1991 (Trichogrammatidae) Synonym(s): *turkeiensis Bulut & Kılınçer,1991* Original reference: Trichogramma turkeiensis Bulut & Kılınçer,1991, Bitki Koruma Bült. 29 (1): 31-33. Range (in code): TR 06

5538) Trichogramma turkestanicum Meyer,1940 (Trichogrammatidae) Synonym(s): *turkestanicum Meyer,1940* Range (in code): TR

- 5539) *Ufens similis* (Kryger,1932)** (Trichogrammatidae) Synonym(s): *similis* Kryger,1932; *megaloptila* Nowicki,1940; *anomalus* Lin,1994 _ Range (in code): **DK EG FR GM GR IN Up IT KE KK OM CN Pkn Kwa PL ZA TR**
- 5540) *Ufens foersteri* (Kryger,1919)** (Trichogrammatidae) Synonym(s): *foersteri* Kryger,1919; *hirticornis* Blood,1923; *vitoldi* Soyka,1931; *meridionalis* Nowicki,1935; *xinjiangensis* Hu & Lin,2003 _ Range (in code): **TR CN Ui AU QAU WAU CZ SK DK EG FR DE GH GR GN HU IR IT IL Sa KE KK MG MA NL NG PK PL RO RU Mo ZA ES TZ TH TM UG UA GB**
- 5541) *Uscana johnstoni* (Waterston,1926)** (Trichogrammatidae) Synonym(s): *johnstoni* Waterston,1926; *phoenicea* Nowicki,1926 _ Range (in code): **TR RO SD**

Vespidae

- 5542) *Acanthodynerus giordanii* Gusenleitner,1969** (Vespidae) Synonym(s): *giordanii* Gusenleitner,1969 _ Range (in code): **TR 07 33 42 63 70**
- 5543) *Alastor (Megalastor) esfandarii* Giordani Soika,1970** (Vespidae) Synonym(s): *esfandarii* Giordani Soika,1970 _ Range (in code): **TR IR 21 21F**
- 5544) *Alastor (Megalastor) mediomaculatus* Giordani Soika,1952** (Vespidae) Synonym(s): *mediomaculatus* Giordani Soika,1952; *iconius* Blüthgen,1955; *graecus* Gusenleitner,1970 _ Range (in code): **IL Pa JO TR GR 06 25 36 42**
- 5545) *Alastor (s.str.) mocsaryi* (André,1884)** (Vespidae) Synonym(s): *mocsaryi* André,1884; *bieglebeni* Giordani Soika,1942; *pannonicus* Blüthgen,1956 _ Range (in code): **IT AT HV B-H YU AL MK GR BG Cr CZ SK HU UA RU TR 05 06 08 24 25 33 34**
- 5546) *Alastor (s.str.) pentheri* Kohl,1905** (Vespidae) Synonym(s): *pentheri* Kohl,1905 _ Range (in code): **TR 05 08 11 25 38 42**
- 5547) *Alastor ardens* Kostylev,1935** (Vespidae) Synonym(s): *ardens* Kostylev,1935 _ Range (in code): **TM TR 47 47F**
- 5548) *Alastor ruficornis* Gusenleitner,2001** (Vespidae) Synonym(s): *ruficornis* Gusenleitner,2001 _ Range (in code): **TR 23**
- 5549) *Alastor schwarzi* Gusenleitner,1967** (Vespidae) Synonym(s): *schwarzi* Gusenleitner,1967 _ Range (in code): **TR 33 58 63 58G**
- 5550) *Alastor thymbrinus* Blüthgen,1956** (Vespidae) Synonym(s): *thymbrinus* Blüthgen,1956 _ Range (in code): **TR 06**
- 5551) *Allodynerus delphinalis* (Giraud,1866)** (Vespidae) Synonym(s): *delphinalis* Giraud,1866 _ Range (in code): **TR 01 05 06 08 11 25 35**
- 5552) *Allodynerus floricola* (Saussure,1853)** (Vespidae) Synonym(s): *floricola* Saussure,1853 _ Range (in code): **TR 07 09 25 42**
- 5553) *Allodynerus nigricornis* (Morawitz,1885)** (Vespidae) Synonym(s): *nigricornis* Morawitz,1885 _ Range (in code): **TR 06**
- 5554) *Allodynerus rossii* (Lepelletier,1841)** (Vespidae) Synonym(s): *rossii* Lepelletier,1841 _ Range (in code): **TR 05 06 08 25 31 34 76 06R**
- 5555) *Ancistrocerus antelope* (Panzer,1789)** (Vespidae) Synonym(s): *antelope* Panzer,1789 _ Range (in code): **TR 50 61**
- 5556) *Ancistrocerus auctus* (Fabricius,1793)** (Vespidae) Synonym(s): *auctus* Fabricius,1793 _ Original reference: *Vespa aucta* Fabricius,1793, Ent. Syst. 2: 272. Range (in code): **FR IQ IL Pa JO Pet Amm TR 01 05 06 07 08 09 16 20 24 25 26 29 31 32 33 34 36 43 57 60 76 06R 16R 24E**
- 5557) *Ancistrocerus claripennis* Thomson,1874** (Vespidae) Synonym(s): *claripennis* Thomson,1874; *ponticus* Giordani Soika,1970 _ Range (in code): **TR 08 25 35 42 53**
- 5558) *Ancistrocerus dusmetiolus* (Strand,1914)** (Vespidae) Synonym(s): *dusmetiolus* Strand,1914 _ Range (in code): **TR 06**
- 5559) *Ancistrocerus gazella* (Panzer,1798)** (Vespidae) Synonym(s): *gazella* Panzer,1798 _ Range (in code): **DE TR PK Swa AF 06**
- 5560) *Ancistrocerus nigricornis* (Curtis,1826)** (Vespidae) Synonym(s): *nigricornis* Curtis,1826 _ Range (in code): **TR 06 16 16R**
- 5561) *Ancistrocerus oviventris* (Wesmael,1836)** (Vespidae) Synonym(s): *oviventris* Wesmael,1836 _ Range (in code): **TR 05 06 24 25 29 34 38 65 69 65B 65Bk 65Bx 65G**
- 5562) *Ancistrocerus parietinus* (Linnaeus,1761)** (Vespidae) Synonym(s): *parietinus* Linnaeus,1761 _ Range (in code): **TR 05 06 25**

- 5563) *Ancistrocerus parietum* (Linnaeus,1758)** (Vespidae) Synonym(s): *parietum* Linnaeus,1758 _ Range (in code): **TR 06 09 10 11 25 35 36 43 45 46 48 68 76 78**
- 5564) *Ancistrocerus scoticus* (Curtis,1826)** (Vespidae) Synonym(s): *scoticus* Curtis,1826 Range (in code): **GB TR 16 35 75 16R 75D**
- 5565) *Antepipona albosignata* Gusenleitner,1986** (Vespidae) Synonym(s): *albosignata* Gusenleitner,1986 _ Original reference: *Antepipona albosignata* Gusenleitner,1986, Linzer biol. Beitr. 18 (2): 365-370, fig. Holotype ♀: Türkiye, [Nevşehir Prov.]: Ürgüp, leg. & coll. Gusenleitner. Range (in code): **TR 06 11 30 42 50 73 30D 30Dt 73A**
- 5566) *Antepipona cribrata* (Morawitz,1885)** (Vespidae) Synonym(s): *cribrata* Morawitz,1885 Range (in code): **AM Cc TR 65 65G 65Gc**
- 5567) *Antepipona deflenda* (Saunders,1853)** (Vespidae) Synonym(s): *deflenda* Saunders,1853 Range (in code): **TR 06**
- 5568) *Antepipona iconia* (Blüthgen,1951)** (Vespidae) Synonym(s): *iconia* Blüthgen,1951 Range (in code): **TR 06**
- 5569) *Antepipona insana* (Giordani Soika,1943)** (Vespidae) Synonym(s): *insana* Giordani Soika,1943; *calva* Gusenleitner,1988 [ssp.] _ Range (in code): **TR 06 08 25 65 65B 65Bk**
- 5570) *Antepipona laevigata* (Blüthgen,1951)** (Vespidae) Synonym(s): *laevigata* Blüthgen,1951 Range (in code): **TR 06**
- 5571) *Antepipona orbitalis* (Herrich-Schäffer,1839)** (Vespidae) Synonym(s): *orbitalis* Herrich-Schäffer,1839; *ballioni* Morawitz,1867 _ Range (in code): **TR 06 16 24 25 36 38 42 51 58**
- 5572) *Antepipona osmania* Gusenleitner,1986** (Vespidae) Synonym(s): *osmania* Gusenleitner,1986; *#osmanica* Madl,1997 _ Original reference: *Antepipona osmania* Gusenleitner,1986, Linzer biol. Beitr. 18 (2): 361-365. Holotype ♀: Türkiye, [İçel Prov.]: Mut, leg. Josef Schmidt (coll. Gusenleitner). Range (in code): **TR 30 33 62 73 30D 30Dt 33O 62E 73A**
- 5573) *Antepipona tenuis* Gusenleitner,1988** (Vespidae) Synonym(s): *tenuis* Gusenleitner,1988 _ Original reference: *Antepipona tenuis* Gusenleitner,1988, Linzer biol. Beitr. 20 (2): 726-728, Abb.5. Holotype ♀: [Türkei]: [Ankara Prov.]: Tuzgölü 900m, 11.6.1987, leg. & coll. K.M.Guichard. Range (in code): **TR 06 06Y**
- 5574) *Antodynerus incomparabilis* Giordani Soika,1970** (Vespidae) Synonym(s): *incomparabilis* Giordani Soika,1970 _ Range (in code): **TR IR Kh 30 30B 30Bs**
- 5575) *Brachydynerus chloroticus* Gusenleitner,2004** (Vespidae) Synonym(s): *chloroticus* Gusenleitner,2004 _ Original reference: *Brachydynerus chloroticus* Gusenleitner,2004, Linzer biol. Beitr. 36: 1100-1101. Holotype ♀: Türkiye-Ost, Kağızman/Kars 1100m 18.8.1991 leg. K.Warncke (coll. Gusenleitner). Range (in code): **TR 36 36D**
- 5576) *Brachydynerus kopetdagicus* (Kostylev,1940)** (Vespidae) Synonym(s): *kopetdagicus* Kostylev,1940 _ Range (in code): **TM Kp TR 11**
- 5577) *Brachydynerus kurdasi* Gusenleitner,1967** (Vespidae) Synonym(s): *kurdasi* Gusenleitner,1967 _ Range (in code): **TR 06 25 33**
- 5578) *Brachydynerus quadrimaculatus* (André,1884)** (Vespidae) Synonym(s): *quadrimaculatus* André,1884 _ Range (in code): **TR 06**
- 5579) *Brachypipona orientalis* Gusenleitner,2004** (Vespidae) Synonym(s): *orientalis* Gusenleitner,2004 _ Original reference: *Brachypipona orientalis* Gusenleitner,2004, Linzer biol. Beitr. 36: 1102-1103. Holotype ♀: Türkiye, [Sivas Prov.]: Gürün 6.6.1970 leg. & coll. Gusenleitner. Range (in code): **TR IR 58 58G**
- 5580) *Brachypipona schmidtii* (Gusenleitner,1967)** (Vespidae) Synonym(s): *schmidtii* Gusenleitner,1967 _ Range (in code): **TR 42 46**
- 5581) *Celonites* (*Eucelonites*) *cyprius* Saussure,1854** (Vespidae) Synonym(s): *cyprius* Saussure,1854 _ Range (in code): **CY TR GR Rd IL Pa SY LB Cc AM IR 35**
- 5582) *Celonites* (*Eucelonites*) *foveolatus* Kostylev,1935** (Vespidae) Synonym(s): *foveolatus* Kostylev,1935 _ Range (in code): **TR IL Pa TM 30 73**
- 5583) *Celonites* (*Eucelonites*) *hamanni* Gusenleitner,1973** (Vespidae) Synonym(s): *hamanni* Gusenleitner,1973; *#hammani* Yıldırım & Özbek,1997 _ Range (in code): **SY JO TR 33**
- 5584) *Celonites* (*Eucelonites*) *rugiceps* Bischoff,1928** (Vespidae) Synonym(s): *rugiceps* Bischoff,1928 _ Range (in code): **HV YU BG GR Cr CY TR**
- 5585) *Celonites* (*Eucelonites*) *tenebricosus* Gusenleitner,2012** (Vespidae) Synonym(s): *tenebricosus* Gusenleitner,2012 _ **TR 30 73 30B 30Be 30D 30Du 73C 73Cd**

- 5586) *Celonites (s.str.) abbreviatus* (Villers,1789) (Vespidae) Synonym(s):** *abbreviatus* Villers,1789; *dubia* Rossi,1790; *vespiformis* Olivier,1790; *apiformis* Fabricius,1793; *hungaricus* Mocsary,1877; *engadinensis* Schulthess,1923; *tauricus* Kostylev,1935 - Range (in code): **DE AT HU CH FR ES PT IT HV AL BG GR UA Cm CY TR IL Pa MA**
- 5587) *Celonites (s.str.) phlomis* Gusenleitner,1973 (Vespidae) Synonym(s):** *phlomis* Gusenleitner,1973; *#phleomis* Gusenleitner,1973 Original reference: *Celonites phlomis* Gusenleitner,1973, Boll. Mus. Civ. stor. Nat. Venezia 4: 61, 63, figs. Type ♀: Türkiye, Urfa (Museum Linz). Range (in code): **TR 63**
- 5588) *Celonites (s.str.) spinosus* Gusenleitner,1966 (Vespidae) Synonym(s):** *spinosus* Gusenleitner,1966; *invitus* Gusenleitner,1973 - Range (in code): **TR Cc AM 09 58**
- 5589) *Cephalochilus draco* Giordani Soika,1970 (Vespidae) Synonym(s):** *draco* Giordani Soika,1970 - Range (in code): **TR SY 06 09 16 35 47 63 65 73 09K 65H 65Hb 73A 73Ag**
- 5590) *Ceramius bureschi* Atanassov,1938 (Vespidae) Synonym(s):** *bureschi* Atanassov,1938; *lycaonius* Blüthgen,1952 - Range (in code): **BG TR GR**
- 5591) *Ceramius caucasicus* André,1884 (Vespidae) Synonym(s):** *caucasicus* André,1884 Range (in code): **Cc AM IR TR 25 30 65 76 25C 25Ca 65F 65Fp 65Fz 65N 65Nr3 65Nm 76B 76Bf 76Bh**
- 5592) *Ceramius palaestinensis* Giordani Soika,1957 (Vespidae) Synonym(s):** *palaestinensis* Giordani Soika,1957; *#palestinensis* Yıldırım & Özbek,1997 - Range (in code): **IL Pa SY TR 12 21**
- 5593) *Chlorodynerus ypsilon* (Kostylev,1929) (Vespidae) Synonym(s):** *ypsilon* Kostylev,1929; *rhodius* Blüthgen,1954 - Range (in code): **TR 06**
- 5594) *Cyrtolabulus iranus* (Giordani Soika,1968) (Vespidae) Synonym(s):** *iranus* Giordani Soika,1968 - Range (in code): **TR IR 47 47F**
- 5595) *Cyrtolabulus zarudnyi* (Kostylev,1939) (Vespidae) Synonym(s):** *zarudnyi* Kostylev,1939 Range (in code): **IR TR 63 63B 63E**
- 5596) *Delta dimidiatipenne* (Saussure,1852) (Vespidae) Synonym(s):** *dimidiatipenne* Saussure,1852; *transcaspicus* Morawitz,1895 - Range (in code): **Cn ES DZ EG JO Pet TR AF PK Msr Dir Pes Nwf Pj NP IN ET IR SA MG IL Pa SO SY YE ZA Tva Lpo NG ET SO Sk MR TD ER DJ UG 65 65F 65Fd**
- 5597) *Delta unguiculatum* (Villers,1789) (Vespidae) Synonym(s):** *unguiculatum* Villers,1789; *coangustata* Rossi,1790; *cursor* Christ,1791; *lapidica* Christ,1791; *infundibuliformis* Olivier,1791; *dumetorum* Panzer,1799; *olivieri* Lepeletier,1841; *huberti* Saussure,1852; *sporadense* Schulthess,1929 - Range (in code): **PT ES DZ EG FR CH AT IT DE SS HV HU RO BG ML GR Si AL Cr Rd TR CY 01 06 07 08 09 11 13 17 25 27 30 31 32 35 42 45 48 56 13G 13Gs 13Gw 56F 56Fi**
- 5598) *Delta viatrix* (Nurse,1903) (Vespidae) Synonym(s):** *viatrix* Nurse,1903 - Range (in code): **TR Ch PK Asr 30 33 47 73 30B 30Bs 33O 47D 73A 73Ag**
- 5599) *Discoelius dufourii* Lepeletier,1841 (Vespidae) Synonym(s):** *dufourii* Lepeletier,1841 Range (in code): **TR IR 12 12B**
- 5600) *Dolichovespula adulterina* (Du Buysson,1905) (Vespidae) Synonym(s):** *borealis* Lewis,1897 nec Kby.,1837; *adulterina* Du Buysson,1905; *arctica* Rohwer,1916; *colchica* Birula,1930; *montivaga* Yamane,1982 - Range (in code): **NO SE FI BE FR CH IT PL RU Sb Cc GG Sh Us Btm TR MN TW JP CA US Nfl On Org Cf Arz Wy NMx Oh Ny**
- 5601) *Dolichovespula media* (Retzius,1783) (Vespidae) Synonym(s):** *media* Retzius,1783; *geerii* Lepeletier,1836; *crassa* Herrich-Schaeffer,1841; *similis* Schenck,1853; *rufoscutellata* Schenck,1853; *flavicincta* Schenck,1853; *lineolata* Pérez,1910; *#lugubris* Birula,1927; *conjugens* Paul,1943; *sugare* Ishikawa,1969; *borealis* Lee,1986 Range (in code): **NO SE FI DK FR ES DE AT IT PL BG RU Sb Sh MN CN Mc KP KR JP TR 39**
- 5602) *Dolichovespula norvegica* (Fabricius,1781) (Vespidae) Synonym(s):** *norvegica* Fabricius,1781; *norvegica* Olivier,1792; *britannica* Leach,1814; *marginata* Kirby,1837; *borealis* Zetterstedt,1838 nec Kby.,1837; *albida* Sladen,1918; *arctica* Friese,1919; *zetterstedti* Blüthgen,1937 - Range (in code): **GB DE FR ES IT Sa SE RU BG TR KG MN CN Ui Sb Sh CA Als US Nfl 08 29**
- 5603) *Dolichovespula omissa* (Bischoff,1931) (Vespidae) Synonym(s):** *tripunctata* Schenk,1861 nec Fabr.,1787; *#ingrica* Birula,1930; *omissa* Bischoff,1931 - Range (in code): **NO SE FI BE FR ES DE CH AT IT PL CZ SK RU IR DK BG TR KG 08 24 25 25F**
- 5604) *Dolichovespula saxonica* (Fabricius,1793) (Vespidae) Synonym(s):** *saxonica* Fabricius,1793; *bavarica* Schrank,1802; *tridens* Schenck,1853; *#monticola* Birula,1930; *nipponica* Yamane,1975; *kamtschatkensis* Eck,1983; *nigrescens* Eck,1983 - Range (in code): **NO SE FI DK BE FR ES DE CH AT PL SK BG RU Kmt Cc Krl Sh TR MN CN Gn Ui Sz KP KR JP Hkk**
- 5605) *Dolichovespula sylvestris* (Scopoli,1763) (Vespidae) Synonym(s):** *sylvestris* Scopoli,1763; *parietum* Harris,1776 nec Linn.,1758; *holsatica* Fabricius,1793; *frontalis* Latreille,1802; *campanaria* Fowler,1833; *pilosella* Costa,1858; *sumptuosa* Du Buysson,1905; *xinjiangensis* Lee,1986 - Range (in code): **MA ES Md GB NO SE FI DK IE DE BE FR AT SS IT PL SK BG DZ TN TR EG IL Pa AM Cc IR AF PK Swa IN Ch MN CN**

Ui Gn Fkn MN RU Sb Us 01 06 07 08 14 24 25 29 32 36 42 48 52 65 69 76 06R 65D 65F 65Fp 65Fq 65Fz
76B 76Bm 76D 76Dd

- 5606) Eumenes coarctatus (Linnaeus,1758)** (Vespidae) Synonym(s): *coarctatus* Linnaeus,1758;
lunulatus Fabricius,1804 Range (in code): TR CY IL Pa KG 06 07 08 11 24 25 33 35 36 42 55 76
- 5607) Eumenes coronatus (Panzer,1799)** (Vespidae) Synonym(s): *coronatus* Panzer,1799;
detonsus Blüthgen,1943 Range (in code): TR 05 06 07 08 10 24 25 30 35 36 42 45 50 51 73 73A
- 5608) Eumenes dubius Saussure,1852** (Vespidae) Synonym(s): *dubius* Saussure,1852 Range (in code): CY TR RU IL Pa LB SY IR 01 02 05 06 07 08 10 24 25 29 31 33 35 36 42 45 49 59 78
- 5609) Eumenes jarkandensis Blüthgen,1938** (Vespidae) Synonym(s): *jarkandensis* Blüthgen,1938; *turanicus* Blüthgen,1943 Range (in code): TR CN Ui MN 01 06 11 25 31 33 36 42 46 50
- 5610) Eumenes lunulatus (Fabricius,1804)** (Vespidae) Synonym(s): *lunulatus* Fabricius,1804
Range (in code): TR 02 07 08 10 11 16 17 24 25 33 35 42 44 46 75 75F
- 5611) Eumenes mediterraneus (Kriechbaumer,1879)** (Vespidae) Synonym(s): *mediterraneus* Kriechbaumer,1879; *housaki* Giordani Soika,1952; *anatolicus* Giordani Soika,1952 Range (in code): TR JO IL Pa OM MN 01 06 07 08 10 24 25 31 35 36 42 44 60 63 65 76 77 65N 65Nc
- 5612) Eumenes papillarius (Christ,1791)** (Vespidae) Synonym(s): *papillarius* Christ,1791
Range (in code): TR MN 06 07 11 24 25 36 44 48 53 75 76 75F
- 5613) Eumenes pedunculatus (Panzer,1799)** (Vespidae) Synonym(s): *pedunculatus* Panzer,1799
Range (in code): TR 07 08 25 69
- 5614) Eumenes pomiformis (Fabricius,1781)** (Vespidae) Synonym(s): *pomiformis* Fabricius,1781; *turcicus* Giordani Soika,1952 Range (in code): MT TR UA Cm LB TN 06 08 09 10 11 20
24 25 33 35 36 43 45 50 58
- 5615) Eumenes punctaticlypeus Giordani Soika,1943** (Vespidae) Synonym(s): *punctaticlypeus* Giordani Soika,1943; *kostylevi* Kurzenko,1976 Range (in code): TR 06 25
- 5616) Eumenes sareptanus André,1884** (Vespidae) Synonym(s): *sareptanus* André,1884;
insolanus Müller,1923 Range (in code): RU Sr TR 06 11 25
- 5617) Eumenes subpomiformis Blüthgen,1938** (Vespidae) Synonym(s): *subpomiformis* Blüthgen,1938 Range (in code): TR 06 07 08 25 31 36 75 75F
- 5618) Euodynerus (Pareuodynerus) notatus (Jurine,1807)** (Vespidae) Synonym(s): *notatus* Jurine,1807 Range (in code): TR 06 24 25 42
- 5619) Euodynerus (Pareuodynerus) posticus (Herrich-Schäffer,1841)** (Vespidae) Synonym(s): *posticus* Herrich-Schäffer,1841 Range (in code): TR 09 10 25 35 48
- 5620) Euodynerus (Pareuodynerus) quadrifasciatus (Fabricius,1793)** (Vespidae) Synonym(s): *quadrifasciatus* Fabricius,1793; *rufipes* Gusenleitner,1984; *rubrosignatus* Gusenleitner,1984
Range (in code): TR LY Cy 25 36 25E 36F 36Fb
- 5621) Euodynerus (s.str.) clatratus Blüthgen,1951** (Vespidae) Synonym(s): *clatratus* Blüthgen,1951 Range (in code): TR 42 65 65B 65Bk 65K 65Kd 65Kg
- 5622) Euodynerus (s.str.) curictensis Blüthgen,1940** (Vespidae) Synonym(s): *curictensis* Blüthgen,1940; *comosellus* Gusenleitner,1971 Range (in code): TR JO Pet IR 05 06 07 08 25 31 42 45 51
65 73 65D 73A
- 5623) Euodynerus (s.str.) dantici (Rossi,1790)** (Vespidae) Synonym(s): *dantici* Rossi,1790
Range (in code): IT TR 06 63 63B
- 5624) Euodynerus (s.str.) disconotatus (Lichtenstein,1884)** (Vespidae) Synonym(s): *disconotatus* Lichtenstein,1884 Range (in code): TR KG 02 06 07 09 10 20 25 31 33 35 36 45 63 63B
- 5625) Euodynerus (s.str.) fastidiosus (Saussure,1853)** (Vespidae) Synonym(s): *fastidiosus* Saussure,1853 Range (in code): TR 06
- 5626) Euodynerus (s.str.) maxmillianus Gusenleitner,1998** (Vespidae) Synonym(s): *maxmillianus* Gusenleitner,1998 Original reference: *Euodynerus* (s.str.) *maxmillianus* Gusenleitner,1998, Linzer biol. Beitr. 30 (2): 506-507. Holotype ♂: Türkei: [Batman Prov.]: "Sirt [sic!], 20km E Batman, 700m [Ikiköprü], 6.6.1960 leg. Max. Schwarz (coll. Gusenleitner). Range (in code): TR 72 72A
- 5627) Euodynerus (s.str.) semisaecularis Dalla Torre,1889** (Vespidae) Synonym(s): *semisaecularis* Dalla Torre,1889 Range (in code): TR 06 08 24 25 26
- 5628) Euodynerus (s.str.) velutinus Blüthgen,1951** (Vespidae) Synonym(s): *velutinus* Blüthgen,1951 Range (in code): TR 06 25
- 5629) Euodynerus hellenicus Blüthgen,1942** (Vespidae) Synonym(s): *hellenicus* Blüthgen,1942
Range (in code): GR TR 13 35

- 5630) Eustenancistrocerus (Parastenancistrocerus) amadanensis (Saussure,1855)** (Vespidae) Synonym(s): *amadanensis* Saussure,1855; *turca* Saussure,1863; *transitorius* Morawitz,1867; *lobatus* André,1883; *iranensis* Giordani Soika,1943; *flavellus* Giordani Soika,1952; *hoberlandti* Giordani Soika,1952
Range (in code): **PT ES HU Si MK CY TR IR 06 08 10 11 16 24 25 31 33 80**
- 5631) Eustenancistrocerus (s.str.) israelensis Giordani Soika,1938** (Vespidae) Synonym(s): *israelensis* Giordani Soika,1938; *#israilensis* Bağrıaçık & Tüzün,2005
Range (in code): **GR BG UA RU IL Pa TR 06 07 24 25 33**
- 5632) Eustenancistrocerus jerichoensis Bytinski-Salz,1956** (Vespidae) Synonym(s): *jerichoensis* Bytinski-Salz,1956; *iconius* Blüthgen,1957
Range (in code): **IL Pa TR 06**
- 5633) Gymnomerus laevipes (Shuckard,1837)** (Vespidae) Synonym(s): *laevipes* Shuckard,1837; *cognatus* Dufour,1839; *rubicola* Dufour,1839; *simplicipes* Herrich-Schäffer,1839
Range (in code): **ES FR GB DK DE PL BY RU Sb NO SE FI EE LT LV UA CZ SK HU CH AT IT Co Si SS HV B-H YU AL MK GR BG Cr TR Cc 06 08 11 14 16 25 29 34 36 06R**
- 5634) Hemipterochilus aberrans (Morawitz,1885)** (Vespidae) Synonym(s): *aberrans* Morawitz,1885
Range (in code): **BG GR TR 06 21 25 33 42 21N**
- 5635) Hemipterochilus bembeciformis (Morawitz,1867)** (Vespidae) Synonym(s): *bembeciformis* Morawitz,1867; *terricola* Mocsary,1883; *sinuatofascius* Costa,1888; *rubromaculatus* Bialynicki-Birula,1926; *circensis* Giordani Soika,1942
Range (in code): **ES IT Sa AT CZ UA RU HV B-H MK GR BG Cr TR 06 25**
- 5636) Hemipterochilus bicoloricornis (Giordani Soika,1952)** (Vespidae) Synonym(s): *bicoloricornis* Giordani Soika,1952
Range (in code): **IL Pa JO Amm TR 07**
- 5637) Ischnogasteroides picteti (Saussure,1852)** (Vespidae) Synonym(s): *picteti* Saussure,1852; *tenuis* Morawitz,1888
Range (in code): **TR TM 06 25**
- 5638) Ischnogasteroides zarudnyi (Kostylev,1939)** (Vespidae) Synonym(s): *zarudnyi* Kostylev,1939
Range (in code): **IR TR 30 63 73 30B 30Bs 63E 73A 73Ag**
- 5639) Jucancistrocerus citreodecoratus Giordani Soika,1970** (Vespidae) Synonym(s): *citreodecoratus* Giordani Soika,1970
Range (in code): **TR IR 63 63B 63E**
- 5640) Jucancistrocerus jucundus (Mocsary,1883)** (Vespidae) Synonym(s): *jucundus* Mocsary,1883
Range (in code): **TR 06**
- 5641) Jugurtia escalerae Meade-Waldo,1910** (Vespidae) Synonym(s): *escalerae* Meade-Waldo,1910
Range (in code): **IR TR 30 65 73 30B 30Bs 30C 65F 73A 73Ag**
- 5642) Jugurtia eurycara Kostylev,1935** (Vespidae) Synonym(s): *eurycara* Kostylev,1935
Range (in code): **TR Cc AM Eri IR 30 42 58 70 73 30D 30Dc 30Dt 42J 58G 70C 70Cb 73A 73Ag**
- 5643) Katamenes dimidiatus (Brullé,1832)** (Vespidae) Synonym(s): *dimidiatus* Brullé,1832
Range (in code): **TR GR 06**
- 5644) Katamenes flavigularis (Blüthgen,1951)** (Vespidae) Synonym(s): *flavigularis* Blüthgen,1951
Range (in code): **TR 06 08 24 25 30 33 38 42 65 65D 65Df**
- 5645) Katamenes sichelii (Saussure,1852)** (Vespidae) Synonym(s): *sichelii* Saussure,1852; *tauriae* Giordani-Soika,1960
Range (in code): **GR TR TM 06 07 25 33 35 42 46 48**
- 5646) Knemodynerus euodyneroides Gusenleitner,1997** (Vespidae) Synonym(s): *euodyneroides* Gusenleitner,1997
Range (in code): **TR 50**
- 5647) Leptochilus (Euleptochilus) limbiferus (Morawitz,1867)** (Vespidae) Synonym(s): *limbiferus* Morawitz,1867; *anatolicus* Blüthgen,1955; *achaeus* Gusenleitner,1970
Range (in code): **IT HV B-H YU AL MK GR BG RO UA RU TR 06 08 11 25 33 55**
- 5648) Leptochilus (Lionotulus) aegineticus Gusenleitner,1970** (Vespidae) Synonym(s): *aegineticus* Gusenleitner,1970; *globosus* Gusenleitner,1997
Range (in code): **TR GR 63**
- 5649) Leptochilus (Lionotulus) alpestris (Saussure,1855)** (Vespidae) Synonym(s): *minutus* Herrich-Schäffer,1839; *alpestris* Saussure,1855; *grandii* Giordani Soika,1947; *bulsanensis* Blüthgen,1953
Range (in code): **PT ES FR DE CZ SK CH AT HV IT Si MK GR BG TR TM JO 22 24 25 34 69**
- 5650) Leptochilus (Lionotulus) hethiticus Gusenleitner,1985** (Vespidae) Synonym(s): *hethiticus* Gusenleitner,1985
Range (in code): **TR 25 33 42 58 70**
- 5651) Leptochilus (Lionotulus) membranaceus (Morawitz,1867)** (Vespidae) Synonym(s): *membranaceus* Morawitz,1867
Range (in code): **IL Pa IT HV MK GR BG UA RU Cc AM IR TR KG 06 21 25 38 40 42 21N**
- 5652) Leptochilus (Lionotulus) mimulus Gusenleitner,1970** (Vespidae) Synonym(s): *mimulus* Gusenleitner,1970; *turcicus* Gusenleitner,1971
Original reference: *Leptochilus (Lionotulus) mimulus* Gusenleitner,1970, Mitt. zool. Mus. Berlin 46: 293.
Range (in code): **CY AL MK GR Cr TR 06**

- 5653) Leptochilus (Lionotulus) osmanicus Gusenleitner,1988** (Vespidae) Synonym(s): *osmanicus Gusenleitner,1988* Original reference: *Leptochilus (Lionotulus) osmanicus* Gusenleitner,1988, Linzer biol. Beitr. 20 (2): 721-723. Holotype ♀: Türkiye: Hakkari Prov. [Şırnak] Habur deresi S. Beytüşşebap 1100m 10.8.1983 leg. W.Schacht (coll. Gusenleitner). Range (in code): **TR 73 73A 73Ag**
- 5654) Leptochilus (Lionotulus) resslı Gusenleitner,1985** (Vespidae) Synonym(s): *ressli Gusenleitner,1985* Range (in code): **IR TR 73 73C 73Cd**
- 5655) Leptochilus (Lionotulus) tarsatellus Giordani Soika,1970** (Vespidae) Synonym(s): *tarsatellus Giordani Soika,1970* Range (in code): **TR LB 30 30B 30Be**
- 5656) Leptochilus (Neoleptochilus) regulus Saussure,1855** (Vespidae) Synonym(s): *regulus Saussure,1855; gallicus Saussure,1855; calabricus Gribodo,1881; siculus De Stefani,1883; costae Costa,1884; buyssoni Medina,1891; pauli Medina,1892; perforatus Dusmet,1903; obtusidentatus Maidl,1922; wuczetici Kostylev,1928* Range (in code): **PT ES FR CH AT IT Co Sa Si CZ SK UA RU HU SS HV B-H MK GR BG Cr CY TR 02 06 07 08 10 17 20 25 31 33 35 55 76 80**
- 5657) Leptochilus fuscipes Gusenleitner,1985** (Vespidae) Synonym(s): *fuscipes Gusenleitner,1985* Range (in code): **IR Qz TR 02**
- 5658) Leptochilus gusenleitneri Yıldırım & Özbek,1995** (Vespidae) Synonym(s): *gusenleitneri Yıldırım & Özbek,1995* Range (in code): **TR 24**
- 5659) Leptochilus kemali Gusenleitner,1977** (Vespidae) Synonym(s): *kemali Gusenleitner,1977* Original reference: *Leptochilus kemali* Gusenleitner,1977, Linzer biol. Beitr. 9 (1): 163-167, fig. Holotype ♂: "Mut, Türkiye, 10.6.1968, leg. et coll.G". Range (in code): **TR 31 33 42 50 58 33O 50G 58G**
- 5660) Leptochilus neutraliformis Gusenleitner,1977** (Vespidae) Synonym(s): *neutraliformis Gusenleitner,1977* Range (in code): **TR 33 58 63**
- 5661) Leptochilus neutralis (Giordani Soika,1943)** (Vespidae) Synonym(s): *neutralis Giordani Soika,1943* Range (in code): **TR 06**
- 5662) Leptochilus nigroclypeus Gusenleitner,1985** (Vespidae) Synonym(s): *nigroclypeus Gusenleitner,1985* Range (in code): **TR 50 58 58G**
- 5663) Leptochilus ornatulus Gusenleitner,1977** (Vespidae) Synonym(s): *ornatulus Gusenleitner,1977* Range (in code): **TR JO 63**
- 5664) Leptochilus palandokenicus Yıldırım & Özbek,1995** (Vespidae) Synonym(s): *palandokenicus Yıldırım & Özbek,1995* Range (in code): **TR 25**
- 5665) Leptochilus tarsatiformis (Giordani Soika,1943)** (Vespidae) Synonym(s): *tarsatiformis Giordani Soika,1943* Range (in code): **TR 06 23 58 06R 58G**
- 5666) Microdynerus (Alastoryneus) microdynerus (Dalla Torre,1889)** (Vespidae) Synonym(s): *alastoroides Morawitz,1885 (praeocc.); microdynerus Dalla Torre,1889; tridentatus Kostylev,1935* Range (in code): **SS HU RO BG GR MK TR JO IR KG Aa 06**
- 5667) Microdynerus (Pseudomicrodynerus) eurasius Blüthgen,1938** (Vespidae) Synonym(s): *eurasius Blüthgen,1938* Original reference: *Pseudomicrodynerus (Pachymicrodynerus) eurasius* Blüthgen,1938, Dt. ent. Z. 1938: 455. Syntypes ♂♀: Greichenland: Parnass. Range (in code): **GR BG TR 05 06 11 25 33 42 50 58 58G**
- 5668) Microdynerus (Pseudomicrodynerus) parvulus (Herrich-Schäffer,1838)** (Vespidae) Synonym(s): *parvulus Herrich-Schäffer,1838; helveticus Saussure,1855; bifidus Morawitz,1885* Original reference: *Odynerus parvulus* Herrich-Schäffer,1838, Fauna Insect. Germ. 154: 19. Syntypes ♂♀: Germania: "bei Regensburg". Range (in code): **FR CH AT DE PL CZ SK HU BY RU UA IT SS HV YU RO BG GR TR 08 25 33 42 50 58 63 58G**
- 5669) Microdynerus (s.str.) abdelkader Saussure,1856** (Vespidae) Synonym(s): *abdelkader Saussure,1856; leopoldi Dusmet,1917; pharaonum Giordani Soika,1960* Range (in code): **DZ PT ES EG TR 05 48**
- 5670) Microdynerus (s.str.) appenninicus Giordani Soika,1960** (Vespidae) Synonym(s): *appenninicus Giordani Soika,1960* Range (in code): **IT Si GR Cr BG RO JO TR 06 27 29 33 35 42 50**
- 5671) Microdynerus (s.str.) atriceps Morawitz,1895** (Vespidae) Synonym(s): *atriiceps Morawitz,1895* Original reference: *Microdynerus atriceps* Morawitz,1895, Horae Soc. ent. ross. 29: 495. Type ♀: [Azerbaidjan]: "Transcaucasia, Helenendorf". Range (in code): **Cc AZ Kir TR IL Pa IR Qz 05**
- 5672) Microdynerus (s.str.) confinis Gusenleitner,1979** (Vespidae) Synonym(s): *confinis Gusenleitner,1979* Original reference: *Microdynerus confinis* Gusenleitner,1979, Linzer biol.

- Beitr. 11: 88-89. Holotype ♀: Türkei, [İçel Prov.]: Mut, Sertavul 1300m 7 6 1968 leg. & coll. Gusenleitner. Range (in code): **RO BG TR 06 25 33 42 44 45 50 70**
- 5673) Microdynerus (s.str.) longicollis Morawitz,1895** (Vespidae) Synonym(s): *longicollis* Morawitz,1895; *patagiatus* Schulthess,1897 Original reference: *Microdynerus longicollis* Morawitz,1895, Horae Soc. ent. ross. 29: 486. Range (in code): **FR ES DE CZ CH AT HU Co RO YU MK GR BG IT Si TR 05**
- 5674) Microdynerus (s.str.) mirandus (Giordani Soika,1947)** (Vespidae) Synonym(s): *mirandus* Giordani Soika,1947 Range (in code): **TR IT Si Co HV YU GR BG RO UA 06 07 33 41**
- 5675) Microdynerus (s.str.) nugundensis (Saussure,1855)** (Vespidae) Synonym(s): *nugundensis* Saussure,1855 Range (in code): **CH YU MK BG AL GR TR 01 06 33**
- 5676) Microdynerus anatolicus (Blüthgen,1938)** (Vespidae) Synonym(s): *anatolicus* Blüthgen,1938 Original reference: *Pseudomicrodynerus* (*Pachymicrodynerus*) *anatolicus* Blüthgen,1938, Dt. ent. Z. 1938: 456. Type ♀: "Kleinasien". Range (in code): **IL Pa TR 63**
- 5677) Microdynerus curdistanicus Gusenleitner,1988** (Vespidae) Synonym(s): *curdistanicus* Gusenleitner,1988 Original reference: *Microdynerus curdistanicus* Gusenleitner,1988, Linzer biol. Beitr. 20 (2): 716-719, fig. Holotype ♀: Turkey: Hakkari Prov., Yüksekova, Sat Dağ, Vargöz 1700m 4-8.8.1983 leg. W.Schacht (coll. Gusenleitner). Range (in code): **TR 30 50 58 73 30B 30Be 30D 30Df 30Dt 50G 58G 73A 73Ag**
- 5678) Microdynerus erzincanensis Yıldırım & Özbek,1995** (Vespidae) Synonym(s): *erzincanensis* Yıldırım & Özbek,1995 Range (in code): **TR 24**
- 5679) Odynerus (s.str.) femoratus Saussure,1856** (Vespidae) Synonym(s): *femoratus* Saussure,1856; *duskei* Morawitz,1895 Range (in code): **PT ES FR CH AT HU PL UA RU IT SS HV B-H MK BG GR Cr Co Sa Si TR 06 08 11 22 25 48 55 69**
- 5680) Odynerus (s.str.) melanocephalus (Gmelin,1790)** (Vespidae) Synonym(s): *melanocephalus* Gmelin,1790; *dentipes* Herrich-Schäffer,1839; *serripes* Taschenberg,1866; *sareptanus* André,1884; *armeniacus* Morawitz,1885; *combinata* Blüthgen,1940; *luxuriosa* Blüthgen,1955; *cypriacus* Eck,1971 Range (in code): **PT ES FR GB NO SE FI RU BY PL UA DK DE NL CZ SK HU RO CH AT HV YU MK AL IT Sa Si BG GR TR CY Cc AM 06 07 09 11 19 21 24 25 29 31 33 36 42 50 51 57 63 69 73 80 31L 73A**
- 5681) Odynerus (s.str.) poecilus Saussure,1856** (Vespidae) Synonym(s): *poecilus* Saussure,1856; *ruficornis* Rudow,1876 Range (in code): **FR DE CH AT IT HV HU RO BG GR TR 06 25 37**
- 5682) Odynerus (s.str.) spinipes (Linnaeus,1758)** (Vespidae) Synonym(s): *spinipes* Linnaeus,1758; *quinquefasciata* Fabricius,1793; *muticus* Zetterstedt,1838; *#flaviscapus* Mader,1936; *scutellaris* Blüthgen,1940 Range (in code): **ES FR GB NL DK DE NO SE FI RU LT LV EE BY UA PL CZ SK CH AT HU IT SS HV B-H YU MK BG TR 53**
- 5683) Odynerus (Spinicoxa) albopictus Saussure,1856** (Vespidae) Synonym(s): *albopictus* Saussure,1856; *calcaratus* Morawitz,1885; *rufospinosus* Morawitz,1895; *argivus* Schulthess,1924 Range (in code): **PT ES FR IT Si MK GR BG TR Cr 21 24 25 50**
- 5684) Odynerus (Spinicoxa) simillimus Morawitz,1967** (Vespidae) Synonym(s): *simillimus* Morawitz,1967; *dentifer* Drogoszewski,1934 Range (in code): **GB DE CH AT SS HU PL RU UA Cc RO TR 25**
- 5685) Onychopterocheilus hellenicus (Morawitz,1885)** (Vespidae) Synonym(s): *hellenicus* Morawitz,1885; *syriacus* Blüthgen,1952 Range (in code): **GR TR SY 06**
- 5686) Paragymnomerus amitinorum Blüthgen,1938** (Vespidae) Synonym(s): *amitinorum* Blüthgen,1938 Range (in code): **TR 05 06 25 31 45 58**
- 5687) Parapolybia escalerae (Meade-Waldo,1911)** (Vespidae) Synonym(s): *escalerae* Meade-Waldo,1911 Original reference: *Polybia escalerae* Meade-Waldo,1911, Ann. Mag. nat. Hist. (8) 7: 109. Type ♀: S.W. Persia: "Dupulan Baktiari". Range (in code): **IR TR PK Nwf Ci 30 73 30A 30Ab 30B 30Bs 73A 73Ad1**
- 5688) Paravespa mimetica (Schulthess,1924)** (Vespidae) Synonym(s): *mimetica* Schulthess,1924 Range (in code): **TR 63 63D**
- 5689) Pareumenes laminatus (Kriechbaumer,1879)** (Vespidae) Synonym(s): *laminatus* Kriechbaumer,1879 Range (in code): **TR 06 07 33 34**
- 5690) Parodontodynerus ephippium (Klug,1817)** (Vespidae) Synonym(s): *ephippium* Klug,1817 Range (in code): **TR 01 06 08 09 20 25 31 42 43 49 06R**
- 5691) Polistes (s.str.) associus Kohl,1898** (Vespidae) Synonym(s): *associus* Kohl,1898 Original reference: *Polistes associa* Kohl,1898, Annln naturh. Mus. Wien 13: 89. Syntypes: [Azerbaidjan]: "Caucasusgebiet (Helenendorf)"; Greece: Poros. Range (in code): **IT FR GR AT HU SK YU TR Cc AZ Kir IL Pa IN CN Ch 05 06 07 08 09 10 24 25 26 29 31 32 33 34 35 39 42 45 46 48 52 53 55 60 06R**

- 5692) Polistes (s.str.) atrimandibularis (Zimmermann,1930)** (Vespidae) Synonym(s): *atrimandibularis* Zimmermann,1930; *albidus* Blüthgen,1957 Range (in code): **TR IR AM Cc EG 16 21 25 36**
- 5693) Polistes (s.str.) biglumis (Linnaeus,1758)** (Vespidae) Synonym(s): *biglumis* Linnaeus,1758; *alpium* Blüthgen,1957 Range (in code): **Cc TR RU Ur Sb Am Us KG MN IR 06 07 08 16 25 29 31 36 60 65 69 75 76 31K 31Ka 65B 65Bn 65Bn1 65F 65Fp 65Fz 65Fq 76D 76Dc**
- 5694) Polistes (s.str.) bischoffi (Weyrauch,1937)** (Vespidae) Synonym(s): *bischoffi* Weyrauch,1937 Range (in code): **MT TR 30 30D**
- 5695) Polistes (s.str.) dominula (Christ,1791)** (Vespidae) Synonym(s): *dominulus* Christ,1791; *bucharensis* Erichson,1949; *muchei* Gusenleitner,1976 Range (in code): **TN IT FR BE DK CZ DZ YU TR Cc RU Sb Ur KG JP GB DK SE UZ Br AF PK IR AM Cc IL Pa JO MN CN CA AU CL US 01 02 05 06 07 08 09 10 13 17 20 21 24 25 26 31 32 33 34 35 36 41 42 44 45 46 47 48 49 53 55 56 59 60 63 65 76 78 13A 13Ab 13Ax 31K 31Ka 56F 65D 65F 65Fé 65F4 65G 65Gf 65I 65K 65Ky1 73A 73Ad 73Ad2 73Ak 76D 76Dc**
- 5696) Polistes (s.str.) gallicus (Linnaeus,1767)** (Vespidae) Synonym(s): *gallicus* Linnaeus,1767; *foederatus* Kohl,1898; *omissus* Weyrauch,1939 Range (in code): **ES YU MK TR FR IT GR AL DZ UA Cc AZ Kir AM IL Pa JO DZ AF PK Skd IR CN MN ET 01 02 06 07 08 09 10 13 20 21 22 23 24 25 26 31 32 33 34 35 36 40 42 44 45 46 47 53 55 63 65 73 75 76 77 78 21P 36F 36Fd 65D 65F 65F4 65Fp 65Fz 65N 65Nc 65Nc4 65Np 65Nm 73A 73C 73Cd 76C**
- 5697) Polistes (s.str.) nimphus (Christ,1791)** (Vespidae) Synonym(s): *nimpha* Christ,1791; *opinabilis* Kohl,1898; *moltonii* Guiglia,1944; *irakensis* Gusenleitner,1976 Range (in code): **DE FR IT YU RO BG GR ES DZ DK GB BE NL CZ TR IL Pa IQ AZ Cc PK Swa IN Ch Hp MN CN 01 05 06 07 08 11 20 23 25 33 35 36 44 45 46 48 55 65 66 69 77 78 65F 65Fe**
- 5698) Polistes (s.str.) semenowi Morawitz,1889** (Vespidae) Synonym(s): *semenowi* Morawitz,1889 Original reference: *Polistes semenowi* Morawitz,1889, *Horae Soc. ent. ross.* 23: 552-554. Syntypes: [Turkmenistan]: "Copet-Dag im transcaspischen Gebiete". Range (in code): **GR YU TR IR Fa Shr Cc AF TM Kp 05**
- 5699) Polistes (s.str.) sulcifer (Zimmermann,1930)** (Vespidae) Synonym(s): *sulcifer* Zimmermann,1930; *simulator* Zirngiebl,1955 Range (in code): **Md ES TR DZ EG IL IR 06 16 24 25 36 45 50 53 60 65 69 25N 65B**
- 5700) Pseudepipona (Deuterepipona) ankarensis Giordani Soika,1970** (Vespidae) Synonym(s): *ankarensis* Giordani Soika,1970 Range (in code): **TR 06 42 65 70 06K 65B**
- 5701) Pseudepipona (Deuterepipona) ionia (Saussure,1855)** (Vespidae) Synonym(s): *ionia* Saussure,1855 Range (in code): **TR 06 25 42 46**
- 5702) Pseudepipona (s.str.) lativentris (Saussure,1855)** (Vespidae) Synonym(s): *lativentris* Saussure,1855 Range (in code): **TR 06**
- 5703) Pseudepipona (s.str.) pseudominuta Gusenleitner,1972** (Vespidae) Synonym(s): *pseudominuta* Gusenleitner,1972 Range (in code): **IL Pa JO Amm TR 58 58G**
- 5704) Pseudepipona herrichii (Saussure,[1856])** (Vespidae) Synonym(s): *herrichii* Saussure,[1856] Range (in code): **TR 06 30 30D**
- 5705) Pseudosymmorphus adnexus (Gusenleitner,1969)** (Vespidae) Synonym(s): *adnexus* Gusenleitner,1969 Range (in code): **SY TR 63**
- 5706) Pseudosymmorphus prophetus (Giordani Soika,1952)** (Vespidae) Synonym(s): *prophetus* Giordani Soika,1952; *asiaticus* Giordani Soika,1970 Range (in code): **SY JO IL Pa TR 63**
- 5707) Psiliglossa anatolica Giordani Soika,1979** (Vespidae) Synonym(s): *anatolica* Giordani Soika,1979 Range (in code): **TR 04 25 65 04D 25R 65B 65Bk**
- 5708) Psiliglossa odyneroides (Saunders,1872)** (Vespidae) Synonym(s): *odyneroides* Saunders,1872 Range (in code): **TR 06 07 11 80**
- 5709) Pterocheilus atrohirtus Morawitz,1885** (Vespidae) Synonym(s): *atrohirtus* Morawitz,1885 Range (in code): **TR Cc 07 36**
- 5710) Pterocheilus fausti Morawitz,1873** (Vespidae) Synonym(s): *fausti* Morawitz,1873; *aurantiopictus* Giordani Soika,1970 Range (in code): **TR SA 04 50**
- 5711) Pterocheilus mavromoustakisi Giordani Soika,1979** (Vespidae) Synonym(s): *mavromoustakisi* Giordani Soika,1979 Range (in code): **TR 25 36 38 58 36F**
- 5712) Pterocheilus multimaculatus Gusenleitner,2004** (Vespidae) Synonym(s): *multimaculatus* Gusenleitner,2004 Original reference: *Pterocheilus multimaculatus* Gusenleitner,2004, *Linzer biol. Beitr.* 36: 1094-1096. Holotype ♀: Türkei, Nevşehir 1100m 5.7.2001 leg. & coll. N.Bağrıaçık. Range (in code): **TR 50**
- 5713) Quartinia araxana Giordani Soika,1960** (Vespidae) Synonym(s): *araxana* Giordani Soika,1960; *soika* Richards,1962 Range (in code): **GR TR IR Elb Cc AM**

- 5714) *Quartinia popovi* Gussakovskii,1936** (Vespidae) Synonym(s): *popovi* Gussakovskii,1936
Range (in code): **TR 65 65F**
- 5715) *Quartinia separata* Gusenleitner,1997** (Vespidae) Synonym(s): *separata* Gusenleitner,1997 Range (in code): **SY Hms TR 30 33 60**
- 5716) *Raphiglossa eumenoides* Saunders,1850** (Vespidae) Synonym(s): *eumenoides* Saunders,1850; *caucasica* Giordani Soika,1970 Range (in code): **Cc TR 06 50 63**
- 5717) *Rhynchium oculatum* (Fabricius,1781)** (Vespidae) Synonym(s): *oculatum* Fabricius,1781; *lefebrei* Lepeletier,1841; *leviscutis* Cameron,1908; *distinguendum* Buysson,1913; *hebraeum* Giordani Soika,1952; *adenense* Giordani Soika,1952; *ibericum* Giordani Soika,1966 Range (in code): **Cn PT ES FR MT IT Si GR Cr TR OM IR SA EG JO YE Ad IL Pa CY 01 06 07 09 11 16 24 26 31 33 35 42 45 48 55 61**
- 5718) *Stenodynerus aequisculptus* (Kostylev,1940)** (Vespidae) Synonym(s): *aequisculptus* Kostylev,1940 Range (in code): **Cr TR 06 08 25 31 34 42**
- 5719) *Stenodynerus bluethgeni* Van der Vecht,1971** (Vespidae) Synonym(s): *bluethgeni* Van der Vecht,1971 Range (in code): **TR 06 19 24 25 59 69**
- 5720) *Stenodynerus chevrieranus* (Saussure,1855)** (Vespidae) Synonym(s): *chevrieranus* Saussure,1855 Range (in code): **TR 05 06 08 11 19 24 25 26 31 33 34 59 76 80**
- 5721) *Stenodynerus chitgarensis* Giordani Soika,1970** (Vespidae) Synonym(s): *chitgarensis* Giordani Soika,1970 Range (in code): **TR**
- 5722) *Stenodynerus claviger* Gusenleitner,1981** (Vespidae) Synonym(s): *claviger* Gusenleitner,1981 Range (in code): **TR 04 13 04D 13G 13Gw**
- 5723) *Stenodynerus fastidiosissimus* (Saussure,1855)** (Vespidae) Synonym(s): *fastidiosissimus* Saussure,1855; *difficilis* Morawitz,1867 Range (in code): **TR 06**
- 5724) *Stenodynerus orenburgensis* (André,1884)** (Vespidae) Synonym(s): *orenburgensis* André,1884 Range (in code): **RU Or TR 25 69**
- 5725) *Stenodynerus pannosus* Gusenleitner,1985** (Vespidae) Synonym(s): *pannosus* Gusenleitner,1985 Original reference: *Stenodynerus pannosus* Gusenleitner,1985, NachrBl. bayer. Ent. 34 (4): 108-109. Holotype ♂: Türkei, Suvari-Halil-Pass 2900m 11 8 1983 leg. K.Warncke (coll.Gusenleitner). Range (in code): **TR 25 30 30B 30Be**
- 5726) *Stenodynerus simulatus* Gusenleitner,1981** (Vespidae) Synonym(s): *simulatus* Gusenleitner,1981 Range (in code): **TR 06 08 24 25 33 42 50 70**
- 5727) *Symmorphus bifasciatus* (Linnaeus,1761)** (Vespidae) Synonym(s): *bifasciatus* Linnaeus,1761 Range (in code): **TR 06 14 25 36 53 61**
- 5728) *Symmorphus connexus* (Curtis,1826)** (Vespidae) Synonym(s): *connexus* Curtis,1826 Range (in code): **GB TR 46 46F**
- 5729) *Symmorphus crassicornis* (Panzer,1798)** (Vespidae) Synonym(s): *crassicornis* Panzer,1798 Range (in code): **TR DE 06 25 26 28 60**
- 5730) *Symmorphus gracilis* (Brullé,1832)** (Vespidae) Synonym(s): *gracilis* Brullé,1832 Range (in code): **TR 06 09 24 25 29 33 60 70 73 73A**
- 5731) *Symmorphus murarius* (Linnaeus,1758)** (Vespidae) Synonym(s): *murarius* Linnaeus,1758; *nidulator* Saussure,1856 Range (in code): **TR 24 25 29 51**
- 5732) *Syneuodynerus egregius* (Herrich-Schäffer,1839)** (Vespidae) Synonym(s): *egregius* Herrich-Schäffer,1839 Range (in code): **TR JO Amm IL Pa 06 24 25 31 33 42 45**
- 5733) *Syneuodynerus erichi* Gusenleitner,1967** (Vespidae) Synonym(s): *erichi* Gusenleitner,1967 Range (in code): **TR 25 30 33 47 63**
- 5734) *Syneuodynerus siegberti* (Gusenleitner,1967)** (Vespidae) Synonym(s): *siegberti* Gusenleitner,1967 Range (in code): **TR 07 56 63 07C 56E 63E 63M**
- 5735) *Tachyancistrocerus komarowi* (Morawitz,1885)** (Vespidae) Synonym(s): *komarowi* Morawitz,1885 Range (in code): **TR TM AF IR 01 21 63 63B 63E 63K**
- 5736) *Tachyancistrocerus rhodensis* (Saussure,1855)** (Vespidae) Synonym(s): *rhodensis* Saussure,1855; *sulcatus* André,1883 Range (in code): **TR Si GR BG 01 06 07 08 09 10 20 25 31 32 33 34 42 45 46**
- 5737) *Tachyancistrocerus schmidtii* (Kokujev,1912)** (Vespidae) Synonym(s): *schmidtii* Kokujev,1912 Range (in code): **TR 10 21 24 25 36 46 21N**
- 5738) *Tachyancistrocerus syriacus* Giordani Soika,1970** (Vespidae) Synonym(s): *syriacus* Giordani Soika,1970 Range (in code): **TR 36 36F**
- 5739) *Tropidodynerus interruptus* (Brullé,1832)** (Vespidae) Synonym(s): *interruptus* Brullé,1832 Range (in code): **GR TR 06**

- 5740) Vespa crabro Linnaeus,1758** (Vespidae) Synonym(s): *crabro* Linnaeus,1758; *germana* Christ,1791 Range (in code): PT ES FR GB NO SE FI DK DE BE NL CZ SK CH AT IT Sa Si HU MD UA RO YU AL BG GR TR Cc IR TM KG MN CN KP KR JP RU Ur Sb Am Us Sh CA US GT 06 08 10 11 16 24 25 33 34 35 36 37 42 45 52 53 55 59 60 61 67 70 73 75 78 06R 73A 73Ad 73Ad2 75F
- 5741) Vespa orientalis Linnaeus,1771** (Vespidae) Synonym(s): *orientalis* Linnaeus,1771; *turcica* Drury,1773; *quadripunctata* Forskal,1775; *fusca* Christ,1791; *aegyptiaca* Vallot,1802; *nilotica* Vallot,1802; *jurinei* Saussure,1854; *zavattarii* Guiglia & Capra,1933; *somalica* Giordani Soika,1934; *arabica* Giordani Soika,1957 Original reference: *Vespa orientalis* Linnaeus,1771, Mant. Plant. (2): 540. Type ♀: (LSL). Range (in code): IT Si MT AL BG Cr Rd CY RO GR TR JO IR Cc SY LB IQ IL Pa SA BH YE OM AE DZ LY EG ET SO RU TM UZ TJ IR AF KK PK IN Ch Pj Up Ben NP Ui MG MX 01 06 07 08 09 10 11 15 16 20 21 24 25 27 30 31 33 35 36 42 44 45 46 47 48 49 56 63 65 70 73 76 21N 21Nh 30B 30Bo 30Br 31K 31Ka 56F 56Fç 56Fo 65D 65D1 65Do 65N 65Np5 65Nm 73A 73Ad 73Ad2
- 5742) Vespa austriaca (Panzer,1799)** (Vespidae) Synonym(s): *austriaca* Panzer,1799; *borealis* Smith,1843 *nec* Kby.,1837; *arborea* Smith,1849; *biloba* Schilling,1850; *infernalis* Saussure,1854; *tripunctata* Packard,1870 Range (in code): NO SE FI DK IE GB BE FR ES DE CH AT IT PL CZ BG TR GG Cc RU Kmt Us Am PK IN Ch MN Ui CN Hbe KP KR JP CA BCo On Nfl US Org Cf Ut Col Arz NMx Ny Nje
- 5743) Vespa germanica (Fabricius,1793)** (Vespidae) Synonym(s): *germanica* Fabricius,1793 Range (in code): Cn Az MA TN DZ TR Cc SY JO IR AF PK Bl Hu Dir Swa Ci Abb Msr Psu Cls Qu IN Ch KG Uk MN CN Ui Mc RU Ur Sb Am Us Sh KP KR AU NZ ZA CA US CL AR 05 06 07 08 09 10 12 13 15 16 17 20 21 29 31 32 33 34 35 36 38 40 41 42 44 45 46 47 48 49 50 52 56 60 63 64 65 66 69 73 77 78 12A 12Ab 13A 13Ab 13Ac 13Ax 33K 33Kb 56F 65K 65Kb 65N 65Nc 65Nc4 65Np 65Np5 65Nm 73A 73Ad 73Ad2
- 5744) Vespa rufa (Linnaeus,1758)** (Vespidae) Synonym(s): *rufa* Linnaeus,1758; *schrenckii* Radoszkowski,1861; *sibirica* André,1884; *intermedia* Buysson,1905; *grahami* Archer,1981; *obscura* Lee,1986; *yichunensis* Lee,1986 Range (in code): NO SE FI DK DE IE GB NL BE FR ES IT CH AT PL CZ HV AL BG UA RU Us Sh GG Cc UZ MN TR Ui Ti CN Sz Yu Mc NP TW KP KR JP CA BCo On Nfl US 08 24 25 29
- 5745) Vespa vulgaris (Linnaeus,1758)** (Vespidae) Synonym(s): *vulgaris* Linnaeus,1758; *sexcincta* Panzer,1799; *communis* Saussure,1857 *nec* Schr.,1785; *alascensis* Packard,1870; *westwoodii* Shipp,1893; *pseudogermanica* Stofa,1932 Range (in code): BE GB SE TR Cc MN IR IN Ch KK KG CN KP KR JP Hkk Hw AU NZ RU Ur Sb Us Am Sh Krl 02 05 06 08 13 16 17 24 25 28 29 32 33 35 36 38 42 43 44 48 53 61 64 69 06R 65F 65F4 65Fq

Xyelidae

- 5746) Xyela curva Benson,1938** (Xyelidae) Synonym(s): *curva* Benson,1938 Range (in code): TR 07 15
- 5747) Xyela graeca Stein,1876** (Xyelidae) Synonym(s): *graeca* Stein,1876 Range (in code): GR TR 06 07 15 42
- 5748) Xyela julii (Brébisson,1818)** (Xyelidae) Synonym(s): *julii* Brébisson,1818 Range (in code): TR 58
- 5749) Xyela menelaus Benson,1960** (Xyelidae) Synonym(s): *menelaus* Benson,1960 Range (in code): TR 07 15

Selected Annotated Bibliography

Selected 971 publications on the Hymenoptera are given alphabetically. Among them, 670 publications are related with the fauna of Turkey. The rest of the publications are also important for Turkey from various standpoints. These are given below under two parts.

The publications are evaluated bibliographically from various scientific subjects. References to these selected themes are given in bold/blue. Brief explanations are mentioned below (see also Koçak & Kemal, 2013).

ATLAS (ATL) is used here if the publication contains insect image(s) preferably as photograph (complete or in part, taken in nature or in studio). BIBLIOGRAPHY (BIB) is used here if the publication contains a great amount of bibliography on a certain subject. BIOLOGY (BIO) is used here if the publication contains original description, illustration, or secondary information on the biology (or bionomy), development stages etc. of a species. CATALOGUE/CHECKLIST (CAT) is used here if the publication is the catalogue or checklist, or contains such information as well. CLASSIFICATION (CLA) is used here if the publication contains important classification information. DISTRIBUTION (DIS) is used here if the publication contains distributional information on the taxa. ECOLOGICAL INFORMATION (ECO) is used here if the publication contains ecological information. ETHOLOGY (ETH) is used here if the publication contains ethological, behavioural information. FAUNA (FAU). Contributions to the hymenopteran fauna of Turkey, or adjacent countries were made by the following authors at various levels. GENITALIC ILLUSTRATIONS (GEN) is used here, if the publication contains genitalic figures. ZOOGEOGRAPHY (GEO). If the authors make attempt on the zoogeographical evaluations on various hymenopteran groups. IDENTIFICATION KEYS (KEY) is used here if the publication contains identification keys on various stages of the Hymenoptera. LARVAL MORPHOLOGY (LAR) is used here if the publication contains information on larval morphology. MAP (MAP) is used here if the publication contains distributional maps of various hymenopteran groups. MORPHOLOGY (MOR) is used here if the publication contains morphological information on various stages of the Hymenoptera. TAXONOMY (TAX) is used here if the publication contains descriptions of new taxa, and all kinds of nomenclatural acts, as well as systematical approaches.

For the geographical interest of each publication, code-list of the Cesa is used.⁸ Important taxonomical groups for each paper are also given in italic/purple in colour.

List of the selected 670 hymenopteran publications of Turkey

1. **Abe, M. & D.R. Smith**, 1991, The genus-group names of Symphyta (Hymenoptera) and their type-species. *Esakia* 31 (1): 1-115. **AR BO PE BR VE CO PA GT MX US AU QAU PG ID MY PH NA ZA ZW MG MA DZ TN KE TZ ZR ES FR DE AT HU CH PT IT HV AL BG GR TR CY IL Pa IR Cc RU UA JO LY EG AZ AM GG TM TJ KK KG CN Ui MN KP KR JP IN AF PK MM TH TAX NOM BIB** *Argidae Cimbicidae Tenthredinidae Blasticotomidae Cephidae Diprionidae Megalodontesidae Orussidae Siricidae Xiphydriidae Xyelidae Pamphiliidae Symphyta*
2. **Achterberg, C. van & A.A. Talebi**, 2014, Review of Gasteruption Latreille (Hymenoptera, Gasteruptionidae) from Iran and Turkey, with the description of 15 new species. *Zookeys* 458: 1-187, figs. [extremely important and useful work, but geographical names contain numerous misspellings]. **TR IR TAX MOR FAU ATL GEN KEY BIB** *Gasteruptionidae Gasteruption*
3. **Achterberg, C. van & B.v. Aartsen**, 1986, The European Pamphiliidae (Hymenoptera, Symphyta) with special reference to the Netherlands. *Zool. Verh.* 234: 1-98, 366 figs. 2 tab. **MA DZ TN ES FR DE AT HU CH PT IT HV AL BG GR TR CY IL Pa IR Cc RU UA AZ AM GG KK KG TJ UZ TM MN KP KR CN JP CA US TAX MOR FAU ATL GEN KEY ECO BIO** *Pamphiliidae Symphyta*
4. **Achterberg, C. van**, 1976, A revision of the tribus Blacini (Hymenoptera, Braconidae, Helconinae). *Tijdschr. Ent.* 118 (7) (1975): 159-322, 476 figs. **MA DZ TN ES FR DE AT HU CH PT IT HV AL BG GR TR CY IL Pa IR Cc RU UA AZ AM GG KK KG UZ TJ UZ TM MN KP KR CN JP CA US TAX MOR ECO BIO DIS FAU GEN KEY** *Braconidae Blacinae*
5. **Achterberg, C. van**, 1979, A revision of the subfamily Zelinae auct. (Hymenoptera, Braconidae). *Tijdschr. Ent.* 122: 241-479, 900 figs. **AR CL BO PE BR VE CO PA GT MX US AU QAU PG ID MY PH NA ZA ZW MG MA DZ TN KE TZ ZR ES FR DE AT HU CH PT IT HV AL BG GR TR CY IL Pa IR Cc RU UA JO LY EG AZ AM GG TM TJ KK KG CN Ui MN KP KR JP IN AF PK MM TH TAX MOR FAU KEY** *Braconidae Euphorinae Meteorus Zelinae*

⁸ Freely downloadable from this address: <http://www.members.tripod.com/entcesa/Code.pdf>

6. **Achterberg, C. van**, 1988, Revision of the subfamily Blacinae Foerster (Hymenoptera, Braconidae). Zool. Verh. 249: 1-324, 1250 figs. **MA DZ TN ES FR DE AT HU CH PT IT HV AL BG GR TR CY IL Pa IR Cc RU UA AZ AM GG KK KG UZ TJ UZ TM MN KP KR CN JP CA US TAX MOR FAU GEN KEY BIB** *Braconidae Blacinae*
7. **Achterberg, C. van**, 1990, Revision of the western Palaearctic Phanerotomini (Hymenoptera, Braconidae). Zool. Verh. 255: 1-106, 360 figs. **HU ES RO CZ FR IT NL SA Md IQ RU TM SY CY KG GB AT TR 06 30 TAX MOR FAU GEN KEY BIB** *Braconidae Phanerotomini*
8. **Achterberg, C. van**, 1990, Revision of the genera Foersteria Szepligeti and Polydegmon Foerster (Hymenoptera, Braconidae). Zool. Verh. 257: 1-32, figs. **AT BG GR YU MK RU Cc GG TR 38 65 TAX MOR FAU KEY** *Braconidae Foersteria Polydegmon Chelostes Brachistinae*
9. **Agnoli, G. L.**, 2005, The genus Methocha in Europe: a discussion on taxonomy, distribution and likely origin of its known species and subspecies (Hymenoptera, Tiphidae Methochinae). Bull. Insectology 58 (1): 35-47, figs. **TR TAX MOR ATL MAP DIS ECO** *Tiphidae Methochinae Methocha*
10. **Aguiar, A. P., Jennings, J. T. & G. F. Turrisi**, 2010, Three new Middle-Eastern species of Foenatopus Smith (Hymenoptera, Stephanidae) with a new host record and key to species with two spots on the metasoma. Zootaxa 2714: 40-58, figs. **TR 09 20 IR Fa Lo AF TM TJ TAX MOR FAU ATL KEY BIO** *Stephanidae Foenatopus*
11. **Aktaş, N. & A. Radchenko**, 2002, Türkiye karıncalarının (Hymenoptera, Formicidae) altfamilya ve cins tanı anahtarları. Türk. ent. derg. 26: 51-61, şekil. **TR MOR KEY ATL** *Formicidae*
12. **Aktaş, N.**, 1976, Studies on the myrmecofauna of Turkey I. Ants of Siirt, Bodrum and Trabzon. Ist. Univ. Fen Fak. Mec. (B): 41: 115-135. **TR 48 56 61 FAU** *Formicidae*
13. **Aktaş, N., Radchenko, A. G. & K. Kıran**, 2004, On the taxonomy of the west palaearctic Aenictinae ants (Hymenoptera, Formicidae). Ann. zool. 54 (2): 361-364, figs. **TR 01 01H Rd IL Pa IT ES TAX MOR FAU MAP** *Formicidae Aenictinae Aenictus rhodiensis*
14. **Alfken, J. D.**, 1930, Apidae [in] Ebner, R., Hymenopteren aus Palaestina und Syrien (Zoologische Studienreise von R. Ebner 1928 mit Unterstützung der Akademie der Wissenschaften in Wien). Sitz. Akad. Wiss. Wien 139: 25-26. **IL Pa LB TR 31 FAU** *Apidae*
15. **Alfken, J. D.**, 1935, Beitrag zur Kenntnis der Bienenfauna von Kleinasien. Ent. Rdsch. 52: 110-111, 129-132, 148-152, 153-162 **TR 06 TAX MOR FAU** *Andrenidae Apidae Andrena Apoidea*
16. **Alqarni, A. S. i Hannan, M. A., Gonzalez, V. H. & M. S. Engel**, 2012, A new species of Chalicodoma from Saudi Arabia with modified facial setae (Hymenoptera, Megachilidae). Zookeys 204: 71-83, figs. **SA TR TAX MOR FAU ATL GEN KEY** *Megachilidae Chalicodoma Pseudomegachile riyadhense*
17. **Altınayar, G.**, 1981, Orta Anadolu Bölgesi tahıl tarlalarındaki böcek faunasının saptanması üzerine çalışmalar. Bitki kor. bült. 21 (2): 53-88. **TR ECO FAU**
18. **Amini, A., Lelej, A. S., Sadeghi, H. & J. Karimi**, 2014, First record of the velvet ants (Hymenoptera, Mutillidae) reared from puparia of the ber fruit fly Carpomya vesuviana (Diptera, Tephritidae) in Iran. Zootaxa 3861 (6): 585-590, figs. **IR Kh KK TJ TM TR KG UZ ECO FAU BIO PUP ATL** *Mutillidae Tephritidae Smicromyrme Carpomya*
19. **Anlaş, S., Tezcan, S. & E. Yıldırım**, 2009, Bozdağlarda (Batı Anadolu) çukur tuzaklarda yakalanan Hymenoptera (Insecta) türleri üzerinde bir değerlendirme. YYÜ Tarım Bil. Derg. 19 (1): 23-32. **TR 45 FAU**
20. **Anlaş, S., Wahis, R. & S. Tezcan**, 2005, Some additional notes on Pompilidae (Hymenoptera) fauna of Turkey. Turk. ent. derg. 29 (4): 255-258. **TR 35 45 FAU** *Pompilidae*
21. **Anonymous**, 2006-2008, HymIS Hymenoptera Information System. <http://www.hymis.info/topical/topical.php?nav1=topical> **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC ATL FAU** *Chacidoidea*
22. **Anonymous**, 2012, The Linnean Collections. The Linnean Society of London. <http://www.linnean-online.org/view/insects/insects.html> [access: 26 12 2012]. **TR ATL NOM**
23. **Ariana, A., Scheuchl, E., Tadauchi, O. & F. Gusenleitner**, 2009, A taxonomic revision of the subgenus Andrena (Brachyandrena) (Hymenoptera, Andrenidae). Zootaxa 2281: 21-39, figs. **TR IR TAX MOR FAU GEN KEY ATL BIB** *Andrenidae Andrena Apoidea Andreninae*
24. **Ascher, J. S. & J. Pickering**, 2010, Discover Life bee species guide and world checklist (Hymenoptera, Apoidea). http://www.discoverlife.org/mp/20q?guide=Apoidea_species (draft 23 Dec., 2010) [access 19 1 2011]. **AR CL BO PE BR VE CO PA GT MX US AU NZ PG ID MY PH NA ZA ZW MG MA DZ TN KE TZ ZR ER ET SO CI CM NG NE SN SL GH GN GA GM ML TD SD ES FR DE AT HU CH PT IT HV CY LB BG GR TR CY IL IR Cc RU UA JO LY EG AZ AM GG TM TJ KK KG CN Ui MN KP KR JP IN AF PK MM TH LK CAT TAX** *Apidae Apoidea*

25. Askew, R.R., Gomez, J.F. & J.L. Nieves-Aldrey, 2004, Species of Microdontomerini (Hymenoptera, Chalcidoidea, Torymidae) associated with galls of Cynipidae (Hymenoptera) in Europe. J. Hym. Res. 13 (2): 214-222. **TR TAX MOR FAU ECO BIO** *Cynipidae Aulacidea acroptilonica*
26. Athhan, R., Yardım, E.N., Özgökçe, M.S. & M.B. Kaydan, 2003, Van ili ve çevresinde papates ekiliş alanlarındaki zararlı böcek türleri ve doğal düşmanları. Tarım bilimleri dergisi 9 (3): 291-295. **TR 65 ECO BIO FAU** *Miridae Pentatomidae Rhopalidae Aphididae Cicadellidae Cixiidae Chrysomelidae Curculionidae Elateridae Melolonthidae Coreidae Lygaeidae Dictyopharidae Membracidae Anthoridae Nabidae Reduviidae Syrphidae Braconidae Ichneumonidae Chrysopidae Coccinellidae*
27. Aydoğdu, M. & A. Beyarslan, 2002, Chelonus Jurine (Hymenoptera, Braconidae, Cheloninae) species of the Marmara Region. Turk. J. Zool. 26: 1-13. **TR 10 11 16 17 22 34 39 41 54 59 FAU MOR KEY** *Braconidae Chelonus Cheloninae*
28. Aydoğdu, M. & A. Beyarslan, 2005, The first records of Aleiodes Wesm., 1838 (Hymenoptera, Braconidae, Rogadinae). The Fauna of Thrace Region of Turkey. Linzer biol. Beitr. 37 (1): 185-193. **TR 17 22 34 39 59 FAU** *Braconidae Aleiodes Rogadinae*
29. Aydoğdu, M. & A. Beyarslan, 2006, First records of Aleiodes Wesm., 1838 species in East Marmara Region of Turkey (Hymenoptera, Braconidae, Rogadinae). Acta ent. slovenica 14 (1): 81-88. **TR 10 11 16 17 41 54 77 FAU** *Braconidae Rogadinae*
30. Aydoğdu, M. & A. Beyarslan, 2009, A review of the tribe Phanerotomini (Hymenoptera, Braconidae, Cheloninae) in Turkey, with a new host record of Phanerotoma (Bracotritoma) permixtella. Biologia 64 (4): 748-756, figs. **TR TAX MOR FAU ECO BIO KEY** *Braconidae Phanerotomini Cheloninae Phanerotoma Bracotritoma permixtella*
31. Aydoğdu, M., 2008, A new species of the genus Chelonus Panzer, 1806 (Hymenoptera, Braconidae, Cheloninae) from western Anatolia (Turkey). Biologia 63 (2): 245-248, figs.; ibid. 63 (3): 455. **TR 09 TAX MOR FAU** *Braconidae Cheloninae Chelonus*
32. Aytekin, A.M. & N. Çağatay, 1999, Systematic studies on the family Apidae (Hymenoptera) in Ankara Province Part I. Bombinae. Turk. J. Zool. 23: 231-241, figs. **TR 06 FAU MOR GEN** *Apidae Apoidea Bombus*
33. Aytekin, A.M. & N. Çağatay, 2003, Systematic studies on Megabombus (Apidae, Hymenoptera) species in Central Anatolia. Turk. J. Zool. 27: 195-204, figs. **TR 06 18 26 40 42 50 51 58 66 68 70 FAU MOR GEN** *Apidae Apoidea Megabombus*
34. Bachmaier, F. & E. Diller, 1985, Zur Taxonomie der Gattung Magwengiella Heinrich, 1938 (Hymenoptera, Ichneumonidae, Ctenocalini). Entomofauna 6 (27): 489-498, Abb. **ES TR 30 TAX MOR FAU ATL** *Ichneumonidae Ctenocalini Magwengiella*
35. Baer, J.v., 1848, De Mutillis nonnullis Rossicis. Bull. Soc. imp. Nat. Moscou 21 (1): 228-232, Tab. II. **RU TR TAX MOR FAU ATL** *Mutillidae*
36. Baker, D.B., 2002, A provisional annotated list of the nominal taxa assigned to the genus Dasypoda Latreille, 1802 with the description of an additional species (Hymenoptera, Apoidea, Melittidae). Dt. ent. Z. 49 (1): 89-103, figs. **IR AF MA EG IT MK TR GR DZ PT ES PK UZ CN TAX NOM MOR FAU ATL GEN BIB** *Melittidae Apoidea Dasypoda Dasypodinae*
37. Balthasar, V., 1952, Wissenschaftliche Ergebnisse der zoologischen Expedition des national- Museum in Prag nach der Türkei. 11. Hymenoptera III. Chrysididae. Acta ent. Mus. nat. Pragae 28: 71-76. **TR FAU** *Chrysididae*
38. Bartalucci, M.B., 2004, Tribe-groups of the Myzininae with special regard to the palaearctic taxa of the tribe Merini (Hymenoptera, Tiphidae). Linzer biol. Beitr. 36 (2): 1205-1308, 290 figs. **MA DZ TN LY EG IL Pa JO SA SY IQ CY ES FR DE AT HU CH PT IT HV AL BG GR TR IR Ce RU UA AZ AM GG TM TJ KK KG CN Ui MN KP KR JP IN AF PK TAX MOR FAU ATL GEN** *Tiphidae Myzininae Meriini*
39. Bartalucci, M.B., 2004, 3rd contribution to the knowledge of the world Myzininae (Hymenoptera, Tiphidae). Ann. Mus. civ. Stor. Nat. Genova 96: 363-428. **TR 07 TAX MOR FAU** *Tiphidae Myzininae Meria anatolica*
40. Başpınar, H., 2015, Dryinidae (Hymenoptera, Chrysidoidea) <http://biyoloji.kmucadele.org.tr/uploads/Dryinidae.pdf> [access 6 8 2015] **TR 01 31 33 42 DIS ECO BIO ATL** *Dryinidae Gonatopus Haplogonatopus*
41. Bağrıaçık, N. & A. Tüzün, 2005, A faunistic study and some ecological observations on Eumenidae (Insecta, Hymenoptera) species of Ankara. C.Ü. Fen Bil. Derg. 25 (1) (2004): 21-31. **TR 06 FAU ECO** *Vespidae Eumeninae Vespoidea*
42. Beaumont, J.de, 1967, Hymenoptera of Turkey Sphecidae I. Bull. Br. Mus. (Nat. Hist.) Ent. 19: 253-382, figs. **TR TAX MOR FAU GEN GEO** *Sphecidae*

43. **Bellido,D., Ros-Farré,P., Melika,G. & J.Pujade-Villar,** 2003, Review of the asexual forms of *Andricus kollari* species-group (Hymenoptera, Cynipidae, Cynipinae, Cynipini). *Folia ent. Hung.* 64: 171-222, figs. **TR 35 IL Pa IR Lo ECO FAU MOR ATL KEY BIO** *Cynipidae Andricus kollari sternlichti Cynipinae Cynipini*
44. **Benson,R.B.,** 1936, A new species of *Mocsarya* Konow in Syria (Hymenoptera, Symphyta). *Proc. R. ent. Soc. London B5* (1): 2-3. **TR 31 31M TAX MOR FAU** *Orussidae Mocsarya syriaca*
45. **Benson,R.B.,** 1962, Holarctic Sawflies (Hymenoptera, Symphyta). *Bull. Br. Mus. (Nat. Hist.) Ent.* 12 (1): 379-409, figs. **Cc DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch MN JP KP KR CN Ui CA US TAX MOR FAU DIS ECO BIO BIB** *Argidae Cimbicidae Tenthredinidae Blasticotomidae Cephidae Diprionidae Megalodontesidae Orussidae Siricidae Xiphydriidae Xyelidae Pamphiliidae Symphyta*
46. **Benson,R.B.,** 1962, A revision of the *Athaliini* (Hymenoptera, Tenthredinidae). *Bull. Br. Mus. nat. Hist. (Ent.)* 11 (7): 333-382, 58 figs. **KE ER ET SD SO TZ MZ BW MW ZW ZA ZR ZM CM NG NE TG SN GM ML UG RW NA AO Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch TAX MOR GEN FAU KEY ECO BIO BIB** *Tenthredinidae Athalini Athalini Symphyta*
47. **Benson,R.B.,** 1965, The classification of *Rhogogaster* Konow (Hymenoptera, Tenthredinidae). *Proc. R. ent. Soc. London (B)* 34 (9-10): 105-112, figs. **AF TR TAX MOR FAU** *Tenthredinidae Rhogogaster*
48. **Benson,R.B.,** 1966, A new genus of the *Lycaotini* (Blennocampinae) in Turkey (Hymenoptera, Tenthredinidae). *Proc. R. ent. Soc. Lond. (B)* 35: 75-77. **TR TAX** *Tenthredinidae Symphyta Lycaotini Blennocampinae*
49. **Benson,R.B.,** 1968, Hymenoptera from Turkey Symphyta. *Bull. Br. Mus. Nat. Hist. (Ent.)* 22 (4): 109-207, 42 figs. **TR IL Pa TAX MOR KEY GEN FAU BIB** *Xyelidae Xiphydriidae Siricidae Orussidae Cephidae Argidae Cimbicidae Tenthredinidae Megalodontesidae Pamphiliidae Symphita Selandriinae Blennocampinae Tenthredininae Nematinae*
50. **Berland,L.,** 1947, Faune de France, Hymenopteres, Tenthredinoides. vol. 47. 496pp. Paris. **ES BE NL DK FR DE AT HU CH PT IT HV AL BG GR TR Cc RU ECO BIO ATL GEN KEY MOR BIB** *Argidae Cimbicidae Tenthredinidae Blasticotomidae Cephidae Diprionidae Megalodontesidae Orussidae Siricidae Xiphydriidae Xyelidae Pamphiliidae Symphyta*
51. **Betrem,J.G. & C.J.Bradley,** 1964, Annotations on the genera *Triscolia*, *Megascolia* and *Scolia* (Hymenoptera, Scolidae). *Zool. Meded.* 39 (43): 433-444. **ES FR UA SS YU HV B-H MK B-H RO RU Cc AZ AM GG IR TR TM KG ES FR UA SS YU HV B-H MK RO RU Cc AZ AM GG TAX MOR FAU** *Scolidae Triscolia Megascolia Scolia*
52. **Betrem,J.G.,** 1935, Beiträge zur Kenntnis der palaearktischen Arten des Genus *Scolia*. *Tijdschr. Ent.* 78: 1-78, figs. **ES FR UA SS YU HV B-H MK B-H RO RU Cc IR TR TM KG ES FR UA SS YU HV MK B-H RO RU Cc AZ AM GG TM KK TJ CN Ui TAX MOR FAU KEY** *Scolidae*
53. **Beuk,P.,** 2004-2011, Diptera.info <http://www.diptera.info/news.php> - images in Diptera Gallery and Forum of their respective owners. **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC FAU ECO ATL**
54. **Beyarslan,A. & E.Çoban,** 2014, Checklist of Turkish Helconinae with a new species (Hymenoptera, Braconidae). *Turk J. Zool.* 38: 89-95, figs. **TR 02 03 06 10 14 21 23 25 26 29 32 36 37 40 41 42 44 54 58 62 75 78 TAX MOR FAU KEY ATL** *Braconidae Helconinae*
55. **Beyarslan,A. & F.İnanç,** 2001, Eine neuer Beitrag zur Kenntnis der türkischen Dacnusiini Foerster 1862 (Hymenoptera, Braconidae, Alysiinae). *Linzer biol. Beitr.* 33 (1): 263-268. **TR FAU** *Braconidae Alysiinae Dacnusiini Chorebus Coelinidea Dacnusa Protodacnusa*
56. **Beyarslan,A. & M.Fischer,** 2011, Contributions to the Opiinae fauna of Turkey (Hymenoptera, Braconidae). *Turk. J. Zool.* 35: 293-305. **TR FAU BIB** *Braconidae Opiinae*
57. **Beyarslan,A. & M.Fischer,** 2013, Checklist of Turkish Opiinae (Hymenoptera, Braconidae). *Zootaxa* 3721 (5): 401-454. **TR CAT DIS FAU** *Braconidae Opiinae*
58. **Beyarslan,A. & V.I.Tobias,** 2008, *Bracon* (Lucobracon) *iskilipus* sp.n. (Hymenoptera, Braconidae, Braconinae) from the Central Black Sea Region of Turkey. *Biologia* 63 (4): 550-552, 6 figs. **TR 19 TAX MOR FAU KEY** *Braconidae Bracon Lucobracon iskilipus moczari Braconinae*
59. **Beyarslan,A. & Ö.Ç.Erdoğan,** 2012, The Braconinae (Hymenoptera, Braconidae) of Turkey, with new locality records and descriptions of two new species of *Bracon* Fabricius, 1804. *Zootaxa* 3343: 45-56, figs. **TR 37 62 TAX MOR KEY FAU ATL GEN** *Braconidae Braconinae Bracon*

60. **Beyarslan,A. & Ö.Çetin Erdoğan,** 2011, A study of Orgilinae and Microtypinae (Hymenoptera, Braconidae) from Turkey with the description of a new species. *Biologia* 66 (1): 121-129. **TR TAX MOR FAU Braconidae Orgilinae Microtypinae**
61. **Beyarslan,A.,** 1988, Zwei neue Arten der Familie Braconidae (Hymenoptera) aus der Türkei. *Z. ArbGem. Öst. Ent.* 39 (3/4): 71-76, figs. **TR 01 31 33 TAX MOR FAU Braconidae**
62. **Beyarslan,A.,** 1991, Die Arten der Tribus Vipionini Telenga aus der Türkei (Hym., Braconidae, Braconinae). *Linzer Biol. Beitr.* 23 (2): 495-519. **TR FAU MOR Braconidae Braconinae Vipionini Vipio**
63. **Beyarslan,A.,** 1992, *Isomecus lalapasaensis* sp. nov. und *Vipiomorpha fischeri* sp. nov., zwei neue Arten der Tribus Vipionini (Hymenoptera, Braconidae, Braconinae). *Entomofauna* 13 (15): 253-259, figs. **TR 22 LB Bsa TAX MOR FAU Braconidae Isomecus lalapasaensis Vipiomorpha fischeri Vipionini Braconinae**
64. **Beyarslan,A.,** 1995, Für die Fauna der Türkei neu festgestellte Arten der Gattung *Microchelonus* Szepligeti 1908 (Hymenoptera, Braconidae, Cheloninae). *Entomofauna* 16 (6) 121-136, figs. **TR 01 22 27 33 39 FAU Braconidae Microchelonus Cheloninae**
65. **Beyarslan,A.,** 1996, Die Orgilus-Arten der Türkei (Hymenoptera, Braconidae, Orgilinae). *Entomofauna* 17 (22): 353-358, figs. **TR 11 15 16 22 39 46 54 63 TAX MOR FAU Braconidae Orgilus Orgilinae**
66. **Beyarslan,A.,** 1996, Vier neue Arten der Tribus Braconini aus der Türkei (Hymenoptera, Braconidae, Braconinae). *Entomofauna* 17 (21): 345-352, 12 Abb. **TR 11 16 22 54 TAX MOR FAU KEY Braconidae Braconinae Braconini Bracon**
67. **Beyarslan,A.,** 2009, A new species *Bracon* (Orthobracon) *malatyensis* sp.n. from eastern Anatolia (Hymenoptera, Braconidae, Braconinae). *J. ent. Res. Soc.* 11 (3): 31-36. **TR 44 TAX MOR FAU Braconidae Bracon Orthobracon malatyensis Braconinae**
68. **Beyarslan,A.,** 2009, A survey of the Turkish Miracinae, with the description of a new species, *Mirax striacus* (Hymenoptera, Braconidae). *Ent. News* 120 (3): 291-296, figs. **TR 16 17 37 TAX MOR FAU GEN KEY Braconidae Miracinae Mirax striacus**
69. **Beyarslan,A.,** 2014, Checklist of Braconinae species of Turkey (Hymenoptera, Braconidae). *Zootaxa* 3790 (2): 201-242 [with numerous typographical and informative errors]. **TR 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 FAU DIS BIB ECO BIO Braconidae Braconinae**
70. **Beyarslan,A.,** 2015, A faunal study of the subfamily Doryctinae in Turkey (Hymenoptera, Braconidae). *Turk. J. Zool.* 39: 126-143. **TR FAU Braconidae Doryctinae**
71. **Beyarslan,A.,** 2015, Taxonomic survey on the Rogadinae Föster,1862 (Hymenoptera, Braconidae) in the northeastern Anatolian region, Turkey. *Turk. J. Zool.* 39: 811-819 [Simply a faunistic paper]. **TR 08 25 36 49 75 76 FAU Braconidae Rogadinae Aleiodes**
72. **Beyarslan,A.,** 2015, Taxonomical investigations on the fauna of Opiinae (Hymenoptera, Braconidae) in Ardahan, Erzurum, Iğdır, and Kars provinces of the Turkish northeastern Anatolian region. *Turk. J. Zool.* 39: 820-831 [Simply a faunistic paper. Very important revisional work on Opiinae from Hunan (China) by Li, van Achterberg & Tan (2013) was overlooked]. **TR 25 36 75 76 FAU Braconidae Opiinae**
73. **Beyarslan,A., Aydoğdu,M. & F.İnanç,** 2004, A survey of *Meteorus* Haliday,1835 of Turkey (Hymenoptera, Braconidae, Euphorinae). *Entomofauna* 25 (1): 1-20, figs. [with remnant Turkish text]. **TR 01 03 06 22 48 54 55 63 65 FAU MOR KEY Braconidae Meteorus Euphorinae**
74. **Beyarslan,A., Aydoğdu,M. & Ö.Ç.Erdoğan,** 2006, A survey of Turkish fauna with redescription of *G. baetica* from a new host. *Biologia* 61 (2): 139-143, figs. **TR MOR FAU KEY MAP DIS BIB Braconidae Braconinae Glyptomorpha**
75. **Beyarslan,A., Gözüaçık,C. & İ.Özgen,** 2013, A contribution on the subfamilies Helconinae, Homolobinae, Macrocentrinae, Meteorinae, and Orgilinae (Hymenoptera, Braconidae) of southeastern Anatolia with new records from other parts of Turkey. *Turk. J. Zool.* 37: 501-505. **TR FAU Braconidae Helconinae Homolobinae Macrocentrinae Meteorinae Orgilinae**
76. **Beyarslan,A., Çetin Erdoğan,Ö. & M.Aydoğdu,** 2008, Phytogeographical distribution of *Vipio* Latreille,1804 (Hymenoptera, Braconidae, Braconinae) in Turkey, with a key to the species in Turkey and adjacent regions. *Biologia* 63 (6): 1161-1168, figs. **TR GEO FAU KEY MOR BIB Braconidae Braconinae Vipio**
77. **Beyarslan,A., Çetin Erdoğan,Ö. & M.Aydoğdu,** 2008, *Diospilus* *belokobylskiji* Beyarslan sp.nov., with new records of *Diospilini* (Hymenoptera, Braconidae, Helconinae) from Turkey. *Ent. News* 119 (4): 403-410, 8 figs. **TR TAX MOR FAU KEY Braconidae Helconinae Diospilus**

78. **Blank, S.M.**, 1991, *Tenthredo marginella hakkariensis* ssp.nov. aus der Türkei (Hymenoptera, Symphyta, Tenthredinidae). Entomofauna 12 (19): 321-327, figs. **TR AZ Kir Cc 30 65 65L 76 TAX MOR FAU ATL** *Tenthredinidae Tenthredo marginella hakkariensis fuscipennis*
79. **Blank, S.M.**, 1993, A contribution to the sawfly fauna of northern Greece (Hymenoptera, Symphyta). Beitr. Ent. 43 (2): 431-439. **GR TR 16 61 FAU** *Xyelidae Siricidae Megalodontidae Cephidae Argidae Cimbicidae Tenthredinidae Orussidae*
80. **Blüthgen, P.**, 1923, Beiträge zur Kenntnis der Bienengattung Halictus Latr. Arch. Naturg. 87(A): 232-332, 38 Abb. **FR AT IT SS HV B-H YU AL MK GR BG RO TR Cc GG AM AZ IR RU KG TM CN Ui TAX MOR FAU** *Colletidae Halictus Apoidea Apocrita*
81. **Blüthgen, P.**, 1923-1924, Beiträge zur Systematik der Bienengattung Sphecodes Latr. I, II. Dt. ent. Z. 1923 (5): 441-; 1924 (6): 457-516. **MA DZ TN ES FR DE AT HU CH PT IT HV AL BG GR TR CY IL Pa IR Cc RU UA AZ AM GG KK KG UZ TJ UZ TM TAX MOR FAU** *Halictidae Sphecodes*
82. **Blüthgen, P.A.V.**, 1923-1924, Beiträge zur Systematik der Bienengattung Halictus Latr. (Hym.). Konowia 2: 65-81, 123-142; 3: 53-64, 76-95, 253-284. **TR Cc 01 31 38 76 LB IQ UZ IT Si DZ ES EG CY CN Ui TAX KEY MOR FAU** *Halictidae Halictus Apoidea*
83. **Blüthgen, P.A.V.**, 1929, Neue turkestanische Halictus-Arten (Hym., Apoidea). Konowia 8: 51-86, figs. **PK BI Qu TM TR Cc 76 AZ Kir UZ Ui Ga TAX MOR FAU** *Halictidae Apoidea Halictus*
84. **Bolu, H. & I.Özgen**, 2007, Badem içkurdunun (*Eurytoma amygdali* Enderlein) (Hymenoptera, Eurytomidae) yayılış alanları, bulaşma oranları ve parazitoidleri. Harran Univ. Ziraat Fak. Derg. 11 (3/4): 59-65, figs. **TR 21 23 47 ECO BIO ATL** *Eurytomidae Torymidae Eulophidae Pteromalidae Chalcidoidea*
85. **Borowiec, L.**, 2014, Catalogue of ants of Europe, the Mediterranean basin and adjacent regions. Genus- Monograph 25 (1/2): 1-340. **DZ AD AT BE B-H GB BG Cn HV CZ EG FI FR DE Cr IQ Sa Si Co GG Cc AM AZ TN GR TR HU IR IL Pa IT MK Md YU MA NL PL RO NO PT SA SK SS ES SE UA YE AE FAU DIS** *Formicidae*
86. **Boucek, Z. & J.Y. Rasplus**, 1991, Illustrated key to West Palearctic genera of Pteromalidae Hymenoptera-Chalcidoidea. 141 pp. Ed. INRA, Paris. **DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK EG ATL MOR KEY** *Pteromalidae*
87. **Boucek, Z.**, 1956, A contribution to the knowledge of the Chalcididae, Leucospidae and Eucharitidae (Hymenoptera, Chalcidoidea) of the Near East. Bull. Res. Coun. Israel 5B: 227-259. **TR CY SY IQ EG IR IL Pa KEY TAX MOR FAU** *Chalcididae Leucospidae Eucharitidae Chalcidoidea*
88. **Boucek, Z.**, 1974, A revision of the Leucospidae (Hymenoptera, Chalcidoidea) of the World. Bull. Br. Mus. (Nat. Hist.) Ent. Suppl. 23: 1-241, figs. **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC TAX MOR FAU GEN KEY** *Leucospidae Chalcidoidea*
89. **Boucek, Z.**, 1982, Four new mediterranean Torymidae (Hymenoptera). Entomologist's Gaz. 33: 183-191, figs. **FR ES DZ TN TR JO IT 06 TAX MOR FAU ATL** *Torymidae Chalcidoidea*
90. **Boucek, Z.**, 2001, Palaearctic species of Ammoplanus (Hymenoptera, Sphecidae). J. Nat. Hist. 35: 849-929. **DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG TAX MOR FAU** *Crabronidae Ammoplanus*
91. **Brock, J.P.**, 1982, A systematic study of the genus Ophion in Britain (Hymenoptera, Ichneumonidae). Tijdschr. Ent. 125 (4): 57-97, figs. **MA DZ TN ES FR DE PL BE NL DK GB SE NO FI AT HU CH PT IT HV AL BG GR TR CY IL Pa IR Cc RU UA JO LY EG AZ AM GG TM TJ KK KG CN Ui MN KP KR JP IN AF PK TAX MOR FAU GEN KEY BIO** *Ichneumonidae Ophioninae Ophion*
92. **Bulut, H. & N. Kılıçer**, 1989, Ankara ilinde meyve ağaçlarında zarar yapan önemli lepidopterlerin yumurta parazitlerinden Trichogramma türleri (Hym., Trichogrammatidae) ve bunların yayılışı üzerine araştırmalar. Bitki koruma Bült. 29 (1/2): 19-46, şekil. **TR 06 ECO BIO MOR FAU** *Trichogrammatidae Trichogramma*
93. **Carpenter, J.M. & J. Kojima**, 1997, Checklist of the species in the subfamily Vespinae (Insecta, Hymenoptera, Vespidae). Nat. Hist. Bull. Ibaraki Univ. 1: 51-92. **KE ER ET SD SO TZ MZ BW MW ZW ZA ZR ZM CM NG NE TG SN GM ML UG RW NA AO Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch CAT DIS BIB** *Vespidae Vespinae*
94. **Carpenter, J.M.**, 1982, The phylogenetic relationships and natural classification of the Vespoidea (Hymenoptera). Syst. Ent. 7: 11-38. **AR CL BO PE BR VE CO PA GT MX US AU Qa PG ID MY PH NA ZA ZW MG MA DZ TN KE TZ ZR ES FR DE AT HU CH PT IT HV AL BG GR TR CY IL Pa IR Cc RU UA JO LY EG AZ AM GG TM TJ KK KG CN Ui MN KP KR JP IN AF PK MM TH CLA PHY MOR TAX** *Vespoidea Vespoidea*

95. **Carpenter, J.M.**, 1986, A synonymic generic checklist of the Eumeninae (Hymenoptera, Vespidae). Psyche 93: 61-90. **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC CAT BIB** *Vespidae Eumeninae Vespoidea*
96. **Carpenter, J.M.**, 1996, Distributional checklist of species of the genus Polistes (Hymenoptera, Vespidae, Polistinae, Polistini). Amer. Mus. Novit. 3188: 1-39. **AR CL BO PE BR VE CO PA GT MX US AU QAU PG ID MY PH NA ZA ZW MG MA DZ TN KE TZ ZR ES FR DE AT HU CH PT IT HV AL BG GR TR CY IL Pa IR Cc RU UA JO LY EG AZ AM GG TM TJ KK KG CN Ui MN KP KR JP IN AF PK MM TH CAT DIS BIB** *Vespidae Polistinae Polistini Vespoidea*
97. **Carpenter, J.M.**, 2001, Checklist of species of the subfamily Masarinae (Hymenoptera, Vespidae). Amer. Mus. Novit. 3325: 1-40. **AR CL BO PE BR VE CO PA GT MX US AU QAU PG ID MY PH NA ZA ZW MG MA DZ TN KE TZ ZR ES FR DE AT HU CH PT IT HV AL BG GR TR CY IL Pa IR Cc RU UA JO LY EG AZ AM GG TM TJ KK KG CN Ui MN KP KR JP IN AF PK MM TH CAT DIS BIB** *Vespoidea Vespidae Masarinae*
98. **Chorein, A.**, 2007, Systématique et chorologie des Anthophorini (Hymenoptera, Apidae) de Belgique et de Nord de la France, avec une première analyse de leurs sécrétions volatiles. Mémoire de fin d'études, Université de Mons-Hainaut, Mons. 80 pp. **TR TAX MOR FAU GEN KEY MOL** *Apidae Anthophoridae Anthophorini Anthophora Apoidea*
99. **Çalmaşur, Ö. & H.Özbek**, 2004, A contribution to the knowledge of Tenthredinidae (Symphita, Hymenoptera) fauna of Turkey Part II. Subfamilies Blennocampinae, Dolerinae, Nematinae and Selandrinae. Turk J. Zool. 28: 55-71. **TR FAU** *Tenthredinidae Symphita Blennocampinae Dolerinae Nematinae Selandrinae*
100. **Çalmaşur, Ö. & H.Özbek**, 2004, A contribution to the knowledge of Tenthredinidae (Symphita, Hymenoptera) fauna of Turkey Part I. Subfamily Tenthredininae. Turk J. Zool. 28: 37-54. **TR FAU** *Tenthredinidae Symphita Tenthredininae*
101. **Çalmaşur, Ö. & H.Özbek**, 2004, Heterarthrus ochropoda (Klug) (Hymenoptera, Tenthredinidae), a new record and a new pest of Populus spp. (Salicaceae) in Turkey. Proc. ent. Soc. Wash. 106 (3): 717-721. **TR ECO BIO FAU** *Tenthredinidae Symphyta Heterarthrus ochropoda Heterarthrinae*
102. **Çalmaşur, Ö. & H.Özbek**, 2006, A willow sawfly Nematus salicis (Linnaeus) (Hymenoptera, Tenthredinidae), a new record and a new pest of Salix spp. in Turkey. Proc. ent. Soc. Wash. 108 (1): 139-144. **TR ECO BIO FAU** *Tenthredinidae Symphyta Nematus salicis Nematinae*
103. **Çalmaşur, Ö. & H.Özbek**, 2006, Check-list of the Argidae fauna (Hymenoptera, Symphyta) of Turkey. Zool. Middle East 39: 89-96 [the author couldnot be accessed; this unfair attitude is consider as non-ethical] . **TR CAT FAU** *Argidae Symphyta*
104. **Çalmaşur, Ö.**, 2006, Four new records for the Turkish Tenthredinidae (Hymenoptera) fauna. Türk. ent. derg. 30 (3): 201-207. **TR FAU** *Tenthredinidae Symphyta*
105. **Çelikkaya, D.**, 2009, 19 yıl sonra 19 Temmuz... Cesa News 48: 1-60, 111 figs. **TR 78 FAU**
106. **Çetin Erdoğan, Ö. & A. Beyarslan**, 2006, New records of endoparasitoid Bassus Fabricius, 1804 (Hymenoptera, Braconidae, Agathidinae) species from Turkey. Phytoparasitica 34 (4): 353-356. **TR 14 43 55 65 74 ECO BIO FAU MOR KEY** *Braconidae Agathidinae Bassus*
107. **Çetin Erdoğan, Ö. & A. Beyarslan**, 2009, Doğu Karadeniz Bölgesi Agathidinae Haliday, 1833 (Braconidae, Hymenoptera) türleri üzerine bir araştırma. Türk. ent. derg. 33 (1): 73-80. **TR 08 29 53 61 69 FAU** *Braconidae Agathidinae*
108. **Çetin Erdoğan, Ö.**, 2005, Bassus beyarslani sp.n. (Hymenoptera, Braconidae, Agathidinae) from Turkey. Biologia 60: 129-132, 7 figs. **TR 03 TAX MOR FAU** *Braconidae Bassus beyarslani Agathidinae*
109. **Çetin Erdoğan, Ö.**, 2010, Further addition to the Blacinae (Hymenoptera, Braconidae) of Turkey and Coleoptera species as host. Egyptian J. Biol. Pest Control 20 (2): 105-109. **TR 23 24 44 62 FAU ECO** *Braconidae Blacinae*
110. **Çetin Erdoğan, Ö.**, 2013, Contributions to the knowledge of Agathidinae fauna of the eastern Anatolia Region of Turkey. Turk. J. Zool. 37: 195-199. **TR 23 24 44 62 FAU** *Braconidae Agathidinae*
111. **Çetin Erdoğan, Ö.**, 2013, Contributions to the knowledge of Agathinae fauna of the Eastern Anatolia of Turkey. Turk. J. Zool. 37: 195-199. **TR 23 24 44 62 FAU** *Braconidae Agathidinae*
112. **Çetin Erdoğan, Ö.**, 2014, A contribution on the subfamily Agathidinae (Hymenoptera, Braconidae) in Diyarbakır, Mardin, and Şanlıurfa provinces in Turkey. Turk. J. Zool. 38: 102-103. **TR 21 47 63 FAU** *Braconidae Agathidinae*

113. **Çetin Erdoğan,Ö., Tomanovic,Z. & A.Beyarslan,** 2010, New distributional records on the subfamily Aphidiinae [sic!] (Hymenoptera, Braconidae) in Black Sea Region, Turkey. Linzer biol. Beitr. 41 (2): 613-616. **TR 05 08 14 18 29 37 52 55 57 60 69 FAU Braconidae Aphidiinae**
114. **Çetin,Ö. & A.Beyarslan,** 2001, The Agathidinae (Hymenoptera, Braconidae) fauna of the Marmara Region. Doğa Tr J. Zool. 25: 257-268. **TR FAU Braconidae Agathidinae**
115. **Çetin,Ö. & A.Beyarslan,** 2005, Contributions to the Blacinae fauna of Turkey (Hymenoptera, Braconidae). Entomofauna 26 (1): 1-8. **TR 10 11 16 17 22 34 39 41 54 59 77 FAU Braconidae Blacinae**
116. **Çoruh,I. & S.Çoruh,** 2008, Ichneumonidae (Hymenoptera) species associated with some Umbelliferae plants occurring in Palandöken Mountains of Erzurum Turkey. Turk. J. zool. 32: 121-124. **TR 25 FAU ECO Ichneumonidae**
117. **Çoruh,S. & A.I.Khalaim,** 2012, New and little known species of Tersilochinae (Hymenoptera, Ichneumonidae) from Turkey. Türk. ent. bült. 2 (2): 61-65. **TR FAU Ichneumonidae Tersilochinae**
118. **Çoruh,S. & H.Özbek,** 2005, New records of Cryptinae (Hymenoptera, Ichneumonidae) from Turkey with some hosts. Türk. ent. derg. 29 (3): 183-186. **TR 25 36 69 FAU Ichneumonidae Cryptinae**
119. **Çoruh,S. & H.Özbek,** 2011, New and little known some Ichneumonidae (Hymenoptera) species from Turkey with some ecological notes. Türk. ent. derg. 35 (1): 119-131. **TR 08 24 25 36 69 FAU ECO Ichneumonidae Acaenitinae Banchinae Ctenopelmatinae Cryptinae Ichneumoninae Metopiinae Mesochorinae Pimplinae**
120. **Çoruh,S. & J.Kolarov,** 2010, A review of the Turkish Orthopelmatinae (Insecta, Hymenoptera, Ichneumonidae). Sci. Res. Ess. 5 (22): 3518-3521, 5 figs. <http://www.academicjournals.org/SRE> **TR 25 29 36 FAU ATL MOR KEY Ichneumonidae Orthopelmatinae**
121. **Çoruh,S. & Kolarov,J.,** 2013, New data on Turkish Acaenitinae (Hymenoptera, Ichneumonidae) with description of a new species. Zool. Middle East 59 (3): 261-265. **TR 25 36 TAX MOR FAU Ichneumonidae Acaenitinae**
122. **Çoruh,S., Kolarov,J. & H.Özbek,** 2014, The fauna of Ichneumonidae (Hymenoptera) of eastern Turkey with zoogeographical remarks and host data. J. Insect Biodiv. 2 (16): 1-21 [with some nomenclatural, taxonomical and spelling errors; literature evaluation unsatisfactory] **TR FAU ECO GEO Ichneumonidae**
123. **Çoruh,S., Kolarov,J. & I.Çoruh,** 2014, Ichneumonidae (Hymenoptera) from Anatolia, II. Türk. ent. derg. 38 (3): 279-290. **TR 25 28 52 53 61 FAU Ichneumonidae**
124. **Çoruh,S., Özbek,H. & J.Kolarov,** 2002, New and rare taxa of Ichneumonidae (Hymenoptera) from Turkey. J. Ent. Res. Soc. 4 (1): 1-4. **TR 25 36 69 75 FAU BIO Ichneumonidae Collocerinae**
125. **Çoruh,S., Özbek,H. & J.Kolarov,** 2004, New and little known Anomaloninae (Hymenoptera, Ichneumonidae) from Turkey. Linzer biol. Beitr. 36 (2): 1199-1204. **TR 06 22 25 36 44 49 53 69 FAU Ichneumonidae Anomaloninae**
126. **Çoruh,S., Özbek,H. & M.Riedel,** 2011, An additional contribution to the Ichneumoninae (Hymenoptera, Ichneumonidae) fauna of Turkey. Türk. ent. derg. 35 (4): 603-613. **TR 25 FAU Ichneumonidae Ichneumoninae Phaeogenini Platylabini Heresiarchini Listrodromini Eulabyini Ichneumonini**
127. **Çubuk,F.T. & Y.Gülmez,** 2013, New records of Crabronidae (Insecta, Hymenoptera) from Turkey. J. ent. Res. Soc. 15 (1): 33-36. **TR 60 FAU Crabronidae**
128. **Çikman,E.,** 2006, Parasitoids of the leafminers (Diptera, Agromyzidae) from Adıyaman Province. Turk. ent. derg. 30 (2): 99-111. **TR 02 FAU ECO BIO Agromyzidae Braconidae Eulophidae Pteromalidae**
129. **Dahlbom,A.G.,** 1845, Dispositio methodica speciarum Hymenopterorum, secundum familias Insectorum naturales. Particula secunda. 20pp. Lund. **TR TAX MOR FAU Chrysididae**
130. **Dahlbom,A.G.,** 1854, Hymenoptera europaea praecipue borealia, formis typicis nonnullis specierum generumve exoticorum propter nexum systematicum associatis, per familias, genera, species et varietates disposita atque descripta. Tomus Secundus. 412pp., Pls. Berolini. **TR TAX MOR FAU ATL KEY Chrysididae**
131. **Dalla Torre,C.G.v.,** 1894, Catalogus Hymenopterorum hucusque descriptorum systematicus et synonymicus. Volumen IX Vespidae (Diploptera). 181 pp. Lipsiae. **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC CAT BIB Vespidae Eumeninae Vespinae Vespoidea**

132. **Dalla Torre, K.W. von & J.J. Kieffer**, 1910, Cynipidae [in] Schulze, F.E., Das Tierreich 24. Lieferung, Hymenoptera. xxxv + 891pp., 422pp. Berlin. **MA DZ TN LY EG IL JO PT ES FR DE DK PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM Cc IR IQ TR SY LB GR BG TAX MOR FAU ECO BIO ATL Cynipidae**
133. **Dathe, H.H.**, 2000, Studien zur Systematik und Taxonomie der Gattung Hylaeus F. (3) Revision der Hylaeus -nivalis- Gruppe in Europa und Klaerung weiterer Westpalaarktischer Arten (Apidae, Colletinae). Beitr. Ent. 50 (1): 151-174, figs. **IT SS Cr GR TR 32 38 TAX MOR FAU ATL GEN MAP ECO Colletidae Colletinae Hylaeinae Hylaeus Apoidea**
134. **Day, M.C.**, 1981, A revision of Pompilus Fabricius (Hymenoptera, Pompilidae), with further nomenclatural and biological considerations. Bull. Br. Mus. (Nat. Hist.) Ent. 42 (1): 1-42, 38 figs., 2 maps. **AU QAU PG ID MY PH NA ZA ZW MG MA DZ TN KE TZ ZR ES FR DE AT HU CH PT IT HV AL BG GR TR CY IL Pa IR Cc RU UA JO LY EG AZ AM GG BE NL GB SE FI NO DK PL TM TJ KK KG CN Ui MN KP KR JP IN AF PK MM TH MM TAX MOR FAU NOM GEN KEY MAP DIS BIO ECO BIB Pompilidae Pompilus**
135. **Dikmen, F. & A.M. Aytakin**, 2011, Notes on the Halictus Latreille (Hymenoptera, Halictidae) fauna of Turkey. Turk J. Zool. 35 (4): 537-550, 7 figs. **TR MAP ECO FAU DIS Halictidae Apoidea Halictus**
136. **Dikmen, F., Radchenko, V.G. & M. Aytakin**, 2011, Taxonomic studies on the genus Halictus Latreille, 1804 in Turkey. Zool. Middle East 54: 79-100, figs. **TR MOR GEN FAU Halictidae Halictus**
137. **Doland, Q.**, 1987, The old world genera of braconine wasps (Hymenoptera, Braconidae). J. Nat. Hist. 21 (1): 43-157. **DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG TAX MOR Braconidae**
138. **Dollfuss, H.**, 1991, Bestimmungsschlüssel der Grabwespen Nord- und Zentraleuropas (Hymenoptera, Sphecidae). Stapfia 24: 1-247, 814 figs. **MK AL BG RO MD YU B-H HV SS AT CH PT ES FR GB IE NO SE FI RU EE LT LV BY UA CZ SK PL DK DE BE NL HU Cc TR AZ AM GG TAX MOR ATL GEN KEY BIB DIS Crabronidae Sphecidae**
139. **Dollfuss, H.**, 1995, A worldwide revision of Pemphredon Latreille, 1796 (Hymenoptera, Sphecidae). Linzer biol. Beitr. 27 (2): 905-1019, 322 Abb. **DZ CY TR 02 04 05 06 10 13 14 16 19 24 30 31 33 36 46 48 51 53 63 65 73 IR IL Pa BE HV FR NL DE PL SE US JP CA AF PK IN EG LA MX TAX MOR FAU GEN KEY Crabronidae Pemphredoninae Pemphredon**
140. **Dollfuss, H.**, 2004, The Crabroninae Wasps of "Biologiezentrum Linz" - Collection in Linz, Austria (Hymenoptera, Apoidea, Crabronidae), Part I. Linzer biol. Beitr. 36 (2): 761-784. **KG KK TJ TR 01 02 06 07 13 14 15 24 25 30 33 35 42 44 46 47 50 58 63 65 65F 69 73 AZ Cc HV GR IL Pa IR IT AT BG RO TJ UZ MN CN Gn RU Tv SY CZ SK US CA DZ TN MA UA MX EC VE AR JO KE NA ZW LA MY TH Bor FAU Crabronidae Crabroninae**
141. **Dollfuss, H.**, 2004, The Pemphredoninae Wasps of "Biologiezentrum Linz" - Collection in Linz, Austria (Hymenoptera, Apoidea, Crabronidae) Linzer biol. Beitr. 36 (1): 105-129. **CN RO NP RU KK KG TJ UA SY TR 01 02 06 09 13 15 20 24 25 26 27 31 35 36 42 43 44 50 58 63 65 66 TZ ZW MY TH KE ZD LA GR IQ IT TM LA FAU Crabronidae Pemphredoninae**
142. **Dollfuss, H.**, 2006, The Crabronidae Wasps of "Biologiezentrum Linz" - Collection in Linz, Austria (Hymenoptera, Apoidea, Crabronidae), Part 2. Linzer biol. Beitr. 38 (1): 505-532. **TR CF BG GR SS KE CN KE TJ FI SN KK DZ FI HU ES IT AR MN 30 65 FAU Crabronidae**
143. **Dollfuss, H.**, 2010, The Ammophilini Wasps of the genera Eremnophila Menke, Eremochares Gribodo, Hoplammophila de Beaumont, Parapsammophila Taschenberg and Podalonia Fernald of the "Biozentrum Linz" - Collection in Linz, Austria (Hymenoptera, Apoidea, Sphecidae). Linzer biol. Beitr. 42 (1): 535-560. **US MX GY PY BO BR EC PE DZ AZ Cc MA TN JP FR GR JO SY ET KE ZW NA MW MZ ZA OM TM Kp AT BG CN Yu CZ KK KG MN RU ES TJ AM IR UZ MK PK Bl Qu Gg TR 02 04 06 07 13 15 17 23 25 30 33 35 38 43 45 46 49 50 65 76 TAX MOR FAU Crabronidae Apoidea Ammophilini Eremnophila Eremochares Hoplammophila Parapsammophila Podalonia**
144. **Doğanlar, M. & H. Bolu**, 2004, A new species of Gugolzia Delucchi & Stephan (Hym. Pteromalidae) from Turkey, a parasitoid of Eurytoma amygdali Enderlein (Hym. Eurytomidae). Zool. Middle East. 32: 75-78. **TR 23 TAX MOR FAU Pteromalidae Eurytomidae Chalcidoidea Gugolzia**
145. **Doğanlar, M. & H. Çam**, 2005, Morphology and systematics of Turkish species of Exeuytoma Burks, 1971 (Hymenoptera, Chalcidoidea, Eurytomidae) with description of a new species from eastern Anatolia. Turk. J. Zool. 29: 243-248, 3 figs. **TR 23 47 60 TAX MOR FAU ATL KEY Eurytomidae Exeuytoma Chalcidoidea**
146. **Doğanlar, M. & O. Doğanlar**, 2010, Review of the species of Gugolzia Delucchi and Steffan (Hymenoptera, Pteromalidae) in Europe and Turkey with descriptions of new species. Turk. J. Zool. 34: 23-34, figs. **TR 01 31 TAX MOR FAU ATL KEY Pteromalidae Gugolzia Chalcidoidea**

147. **Doğanlar, M. & O. Doğanlar**, 2013, Systematics of Urfacus Doğanlar, 2003 (Hymenoptera, Eulophidae, Ceranisinae), with descriptions of new species in Turkey. EJBS 7 (1): 76-90, figs. **TR 01 02 21 27 31 46 63 79 TAX MOR FAU ATL GEN KEY Eulophidae Ceranisinae Urfacus**
148. **Doğanlar, M. & S.V. Triapitsyn**, 2007, Review of Ceranisus (Hymenoptera, Eulophidae) of Turkey, with description of a new species. Eur. J. Ent. 104: 105-110, figs. **TR 02 07 31 46 63 TAX MOR FAU Eulophidae Ceranisus Chalcidoidea**
149. **Doğanlar, M.**, 1982, A new species Diglyphus Walker (Hymenoptera, Eulophidae) from Eastern Anatolia. Türk. bitki kor. derg. 6: 75-79, figs. **TR 25 TAX MOR FAU ATL Eulophidae Diglyphus anadolucius Chalcidoidea**
150. **Doğanlar, M.**, 1984, Notes on Chalcidoidea of Turkey I. Chalcididae, Eurytomidae, Torymidae, Ormyridae, Perilampidae, Eucharitidae. Türk. Bitki kor. derg. 8: 151-158. **TR 01 12 24 25 27 30 33 49 FAU ECO BIO Chalcididae Eurytomidae Torymidae Ormyridae Perilampidae Eucharitidae Chalcidoidea**
151. **Doğanlar, M.**, 1985, Notes on Chalcidoidea of Turkey II. Pteromalidae. Türk. bitki kor. derg. 1985: 27-43. **TR 01 08 24 25 FAU ECO Pteromalidae Chalcidoidea**
152. **Doğanlar, M.**, 1991, Systematic studies on the species of Cyrtosoma Perris from Turkey and descriptions of some new species (Hymenoptera, Ormyridae). Türk. ent. derg. 15 (2): 71-87. **TR 01 25 60 75 TAX MOR FAU KEY Ormyridae Ormyrus Cyrtosoma**
153. **Doğanlar, M.**, 1991, Systematic positions of some taxa in Ormyridae and descriptions of a new species in Ormyrus from Turkey and a new genus in the family (Hymenoptera, Chalcidoidea). Türk. ent. derg. 15 (1): 1-13, 37 figs. **TR 01 07 12 30 49 60 TAX MOR FAU KEY ECO BIO Ormyridae Ormyrus Avrasyamyrus**
154. **Doğanlar, M.**, 1992, Notes on the species of the nominal subgenus Aprostocetus s.str. of Aprostocetus Westwood, 1833, from Europe and Turkey (Hymenoptera, Eulophidae, Tetrastichinae). Entomofauna 13 (31): 513-522. **TR 01 60 75 76 FAU Eulophidae Aprostocetus Tetrastichinae**
155. **Doğanlar, M.**, 1992, Notes on the species of some genera of Tetrastichinae in Zoologische Staatssammlung München (Hymenoptera, Eulophidae). Entomofauna 13 (31): 523-527. **US IT AT DE TR 60 FAU Eulophidae Tetrastichinae**
156. **Doğanlar, M.**, 1993, Notes on Baryscapus Förster, 1856, with description of four new species (Hymenoptera, Eulophidae, Tetrastichinae). Entomofauna 14 (23): 361-368, figs. **TR TAX MOR FAU Eulophidae Baryscapus**
157. **Doğanlar, M.**, 1993, Notes on Pronotalia Gradwell, 1957, with description of two new species from Turkey (Hymenoptera, Eulophidae, Tetrastichinae). Entomofauna 14 (23): 361-368, figs. **TR TAX MOR KEY FAU Eulophidae Pronotalia Tetrastichinae**
158. **Doğanlar, M.**, 2003, A new genus and a new species of Entodontinae (Hymenoptera, Eulophidae) from Southeastern Anatolia, Turkey. Turk. J. Zool. 27: 181-185, figs. **TR 63 TAX MOR FAU Eulophidae Ceranisus Chalcidoidea**
159. **Doğanlar, M., Gumovsky, A. & O. Doğanlar**, 2011, A review of Ceranisus (Hymenoptera, Eulophidae) of Ukraine, with description of two new species. Türk. ent. derg. 35 (2): 215-229, figs. **TR UA TAX MOR FAU KEY ATL Eulophidae Ceranisus**
160. **Doğanlar, M., Lasalle, J., Sertkaya, E. & O. Doğanlar**, 2009, A new species of Quadrastichus Girault, 1913 (Hymenoptera, Eulophidae, Tetrastichinae) from Hatay, Turkey. Turk. J. Zool. 33: 309-314, figs. **TR 31 TAX MOR FAU ATL GEN BIO ECO Eulophidae Chalcidoidea Tetrastichinae Quadrastichus dasineurae**
161. **Doğanlar, O. & M. Doğanlar**, 2008, A new species of Idarnotorymus Masi, 1916 (Hymenoptera, Torymidae) from Turkey. Turk. J. Zool. 32: 85-90, figs. [new species and new records to Turkey]. **TR 15 MOR FAU KEY ATL Torymidae Chalcidoidea Idarnotorymus**
162. **Doğanlar, O. & M. Doğanlar**, 2008, First record of Eucalyptus Seed Gall Wasp, Quadrastichodella nova Girault, 1922 (Eulophidae, Tetrastichinae) from Turkey. Turk. J. Zool. 32: 457-459, figs. [new record to Turkey]. **TR 01 31 33 48 FAU ECO BIO ATL Eulophidae Chalcidoidea Quadrastichodella nova Tetrastichinae**
163. **Doğanlar, O., Yıldırım, A.E. & M. Doğanlar**, 2006, Natural enemy complex of Eurytoma amgdali Enderlein, 1907 (Hymenoptera, Eurytomidae) in eastern Mediterranean Region of Turkey; notes on their interaction and effectiveness. Res. J. Agr. Biol. Sci. 2 (6): 282-286. **TR 01 27 31 ECO BIO FAU Eurytomidae Torymidae Chalcidoidea**
164. **Dubitzky, A.**, 2007, Phylogeny of the World Anthophorini (Hymenoptera, Apoidea, Apidae). Syst. Ent. 32: 585-600, figs. **AR BO PE BR VE CO PA GT MX US AU QAU PG ID MY PH NA ZA ZW MG MA DZ TN KE TZ ZR ES FR DE AT HU CH PT IT HV AL BG GR TR CY IL Pa IR Cc RU UA JO**

- LY EG AZ AM GG TM TJ KK KG CN Ui MN KP KR JP IN AF PK MM TH CLA PHI MOR BIB *Apidae*
Apoidea Anthophorini
165. Dvorak, L. & L. Castro, 2007, New and noteworthy records of vespid wasps (Hymenoptera, Vespidae) from the Palearctic Region. Acta ent. Mus. nat. Pragae 47: 229-236, figs. TR 07 SY NP RU Sb BG ES FR IT MN KG FAU ATL BIB *Vespidae Vespoidea*
166. Ebmer, P.A.W., 1999, Die westpaläarktischen Arten der Gattung Dufourea Lepeletier, 1841 (Insecta, Hymenoptera, Apoidea, Halictidae, Rophitinae). Linzer biol. Beitr. 31 (1): 183-228, 64 Abb. MA DZ TN PT ES GR TR Cc AM 01 02 04 08 13 30 31 33 36 47 73 IL Pa CY NP TAX MOR FAU ATL GEN *Halictidae Apoidea Dufourea Rophitinae*
167. Ebmer, P.A.W., 1971, Die Bienen des Genus Halictus Latr. s.l. im Grossraum von Linz (Hymenoptera, Apidae). Teil III. Naturk. Jb. Linz 1971: 63-156, 19 Taf. MK AL BG RO MD YU B-H HV SS AT CH PT ES FR GB IE NO SE FI RU EE LT LV BY UA CZ SK PL DK DE BE NL HU Cc TR AZ AM GG MOR KEY GEN *Halictidae Apoidea Lasioglossum Evylaeus*
168. Ebmer, P.A.W., 1973, Die Bienen des Genus Halictus Latr. s.l. im Grossraum von Linz (Hymenoptera, Apoidea). Nachtrag und zweiter Anhang. Nat. Jb. Linz 19: 123-158, 10 taf. ES GR Cc GG AM AZ TR 31 33 42 50 58 63 TA MOR FAU ATL GEN KEY *Halictidae Apoidea Halictus Lasioglossum*
169. Ebmer, P.A.W., 1975, Neue westpaläarktische Halictidae (Halictinae, Apoidea) Teil III. Linzer biol. Beitr. 7 (1): 41-118, 56 Abb. FR YU GR UA Cm TJ Cc AM EG SD TR 26 33 38 58 63 IR IL Pa KK Ik Ch IT Si TAX GEN KEY MOR FAU BIB *Halictidae Halictinae Apoidea*
170. Ebmer, P.A.W., 1987, Die westpaläarktischen Arten der Gattung Dufourea Lepeletier 1841 mit illustrierten Bestimmungstabellen (Insecta, Hymenoptera, Apoidea, Halictidae, Dufoureae). Linzer biol. Beitr. 19 (1): 43-56, figs. TR 25 TAX MOR FAU GEN KEY *Halictidae Dufourea Apoidea Dufoureae*
171. Ebmer, P.A.W., 1989, Die westpaläarktischen Arten der Gattung Dufourea Lepeletier 1841 mit illustrierten Bestimmungstabellen (Insecta, Hymenoptera, Apoidea, Halictidae, Dufoureae) Zweiter Nachtrag. Linzer biol. Beitr. 21 (1): 193-210, figs. TR TAX MOR FAU GEN KEY *Halictidae Dufourea Apoidea Dufoureae*
172. Ebmer, P.A.W., 1993, Die Bienengattung Rophites Spinola 1808 (Insecta, Hymenoptera, Apoidea, Halictidae, Rophitinae). Erster Nachtrag. Linzer biol. Beitr. 25 (1): 3-14. TR BG TAX MOR FAU MAP *Halictidae Rophites Apoidea Rophitinae*
173. Ebmer, P.A.W., 1993, Die westpaläarktischen Arten der Gattung Dufourea Lepeletier 1841 mit illustrierten Bestimmungstabellen (Insecta, Hymenoptera, Apoidea, Halictidae, Dufoureae) Dritter Nachtrag. Linzer biol. Beitr. 25 (1): 15-42, 38 Abb. 2 Karten. MA TN ES EG BG TR 07 14 25 36 60 SY JO AM Cc GR TAX MOR FAU KEY MAP *Halictidae Dufourea Apoidea*
174. Ebmer, P.A.W., 1995, Asiatische Halictidae, 3. Die Artengruppe der Lasioglossum carinate-Evylaeus (Insecta, Hymenoptera, Apoidea, Halictidae, Halictinae). Linzer biol. Beitr. 27 (2): 525-652, 139 Abb. MK AL BG RO MD YU B-H HV SS AT CH PT ES FR GB IE NO SE FI RU EE LT LV BY UA CZ SK PL DK DE BE NL HU Cc TR AZ AM GG IR UZ KK KG CN Ui IN PK AF TAX MOR FAU ATL GEN *Halictidae Lasioglossum Evylaeus Apoidea*
175. Ebmer, P.A.W., 2000, Asiatische Halictidae, 9. Die Artengruppe der Lasioglossum pauperatum (Insecta, Hymenoptera, Apoidea, Halictidae, Halictinae). Linzer biol. Beitr. 32 (1): 399-453, 100 Abb. MK AL BG RO MD YU B-H HV SS AT CH PT ES FR GB IE NO SE FI RU EE LT LV BY UA CZ SK PL DK DE BE NL HU Cc TR AZ AM GG IR UZ KK KG CN Ui IN PK AF TAX MOR FAU ATL GEN *Halictidae Apoidea Lasioglossum Evylaeus*
176. Ebmer, P.A.W., 2010, Östliche Verbreitungsgrenzen mitteleuropäischer Megachilidae in China entsprechend Fauna Sinica 44, Hymenoptera, Megachilidae, von Wu Yanru. Linzer biol. Beitr. 42 (1): 599-611. KG KK TJ UZ CN Ui IMn Ti Gn Ts Sz Yu Jn IR Kh Mz Elb Ak TR 14 25 30 30B 30D 35 42 45 50 50G 73 73C 73Cd FAU *Megachilidae*
177. Elçin, G.B., Bağrıaçık, N. & M.B. Bartalucci, 2013, New Myzinin wasps from Turkey (Hymenoptera, Tiphidae). Linzer biol. Beitr. 45 (2): 2155-2163, figs. TR 51 65 65B TAX MOR FAU ATL *Tiphidae Meria orataura Poecilotiphia melaena*
178. Engel, M.S., 2005, Three replacement names in the bee genus Andrena (Hymenoptera, Andrenidae). J. Kansas Ent. Soc. 78 (2): 179-180. TR TAX NOM *Andrenidae Andreninae Apoidea Andrena*
179. Engel, M.S., 2005, Family-group names for Bees (Hymenoptera, Apoidea). Amer. Mus. Novit. 3476: 1-33. DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CAT BIB NOM
180. Enslin, E., 1914, Über einige Tenthrediniden aus Kleinasien und Kaukasien. Arch. Naturg. 79 (A) (8): 55-59. TR Cc TAX MOR FAU *Tenthredinidae Megalodontesidae Symphyta*

181. **Erdoğan,Ö.Ç. & A.Beyarslan**, 2015, First record of *Blacus* (*Blacus*) *forticornis* Haeselbarth,1973 (Hymenoptera, Braconidae, Blacinae) from Turkey. Turk. J. Zool. 39: 965-966. [original publication unregarded] **TR 25 FAU Braconidae Blacinae Blacus forticornis**
182. **Eroğlu,F., Kırac,A. & O.Birol**, 2011, A faunistic study on Ichneumonidae (Hymenoptera) in Türkmen Mountain, Turkey. Linzer biol. Beitr. 43 (2): 1219-1228. **TR 26 FAU Ichneumonidae**
183. **Fabricius,J.C.**, 1775, Systema entomologiae sistens Insectorum classes ordines genera species adjectis synonymis locis descriptionibus observationibus. 832 pp. Flensburgi et Lipsiae, Korte. **DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG TAX MOR FAU Meloidae**
184. **Fabricius,J.C.**, 1781, Species Insectorum exhibentes eorum differentias specificas, synonyma auctorum, loca natalia, metamorphosin adjectis observationibus, descriptionibus. Tome I, viii+552 pp. Hamburgi & Kilonii, Bohn. **DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY Cc LB GR BG TM UZ KK KG AF PK IN MY TH CN TW PH AU ID PG ZA TAX MOR FAU**
185. **Fabricius,J.C.**, 1787, Mantissa Insectorum... Tom I, xvi+348 pp. Hafniae. **DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY Cc LB GR BG TM UZ KK KG AF PK IN MY TH CN TW PH AU ID PG ZA TAX MOR FAU Sphecidae Crabronidae**
186. **Fabricius,J.C.**, 1793, Entomologia systematica emendata et aucta...Tomus 2. xx+ 519pp., Hafniae. **DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY Cc LB GR BG TM UZ KK KG AF PK IN MY TH CN TW PH AU ID PG ZA TAX MOR FAU Sphecidae Crabronidae**
187. **Fabricius,J.C.**, 1804, Systema Piezatorum... 439+30 pp. Hafniae. **AR CL BO PE BR VE CO PA GT MX US AU QAU PG ID MY PH NA ZA ZW MG MA DZ TN KE TZ ZR ES FR DE AT HU CH PT IT HV AL BG GR TR CY IL Pa IR Cc RU UA JO LY EG AZ AM GG TM TJ KK KG CN Ui MN KP KR JP IN AF PK MM TH TAX MOR FAU**
188. **Fahringer,J.**, 1922, Hymenopterologische Ergebnisse einer wissenschaftlichen Studienreise nach der Türkei und Kleinasien (mit Ausschuss des Amanusgebirges). Arch. Naturg. A 88 (9): 149-222, 9 Textfigs. **TR 01 11 16 26 31 33 34 35 41 42 80 TAX ECO FAU Tenthredinidae Argidae Doleridae Cephidae Cyricidae Cynipidae Ichneumonidae Evaniidae Braconidae Chalcididae Chrysididae Formicidae Mutillidae Scolidae Sapygiidae Pompilidae Sphecidae Crabronidae Vespidae Apidae**
189. **Fahringer,J.**, 1930, Ichneumonidae, Braconidae, Evaniidae, Cynipidae, Chalcididae, Serphidae, Psammocharidae in Ebner,R., Hymenopteren aus Palaestina und Syrien (Zoologische Studienreise von R.Ebner 1928 mit Unterstützung der Akademie der Wissenschaften in Wien). Sitz. Akad. Wiss. Wien 139: 19-22. **IL Pa SY LB Bei TR 31 RO FAU Ichneumonidae Braconidae Evaniidae Cynipidae Chalcididae Serphidae Pompilidae**
190. **Fauna Europaea**, 2012, Fauna Europaea version 2.5. Web Service available online at <http://www.faunaeur.org> [access 20.12.2012] **NO SE FI DK DE PL EE GB IE FR ES FR PT IT AT CH CZ SK HU RO GR BG TR Cr Cc AZ AM GG RU FAU DIS**
191. **Fischer,M. & A.Beyarslan**, 2005, New maggot wasps from the Turkish fauna (Hymenoptera, Braconidae, Opiinae). Polskie pismo ent. 74 (4): 379-421, figs. **TR 01 TAX MOR FAU Braconidae Opius adanacola**
192. **Fischer,M. & A.Beyarslan**, 2012, New species of *Synaldis* Foerster, *Idiasta* Foerster, and further records of Turkish *Alysiini* (Hymenoptera, Braconidae, Alysiinae). Zool. Middle East 55 (1): 55-64. **TR 01 02 05 08 09 16 18 22 25 28 29 32 33 35 37 39 40 41 43 46 48 50 52 53 58 61 62 63 67 69 74 77 TAX MOR FAU KEY Braconidae Synaldis Idiasta Alysiini**
193. **Fischer,M.**, 1968, Eine neue *Phanerotoma*-Art aus Syrien (Hymenoptera, Braconidae). Entomophaga 13 (4): 331-334, 3 Abb. **SY KG TR TAX MOR FAU KEY Braconidae Phanerotoma Phanerotomini**
194. **Fischer,M.**, 1992, Neue *Opius*-Arten aus der Türkei (Hymenoptera, Braconidae, Opiinae). Z. ArbGem. Öst. Ent. 44: 84-86. **TR 22 30 39 TAX MOR FAU Braconidae Opiinae Opius**
195. **Fischer,M., Sullivan,G.T., Karaca,İ. & S.K.Ozman-Sullivan**, 2014, A new species of the genus *Dinotrema* Foerster (Hymenoptera, Braconidae, Alysiinae) from Turkey. Turk. J. Zool. 38: 651-654, figs. **TR 55 TAX MOR FAU Braconidae Alysiinae Dinotrema**
196. **Friese,H.**, 1895, Species aliquot novae vel minus cognitae generum Eucera Scop. et Meliturga Latr. Termes Füzetek 18: 202-209. **HU GR TR 05 16 SY IR IT HV EG TAX MOR FAU ECO Apidae Apoidea Eucera Meliturga**
197. **Friese,H.**, 1917, Neue Arten der Bienengattung *Anthidium* (Paläarktische Region und von Formosa). Dt. ent. Z. 1917: 49-60. **UZ EG TR Cc 33 DZ GR CN TW TN AT RU TAX MOR FAU Megachilidae Anthidium**

198. **Friese, H.**, 1922, Neue Arten der Anthophorinae (Hym.). Konowia 1: 59-66. **UZ LB Bei TN TR 33 35 SY IL Pa EG JO ID Sum Cr ES TAX MOR FAU** *Apidae Anthophora Eucera Anthophorinae Apoidea*
199. **Förster, A.**, 1841, Beiträge zur Monographie der Pteromaliden. Nees (1): 47 pp. Aachen. **Cc GB SE FI NO DK DE PL RU EE LT LV AT CH IT CZ SK RO MD AT BE CA CN FR GR HU IE IR IT KG KK KP KR Md NO PL PT RO RU YU AL GR BG CY SS ES TR UA TAX MOR FAU** *Pteromalidae Chalcidoidea*
200. **Förster, A.**, 1868, Monographie der Gattung Campoplex, Grv. Verh. zool.- bot. Ges. Wien 18: 761-876. **MA DZ TN LY EG IL Pa JO SY CY GR Cr MK AL BG TR RO MD YU B-H HV SS AT CH PT ES FR GB IE NO SE FI RU EE LT LV BY UA CZ SK PL DK DE BE NL HU KG TM TJ UZ TM IQ IR AF PK CN TAX MOR FAU** *Hymenoptera Ichneumonidae Campoplex Dusona Campopleginae*
201. **Förster, A.**, 1869, Synopsis der Familien und Gattungen der Ichneumoniden. Verh. naturh. Ver. preuss. Rheinl. 25: 135-221 [see Perkins, J.F., 1961]. **MA DZ TN LY EG IL JO PT ES FR DE DK PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM Cc IR IQ TR SY LB GR BG TAX MOR FAU** *Ichneumonidae Cynipidae*
202. **Gayubo, S.F. & H.Özbek**, 2005, A contribution to the knowledge of Spheciformes from Turkey Part II. Ampulicidae, Sphecidae and Crabronidae (Bembicinae and Crabroninae) (Hymenoptera, Apoidea). J. ent. Res. Soc. 7: 1-39. **TR FAU** *Ampulicidae Sphecidae Crabronidae Bembicinae Crabroninae*
203. **Gayubo, S.F., Özbek, H. & E.Yıldırım**, 2003, A contribution to the knowledge of Spheciformes from Turkey: tribes Astatini, Dinetini, Larrini, Palarini and Trypoxylini (Hymenoptera, Apoidea, Crabronidae). Zool. Middle East 29: 83-92. **TR FAU** *Crabronidae*
204. **Gençer, L. & S.Seven**, 2005, Chalcidoid parasitoids of Micrurapteryx sophorivora (Lepidoptera, Gracillariidae) in Kuluncak, Turkey Phytprotection 86: 133-134. **TR 44 44K ECO BIO** *Eulophidae Pteromalidae Chalcidoidea*
205. **Gençer, L.**, 2004, A study on the Chalcidoid (Hymenoptera, Chalcidoidea) parasitoids of leafminers (Diptera, Agromyzidae) in Ankara Province. Turk. J. Zool. 28: 119-122. **TR 06 ECO BIO FAU** *Eulophidae Agromyzidae Chalcidoidea Liriomyza Chromatomyia Diglyphus Neochrysocharis Pediobius Hemiptarsenus*
206. **Gençer, L.**, 2004, Contribution to the knowledge of the family Eulophidae (Hymenoptera, Chalcidoidea) from Turkey, with some new records. Phytoparasitica 32 (3): 264-273. **TR 06 38 40 42 50 58 60 66 FAU DIS** *Eulophidae Chalcidoidea*
207. **Gerstaecker, A.**, 1869, Beiträge zur näheren Kenntniss einiger Bienen-Gattungen. Stettin ent. Ztg. 30 (4/6): 139-184. **AR CL BO PE BR VE CO PA GT MX US AU QAU PG ID MY PH NA ZA ZW MG MA DZ TN KE TZ ZR ES FR DE AT HU CH PT IT HV AL BG GR TR CY IL Pa IR Cc RU UA JO LY EG AZ AM GG TM TJ KK KG CN Ui MN KP KR JP IN AF PK MM TH TAX MOR FAU** *Sphecidae Tiphiidae Apidae Apocrita Symphita Ceratina Ammobates Omachthes Epeolus Epeoloides Rhathymus Nomada Dioxys Coelioxys Euglages Biastes Phiarus Philereus Pasites*
208. **Giraud, J.**, 1859, Signalements de quelques especes nouvelles de Cynipides et de leurs Galles. Verh. zool.- bot. Ges. Wien 9: 337-374, Pls. **TR AT TAX MOR FAU ECO** *Cynipidae*
209. **Gonzalez, V.H., Griswold, T. Praz, C.J. & B.N.Danforth**, 2012, Phylogeny of the bee family Megachilidae (Hymenoptera, Apoidea) based on adult morphology. Syst. Ent. 37: 261-286, figs. **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC TAX CLA PHY MOR** *Megachilidae*
210. **Goulet, H. & J.T.Huber (Ed.)**, 1993, Hymenoptera of the world: An identification guide to families. Centre for Land and Biological Resources Research, Ottawa, Ontario. 668pp. 231 figs. **AR CL BO PE BR VE CO PA GT MX US AU NZ PG ID MY PH NA ZA ZW MG MA DZ TN KE TZ ZR ER ET SO CI CM NG NE SN SL GH GN GA GM ML TD SD ES FR DE AT HU CH PT IT HV AL BG GR TR CY IL IR Cc RU UA JO LY EG AZ AM GG TM TJ KK KG CN Ui MN KP KR JP IN AF PK MM TH LK MOR ATL KEY**
211. **Grace, A.**, 2010, Introductory biogeography to Bees of the Eastern Mediterranean and Near East. 285pp. Bexhill Museum, Sussex, U.K. [ISBN 978-0-9537091-9-9] [online] [access 31 December 2010] [some taxa repeated at specific and subspecific categories]. **GR CY TR 01 04 05 06 07 25 30 33 36 42 50 58 65 73 SY LB JO Pa IL IQ IR EG LY IR ECO BIO DIS FAU** *Colletidae Andrenidae Halictidae Melittidae Megachilidae Apidae*
212. **Graham, M.W.R.de Vere & M.J.Gijswijt**, 1998, Revision of the European species of Torymus Dalman (Hymenoptera, Torymidae). Zool. Verh. 317: 1-202, 266 figs. **PT ES FR GB SE NO FI DE BE NL LU DK NO SE FI PL CZ SK SS YU HV MK B-H RO HU IT CH AT RU GG AZ AM TR 43 76 GR BG Cc TAX MOR FAU GEN KEY ECO BIB** *Torymidae Chalcidoidea Torymus*
213. **Graham, M.W.R.de Vere**, 1969, The Pteromalidae of North-Western Europe (Hymenoptera, Chalcidoidea). Bull. Br. Mus. (Nat. Hist.) Ent. (Suppl.) 16: 1-908, 686 figs. **MA DZ TN IL Pa SY Hw Cc GB SE FI NO DK DE PL RU EE LT LV AT CH IT CZ SK RO MD AT BE CA CN FR GR**

- HU IE IR IT KG KK KP KR Md NO PL PT RO RU YU AL GR BG CY SS ES TR UA TAX MOR FAU ATL GEN CLA ECO BIO KEY BIB** *Pteromalidae Chalcidoidea*
- 214. Graham, M.W.R.de Vere**, 1987, A reclassification of the European Tetrastichinae (Hymenoptera, Eulophidae), with a revision of certain genera. Bull. Br. Mus. (Nat. Hist.) Ent. 55: 1-392, figs. **Az NO GR PT Md MA IR Ch CA ES FR DE IE GB HU PL SE AT NL CH IT DK YU RU IL Pa TR CY SY MG UG TAX MOR FAU CLA PHY KEY ECO BIO** *Eulophidae Chalcidoidea Tetrastichinae*
- 215. Gravenhorst, J.L.C.**, 1829, Ichneumonologia Europaea. Pars I-III. xxxxi+ 830+ 989+ 1097 pp. Vratislaviae. **DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG TAX MOR FAU** *Ichneumonidae*
- 216. Grünwaldt, R.W., Osytshnjuk, A.Z. & E.Scheuchl**, 2005, Neue Andrena-Arten aus der Paläarktis (Hymenoptera, Apidae, Andreninae). Entomofauna 26 (19): 349-366. **GR TR TAX MOR FAU** *Andrenidae Apoidea Andrena*
- 217. Guichard, K.M. & D.H. Harvey**, 1967, Collecting in Turkey 1959, 1960 and 1962. Bull. Br. Mus. nat. Hist. (Ent.) 19 (4): 223-250, 1 map. **TR COL MET**
- 218. Gusenleitner, F. & E.Scheuchl**, 2000, Zwei neue Andrena-Arten aus dem nahen Osten sowie Beschreibung des Mannchens von Andrena isabellina Warncke (Hymenoptera, Apidae, Andreninae). Entomofauna 21 (11): 117-132. **IL Pa TR 31 73 79 TAX MOR FAU GEN KEY** *Andrenidae Apidae Andreninae Andrena Apoidea*
- 219. Gusenleitner, F. & M.Schwarz**, 2000, Nomenklatorische Aktualisierungen in der Bienengattung Andrena sowie Beschreibung einer neuen Art (Hymenoptera, Apidae, Andreninae). Entomofauna 21 (10): 105-116, Abb. **TR 65 IR CN Ti US MN DE FR SY AT RU TAX MOR FAU ATL NOM BIB** *Andrenidae Andrena Apoidea*
- 220. Gusenleitner, F. & M.Schwarz**, 2001, Zur Morphologie verschiedenen von F.Morawitz beschriebener Andrena-Arten (Hymenoptera, Apidae, Andreninae). Entomofauna 22 (7): 93-196, Abb. **TJ TM UZ KK KG RU Cc TR LB TAX MOR FAU** *Apidae Apoidea Andreninae Andrena*
- 221. Gusenleitner, F.**, 1985, Bemerkenswertes über Faltenwespen VIII (Hymenoptera, Vespoidea). NachrBl. bayer. Ent. 34 (4): 105-110. **ES TR 30 73 76 TN Cr IR TAX MOR FAU** *Vespidae Quatinia Polistes Celonites Stenodynerus pannonus Polistinae Vespinae Vespoidea*
- 222. Gusenleitner, F.**, 1998, Neue westpalaarktische Andrena-Arten (Hymenoptera, Apidae, Andreninae). Entomofauna 19 (6): 109-144. **TR 07 30 36 73 Cc AZ MA TN IL Pa SY CY TAX MOR FAU BIB** *Apidae Apoidea Andreninae Andrena*
- 223. Gusenleitner, J.**, 1967, Vespidae, Eumenidae und Masaridae aus der Türkei II. Polskie pismo Ent. 37: 663-676. **TR TAX MOR FAU** *Vespidae Vespinae Eumeninae Masarinae Vespoidea*
- 224. Gusenleitner, J.**, 1973, Über Masaridae aus dem nahen Osten (Vespoidea, Hymenoptera). Boll. Mus. Civic. Stor. Nat. Venezia 24: 55-69. **TR TAX MOR FAU** *Vespidae Masarinae Vespoidea*
- 225. Gusenleitner, J.**, 1977, Neue Leptochilus-Arten aus Anatolien und Nordafrika. Linzer biol. Beitr. 9 (1): 163-178, figs. **TR TN MA 31 33 42 50 58 63 TAX MOR FAU** *Vespidae Eumeninae Leptochilus*
- 226. Gusenleitner, J.**, 1979, Die Microdynerus- und Pseudomicrodynerus-Arten des Balkans und der Türkei (Eumenidae, Hym.). Linzer biol. Beitr. 11: 75-94, figs. **TR TAX MOR FAU KEY** *Vespidae Eumeninae Microdynerus Pseudomicrodynerus Vespoidea*
- 227. Gusenleitner, J.**, 1984, Zwei neue Subspezies der Art Euodynerus (Pareuodynerus) quadrifasciatus (Fabricius, 1793) (Hymenoptera, Eumenidae). Entomofauna 5 (14): 165-169. **TR 25 36 LY Cy TAX MOR FAU** *Vespidae Eumeninae Vespoidea*
- 228. Gusenleitner, J.**, 1985, Neue Leptochilus-Arten aus dem Mittelmeergebiet und dem Iran (Hymenoptera, Eumenidae). Entomofauna 6 (9): 81-101. **IR TR 02 33 42 50 58 63 70 GR Cr ES TAX MOR FAU KEY** *Vespidae Eumeninae Vespoidea*
- 229. Gusenleitner, J.**, 1986, Zwei neue Antepipona-Arten aus der Türkei (Hym., Eumenidae). Linzer biol. Beitr. 18 (2): 361-371, 2 Abb. **TR 06 11 30 30D 33 50 65 73 TAX MOR FAU** *Vespidae Eumeninae Antepipona Vespoidea*
- 230. Gusenleitner, J.**, 1986, Beitrag zur Kenntnis der paläarktischen Antepipona-Arten (Hymenoptera, Eumenidae). Annln naturh. Mus. Wien 88/89B: 565-577, 7 Abb. **TR 30 42 50 65 70 73 LB IR KG UZ TM TAX MOR FAU** *Vespidae Eumeninae Antepipona Vespoidea*
- 231. Gusenleitner, J.**, 1988, Neue und bemerkenswerte Faltenwespen aus der Türkei (Hymenoptera, Vespoidea). Linzer biol. Beitr. 20 (2): 713-737, 5 Abb. **TR 04 07 09 12 25 30 36 38 47 50 58 63 65 73 TAX MOR FAU** *Vespidae Vespinae Eumeninae Vespoidea*
- 232. Gusenleitner, J.**, 1992, Bemerkenswerte Funde von Masaridae in Griechenland und im Nahen Osten (Vespoidea, Hymenoptera). Linzer biol. Beitr. 24 (1): 59-63. **GR TR IR TAX MOR FAU** *Vespidae Masarinae Vespoidea*

- 233. Gusenleitner, J.,** 1993, Drei neue palaearktische Eumeniden-Arten (Hymenoptera, Vespoidea). Linzer biol. Beitr. 25 (1): 43-50, Abb. **ES TR 63 TM Kp TAX MOR FAU** *Vespidae Eumeninae Vespoidea Leptochilus Stenancistrocerus liliput Alلودynerus*
- 234. Gusenleitner, J.,** 1993, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera). Teil 1: Die Gattung Leptochilus Saussure, 1852. Linzer biol. Beitr. 25 (2): 745-769, 14 Abb. **DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG DIS TAX MOR KEY** *Vespidae Leptochilus Eumeninae Vespoidea*
- 235. Gusenleitner, J.,** 1994, Über Eumeniden aus dem Nahen Osten und Arabien sowie Beschreibung einer neuen Subspecies aus Zanzibar (Vespoidea, Hymenoptera). Linzer biol. Beitr. 26 (1): 307-324, 14 Abb. **TR 24 70 AE JO EG IL Pa RU Cc TZ Zz TAX MOR FAU** *Vespidae Eumeninae Vespoidea*
- 236. Gusenleitner, J.,** 1994, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera). Teil 2: Die Gattung Pterochilus Klug, 1805, Onychopterocheilus Blüthgen, 1955, Hemipterocheilus Fertton, 1909 und Cephalochilus Blüthgen, 1939. Linzer biol. Beitr. 26 (2): 823-839, 17 Abb. **DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG MOR KEY** *Vespidae Eumeninae Vespoidea Pterochilus Onychopterocheilus Hemipterocheilus Cephalochilus*
- 237. Gusenleitner, J.,** 1995, Bemerkungen über die Gattung Leptochilus Saussure, 1852 und Beschreibung neuer Arten dieser Gattung (Hymenoptera, Vespoidea, Eumenidae). Linzer biol. Beitr. 27 (1): 169-181, 7 Abb. **RU Cc TR 08 58 73 ES IR Lo UZ TAX MOR FAU** *Vespidae Eumeninae Leptochilus Vespoidea*
- 238. Gusenleitner, J.,** 1995, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera). Teil 4: Die Gattung Ancistrocerus WWesmael, 1836 mit einem Nachtrag zum Teil 1: Die Gattung Leptochilus Saussure. Linzer biol. Beitr. 27 (2): 753-775. **DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG MOR KEY** *Vespidae Ancistrocerus Leptochilus Eumenidae Vespoidea*
- 239. Gusenleitner, J.,** 1995, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera). Teil 3: Die Gattung Antepipona Saussure, 1855. Linzer biol. Beitr. 27 (1): 183-189, 7 Abb. **DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG KEY MOR** *Vespidae Eumeninae Antepipona Vespoidea*
- 240. Gusenleitner, J.,** 1996, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera). Teil 5: Die Gattung Alastor Lepeletier, 1841 Linzer biol. Beitr. 28 (2): 801-808. **DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG MOR KEY** *Vespidae Alastor Eumeninae Vespoidea*
- 241. Gusenleitner, J.,** 1996, Beitrag zur Kenntnis paläarktischer Sapygidae (Hymenoptera, Sapygidae). Linzer biol. Beitr. 28 (1): 23-38, figs. **TR IR MA TN DZ GR IL SY TAX MOR FAU** *Sapygidae*
- 242. Gusenleitner, J.,** 1997, Über Funde von Sapygidae aus dem östlichen Mittelmeergebiet (Sapygidae, Hymenoptera). Linzer biol. Beitr. 29 (1): 105-108, figs. **TR IL JO EG GR TAX MOR FAU** *Sapygidae*
- 243. Gusenleitner, J.,** 1997, Über einige Vespoidea des Nahen Ostens (Hymenoptera, Eumenidae, Masaridae). Linzer biol. Beitr. 29 (1): 137-150. **SY TR IL Pa JO EG TAX MOR FAU** *Vespidae Eumeninae Masarinae Vespoidea*
- 244. Gusenleitner, J.,** 1997, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera). Teil 7: Die Gattungen Microdynerus Thomson, 1874 und Eumicrodynerus Gusenleitner, 1972 Linzer biol. Beitr. 29 (2): 779-797, figs. **HU KG IR JO TR ES FR IT GR AL AL MOR TAX FAU KEY GEN** *Vespidae Eumeninae Microdynerus Eumicrodynerus Vespoidea*
- 245. Gusenleitner, J.,** 1997, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera). Teil 6: Die Gattung Euodynerus Dalla Torre, 1904, Syneuodynerus Blüthgen, 1951 und Chlorodynerus Blüthgen, 1951. Linzer biol. Beitr. 29 (1): 117-135, 33 Abb. **DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG MOR KEY** *Vespidae Vespoidea Eumeninae Euodynerus Syneuodynerus Chlorodynerus*
- 246. Gusenleitner, J.,** 1997, Die europäische Arten der Gattung Celonites Latreille, 1802 (Hymenoptera, Masaridae). Linzer biol. Beitr. 29 (1): 109-115, 3 Abb. **DE AT ES IT FR CH HV BG GR CY TR 02 07 24 50 SY IL Pa IR TAX KEY MOR FAU** *Vespidae Masarinae Vespoidea Celonites*
- 247. Gusenleitner, J.,** 1997, Die Gattungen Syneuodynerus Blüthgen, 1951 und Intereuodynerus gen.nov. im Nahen Osten (Hymenoptera, Eumenidae). Linzer biol. Beitr. 29

- (2): 763-769, 4 Abb. **JO IR SY TR 25 33 63 TAX MOR FAU** *Vespidae Eumeninae Syneuodynerus Intereuodynerus Vespoidea*
- 248. Gusenleitner, J.**, 1998, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera). Teil 8: Die Gattungen Odynerus Latreille, 1802, Gymnomerus Blüthgen, 1938, Paragymnomerus Blüthgen, 1938 und Tropicodynerus Blüthgen, 1939. Linzer biol. Beitr. 30 (1): 163-181, 25 Abb. **DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG MOR KEY** *Vespidae Eumeninae Vespoidea Odynerus Gymnomerus Paragymnomerus Tropicodynerus*
- 249. Gusenleitner, J.**, 1998, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera). Teil 9: Die Gattung Pseudepipona Saussure. Linzer biol. Beitr. 30 (2): 487-495, 14 Abb. **DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG MOR KEY** *Vespidae Eumeninae Vespoidea Pseudepipona*
- 250. Gusenleitner, J.**, 1998, Über Faltenwespen aus dem asiatischen Raum (Hymenoptera, Eumenidae, Masaridae). Linzer biol. Beitr. 30 (2): 503-513, figs. **IR Fa TR 72 IN SI Djl TH LK PH TAX MOR FAU** *Vespidae Vespoidea Eumeninae Masarinae*
- 251. Gusenleitner, J.**, 1999, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera). Teil 10: Die Gattung Allodynerus Blüthgen, 1938 mit Nachträgen zum Teil 1: Die Gattung Leptochilus Saussure und Teil 4: Die Gattung Ancistrocerus Wesmael. Linzer biol. Beitr. 31 (1): 93-101, 13 Abb. **DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG TAX MOR KEY** *Vespidae Eumeninae Vespoidea Allodynerus Leptochilus Ancistrocerus*
- 252. Gusenleitner, J.**, 1999, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera). Teil 11: Die Gattung Discoelius Latreille, 1809, Eumenes Latreille, 1802, Katamenes Meade-Waldo, 1910, Delta Saussure, 1855, Ischnogasteroides Magretti, 1884 und Pareumen... Linzer biol. Beitr. 31 (2): 561-584, 35 Abb. **DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG TAX MOR KEY** *Vespidae Eumeninae Vespoidea Discoelius Eumenes Katamenes Delta Ischnogasteroides*
- 253. Gusenleitner, J.**, 1999, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera). Teil 12: Die Gattung Symmorphus Wesmael, 1836. Linzer biol. Beitr. 31 (2): 585-592, 8 Abb. **DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG MOR KEY** *Vespidae Eumeninae Symmorphus Vespoidea*
- 254. Gusenleitner, J.**, 2000, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera). Teil 13 Die Gattung Stenodynerus Saussure, 1863. Linzer biol. Beitr. 32 (1): 29-41, 12 Abb. **DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG MOR KEY** *Vespidae Eumeninae Vespoidea Stenodynerus*
- 255. Gusenleitner, J.**, 2000, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera). Teil 14 Der Gattungsschlüssel und die bisher in dieser Reihe nicht behandelten Gattungen und Arten. Linzer biol. Beitr. 32 (1): 43-65, 12 Abb. **DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG MOR KEY** *Vespidae Eumeninae Vespoidea*
- 256. Gusenleitner, J.**, 2000, Neue Eumenidae aus Syrien, der Türkei und dem Iran (Hymenoptera, Vespoidea). Linzer biol. Beitr. 32 (2): 927-938, Abb. **TR 02 04 13 30 65 SY IR TAX MOR FAU** *Vespidae Eumeninae Vespoidea*
- 257. Gusenleitner, J.**, 2001, Über Eumeniden aus dem Mittelmeerraum (Vespoidea, Hymenoptera). Linzer biol. Beitr. 33 (2): 663-669. **TR 23 MA TN EG JO TAX MOR FAU** *Vespidae Eumeninae Vespoidea*
- 258. Gusenleitner, J.**, 2001, Stellungnahme zur Veröffentlichung "Studies on Eumenidae of Aegean Region" von Ayla Tüzün et al. in Entomofauna Bd. 21, 2000, 197-212 (Insecta, Hymenoptera, Eumenidae). Linzer biol. Beitr. 33 (1): 227-231. **TR FAU CRI** *Vespidae Eumeninae Vespoidea*
- 259. Gusenleitner, J.**, 2001, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera) 1. Nachtrag. Linzer biol. Beitr. 33 (1): 223-226. **DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG MOR KEY** *Vespidae Eumeninae Vespoidea*
- 260. Gusenleitner, J.**, 2002, Neue oder bemerkenswerte Vespoidea aus dem Nahen Osten (Hymenoptera, Eumenidae, Masaridae). Linzer biol. Beitr. 34 (1): 335-343. **IL Pa TR 02 44 65 TAX MOR FAU** *Vespidae Eumeninae Masarinae Vespoidea*

261. **Gusenleitner, J.**, 2003, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera) 2. Nachtrag. Linzer biol. Beitr. 35 (1): 155-166. **DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG TAX MOR KEY** *Vespidae Eumeninae Vespoidea*
262. **Gusenleitner, J.**, 2004, Ein Beitrag zur Kenntnis und Verbreitung palaearktischer Eumenidae (Hymenoptera, Vespoidea). Linzer biol. Beitr. 36 (2): 1093-1105. **TR 06 36 50 58 JO SY KK IR KG CN TN IL Pa MA TAX MOR FAU** *Vespidae Eumeninae Vespoidea*
263. **Gusenleitner, J.**, 2007, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera) 3. Nachtrag. Linzer biol. Beitr. 39 (1): 129-131. **DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG MOR KEY** *Vespidae Eumeninae Vespoidea*
264. **Gusenleitner, J.**, 2007, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera) 4. Nachtrag. Linzer biol. Beitr. 39 (2): 955-956. **DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG MOR KEY** *Vespidae Eumeninae Vespoidea*
265. **Gusenleitner, J.**, 2012, Neue Masarinae aus der palaearktischen Region (Hymenoptera, Vespidae, Masarinae). Linzer biol. Beitr. 44 (1): 319-326, figs. **TR 30 73 SY IR KK TAX MOR FAU ATL** *Vespidae Celonites Quartinia*
266. **Güler, Y. & N.Çağatay**, 2006, Faunistic study on Megachilini, Osmiini and Anthidiini tribes (Hymenoptera, Megachilidae) in Central Anatolia. J. ent. Res. Soc. 8 (2): 15-34. **TR 06 18 26 38 40 42 50 51 58 66 68 70 71 FAU** *Megachilidae Megachilini Osmiini Anthidiini*
267. **Güler, Y. & N.Çağatay**, 2007, A study on the genus Bracon Fabricius, 1804 (Hymenoptera, Braconidae, Braconinae) in Ankara Province in Turkey. Munis Ent. Zool. 2 (2): 517-524. **TR 06 FAU** *Braconidae Braconinae*
268. **Güler, Y., A.M.Aytenkin, N.Çağatay**, 2006, Systematical studies on Anthidiini (Hymenoptera, Megachilidae): A geometric morphometric approach. Acta Ent. Sinica 49 (3): 474-483, figs. **TR 06 18 26 40 42 50 51 58 66 68 70 TAX** *Megachilidae Anthidiini Anthidium Apoidea*
269. **Güler, Y., Aytenkin, A.M. & F.Dikmen**, 2011, Bombini and Halictidae (Hymenoptera, Apoidea) fauna of Afyonkarahisar province of Turkey. J. Ent. Res. Soc. 13 (1): 1-22. **TR 03 FAU DIS** *Apidae Halictidae Bombini Bombus Apoidea*
270. **Gülmez, Y. & A.Tüzün**, 2005, Spheciformes (Hymenoptera) from Ankara Province. Subfamilies Sphecinae, Pemphredoninae and Astatinae. J. ent. Res. Soc. 7 (1): 41-57. **TR 06 FAU** *Sphecidae Sphecinae Pemphredoninae Astatinae*
271. **Gürbüz, M.F. & J.Kolarov**, 2008, A study of the Turkish Cryptini IV (Cryptinae, Ichneumonidae, Hymenoptera). Turk. J. zool. 32: 373-377. **TR 32 FAU** *Ichneumonidae Cryptinae Cryptini*
272. **Gürbüz, M.F. & M.Y.Aksoylar**, 2005, New records of Ichneumonidae (Hymenoptera) species from Turkey. Phytoparasitica 33 (2): 121-122. **TR 32 41 FAU** *Ichneumonidae*
273. **Gürbüz, M.F. & M.Y.Aksoylar**, 2005, New records of Ichneumonidae (Hymenoptera) species from Turkey. Phytoparasitica 32 (3): 121-122. **TR FAU** *Ichneumonidae*
274. **Gürbüz, M.F.**, 2005, A survey of the Ichneumonidae (Hymenoptera) of Isparta in Turkey. Linzer biol. Beitr. 37 (2): 1809-1817. **TR 32 FAU** *Ichneumonidae*
275. **Gürbüz, M.F., Kolarov, J., Özdan, A. & M.A.Tabur**, 2011, Ichneumonidae (Hymenoptera) fauna of natural protection areas in East Mediterranean Region of Turkey, Part 1. J. Ent. Res. Soc. 13 (1): 23-29. **TR 01 31 FAU** *Ichneumonidae Anomaloninae Banchinae Brachycyrtinae Ctenopelatinae Diplazontinae Ophioninae Orthocentrinae Tersilochinae Xoridinae*
276. **Güçlü, C.**, 2011, A contribution to the knowledge of Blacinae (Hymenoptera, Braconidae) from Turkey. Sci. Res. Essays 6 (3): 575-579. **TR 06 25 38 40 50 68 FAU** *Braconidae Blacinae*
277. **Haeselbarth, E.**, 1973, Die Blacus-Arten Europas und Zentral-Asiens (Hymenoptera, Braconidae). Veröff. Zool. Staatssamml. München 16: 69-170, 10 Taf. **DE TR TAX MOR FAU GEN KEY** *Braconidae Blacus*
278. **Haeselbarth, E.**, 1992, Blacus (Ganychorus) madli sp.n., eine neue Braconide aus der Türkei (Insecta, Hymenoptera, Braconidae). NachrBl. bayer. Ent. 41 (3): 95-98, 6 Abb. **TR 06 13 TAX MOR FAU** *Braconidae Blacinae Blacus*
279. **Haliday, A.H.**, 1833, Essay on classification of the palaeartic Hymenoptera of Britain which correspond with the Ichneumones minuti of Linnaeus. Ent. Mag. 1: 259-276, 333-350. **GB AT BE CA CN CZ DK FI FR DE GR HU IE IR IT KG KP KR Md NO PL PT RO RU YU AL GR BG CY SK SS ES SE CH TR UA TAX MOR FAU** *Myrmariidae Chalcidoidea*
280. **Haliday, A.H.**, 1833-1838, Essay on parasitic Hymenoptera. Ent. Mag. 1 (1833): 259-276, 333-350, 480-491; 2 (1834): 93-106, 225-259; 2 (1835): 458-468; 3 (1835): 20-45, 121-147; 4

- (1836): 38-59, 92-106, 203-221; 5 (1838): 209-248. **GB FR DE SE CH AT IT YU MK BG GR TR Cc RU PL IQ TAX MOR FAU** *Ichneumonidae Braconidae Ichneumonoidea Chalcidoidea*
- 281. Handlirsch, A.**, 1887-1893, Monographie der mit Nysson und Bembex verwandten Grabwespen I-VII. Sb. Akad. Wiss. math- naturw. Classe (Abt.I) 95: 246-421, 96: 219-311, 97: 316-565, 98: 440-517, 99: 77-166, 101: 25-205, 102: 657-942, Taf. **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC TAX MOR FAU** *Crabronidae Stizus Nysson Bembex*
- 282. Handlirsch, A.**, 1895, Nachträge und Schlusswort zur Monographie der mit Nysson und Bembex verwandten Grabwespen. Sb. Akad. Wiss. math- naturw. Classe (Abt.I) 104: 801-1079, 2 Taf. **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC TAX MOR FAU** *Crabronidae Stizus Nysson Bembex Sphecius*
- 283. Hartig, T.**, 1840, Ueber die Familie der Gallwespen. [in] Germar, Z. Ent. 2 (1): 176-210. **TR TAX MOR FAU** *Cynipidae*
- 284. Hartig, T.**, 1841, Erster Nachtrag zur Naturgeschichte der Gallwespen. [in] Germar, Z. Ent. 3: 322-358, 1 Tab. **TR TAX MOR FAU** *Cynipidae*
- 285. Hartig, T.**, 1843, Zweiter Nachtrag zur Naturgeschichte der Gallwespen. [in] Germar, Z. Ent. 4: 395-422. **TR TAX MOR FAU** *Cynipidae*
- 286. Hayat, M.**, 1983, The genera of Aphelinidae (Hymenoptera) of the world. Syst. Ent. 8: 63-102. **AR CL BO PE BR VE CO PA GT MX US AU NZ PG ID MY PH NA ZA ZW MG MA DZ TN KE TZ ZR ER ET SO CI CM NG NE SN SL GH GN GA GM ML TD SD ES FR DE AT HU CH PT IT HV AL BG GR TR CY IL IR Cc RU UA JO LY EG AZ AM GG TM TJ KK KG CN Ui MN KP KR JP IN AF PK MM TH LK TAX MOR** *Aphelinidae Chalcidoidea*
- 287. Hedicke, H.**, 1938, Über einige Apiden von Hindukusch (Hym.). Dt. ent. Z. 1938: 186-196, 3 figs. **TR IR AF TAX MOR FAU** *Apidae Xylocopa*
- 288. Heinrich, G. H.**, 1957, Einige Ichneumonidae von Afghanistan. Ent. Z., Frankf. a. M. 67: 20-23. **TR AF TAX MOR FAU** *Ichneumonidae Coelichneumon Ichneumoninae*
- 289. Hinz, R. & K. Horstmann**, 2000, Die westpaläarktische Arten von Exephanes Wesmael (Insecta, Hymenoptera, Ichneumonidae, Ichneumoninae). Spixiana 23 (1): 15-32, figs. **DE PL AT GB TR 27 TAX MOR FAU GEN KEY** *Ichneumonidae Exephanes Ichneumoninae*
- 290. Horstmann, K.**, 1971, Revision der europäischen Tersilochinen I (Hymenoptera, Ichneumonidae). Veröff. zool. Staatssamml. 15: 45-138, figs. **PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK RO RU GG AZ AM IR IQ TR SY LB GR BG TAX MOR FAU** *Ichneumonidae Tersilochinae*
- 291. Horstmann, K.**, 1980, Revision der europäischen Tersilochinen II (Hymenoptera, Ichneumonidae). Spixiana 4 (suppl.): 1-76, figs. [published on 1.December,1980] **PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK RO RU GG AZ AM IR IQ TR SY LB GR BG TAX MOR FAU** *Ichneumonidae Tersilochinae*
- 292. Horstmann, K.**, 1990, Die westpaläarktischen Arten der Gattung Pristomerus Curts, 1836 (Hymenoptera, Ichneumonidae). Entomofauna 11 (2): 9-44, figs. **OM TN IQ Mos TR RU DE SE FR GB UA Cc KG KK UZ TAX MOR FAU KEY** *Ichneumonidae Pristomerus*
- 293. Horstmann, K.**, 2007, Revision der westpaläarktischen Arten von Anisobas Wesmael, 1845 (Hymenoptera, Ichneumonidae, Ichneumoninae). Entomofauna 28 (9): 93-116, figs. **TR GR ES FR IT BG RU TM TAX MOR FAU KEY** *Ichneumonidae Ichneumoninae Anisobas*
- 294. Horstmann, K.**, 2009, Revision of the western Palearctic species of Dusona Cameron (Hymenoptera, Ichneumonidae, Campopleginae). Spixiana 32 (1): 45-110. **Cn PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK RO RU GG AZ AM IR IQ TR SY LB GR BG TAX MOR FAU KEY** *Hymenoptera Ichneumonidae Dusona Campopleginae*
- 295. Houard, C.**, 1908, Les Zoocécidies des plantes d'Europe et du Bassin de la Méditerranée, Tom 1 Cryptogames, Gymnospermes, Monocotylédones, Dicotylédones. 570pp., 1365 figs. Librairie Scientifique A Hermann, Paris. **GB AT BE CA CN CZ DK FI FR DE GR HU IE IR IT KG KP KR Md NO PL PT RO RU YU AL GR BG CY SK SS ES SE CH TR UA ECO ATL BIO** *Aphididae Cynipidae*
- 296. Huddleston, T.**, 1980, A revision of the Western Palaearctic species of the genus Meteorus (Hymenoptera, Braconidae). Bull. Br. Mus. nat. Hist. (Ent.) 41 (1): 1-58, figs. **GB FR DE SE CH AT IT YU MK BG GR TR Cc RU PL IQ TAX MOR FAU KEY BIB ECO BIO** *Braconidae Euphorinae Meteorus*
- 297. İnanç, F. & A. Beyarslan**, 1997, Gaziantep ve Şanlıurfa illerinin bazı yörelerinden toplanan Microgastrinae (Hymenoptera, Braconidae) türleri. Türk. ent. derg. 21 (3): 213-223, 3 şekil. **TR 27 63 FAU** *Braconidae Microgastrinae*

298. **İnanç, F. & A. Beyarslan**, 2001, Die Microgastrinae-Fauna der Ost-Marmara Region der Türkei (Hymenoptera, Braconidae). Entomofauna 22 (11): 221-243. **TR 01 06 07 10 11 16 17 22 32 33 34 39 41 54 59 FAU BIB DIS Braconidae Microgastrinae**
299. **İnanç, F. & Ö. Çetin Erdoğan**, 2004, Contribution to the Microgastrinae (Hymenoptera, Braconidae) fauna of Turkey, with description of a new species of Dolichogenidea. Biologia 59 (5): 547-551. **TR 11 22 35 48 TAX MOR FAU Braconidae Dolichogenidea Microgastrinae**
300. **İnanç, F.**, 2002, Cotesia pappi sp.n. (Hymenoptera, Braconidae, Microgastrinae) from Turkey. Acta zool. hung. 48 (2): 157-160, figs. **TR 22 TAX MOR FAU GEN KEY BIB Braconidae Cotesia pappi Microgastrinae**
301. **İnanç, F.**, 2002, A new species of Microplitis (Hymenoptera, Braconidae, Microgastrinae) from Turkey. Biologia (Bratislava) 57 (5): 563-566. **TR TAX MOR FAU Hymenoptera Braconidae Microgastrinae Microplitis beyarslani**
302. **Jacobs, H.-J.**, 2005, Lindenius anatolicus Beaumont 1967 - erstnachweis in Europa und weitere Angaben zur Grabwespenfauna Bulgariens (Hymenoptera, Sphecidae, Crabronidae). Linzer biol. Beitr. 37 (1): 435-456, 1 Abb. **TR BG FAU Sphecidae Crabronidae Lindenius anatolicus**
303. **Japoshvili, G. & T. Ljubomirov**, 2011, New records of Chrysididae, Mutillidae, Crabronidae, and Sphecidae (Insecta, Hymenoptera) from Gölcük Natural Park, Isparta, Turkey. J. ent. Soc. Iran 31 (1): 95-97. **TR 32 FAU Chrysididae Mutillidae Crabronidae Sphecidae**
304. **Japoshvili, G.O. & I. Karaca**, 2003, New records of encyrtid parasitoids of Kermes palestiniensis Balachowsky (Hemiptera, Kermesidae) with the description of a new species of Blastothrix Mayr (Hymenoptera, Encyrtidae) from Turkey. Ent. News 114 (4): 187-191, figs. **TR 32 TAX MOR FAU ECO BIO Encyrtidae Coccoidea Kermesidae Chacidoidea**
305. **Japoshvili, G.O. & I. Karaca**, 2010, List of Vespidae, Scoliidae and Tiphidae (Hymenoptera) of Gölcük Natural Park in Isparta Province, Turkey. SDU J. Sci. 5 (2): 194-199. **TR 32 FAU Vespidae Scoliidae Tiphidae**
306. **Japoshvili, G.O. & J.S. Noyes**, 2006, The Western Palaearctic species of Psilophrys Mayr (Hymenoptera, Chalcidoidea, Encyrtidae), parasitoids of kermesids (Hemiptera, Coccoidea, Kermesidae) attacking oaks (Quercus spp.). J. Nat. Hist. 40 (29-31): 1793-1800, figs. **IT GR TR 07 32 TAX KEY MOR FAU ECO BIO Encyrtidae Coccoidea Kermesidae Chacidoidea**
307. **Karaman, C., Aktaş, N. & K. Kiran**, 2011, Ants of the genus Camponotus Mayr, 1861 (Hymenoptera, Formicidae) in the Kaz Mountains, Turkey, with descriptions of sexuals of Camponotus candiotes Emery, 1894 and Camponotus ionius Emery, 1920. Turk J. Zool. 35 (2): 183-197. **TR 10 17 TAX MOR FAU ATL Formicidae Camponotus candiotes ionius**
308. **Kasparyan, D.R. & L. Gültekin**, 2002, First records of two ichneumonid wasps from Northeastern Turkey (Hymenoptera, Ichneumonidae). Zoosyst. ross. 11 (1): 218. **TR FAU Ichneumonidae**
309. **Kasparyan, D.R.**, 2011, A review of the Palaearctic species of the genus Hadrodactylus Förster (Hymenoptera, Ichneumonidae, Ctenopelmatinae) with a description of five new species. Ent. Obozr. 90 (2): 388-415, figs. [Ent. rev. 91 (7): 866-888]. **RU TR TAX MOR FAU KEY Ichneumonidae Hadrodactylus Ctenopelmatinae**
310. **Katılmış, Y. & S. Kıyak**, 2008, Checklist of Cynipidae of Turkey with a new genus record. J. Nat. Hist. 42: 2161-2167. **TR CAT Cynipidae**
311. **Katılmış, Y. & S. Kıyak**, 2009, Aphelonyx persica: a new record from Turkey, with some new host records. Phytoparasitica 37 (1): 95-97. **TR 03 43 64 FAU ECO Cynipidae Aphelonyx persica**
312. **Kemal, M. & A. Ö. Koçak**, 2010, Winter trips to south Van Lake and the cynipid galls on oaks (Hymenoptera, Cynipidae). Cesa News 56: 1-66, 90 figs. 1 table, 22 maps. **TR 13 65 FAU ECO BIO ATL Cynipidae**
313. **Kemal, M. & A. Ö. Koçak**, 2010, Miscellaneous notes on the pterygot insects of Kato Mountains with illustrations their spring aspects (South East Turkey). Cesa News 57: 1-67, 107 figs. 1 map. **TR 56 65 FAU ECO BIO ATL CAT**
314. **Kemal, M. & A. Ö. Koçak**, 2010, Observation on a klepto-parasitic species at Posof (NE Turkey) (Diptera, Milichiidae; Hymenoptera, Apidae; Aranea, Thomiscidae). Cesa News 61: 1-2, 1 fig. **TR 75 75F ECO BIO ETH FAU ATL Milichiidae Apidae Thomiscidae**
315. **Kemal, M. & A. Ö. Koçak**, 2010, Two Andricus species new to Bitlis Province (SE Turkey). Cesa News 61: 9-13, 10 figs. 1 map. **TR 13 ECO BIO FAU ATL MAP Cynipidae Andricus**
316. **Kemal, M. & A. Ö. Koçak**, 2013, Results of the late summer entomological trip from Van to Ankara in 2013 (Insecta, Pterygota). Cesa News 93: 1-37, figs. **TR 12 38 40 44 58 FAU ATL ECO**

317. **Kemal,M. & A.Ö.Koçak**, 2013, *Pseudocephaleia praeteritorum* (Semenov) a new record for Turkey (Hymenoptera, Pamphiliidae). Cesa News 90: 15-16, 1 fig. **TR 73 FAU ATL MOR TAX Pamphiliidae Pseudocephaleia praeteritorum Symphyta**
318. **Kemal,M. & A.Ö.Koçak**, 2014, A planned faunistical survey on the Lepidoptera of Erciş district (Van Province, East Turkey). Cesa News 98: 3-10, 10 figs. **TR 65 65E FAU ATL Tettigoniidae Acrididae Pamphagidae Apidae Crabronidae Ichneumonidae Megachilidae Pompilidae Halictidae Leucopsidae Scarabaeidae Cerambycidae Elateridae Tenebrionidae Syrphidae Tipulidae Chloropidae Bombyliidae Dolichopodidae Pentatomidae Cicadidae**
319. **Kemal,M. & A.Ö.Koçak**, 2014, A short entomo-faunistical visit to Bey Dağı Natural Park, Malatya Province (East Turkey). Cesa News 100: 1-16, 28 figs.; ibid. 101: 82, fig. **TR 44 44L 44Lc FAU ATL**
320. **Kemal,M. & A.Ö.Koçak**, 2014, Illustrated and annotated list on the Entomofauna of Gören Mount (Van Province, East Turkey), with ecological remarks I- Period of April-June 2014. Priamus (Suppl.) 33: 5-206, 273 figs. 1 Table. **TR 65 65N 65Nm FAU ATL DIS ECO ETH**
321. **Kemal,M. & A.Ö.Koçak**, 2015, On the Pterygota fauna of Hatay Province (S.Turkey), based upon the info-system of the Cesa. Cesa News 102: 16-233, 101 figs. **TR 31 FAU ATL CAT ECO BIO BIB MAP DIS**
322. **Kemal,M. & A.Ö.Koçak**, 2015, Preliminary list of the Pterygota of Vargözü- Yeşiltaş area (Yüksekova, Hakkari Province, SE Turkey). Cesa News 103: 1-26, 6 figs. **TR 30 30D 30Dt 30Df 30Dx FAU ECO ATL BIB**
323. **Kemal,M. & A.Ö.Koçak**, 2015, Faunistical notes on the species of *Stizus* Latreille in South and East Turkey (Hymenoptera, Crabronidae). Cesa News 104: 5-7, 4 figs. **TR 65 73 FAU ATL Crabronidae Stizus**
324. **Kemal,M.**, 2010, Behaviour of the adult wasp *Andricus megalucius* from Bitlis Province (SE Turkey) (Hymenoptera, Cynipidae). Cent. ent. Stud. Icon. Ins. (Ser.A). Mpeg2 file. duration 4 min.24 sec. <http://www.archive.org/details/IconographiaInsectorumSeriesABByTheCesaAndricusMegalucius> **TR 13 ECO ETH BIO FAU Cynipidae Andricus megalucius**
325. **Kemal,M.**, 2010, Oriental Hornet (*Vespa orientalis*) in South East Turkey and its dangerous flight (Hymenoptera, Vespidae). Cent. ent. Stud. Icon. Ins. (Ser.A). Mpeg2 file. duration 1 min.40 sec. <http://www.archive.org/details/IconographiaInsectorumSeriesABByTheCesaVespaOrientalis> **TR 56 ECO ETH FAU Vespidae Vespa orientalis**
326. **Kemal,M., Koçak,A.Ö., Akın,K., Yalçın,M., Bakan,B. & D.Çelikkaya**, 2010, Spring aspect of the pterygot insect fauna of Mutki (Bitlis Prov., South East Turkey). Cesa News 58: 1-78, 150 figs. 1 graph. **TR 13 13F FAU ECO BIO ATL CAT**
327. **Kemal,M., Malatı,N., Turdush,M. & A.Ö.Koçak**, 2014, Results of the two entomological trips in summer around Van Lake (East Turkey). Cesa News 97: 4-12, 36 figs. **TR 13 13G 13Gw 65 65F 65F1 65Fz FAU ATL**
328. **Khalaim,A.I. & M.Yurtcan**, 2011, A survey on Tersilochinae (Hymenoptera, Ichneumonidae) species of Turkey, with a key to European genera. Turk. J. Zool. 35 (3): 381-394, figs. **TR 07 25 37 38 58 65 FAU KEY MOR Ichneumonidae Tersilochinae**
329. **Klopfstein,S.**, 2014, Revision of the Western Palaearctic Diplazontinae (Hymenoptera, Ichneumonidae). Zootaxa 3801 (1): 1-143, figs. **TR TAX MOR FAU MOL CLA ATL KEY Ichneumonidae Diplazontinae**
330. **Kocourek,M.**, 1998, Beiträge zur Kenntnis der Gattung *Ceratina* in der Westpalaarktis und dem turkestanischen Becken (Hymenoptera, Apidae). Entomofauna 19: 533-548, 17 Abb. **BG GR Rd TR 23 27 33 42 48 63 70 73 JO IR TM UZ TAX KEY GEN MOR FAU Apidae Xylocopinae Apoidea Ceratina**
331. **Kohl,F.F.**, 1883, Ueber neue Grabwespen des Mediterrangebietes. Dt. ent. Z. 27 (1): 161-186. **IT Si ES HU FR TR 16 GR TAX MOR FAU Pompilidae Crabronidae Pompilus gredleri Priocnemis freygessneri Lindenius Ectemnius Tachysphex**
332. **Kohl,F.F.**, 1884, Beitrag zur Kenntniss der Hymenopteren-Gattung *Oxybelus* Latr. Termés. Füzetek 8: 101-116. **RO TR 16 EG LK TAX KEY MOR FAU CAT DIS Crabronidae Oxybelus**
333. **Kohl,F.F.**, 1888, Neue Hymenopteren in der Sammlungen des k.k. naturhistorischen Hofmuseums III. Verh. zool.- bot. Ges. Wien 38: 133-156, Taf.iii,iv. **EG SY TR 35 TZ Zz Cc IR AZ UZ ES GR JP SD MX TM TAX MOR FAU GEN Sphecidae Crabronidae Pompilidae**
334. **Kohl,F.F.**, 1898, Zur Kenntniss der europäischen *Polistes*-Arten. Annln naturh. Mus. Wien 13: 87-90, Taf.iii. **TR AZ AM Cc IR TM TAX MOR FAU ATL KEY Vespidae Vespoidea Polistinae Polistes**
335. **Kohl,F.F.**, 1901, Zur Kenntnis der Sandwespen (Gen. *Ammophila* Kirby). Annln naturh. Mus. Wien 16: 142-164, Taf.vii,viii. **RU Sb KP KR CG MZ YE Ad SA DZ EG IL Pa SY TR UZ CN KG CY TN TM LY MT MN TAX MOR FAU ATL GEN Sphecidae Ammophilinae Ammophila**

336. Kohl,F.F., 1905, Hymenopteren, [in] Penther,A. & Zederbauer,E., Ergebnisse einer naturwissenschaftlichen Reise zum Erdschias-Dagh (Kleinasien). Annln naturh. Mus. Wien 20: 220-246, Taf. ix,x. **TR 38 FAU TAX MOR** *Tenthredinidae Chrysididae Formicidae Pompilidae Scolidae Mutillidae Vespidae Sphecidae Apidae Halictidae*
337. Kohl,F.F., 1906, Die Hymenopterengruppe der Sphecinen III. Monographie der Gattung Ammophila W.Kirby (sens.lat. = Ammophilinae Ashmead). Abteilung A. Die Ammophilinen der paläarktischen Region. Annln naturh. Mus. Wien 21: 228-382, Taf. vii-xi. **MA DZ TN ES FR DE AT GB BE NL SE FI NO HU CH PT IT HV AL BG GR TR CY IL Pa IR Cc RU UA JO LY EG AZ AM GG TM TJ KK KG CN Ui MN KP KR JP IN AF PK TAX MOR FAU GEN KEY** *Sphecidae Ammophilinae Ammophila*
338. Kohl,F.F., 1915, Die Crabronen (Hymenopt.) der paläarktischen Region. Annln naturh. Mus. Wien 29: 1-453, 14 Taf. **MA DZ TN ES FR DE AT GB BE NL SE FI NO HU CH PT IT HV AL BG GR TR CY IL Pa IR Cc RU UA JO LY EG AZ AM GG TM TJ KK KG CN Ui MN KP KR JP IN AF PK TAX MOR FAU GEN KEY** *Crabronidae*
339. Kohl,F.F., 1918, Die Hautflüglergruppe "Sphecinae". IV. Teil. Die natürliche Gattung Sceliphron Klug (Pelopeus Latr.). Annln naturh. Mus. Wien 32: 1-171, 81 Abb. **AR BO PE BR VE CO PA GT MX US AU QAU PG ID MY PH NA ZA ZW MG MA DZ TN KE TZ ZR ES FR DE AT HU CH PT IT HV AL BG GR TR CY IL Pa IR Cc RU UA JO LY EG AZ AM GG TM TJ KK KG CN Ui MN KP KR JP IN AF PK MM TH TAX MOR FAU GEN KEY DIS** *Sphecidae Sceliphron*
340. Kolarov,J. & A.Beyarslan, 1999, Beitrag zur Kenntnis der türkischen Ichneumoniden IV. Cremastinae (Hymenoptera, Ichneumonidae). Entomofauna 20 (1): 1-8, 10 Abb. **TR TAX MOR FAU** *Ichneumonidae Cremastinae*
341. Kolarov,J. & H.Özbek, 1998, New and little known Metopiinae (Hymenoptera, Ichneumonidae) from Turkey. Linzer biol. Beitr. 30 (1): 127-130. **TR 25 FAU** *Ichneumonidae Metopiinae*
342. Kolarov,J. & M.F.Gürbüz, 2004, A study of the Turkish Ichneumonidae (Hymenoptera) I. Pimplinae. Linzer biol. Beitr. 36 (2): 841-845. **TR 15 32 FAU** *Pimplinae*
343. Kolarov,J. & M.F.Gürbüz, 2006, A study of the Turkish Ichneumonidae (Hymenoptera) III. Anomaloninae, Banchinae, Ophioninae and Xoridinae. Acta ent. serb. 11 (1/2): 91-94. **TR 07 15 32 FAU** *Ichneumonidae Anomaloninae Banchinae Ophioninae Xoridinae*
344. Kolarov,J. & M.F.Gürbüz, 2007, A study of the Turkish Ichneumonidae (Hymenoptera) V. Cryptinae, Phygadeuontini. Linzer biol. Beitr. 39 (2): 987-992. **TR 07 15 32 FAU** *Ichneumonidae Cryptinae Phygadeuontini*
345. Kolarov,J. & M.F.Gürbüz, 2009, Aptesia cavigena sp.nov. (Hymenoptera, Ichneumonidae, Cryptinae) from Turkey. Ent. News 120 (1):91-94. **TR TAX MOR FAU** *Ichneumonidae Aptesia cavigena Cryptinae*
346. Kolarov,J. & M.Yurtcan, 2008, A study of the Ichneumonidae (Hymenoptera) of the North Anatolia (Turkey) I. Brachycyrtinae, Cryptinae and Xoridinae. Acta ent. serb. 13 (1/2): 89-91. **TR FAU** *Ichneumonidae Brachycyrtinae Cryptinae Xoridinae*
347. Kolarov,J. & M.Yurtcan, 2008, A new species of Cymodusa Holmgren,1859 (Hymenoptera, Ichneumonidae, Campopleginae) from Turkey. Biologia 63 (4): 548-549, 4 figs. **TR 16 TAX MOR FAU** *Ichneumonidae Cymodusa Campopleginae*
348. Kolarov,J. & M.Yurtcan, 2009, A study of the Cremastinae (Hymenoptera, Ichneumonidae) from Turkey. Turk. J. zool. 33: 371-374. **TR MOR FAU GEO** *Ichneumonidae Cremastinae*
349. Kolarov,J. & S.Çoruh, 2008, A new species of Cymodusa (Cymodusa) Holmgren,[1859] (Hymenoptera, Ichneumonidae, Campopleginae) from Turkey. Ent. News 119 (3): 291-294, 6 figs. **TR 25 TAX MOR FAU** *Ichneumonidae Campopleginae Cymodusa yildirimi*
350. Kolarov,J. & S.Çoruh, 2012, Ichneumonidae (Hymenoptera) established from Northeastern Turkey. Acta zool. bulg. 64 (1): 97-100. **TR 06 08 21 24 25 36 44 69 75 FAU** *Ichneumonidae*
351. Kolarov,J., 1989, Ichneumonidae (Hymenoptera) from Balkan peninsula and some adjacent regions. III. Ophioninae, Anomaloninae, Metopiinae, Mesochorinae, Acaenitinae, Oxytorinae, Orthopelmatinae, Collyriinae, Orthocentrinae, Diplazontinae and Ichneumoninae. Türk. ent. derg. 13 (3): 131-140. **BG TR 06 33 34 FAU** *Ichneumonidae Ophioninae Anomaloninae Metopiinae Mesochorinae Acaenitinae Oxytorinae Orthopelmatinae Collyriinae Orthocentrinae Diplazontinae Ichneumoninae*
352. Kolarov,J., 1993, Über die Taxonomie einiger Ichneumoniden (Hymenoptera, Ichneumonidae). Linzer biol. Beitr. 25 (2): 1093-1097, 2 Abb. **TR 06 BIO NOM TAX MOR FAU BIB** *Ichneumonidae*

353. Kolarov,J., 1994, Nocturnal Ichneumonidae from Bulgaria and Turkey with description of a new species (Hymenoptera, Ichneumonidae). Entomofauna 15 (9): 93-100, 2 figs. **BG TR 50 TAX MOR FAU** *Ichneumonidae Netelia beschkovi*
354. Kolarov,J., 1995, A catalogue of the Turkish Ichneumonidae (Hymenoptera) Entomofauna 16 (7): 137-188. **TR FAU BIO** *Ichneumonidae*
355. Kolarov,J., 1997, A review of Cremastinae of the Balkan peninsula, Turkey and Cyprus with zoogeographical notes. Beitr. Ent. 47: 169-199. **BG GR TR CY FAU GEO** *Ichneumonidae Cremastinae*
356. Kolarov,J., 2007, A catalogue of the Ichneumonidae from Greece (Hymenoptera). Entomofauna 28 (30): 405-452. **GR BG TR FAU DIS** *Ichneumonidae*
357. Kolarov,J., Pekel,S., Özbek,H., Yıldırım,E. & Ö.Çalmaşur, 2000, New distributional data of the Turkish Ichneumonidae (Hymenoptera) III. The subfamily Ophioninae. Türkiye 4.Entomoloji Kongresi 12-15 Eylül 2000: 349-356, Aydın. **TR FAU** *Ichneumonidae Ophioninae*
358. Kolarov,J., Yıldırım,E., Çoruh,S. & M.Yüksel, 2014, Contribution to the knowledge of the Ichneumonidae (Hymenoptera) fauna of Turkey. Zool. Middle East 60 (2): 154-161. **TR 25 62 FAU** *Ichneumonidae*
359. Kolarov,J., Çoruh,I. & S.Çoruh, 2014, Ichneumonidae (Hymenoptera) from Anatolia,I. Linzer biol. Beitr. 46 (2): 1517-1524. **TR 25 53 FAU** *Ichneumonidae Ctenopelmatinae*
360. Kolarov,J., Çoruh,S. & I.Çoruh, 2015, Oxytorinae, a new subfamily for the Turkish fauna (Hymenoptera, Ichneumonidae). Turk. J. Zool. 39: 832-835, figs. **TR 53 FAU** *Ichneumonidae Oxytorinae Oxytorus luridator*
361. Kolarov,J., Çoruh,S., Yurtcan,M. & M.F.Gürbüz, 2009, A study of Metopiinae from Turkey with description of a new species (Hymenoptera, Ichneumonidae). Zool. Middle East 46: 75-82. **TR TAX MOR FAU** *Ichneumonidae Metopiinae*
362. Kolarov,J., Özbek,H. & E.Yıldırım, 1999, New distributional data of the Turkish Ichneumonidae (Hymenoptera) I. Pimplinae and Tryphoninae. J. Ent. Res. Soc. 1 (2): 9-15. **TR FAU** *Ichneumonidae Pimplinae Tryphoninae*
363. Kolarov,J., Özbek,H. & S.Çoruh, 2002, New and little known Acaenitinae (Hymenoptera, Ichneumonidae) from Turkey. Türk. ent. derg. 26 (4). 277-281. **TR 21 25 FAU** *Ichneumonidae Acaenitinae*
364. Konow,W., 1894, Neue Tenthrediniden. Wien. ent. Ztg. 13: 129-139. **DZ TN DE Cc TR UZ TAX KEY MOR FAU** *Megalodontesidae Tenthredinidae Symphyta Tarpa Megalodontes Poecilostoma Emphytus Dolerus Rhogogastera Macrophya Allantus Tenthredo*
365. Konow,W., 1897, Systematische und kritische Bearbeitung der Blattwespen-Tribus Lydini. Annln naturh. Mus. Wien 12: 1-32, 231-255. **UZ IQ IL Pa TR RO HU UA Cc SY TAX MOR FAU KEY DIS** *Megalodontesidae Pamphiliidae Symphyta*
366. Konow,W., 1899, Chalastogastrorum novae species et varietates, quas D. Escalera ex Asia minor reportavit. Actas Soc. esp. Hist. nat. (2) 8: 203-207. **TR TAX MOR FAU** *Megalodontesidae Symphyta*
367. Korkmaz,E.M., Budak,M., Örgen,S.H., Bağda,E., Gençer,L., Ülgentürk,S. & H.H.Başıbüyük, 2010, New records and a checklist of Cephidae (Hymenoptera, Insecta) of Turkey with a short biogeographical consideration. Turk J. Zool. 34: 203-211. **TR FAU GEO** *Cephidae Symphyta*
368. Koçak,A.Ö. & M.Kemal, 2009, List of the hymenopteran genera and species recorded in Turkey based upon the Infosystem of the Cesa. Cesa News 52: 1-63, 14 figs. **TR 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 FAU CAT DIS BIB ATL**
369. Koçak,A.Ö. & M.Kemal, 2010, List of the species of some pterygot orders recorded in the province Van (East Turkey) and a description of a new species in the family Cicadidae (Insecta). Priamus 12 (5): 130-149. **TR 65 TAX MOR FAU CAT DIS** *Cicadidae Tibicina serhadensis*
370. Koçak,A.Ö. & M.Kemal, 2010, Synonymic and distributional list of the pterygot insects of Middle East (Results of the Entomofauna of the World based upon info-system of the Cesa) - 88. Cent. ent. Stud., Priamus (Suppl.) 18: 2888-3186. **TR IR IQ SY LB JO IL Pa FAU**
371. Koçak,A.Ö. & M.Kemal, 2010, Synonymic and distributional list of the pterygot insects of Turkey (Results of the Entomofauna of the World based upon info-system of the Cesa) - 26. Cent. ent. Stud., Priamus (Suppl.) 18: 1004-1724. **TR 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 FAU**

372. Koçak,A.Ö. & M.Kemal, 2010, List of the genera of the pterygot insects used in the project Entomofauna of the World by the Cesa. Cent. ent. Stud., Priamus (Suppl.) 18: 8-129. **TR FAU**
373. Koçak,A.Ö. & M.Kemal, 2010, An attempt on the bibliographical evaluation of the project Entomofauna of World. Cent. ent. Stud., Priamus (Suppl.) 18: 130-239. **TR BIB**
374. Koçak,A.Ö. & M.Kemal, 2010, Synonymic and distributional list of the pterygot insects of Caucasus (Results of the Entomofauna of the World based upon info-system of the Cesa) - 2. Cent. ent. Stud., Priamus (Suppl.) 18: 261-361. **Cc TR GG AM AZ RU FAU**
375. Koçak,A.Ö. & M.Kemal, 2012, List of the two thousand species of pterygot insects in Van Province (East Turkey) (Results of the entomofauna project of Turkey-7). Cesa News 81: 2-86, 37 figs. **TR 65 FAU ATL CAT**
376. Koçak,A.Ö. & M.Kemal, 2012, List of the hitherto recorded pterygot taxa of Turkey (Insecta) (Temporary report of the Entomofauna project of Turkey-10). Cent. ent. Stud., Memoirs 6: i-iv+1-1649, 1 fig. [Tephritidae of Turkey: pp. 676-678]. **TR IR SY IQ LB JO IL Pa CY GR BG Cc GG AM AZ CAT BIB Tephritidae**
377. Koçak,A.Ö. & M.Kemal, 2013, Nomenclatural notes on the Asiatic Ichneumonidea (Hymenoptera). Cent. ent. Stud., Misc. Pap. 160: 7-8. **TR 25 39 TJ UZ JO IR TAX NOM Ichneumonidae Braconidae**
378. Koçak,A.Ö. & M.Kemal, 2014, Faunal list of the Lepidoptera of Kahramanmaraş province in Turkey, together with the recorded pterygots, based upon the info-system of the Cesa. Cesa News 99: 1-178, 54 figs. **TR 46 FAU CAT DIS**
379. Koçak,A.Ö. & M.Kemal, 2015, A preliminary list of the Pterygota of Muş Province, based upon the info-system of the Cesa (East Turkey). Cesa News 104: 9-69, 1 fig. 18 maps. **TR 49 FAU CAT DIS MAP**
380. Koçak,A.Ö. & M.Kemal, 2015, Initial list of the Pterygota of Malatya Province, based upon the info-system of the Cesa (East Turkey). Cesa News 105: 1-150, 30 figs. 58 maps. **TR 44 FAU ATL CAT MAP DIS**
381. Koçak,A.Ö. & M.Yalçın, 2012, Bembix olivacea (F.) in Van Province of East Turkey (Crabronidae, Hymenoptera). Cesa News 83: 1-3, 4 figs. **TR 65 65F FAU ECO MOR GEN ATL Crabronidae Bembix olivacea**
382. Koçak,A.Ö., 2014, List of the 23773 pterygot species in Turkey based upon the info-system of the Cesa. Priamus (Suppl.) 32: 1-876. **TR 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 CAT FAU**
383. Koçak,A.Ö., Kemal,M. & A.Güngen, 2011, Report of an interesting Caenolyda species from South-East Turkey (Hymenoptera, Pamphiliidae). Cesa News 63: 1-6, 1 map, 7 figs. **TR 73 ECO FAU ATL Pamphiliidae Pseudocephaleia praeteritorium Symphita**
384. Koçak,E. & N.Kılınçer, 2003, Taxonomic studies on Trissolcus sp. (Hymenoptera, Scelionidae), egg parasitoids of the Sunn Pest (Hemiptera, Scutelleridae, Eurygaster sp.) in Turkey. Turk. J. zool. 27: 301-307, figs. **TR FAU KEY MOR DIS ATL Scelionidae**
385. Kuhlmann,M. H.Özbek, 2007, Checklist of the Bees of the genus Colletes Latrille,1802 of Turkey (Hymenoptera, Apoidea, Colletidae). J. ent. Res. Soc. 9 (1): 7-31. **TR FAU Colletidae Colletes**
386. Kuhlmann,M., 2000, Katalog der palaearktischen Arten der Bienengattung Colletes Latr., mit Lectotypenfestlegungen, neuer Synonymie und der Beschreibung von zwei neuen Arten (Hymenoptera, Apidae, Colletinae). Linzer biol. Beitr. 32 (1): 155-193. **MA DZ TN LY EG IL Pa JO SA SY IQ CY ES FR DE AT HU CH PT IT HV AL BG GR TR IR Cc RU UA AZ AM GG TM TJ KK KG CN Ui MN KP KR JP IN AF PK TAX MOR FAU NOM BIB Apidae Colletinae Colletes**
387. Kuhlmann,M., 2002, Neue palaearktische Arten der Bienengattung Colletes Latr. mit Anmerkungen zu weiteren Arten der Alten Welt (Hymenoptera, Apidae, Colletinae). Linzer biol. Beitr. 34 (1): 743-770. **TR 25 30 36 73 MA DZ IR TAX MOR FAU Colletidae Colletes**
388. Kuhlmann,M., 2003, Zur Kenntnis palaearktischer Bienen der Gattung Colletes Latr. mit Beschreibung neuer Arten (Hymenoptera, Apidae, Colletinae). Linzer biol. Beitr. 35 (1): 723-746. **TR TAX MOR FAU Colletidae Colletes**
389. Kurzenko,N.V. & J.Gusenleitner, 1994, Sapygidae from Turkey, with a key to palaeartic species of Sapyginae (Hymenoptera). Linzer biol. Beitr. 26 (2): 583-632, 176 figs. **GR TR 06 14 30 31 33 34 36 42 50 63 70 73 FAU CAT TAX MOR KEY ATL Sapygidae Sapygina**
390. Kiran,K. & C.Karaman, 2012, First annotated checklist of the ant fauna of Turkey (Hymenoptera, Formicidae). Zootaxa 3548: 1-38. **TR 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16**

- 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51
52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 FAU Formicidae
391. Kiran,K. & N.Aktaş, 2006, The vertical distribution of the ant fauna (Hymenoptera, Formicidae) of the Samanlı Mountains, Turkey. Linzer biol. Beitr. 38 (2): 1105-1122. TR 11 16 41 54 77 FAU ECO DIS Formicidae
392. Kiran,K., Aktaş,N. & S.Tezcan, 2008, Three new species of ants (genus Aphaenogaster, Hymenoptera, Formicidae) from Turkey. Biologia 63 (5): 689-695, figs. TR 32 35 42 TAX MOR FAU Formicidae Aphaenogaster Myrmicinae
393. Kiyak,S. & Y.Katılmış, 2010, Oak Gallwasp Dryocosmus mayri (Hymenoptera, Cynipidae) - new record from Turkey. J. ent. Res. Soc. 12 (1): 67-70. TR FAU ECO Cynipidae Dryocosmus mayri
394. Kiyak,S., Kılıç,T. & Y.Katılmış, 2008, A contribution to the knowledge of the Cynipini fauna of Turkey (Hymenoptera, Cynipidae). Mun. Ent. Zool. 3 (1): 523-535, figs. TR FAU MAP ECO Cynipidae
395. Latreille,P.A., 1796, Précis des caractères générique des insectes, disposés dans un ordre naturel. xiv + 201 [+7] pp. Prévot, Paris, Brive, Bourdeaux. Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC TAX MOR CLA
396. Lelej,A.S. & D.J.Brothers, 2008, The genus-group names of Mutillidae (Hymenoptera) and their type-species, with a new genus, new name, new synonyms, new combinations and lectotypifications. Zootaxa 1889: 1-79, 1 fig. AR CL BO PE BR VE CO PA GT MX US AU QAU PG ID MY PH NA ZA ZW MG MA DZ TN KE TZ ZR ES FR DE AT HU CH PT IT HV AL BG GR TR CY IL Pa IR Cc RU UA JO LY EG AZ AM GG TM TJ KK KG CN Ui MN KP KR JP IN AF PK MM TH TAX CAT NOM ATL Mutillidae
397. Lelej,A.S. & E.Yıldırım, 2009, A review of the Mutillidae (Hymenoptera) from Turkey. Zootaxa 2160: 1-28, figs. TR TAX MOR FAU GEN BIB Mutillidae
398. Lelej,A.S., 2002, Catalogue of the Mutillidae (Hymenoptera) of the Palaearctic Region. 171pp. Dalnauka, Vladivostok. [access 10.10.2012] Cn MA DZ TN LY EG IL Pa JO SY CY GR Cr MK AL BG TR RO MD YU B-H HV SS AT CH PT ES FR GB IE NO SE FI RU EE LT LV BY UA CZ SK PL DK DE BE NL HU KG TM TJ UZ TM IQ IR AF PK IN Ch CN Ui MN KP KR JP CAT FAU DIS BIB Mutillidae
399. Li,X.Y., Achterberg van,C. & J.C.Tan, 2013, Revision of the subfamily Opiinae (Hymenoptera, Braconidae) from Hunan (China), including thirty-six new species and two new genera. Zookeys 268: 1-186, figs. Cn MA DZ TN LY EG IL Pa JO SY CY GR Cr MK AL BG TR RO MD YU B-H HV SS AT CH PT ES FR GB IE NO SE FI RU EE LT LV BY UA CZ SK PL DK DE BE NL HU KG TM TJ UZ TM IQ IR AF PK IN Ch CN Hn Ui MN KP KR JP TAX MOR FAU ATL GEN KEY Craconidae Opiinae
400. Liefertinck,M.A., 1966, Notes on some Anthophorine bees mainly from the Old World (Apoidea). Tijdschr. Ent. 109 (6): 125-161, 92 figs. DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG TAX MOR FAU GEN Apidae Anthophoridae Anthophora Apoidea Apocrita
401. Liefertinck,M.A., 1968, A review of Old World species of Thyreus Panzer (=Crocisa Jurine) (Hym., Apoidea, Anthophoridae) Part 4. Palearctic species. Zool. Verh. 98: 3-139, 38 figs., 4 pls. DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG TAX MOR FAU ATL GEN BIB DIS Apidae Thyreus
402. Liefertinck,M.A., 1969, The melectine genus Eupavlovskia Popov,1955, with notes on its distribution and host relations (Hymenoptera, Apoidea, Anthophoridae). Tijdschr. Ent. 112 (4): 101-122, 8 figs. FR AT IT SS HV B-H YU AL MK GR BG RO TR Cc GG AM AZ IR RU KG TM TAX MOR FAU ECO BIO GEN Anthophoridae Apidae Apoidea Eupavlovskia Apocrita
403. Liefertinck,M.A., 1980, Prodrome to a monograph of the Palaearctic species of the genus Melecta Latreille,1802 (Hymenoptera, Anthophoridae). Tijdschr. Ent. 123: 129-349, 359 figs. 8 pls. Cn MA DZ TN LY EG IL Pa JO SY CY GR Cr MK AL BG TR RO MD YU B-H HV SS AT CH PT ES FR GB IE NO SE FI RU EE LT LV BY UA CZ SK PL DK DE BE NL HU KG TM TJ UZ TM IQ IR AF PK IN Ch CN Ui MN KP KR JP TAX MOR FAU GEN KEY ATL Anthophoridae Apidae Melecta Apoidea Apocrita
404. Linnaeus,C., 1758, Systema naturae...Ed. 10, vol.1, 824 pp. Holmiae [Stockholm]. AR CL BO PE BR VE CO PA GT MX US AU QAU PG ID MY PH NA ZA ZW MG MA DZ TN KE TZ ZR ES FR DE AT HU CH PT IT HV AL BG GR TR CY IL Pa IR Cc RU UA JO LY EG AZ AM GG TM TJ KK KG CN Ui MN KP KR JP IN AF PK MM TH TAX MOR FAU Sphecidae Crabronidae
405. Linsenmaier,W., 1951, Die europäischen Chrysididen (Hymenoptera). Mitt. Schweiz. Ent. Ges. 24 (1): 1-110. TR TAX MOR FAU Chrysididae
406. Linsenmaier,W., 1956, [in] Bytinski-Salz, Coleoptera and Hymenoptera from a journey through Asia Minor I. Revue Fac. Sci. Univ. Istanbul (B) 21 (4): 211-229. TR FAU Chrysididae

407. **Linsenmaier, W.**, 1959, Revision der Familie Chrysididae. Mitt. Schweiz. Ent. Ges. 32: 1-232. **TR TAX MOR FAU** *Chrysididae*
408. **Linsenmaier, W.**, 1994, Beiträge zu Cleptes Latreille, 1802 (Hymenoptera, Chrysididae). Entomofauna 15 (45): 513-520. **ES IL Pa JO TR RU TAX MOR FAU** *Chrysididae Cleptes*
409. **Ljubomirov, T. & E. Yildirim**, 2008, Annotated catalogue of the Ampulicidae, Sphecidae and Crabronidae (Insecta, Hymenoptera) of Turkey. 316pp. Pensoft, Sofia & Moscow. **TR 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81** **CAT DIS MAP BIB FAU** *Ampulicidae Sphecidae Crabronidae*
410. **Liran, K., Alpanah, H. & O. Paknia**, 2013, A new species of the ant genus Aphaenogaster Mayr (Hymenoptera, Formicidae) from Iran. Asian Myrmecol. 5: 45-51, figs. **IR Kh Se TR 61 FR TAX MOR FAU ATL KEY** *Formicidae Aphaenogaster*
411. **Madl, M. & M. Schwarz**, 2014, Notes on Palaearctic species of the family Leucopsidae (Hymenoptera, Chalcidoidea), with new records from North Africa and Middle East. Linzer biol. Beitr. 46 (2): 1569-1580. **JO IR AZ Cc IL Pa MA DZ LB AE SY TR FAU** *Leucopsidae Chalcidoidea*
412. **Madl, M.**, 1997, Über Vespiden, Pompiliden, Scoliiden und Tiphiden der Türkei (Hymenoptera). Linzer biol. Beitr. 29 (2): 823-827. **TR 13 30 65 73 FAU** *Vespidae Pompilidae Scoliidae Tiphidae Vespoidea Vespinae Polistinae Eumeninae Pompilinae Pepsinae*
413. **Maidl, F.**, 1930, Sphegidae [sic!] [in] Ebner, R., Hymenopteren aus Palaestina und Syrien (Zoologische Studienreise von R. Ebner 1928 mit Unterstützung der Akademie der Wissenschaften in Wien). Sitz. Akad. Wiss. Wien 139: 25. **TR 31 FAU** *Sphecidae Sceliphron tubifex*
414. **Marshall, T. A.**, 1885, Monograph of British Braconidae I. Trans. ent. Soc. London 1885 (1): 1-280, 6 pls. **DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG TAX MOR FAU ATL GEN KEY** *Braconidae*
415. **Marshall, T. A.**, 1887, Monograph of British Braconidae II. Trans. ent. Soc. London 1887 (2): 51-131, pl. v. **DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG TAX MOR FAU ATL GEN KEY** *Braconidae*
416. **Mauss, V.**, 1996, Morphological characters of Ceramius palaestinensis (Giordani Soika, 1957) Gusenleitner, 1992 (Hymenoptera, Vespidae, Masarinae) and considerations about its phylogenetic position. Linzer biol. Beitr. 28 (2): 953-966, figs. **TR 21 SY IL Pa TAX MOR FAU ATL GEN** *Vespidae Ceramius palaestinensis Masarinae Vespoidea*
417. **Mauss, V., Müller, A. & E. Yildirim**, 2005, First contribution to the bionomics of the Pollen Wasp Ceramius caucasicus André, 1884 (Hymenoptera, Vespidae, Masarinae) in Turkey. J. Kansas ent. Soc. 78 (3): 201-220, figs. **TR 25 76 ECO BIO FAU ATL** *Vespidae Ceramius caucasicus Masarinae Vespoidea*
418. **Mauss, V., Müller, A. & E. Yildirim**, 2010, First contribution to the bionomics of the pollen wasp Ceramius palaestinensis (Giordani Soika, 1957) (Hymenoptera, Vespidae, Masarinae) in Turkey. Ent. Sci. 13: 42-59, figs. **TR 12 ECO BIO FAU ATL** *Vespidae Ceramius palaestinensis Masarinae*
419. **Melika, G. & G. N. Stone**, 2001, A new species of cynipid gall wasp from Turkey (Hymenoptera, Cynipidae). Folia ent. hung. 62: 127-131, 6 figs. **TR 61 TAX MOR FAU ECO BIO** *Cynipidae Andricus askewi*
420. **Melika, G., Stone, G. N., Sadeghi, S. E. & Pujade-Villar, J.**, 2004, New species of cynipid gall wasps from Iran and Turkey (Hymenoptera, Cynipidae, Cynipini). Acta zool. hung. 50 (2): 139-151, figs. **TR IR 15 65 TAX MOR FAU GEN ECO BIO** *Cynipidae Cynipini*
421. **Menke, A. S. & W. J. Pulawski**, 2000, A review of the Sphex flavipennis species group (Hymenoptera, Apoidea, Sphecidae, Sphecini). J. Hym. Res. 9: 324-346, figs. **TR TAX MOR FAU ATL GEN KEY** *Sphecidae Sphecini Sphex*
422. **Mete, Ö. & A. Demirsoy**, 2010 [26 June], A preliminary study on the gallwasp fauna of Kemaliye (Turkey), with a new record for Turkey (Hymenoptera, Cynipidae). Seventh Int. Congress Hymenopterists 20-26 June 2010: 99-100. Köszeg [not a new record of A. moreae! See Cesa News 56: 1-66, figs.]. **TR 24 24E FAU ECO** *Cynipidae Andricus moreae*
423. **Mete, Ö. & A. Demirsoy**, 2012, A preliminary study on the gallwasp fauna of Kemaliye (Erzincan, Turkey) and a new record for Turkey. Hacettepe J. Biol. Chem. 2012: 351-363, figs. **TR 24 24E FAU ATL** *Cynipidae*
424. **Michener, C. D.**, 1948, The generic classification of the Anthidiine Bees (Hymenoptera, Megachilidae). Amer. Mus. Novit. 1381: 1-29, figs. **DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG TAX MOR KEY** *Megachilidae Anthidium Trachusa*

425. **Michener, C.D.**, 2007, The Bees of the World (second edn.). The Johns Hopkins University Press, Baltimore. **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC TAX MOR ATL GEN KEY ECO BIO BIB** *Stenotritidae Colletidae Andrenidae Halictidae Melittidae Megachilidae Apidae*
426. **Michez, D. & C.Eardley**, 2007, Monographic revision of the bee genus *Melitta* Kirby 1802 (Hymenoptera, Apoidea, Melittidae). *Annls Soc. ent. Fr. (n.s.)* 43 (4): 379-440, figs. **US MX GB NO SE FI DK DE BE NL FR ES PT CH AT IT Cn MA DZ TN LY EG ET KE NA BW ZA IL Pa LB YU HV SS MK AL BG GR TR RO UA RU SY IR KG UZ TJ KK Ui CN Mc Yu PK IN Ch NP JP TAX MOR FAU ATL GEN CLA PHI BIB** *Melittidae Apoidea Melitta*
427. **Michez, D., Patiny, S. & B.Danforth**, 2009, Phylogeny of the bee family Melittidae (Hymenoptera, Anthophila) based on combined molecular and morphological data. *Syst. Ent.* 34: 574-597, figs. **US ZA MA FR GR TR OM BG PHY CLA TAX MOR FAU ATL GEN BIB** *Melittidae*
428. **Michez, D., Terzo, M. & P.Rasmont**, 2004, Révision des espèces ouest-paléarctiques du genre *Dasypoda* Latreille 1802 (Hymenoptera, Apoidea, Melittidae). *Linzer biol. Beitr.* 36 (2): 847-900, figs. **PT ES FR MA DZ TN CH IT AT CZ SK HU AL MK BG GR UA RU YU RO Cc KG TR IT JO IL Pa SY Cr LY SA OM AZ GG AM CY NO SE FI DE DK PL GB Sa Si TAX MOR FAU KEY GEN ATL MAP BIB** *Melittidae Dasypoda*
429. **Mocsary, A.**, 1884, Species generis *Anthidium* Fabr. regionis palaearticae. *Termes. Füzetek* 8: 241-278. **DZ TR 44 Cc RU SA TAX MOR FAU** *Megachilidae Anthidium*
430. **Mocsary, A.**, 1889, Monographia Chrysididarum orbis terratum universi. 676pp. 2 Tab. Budapest. **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC TAX MOR FAU** *Chrysididae*
431. **Moczar, L.**, 1997, Revision of the *Cleptes nitidulus* group of the world (Hymenoptera, Chrysididae, Cleptinae). *Entomofauna* 18 (3): 24-44, figs. **TR TAX MOR FAU GEN** *Chrysididae Cleptes nitidulus Cleptinae*
432. **Moczar, L.**, 1998, Revision of the Cleptinae of the World. Genus *Cleptes* subgenera and species groups (Hymenoptera, Chrysididae). *Entomofauna* 19 (31): 501-516, figs. **TR TAX MOR FAU KEY** *Chrysididae Cleptinae Cleptes*
433. **Moczar, L.**, 2001, World revision of the *Cleptes semiauratus* group (Hymenoptera, Chrysididae, Cleptinae). *Linzer biol. Beitr.* 33 (1): 905-931, figs. **ES FR GB BE NL DE SE PL CZ SK HU RO HV YU SS MK BG GR IT TR TAX MOR FAU GEN KEY MAP BIB ECO BIO** *Chrysididae Cleptes Cleptinae*
434. **Morawitz, F.**, 1876, Zur Bienenfauna der Caucasusländer. *Horae Soc. ent. ross.* 12: 3-69. **Cc TR AM GG AZ RU TAX MOR FAU** *Apidae Andrenidae Megachilidae Andrena Bombus Anthophora Habropoda Tetralonia Eucra Xylocopa Ceratina Panurgus Rophites Systropha Chelostoma Heriades Osmia Lithurgus Megachile Anthidium Dasypoda Halictus Sphecodes Nomada Ammobates Stelis Coelioxys Colletes Hylaeus*
435. **Morawitz, F.**, 1878, Nachtrag zur Bienenfauna Caucasiens. *Horae Soc. ent. ross.* 14: 3-112. **Cc GG AZ Kir AM Eri RU TR TAX MOR FAU** *Apidae Colletinae Colletes Bombus Anthophora Tetralonia Eucera Meliturga Xylocopa Osmia Megachile Anthidium Melitta Andrena Halictus Nomia Hylaeus Nomada Crocisa*
436. **Morawitz, F.**, 1889, Hymenopterologische Mittheilungen. *Horae Soc. ent. ross.* 23: 540-554. **TR Cc AM IR TM AF TAX MOR FAU** *Vespidae Vespoidea Polistinae Polistes*
437. **Morice, R.F.D.**, 1900, An excursion to Egypt, Palestine, Asia Minor &c., in search of Aculeate Hymenoptera. *Entomologist's mon. Mag.* 36: 164-172. **EG IL Pa TR 16 34 FAU** *Apidae Vespidae Sphecidae Crabronidae*
438. **Mutun, S. & S.Dinç**, 2011, Contributions to the Gallwasp (Hymenoptera, Cynipidae) fauna of Turkey with one new record. *J. Appl. Biol. Sci.* 5 (3): 83-85, figs. **TR 29 65 FAU ATL** *Cynipidae Cynips korsakovi*
439. **Mutun, S. & S.Dinç**, 2015, Twelve oak gall wasp species (Hymenoptera, Cynipidae) new to the Turkish fauna. *Turk. J. Zool.* 39: 962-964. **TR FAU** *Cynipidae Andricus Cynips Trigonaspis*
440. **Mutun, S., Dinç, S. Bozso, M. & G.Melika**, 2014, Four new species of *Andricus* Hartig oak gallwasp from Turkey (Hymenoptera, Cynipidae, Cynipini). *Zootaxa* 3760 (2): 241-259, figs. **TR TAX MOR FAU ATL** *Cynipidae Andricus*
441. **Müller, A.**, 2008, A taxonomic catalogue of the Palaearctic bees of the tribe Osmiini (Hymenoptera, Apoidea, Megachilidae). *Zootaxa* 1865: 1-253. **DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG TAX CAT BIB** *Megachilidae Osmiini Apoidea*

442. **Müller,A.**, 2009, Palaearctic Osmiine Bees. ETH Zürich <http://blogs.ethz.ch/Osmiini> **DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG TAX MOR FAU BIO ECO DIS** *Apidae Osmiini*
443. **Müller,A.**, 2012, New European bee species of the tribe Osmiini (Hymenoptera, Apoidea, Megachilidae). Zootaxa 3355: 29-50, figs. **ES Si GR CY Cc TR TAX MOR FAU ATL** *Megachilidae Osmiini Apoidea Osmia*
444. **Narolsky,N.B.**, 2001, A review of the world of the genus *Eucremastus* (Hymenoptera, Ichneumonidae, Cremastinae). Vestn. zool. 35 (3): 23-29, figs. **UA Cc AM IL Pa TR EG IN TM IR NE GG GR TAX MOR FAU KEY BIB** *Ichneumonidae Eucremastus Cremastinae*
445. **Nees ab Esenbeck,C.G.**, 1811-1816, Ichneumonides adsciti in genera et familias divisi. Magaz. Gesellsch. naturf. Berlin 5 (1811): 3-37; 6 (1814): 183-221; 7 (1816): 243-277, Tab. **TR TAX MOR FAU** *Braconidae Ichneumonidae*
446. **Nees ab Esenbeck,C.G.**, 1834, Hymenopterorum Ichneumonibus affinium monographiae, genera Europaea et species illustratae. Tom. I, II. Stuttgart & Tübingen. **TR TAX MOR FAU** *Braconidae Ichneumonidae*
447. **Nieves-Aldrey,J.L. & G.Melika**, 2005, *Aylax hypecoi* Trotter (Hymenoptera, Cynipidae) in Europe: Redescription with taxonomic and biological notes. J. Nat. Hist. 39 (27): 2525-2535, figs. **DZ BG GR TR Cc AM TM ECO BIO TAX MOR FAU ATL KEY** *Cynipidae Aylax hypecoi*
448. **Nikolskaya,M.N.**, 1952, The Chalcid fauna of the USSR (Chalcidoidea). 574 pp., 592 figs. Moscou & Leningrad. **Cc GB SE FI NO DK DE PL RU EE LT LV AT CH IT CZ SK RO MD AT BE CA CN FR GR HU IE IR IT KG KK KP KR Md NO PL PT RO RU YU AL GR BG CY SS ES TR UA TAX MOR FAU KEY ECO BIO** *Agaonidae Aphelinidae Chalcididae Encyrtidae Eulophidae Eucharitidae Eupelmidae Eurytomidae Khutelchacididae Leucospidae Mymaridae Ormyridae Perilampidae Pteromalidae Signiphoridae Tanaostigmatidae Torymidae Tetracampidae Trichogrammatidae Chalcidoidea*
449. **Nixon,G.E.J.**, 1986, A revision of the European Agathidinae (Hymenoptera, Braconidae). Bull. Br. Mus. (Nat. Hist.) Ent. 52 (3): 183-242, figs. **PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK RO RU GG AZ AM IR IQ TR SY LB GR BG TAX MOR FAU** *Braconidae Agathidinae*
450. **Noyes,J.S.**, 2010, Universal Chalcidoidea Database. <http://www.nhm.ac.uk/entomology/chalcidooids/index.html> [accessed 1.3.2010]. **DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK EG PK CN KP KR JP CA US BIB FAU DIS ECO BIO** *Agaonidae Aphelinidae Chalcididae Encyrtidae Eulophidae Eucharitidae Eupelmidae Eurytomidae Khutelchacididae Leucospidae Mymaridae Ormyridae Perilampidae Pteromalidae Signiphoridae Tanaostigmatidae Torymidae Tetracampidae Trichogrammatidae Chalcidoidea*
451. **Oehlke,J.**, 1983, Revision der europäischen Aulacidae (Hymenoptera, Evanioidea). Beitr. Ent. 33 (2): 439-447. **DE RO AT CZ HU PL RU Sb YU IT ES TR BG Cc 42 TAX MOR FAU** *Aulacidae*
452. **Ohl,M.**, 1999, A revision of *Stizoides* Guérin-Ménéville, 1844: Taxonomy, phylogenetic relationships, biogeography, and evolution (Hymenoptera, Apoidea, "Sphecidae"). Mitt. Mus. Naturk. Berl., Zool. 75 (1): 63-169, 165 figs. **DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK RO RU GG AZ AM IR IQ TR Arr 76 SY LB GR BG TM UZ KK KG CN Ch PK EG TAX MOR FAU GEN KEY PHY EVO CLA** *Sphecidae Crabronidae Stizoides*
453. **Osten,T. & H.Özbek**, 1999, Beitrag zur Kenntnis der Scoliiden-Fauna der Türkei (ohne Zypern) mit Anmerkungen zur Systematik und Taxonomie (Hymenoptera, Scoliidae). Entomofauna 20 (28): 429-442. **TR FAU** *Scoliidae*
454. **Osten,T.**, 1999, Kritische Liste der palaearktischen Scoliiden (Hymenoptera, Scoliidae). Entomofauna 20 (27): 422-426. **ES FR UA SS YU HV MK B-H RO RU Cc IR TR TM KG KK TJ CN Ui CAT** *Scoliidae*
455. **Osten,T.**, 1999, Beobachtungen an Scoliiden (Hymenoptera) in der Türkei. Linzer biol. Beitr. 31 (1): 449-457, figs. **TR ECO FAU ATL** *Scoliidae*
456. **Osten,T.**, 2000, Die Scoliiden des Mittelmeer-Gebietes und angrenzender Regionen (Hymenoptera). Ein Bestimmungsschlüssel. Linzer Biol. Beitr. 32 (2): 537-593, figs. **MA DZ TN IT FR EG IL Pa TR Cc AM AZ GG SY LB TAX MOR FAU KEY DIS GEN ATL** *Scoliidae*
457. **Osten,T.**, 2004, Zur Taxonomie von *Scolia boeberi* Klug, 1805, *Scolia kasakhstanica* (Steinberg, 1962) und *Scolia anatoliae* spec. nov. Ent. Z. 114 (5): 204-208, figs. **KG TR TAX MOR FAU** *Scoliidae*
458. **Osten,T., Ebrahimi,E. & Chahartaghi,A.M.**, 2003, Die Scoliiden des Iran und angrenzender Regionen mit Anmerkungen zu ihrer Lebensweise (Hymenoptera, Scoliidae). Entomofauna 24 (26): 353-377. **IR TR FAU ECO BIO** *Scoliidae*
459. **Özbek,H. & J.Banaszak**, 1985, Bees of Anthophorini (Hymenoptera, Apoidea, Anthophoridae) from Eastern Turkey. Türk. bitki kor. derg. 9: 195-198. **TR 13 24 25 36 49 75 FAU ECO** *Anthophoridae Apidae Apoidea Anthophora Amegilla Habropoda*

460. **Özbek,H. & S.Anlaş**, 2011, Distribution of Scoliidæ (Hymenoptera, Aculeata) of Turkey with their zoogeographic characterization. *Türk. ent. derg.* 35 (4): 627-639. **TR FAU GEO ECO Scoliidæ**
461. **Özbek,H. & van der G.Zanden**, 1992, A preliminary review of the Megachilidæ of Turkey Part II Heriadini (Hymenoptera, Apoidea). *Türk. ent. derg.* 16 (3): 129-134. **TR FAU Megachilidæ Heriadini**
462. **Özbek,H. & van der G.Zanden**, 1993, A preliminary review of the Megachilidæ of Turkey Part III Anthidiini (Hymenoptera, Apoidea). *Türk. ent. derg.* 17 (4): 193-207. **TR FAU Megachilidæ Anthidiini**
463. **Özbek,H. & van der G.Zanden**, 1994, A preliminary review of the Megachilidæ of Turkey Part IV Megachilini and Lithurgini (Hymenoptera, Apoidea). *Türk. ent. derg.* 18 (4): 157-174. **TR FAU Megachilidæ Apoidea Megachilini Lithurgini**
464. **Özbek,H. & van der G.Zanden**, 1996, A preliminary review of the Megachilidæ of Turkey Part V. Supplement to parts 1-IV (Hymenoptera, Apoidea). *Türk. ent. derg.* 20 (1): 3-17. **TR FAU Megachilidæ**
465. **Özbek,H.**, 1976, Doğu Anadolu Bölgesi Andrenidæ (Hymenoptera Apoidea) Familyası Arıları, Kısım I. Bitki Koruma Bült. 16 (3): 123-145. **TR 04 23 24 25 29 36 44 49 62 69 75 76 FAU Andrenidæ**
466. **Özbek,H.**, 1977, Erezurum [sic!] ve çevresindeki Colletidæ (Hymenoptera, Apoidea) familyası arıları. Atatürk Üniv. Ziraat Fak. Dergisi 8 (2/3): 33-40, 3 şekil. **TR 25 FAU MOR FAU ECO Colletidæ Colletes Hylæus Apoidea**
467. **Özbek,H.**, 1979, Doğu Anadolu Bölgesi Halictidæ (Hymenoptera, Apoidea) faunası ve bunların ekolojisi. Atatürk Univ. Zir. Fak. Derg. 10 (3/4): 27-41. **TR 04 08 24 25 36 49 62 69 75 76 KEY MOR ECO FAU Halictidæ Apoidea**
468. **Özbek,H.**, 1979, Bees of the genera *Osmia*, *Lithurga* and *Coelioxys* in some parts of eastern Anatolia. *Türk. Bitki Kor. Derg.* 3: 47-58. **TR FAU Megachilidæ Osmia Lithurge Coelioxys**
469. **Özbek,H.**, 1979, Bees of the genera *Anthidium*, *Anthocopa*, *Hoplitis* and *Megachile* in some parts of eastern Anatolia. *Türk. Bitki Kor. Derg.* 3: 95-107. **TR FAU Megachilidæ Anthidium Anthocopa Hoplitis Megachile**
470. **Özbek,H.**, 1983, Doğu Anadolu'nun bazı yörelerindeki *Eucera* Scop. ve *Tetralonia* Spin. (Anthophoridae, Hymenoptera) cinslerine mensup arılar. Atatürk Univ. Zir. Fak. Derg. 14 (3-4): 35-40. **TR 04 13 24 25 36 49 65 75 76 FAU ECO Anthophoridae Eucera Tetralonia**
471. **Özbek,H.**, 1990, A new Bumblebee species of *Pyrobombus* Dalla Torre (Hymenoptera, Apidae, Bombinae) in Eastern Anatolia, Turkey. *Türk. ent. Derg.* 14 (4): 207-214, 4 figs. **TR 25 TAX MOR FAU Apidae Bombinae Pyrobombus**
472. **Özbek,H.**, 2011, *Chelostoma* Latreille (Hymenoptera, Megachilidæ) *Osmiini* [sic!]) species occurring in Turkey with their zoogeographic characterization. *Türk. ent. Bull.* 1 (3): 151-168. **TR FAU Megachilidæ Chelostoma Osmiini**
473. **Özbek,H.**, 2014, Distribution data on the family Melittidæ (Hymenoptera) of Turkey with considerations about their importance as pollinators. *Turk. J. Zool.* 38: 444-459, maps. **TR DIS FAU ECO BIO Melittidæ Melitta Dasyopoda Macropis**
474. **Özbek,H., Pekel,S. & J.Kolarov**, 2000, New distributional data of the Turkish Ichneumonidæ (Hymenoptera) II. Ctenopelmatinae and Campopleginae. *J. ent. Res. Soc.* 2 (1): 17-24. **TR FAU Ichneumonidæ Ctenopelmatinae Campopleginae**
475. **Özbek,H., Yıldırım,E. & T.Osten**, 1999, A contribution to the knowledge of the fauna of the families Myrmosidæ and Mutillidæ (Hymenoptera, Aculeata) in Türkiye [sic]. *Türk. ent. derg.* 23 (1): 15-26. **TR 25 36 65 FAU Mutillidæ Myrmosidæ**
476. **Özbek,H., Yıldırım,E., Wolf,H. & R.Wahis**, 1999, The Pompilidæ (Hymenoptera, Aculeata) fauna of Turkey, Part I Ceropalinae and Pepsinae. *Zool. Middle East* 18: 91-105. **TR FAU Pompilidæ Ceropalinae Pepsinae**
477. **Özbek,H., Yıldırım,E., Wolf,H. & R.Wahis**, 2000, The Pompilidæ (Hymenoptera, Aculeata) fauna of Turkey, Part II. Pompilinae. *Zool. Middle East* 21: 109-128. **TR FAU Pompilidæ Pompilinae**
478. **Özbek,H., Çoruh,S. & J.Kolarov**, 2003, A contribution to the Ichneumonidæ fauna of Turkey. Subfamily Ichneumoninae (Hymenoptera). *Entomofauna* 24 (10): 157-164. **TR 06 08 20 24 25 36 52 75 FAU Ichneumonidæ Ichneumoninae**
479. **Özdemir,Y.**, 1991, İç Anadolu Bölgesinde saptanan Diplazontinae ve Tryphoninae (Hymenoptera, Ichneumonidæ) altfamilyası türleri. *Türk. ent. derg.* 25 (3): 183-191. **TR 03 06 14 15 18 26 32 38 40 42 50 51 FAU Ichneumonidæ Diplazontinae Tryphoninae**

480. **Özkan,C. & D.Özmen,** 2001, A new record for Turkish fauna *Chelonus oculator* Panzer (Hymenoptera, Braconidae) and its two new hosts. *Türk. ent. derg.* 25 (4): 263-265. **TR 01 FAU ECO BIO Braconidae Chelonus oculator Cheloninae**
481. **Papp,J.,** 2003, Braconidae (Hymenoptera) from Greece, 5. Notes faun. Gembloux 53: 21-54. **GR TR TAX MOR FAU Braconidae**
482. **Papp,J.,** 2007, Braconidae (Hymenoptera) from Greece, 6. Notes faun. Gembloux 60 (3): 99-127. **GR TR TAX MOR FAU Braconidae**
483. **Pasteels,J.J.,** 1969, New Anthidiinae from Mediterranean area and from the Near East. *Israel J. Ent.* 4: 409-434. **IL Pa TR TAX MOR FAU Megachilidae Anthidiinae Anthidium**
484. **Patiny,S. & D.Michez,** 2006, Phylogenetic analysis of the *Systropha* Illiger,1806 (Hymenoptera, Apoidea, Halictidae) and description of a new subgenus. *Annls Soc. ent. Fr. (n.s.)* 42 (1): 27-44, figs. **ZA KE NG CM TZ TR 62 RU TAX MOR CLA PHY KEY ATL CAT BIB Halictidae Systropha**
485. **Patiny,S.,** 1998, Description d'une nouvelle espece turque de *Simandrena* Pérez,1890 (Hymenoptera, Apoidea, Andrenidae, Andreninae). *Bembix* 10: 34-36. **TR TAX MOR FAU Andrenidae Apoidea Andreninae Simandrena Andrena**
486. **Pauly,A.,** 2011, Atlas of the European Bees: genus *Ceylalictus*. STEP Project, Atlas Hymenoptera, Mons, Gembloux. <http://www.zoologie.umh.ac.be/hymenoptera/page.asp?ID=203> **TR FAU MAP Halictidae Ceylalictus**
487. **Pauly,A.,** 2011, Atlas of the European Bees: genus *Halictus*, subgenus *Halictus*. STEP Project, Atlas Hymenoptera, Mons, Gembloux. <http://www.zoologie.umh.ac.be/hymenoptera/page.asp?ID=199> **TR FAU MAP Halictidae Halictus**
488. **Pekel,S. & H.Özbek,** 2000, Erzurum ili Cremastinae (Hymenoptera, Ichneumonidae) altfamilyası üzerinde faunistik ve sistematik bir çalışma. *Türk. ent. derg.* 24 (3): 215-228. **TR 25 FAU MOR Ichneumonidae Cremastinae**
489. **Peletier,A.le,** 1823, Monographia Tenthredinetarum synonymia extricata. Parisiis. **MA DZ TN ES FR DE AT HU CH PT IT HV AL BG GR TR CY IL Pa IR Cc RU UA AZ AM GG KK KG UZ TJ UZ TM TAX MOR FAU KEY Tenthredinidae Symphyta**
490. **Perkins,J.F.,** 1961, On the type species of Foerster's genera (Hymenoptera, Ichneumonidae). *Br. Mus. (Nat. Hist.) Ent.* 11: 383-483. **MA DZ TN LY EG IL JO PT ES FR DE DK PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM Cc IR IQ TR SY LB GR BG TAX NOM CAT BIB Ichneumonidae**
491. **Perkins,R.C.L.,** 1913, On the classification of British Crabronidae (Hymenoptera). *Trans. ent. Soc. London* 1913: 383-398, pl.xix. **MK AL BG RO MD YU B-H HV SS AT CH PT ES FR GB IE NO SE FI RU EE LT LV BY UA CZ SK PL DK DE BE NL HU Cc TR AZ AM GG TAX MOR CLA KEY ATL Crabronidae**
492. **Pesenko,Y.A.** 2005, New data on the taxonomy and distribution of the palaearctic halictids: genus *Halictus* Latreille (Hymenoptera, Halictidae). *Entomofauna* 26 (18): 313-348, 23 figs. **GG AM AZ Cc RU TR 25 30 73 JO BG TJ TM KK KG PK AF UZ IN Hp TAX KEY MOR FAU Halictidae Apoidea Halictus**
493. **Peters,D.S.,** 1974, Über die Untergattung *Haetosmia* Popov,1952 (Insecta, Hymenoptera, Megachilidae, Osmia). *Senckenberg. biol.* 55 (4/6): 293-309, figs. **TR 33 IR AF IL Cn TAX MOR FAU ATL KEY Megachilidae Haetosmia Osmia**
494. **Peters,D.S.,** 1978, Systematik und Zoogeographie der west-palaearktischen Arten von *Osmia* Panzer,1806 s.str., *Monosmia* Tkalcu,1974 und *Orientosmia* n.subgen. (Insecta, Hymenoptera, Megachilidae). *Senckenberg. biol.* 58 (4/6): 287-346, figs. **MA DZ TN LY EG IL JO PT ES FR DE DK PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM Cc IR IQ TR SY LB GR BG TAX MOR FAU ATL KEY Megachilidae Osmia Monosmia Orientosmia**
495. **Petersen,B.,** 1988, The Palaearctic Mutillidae of I.C.Fabricius and some related material (Insecta, Hymenoptera, Aculeata). *Steenstrupia* 14 (6): 129-224. **DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TAX MOR FAU Mutillidae**
496. **Popovici,O.A., Masner,L., Notton,D.G. & M.Popovici,** 2013, A review of Western Palaearctic *Amblyscelio* and *Baryconus* (Hymenoptera, Platygastroidea, Platygastriidae). *Zootaxa* 3599 (4): 325-342. **TR TAX MOR FAU Platygastriidae Amblyscelio Baryconus**
497. **Priesner,H.,** 1967, Zur Kenntnis der Pompiliden (Hymenoptera) der Türkei. *Sber. öst. Akad. Wiss. Abt.I* 176: 45-60. **TR TAX MOR FAU Pompilidae**
498. **Priesner,H.,** 1973, Neue Pompiliden aus der Türkei (Hym.). *NachrBl. bayer. Ent.* 22 (6): 106-110. **TR 33 63 TAX MOR FAU KEY Pompilidae**

499. **Proshchalykin, M.Y. & A.S. Lelej**, 2014, Review of the genus *Ammobatoides* Radoszkowski, 1867 (Hymenoptera, Apidae, Nomadinae) from Russia and neighbouring countries. *Zootaxa* 3852 (4): 445-460, figs. **RU Us CN Hph KG TM TR TAX MOR FAU ATL GEN KEY** *Apidae Nomadinae Ammobatoides*
500. **Pulawski, W.J.**, 1967, Hymenoptera from Turkey Sphecidae II. (Genera *Astata* Latreille and *Tachysphex* Kohl). *Bull. Br. Mus. (Nat. Hist.) Ent.* 19: 383-410, figs. **TR TAX MOR FAU** *Sphecidae Astata Tachysphex*
501. **Pulawski, W.J.**, 2012, Catalog of Sphecidae sensu lato (=Apoidea excluding Apidae). http://research.calacademy.org/ent/catalog_sphecidae/1621 [access 2 October, 2012] **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC CAT BIB DIS** *Sphecidae Crabronidae*
502. **Radoszkowsky, O.**, 1874-1876, Matériaux pour servir a une faune hyménoptérologique de la Russie. *Horae Soc. ent. ross.* 10: 190-195; 12: 82-110. [author O. Radoszkowsky, Général d'Artillerie] **Cc AM AZ GG TR RU TAX MOR FAU ATL** *Apidae Eucharidae Andrenidae Chrysididae Chalcidoidea Andrena Halictus Dasypoda Anthidium Nomada Melecta Eucera Anthophora Bombus Chrysis*
503. **Radoszkowsky, O.**, 1885, Revision des armures copulatrices des males de la famille de Mutillides. *Horae Soc. ent. ross.* 19: 3-49, 9 pls. **Cn MA DZ TN LY EG IL Pa JO SY CY GR Cr MK AL BG TR RO MD YU B-H HV SS AT CH PT ES FR GB IE NO SE FI RU EE LT LV BY UA CZ SK PL DK DE BE NL HU KG TM TJ UZ TM IQ IR AF PK IN Ch CN Ui MN KP KR JP TAX MOR GEN** *Mutillidae*
504. **Radoszkowsky, O.**, 1890, Hyménoptères recoltés sur le mont Ararat. *Horae Soc. ent. ross.* 24: 502-510, figs. [author O. Radoszkowsky, Général d'Artillerie] **TR 76 TAX MOR FAU GEN** *Apidae Mutillidae Crabronidae Chrysididae*
505. **Rebmann, O.**, 1967, Beitrag zur Kenntnis der Gattung *Megachile* Latr. (Hym., Apidae): Subgenus *Eutricharaea* Thomas und *Neoeutricharaea* nov. subg. *Ent. Z., Frankf. a. M.* 77: 33-38. **EG TR TAX MOR FAU** *Megachilidae Megachile*
506. **Rebmann, O.**, 1968, 3. Beitrag zur Kenntnis der Gattung *Megachile* Latr. (Hym., Apidae): Subgenus *Eutricharaea* und seine bisher bekanntgewordenen Arten. *Dt. ent. Z.* 15 (1/3): 21-48. **TR TAX MOR FAU** *Megachilidae Megachile anatolica*
507. **Reinig, W.F.**, 1973, Faunistische und zoogeographische Studien in Kleinasien 4. Beitrag zur Kenntnis der anatolischen Hummeln (*Bombus* Latr., 1802) und Schmarotzerhummeln (*Psithyrus* Lep., 1832) (Hym., Apidae). *Mitt. münch. ent. Ges.* 63: 112-133. **TR ECO FAU GEO** *Apidae Bombus*
508. **Reinig, W.F.**, 1974, Faunistische und zoogeographische Studien in Kleinasien 5. Auf Hummelfang im Taurus. *NachrBl. bayer. Ent.* 23 (4): 67-80. **TR 01 33 FAU** *Apidae*
509. **Reshchikov, A.V.**, 2011, *Lathrolestes* (Hymenoptera, Ichneumonidae) from Turkey with description of three new species and new synonymy. *J. Ent. Res. Soc.* 13 (1): 83-89, figs. **TR 14 14B 31 AZ Cc UA SE TAX MOR FAU** *Ichneumonidae Ctenopelmatinae Perilissini Lathrolestes*
510. **Richards, O.W.**, 1962, A revisional study of the masarid wasps (Hymenoptera, Vespoidea). *Brit. Mus. (Nat. Hist.), London.* **AR CL BO PE BR VE CO PA GT MX US AU QAU PG ID MY PH NA ZA ZW MG MA DZ TN KE TZ ZR ES FR DE AT HU CH PT IT HV AL BG GR TR CY IL Pa IR Cc RU UA JO LY EG AZ AM GG TM TJ KK KG CN Ui MN KP KR JP IN AF PK MM TH TAX MOR FAU KEY BIB** *Vespidae Masarinae Vespoidea*
511. **Riedel, M.**, 2008, Revision der westpaläarktischen *Platylabini* 1. Die Gattung *Platylabus* Wesm., 1845 (Hymenoptera, Ichneumonidae, Ichneumoninae). *Spixiana* 31 (1): 105-172, figs. **DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG TAX MOR FAU** *Ichneumonidae Platylabini Platylabus Ichneumoninae*
512. **Riedel, M.**, 2008, Die *Coelichneumon*-Arten (Hymenoptera, Ichneumonidae, Ichneumoninae) des Biologiezentrums Linz, Austria. *Linzer biol. Beitr.* 40 (2): 1839-1859. **PK TJ KK KG MN TR 04 32 33 35 65 TAX MOR FAU** *Ichneumonidae Coelichneumon Ichneumoninae*
513. **Riedel, M.**, 2012, Revision der westpaläarktischen Arten der Gattung *Coelichneumon* Thomson (Hymenoptera, Ichneumonidae, Ichneumoninae). *Linzer biol. Beitr.* 44 (2): 1477-1611, figs. **AF IR RU DE TR TAX MOR FAU ATL KEY** *Ichneumonidae Coelichneumon Ichneumoninae*
514. **Riedel, M., Kolarov, J., Çoruh, S. & H. Özbek**, 2014, A contribution to the Mesochorinae (Hymenoptera, Ichneumonidae) of Turkey. *Zool. Middle East* 60 (3): 217-221. **TR FAU** *Ichneumonidae Mesochorinae*
515. **Riedel, M., Çoruh, S. & H. Özbek**, 2010, Contribution to the Ichneumoninae (Hymenoptera, Ichneumonidae) fauna of Turkey, with description three new species. *Türk. ent. Derg.* 34 (2): 133-156. **TR 05 08 24 25 36 42 48 69 75 76 IR TAX MOR FAU** *Ichneumonidae Ichneumoninae Coelichneumon Protichneumon fusorius...*

516. **Risch,S.**, 1997, Die Arten der Gattung *Eucera* Scopoli,1770 (Hymenoptera, Apidae) Die Untergattung *Ptенеucera* Tkalcu 1984. Linzer biol. Beitr. 29 (1): 555-580, 8 Taf. 2 Karte. **MA DZ TN Cc GG AM AZ CY SY TR IQ KG 07 25 30 33 36 48 73 JO TAX MOR FAU GEN KEY MAP** *Apidae Eucera Ptенеucera*
517. **Risch,S.**, 1999, Neue und wenig bekannte Arten der Gattung *Eucera* Scopoli,1770 (Hymenoptera, Apidae). Linzer biol. Beitr. 31 (1): 115-145, figs. **DZ TN TR GR JO SY IR 02 04 06 07 10 30 35 36 38 42 47 73 TAX MOR GEN KEY FAU** *Apidae Eucera*
518. **Ros-Farré,P. & J.Pujade-Villar**, 2013, Revision of the genus *Aspicera* Dahlbom,1842 (Hym., Figitidae, Aspicerinae). Zootaxa 3606 (1): 1-110, figs. **ES FR IT YU DE TR 01 26 76 IR TM JP US CA TAX MOR FAU ATL GEN KEY ECO** *Figitidae Aspicera Aspicerinae*
519. **Rosa,P. & H.Vardal**, 2015, An annotated catalogue of the types of Chrysididae (Hymenoptera) at the Swedish Museum of Natural History, with brief historical notes. ZooKeys 495: 79-132, figs. **MA DZ TN LY EG IL Pa JO SA SY IQ CY ES FR DE AT HU CH PT IT HV AL BG GR TR IR Cc RU UA AZ AM GG TM TJ KK KG CN Ui MN KP KR JP IN AF PK TAX MOR NOM ATL GEN BIB** *Chrysididae*
520. **Rosa,P. & Z.Xu**, 2015, Annotated type catalogue of the Chrysididae (Insecta, Hymenoptera) deposited in the collection of Maximilian Spinola (1780-1857), Turin. ZooKeys 471: 1-96, figs. **MA DZ TN LY EG IL Pa JO SA SY IQ CY ES FR DE AT HU CH PT IT HV AL BG GR TR IR Cc RU UA AZ AM GG TM TJ KK KG CN Ui MN KP KR JP IN AF PK TAX MOR NOM ATL GEN BIB** *Chrysididae*
521. **Rosa,P., Antropov,A.V. & Z.Xu**, 2015, A catalogue of the Chrysididae (Insecta, Hymenoptera) types deposited in the Zoological Museum, Moscow Lomonosov State University, Russia. Zootaxa 3990 (1): 1-31, figs. **MA DZ TN LY EG IL Pa JO SA SY IQ CY ES FR DE AT HU CH PT IT HV AL BG GR TR IR Cc RU UA AZ AM GG TM TJ KK KG CN Ui MN KP KR JP IN AF PK TAX MOR NOM ATL GEN BIB** *Chrysididae*
522. **Rosa,P., Bernasconi,M.V. & D.Wyniger**, 2015, The Linsenmaier Chrysididae collection housed in the Natur-Museum Luzern (Switzerland) and the main results related GBIF Hymenoptera rproject (Insecta). Zootaxa 3986 (5): 501-548, figs. **MA DZ TN LY EG IL Pa JO SA SY IQ CY ES FR DE AT HU CH PT IT HV AL BG GR TR IR Cc RU UA AZ AM GG TM TJ KK KG CN Ui MN KP KR JP IN AF PK CAT ATL MOR BIB FAU NOM TAX** *Chrysididae*
523. **Rosa,P., Wisniowski,B. & Z.Xu**, 2015, Annotated type catalogue of the Chrysididae (Insecta, Hymenoptera) deposited in the collection of Radoszkowski in the Polish Academy of Science, Krakow. Zookeys 486: 1-100, figs. **KG UZ Tas TM TJ MN DZ EG RU Cc Da UA Cm AM Eri Arr AZ Lag CN Gn TR GR FR GA IR Dam ET VN PH Mno SN MX SY TAX MOR NOM ATL GEN BIB** *Chrysididae*
524. **Rossi,P.**, 1807, Sistens Insecta qvae in provinciis Florentina et Pisana. Tomus Secundus. Helmstadii. **MA DZ TN ES FR DE PL BE NL DK GB SE NO FI AT HU CH PT IT HV AL BG GR TR CY IL Pa IR Cc RU UA JO LY EG AZ AM GG TM TJ KK KG CN Ui MN KP KR JP IN AF PK TAX MOR FAU** *Sphecidae Sceliphron*
525. **Rozen,J.G., Özbek,H., Asher,J.S., Claudio,S., Praz,C., Alireza,M. & M.Andreas**, 2010, Nests, petal usage, floral preferences, and immatures of *Osmia* (*Ozbekosmia*) *avosetta* (Megachilidae, Megachilinae, Osmiini), including biological comparisons with other osmiine bees. Am. Mus. Novit. 3680: 1-22, figs. **TR IR 07 65 ECO BIO ATL** *Megachilidae Megachilinae Osmiini Osmia Ozbekosmia avosetta*
526. **Ruggiero,M. (ed.)**, 2008, World Bee Checklist [<http://www.its.gov./beechecklist.html>] [access 4.01.2011] [some species are missing; see Grace (2010)]. **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY TW LA VN CAT** *Apidae Andrenidae Colletidae Halictidae Megachilidae Melittidae Stenotritidae Apoidea*
527. **Ruschka,F.**, 1924, Die europaisch-mediterranen Eucharidinae und Perilampinae (Hym.,Chalc.) Der Chalcididenstudien IV und V.Teil. Dt. ent. Z. 1924: 92-96. **DZ TN TR IL Pa Cc HU RU Da AL TAX MOR FAU KEY** *Eucharidae Chalcidoidea*
528. **Ruthe,J.F.**, 1862, Deutsche Braconiden. Berl. Ent. Z. 6: 1-58. **GB FR DE SE CH AT IT YU MK BG GR TR Cc RU PL IQ TAX MOR FAU** *Braconidae Euphorinae Meteorus*
529. **Saussure,H.de**, 1852, Monographie des Guepes Solitaires ou de la tribu des Euménien. L+286 pp., 22 Pls. Geneve & Paris. **MA DZ TN ES FR DE AT HU CH PT IT HV AL BG GR TR CY IL Pa IR Cc RU UA AZ AM GG KK KG UZ TJ UZ TM TAX MOR FAU ATL CLA KEY** *Vespidae Vespinae Eumeninae Apoidea*
530. **Scheuchl,E. & C.Hazır**, 2008, Description of a new *Andrena* species from Turkey, *Andrena* (*Notandrena*) *selcuki* n.sp. (Hymenoptera, Apoidea, Andrenidae). Zootaxa 1763: 63-66, figs. **TR 42 TAX MOR FAU GEN** *Andrenidae Andrena selcuki Apoidea Andreninae*

531. **Scheuchl,E. & C.Hazır**, 2012, Description of three new *Andrena* species (Hymenoptera, Apoidea, Andrenidae) from Turkey. Florida ent. 95 (4): 831-838, figs. **GR TR 06 09 21 27 30 30D 31 33 36 42 46 58 63 68 73 TAX MOR FAU ATL ECO** *Andrenidae Apoidea Andrena*
532. **Schimitschek,E.**, 1938, Beiträge zur Forstentomologie der Türkei I. Z. Ang. Ent. 25 (2): 291-310, 12 Abb. **TR 34 ECO BIO FAU ATL** *Eulophidae Buprestidae Scolytidae Cicadellidae*
533. **Schletterer,A.**, 1890, Die Bienen Gattung *Dasypoda* Latr. Berl. ent. Z. 35 (1): 11-56, 1 Taf. **PT ES FR MA DZ TN CH IT AT CZ SK HU AL MK BG GR UA RU YU RO Cc KG TR 05 16 61 IT JO IL Pa SY Cr LY SA OM AZ GG AM CY NO SE FI DE DK PL GB Sa Si TAX MOR FAU KEY BIB** *Melittidae Dasypoda Apoidea*
534. **Schmid-Egger,C.**, 2000, A revision of *Entomosericus* Dahlbom 1845 (Hymenoptera, Apoidea "Sphecidae), with description of a new species. J. Hym. Res. 9: 352-362, figs. **IL Pa JO TR 04 05 06 07 11 14 23 25 32 33 42 43 45 47 48 50 58 63 65 72 TAX MOR FAU KEY GEN** *Crabronidae Entomosericus hauseri Pemphredoninae Entomosericini*
535. **Schmid-Egger,C.**, 2002, About taxonomy of *Psenulus fulvicornis* Schenck (Hymenoptera, "Sphecidae"). *Bembix* 15: 13-18. **TR 01 09 63 63E SY Hms ES HV IT GR DE FR BG DZ TAX MOR FAU** *Crabronidae Psenulus fulvicornis schencki*
536. **Schmid-Egger,C.**, 2002, Key and new records for the western palaearctic species of *Gorytes* Latreille 1804 with description of a new species (Hymenoptera, Sphecidae, Bembicinae). Linzer biol. Beitr. 34 (1): 167-190, figs. **MA DZ N IT ES FR BE NL DE DK PL HU CZ SK YU GR BG TR 02 13 30 36 65 Cc IR JO IL Pa SY LB EG MK UA KK KG Cc AZ AM GG TAX MOR FAU KEY** *Sphecidae Bembicinae Gorytes*
537. **Schmid-Egger,C.**, 2004, Revision of *Bembecinus* (Hymenoptera, Crabronidae) of the Palaearctic region. Notes faun. Gembloux 54: 3-69, figs. **Cc DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK SA EG TW TAX MOR FAU GEN ECO BIO** *Crabronidae Bembecinus*
538. **Schmid-Egger,C.**, 2005, Proxiandrena subgen.nov. und Revision der west- und zentralpalaarktischen Arten der *Andrena proxima*-Gruppe (Hymenoptera, Apidae). Revue suisse. Zool. 112 (4): 1029-1044. **KG TM TR IT DZ TAX MOR FAU KEY** *Andrenidae Proxiandrena Andrena Andreninae Apoidea*
539. **Schmid-Egger,C.**, 2005, *Sceliphron curvatum* (F.Smith,1870) in Europa mit einem Bestimmungsschlüssel für die europäischen und mediterranen *Sceliphron*-Arten (Hymenoptera, Sphecidae). *Bembix* 19: 7-28, Abb. **ES FR DE AT HU CH PT IT HV AL BG GR TR CY IL Pa IR Cc RU UA AZ AM GG MOR ATL ECO BIO KEY MAP** *Sphecidae Sceliphron*
540. **Schmid-Egger,C.**, 2007, Revision of the genus *Lithium* Fennimore with description of three new species (Insecta, Hymenoptera, Crabronidae, Pemphredoninae). *Spixiana* 30: 85-92, figs. **TR 07 27 44 46 TAX MOR FAU** *Crabronidae Lithium haladai jacobsi Psenini Pemphredoninae*
541. **Schmidt,J.**, 1977, Die Chrysididen der Türkei, insbesondere Anatoliens (Hymenoptera, Chrysididae). Linzer biol. Beitr. 9 (1): 91-129. **TR FAU** *Chrysididae*
542. **Schmidt,K.**, 1997, Zur Variabilität und Verbreitung von *Rhopalum beaumonti* Moczar (Hymenoptera, Sphecidae). *Bembix* 8: 43-45, 5 Abb. **TR UA Cm KG HU AT DE 65 65E TAX MOR FAU DIS** *Crabronidae Rhopalum beaumonti*
543. **Schmidt,K.**, 2000, Bestimmungstabelle der Gattung *Cerceris* im Europa, dem Kaukasus, Kleinasien, Palaestina und Nordafrika (Hymenoptera, Sphecidae, Philanthinae). *Stapfia* 71: 1-325. **MA DZ TN LY EG GR Cr MK AL BG TR RO MD YU B-H HV SS AT CH PT ES FR GB IE NO SE FI RU EE LT LV BY UA CZ SK PL DK DE BE NL HU Cc AZ AM GG TAX MOR FAU KEY** *Sphecidae Crabronidae Cerceris Philanthinae*
544. **Schmiedeknecht,O.**, 1909, Hymenoptera fam. Chalcididae, [in] Wytsman,P. Genera Insectorum 97: 1-567, 8 Taf. Brussels. **TR TAX MOR FAU ATL KEY ECO BIO BIB** *Chalcididae*
545. **Schmitschek,E.**, 1938, Beiträge zur Forstentomologie der Türkei I. Z. angew. Ent. 25 (2): 291-310, figs. **TR TAX MOR ECO FAU BIO ATL** *Ichneumonidae Braconidae Eulophidae Scolytidae Chalcidoidea*
546. **Schulthess,A.v.**, 1913, *Parapolybia* Saussure Vespidae sociales. Mitt. schweiz. ent. Ges. 12 (4): 152-164, Pls xi, xib. **IR TR 30 73 TAX MOR FAU KEY ATL** *Vespidae Polistinae Parapolybia escalarae persica*
547. **Schwammberger,K.H.**, 1975, Die bisher bekanntgewordenen Arten der Bienengattung *Rhopitoides* Schenck (Hymenoptera, Apoidea, Halictidae). Senckenb. biol. 56 (1/3): 57-63, Abb. **GR TR 25 06 50 TAX MOR FAU GEN KEY** *Halictidae Rhopitoides*
548. **Schwarz,M. & F.Gusenleitner**, 2001, Beitrag zur Kenntnis paläarktischer Anthophorini und Habropodini (Hymenoptera, Apidae). Entomofauna 22 (6): 53-92, Abb. **EG IL Pa GR Cr TR 04 07 25 30 33 36 73 TAX MOR FAU ATL** *Apidae Apoidea Anthophora Habropoda Anthophorini Habropodini*

549. **Schwarz,M.**, 1979, Zur Kenntnis der aus Syrien beschriebenen *Nomada kervilleana* Pér. (Hymenoptera, Apoidea). NachrBl. bayer. Ent. 28 (5): 90-94. **TR 16 25 36 49 IL Pa TAX MOR FAU Apoidea Nomada**
550. **Schwarz,M.**, 1981, 1.Beitrag zur *Nomada*-Fauna der Türkei (Hymenoptera, Apoidea). Entomofauna 2 (28): 357-414, 63 Abb. **TR BG GR IL Pa TAX MOR FAU GEN Apidae Nomadinae Nomada**
551. **Schwarz,M.**, 1999, Anmerkungen zu einigen westpalaearktischen Arten der Gattung *Listrognathus* Tschek (Hymenoptera, Ichneumonidae, Cryptinae). Linzer biol. Beitr. 31 (1): 459-463. **IR TR JO KK FAU TAX MOR Ichneumonidae Listrognathus Cryptinae**
552. **Schwarz,M.**, 1999, Bemerkungen, Korrekturen und Ergänzungen zu den von Gupta (1993) 1999 in "Taxonomic studies on the Megachilidae of North-Western India" behandelten *Coelioxys*-Arten (Hymenoptera, Apidae). Entomofauna 20 (8): 145-162. **IN AF PK TR TAX NOM Megachilidae Coelioxys**
553. **Schwarz,M.**, 2001, Revision der Gattung *Radoszkowskiana* Popov 1955 und ein Beitrag zur Kenntnis der Gattung *Coelioxys* Latreille 1809 (Hymenoptera, Apidae, Megachilinae). Linzer biol. Beitr. 33 (2): 1267-1286, 60 Abb. **DZ EG TR GR SY JO IR Fa TM KG 12 13 20 23 27 33 36 42 47 50 63 65 65K 65L TAX MOR FAU KEY ATL GEN Megachilidae Radoszkowskiana Coelioxys**
554. **Schwarz,M.**, 2015, Zur Kenntnis paläarktischer *Cryptus*-Arten (Hymenoptera, Ichneumonidae, Cryptinae). Linzer biol. Beitr. 47 (1): 749-896, 181 figs. **MA DZ TN LY EG IL Pa JO SA SY IQ CY ES FR DE AT HU CH PT IT HV AL BG GR IR Cc RU UA AZ AM GG TM TJ KK KG CN Ui MN KP KR JP IN AF TR 04 07 13 14 16 24 25 30 31 33 34 36 42 46 47 50 58 63 65 76 TAX MOR FAU ATL GEN KEY Ichneumonidae Cryptus Cryptinae**
555. **Schwenke,W.**, 1999, Revision der europäischen Mesochorinae (Hymenoptera, Ichneumonoidea, Ichneumonidae). Spixiana (Suppl.) 26: 1-124, figs. **DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK EG TAX MOR FAU KEY Ichneumonidae Mesochorinae**
556. **Scopoli,J.A.**, 1763, Entomologia Carniolica...420 pp. Vindobonae. **MA DZ TN LY EG IL Pa JO SA SY IQ CY ES FR DE AT HU CH PT IT HV AL BG GR TR IR Cc RU UA AZ AM GG TM TJ KK KG CN Ui MN KP KR JP IN AF PK TAX MOR FAU**
557. **Selfa,J. & E.Diller**, 1994, Illustrated key to the Western Palearctic genera of Phaeogenini (Hymenoptera, Ichneumonidae, Ichneumoninae). Entomofauna 15 (20): 237-252, figs. **TR MOR KEY ATL TAX Ichneumonidae Ichneumoninae Phaeogenini**
558. **Sichel,J. & O.Radoszkowski**, 1869-1870, Essai d'une monographie des Mutilles de l'ancien continent. Horae Soc. ent. ross. 6 (3) [1869]: 139-172; 6 (4) [1870]: 173-309, pls. 6-11. **TR Cc IR TM TJ UZ KK KG RU CN GR... TAX MOR FAU KEY ATL Mutillidae**
559. **Smitsen,J.v.d.**, 2003, Revision der europäischen und türkischen Arten der Gattung *Evagetus* Lepeletier, 1845 unter Berücksichtigung der Geaderabweichungen (Hymenoptera, Pompilidae). Verh. Ver. Naturw. Heimatforsch. Hamburg 42: 1-253, figs. **DE TR TAX MOR FAU ATL GEN BIB Pompilidae Evagetus**
560. **Smith,F.**, 1874, Monograph of the genus *Xylocopa* Latr. Trans. ent. Soc. London 1874: 247-302. **ES FR UA SS YU HV B-H MK RO RU Cc IR TR TM KG KK TJ CN Ui AO CI MW NG NA ZM ZW ET KE CM TZ MZ ZA TAX MOR FAU Apidae Xylocopa**
561. **Springate,N.D., Burekhardt,D. & L.S.Springate**, 2011, New species of Megalodontesidae (Hym., Symphyta, Pamphiloidea) from North Africa and the Middle East. Entomologist's Rec. J. Var. 123 (3): 131-144. **TR Cc GG AM TAX MOR FAU Megalodontesidae Megalodontes**
562. **Stein,J.P.E.F.**, 1876, Einige neue dalmatinische griechische und kleinasiatische Tenthrediniden. Stettin ent. Ztg. 37: 53-61. **HV GR YU TR 07 35 TAX MOR FAU Cephidae Cimbicidae Pamphiliidae Megalodontesidae Tenthredinidae Symphyta**
563. **Stigenberg,J. & F.Ronquist**, 2011, Revision of the Western Palearctic Meteorini (Hymenoptera, Braconidae, with a molecular characterization of hidden Fennoscandian species diversity. Zootaxa 3084: 1-95, figs. **GB FR DE SE CH AT IT YU MK BG GR TR Cc RU PL IQ TAX MOR FAU ATL GEN KEY MOL BIB Braconidae Meteorus Zele Euphorinae**
564. **Straka,J.**, 2005, A review of the genus *Tachysphex* (Hymenoptera, Apoidea) of Turkey, with description of four new species. Acta Soc. zool. Bohemosl. 69: 247-276, figs. **TR TAX MOR FAU GEN Crabronidae Apoidea Tachysphex**
565. **Strumia,F. & E.Yildirim**, 2006, Contribution to the knowledge of Chrysididae fauna of Turkey (Hymenoptera, Aculeata). Frust. Ent. 30 (43): 55-92. **TR FAU Chrysididae**
566. **Szépligeti,G.V.**, 1904, Hymenoptera, Fam. Braconidae. Genera Ins. 22: 1-253, 3 pls. **AR CL BO PE BR VE CO PA GT MX US AU QAU PG ID MY PH NA ZA ZW MG MA DZ TN KE TZ ZR ES FR**

DE AT HU CH PT IT HV AL BG GR TR CY IL Pa IR Cc RU UA JO LY EG AZ AM GG TM TJ KK KG CN UI
MN KP KR JP IN AF PK MM TH TAX MOR ATL FAU CAT BIB *Braconidae*

567. **Taeger, A. & S.M. Blank**, 2008, ECatSym - Electronic World Catalog of Symphyta (Insecta, Hymenoptera) program version 3.9. data version 34 - Digital Entomological Information, Müncheberg [access 27 1 2011]. KE ER ET SD SO TZ MZ BW MW ZW ZA ZR ZM CM NG NE TG SN GM ML UG RW NA AO Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch CAT BIB DIS *Symphyta*
568. **Taeger, A.**, 1998, Kommentare zur Biologie Verbreitung und Gefährdung der Pflanzenwespen Deutschlands (Hymenoptera, Symphyta), [in] Taeger, A. & Blank, S.M. (ed.), Pflanzenwespen Deutschlands (Hym. Symphyta). Kommentierte Bestandsaufnahme. 364+3 S., 8 Taf. Goecke & Evers. ES BE NL DK FR DE AT HU CH PT IT HV AL BG GR TR Cc RU ECO BIO CON *Argidae Cimbicidae Tenthredinidae Blasticotomidae Cephidae Diprionidae Megalodontesidae Orussidae Siricidae Xiphydriidae Xyelidae Pamphiliidae Symphyta*
569. **Taeger, A., Blank, S.M. & A.D. Liston**, 2010, World catalog of Symphyta (Hymenoptera). Zootaxa 2580: 1-1064, figs. KE ER ET SD SO TZ MZ BW MW ZW ZA ZR ZM CM NG NE TG SN GM ML UG RW NA AO Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch CAT BIB DIS ATL *Anaxyelidae Cephidae Sepulcidae Karatavitidae Orussidae Pamphiliidae Xyelidae Praesiricidae Siricidae Xiphidriidae Argidae Cimbicidae Diprionidae Pergidae Tenthredinidae Xyelotomidae Xyelidae Megalodontesidae Symphyta*
570. **Tarla, Ş., Doğanlar, M. & C. Gözüağık**, 2010, The species of Oopristus Steffan, 1968 (Hymenoptera, Torymidae, Toryminae, Monodontomerini) of Turkey, with descriptions of two new species. Turk. J. Zool. 34: 487-495, figs. [new species & new records]. TR 01 21 31 TAX MOR FAU KEY DIS ATL GEN ECO BIO *Torymidae Chalcidoidea Oopristus Toryminae Monodontomerini*
571. **Tavakoli, M., Melika, G. et al.**, 2008, New species of oak gallwaps [sic!] from Iran (Hymenoptera, Cynipidae Cynipini). Zootaxa 1699: 1-64, figs. IR TR TAX MOR FAU ATL GEN ECO BIO BIB *Cynipidae Cynipini*
572. **Taylor, B.**, 2010, The Ants of Egypt. http://www.nottingham.ac.uk/~plzfg/ants/ants_of_egypt_2007/cover.htm [access on 27 October 2010]. EG JO IL Pa SY TR SD ET SO SA LY KE TZ NA MZ ZR ZW ZA ATL DIS KEY MOR BIB *Formicidae*
573. **Tereshkin, A.M.**, 2004, Illustrated key to the Western Palaearctic genera of the subtribe Cratichneumonina (sensu Heinrich) and taxonomic notes on European species of Rugosculpta Heinrich, 1967 (Hymenoptera, Ichneumonidae, Ichneumoninae, Ichneumonini). Russ. ent. J. 13 (4): 277-293, figs. RU BY Cc At TR TAX MOR FAU KEY *Ichneumonidae Cratichneumonina Rugosculpta Ichneumoninae Ichneumonini*
574. **Tereshkin, A.M.**, 2009 [19.12.], Illustrated key to the tribes of subfamilia Ichneumoninae and genera of the tribe Platylabini of world fauna (Hymenoptera, Ichneumonidae). Linzer biol. Beitr. 41 (2): 1317-1608, figs. RU BY Cc TR TAX MOR FAU ATL NOM KEY BIB *Ichneumonidae Platylabini*
575. **Tereshkin, A.M.**, 2011, Illustrated key to the tribes of subfamilia Ichneumoninae and genera of the subtribe Amblytelina of Palaearctic (Hymenoptera, Ichneumonidae, Ichneumoninae, Ichneumonini). Linzer biol. Beitr. 43 (1): 597-711, figs. DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG TAX MOR FAU ATL KEY BIB *Ichneumonidae Amblytelina Ichneumoninae Ichneumonini*
576. **Terzo, M. & P. Rasmont**, 1997, Ceratina zwakhalsi et Ceratina verhoeffi, deux nouvelles especes de la région ouest-paléarctique (Hymenoptera, Apoidea, Xylocopinae). Tijdschr. Ent. 140: 221-236, 58 figs. 6 Tab. MA DZ TN ES TR 13 23 24 30 33 36 46 58 65 73 TAX MAP DIS GEN KEY ATL MOR FAU *Apidae Xylocopinae Apoidea Ceratina*
577. **Terzo, M.**, 1998, Annotated list of the species of the genus Ceratina (Latreille) occurring in the Near East, with descriptions of new species (Hymenoptera, Apoidea, Xylocopinae). Linzer biol. Beitr. 30 (2): 719-743, 46 figs. TR 30 GR SY IL Pa LB IR Cc CAT DIS TAX MOR FAU GEN *Apidae Xylocopinae Apoidea Ceratina*
578. **Terzo, M.**, 1999, Revision du genre Exoneuridia Cockerell, 1911. Belg. J. Ent. 1: 137-152. TR 13 30 31 46 47 56 58 73 LB IR SY Fa TAX MOR FAU GEN KEY ATL MAP *Apidae Exoneuridia Xylocopinae Allodapini Apoidea*
579. **Tezcan, S., Karsavuran, Y., Pehlivan, E. & S. Anlaş**, 2004, Contribution to the knowledge of Scoliididae (Hymenoptera) fauna of Turkey. Türk. ent. Derg. 28 (4): 247-252. TR FAU *Scoliididae*

580. **Tezcan,S., Karsavuran,Y., Pehlivan,E., Anlaş,S. & E.Yıldırım,** 2005, Contribution to the knowledge of Vespidae (Hymenoptera, Aculeata) fauna of Turkey. *Türk. ent. Derg.* 29 (2): 101-110. **TR 06 07 09 10 11 16 17 20 21 27 32 33 34 35 44 45 46 48 55 65 FAU** *Vespidae Eumeninae Vespinae Vespoidea*
581. **Thomson,C.G.,** 1885, Notes hyménoptérologiques (Première partie Cryptidae). *Annls Soc. ent. Fr.* (6) 5: 17-32. **DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG TAX MOR FAU** *Cryptidae*
582. **Tinaut,A.,** 2007, A new species of the genus *Rossomyrmex* Arnoldi, 1928 from Turkey (Hymenoptera, Formicidae). *Graellsia* 63 (1): 135-142, figs. **TR 42 TAX MOR FAU ATL** *Formicidae Rossomyrmex anatolicus*
583. **Tkalcu,B.,** 1977, Taxonomisches zu einigen palaearktischen Bienenarten (Hymenoptera, Apoidea). *Vestn. Cesl. Spol. Zool.* 41 (3): 223-239. **TR 25 TAX MOR FAU** *Megachilidae Megachile ozbeki*
584. **Tkalcu,B.,** 1980, Quatre sous-espèces nouvelles de Megachilidae de Turquie orientale (Hymenoptera, Apoidea). *Bull. Soc. ent. Mulhouse* 1980: 38-40. **TR 25 TAX MOR FAU** *Megachilidae Apoidea Megachile*
585. **Tkalcu,B.,** 1992, Quatre taxa paléarctique nouveaux de la famille des Megachilidae. *Bull. Soc. ent. Mulhouse* 1992: 47-53. **TR 25 TAX MOR FAU** *Megachilidae Megachile armenia*
586. **Tkalcu,B.,** 1992, New species of palaearctic Osmiini. *Acta Soc. zool. bohemosl.* 56: 211-227. **TR IR 07 49 73 TAX MOR FAU** *Megachilidae Osmiini Osmia milenae elegans warnckei*
587. **Tkalcu,B.,** 1994, Trois nouveaux taxa d'abeilles de Turquie (Hymenoptera, Apoidea). *Bull. Soc. ent. Mulhouse* 1994: 87-89. **TR TAX MOR FAU** *Megachilidae*
588. **Tkalcu,B.,** 1994, Anthophora (Paramegilla) lydia sp.nov. aus der Türkei (Hymenoptera, Apoidea). *Entomofauna* 15 (44): 509-512, Abb. **TR IR 09 09K TAX MOR FAU GEN** *Apidae Anthophora Paramegilla lydia trochanterica*
589. **Tomanovic,Z., Beyarslan,A., Çetin Erdoğan,Ö. & V.Zikic,** 2008, New records of Aphid parasitoids (Hymenoptera, Braconidae, Aphidiinae) from Turkey. *Period. Biol.* 110 (4): 335-338. **TR 10 11 16 22 25 28 29 37 54 55 57 59 60 69 FAU** *Braconidae Aphidiinae*
590. **Townes,H. & M.Townes,** 1959, Ichneumon-Flies of America North of Mexico: I. Subfamily Metopiinae. *Bull. U. S. natn. Mus.* 216: ix+1-318, figs. **DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG US MX CA TAX MOR FAU KEY ATL** *Ichneumonidae Metopiinae*
591. **Trautmann,W.,** 1927, Die Goldwespen Europas. 194 pp. Uschman, Weimar. **TR TAX MOR FAU** *Chrysididae*
592. **Turner,R.E.,** 1908, Remarks on the hymenopterous genus Tiphia. *Ann. Mag. nat. Hist.* (8) 2: 116-131. **IR Fa TR PK IN TAX MOR FAU** *Tiphiidae Tiphia persica*
593. **Turner,R.E.,** 1911, Notes on fossorial Hymenoptera.-III. *Ann. Mag. nat. Hist.* (8) 7: 297-310. **TR IR AR BO MA MW Mje BR PR PW TAX MOR KEY FAU** *Thynnidae Scoliidae Sapygidae*
594. **Tüzün,A. & S.Yüksel,** 2010, Hymenoptera of Niğde province: Studies on Sphecidae fauna. *Afr. J. Biotechn.* 9 (28): 4466-4477 [with serious errors in text]. **TR 51 FAU** *Sphecidae Crabronidae*
595. **Tüzün,A.,** 2004, Studies on Scoliidae (Insecta, Hymenoptera) fauna of Ankara Province. *F.Ü. Fen Mühend. Bilim. Derg.* 16 (1): 25-29. **TR 06 FAU** *Scoliidae*
596. **Tüzün,A., Bağrıaçık,N., Gülmez,Y. & M.A.Kırpık,** 2000, Studies on Eumenidae of Aegean Region (Insecta, Hymenoptera). *Entomofauna* 21: 197-212 [some new records are incorrect (see Gusenleitner, 2001)]. **TR FAU** *Vespidae Eumeninae Vespoidea*
597. **Tüzün,A., Gülmez,Y. & N.Bağrıaçık,** 1999, Studies on Sphecidae of Aegean Region (Insecta, Hymenoptera). *Entomofauna* 20 (23): 381-388. **TR 09 10 20 35 45 48 FAU MOR KEY MAP** *Sphecidae Crabronidae*
598. **Vecht,J.van der & F.M.A.van Breugel,** 1968, Revision of the nominate subgenus Sceliphron Latreille (Hym., Sphecidae) (Studies on the Sceliphronini, Part I). *Tijdschr. Ent.* 111: 185-255, figs. **AR BO PE BR VE CO PA GT MX US AU Qa PG ID MY PH NA ZA ZW MG MA DZ TN KE TZ ZR ES FR DE AT HU CH PT IT HV AL BG GR TR CY IL Pa IR Cc RU UA JO LY EG AZ AM GG TM TJ KK KG CN Ui MN KP KR JP IN AF PK MM TH TAX MOR FAU ATL GEN KEY MAP DIS** *Sphecidae Sceliphron*
599. **Vereecken,N.J., Schwenninger,H., Gogala,A. & S.P.M.Roberts,** 2009, Mise a jour de la distribution de l'abeille du lierre, *Colletes hederæ* Schmidt & Westrich (Hymenoptera, Colletidae) en Europe. *Osmia* 3: 2-3, figs. **GB BE FR ES Co Sa IT DE CH SS HV GR TR 35 ECO BIO DIS MAP FAU** *Colletidae Colletes*

600. **Vilhelmsen,L.**, 2003, Phylogeny and classification of the Orussidae (Insecta, Hymenoptera), a basal parasitic wasp taxon. Zool. J. Linn. Soc. 139: 337-418, figs. **ZA TR PHY CLA TAX MOR CAT DIS KEY FAU** *Orussidae*
601. **Wahis,R. & C. Schmid-Egger**, 2002, The genus Eoferreola Arnold,1935 in the Palaearctis with description of a new species (Hymenoptera, Pompilidae). Notes faun. Gembloux 46: 39-73. **MA DZ TN FR BG GR HU IT Si KG HV YU SS ES PT UA TR RU IL Pa EG JO LB SY Cc Da AZ IR TM Kp UZ TAX MOR FAU KEY BIB** *Pompilidae Eoferreola*
602. **Wahis,R.**, 2002, Ctenagenia ozbeki sp.n., Pompilide nouveau de Turquie et d'Asie mineure (Hymenoptera, Pompilidae, Pompilinae). Notes faun. Gembloux 49: 115-123, figs. **TR o1 31 33 35 AF PK SY SA GR DZ LY EG SD SO Cr ER ET TAX MOR FAU ATL** *Pompilidae Pompilinae Ctenagenia ozbeki vespiformis*
603. **Wahl,D.**, 1999, Classification and systematics of the Ichneumonidae (Hymenoptera). American Entomological Institute. <http://iris.biosci.ohio-state.edu/catalogs/ichneumonids/index.html> **DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CAT TAX** *Ichneumonidae*
604. **Warncke,K.**, 1965, Beitrag zur Kenntnis der Bienengattung Andrena F. in der Türkei (Hymenoptera, Apoidea). Mitt. münch. ent. Ges. 55: 244-273, 6 Abb. **TR TAX MOR GEN FAU DIS** *Andrenidae Andrena Apoidea*
605. **Warncke,K.**, 1972, Westpalaäarktische Bienen der Unterfamilie Panurginae (Hym., Apidae). Polskie pismo Ent. 42 (1): 53-108. **TR TAX MOR FAU** *Andrenidae Clavipanurgus Panurginae Apoidea*
606. **Warncke,K.**, 1974, Die Sandbienen der Türkei (Hymenoptera, Apoidea, Andrena) Teil A. Mitt. münch. ent. Ges. 64: 81-116. **TR FAU DIS CAT** *Andrenidae Apoidea Andrena*
607. **Warncke,K.**, 1975, Die Sandbienen der Türkei (Hymenoptera, Apoidea, Andrena), Teil B. Mitt. münch. ent. Ges. 65: 29-102, 30 Abb. **TR TAX MOR FAU** *Andrenidae Andrena Apoidea*
608. **Warncke,K.**, 1978, Über die westpalaearktischen Arten der Bienengattung Colletes Latr. (Hymenoptera, Apoidea). Polskie pismo Ent. 48: 329-370. **TR IR Cc TAX MOR FAU** *Apidae Colletinae Colletes*
609. **Warncke,K.**, 1980, Die Bienengattung Anthidium Fabricius,1804 in der Westpalaearktis und im turkestanischen Becken. Entomofauna 1 (10): 119-209, figs. **TR GR SY IL Pa LB IR TM UZ TJ KK KG RU Cc AZ AM TAX MOR FAU KEY GEN** *Megachilidae Anthidium*
610. **Warncke,K.**, 1980, Die Bienengattungen Nomia and Systropha im Iran mit Ergänzungen zu den Nomia-Arten der Westpalaearktis. Linzer biol. Beitr. 12 (2): 363-384. **TR 63 IR TAX MOR FAU** *Halictidae Nomia Systropha*
611. **Warncke,K.**, 1982, Die Holzbienen des Vorderen Orients (Hym., Apidae). Linzer biol. Beitr. 14 (1): 23-37. **TR 30 42 65 70 73 Cc AM AF KK KG CN Ui IR TAX KEY MOR FAU** *Apidae Xylocopa*
612. **Warncke,K.**, 1982, Zur Systematik der Bienen- Die Unterfamilie Nomadinae (Hymenoptera, Apidae). Entomofauna 3 (8): 97-126, figs. **DZ MA TN PT ES FR SS YU HV B-H MK CY TR SY LB GR BG EG IR KK KG UZ TJ TM RU Cc TAX MOR FAU GEN KEY** *Apidae Nomadinae*
613. **Warncke,K.**, 1983, Über die einzige Allodape-Art in de Westpaläarkt, einem Vertreter einer sonst rein tropischen Bienengattung (Hymenoptera, Apidae). NachrBl. bayer. Ent. 32: 77-80, Abb. **IL Pa LB TR 30 31 47 62 65 73 TAX MOR FAU GEN** *Apidae Apoidea Allodape Ceratinini Allodapini*
614. **Warncke,K.**, 1983, Zur Kenntnis der Bienengattung Pasites Jurine,1807 in der Westpaläarkt (Hymenoptera, Apidae, Nomadinae). Entomofauna 4 (21): 26-347, 98 figs. **BG GR Cr CY IL Pa TR EG TJ AF MA DZ TN TM RU Cc AM GG AZ UZ IR Ak Ab TAX MOR FAU KEY** *Apidae Pasites Nomadinae*
615. **Warncke,K.**, 1984, Ergänzungen zur Verbreitung der Bienengattung Halictus Latr. in der Türkei (Hymenoptera, Apidae). Linzer biol. Beitr. 16 (2): 277-318. **TR TAX MOR FAU** *Halictidae Halictus*
616. **Warncke,K.**, 1988, Die Bienengattung Osmia Panzer,1806, ihre Systematik in der Westpaläarkt und ihre Verbreitung in der Türkei, 2. und 3. Die Untergattungen Tergosmia und Exosmia. Entomofauna 9 (20): 389-403, 21 figs. **TR o4 o7 25 30 44 65 73 IR TAX MOR FAU GEN KEY** *Megachilidae Osmia Osmiini Apoidea Apocrita*
617. **Warncke,K.**, 1988, Die Bienengattung Osmia Panzer,1806, ihre Systematik in der Westpaläarkt und ihre Verbreitung in der Türkei, 1. Untergattung Helicosmia Thomson,1872 (Hymenoptera, Apidae). Entomofauna 9 (1): 1-45, 17 figs. **MA DZ TN EG Sn IL Pa TR o1 o2 o4 o5 o6 o7 o9 16 23 24 25 26 27 29 30 31 33 34 36 42 50 47 48 58 62 63 67 73 TAX MOR FAU GEN KEY** *Megachilidae Osmia Osmiini Apoidea Apocrita*
618. **Warncke,K.**, 1990, Die Bienengattung Osmia Panzer,1806, ihre Systematik in der Westpaläarkt und ihre Verbreitung in der Türkei. 4. Die Untergattung Platostmia subgen.nov.

- Entomofauna 11 (28): 481-493, figs. **MA IL Pa TR 07 25 30 33 TAX MOR FAU KEY GEN** *Megachilidae Hoplitis Osmiini Platosmia*
619. **Warncke, K.**, 1991, Die Bienengattung *Osmia* Panzer, 1806, ihre Systematik in der Westpaläarktis und ihre Verbreitung in der Türkei. 5. Die Untergattung *Pentadentoscia* subgen. nov. Entomofauna 12 (2): 13-28, figs. **MA DZ TN EG Sn ES IT IL Pa TR 04 06 14 23 25 30 31 33 36 42 58 63 65 72 Cc TAX MOR FAU KEY GEN** *Megachilidae Hoplitis Osmiini Pentadentoscia*
620. **Warncke, K.**, 1991, Die Bienengattung *Osmia* Panzer 1806, ihre Systematik in der Westpaläarktis und ihre Verbreitung in der Türkei 10. Die Untergattung *Alidamea* Cress. Linzer biol. Beitr. 23 (2): 701-751, 46 Abb. **TR 06 13 14 20 25 27 30 36 40 42 46 51 58 62 63 64 65 70 73 76 IR GR IL Pa ES MA DZ TN JO PK KG TJ TAX MOR FAU** *Megachilidae Alcidamea*
621. **Warncke, K.**, 1991, Die Bienengattung *Bytinskia* Mavr. (Hym., Apidae, Megachilinae). Linzer biol. Beitr. 23 (2): 483-489, Abb. **IL Pa TR 30 TAX MOR FAU** *Megachilidae*
622. **Warncke, K.**, 1991, Die Bienengattung *Osmia* Panzer 1806, ihre Systematik in der Westpalaarktis und ihre Verbreitung in der Türkei 8. Die Untergattung *Cephaloscia* Sladen, 1916. Linzer biol. Beitr. 23 (1): 283-287, 4 Abb. **TR 05 06 16 30 34 36 37 42 50 70 73 TAX MOR FAU** *Megachilidae*
623. **Warncke, K.**, 1991, Die Bienengattung *Osmia* Panzer 1806, ihre Systematik in der Westpalaarktis und ihre Verbreitung in der Türkei 7. Die Untergattung *Foveoscia* nov. Linzer biol. Beitr. 23 (1): 267-281, 24 Abb. **TR GR IL Pa 07 09 13 16 30 31 33 36 38 46 47 48 73 TAX MOR FAU KEY** *Megachilidae*
624. **Warncke, K.**, 1992, Die westpaläarktischen Arten der Bienengattung *Sphecodes* Latr. (Hymenoptera, Apidae, Halictinae). Ber. Naturf. Ges. Augsburg 52: 9-64, figs. maps. **ES UA MA TN FR TR Cc AM GG TJ 09 07 16 13 25 30 36 38 42 63 65 73 76 TAX MOR FAU KEY MAP GEN** *Halictidae Apoidea Halictinae Sphecodes*
625. **Warncke, K.**, 1992, 2. Beitrag zur Systematik und Verbreitung der Bienengattung *Prosopis* F. in der Westpalaarktis (Hym., Apidae). Linzer biol. Beitr. 24 (2): 747-801, figs. **GR TR 02 13 30 33 36 47 51 56 65 73 IQ IR UZ ES EG MA TAX MOR FAU GEN** *Colletidae Apoidea Hylaeus Prosopis*
626. **Warncke, K.**, 1992, Die westpaläarktischen Arten der Bienengattung *Stelis* Panzer, 1806 (Hymenoptera, Apidae, Megachilinae). Entomofauna 13 (22): 341-376, figs. **MA DZ ES FR IT TN DE YU GR BG RU TR 06 09 16 25 30 33 36 42 50 58 61 65 70 73 76 Cc AZ AM Nv Ord IR TM TJ IQ IL Pa SY LB EG TAX MOR FAU GEN** *Megachilidae Stelis*
627. **Warncke, K.**, 1992, Die westpalaarktischen Arten der Bienengattung *Coelioxys* Latr. (Hymenoptera, Apidae, Megachilinae). Ber. Naturf. Ges. Augsburg 53: 31-77, maps, figs. **TR 25 30 36 65 73 KK KG RU IR Cc TAX MOR FAU MAP KEY** *Megachilidae Apoidea Coelioxys*
628. **Weber, F.**, 1801, Observationes Entomologicae. xii + 116 pp. Kiliae. **AR BO PE BR VE CO PA GT MX US AU QAU PG ID MY PH NA ZA ZW MG MA DZ TN KE TZ ZR ES FR DE AT HU CH PT IT HV AL BG GR TR CY IL Pa IR Cc RU UA JO LY EG AZ AM GG TM TJ KK KG CN Ui MN KP KR JP IN AF PK MM TH TAX MOR FAU** *Fulgoridae Penthricodes*
629. **Weiffenbach, H.**, 1967, Tenthredinidenstudien III (Hym., Tenthredinidae). Eine neue *Rhogogaster* aus Kleinasien. NachrBl. bayer. Ent. 16 (3/4): 17-20, 3 Abb. **TR 06 51 TAX MOR FAU ATL** *Tenthredinidae Rhogogaster auctor*
630. **Wenzel, J.W.**, 1998, A generic key to the nests of hornets, yellowjackets, and paper wasps worldwide (Vespidae, Vespinae, Polistinae). Amer. Mus. Novit. 3224: 26 figs. **DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG ECO BIO ATL MOR KEY** *Vespidae Vespoidea Vespinae Polistinae*
631. **Wisniowski, B. & F. Strumia**, 2007, Ruby-tailed wasps (Chrysididae) of Turkey in the collection of the Upper Silesian Museum in Bytom (Poland) (Hymenoptera, Aculeata, Chrysidoidea). Ann. Upp. Silesian Mus. (Ent.) 14-15: 65-83. **TR FAU** *Chrysididae*
632. **Wolf, H.**, 1990, Zur Kenntnis der Wegwespen Gattung *Gonaporus* Ashmead, 1902 und verwandter Gattungen (Hymenoptera, Pompilidae). Linzer biol. Beitr. 22 (2): 619-716. **PT ES MA TN FR Co Sa IT GR CY IL EG TM TR 31 42 63 TAX MOR FAU KEY** *Pompilidae Gonaphorus Microphadnus insperatus pumilus*
633. **Wolf, H.**, 1997, Wegwespen (Hymenoptera, Pompilidae) des Oberösterreichischen Landesmuseums Linz (Austria) aus Jordanien und Syrien I. Linzer biol. Beitr. 29 (2): 831-843, 29 figs. **SY JO TR FAU DIS MOR KEY TAX** *Pompilidae*
634. **Wolf, H.**, 2003, Das bisher unbekannte Männchen von *Microphadnus insperatus* Priesner, 1967 (Hymenoptera, Pompilidae). Linzer biol. Beitr. 35 (1): 669-670. **TR 31 TAX MOR FAU** *Pompilidae Microphadnus insperatus*
635. **Yefremova, Z., Civelek, H.S., Boyadzhiev, P. Dursun, O. & A. Eskin**, 2011, A review of Turkish *Diglyphus* Walker (Hymenoptera, Eulophidae), with description of a new species. Annls Soc. ent. Fr. (n.s.) 47 (3/4): 273-279, figs. **TR TAX MOR FAU KEY** *Eulophidae Diglyphus sensilis*

636. Yu Dicky,S. & K.Horstmann, 1997, A catalogue of world Ichneumonidae. Mem. Amer. Ent. Inst. 58 (1/2): 1-1558. **AR CL BO PE BR VE CO PA GT MX US AU NZ PG ID MY PH NA ZA ZW MG MA DZ TN KE TZ ZR ER ET SO CI CM NG NE SN SL GH GN GA GM ML TD SD ES FR DE AT HU CH PT IT HV AL BG GR TR CY IL IR Cc RU UA JO LY EG AZ AM GG TM TJ KK KG CN Ui MN KP KR JP IN AF PK MM TH LK CAT BIB** *Ichneumonidae*
637. Yurtcan,M. & A.Beyarslan, 2002, The species of Tryphoninae (Hymenoptera, Ichneumonidae) in Turkish Thrace. Turk. J. Zool. 26: 77-95, 32 figs. [an important work for Turkish Ichneumonidae]. **TR 22 34 39 59 FAU MOR KEY** *Ichneumonidae Tryphoninae Phytodietini Netelia Tryphonini*
638. Yurtcan,M. & A.Beyarslan, 2007, Six new Ichneumonidae species from Turkey; with special reference to the rare species Zabrachypus tenuiabdominalis (Uchida,1941) (Hymenoptera, Ichneumonidae). Ent. News 117 (5): 540-544. **TR FAU** *Ichneumonidae*
639. Yurtcan,M., Beyarslan,A. & J.Kolarov, 1999, Investigation on the Ichneumonidae (Hymenoptera) fauna of Turkey V. Diplazontinae and Ichneumoninae. Acta ent. bulg. 1: 34-36. **TR FAU** *Ichneumonidae Diplazontinae Ichneumoninae*
640. Yurtcan,M., Beyarslan,A. & J.Kolarov, 2002, The species of Tryphoninae (Hymenoptera, Ichneumonidae) in Turkish Thrace. Turk. J. Zool. 26: 77-95. **TR 22 39 59 FAU** *Ichneumonidae Tryphoninae*
641. Yıldırım,E. & F.Strumia, 2000, Contribution to the knowledge of Chrysididae fauna of Turkey. Part 1. Cleptinae (Hymenoptera, Chrysididae). Frust. Ent. 23 (36): 161-166. **TR 24 25 36 55 FAU** *Chrysididae Cleptinae*
642. Yıldırım,E. & F.Strumia, 2006, Contribution to the knowledge of Chrysididae fauna of Turkey. Part 3. Chrysidinae (Hymenoptera, Chrysididae). Linzer biol. Beitr. 38 (1): 973-984 [date of publication of 2.contribution of this paper was cited erroneously as "2005" by the authors]. **TR 24 25 36 55 FAU** *Chrysididae Chrysidinae*
643. Yıldırım,E. & F.Strumia, 2006, Contribution to the knowledge of Chrysididae fauna of Turkey. Part 2. Elampinae (Hymenoptera, Chrysididae). Linzer biol. Beitr. 38 (1): 961-972 **TR 06 07 08 11 23 24 25 36 42 51 55 60 69 76 FAU** *Chrysididae Elampinae*
644. Yıldırım,E. & H.Özbek, 1993, Polistinae (Hymenoptera, Vespidae) of Turkey. Türk. ent. derg. 17 (3): 141-156. **TR 24 25 36 65 75 76 FAU MOR KEY BIB** *Vespidae Vespoidea Polistinae*
645. Yıldırım,E. & H.Özbek, 1995, New species of Eumenidae (Hymenoptera, Vespoidea). Türk. ent. derg. 19 (4): 241-246, figs. **TR TAX MOR FAU** *Vespidae Eumeninae Vespoidea*
646. Yıldırım,E. & H.Özbek, 1996, Erzurum ve çevre ille ile diğer bazı yörelerdeki Eumenidae (Hymenoptera, Vespoidea) türleri üzerinde faunistik ve sistematik çalışmalar. Türk. J. Zool. 20 (1): 113-147. **TR 25 FAU KEY MOR DIS** *Vespidae Eumeninae Vespoidea*
647. Yıldırım,E. & H.Özbek, 1996, Eumenidae of Turkey (Hymenoptera, Vespoidea). Türk. J. Zool. 20 (2): 189-209. **TR FAU** *Vespidae Eumeninae Vespoidea*
648. Yıldırım,E. & H.Özbek, 1997, Masaridae (Hymenoptera, Vespoidea) of Turkey. Atatürk Univ. Zir. Fak. Der. 28 (2): 222-226. **TR FAU** *Vespidae Masarinae Vespoidea*
649. Yıldırım,E. & H.Özbek, 1999, Türkiye'nin Vespoidea (Hymenoptera, Aculeata) faunası üzerine bir değerlendirme (yeni kayıtlar ve bazı türler için yeni lokaliteler). Tr. J. Zool. 23 (Ek 2): 591-604. **TR FAU** *Vespidae Vespoidea Eumeninae Vespinae*
650. Yıldırım,E. & J.Gusenleitner, 2001, Sapygidae (Hymenoptera, Aculeata) of Turkey. Linzer biol. Beitr. 33 (2): 671-675. **TR FAU** *Sapygidae*
651. Yıldırım,E. & J.Gusenleitner, 2001, The present situation of the Vespidae-fauna (Hymenoptera, Aculeata) of Turkey. Linzer biol. Beitr. 33 (1): 217-221. **TR FAU** *Vespidae Eumeninae Polistinae Vespinae Masarinae*
652. Yıldırım,E. & J.Gusenleitner, 2012, Contribution to the knowledge of the Vespidae (Hymenoptera, Aculeata) of Turkey, with a checklist of the Turkish species. Turk J Zool. 36 (3): 361-374. **TR FAU** *Vespidae Eumeninae Vespinae Polistinae Vespoidea*
653. Yıldırım,E. & J.Kolarov, 2006, First record of the family Stephanidae (Hymenoptera, Stephanoidea) from Turkey. Linzer biol. Beitr. 38 (2): 1729-1730 [This paper was not listed by Aguiar, Jennings & Turrisi (2010)]. **TR 09 FAU** *Stephanidae Foenatopus turcomanorum*
654. Yıldırım,E. & M.B.Bartalucci, 2009, Tiphidae (Hymenoptera, Aculeata) of Turkey. Linzer Biol. Beitr. 41 (2): 2051-2065, figs. **TR FAU TAX MOR** *Tiphidae*
655. Yıldırım,E. & R.Wahis, 2011, The distribution and biogeography of Pompilidae in Turkey (Hymenoptera, Aculeata). Ent. faun. 63 (1): 23-34. **TR FAU GEO** *Pompilidae*

656. **Yıldırım,E. & T.Ljubomirov**, 2005, Contribution to the knowledge of Sphecidae and Crabronidae (Hymenoptera, Aculeata) fauna of Turkey. Linzer biol. Beitr. 37 (2): 1785-1808. **TR BG FAU Sphecidae Crabronidae**
657. **Yıldırım,E. & T.Ljubomirov**, 2007, Faunistic records on Sphecidae and Crabronidae (Insecta, Hymenoptera) from Turkey with some taxonomical notes. Acta zool. Bulg. 59 (2): 115-124. **TR FAU TAX MOR Sphecidae Crabronidae Ammophila Astata Bembix Cerceris Mimesa Gorytes Podalonia Stizus kohlii ruficornis**
658. **Yıldırım,E.**, 2012, Contribution to the knowledge of the Sphecidae and Crabronidae (Hymenoptera, Aculeata) fauna of Turkey. Ent. faun. 64 (3): 73-82. **TR 01 08 11 25 36 62 69 76 FAU Sphecidae Crabronidae**
659. **Yıldırım,E., Çalmaşur,Ö. & M.Madl**, 2002, Leucospidae of Turkey (Hymenoptera, Chalcidoidea). Linzer biol. Beitr. 34 (2): 1185-1189. **TR 65 76 FAU Leucospidae Leucospis**
660. **Yıldırım,E., Çoruh,S., Kolarov,J. & M.Madl**, 2004, The Gasteruption (Hymenoptera, Gasteruptionidae) of Turkey. Linzer biol. Beitr. 36 (2): 1349-1352. **TR FAU Gasteruptionidae Gasteruption**
661. **Yıldırım,E.M., Civelek,H.S., Çıkman,E., Dursun,O. & A.Eskin**, 2010, Contributions to the Turkish Braconidae (Hymenoptera) fauna with seven new records. Türk. ent. Derg. 34 (1): 29-35. **TR 08 25 48 53 FAU Braconidae**
662. **Yılmaz,T. & A.Beyarslan**, 2009, A new species of Chelostes Van Achterberg,1990 (Hymenoptera, Braconidae, Brachistinae) from Turkey. Biologia 64 (2): 340-342, 8 figs. **TR 05 55 TAX KEY MOR FAU Braconidae Chelostes Brachistinae**
663. **Zanden,G.van der**, 1989, Neue oder wenig bekannte Arten und Unterarten der palaearktischen Megachiliden (Insecta, Hymenoptera, Apoidea, Megachilinae). Ent. Abh. 53 (6): 71-86, 12 figs. **TR FAU TAX MOR Apidae Megachilinae**
664. **Zanden,G.van der**, 1992, Neue Arten der paläarktischen Osmiini (Insecta, Hymenoptera, Apoidea, Megachilidae). Linzer biol. Beitr. 24 (2): 817-827. **TR 13 23 30 50 63 70 IL Pa TAX MOR FAU Megachilidae**
665. **Zerova,M.D. & L.Y. Seryogina**, 2009, A review of Eurytoma pistaciae species group (Hymenoptera, Eurytomidae) with description of two new species. Vestn. zool. 43 (1): 31-38, figs. **RU Us TR 60 UA YE SN TAX MOR KEY FAU GEN ECO BIO Eurytomidae Chalcidoidea Eurytoma**
666. **Zerova,M.D. & L.Y. Seryogina**, 2009, A review of Palaearctic species of the Eurytoma cynipsea Group (Hymenoptera, Eurytomidae) with a description of a new species from Iran. Ent. rev. 89 (6): 721-729 [Zool. Zh. 88 (8): 951-959] **UA TR IR RU TM IL Oa MD Cc FR YU HU Da KG ECO BIO MOR KEY ATL TAX Eurytomidae Eurytoma melikai**
667. **Zettel,H. & A.Beyarslan**, 1992, Über Agathidinae aus der Türkei (Hymenoptera, Braconidae). Entomofauna 13 (5): 121-128, figs. **TR 01 02 07 15 22 23 25 29 31 32 33 39 42 46 55 59 63 FAU Braconidae Agathidinae**
668. **Zonneveld,C.**, 2012, Natural History Photographs. <http://www.corzenneveld.nl/index.php> [last access 31 12 2012] [highly recommended pictorial site for insect fauna of Turkey]. **TR FAU ATL**
669. **Zonstein,I.**, 2007, A review of the species of Microphadnus Cameron in Israel with description of a new species (Hymenoptera, Pompilidae). Israel J. Ent. 37: 245-259, figs. **IL TR TAX MOR FAU ATL KEY Pompilidae Microphadnus**
670. **Zonstein,I.**, 2007, A review of the species of Microphadnus Cameron in Israel with a description of a new species (Hymenoptera, Pompilidae). Israel J. Ent. 37: 245-259, figs. **IL Pa TR TAX MOR FAU ATL GEN KEY Pompilidae Microphadnus**

List of the selected 301 hymenopteran publications of abroad

671. **Achterberg,C.van**, 2012, New name for Rattana van Achterberg,1994 (Braconidae, Hymenoptera). Cent. ent. Stud., Misc. Pap. 157: 1. **ID AU CN TAX NOM Braconidae Rattana Hymenorattana**
672. **Achterberg,C.van**, 1994, Generic revision of the subfamily Cenocoeliinae Szepligeti (Hymenoptera, Braconidae). Zool. Verh. 292: 1-52, figs. **AU PG ID Ij TAX MOR FAU KEY Braconidae Cenocoeliinae Rattana (preoccupied).**
673. **Achterberg,C.van**, 1999, The west palaearctic species of the subfamily Paxylommatinae (Hymenoptera, Ichneumonidae) with special reference to the genus Hybrizon Fallén. Zool.

- Meded. Leiden 73 (2): 11-26, figs. **NL BG AT CZ DE FR IT GB JP ES RU Sb MN SE FI TAX MOR FAU GEN KEY** *Ichneumonidae Paxylommatainae Hybrizon*
674. **Alexander, B.A. & M.Schwarz**, 1994, A Catalog of the species of Nomada (Hymenoptera, Apoidea) of the World. Univ. Kansas Sci. Bull. 55 (7): 239-270. **CAT** *Apoidea Nomada Apoidea*
675. **Alfken, J.D.**, 1923, Eine neue Prosopis-Art aus Palaestina. Konowia 2: 247-248. **IL Pa TAX MOR FAU** *Colletidae Prosopis Hylaeus laevithorax Apoidea*
676. **Alfken, J.D.**, 1936, Neue Prosopis-Arten vom Libanon. Konowia 15: 51-53. **LB TAX MOR FAU** *Colletidae Prosopis Hylaeus Apoidea*
677. **Aliev, H.A.**, 1985, A brief note on the capture of Anthidium superbum in the Khosrov Reserve (Armenia). Vestn. zool. (Kiev) 1985 (3): 88. **AM Cc FAU** *Megachilidae Anthidium superbum Rhodanthidium*
678. **Aliev, H.A.**, 1986, On the fauna of the bee genus Anthidium Fabr. of Azerbaidjan SSR, Caucasus (Hymenoptera, Apoidea, Megachilidae). Spixiana 9 (3): 271-274. **AZ Cc FAU ECO** *Megachilidae Anthidium Apoidea*
679. **Aliyev, A.A.**, 1999, Fauna of the subfamily Ichneumoninae (Hymenoptera, Ichneumonidae) of Azerbaijan with new records. Turk. J. Zool. 23: 1-12 [most of the pages stained unprincipledly on purpose, in order to prevent reading. The same case is also recorded on pages of several articles of Tubitak - a so-called most prominent scientific foundation of Turkey]. **AZ Cc FAU** *Ichneumonidae Ichneumoninae*
680. **Alqarni, A.S., Hannan, M.A., Gonzalez, V.H. & M.S.Engel**, 2012, A new species of Chalicodoma from Saudi Arabia with modified facial setae (Hymenoptera, Megachilidae). ZooKeys 204: 71-83, figs. **SA TAX MOR FAU ATL GEN KEY** *Megachilidae Chalicodoma*
681. **Annecke, D.P. & H.P.Insley**, 1971, Catalogue of Ethiopian Encyrtidae and Aphelinidae. Ent. Mem. Dept. Agric. Techn. Serv. Rep. South Africa 23: 1-53. **ZA TAX MOR FAU CAT** *Encyrtidae Aphelinidae Chalcidoidea*
682. **Annecke, D.P. & H.P.Insley**, 1974, The species of Coccophagus Westwood, 1833 from the Ethiopian Region (Hymenoptera, Aphelinidae). Ent. Mem. Dept. Agric. Techn. Serv. Rep. South Africa 37: 1-62. **ZA TAX MOR FAU** *Aphelinidae Chalcidoidea Coccophagus*
683. **Antropov, A.V.**, 2007, Guichardus, a new Palaearctic genus of digger wasps of the tribe Oxybelini (Hymenoptera, Crabronidae). Ent. rev. 87 (1): 106-115, 5 figs. [Zool. Zh. 86 (2): 211-220] **SA OM IQ Bgd JO TAX MOR FAU KEY GEN MAP** *Crabronidae Guichardus Oxybelini*
684. **Ariana, A., Tadauchi, O. & Shebl, M.A.**, 2009, A revision of the subgenus Osynhyukandrena of the genus Andrena (Hymenoptera, Andrenidae). Esakia 49: 63-70, figs. **KG IR Kh TM GR TAX MOR FAU KEY GEN ATL** *Andrenidae Andrena Andreninae Apoidea*
685. **Arnold, G.**, 1922-1931, The Sphegidae of South Africa Parts I-XV. Ann. transv. Mus. 9 (1922): 101-138; 9 (1923): 143-190, 191-253; 10 (1923): 1-58; 11 (1924): 1-173; 11 (1925): 137-175; 11 (1926): 338-376; 12 (1927): 55-131; 12 (1928): 191-232, 233-279, 338-375; 13 (1929): 217-319, 320-380, 381-418, 14: 135-220, pls. **ZA TAX MOR FAU GEN KEY** *Sphecidae Crabronidae*
686. **Baltazar, C.R.**, 1966, A catalogue of Philippine Hymenoptera. Pacific Ins. Monogr. 8: 1-488 [pp.217-220]. **PH CAT** *Eucharitidae Chalcidoidea*
687. **Beaumont, J.de**, 1961, Ergebnisse der Deutschen Afghanistan Expedition 1956 der Landessammlungen für Naturkunde in Karlsruhe. Sphecidae (Hymenoptera). Beitr. naturk. Forsch. SWDtl. 19 (3): 271-276. **AF MOR FAU** *Sphecidae Crabronidae*
688. **Beaumont, J.de**, 1970, Sphecidae de l'Iran (Hym.). Stuttg. Beitr. Naturk. 220: 1-18, 18 figs. **IR Ss TAX MOR FAU GEN** *Sphecidae Crabronidae*
689. **Benson, R.B.**, 1938, On the classification of sawflies (Hymenoptera, Symphyta). Trans. R. ent. Soc. London 87 (15): 353-384. **CLA TAX MOR** *Argidae Cimbicidae Tenthredinidae Blasticotomidae Cephidae Diprionidae Megalodontesidae Orussidae Siricidae Xiphydriidae Xyelidae Symphyta*
690. **Bequaert, J.**, 1918, A revision of the Vespidae of the Belgian Congo based on the collection of the American Museum Congo expedition, with a list of Ethiopian Diplopterous Wasps. Bull. Amer. Mus. Nat. Hist. 39: 1-384, pls. **AO MG MZ SN SC SD ZR TZ ZA Nta Kzu Tva Lpo SO EG YE JO SY CY ET SA Sk SC TAX MOR KEY FAU CAT ATL** *Vespidae Vespoidea Eumeninae Vespinae*
691. **Bischoff, H.**, 1920-1921, Monographie der Mutilliden Afrikas. Arch. Naturg. 86A (1/3): 1-480; 86A (4): 481-830, Taf.vii. **ZA NA BW MZ MG NA ZM ZW KE TZ UG RW MW BI LR CI GH SN SL GH GA GM SO SD TD EG ZR CG CF AO TAX MOR FAU GEN KEY ATL** *Mutillidae*
692. **Bischoff, H.**, 1928, Beitrag zur Kenntnis der Orussiden (Hym.). Konowia 7: 175-181, 1 Tafel. **Si CR TAX MOR FAU ATL** *Orussidae Symphyta Ophrynopus costaricensis*

693. **Blüthgen,P. & J.Gusenleitner**, 1970, Über Faltenvespen aus dem Iran (Hym., Diptera). Stuttg Beitr. Naturk. 223: 1-13, 4 Abb. **IR Ss TAX MOR FAU GEN Vespidae Vespinae Eumeninae Polistinae Vespoidea**
694. **Blüthgen,P.A.V.**, 1930, Gattung Halictus Latr. [in] Ebner,R., Hymenopteren aus Palaestina und Syrien (Zoologische Studienreise von R.Ebner 1928 mit Unterstützung der Akademie der Wissenschaften in Wien). Sitz. Akad. Wiss. Wien 139: 26. **IL Pa Js Bei LB RO FAU Apidae Halictus**
695. **Blüthgen,P.A.V.**, 1934, Neue turkestanische Halictus-Arten (Hym.,Apidae) II. Konowia 13: 145-159, figs. **CN TM UZ Tas KK TAX MOR FAU Halictidae Apoidea Halictus**
696. **Blüthgen,P.A.V.**, 1961, Ergebnisse der Deutschen Afghanistan Expedition 1956 der Landessammlungen für Naturkunde in Karlsruhe. Diptera und Apoidea (partim) (Hymenoptera). Beitr. naturk. Forsch. SWDtl. 19 (3): 277-287, 1 fig. **AF TAX MOR FAU Vespidae Halictidae Apidae Eumeninae Vespinae Masarinae Vespoidea Apoidea**
697. **Bradley,J.C. & F.Maidl**, 1930, Mutillidae [in] Ebner,R., Hymenopteren aus Palaestina und Syrien (Zoologische Studienreise von R.Ebner 1928 mit Unterstützung der Akademie der Wissenschaften in Wien). Sitz. Akad. Wiss. Wien 139: 22. **IL Pa FAU Mutillidae**
698. **Buck,M., Marshall,S.A. & D.K.B.Cheung**, 2008, Identification atlas of the Vespidae (Hymenoptera, Aculeata) of the northeastern Nearctic Region. Canad. J. Arthr. Ident. 5: 1-492, figs. **CA KEY MOR ATL BIB Vespidae Vespoidea**
699. **Buffington,M. & S. van Noort**, 2009, A revision of Anacharoides Cameron,1904 (Hymenoptera, Figitidae) with a description of a new species. Zookeys 20: 245-274, figs. **ZA ZW RW ZR KE TZ UG CF NG CM ET AO TAX MOR FAU ATL GEN KEY MAP Figitidae Anacharoides**
700. **Buffington,M.L.**, 2010, Order Hymenoptera, family Figitidae [in] Arthropod fauna of the UAE 3: 356-380, figs. **AE TAX MOR FAU ATL GEN KEY Figitidae Aspicerinae Eucoilinae Pycnostigminae**
701. **Bytinski-Salz,H. & J.Gusenleitner**, 1971, The Vespoidea of Israel (Hymenoptera). Israel J. Ent. 6: 239-299. **IL Pa TAX MOR FAU Vespidae Vespoidea**
702. **Carpenter,J.M., Gusenleitner,J. & M.Madl**, 2009, A Catalogue of the Eumeninae (Hymenoptera, Vespidae) of the Ethiopian Region excluding Malagasy Subregion Part I. Introduction, key to genera, genera Aethiopicodynerus Gusenleitner 1997 to Cyrtolabulus Van der Vecht 1969 Linzer biol. Beitr. 41 (1): 513-638, figs. **MA DZ TN LY EG KE ER ET SD SO TZ MZ BW MW ZW ZA ZR ZM CM NG NE TG SN GM ML UG RW NA AO TAX MOR FAU KEY DIS Vespidae Eumeninae**
703. **Carpenter,J.M., Gusenleitner,J. & M.Madl**, 2010, A Catalogue of the Eumeninae (Hymenoptera, Vespidae) of the Ethiopian Region excluding Malagasy Subregion Part II. Genera Delta de Saussure 1885 to Zethus Fabricius 1804 and species incertae sedis. Linzer biol. Beitr. 42 (1): 95-315. **MA DZ TN LY EG KE ER ET SD SO TZ MZ BW MW ZW ZA ZR ZM CM NG NE TG SN GM ML UG RW NA AO TAX MOR FAU KEY DIS Vespidae Eumeninae**
704. **Carpenter,J.M., Gusenleitner,J. & M.Madl**, 2010, A Catalogue of the Eumeninae (Hymenoptera, Vespidae) of the Ethiopian Region excluding Malagasy Subregion Part III. Classification, additions, corrections and index. Linzer biol. Beitr. 42 (2): 919-1004. **MA DZ TN LY EG KE ER ET SD SO TZ MZ BW MW ZW ZA ZR ZM CM NG NE TG SN GM ML UG RW NA AO TAX CLA Vespidae Eumeninae**
705. **Collingwood,C. & H. Heatwole**, 2000, Ants from northwestern China (Hymenoptera, Formicidae). Psyche 103 (1/2): 1-24. **CN Ui FAU ECO DIS Formicidae**
706. **Collingwood,C.A.**, 1961, Ergebnisse der Deutschen Afghanistan Expedition 1956 der Landessammlungen für Naturkunde in Karlsruhe. Formicidae (Hymenoptera). Beitr. naturk. Forsch. SWDtl. 19 (3): 289-290. **AF FAU Formicidae**
707. **Danforth,B.N., Eardley,C., Packer,L., Walker,K., Pauly,A. & F.N.Randrianambinitsoa**, 2008, Phylogeny of Halictidae with an emphasis on endemic African Halictinae. Apidologie 39: 86-101, figs. **US PE CL AT ES MG PA BR AU FR ZA VN CA IL Pa TAX EVO GEO PHI CLA MOR BIB Halictidae Halictinae**
708. **Dollfuss,H.**, 1993, Six new species of the genus Pemphredon Latreille (Hymenoptera, Sphecidae). Linzer biol. Beitr. 25 (2): 695-707, 33 figs. **CA US LA Ch IN TAX GEN MOR FAU Sphecidae Pemphredon**
709. **Doğanlar,M.**, 1992, A new species of Aprostocetus Westwood,1833 from Iran (Hymenoptera, Eulophidae, Tetrastichinae). Entomofauna 13 (31): 528-535, figs. **IR Ak Tbz FAU TAX MOR Eulophidae Aprostocetus beyazus Tetrastichinae**

710. **Dvorak,L.**, 2005, *Polistes associus* Kohl,1898 - a new species of paper wasp for Slovakia (Hymenoptera, Vespidae). Linzer biol. Beitr. 37 (1): 319-320. **SK FAU** *Vespidae Polistinae Polistes associus Vespoidea*
711. **Eardley,C. & R.Urban**, 2010, Catalogue Afrotropical bees (Hymenoptera, Apoidea, Apiformes). Zootaxa 2455: 1-548. **ZA NA BW MZ MG NA ZM ZW KE TZ UG RW MW BI LR CI GH SN SL GH GA GM SO SD TD EG ZR CG CF AO TAX BIB DIS CAT** *Apidae Colletidae Andrenidae Melittidae Halictidae Megachilidae*
712. **Ebmer,P.A.W.**, 1976, Neue westpaläarktische Halictidae (Dufoureae, Apoidea), Teil IV. Linzer biol. Beitr. 8 (1): 179-203. **TN GR TAX MOR GEN FAU** *Halictidae Dufoureae Apoidea*
713. **Ebmer,P.A.W.**, 1976, Halictus und Lasioglossum aus Marokko. Linzer biol. Beitr. 8 (1): 205-266, 59 Abb. **MA TAX ECO MAP MOR GEN FAU** *Halictidae Halictus Lasioglossum Apoidea*
714. **Ebrahimi,E. & J.M.Carpenter**, 2008, Catalog of the vespid wasps of Iran (Hymenoptera, Vespidae). Zootaxa 1785: 1-42, figs. **IR FAU GEN KEY MOR** *Vespidae Vespoidea Vespinae Polistinae Eumeninae Masarinae*
715. **Eid,E., Katbeh-Bader,A., Al-Otoom,M. & Y.Othman**, 2009, Contribution to the Entomofauna of Dibeen Forest Reserve in Jordan. Cesa News 49: 19-41, 6 figs. **JO FAU** *Libellulidae Acrididae Gryllidae Tettigoniidae Empusidae Mantidae Blattellidae Forficulidae Coreidae Cydnidae Lygaeidae Pentatomidae Reduviidae Rhopalidae Scutellaridae Chrysopidae Hemerobiidae Carabidae Cerambycidae Coccinellidae Elateridae Scarabaeidae*
716. **Enslin,E.**, 1910, Systematische Bearbeitung der palaarktischen Arten des Genus *Rhogogaster* Knw. (Hym.). Dt. ent. Z. 54: 28-38. **TAX MOR FAU** *Tenthredinidae Rhogogaster*
717. **Fallahzadeh,M. & Z.Saghaei**, 2010, A brief study on the Scoliidae in Iran (Insecta, Hymenoptera). Munis ent. Zool. 5 (2): 792-795. **IR FAU** *Scoliidae*
718. **Fallahzadeh,M., Narendran,T.C. & N.Saghaei**, 2009, Insecta, Hymenoptera, Chalcidoidea, Eurytomidae and Torymidae in Iran. Checklist 5 (4): 830-839. **IR FAU** *Eurytomidae Torymidae Chalcidoidea*
719. **Fallahzadeh,M., Shojaei,M., Ostovan,H. & K.Kamali**, 2009, Notes on some Encyrtidae (Hymenoptera, Chalcidoidea) from Iran. J. ent. Soc. Iran 28 (2): 81-84. **IR ECO FAU** *Encyrtidae Chalcidoidea*
720. **Finzi,B.**, 1930, Formicidae in Ebner,R., Hymenopteren aus Palaestina und Syrien (Zoologische Studienreise von R.Ebner 1928 mit Unterstützung der Akademie der Wissenschaften in Wien). Sitz. Akad. Wiss. Wien 139: 22-24. **IL Pa SY LB Bei GR EG RO FAU TAX MOR** *Formicidae*
721. **Fischer,M.**, 1957, Neue palaarktische Meteorus-Arten (Hym., Braconidae). Annln. naturh. Mus. Wien 61: 104-109, 2 Abb. [all here described taxa were synonymized] **MK IQ Mos IT TAX MOR FAU** *Braconidae Euphorinae Meteorus*
722. **Fischer,M.**, 1971, Die äthiopischen Opius-Arten der Sektion A, aufgeteilt auf die Untergattungen (Hymenoptera, Braconidae, Opiinae). Annln naturh. Mus. Wien 75: 387-433, 32 Taxtabb. **KE UG ZA Tva Lpo ... TAX MOR FAU ATL KEY** *Braconidae Opius*
723. **Fischer,M.**, 1972, Eine neue Habrobracon-Art aus dem Iran (Hymenoptera, Braconidae). Entomophaga 17 (1): 89-91, 4 Abb. **IR TAX MOR FAU** *Braconidae Habrobracon iranicus*
724. **Forbes,H.O. (ed.)**, 1903, The natural history of Sokotra and Abd-e-kuri. xlvii+598 pp., Pls. Liverpool. **Sk TAX MOR FAU ATL GEO MAP**
725. **Friese,H.**, 1899, Neue Schmarotzerbienen (Palaarktisches Gebiet). Ent. Nachr. 25: 283-286. **EG IL Pa SY DZ TAX MOR FAU** *Apidae Dioxys Nomada Stelis Ammobates*
726. **Friese,H.**, 1915, Zur Bienenfauna von Abessinien (Hym.). Dt. ent. Z. 1915: 265-298. **ET ZA Tva TAX MOR FAU** *Colletidae Andrenidae Melittidae Megachilidae Apidae Apoidea Apocrita*
727. **Gentry,J.W.**, 1965, Crop insects of Northeast Africa- Southwest Asia. Agricultural Handbook no.273. 214 pp. Washington D.C. **ECO BIO DIS**
728. **Ghahari,H. & P.N.Buhl**, 2011, Check-list of Iranian Platygastriidae (Hymenoptera, Platygastroidea). Entomofauna 32 (22): 329-336. **IR FAU** *Platygastriidae*
729. **Gogala,A.**, 2011, Bee fauna of Slovenia: Checklist of species (Hymenoptera, Apoidea). <http://www2.pms-lj.si/andrej/apoidea.htm> [access on 5 August,2011] **SS ATL ECO BIO MAP** *Colletidae Andrenidae Melittidae Megachilidae Apidae Apoidea Apocrita*
730. **Gonzalez,V.H., Engel,M.S. & I.A.Hinojosa-Diaz**, 2010, A new species of Megachile from Pakistan, with taxonomic notes on the subgenus Eutricharaea (Hymenoptera, Megachilidae). J. Kansas ent. Soc. 83 (1): 58-67, figs. **PK Pj Lh TAX MOR FAU ATL GEN** *Megachilidae Megachile Eutricharaea*
731. **Grünwaldt,R.W.**, 1976, Eine Andrena-Ausbeute aus Marokko. Linzer biol. Beitr. 8 (1): 267-288. **MA TAX MOR FAU MAP** *Apidae Andrenidae Andreninae Andrena Apoidea*

732. **Guichard, K.M.**, 1991, Sphecidae (Hymenoptera) from Jordan including a new species of *Crabro*. Linzer biol. Beitr. 23 (1): 337-343 figs. **JO Amm FAU TAX MOR Crabronidae Sphecidae Crabro jordanicus**
733. **Gusenleitner, F. & M. Schwarz**, 2002, Weltweite Checkliste der Bienengattung *Andrena* mit Anmerkungen und Ergänzungen zu paläarktischen Arten (Hymenoptera, Apidae, Andreninae, *Andrena*). Entomofauna (suppl.) 12: 1-1280. **US MX GB NO SE FI DK DE BE NL FR ES PT CH AT IT Cn MA DZ TN LY EG ET KE NA BW ZA IL Pa LB YU HV SS MK AL BG GR RO UA RU SY IR KG UZ TJ KK Ui CN Mc Yu PK IN Ch NP JP TAX CAT FAU Apidae Andrenidae Apoidea Andreninae Andrena**
734. **Gusenleitner, J.**, 1973, Beiträge zur Kenntnis der Fauna Afghanistans (Vespoidea, Hymenoptera). Acta Mus. Moraviae 56/57: 315-334. **AF FAU Vespidae Vespoidea**
735. **Gusenleitner, J.**, 1977, Über Faltenwespen aus Marokko (Hym., Diptoptera). Linzer biol. Beitr. 9: 131-161. **MA TAX MOR FAU Vespidae Vespinae Eumeninae Masarinae Vespoidea**
736. **Gusenleitner, J.**, 1986, Drei neue Alastor-Arten aus dem Iran (Hymenoptera, Eumenidae). Entomofauna 7: 29-39. **IR TAX MOR FAU Vespidae Eumeninae Alastor Vespoidea**
737. **Gusenleitner, J.**, 1990, Neue Eumeniden aus Nordafrika und dem Nahen Osten (Hymenoptera, Vespoidea, Eumenidae). Linzer biol. Beitr. 22 (1): 193-211, 11 Abb. **MA TN IL Pa JO TAX MOR FAU Vespidae Eumeninae Vespoidea**
738. **Gusenleitner, J.**, 1991, Neue Eumeniden-Arten aus Saudi-Arabien und Jordanien (Vespoidea, Hymenoptera). Linzer biol. Beitr. 23 (1): 297-305, 5 Abb. **SA JO TAX MOR FAU Vespidae Eumeninae Vespoidea**
739. **Gusenleitner, J.**, 1991, Über Vespoidea (Hymenoptera) aus der Mongolei und der Sowjetunion. Linzer biol. Beitr. 23 (2): 631-641. **MN RU FAU Vespidae Eumeninae Vespoidea**
740. **Gusenleitner, J.**, 1993, Eine neue *Ancistrocerus*-Art aus Tunesien (Hymenoptera, Vespoidea, Eumenidae). Linzer biol. Beitr. 25 (2): 673-676. **TN TAX MOR FAU Vespidae Ancistrocerus Eumeninae Vespoidea**
741. **Gusenleitner, J.**, 2000, Beitrag zur Kenntnis der Gattung *Micreumenes* Ashmead 1902 (Hymenoptera, Vespoidea, Eumenidae). Linzer biol. Beitr. 32 (1): 3-18, 16 Abb. **KE ZW TAX MOR FAU Vespidae Eumeninae Vespoidea Micreumenes**
742. **Gusenleitner, J.**, 2001, Über Eumeniden-Arten aus Jordanien (Hymenoptera, Vespoidea, Eumenidae). Linzer biol. Beitr. 33 (1): 233-238. **JO FAU Vespidae Eumeninae Vespoidea**
743. **Gusenleitner, J.**, 2004, Faltenvespen aus dem Oman (Hymenoptera, Vespidae, Eumenidae, Masaridae). Linzer biol. Beitr. 36 (1): 151-158. **OM TAX MOR FAU Vespidae Vespinae Eumeninae Masarinae Vespoidea**
744. **Gusenleitner, J.**, 2005, Faltenvespen aus dem Oman Teil 2 (Hymenoptera, Vespidae, Eumenidae, Masaridae). Linzer biol. Beitr. 37 (2): 1199-1201. **OM TAX MOR FAU Vespidae Vespinae Eumeninae Masarinae Vespoidea**
745. **Gusenleitner, J.**, 2006, Eine neue *Eumenes*-Art aus dem Iran (Hymenoptera, Vespidae, Eumenidae). Linzer biol. Beitr. 38 (2): 1361-1363. **IR TAX MOR FAU Vespidae Eumeninae Eumenes Vespoidea**
746. **Gusenleitner, J.**, 2006, Über Eumeninae aufgesammelt in Pakistan (Hymenoptera, Vespidae). Linzer biol. Beitr. 38 (2): 1295-1305. **PK FAU Vespidae Eumeninae Vespoidea**
747. **Gusenleitner, J.**, 2007, Über Vespidae aus Pakistan (Hymenoptera, Vespidae). Linzer biol. Beitr. 39 (2): 969-972. **PK FAU Vespidae Vespinae Vespoidea**
748. **Haddad, N.J., Dvorak, L. Adwan, O., Mnadat, H. & A. Bataynah**, 2007, New data on Vespidae wasp fauna of Jordan (Hymenoptera, Vespidae). Linzer biol. Beitr. 39 (1): 137-142. **JO FAU Vespidae Vespoidea**
749. **Haeselbarth, E.**, 1974, Zehn neue *Blacus*-Arten aus Südafrika (Hym., Braconidae). Mitt. münch. ent. Ges. 64: 62-80, figs. **ZA Tva Lpo Spb TAX MOR FAU Braconidae Blacus**
750. **Harten, A.v. (ed.)**, 2008, Arthropod fauna of the UAE 1: 1-754, figs. **AE TAX MOR FAU ATL KEY GEN DIS Rhinophoridae Calliphoridae Muscidae Sphaeroceridae Heleomyzidae Canacidae Anthomyzidae Sepsidae Tephritidae Conopidae Phoridae Mydidae Cicadidae Histeridae Elateridae Melyridae Coccinellidae Tenebrionidae Cerambycidae Chrysomelidae Chrysodidae Scolidae**
751. **Harten, A.v. (ed.)**, 2009, Arthropod fauna of the UAE 2: 1-786, figs. **AE TAX MOR FAU ATL KEY GEN DIS Oestridae Scathophagidae Hippoboscidae Trixosceliidae Empididae Scenopinidae Mythicomidae Nemestrinidae Psychodidae Bibionidae Chironomidae Apidae Myrmaridae Gasteruptionidae Carabidae Helophoridae Georissidae Dryopidae Elmidae Drilidae Dermestidae Meloidae**
752. **Harten, A.v. (ed.)**, 2010, Arthropod fauna of the UAE 3: 1-700, figs. **AE TAX MOR FAU ATL KEY GEN DIS Tachinidae Drosophilidae Canacidae Ulidiidae Mydidae Rhagionidae Cecidomyidae Halictidae Sapygidae Mutillidae Vespidae Bethyridae Hydrophilidae Histeridae Hydraenidae Leiodidae Bostrichidae Cleridae Tenebrionidae Cerambycidae Stephanidae Braconidae**

753. **Harten,A.v. (ed.)**, 2011, Arthropod fauna of the UAE 4: 1-816, figs. **AE TAX MOR FAU ATL KEY GEN DIS** *Chloropidae Odiniidae Tephritidae Diopsidae Empididae Asilidae Limoniidae Apidae Crabronidae Sphecidae Formicidae Braconidae Chrysomelidae Ascalaphidae Nemopteridae Issidae Gyrinidae Dytiscidae Carabidae Staphylinidae Buprestidae Nitidulidae Corixidae*
754. **Hedwig,K.**, 1961, Ergebnisse der Deutschen Afghanistan Expedition 1956 der Landessammlungen für Naturkunde in Karlsruhe. Ichneumonidae, Braconidae (Hymenoptera). Beitr. naturk. Forsch. SWDtl. 19 (3): 291-298 2 figs. **AF TAX MOR FAU** *Ichneumonidae Braconidae*
755. **Heraty,J.M.**, 1992, Revision of the genera Gollumiella Hedqvist and Anorasema Boucek (Hymenoptera, Eucharitidae). Invertebr. Taxon. 6: 583-604, 41 figs. **CN Hn IN NP JP LA SG AU MY Bor PH VN TH ID PG KEY PHY TAX MOR FAU GEN BIB** *Eucharitidae Chalcidoidea Gollumiella Anorasema*
756. **Hill,D.S.**, 1967, Figs (Ficus spp.) and fig-wasps (Chalcidoidea). J. Nat. Hist. 1: 413-434, figs. **TAX MOR FAU ECO BIO** *Agaonidae Torymidae Eurytomidae Ormyridae Eulophidae Chalcidoidea*
757. **Jeong,J.-C. & J.-W.Lee**, 2006, Taxonomy of Listrodromini (Hymenoptera, Ichneumonidae, Ichneumoninae) from Korea. Ent. Res. 36: 127-132, figs. **KP KR RU TAX MOR FAU ATL GEN** *Ichneumonidae Listrodromini*
758. **Kamal,M.**, 1937, Brachymeria femorata Panz. (Hymenoptera, Chalcididae) a primary parasite of the cabbage worm Pieris rapae L. Bull. Soc. R. ent. Egypte 1937: 5-12, 6 pls. **EG ECO BIO ATL GEN** *Chalcididae Chalcidoidea Brachymeria*
759. **Karimpour,Y., Tavakoli,M. & G.Melika**, 2008, New species of herb gallwasps from the Middle East (Hymenoptera, Cynipidae, Aylacini). Zootaxa 1854: 16-32, figs. **IR Ak Ab IL Pa FAU ECO BIO BIB ATL** *Cynipidae Aylacini*
760. **Kazenas,V.L.**, 2000, New synonyms in Central and South Asian Sphecidae (Hymenoptera). J. Hym. Res. 9 (1): 48-52. **TM PK IN UZ TJ KG MN TAX NOM** *Sphecidae Crabronidae Cerceris Ammophila Palarus Philanthus Laphyragogus*
761. **Kemal,M.**, 2010, Gürcistan Gezisinden Doğa Gözlemleri. 45s. 31 Levha. <http://www.archive.org/details/TravelGeorgia> http://avam.vyu.edu.tr/metinler/MuhabbetKemal_GürcistanGezisi.pdf [access 20.3.2011]. **GG Cc FAU ECO ATL** *Ricaniidae Cicadellidae Pyrrhocoridae Coccinellidae Lygaeidae Curculionidae Tettigoniidae Acrididae Gryllidae Platynemidae Libellulidae Apidae Vespidae Syrphidae Tachinidae Calliphoridae Asilidae Pentatomidae Coreidae Dermestidae Psychodidae*
762. **Kenari,A.N., Iranipour,S., Ebrahimi,E., Barari,H. & R.Wahis**, 2010, Spider wasps (Hymenoptera, Pompilidae) from North of Iran, Mazandaran. Entomofauna 31 (9): 85-96. **IR Elb Mz FAU** *Pompilidae*
763. **Khaghaninia,S., Güler,Y. & M.Mousavi**, 2010, Megachilids bees (Hymenoptera, Apoidea) of Aynali Forests with four new records for Iran. Mun. Ent. Zool. 5 (suppl.): 890-895, map. **IR Ab FAU** *Megachilidae*
764. **Kolarov,J. & H.Ghahari**, 2005, A Catalogue of Ichneumonidae (Hymenoptera) from Iran. Linzer biol. Beitr. 37 (1): 503-532. **IR CAT DIS FAU BIB** *Ichneumonidae*
765. **Kolarov,J. & H.Ghahari**, 2008, A study of the Iranian Ichneumonidae (Hymenoptera) III. Ichneumoninae. Acta ent. serb. 13 (1/2): 61-76. **IR FAU** *Ichneumonidae Ichneumoninae*
766. **Konow,F.W.**, 1904, Neue paläarktische Chalastogastra. Z. syst. Hym.- Dipt. 4: 226-231, 260-270. **ES RU Sb Cc AM TAX MOR FAU** *Tenthredinidae Megalodontesidae Megalodontes Symphyta*
767. **Konow,W.**, 1894, Neue europäische Blattwespen nebst Bemerkungen über einige bisher verkannte Arten. Wien. ent. Ztg. 13: 84-96. **ES HV Cc RU IT DE DZ TAX KEY MOR FAU** *Tenthredinidae Symphyta Cephus Amasis Priophorus Scolioneura Fenusa Selandria Emphytus Dolerus Tenthredopsis Macrophyta Allantus*
768. **Konow,W.**, 1895, Neue palaeartische Blattwespen. Wien ent. Ztg. 14: 71-78. **DZ ES DE AT TAX MOR FAU** *Argidae Tenthredinidae Symphyta Tomostethus Blennocampa Poecilosoma Dolerus Allantus Abia Arge Schizocera*
769. **Koçak,A.Ö. & M.Kemal**, 2008, Nomenclatural notes on the genus group names in the order Hymenoptera (Chalcidoidea). Cent. ent. Stud., Misc. Pap. 143: 3-7. **PG ID Clb CN Hn AU QAU CA US Cf CZ MX AR VE IN Up TAX NOM** *Agaonidae Chalcididae Pteromalidae Encyrtidae Eucharidae Eulophidae Chalcidoidea*
770. **Koçak,A.Ö. & M.Kemal**, 2008, Scientific note 2. On the nomenclature of the name Neotrimorus in India (Scelionidae) (Hymenoptera). Cent. ent. Stud., Misc. Pap. 143: 7. **IN TAX NOM** *Scelionidae*
771. **Koçak,A.Ö. & M.Kemal**, 2008, Nomenclatural notes on the genus-group names in the families Braconidae and Ichneumonidae (Hymenoptera). Cent. ent. Stud., Misc. Pap. 144: 6. **CO AR CL EC PE MG TAX NOM** *Braconidae Ichneumonidae*

772. **Koçak,A.Ö. & M.Kemal**, 2008, Nomenclatural notes on the genus group names of the families Pompilidae and Sphecidae (Hymenoptera). Cent. ent. Stud., Misc. Pap. 145: 6-7. **PG TW TAX NOM** *Pompilidae Sphecidae*
773. **Koçak,A.Ö. & M.Kemal**, 2009, Replacement names in the family Ichneumonidae (Hymenoptera). Cent. ent. Stud., Misc. Pap. 147-148: 3-4. **ZA AM Cc US TAX NOM** *Ichneumonidae*
774. **Koçak,A.Ö. & M.Kemal**, 2009, A replacement name in the family Stephanidae (Hymenoptera). Cent. ent. Stud., Misc. Pap. 147-148: 7-8. **PE PA VE CO BR GY SR CR TAX NOM** *Stephanidae*
775. **Koçak,A.Ö. & M.Kemal**, 2009, Further replacement names in the family Ichneumonidae (Hymenoptera). Cent. ent. Stud., Misc. Pap. 147-148: 12-13. **IN MM TAX NOM** *Ichneumonidae*
776. **Koçak,A.Ö. & M.Kemal**, 2009, A replacement name in the family Braconidae (Hymenoptera). Cent. ent. Stud., Misc. Pap. 147-148: 14. **ZA RW TAX NOM** *Braconidae*
777. **Koçak,A.Ö. & M.Kemal**, 2009, On the nomenclature of a pre-occupied generic name in the family Ichneumonidae (Hymenoptera). Cent. ent. Stud., Misc. Pap. 150: 1 **RU TAX NOM** *Ichneumonidae*
778. **Koçak,A.Ö. & M.Kemal**, 2009, On the nomenclature of a pre-occupied generic name in the family Braconidae from Zaire (Hymenoptera). Cent. ent. Stud., Misc. Pap. 150: 2. **ZR TAX NOM** *Braconidae*
779. **Koçak,A.Ö. & M.Kemal**, 2010, Generic replacement names in the family Megachilidae (Hymenoptera). Priamus 12 (5): 127-128. **ZR MA TN IL Pa Cn NOM TAX** *Megachilidae*
780. **Koçak,A.Ö. & M.Kemal**, 2010, Nomenclatural notes on some genus group names of the order Hymenoptera Cent. ent. Stud., Misc. Pap. 151: 3-4. **AU CA US TAX NOM** *Vespidae Eulophidae Eumeninae Vespoidea Chalcidoidea*
781. **Koçak,A.Ö. & M.Kemal**, 2010, Pterygot insects of Afghanistan. A tentative synonymic list of the species known in Afghanistan (Results of the entomofauna of the world based upon infosystem of the Cesa). Priamus (suppl.) 19: 1-98. **AF FAU DIS**
782. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Egypt (Results of the Entomofauna of the World based upon info-system of the Cesa) - 42. Cent. ent. Stud., Priamus (Suppl.) 18: 1870-1896. **EG FAU**
783. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Ethiopia (Results of the Entomofauna of the World based upon info-system of the Cesa) - 43. Cent. ent. Stud., Priamus (Suppl.) 18: 1897-1905. **ET FAU**
784. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Gabon (Results of the Entomofauna of the World based upon info-system of the Cesa) - 44. Cent. ent. Stud., Priamus (Suppl.) 18: 1906-1908. **GA FAU**
785. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Ivory Coast (Results of the Entomofauna of the World based upon info-system of the Cesa) - 45. Cent. ent. Stud., Priamus (Suppl.) 18: 1909-1912. **CI FAU**
786. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Kenya (Results of the Entomofauna of the World based upon info-system of the Cesa) - 46. Cent. ent. Stud., Priamus (Suppl.) 18: 1913-1923. **KE FAU**
787. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Libya (Results of the Entomofauna of the World based upon info-system of the Cesa) - 47. Cent. ent. Stud., Priamus (Suppl.) 18: 1924-1935. **LY FAU**
788. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Madagascar (Results of the Entomofauna of the World based upon info-system of the Cesa) - 48. Cent. ent. Stud., Priamus (Suppl.) 18: 1936-1941. **MG FAU**
789. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Malawi (Results of the Entomofauna of the World based upon info-system of the Cesa) - 49. Cent. ent. Stud., Priamus (Suppl.) 18: 1942-1945. **MW FAU**
790. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Morocco (Results of the Entomofauna of the World based upon info-system of the Cesa) - 50. Cent. ent. Stud., Priamus (Suppl.) 18: 1946-1979. **MA FAU**
791. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Mozambique (Results of the Entomofauna of the World based upon info-system of the Cesa) - 51. Cent. ent. Stud., Priamus (Suppl.) 18: 1980-1984. **MZ FAU**

792. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Namibia (Results of the Entomofauna of the World based upon info-system of the Cesa) - 52. Cent. ent. Stud., Priamus (Suppl.) 18: 1985-1991. **NA FAU**
793. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Nigeria (Results of the Entomofauna of the World based upon info-system of the Cesa) - 53. Cent. ent. Stud., Priamus (Suppl.) 18: 1992-1997. **NG FAU**
794. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Rwanda (Results of the Entomofauna of the World based upon info-system of the Cesa) - 54. Cent. ent. Stud., Priamus (Suppl.) 18: 1998-2000. **RW FAU**
795. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Senegal (Results of the Entomofauna of the World based upon info-system of the Cesa) - 55. Cent. ent. Stud., Priamus (Suppl.) 18: 2001-2006. **SN FAU**
796. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Somalia (Results of the Entomofauna of the World based upon info-system of the Cesa) - 56. Cent. ent. Stud., Priamus (Suppl.) 18: 2007-2012. **SO FAU**
797. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of South Africa (Results of the Entomofauna of the World based upon info-system of the Cesa) - 57. Cent. ent. Stud., Priamus (Suppl.) 18: 2013-2036. **ZA FAU**
798. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Sudan (Results of the Entomofauna of the World based upon info-system of the Cesa) - 58. Cent. ent. Stud., Priamus (Suppl.) 18: 2037-2043. **SD FAU**
799. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Tanzania (Results of the Entomofauna of the World based upon info-system of the Cesa) - 59. Cent. ent. Stud., Priamus (Suppl.) 18: 2044-2055. **TZ FAU**
800. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Tunis (Results of the Entomofauna of the World based upon info-system of the Cesa) - 60. Cent. ent. Stud., Priamus (Suppl.) 18: 2056-2083. **TN FAU**
801. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Uganda (Results of the Entomofauna of the World based upon info-system of the Cesa) - 61. Cent. ent. Stud., Priamus (Suppl.) 18: 2084-2090. **UG FAU**
802. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Zaire (Results of the Entomofauna of the World based upon info-system of the Cesa) - 62. Cent. ent. Stud., Priamus (Suppl.) 18: 2091-2104. **ZR FAU**
803. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Zambia (Results of the Entomofauna of the World based upon info-system of the Cesa) - 63. Cent. ent. Stud., Priamus (Suppl.) 18: 2105-2108. **ZM FAU**
804. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Zimbabwe (Results of the Entomofauna of the World based upon info-system of the Cesa) - 64. Cent. ent. Stud., Priamus (Suppl.) 18: 2109-2115. **ZW FAU**
805. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Austria (Results of the Entomofauna of the World based upon info-system of the Cesa) - 65. Cent. ent. Stud., Priamus (Suppl.) 18: 2116-2171. **AT FAU**
806. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Bulgaria (Results of the Entomofauna of the World based upon info-system of the Cesa) - 66. Cent. ent. Stud., Priamus (Suppl.) 18: 2172-2233. **BG FAU**
807. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Creta (Results of the Entomofauna of the World based upon info-system of the Cesa) - 67. Cent. ent. Stud., Priamus (Suppl.) 18: 2234-2244. **Cr FAU**
808. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of France (Results of the Entomofauna of the World based upon info-system of the Cesa) - 68. Cent. ent. Stud., Priamus (Suppl.) 18: 2245-2319. **FR FAU**
809. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Germany (Results of the Entomofauna of the World based upon info-system of the Cesa) - 69. Cent. ent. Stud., Priamus (Suppl.) 18: 2320-2378. **DE FAU**
810. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Greece (Results of the Entomofauna of the World based upon info-system of the Cesa) - 70. Cent. ent. Stud., Priamus (Suppl.) 18: 2379-2454. **GR FAU**

811. **Koçak, A.Ö. & M. Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Hungary (Results of the Entomofauna of the World based upon info-system of the Cesa) - 71. Cent. ent. Stud., Priamus (Suppl.) 18: 2455-2513. **HU FAU**
812. **Koçak, A.Ö. & M. Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Italy (Results of the Entomofauna of the World based upon info-system of the Cesa) - 72. Cent. ent. Stud., Priamus (Suppl.) 18: 2514-2600. **IT FAU**
813. **Koçak, A.Ö. & M. Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Macedonia (Results of the Entomofauna of the World based upon info-system of the Cesa) - 73. Cent. ent. Stud., Priamus (Suppl.) 18: 2601-2621. **MK FAU**
814. **Koçak, A.Ö. & M. Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Romania (Results of the Entomofauna of the World based upon info-system of the Cesa) - 74. Cent. ent. Stud., Priamus (Suppl.) 18: 2622-2676. **RO FAU**
815. **Koçak, A.Ö. & M. Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Spain (Results of the Entomofauna of the World based upon info-system of the Cesa) - 75. Cent. ent. Stud., Priamus (Suppl.) 18: 2677-2743. **ES FAU**
816. **Koçak, A.Ö. & M. Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Sweden (Results of the Entomofauna of the World based upon info-system of the Cesa) - 76. Cent. ent. Stud., Priamus (Suppl.) 18: 2744-2777. **SE FAU**
817. **Koçak, A.Ö. & M. Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Ukraine (Results of the Entomofauna of the World based upon info-system of the Cesa) - 77. Cent. ent. Stud., Priamus (Suppl.) 18: 2778-2834. **UA FAU**
818. **Koçak, A.Ö. & M. Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Argentina (Results of the Entomofauna of the World based upon info-system of the Cesa) - 78. Cent. ent. Stud., Priamus (Suppl.) 18: 2835-2837. **AR FAU**
819. **Koçak, A.Ö. & M. Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Brazil (Results of the Entomofauna of the World based upon info-system of the Cesa) - 79. Cent. ent. Stud., Priamus (Suppl.) 18: 2838-2848. **BR FAU**
820. **Koçak, A.Ö. & M. Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Chile (Results of the Entomofauna of the World based upon info-system of the Cesa) - 80. Cent. ent. Stud., Priamus (Suppl.) 18: 2846-2848. **CL FAU**
821. **Koçak, A.Ö. & M. Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Colombia (Results of the Entomofauna of the World based upon info-system of the Cesa) - 81. Cent. ent. Stud., Priamus (Suppl.) 18: 2849-2852. **CO FAU**
822. **Koçak, A.Ö. & M. Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Costa Rica (Results of the Entomofauna of the World based upon info-system of the Cesa) - 82. Cent. ent. Stud., Priamus (Suppl.) 18: 2853-2855. **CR FAU**
823. **Koçak, A.Ö. & M. Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Mexico (Results of the Entomofauna of the World based upon info-system of the Cesa) - 83. Cent. ent. Stud., Priamus (Suppl.) 18: 2856-2862. **MX FAU**
824. **Koçak, A.Ö. & M. Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Peru (Results of the Entomofauna of the World based upon info-system of the Cesa) - 84. Cent. ent. Stud., Priamus (Suppl.) 18: 2863-2865. **PE FAU**
825. **Koçak, A.Ö. & M. Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Surinam (Results of the Entomofauna of the World based upon info-system of the Cesa) - 85. Cent. ent. Stud., Priamus (Suppl.) 18: 2866-2867. **SR FAU**
826. **Koçak, A.Ö. & M. Kemal**, 2010, Synonymic and distributional list of the pterygot insects of United States (Results of the Entomofauna of the World based upon info-system of the Cesa) - 86. Cent. ent. Stud., Priamus (Suppl.) 18: 2868-2884. **US FAU**
827. **Koçak, A.Ö. & M. Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Venezuela (Results of the Entomofauna of the World based upon info-system of the Cesa) - 87. Cent. ent. Stud., Priamus (Suppl.) 18: 2885-2887. **VE FAU**
828. **Koçak, A.Ö. & M. Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Afghanistan (Results of the Entomofauna of the World based upon info-system of the Cesa) - 1. Cent. ent. Stud., Priamus (Suppl.) 18: 240-260. **AF FAU**
829. **Koçak, A.Ö. & M. Kemal**, 2010, Synonymic and distributional list of the pterygot insects of China (Results of the Entomofauna of the World based upon info-system of the Cesa) - 3. Cent. ent. Stud., Priamus (Suppl.) 18: 362-394. **CN FAU**

830. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Cyprus (Results of the Entomofauna of the World based upon info-system of the Cesa) - 4 (Part 1) Cent. ent. Stud., Priamus (Suppl.) 18: 395-420. **CY FAU**
831. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Indonesia (Results of the Entomofauna of the World based upon info-system of the Cesa) - 5. Cent. ent. Stud., Priamus (Suppl.) 18: 477-487. **ID FAU**
832. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Israel (Results of the Entomofauna of the World based upon info-system of the Cesa) - 6. Cent. ent. Stud., Priamus (Suppl.) 18: 488-542. **IL Pa FAU**
833. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of India (Results of the Entomofauna of the World based upon info-system of the Cesa) - 7. Cent. ent. Stud., Priamus (Suppl.) 18: 543-560. **IN FAU**
834. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Iraq (Results of the Entomofauna of the World based upon info-system of the Cesa) - 8. Cent. ent. Stud., Priamus (Suppl.) 18: 561-577. **IQ FAU**
835. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Iran (Results of the Entomofauna of the World based upon info-system of the Cesa) - 9. Cent. ent. Stud., Priamus (Suppl.) 18: 578-649. **IR FAU**
836. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Jordan (Results of the Entomofauna of the World based upon info-system of the Cesa) - 10. Cent. ent. Stud., Priamus (Suppl.) 18: 650-667. **JO FAU**
837. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Japan (Results of the Entomofauna of the World based upon info-system of the Cesa) - 11. Cent. ent. Stud., Priamus (Suppl.) 18: 668-681. **JP FAU**
838. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Kazakhstan (Results of the Entomofauna of the World based upon info-system of the Cesa) - 12. Cent. ent. Stud., Priamus (Suppl.) 18: 682-730. **KG FAU**
839. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Kirgizistan (Results of the Entomofauna of the World based upon info-system of the Cesa) - 13. Cent. ent. Stud., Priamus (Suppl.) 18: 731-748. **KK FAU**
840. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Lebanon (Results of the Entomofauna of the World based upon info-system of the Cesa) - 14. Cent. ent. Stud., Priamus (Suppl.) 18: 749-765. **LB FAU**
841. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Sri Lanka (Results of the Entomofauna of the World based upon info-system of the Cesa) - 15. Cent. ent. Stud., Priamus (Suppl.) 18: 766-769. **LK FAU**
842. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Myanmar (Results of the Entomofauna of the World based upon info-system of the Cesa) - 16. Cent. ent. Stud., Priamus (Suppl.) 18: 770-774. **MM FAU**
843. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Malaysia (Results of the Entomofauna of the World based upon info-system of the Cesa) - 17. Cent. ent. Stud., Priamus (Suppl.) 18: 775-783. **MY FAU**
844. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Nepal (Results of the Entomofauna of the World based upon info-system of the Cesa) - 18. Cent. ent. Stud., Priamus (Suppl.) 18: 784-787. **NP FAU**
845. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Pakistan (Results of the Entomofauna of the World based upon info-system of the Cesa) - 19. Cent. ent. Stud., Priamus (Suppl.) 18: 788-795. **PK FAU**
846. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Russia (Results of the Entomofauna of the World based upon info-system of the Cesa) - 20. Cent. ent. Stud., Priamus (Suppl.) 18: 796-892. **RU FAU**
847. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Saudi Arabia (Results of the Entomofauna of the World based upon info-system of the Cesa) - 21. Cent. ent. Stud., Priamus (Suppl.) 18: 893-901. **SA FAU**
848. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Syria (Results of the Entomofauna of the World based upon info-system of the Cesa) - 22. Cent. ent. Stud., Priamus (Suppl.) 18: 902-941. **SY FAU**

849. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Thailand (Results of the Entomofauna of the World based upon info-system of the Cesa) - 23. Cent. ent. Stud., Priamus (Suppl.) 18: 942-949. **TH FAU**
850. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Tadjikistan (Results of the Entomofauna of the World based upon info-system of the Cesa) - 24. Cent. ent. Stud., Priamus (Suppl.) 18: 950-972. **TJ FAU**
851. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Turkmenistan (Results of the Entomofauna of the World based upon info-system of the Cesa) - 25. Cent. ent. Stud., Priamus (Suppl.) 18: 973-1003. **TM FAU**
852. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Taiwan (Results of the Entomofauna of the World based upon info-system of the Cesa) - 27. Cent. ent. Stud., Priamus (Suppl.) 18: 1725-1729. **TW FAU**
853. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Uighur Ili (Results of the Entomofauna of the World based upon info-system of the Cesa) - 28. Cent. ent. Stud., Priamus (Suppl.) 18: 1730-1738. **Ui FAU**
854. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Uzbekistan (Results of the Entomofauna of the World based upon info-system of the Cesa) - 29. Cent. ent. Stud., Priamus (Suppl.) 18: 1739-1765. **UZ FAU**
855. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Vietnam (Results of the Entomofauna of the World based upon info-system of the Cesa) - 30. Cent. ent. Stud., Priamus (Suppl.) 18: 1766-1769. **VN FAU**
856. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Yemen (Results of the Entomofauna of the World based upon info-system of the Cesa) - 31. Cent. ent. Stud., Priamus (Suppl.) 18: 1770-1775. **YE FAU**
857. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of the Philippines (Results of the Entomofauna of the World based upon info-system of the Cesa) - 32. Cent. ent. Stud., Priamus (Suppl.) 18: 1776-1780. **PH FAU**
858. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Papua New Guinea (Results of the Entomofauna of the World based upon info-system of the Cesa) - 33. Cent. ent. Stud., Priamus (Suppl.) 18: 1781-1785. **PG FAU**
859. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of New Caledonia (Results of the Entomofauna of the World based upon info-system of the Cesa) - 34. Cent. ent. Stud., Priamus (Suppl.) 18: 1786-1787. **NC FAU**
860. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Australia (Results of the Entomofauna of the World based upon info-system of the Cesa) - 35. Cent. ent. Stud., Priamus (Suppl.) 18: 1788-1795. **AU FAU**
861. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Algeria (Results of the Entomofauna of the World based upon info-system of the Cesa) - 36. Cent. ent. Stud., Priamus (Suppl.) 18: 1796-1839. **DZ FAU**
862. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Angola (Results of the Entomofauna of the World based upon info-system of the Cesa) - 37. Cent. ent. Stud., Priamus (Suppl.) 18: 1840-1845. **AO FAU**
863. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Botswana (Results of the Entomofauna of the World based upon info-system of the Cesa) - 38. Cent. ent. Stud., Priamus (Suppl.) 18: 1846-1849. **BW FAU**
864. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Cameroon (Results of the Entomofauna of the World based upon info-system of the Cesa) - 39. Cent. ent. Stud., Priamus (Suppl.) 18: 1850-1857. **CM FAU**
865. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Canary Islands (Results of the Entomofauna of the World based upon info-system of the Cesa) - 40. Cent. ent. Stud., Priamus (Suppl.) 18: 1858-1867. **Cn FAU**
866. **Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Congo (Results of the Entomofauna of the World based upon info-system of the Cesa) - 41. Cent. ent. Stud., Priamus (Suppl.) 18: 1868-1869. **CG FAU**
867. **Koçak,A.Ö., Hüseyinoğlu,Y. & M.Kemal**, 2008, Further notes on the nomenclature of the genus group names in the superfamily Chalcidoidea (Hymenoptera). Cent. ent. Stud., Misc. Pap. 144: 7. **ZA IN LK TAX NOM Pteromalidae Mymaridae**

868. **Krombein, K.V. & B.D. Burks**, 1967, Hymenoptera of America North of Mexico Synoptic Catalog (Agriculture Monograph No.2) Second Supplement 584pp. Washington D.C. **US CA MX TAX BIB**
869. **Kuhlmann, M. & M.Y. Proshchalykin**, 2013, The genus *Colletes* (Hymenoptera, Apoidea, Colletidae) in Central Asia. *Zootaxa* 3750 (5): 401-449, figs. **KG KK TJ TM UZ TAX MOR FAU ATL GEN Colletidae Colletes**
870. **Kuhlmann, M.**, 1999, *Colletes wolffi* spec.nova from Italy, and lectotype designation for Palaearctic bees of the genus *Colletes* Latr., with notes on new homonymies and synonymies (Hymenoptera, Apidae, Colletinae). *Linzer biol. Beitr.* 31 (1): 71-81. **TAX MOR FAU NOM Apidae Colletidae Colletinae Colletes**
871. **Kuhlmann, M.**, 2005, *Colletes rozeni* sp.n., a new bee species from Israel (Insecta, Hymenoptera, Colletidae). *Linzer biol. Beitr.* 37 (2): 1399-1400, figs. **IL Pa TAX MOR FAU Colletidae Colletes rozeni**
872. **Kuhlmann, M.**, 2005, Faunistik und Zoogeographie der Bienengattung *Colletes* Latreille, 1802 (Hymenoptera, Apidae, Colletinae) in Mittelasien. *Linzer biol. Beitr.* 37 (2): 1353-1396, figs. **KG KK TJ UZ TM GEO FAU TAX MOR DIS CAT BIB MAP Colletidae Colletes**
873. **Latke, J.E.**, 2004, A taxonomic revision and phylogenetic analysis of the ant genus *Gnamptogenys* Roger in Southeast Asia and Australasia (Hymenoptera, Formicidae, Ponerinae). *Univ. Calif. Press* 122: 266pp., 61 figs. **SB PH MM IN LK CN SG TW ID Ja Sum Clb MY Bor AU PG TAX MOR FAU CAT DIS Formicidae Ponerinae**
874. **Lelej, A.S. & Harten, A.v.**, 2006, A review of the Mutillidae (Hymenoptera) of Yemen. *Zootaxa* 1226: 1-50, figs. **YE TAX MOR FAU GEN Mutillidae**
875. **Lelej, A.S. & T. Osten**, 2004, To the knowledge of the mutillid and bradynobaenid wasps of Iran (Hymenoptera, Mutillidae, Bradynobaenidae). *Proc. Russ. Ent. Soc.* 75 (1): 253-262, figs. **IR TAX MOR FAU ATL GEN DIS Mutillidae Bradynobaenidae**
876. **Lelej, A.S.**, 2005, Catalogue of the Mutillidae (Hymenoptera) of the Oriental Region. 252pp. Dalnauka, Vladivostok. [access 10.10.2012] **PK IN NP SI MM TH MY TW CN LK ID Sum Ja Clb PH SG CAT FAU DIS BIB Mutillidae**
877. **Lotfalizadeh, H. & A. Mohammadi-Khoramabad**, 2009, New distribution and host record of *Eurytoma scrophulariae* Zerova, 1981 (Hym.: Eurytomidae) from south of Iran. *Biharean Biol.* 3 (2): 157-159. **IR Fa ECO BIO FAU ATL Eurytomidae Chalcidoidea Eurytoma scrophulariae**
878. **Lotfalizadeh, H. & B. Gharali**, 2008, Pteromalidae (Hymenoptera, Chalcidoidea) of Iran: New records and a preliminary checklist. *Entomofauna* 29 (6): 93-120. **IR CAT BIB MOR Pteromalidae Chalcidoidea**
879. **Lotfalizadeh, H.**, 2008, New distribution records for Eucharitidae (Hym.: Chalcidoidea) in Iran. *North Western J. Zool.* 4 (1): 134-138, figs. **IR Ak Th FAU ATL Eucharitidae Eucharis Chalcidoidea**
880. **Lotfalizadeh, H., Ebrahimi, E. & G. Delvare**, 2012, A contribution to the knowledge of family Chalcididae (Hymenoptera, Chalcidoidea) in Iran. *J. Ent. Soc. Iran* 31 (2): 67-100, figs. **IR FAU ATL Chalcididae**
881. **Lucas, R.**, 1895, Die Pompiliden-Gattung *Pepsis*. *Berl. ent. Z.* 39: 449-840, Taf. **BR VE PE CO MX US Tx Cf GT UY PY CL PA CR AR TAX MOR FAU KEY Pompilidae Pepsis**
882. **Ma, Q. & D. Wang**, 1993, Description of a new species of the genus *Enizemum* Foerster (Hymenoptera, Ichneumonidae) from Xinjiang, China. *Entomotaxonomia* 15 (2): 123-126, 6 figs. **CN Ui Um TAX MOR FAU KEY Ichneumonidae Enizemum**
883. **Madl, M. & P. Rosa**, 2012, A catalogue of the Chrysididae (Hymenoptera, Chrysidoidea) of the Ethiopian Region excluding Malagasy Subregion. *Linzer biol. Beitr.* 44 (1): 5-169. **MR MA DZ TN LY EG SO SD ER ET DJ NG CM NE ML BJ TG CI GH LR SN GM SL BF TD CF CG ZR GO Bio UG KE BI RW TZ AO MW ZM ZW ZA MZ Tva Lpo Nta Kzu SZ LS NA BW CAT DIS BIB FAU NOM TAX Chrysididae**
884. **Mahmood, K., Ullah, M., Aziz, A., Hasan, S.A. & M. Inayatullah**, 2012, The knowledge of Vespidae (Hymenoptera) of Pakistan. *Zootaxa* 3318: 26-50, 22 figs. **PK ATL FAU DIS BIB Vespidae Vespoidea Vespinae Polistinae Eumeninae**
885. **Majid, F. & S. Nazila**, 2010, A brief study on the Scoliidae in Iran (Insecta, Hymenoptera). *Mun. Ent. Zool.* 5 (2): 792-795. **IR FAU Scoliidae**
886. **Masnadi-Yazdinejad, A. & R. Jussila**, 2008, A study to the Iranian Cryptinae (Hymenoptera, Ichneumonidae). *J. ent. Soc. Iran* 28 (1): 1-11. **IR TAX MOR FAU KEY BIB MAP Ichneumonidae Cryptinae**

887. **Melika,G. & B.Gharaei**, 2006, New species of herb galling cynipids (Hymenoptera, Cynipidae, Aylacini) from Iran. Acta zool. hung. 52: 385-399, figs. **IR FAU ECO BIO BIB ATL** *Cynipidae Aylacini*
888. **Melika,G. & S.Klymenko**, 2005, New species of Aylacine gall wasps (Hymenoptera, Cynipidae, Aylacini) from Ukraine. Vestn. zool. 39 (2): 23-30, figs. **UA GR Rd IL TAX MOR FAU** *ECO BIO Cynipidae Aylacinae*
889. **Melika,G. & S.Klymenko**, 2005, New species of Aylacine gall wasps (Hymenoptera, Cynipidae, Aylacini) from Ukraine. Vestn. zool. 39 (2): 23-30, figs. **UA TAX MOR FAU ECO BIO** *BIB Cynipidae Aylacini*
890. **Melika,G. & Y.Karimpour**, 2008, The first report of Aulacidea acroptilonica and Isocolus cirsii (Hymenoptera, Cynipidae) from Iran. J. ent. Soc. Iran (suppl.) 27 (2): 19-20. **IR** *FAU ECO BIO Cynipidae Aulacidea acroptilonica Isocolus cirsii*
891. **Melika,G.**, 2006, A new species of Neuroterus Hartig,1840 from Syria (Hymenoptera, Cynipidae, Cynipini). Folia ent. hung. 67: 199-206, figs. **SY TAX MOR FAU ECO BIO ATL** *Cynipidae Cynipini Neuroterus*
892. **Melika,G., Pujade-Villar,J., Stone,G.N., Fülöp,D. & Z.Penzes**, 2009, New species of cynipid gallwasps of the genus Plagiotrochus Mayr,1881 from Nepal and Jordan (Hymenoptera, Cynipidae, Cynipini). Acta zool. hung. 55 (3): 263-274, figs. **NP JO TAX MOR** *FAU GEN Cynipidae*
893. **Michael,E.S.**, 2005, Family-group names for Bees (Hymenoptera, Apoidea). American Mus. Novit. 3476: 1-33. **CAT TAX BIB** *Apoidea*
894. **Michener,C.D.**, 1975, A taxonomic study of African Allodapine Bees (Hymenoptera, Anthophoridae, Ceratinini). Bull. Amer. Mus. Nat. Hist. 155 (2): 69-240, figs. **ZA TZ ZR RW UG** *CM NG SL GH GA ZW CF MZ LS TAX MOR FAU Apidae Apoidea Allodape Allodapini*
895. **Michez,D. & S.Patiny**, 2006, Review of the bee genus Eremaphanta Popov,1940 (Hymenoptera, Melittidae) with the description of a new species. Zootaxa 1148: 47-68, figs. **IR** *TM UZ TJ KG PK TAX MOR FAU ATL GEN KEY BIB MAP Melittidae Eremaphanta*
896. **Michez,D.**, 2002, Dasypoda patinyi spec. nov. (Hymenoptera, Apoidea, Melittidae), espece nouvelle récoltée en Syrie. Linzer biol. Beitr. 34 (1): 737-742. **SY TAX MOR FAU** *Melittidae Dasypoda Apoidea*
897. **Michez,D.**, 2008, Monographic revision of the melittid bees (Hymenoptera, Apoidea, Melittidae sensu lato). Proc. neth. Ent. Soc. Meet. 19: 31-39, 4 figs. **US MX GB NO SE FI DK DE** *BE NL FR ES PT CH AT IT Cn MA DZ TN LY EG ET KE NA BW ZA IL Pa LB YU HV SS MK AL BG GR* **RO UA RU SY IR KG UZ TJ KK Ui CN Mc Yu PK IN Ch NP JP ECO BIO BIB** *Melittidae Apoidea*
898. **Morawitz,F.**, 1874, Die Bienen Daghestans. Horae Soc. ent. ross. 10: 129-189. **RU Da Cc** *TAX MOR FAU Apidae Colletinae Colletes*
899. **Morawitz,F.**, 1888, Hymenoptera aculeata nova. Horae Soc. ent. ross. 22: 224-302. **TJ RU** *Sb IR TM Kp UA Cm TAX MOR FAU Apidae Vespidae Pompilidae Crabronidae Colletinae Colletes Bombus* *Anthophora Tetralonia Cilissa Andrena Osmia Anthidium Crocisa Nomada Eumenes Celonites Jugurtia Pelopoeus* *Pompilus Homonotus Stizus Anthophilus Corynopus Blepharipus Thyreopus Dielis Meria*
900. **Morawitz,F.**, 1894, Supplement zur Bienenfauna Turkestans. Horae Soc. ent. ross. 28: 1-87. **CN Ui KG KK UZ TM TAX MOR FAU** *Apidae Colletinae Colletes Bombus Anthophora Apathus Tetralonia* *Xylocopa Ceratina Camptopoeum Osmia Megachile Anthidium Stelis Melecta Ammobates Nomada Cilissa* *Andrena Halictus Sphecodes Nomia Hylaeus*
901. **Murai,M.N. & Z.S.Amr**, 2011, Sphecidae and Crabronidae of the Al Thawrah Nature Reserve, northern Syria, with a checklist of the species known from Syria (Insecta, Hymenoptera). Zool. Middle East 53: 107-120. **SY FAU CAT** *Sphecidae Crabronidae*
902. **Myartseva,S.N., Ruiz-Cancino,E. & J.M.Coronado-Blanco**, 2010, Parasitoides (Hymenoptera, Aphelinidae, Encytridae) de Differococcus argentinus (Morrison,1919) (Hemiptera, Coccidae) en Tamaulipas, Mexico. Dugesiana 17 (2): 125-128. **MX ECO BIO** *Aphelinidae Encytridae Vivamexico*
903. **Nadimi,A., Talebi,A.A., Zhu,C-D. & Y.Fathipour**, 2014, Study of the tribe Anthidiini (Hymenoptera, Megachilidae) in northern Iran, with the description of a new species. NW. J. Zool. 10 (2): 413-424, figs. **IR TAX MOR FAU ATL KEY** *Megachilidae Anthidiini*
904. **Narendran,T.C. & T.Varghese**, 1990, A new species of Chalcis Fabricius (Hymenoptera, Chalcididae) from Jordan. J. Adv. Zool. 11: 619-621. **JO TAX MOR FAU** *Chalcididae Chalcis*
905. **Narendran,T.C., Hamed, A.G. & Z.Ahmad**, 2012, A review of Meruacesa Koçak and Kemal (Hymenoptera, Eulophidae) with description of a new species from Saudi Arabia. J. Env. & Sociobiol. 9 (1): 27-33, figs. **SA TAX MOR FAU** *Eulophidae Meruacesa arabica*

906. Nazemi,J., Talebi,A.A., Sadeghi,S.E., Melika,G. & A.Loza, 2008, Species richness of oak gall wasps (Hymenoptera, Cynipidae) and identification of associated inquilines and parasitoids on two oak species in western Iran. North West J Zool. 4 (2): 189-202, figs. **IR Kd ECO FAU ATL Cynipidae**
907. Nazemi-Rafie,J., Talebi,A.A., Sadeghi,S.E. & G.Melika, 2007, Parasitoids (Hym., Chalcidoidea) reared from oak gall wasps (hym. Cynipidae) in West of Iran with five new species records. J. ent. Res. Soc. 9 (3): 43-56. **IR FAU ECO BIO BIB Cynipidae Eulophidae Eupelmidae Eurytomidae Ormyridae Pteromalidae Torymidae Chalcidoidea Cynipini**
908. Noyes,J.S. & M.Hayat, 1984, A review of the genera of Indo-Pacific Encyrtidae (Hymenoptera, Chalcidoidea). Bull. Br. Mus. (Nat. Hist.) Ent. 48: 131-395, figs. **LK IN NP BT SI MM TH MY VN KH LA CN PH ID TAX MOR FAU Encyrtidae Chalcidoidea**
909. Noyes,J.S., 1982, Collecting and preserving chalcid wasps (Hymenoptera, Chalcidoidea). J. Nat. Hist. 16: 315-334, figs. **COL PRE Agaonidae Aphelinidae Chalcididae Encyrtidae Eulophidae Eucharitidae Eupelmidae Eurytomidae Khutelchacididae Leucospidae Mymaridae Ormyridae Perilampidae Pteromalidae Signiphoridae Tanaostigmatidae Torymidae Tetracampidae Trichogrammatidae Chalcidoidea**
910. Nurse,C.G., 1903, New species of Indian Aculeate Hymenoptera. Ann. Mag. nat. Hist. (7) 11: 393-403, 511-526, 528-549. **Ch IN Guj PK Mre TAX MOR FAU Mutillidae Scolidae Pompilidae Crabronidae Sphecidae Vespidae Halctidae Andrenidae Apidae Megachilidae Eumeninae**
911. Nurse,C.G., 1904, New species of Indian Hymenoptera. Apidae. J. Bombay nat. Hist. Soc. 15: 557-585. [author Major C.G.Nurse, 113th Infantry] **IN PK Bl Qu TAX MOR FAU Andrenidae Andrena Apoidea**
912. Osten,T., 1999, Dritter Beitrag zur Kenntnis der Scolidenfauna von Zypern (Hymenoptera, Scolidae). Entomofauna 20 (26): 401-421, figs. **CY TAX MOR FAU Scolidae**
913. Osten,T., 2001, Beitrag zur Scoliden-Fauna der Insel Phuket (Thailand) (Hymenoptera, Scolidae). Entomofauna 22 (23): 433-444. **TH Phu TAX MOR FAU Scolidae**
914. Packer,L., Genaro,J.A. & C.S.Sheffield, 2007, The bee genera of eastern Canada. Canad. J. Arthr. Ident. 3. available online at http://www.biology.ualberta.ca/bsc/ejournal/pgs03/pgs_03.html doi: 10.3752/cjai.2007.03. **US MX GB NO SE FI DK DE BE NL FR ES PT CH AT IT Cn MA DZ TN LY EG ET KE NA BW ZA IL Pa LB YU HV SS MK AL BG GR RO UA RU SY IR KG UZ TJ KK Ui CN Mc Yu PK IN Ch NP JP ECO MOR KEY Megachilidae Apidae Andrenidae Halictidae Colletidae Apoidea**
915. Pantaleoni,R.A. & M.B.Bartalucci, 2011, New record of Tentyria Latreille,1802 (Coleoptera, Tenebrionidae) as host of Poecilotiphia roussellii (Guérin,1838) (Hymenoptera, Tiphidae). Biodiversity J. 2 (4): 207-208, figs. **IT Sa ECO BIO ATL Tiphidae Tenebrionidae**
916. Pasteels,J.J., 1969, La systématique générique et subgénérique de Anthidiinae de l'ancien Monde. Mém. Soc. ent. Belgique 31: 3-148. **TAX MOR FAU CLA Megachilidae Anthidiinae Anthidium**
917. Pasteels,J.J., 1985, Espèces nouvelles ou mal connues de Megachilinae (Hymenoptera, Apoidea, Megachilidae) de l'Afrique subsaharienne. Revue Zool. Afr. 99: 5-55. **TAX MOR FAU Megachilidae Coelioxys genalis**
918. Patiny,S., 1998, Description d'un sous-genre nouveau de Melliturga Latreille,1809 (Hymenoptera, Apoidea, Andrenidae). Bembix 10: 29-33. **TAX MOR Andrenidae Apoidea Melliturga**
919. Pauly,A., 2012, Three new species of Eupetersia Blüthgen,1928 (Hymenoptera, Halictidae) from the Oriental Region. Eur. J. Tax. 14: 1-12, figs. **MY SG Bor Sbh TH Pht NI IN TAX MOR FAU ATL GEN KEY Halictidae Eupetersia**
920. Peck,O., Boucek,Z. & A.Hoffer, 1964, Keys to the Chalcidoidea of Czechoslovakia (Insecta, Hymenoptera). Mem. Ent. Soc. Canada 34: 1-170, 289 figs. **TAX MOR KEY Chalcididae Pteromalidae Eucharidae Perilampidae Chalcidoidea**
921. Pesarini,F. & G.F.Turrisi, 2003, Orussus taorminensis (Trautmann,1922) (Hymenoptera, Orussidae), new to Iberian Peninsula and to Africa. Boln. Asoc. esp. Ent. 27 (1-4): 93-98, 1 fig. **ES IT MA DZ TAX MOR FAU ATL KEY Orussidae Orussus taorminensis Symphyta**
922. Pesenko,Y.A. & A.Pauly, 2005, Monograph of the bees of the subfamily Nomiodinae (Hymenoptera, Halictidae) of Africa (excluding Madagascar). Annls Soc. ent. Fr. (n.s.) 41 (2): 129-236, figs. **MR MA DZ TN LY EG SA YE OM BH SN GA BF ML TD SD KE TZ NA AO ZA LS SZ BW ZW SO TG GH NG CM GM ZR CF CG CV Cn MZ MG TAX KEY MOR FAU ATL GEN BIB Halictidae Nomiodinae**
923. Pesenko,Y.A. & A.Pauly, 2009, A contribution to the fauna of the Nomiodine bees of the Arabian Peninsula (Hymenoptera, Halictidae). Fauna Arabia 24: 217-236, figs. **SA AE OM YE TAX MOR FAU ATL GEN KEY DIS Halictidae Ceylalictus Nomiodinae**
924. Plant,J. & A.Dubitzky, 2008, Relaxing bee specimens: A quick and easy method. Ent. Austr. 15: 41-44, 1 fig. **US MX GB NO SE FI DK DE BE NL FR ES PT CH AT IT Cn MA DZ TN LY EG**

ET KE NA BW ZA IL Pa LB YU HV SS MK AL BG GR RO UA RU SY IR KG UZ TJ KK Ui CN Mc Yu PK
IN Ch NP JP MET


925. **Prinsloo, G.L.**, 1985, Afrotropical Encyrtidae (Hymenoptera, Chalcidoidea): new records and notes. J. nat. Hist. 19: 277-284. **PH Luz ZA Nta Kzu Tva KE NA IN ZW SZ US Cf TAX MOR FAU**
Encyrtidae Chalcidoidea
926. **Prinsloo, G.L.**, 1995, Revision of the southern African species of *Coccobius* Ratzeburg (Hymenoptera, Aphelinidae), parasitoids of armoured scale insects (Homoptera, Diaspididae). J. nat. Hist. 29 (6): 1517-1541, figs. **NA ZA TAX MOR FAU ECO** *Aphelinidae Diaspididae Chalcidoidea*
927. **Pujade-Villar, J., Kwast, E., Thuroczy, C. & D. Bellido**, 2002, Gall wasps and their associated fauna collected in Greece, with some taxonomic changes and description of a new species (Hymenoptera, Cynipidae, Chalcidoidea). Acta zool. cracov. 45 (4): 351-364, figs. **GR TAX MOR FAU ECO BIO ATL BIB** *Cynipidae Chalcidoidea*
928. **Quicke, D.L.J.**, 1989, Parasitic braconine wasps of the genus *Archibracon* (Hymenoptera, Braconidae). J. Nat. Hist. 23: 29-70, figs. **ZA Nta Kzu Ec Tva Lpo CI TG SN SL CM ZR CG KE SO TZ UG TAX MOR FAU ATL GEN KEY** *Braconidae Archibracon*
929. **Quinlan, J.**, 1979, A revisionary classification of the Cynipoidea (Hymenoptera) of the Ethiopian zoogeographical region Aspicerinae (Figitidae) and Oberthuerellinae (Liopteridae). Bull. Br. Mus. (Nat. Hist.) Ent. 39: 85-133, 129 figs. **ZA ZW RW MW KE UG TZ ZR ET CF NG CM TAX MOR FAU GEN KEY** *Figitidae Liopteridae Cynipoidea Aspicerinae Oberthuerellinae*
930. **Radchenko, A. & G.W. Elmes**, 2003, *Myrmica afghanica* (Hymenoptera, Formicidae), a new ant species from Afghanistan. Zootaxa 375: 1-8, figs. **AF TAX MOR FAU** *Formicidae Myrmica*
931. **Radoszkowsky, O.**, 1876, Comte-rendu des Hyménoptères recueillis en Egypte et Abyssinie en 1873. Horae Soc. ent. ross. 12: 111-150 [author O. Radoszkowsky, Général d'Artillerie] **EG ER ET TAX ATL MOR FAU** *Apidae Megachilidae Mutillidae Vespidae*
932. **Ravandi, S.G., Madjdzadeh, S.M., Peris Felipo, F.J., Hesni, M.A. & E. Rakhshani**, 2015, A contribution to the Alysinae of southeastern Iran, with description of the male of *Chorebus longiarticulis*. Turk. J. Zool. 39: 836-841, figs. **IR Ke FAU ATL MOR** *Braconidae Alysinae Chorebus Dacnusa Synaldis Orthostigma Dinotrema*
933. **Raw, A.**, 2004, Leafcutter and Mason Bees: a biological catalogue of the genus *Megachile* of the Neotropics. <http://www.webbee.org.br> [access 12 June, 2012]. **VE BR PE CO AR CL CAT BIB FAU TAX** *Megachilidae Megachile*
934. **Rebmann, O.**, 1968, 4. Beitrag zur Kenntnis der Gattung *Megachile* Latr. - Über palaearktische Subgenera von *Megachile* I. NachrBl. bayer. Ent. 17: 121-123. **TAX MOR FAU** *Megachilidae Apidae Megachile*
935. **Rebmann, O.**, 1970, 6. Beitrag zur Kenntnis der Gattung *Megachile* Latr. - Über palaearktische Subgenera von *Megachile* II. Zur Systematik der "Chalicodoma-Arten". NachrBl. bayer. Ent. 19: 37-47. **TAX MOR FAU** *Megachilidae Apidae Chalicodoma*
936. **Rebmann, O.**, 1970, Neue und wenig bekannte Arten der Untergattungen *Eutricharaea* Thomson und *Neueutricharaea* Rebmann. 5. Beitrag zur Kenntnis der Gattung *Megachile* Latr. (Hym., Apidae). Stuttg. Beitr. Naturk. 217: 1-10. **IR IQ UZ TAX MOR FAU GEN** *Megachilidae Megachile Eutricharaea Neueutricharaea*
937. **Rebmann, O.**, 1972, 6. Beitrag zur Kenntnis der Gattung *Megachile* Latr. (Hym., Apidae). Neue Arten der Untergattungen *Pseudomegachile* Friese und *Metamegachile* Tkalcu. Stuttg. Beitr. Naturk. 248: 1-4. **TAX MOR FAU GEN** *Megachilidae Megachile Pseudomegachile Metamegachile*
938. **Rebmann, O.**, 1972, 6. Beitrag zur Kenntnis der Gattung *Megachile* Latr. (Hym. Apidae). Stuttg. Beitr. Naturk. 248: 1-4, figs. **Rd IR Ss AF TAX MOR FAU** *Megachilidae Megachile*
939. **Richards, O.W.**, 1982, A revision of the genus *Belonogaster* de Saussure (Hymenoptera, Vespidae). Bull. Br. Mus. (Nat. Hist.) Ent. 44: 31-114. **UG ZM ZR ZW MW TZ MZ ZA Tva Nta Kzu Lpo CM NG LR CG KE DZ SD SA YE NE AO LS IN ET GA SL GH CI TD OM SO Sk LY RW ML SN GM TG TAX MOR FAU KEY** *Vespidae Vespoidea Belonogaster*
940. **Rightmyer, M.G. & M.S. Engel**, 2003, A new palearctic genus of Melectine bees (Hymenoptera, Apidae). Amer. Mus. Novitates 3392: 1-22, figs. **KK TM TAX MOR FAU ATL GEN KEY** *Apidae Thyreomelecta*
941. **Roche, C.G.**, 2007, Conspectus of the sphecids of Egypt (Hymenoptera, Ampulicidae, Sphecidae, Crabronidae). Egyptian J. Biol. 4: 12-149. **EG FAU TAX MOR KEY** *Ampulicidae Sphecidae Crabronidae*
942. **Roche, G.C. & N.S. Gadallah**, 1999, The sphecids of Egypt (Hymenoptera, Sphecidae): Introduction and generic key. Egyptian J. Biol. 1: 104-117, figs. **EG MOR KEY ATL** *Sphecidae Crabronidae*

943. Rosa,P., Lotfalizadeh,H. & L.Pourrafei, 2013, First checklist of the chrysidid wasps (Hymenoptera, Chrysididae) of Iran. Zootaxa 3700 (1): 1-47. **IR FAU Chrysididae**
944. Samin,N., Sakenin,H., Imani,S. & M.Shojai, 2011, A study on the Braconidae (Hymenoptera) of Khorassan province and vicinity, northeastern Iran. Phegea 39 (4): 137-143. **IR Kh FAU Braconidae**
945. Schulthess,A.v., 1930, Vespidae in Ebner,R., Hymenopteren aus Palaestina und Syrien (Zoologische Studienreise von R.Ebner 1928 mit Unterstützung der Akademie der Wissenschaften in Wien). Sitz. Akad. Wiss. Wien 139: 25. **IL Pa Hf FAU Vespidae Vespoidea**
946. Schwammberger,K.H., 1971, Zwei neue Bienen-Arten aus dem Iran (Hymenoptera, Apoidea). Stuttg. Neitr. Naturk. 225: 1-4. **IR TAX MOR FAU Melittidae Eremaphanta**
947. Schwarz,M., 1986, Zur Kenntnis der Gattung Nomada Scopoli 2 (Hymenoptera, Apoidea). Entomofauna 7 (34): 453-467, figs. **DZ ES UA PL AT HU GR TAX MOR Apidae Nomada Apoidea**
948. Schwarz,M., 1987, Beitrag zur Klärung einiger von F.Morawitz beschriebener Nomada-Arten (Hymenoptera, Apoidea). Entomofauna 8 (14): 237-247. **RU AM Cc CH FR DE TAX NOM Apidae Nomada Apoidea**
949. Schwarz,M., 1988, Zur Kenntnis der von E.Saunders beschriebenen Nomada-Arten (Hymenoptera, Apoidea). Entomofauna 9 (13): 301-313, 12 Abb. **ES DZ TAX NOM MOR Apidae Apoidea Nomada**
950. Scott,H., 1929, An entomological tour in Kurdistan. Entomologist's mon. Mag. 65: 69-82, 3 pls. **IQ FAU ATL Ascalaphidae Myrmeleonidae Nemopteridae**
951. Smith,D.R., 1982, List of the Symphyta (Hymenoptera) of Israel with description of four new species. Israel J. Ent. 16: 1-25, 8 figs. **IL Pa TAX MOR FAU Cimbicidae Argidae Siricidae Cephidae Xyelidae Megalodontesidae Tenthredinidae Symphyta**
952. Smith,F., 1891, Catalogue of the British Bees in the collection of the British Museum. 236 pp. 10 Pls. London. **GB MOR ATL Apidae Apoidea**
953. Tavakoli,M. & G.Melika, 2006, Two new species of Timaspis Meyr,1881 from Iran (Hymenoptera, Cynipidae, Aylacini). Folia ent. hung. 67: 207-219, figs. **IR Lo Ha Elb Th TAX MOR FAU ECO BIO ATL Cynipidae Timaspis Aylacini**
954. Terzo,M., Iserbyt,S. & P.Rasmont, 2007, Révision des Xylocopinae (Hymenoptera, Apidae) de France et de Belgique. Annls Soc. ent. Fr. (n.s.) 43 (4): 445-491, figs. **FR BE TAX MOR KEY FAU ATL GEN BIB Apidae Apoidea Xylocopinae**
955. Trautmann,W., 1929, Beitrag zur Kenntnis der Goldwespen Cypern. Konowia 8: 154-158 [preoccupied names proposed]. **CY TAX MOR FAU Chrysididae**
956. Triapitsyn,S.V., 2010, Revision of the Palaearctic species and review of the Oriental species of Ooctonus (Hymenoptera, Mymaridae), with notes on extralimital taxa. Zootaxa 2381: 1-74, figs. [new species and synonymies are proposed] **NP KK KP KR RU JP AT BE DE PL SE NO MG TAX MOR FAU GEN KEY ECO BIO Mymaridae Chalcidoidea Ooctonus**
957. Tyrner,P., 2007, Chrysidoidea: Chrysididae (zlatenkoviti). Acta ent. Mus. Nat. Pragae (Suppl.) 11: 41-63. **CZ SK CAT Chrysididae**
958. Uvarov,B.P., 1931, Insects and climate. Trans. ent. Soc. London 79 (1): 1-232, figs. **ECO**
959. Warncke,K., 1988, Isolierte Bienenenvorkommen auf dem Olymp in Griechenland (Hymenoptera, Apidae). Linzer biol. Beitr. 20 (1): 83-117, 36 Karte. **GR FAU MOR KEY MAP DIS Andrenidae Colletidae Apidae Halictidae Megachilidae Megachile Osmia Andrena Apoidea Prosopis Hylaeus Bombus Colletes Halictus**
960. Wolf,H., 1968, Beitrage zur Kenntnis der Fauna Afghanistans: Pompilidae, Hym. Acta Mus. Morav. 53: 233-248. **AF TAX MOR FAU GEN KEY Pompilidae**
961. Wolf,H., 1970, Beitrag zur Kenntnis iranischer Wegwespen (Hym. Pompilidae). Stuttg Beitr. Naturk. 219: 1-6, figs. **IR TAX MOR FAU GEN KEY Pompilidae**
962. Wolf,H., 1994, Zur Kenntnis der Gattung Tachyagetes Haupt,1930 (Hymenoptera, Pompilidae). Linzer Biol. Beitr. 26 (2): 907-921. **RU EG Cc AM KK KG TM UZ TAX MOR FAU Pompilidae Tachyagetes**
963. Wolf,H., 2004, Wegwespen (Hymenoptera, Pompilidae) des Oberösterreichischen Landesmuseums Linz (Austria) aus Syrien und Tunesien. Linzer biol. Beitr. 36 (2): 1153-1173, 27 Abb. **SY TN Gf FAU ATL TAX MOR Pompilidae**
964. Xu,Z., Olmi,M. & J.He, 2013, Dryinidae of the Oriental region (Hymenoptera, Chrysidoidea). Zootaxa 3614 (1): 1-460, figs. **PK IN LK NP SI BT MM TH CMa KH LA VN CN TW PH ID AU MY Bor SG TAX MOR FAU ATL GEN ECO BIO KEY BIB Dryinidae Chrysidoidea**
965. Yefremova,Z.A., 2002, Catalogue of the Eulophidae (Hymenoptera, Chalcidoidea) of Russia. Linzer biol. Beitr. 34 (1): 563-618. **RU CAT BIB DIS Eulophidae Chalcidoidea**


966. **Zalat,S., Auo-Ghalia,A. Gilbert,F. & N.Shaumar,** 1992, Taxonomic studies of Egyptian Eumenidae (Hymenoptera). J. Egypt Germ. Soc. Zool. 7 (B): 515-540, figs. **EG Sn FAU MOR KEY** *Vespidae Eumeninae Vespoidea*
967. **Zanden,G.van der,** 1996, Neue Arten und Synonymie bei paläarktischen Bauchsammlern (Hymenoptera aculeata, Apoidea, Megachilidae). Linzer biol. Beitr. 28 (2): 883-895, 8 Abb. **MA TN FR GR Cr IL Pa JO TAX MOR FAU** *Megachilidae*
968. **Zeroval,M.D., Mehrnejad,M.R., Gharaei,B. & I.Y.Seryogina,** 2004, Two new species of the genus Eurytoma (Hymenoptera, Eurytomidae) from Iran. Vestn. zool. 38 (1): 81-84, figs. **IR TAX MOR FAU ATL** *Eurytomidae Chalcidoidea Eurytoma*
969. **Zeroval,M.D., Seryogina,L.Y. & Y.Karimpour,** 2008, New species of the chalcidoid wasps of the families Eurytomidae and Torymidae (Hymenoptera, Chalcidoidea) from Iran. Vestn. zool. 42 (6): 101-108, figs. **IR TAX MOR FAU GEN ECO BIO** *Eurytomidae Torymidae Chalcidoidea*
970. **Zeroval,M.D., Seryogina,L.Y., Melika,G. et al.,** 2003, New genus and new species of cynipid gall inducing wasp (Hymenoptera, Cynipidae) and new species of chalcid wasps (Hymenoptera, Chalcidoidea) from Israel. J. ent. Res. Soc. 5 (1): 35-49. **IL TAX MOR FAU ECO BIO** *Cynipidae Chalcidoidea*
971. **Zonstein,I. & R.Wahis,** 2015, Revision of the Palaearctic genus Gonapoprus Ashmead,1902 of spider wasps (Hymenoptera, Pompilidae). Zootaxa 4018 (4): 451-505, figs. **IL EG SA AE MR PK OM IR TAX MOR FAU ATL GEN KEY** *Pompilidae Gonaporus*

Maps of Hymenoptera of Turkey


In this part, dual distributional maps are prepared for the selected 79 taxa. For this purpose, range codes of the related species are used. Number in brackets indicates the sequence number of the species of the species list in the text.





Map 1 (457) - *Ammobatooides* (s.str.) *abdominalis* (Eversmann,1852) (Apidae)






Map 2 (473) - *Anthophora* (*Pyganthophora*) *aestivalis* (Panzer,1801) (Apidae)




Map 3 (476) - *Anthophora* (s.str.) *plumipes* (Pallas,1772) (Apidae)












Map 8 (661) - *Thyreus ramosus* (Lepelletier, 1841) (Apidae)




Map 9 (666) - *Xylocopa (Copoxya) armeniaca* Warncke, 1982 (Apidae)









Map 14 (929) - Bracon (Glabrobracon) obscurator Nees ab Esenbeck,1812 (Braconidae)





Map 15 (944) - Bracon (Glabrobracon) variator (Nees ab Esenbeck,1812) (Braconidae)







Map 16 (1041) - *Chelonus* (*Microchelonus*) *cesa* Koçak & Kemal, 2013 (Braconidae)







Map 17 (1108) - *Cotesia ruficrus* (Haliday, 1834) (Braconidae)




















































Map 44 (3138) - *Halictus* (s.str.) *brunnescens* (Eversmann,1852) (Halictidae)




Map 45 (3227) - *Lasioglossum* (*Evylaeus*) *epiygiale* (Blüthgen,1924) (Halictidae)












Map 50 (3447) -*Amblyjoppa fuscipennis* (Wesmael,1845) (Ichneumonidae)




Map 51 (3448) -*Amblyteles armatorius* (Forster,1771) (Ichneumonidae)










Map 56 (3888) -*Ichneumon sarcitorius* Linnaeus, 1758 (Ichneumonidae)




Map 57 (3908) -*Itoplectis maculatus* (Fabricius, 1775) (Ichneumonidae)







Map 60 (4157) -*Scolobates auriculatus* (Fabricius, 1804) (Ichneumonidae)




Map 61 (4186) -*Syrphophilus bizonatus* (Gravenhorst, 1829) (Ichneumonidae)




Map 62 (4299) - *Leucospis dorsigera* (Fabricius, 1775) (Leucospidae)




Map 63 (4331) - *Anthidium (Pseudoanthidium) lituratum* (Panzer, 1801) (Megachilidae)




Map 64 (4399) - *Coelioxys* (*Allocoelioxys*) *afra* Lepeletier, 1841 (Megachilidae)




Map 65 (4404) - *Coelioxys* (*Allocoelioxys*) *haemorrhhoa* Förster, 1853 (Megachilidae)




Map 66 (4445) - *Hoplitis (Alcidamea) acuticornis* (Dufour & Perris, 1840) (Megachilidae)




Map 67 (4608) - *Osmia (Helicosmia) caerulescens* (Linnaeus, 1758) (Megachilidae)




Map 68 (4639) - *Osmia* (*Hoplosmia*) *bidentata* Morawitz, 1876 (Megachilidae)





Map 69 (4677) - *Osmia* (s.str.) *cerinthidis* Morawitz, 1876 (Megachilidae)






Map 70 (4741) - *Dasypoda* (*Megadasypoda*) *argentata* Panzer, 1809 (Melittidae)




Map 71 (4770) - *Dasylabris* (s.str.) *maura* (Linnaeus, 1758) (Mutillidae)









Map 76 (5332) - *Sceliphron* (s.str.) *destillatorium* (Illiger, 1807) (Sphecidae)



Map 77 (5695) - *Polistes* (s.str.) *dominula* (Christ, 1791) (Vespidae)



Priamus Supplement is the first international, online publication of the Centre for Entomological Studies Ankara (CESA), established in 2006 in accordance with the Publications Rules of the ICZN. It appears at irregular intervals online, as PDF format, archived in the "Internet Archive" regularly.

It includes larger original articles and theses of the research workers of the Centre, regarding morphology, bibliography, check-list, catalogue of Insects, especially Lepidoptera, as well as papers on faunistic, ecological and distributional researches. The publication languages are Turkish, English, German and Uighurian.

Centre for Entomological Studies Ankara



(A scientific Consortium)

(co-operation of research workers for pure-scientific, not commercial purpose)

Web Page of the Cesa: <http://www.cesa-tr.org/>

Scientific Serials: Priamus & Supplement (ISSN 1015-8243)⁹, Miscellaneous Papers (ISSN 1015-8235)¹⁰, Memoirs (ISSN-8227)¹¹, DVD Films¹², Iconographia Insectorum¹³, Cesa Publications on African Lepidoptera (series)¹⁴, Cesa News [online]¹⁵, Cesa Books¹⁶

Owners / Sahipleri - Editors / Yayıncılar: Prof. Dr. Ahmet Ömer Koçak (c/o Yüzüncü Yıl University, Turkey) - Editor Assistant: Asst. Prof. Dr. Muhabbet Kemal Koçak (c/o Yüzüncü Yıl University, Turkey).

Editorial Board of all Scientific Serials / Bütün Bilimsel Yayınların Yayın Kurulu: Insecta, taxonomy, nomenclature, ecology, faunistics: Prof. em. Dr. Ahmet Ömer Koçak (c/o Yüzüncü Yıl Üniversitesi, Turkey), Asst. Prof. Dr. Muhabbet Kemal Koçak (Yüzüncü Yıl University, Turkey), Prof. Dr. Selma Seven (Gazi University, Turkey); Homoptera: Dr. Emine Demir (Turkey). Orthoptera: Assoc. Prof. Dr. Mustafa Ünal (Abant İzzet Baysal University, Turkey), Asst. Prof. Dr. Yusuf Hüseyinoğlu (Mersin University, Turkey), Asst. Prof. Dr. Yaşar Gülmez (Gazi Osman Paşa University, Tokat). Plant taxonomy, flora and vegetation: Asst. Prof. Dr. Fevzi Özgökçe, Assoc. Prof. Dr. Mural Ünal (Yüzüncü Yıl University, Van, Turkey).

ALL RIGHTS RESERVED

Correspondences should be addressed to: Prof. em. Dr. Ahmet Ömer Koçak, c/o Yüzüncü Yıl University, Fen Fakültesi, Biyoloji Bölümü, Kampus, Van / Turkey. - e-mail: cesa_tr@yahoo.com.tr

All serials are recorded regularly by the Zoological Record,
Thomson Reuters, Enterprise House, Innovation Way, Heslington, York, YO10 5NQ, United Kingdom
ts-emea-york.dcsadmins@thomson.com

Priamus Supplement is regularly archived online in the Internet Archive: <https://archive.org/>



Cesa © 1966-2015

⁹ <http://www.cesa-tr.org/Pri.htm> - earlier issues of Priamus as pdf available after corresponding ; Priamus Supplement (online) pdf available

¹⁰ <http://www.cesa-tr.org/Miscell.htm> - earlier issues as pdf available after corresponding

¹¹ <http://www.cesa-tr.org/Memoirs.htm> - pdf available

¹² <http://www.cesa-tr.org/CDF.htm>

¹³ <http://www.cesa-tr.org/Icon.htm>

¹⁴ http://www.metafro.be/Members/Cesa/internet_savfas305/base_view - pdf available

¹⁵ <http://www.cesa-tr.org/Cesanews.htm> pdf available

¹⁶ <http://www.cesa-tr.org/Cesabooks.htm> CD format